## Lawrence Berkeley National Laboratory

**LBL Publications** 

## Title

Fourth generation electron cyclotron resonance ion sources.

**Permalink** https://escholarship.org/uc/item/20h9k2sp

**Journal** The Review of scientific instruments, 79(2 Pt 2)

**ISSN** 0034-6748

### Authors

Lyneis, Claude M Leitner, D Todd, DS <u>et al.</u>

Publication Date 2008-02-01

## DOI

10.1063/1.2816793

Peer reviewed

# Fourth generation electron cyclotron resonance ion sources (invited)

Cite as: Rev. Sci. Instrum. **79**, 02A321 (2008); https://doi.org/10.1063/1.2816793 Submitted: 24 August 2007 . Accepted: 26 October 2007 . Published Online: 19 February 2008

Claude M. Lyneis, D. Leitner, D. S. Todd, G. Sabbi, S. Prestemon, S. Caspi, and P. Ferracin



Review of highly charged heavy ion production with electron cyclotron resonance ion source (invited)

Review of Scientific Instruments 85, 02A935 (2014); https://doi.org/10.1063/1.4842315

The third generation superconducting 28 GHz electron cyclotron resonance ion source VENUS (invited)

Review of Scientific Instruments 81, 02A201 (2010); https://doi.org/10.1063/1.3271135

Advancement of highly charged ion beam production by superconducting ECR ion source SECRAL (invited)

Review of Scientific Instruments 87, 02A707 (2016); https://doi.org/10.1063/1.4933123





# VACUUM SOLUTIONS FROM A SINGLE SOURCE

View Onlin

Pfeiffer Vacuum stands for innovative and custom vacuum solutions worldwide, technological perfection, competent advice and reliable service.

Learn more!

Rev. Sci. Instrum. **79**, 02A321 (2008); https://doi.org/10.1063/1.2816793 © 2008 American Institute of Physics. **79**, 02A321

## Fourth generation electron cyclotron resonance ion sources (invited)<sup>a)</sup>

Claude M. Lyneis, D. Leitner, D. S. Todd, G. Sabbi, S. Prestemon, S. Caspi, and P. Ferracin *Lawrence Berkeley National Laboratory, 1 Cyclotron Rd. Berkeley, California 94720, USA* 

(Presented 27 August 2007; received 24 August 2007; accepted 26 October 2007; published online 19 February 2008)

The concepts and technical challenges related to developing a fourth generation electron cyclotron resonance (ECR) ion source with a rf frequency greater than 40 GHz and magnetic confinement fields greater than twice  $B_{\rm ECR}$  will be explored in this article. Based on the semiempirical frequency scaling of ECR plasma density with the square of operating frequency, there should be significant gains in performance over current third generation ECR ion sources, which operate at rf frequencies between 20 and 30 GHz. While the third generation ECR ion sources use NbTi superconducting solenoid and sextupole coils, the new sources will need to use different superconducting materials, such as Nb<sub>3</sub>Sn, to reach the required magnetic confinement, which scales linearly with rf frequency. Additional technical challenges include increased bremsstrahlung production, which may increase faster than the plasma density, bremsstrahlung heating of the cold mass, and the availability of high power continuous wave microwave sources at these frequencies. With each generation of ECR ion sources, there are new challenges to be mastered, but the potential for higher performance and reduced cost of the associated accelerator continues to make this a promising avenue for development. © 2008 American Institute of Physics. [DOI: 10.1063/1.2816793]

#### **I. INTRODUCTION**

Electron cyclotron resonance (ECR) ion source performance has progressed steadily since the first successful high charge state ion source called Supermafios was developed in Grenoble in the mid 1970s.<sup>1</sup> Beam intensities have increased significantly with O<sup>6+</sup> going from 15 to almost 3000 e $\mu$  A (2860 e $\mu$  A) and the charge state distributions for heavy ions have increased dramatically. The driving force behind has been the development of ECR ion sources (ECRISs) that utilize higher microwave frequency and stronger magnetic confinement. A number of technical innovations such as biased probes, wall coatings, high temperature ovens, and improved extraction systems have also contributed to the improved performance.

High charge state ECR ion sources have had an enormous impact on the development and performance of heavyion accelerators including many cyclotrons, linacs, and synchrotrons used for nuclear physics research. As the interest in radioactive beams for nuclear physics research grows, the need for more intense high charge beams to inject into heavy-ion driver accelerators provides new motivation to improve ECR ion sources. This was a major factor in the design to build the VENUS ECR ion source for operation at 28 GHz, which has produced in a short-term test 205 e $\mu$  A of U<sup>33+</sup>.<sup>2</sup>

#### **II. PHYSICS AND SCALING IN ECR ION SOURCES**

In an ECR ion source, the plasma density  $n_e$ , the electron energy distribution and the ion confinement time  $\tau_i$ , and the

neutral density  $n_{o}$ , all play significant roles in determining the charge state distribution and intensity of the extracted beam. In rough terms, assuming the electron energies are sufficient for ionization, the product  $n_e \tau_i$  determines the peak of the charge state distribution, while the neutral density limits the maximum attainable charge through charge exchange. High charge state ECR ion sources operate well below the plasma critical density. Since the critical density increases as the square of the microwave frequency used to heat the electrons via electron cyclotron resonance heating, Geller *et al.* proposed that the extracted ion current from an ECR ion source should scale as the square of microwave frequency.<sup>3</sup> Already in 1976, Geller proposed to use a 56 GHz microwave generator to power an advanced version of Supermafios to produce U<sup>50+</sup> ions.<sup>1</sup>

The magnetic fields in an ECR ion source serve both to confine the plasma and to provide a closed surface where the rf power can heat the electrons through electron cyclotron resonance. For an ECR source it is convenient to describe the magnetic field strength relative to  $B_{\rm ECR}$ , which is defined as

$$B_{\rm ECR} = f/28,$$

where  $B_{\text{ECR}}$  is the field in teslas for resonance at an rf frequency *f* in gigahertz. In the early ECR sources this ratio of  $B_{\text{max}}$  to  $B_{\text{ECR}}$  was on the order of 1.5. In the late 1980s it was experimentally demonstrated that, at a given frequency, it was important to use stronger magnetic fields to confine the plasma.<sup>4</sup> The absolute minimum confinement needed for a high charge state ECR is for the solenoid and sextupole fields combined to form a closed surface defined by the ratio of *B* to  $B_{\text{ECR}}$  equal to unity inside the plasma chamber. For optimum confinement, the fields should be sufficient to form a

<sup>&</sup>lt;sup>a)</sup>Invited paper, published as part of the Proceedings of the 12th International Conference on Ion Sources, Jeju, Korea, August 2007.

TABLE I. Optimum fields for ECR operation.

		28 GHz	56 GHz
$\overline{B_{\rm ECR}}$ (T)		1	2
B at wall (T)	$\geq 2B_{\rm ECR}$	2	4
$B_{\rm ini}$ (T)	$\geq 3.5B_{\rm ECR}$	3.5	7
$B_{\rm rad}$ plasma wall (T)	$\sim 2B_{\rm ECR}$	2	4
$B_{\min}$ on axis (T)	$(\sim 0.4 - 0.8)B_{\rm ECR}$	0.4-0.8	0.8-1.6
$B_{\rm ext}$ (T)	$\sim 2B_{\rm ECR}$	2	4

second closed surface at roughly twice the resonance field. Table I gives the optimum confinement fields as a function of  $B_{\text{FCR}}^{5}$ .

#### **III. ECR DEVELOPMENT**

The development ECR ion sources can be roughly divided into three generations. First generation ECR sources operate between 5 and 10 GHz and were mainly developed during the 1980s. Second generation sources, which operate between 10 and 20 GHz, began appearing in the late 1980s and continue to be the most common type of source used at accelerators. A different approach was used in pioneering experiments at 37 GHz with a 130 kW gyrotron and a room temperature pulsed solenoid coil. This method produced high plasma densities and medium charge state ions.<sup>6</sup> While conventional first and second generation ECR ion sources could be built using either room temperature solenoids with permanent magnet sextupoles or with superconducting coils, full field third generation ECR ion sources require fully superconducting magnet structures. Currently, two superconducting third generation ECR sources, VENUS and SECRAL, are in operation and several other high field superconducting ECR ion sources are either being commissioned, under construction, or being designed.<sup>7-9</sup>

The VENUS ECR, which began operation at 28 GHz in 2004, uses solenoids and a sextupole made with NbTi superconducting wire arranged in the conventional coil geometry to produce the optimum magnetic confinement fields for 28 GHz.<sup>10</sup> The coil configuration is shown in Fig. 1. To avoid coil movement and subsequent quenching of the superconducting magnets caused by the forces between the solenoid and sextupole coils in VENUS, a carefully engineered clamping and banding system, which applies significant prestress to the coils, was developed. With this clamping, the VENUS magnet trained quickly up to its design currents.<sup>11</sup>

The SECRAL source currently operates at 18 GHz, but has demonstrated the magnetic field strengths needed for 28 GHz.<sup>12</sup> The inverted coil geometry used for SECRAL is illustrated in Fig. 2. This design reduces the forces on the sextupole ends, since the axial fields are smaller at that point than for the conventional geometry. On the other hand, the internal sextupole fields must be must greater than those used in a conventional configuration, since the field strength of a sextupole depends on the square of radius, and in this design the sextupole diameter is significantly larger than that of the plasma chamber wall. To produce the required sextupole



FIG. 1. Magnetic model showing the coil configuration used in the VENUS ECR ion source. The superconducting sextupole coils are surrounded by three solenoid coils, which produce the axial magnetic fields.

field, SECRAL uses a large sextupole coil surrounded by an iron yoke, which adds roughly 30% to the sextupole field strength compared to an air coil.

#### **IV. FOURTH GENERATION ECR ION SOURCES**

In the remaining sections we will focus on the concepts and challenges associated with developing a new fourth generation of ECR ion sources that could operate at more than 40 GHz.<sup>13,14</sup> For the purposes of this article, 56 GHz is chosen as a design goal, but certainly any frequency above 40 GHz would be of great interest. Table I gives the optimum confinement fields as a function of  $B_{\rm ECR}$  for both 28 and 56 GHz.

Processes that drive the superconductor in to the normal conducting state and cause the magnet to quench limit the maximum field that can be produced in a superconducting magnet. To avoid quenching, the magnet design must keep the superconducting current densities and local magnetic fields at the coils below the short sample limits in the super-



FIG. 2. The coil geometry used in the SECRAL magnet. This inverted geometry uses compact solenoid coils surrounded by large sextupole coils.

![](_page_4_Figure_1.jpeg)

FIG. 3. (Color online) A plot of the critical current  $j_c$  in NbTi for 4 K. To the left of the curve, the material is superconducting, to the right normal conducting. The maximum magnet aperture field in this case is roughly 5 T, when the local field in the superconductor reaches 6 T.

conductor, which depend on the type of superconductor used, the local magnetic field, and the temperature. The short sample characteristics of NbTi are shown in Fig. 3. The maximum current density  $j_c$  is plotted as a function of local magnetic field. At 4 K and 7 T the critical current density of NbTi is roughly 1500 A/mm<sup>2</sup>. When the local field in the superconductor reaches 10 T, the critical current goes to 0. The engineering current densities  $j_e$ , which takes account for the additional nonsuperconducting materials surrounding the superconducting filaments and coil packing factors, are significantly lower. The typical engineering current densities versus the applied magnetic field for various superconductors are shown in Fig. 4.

As a first step to evaluate the requirements for supercon-

![](_page_4_Figure_5.jpeg)

FIG. 4. (Color online) Engineering current densities for various types of superconductors. The cross indicates the operating point for the VENUS sextupole at 28 GHz.

![](_page_4_Figure_8.jpeg)

FIG. 5. (Color online) Model calculations based on the VENUS coil geometry to determine the operating points for when the ampere turns are doubled. The small dot shows the highest field location in the sextupole coil (12.7 T) when the currents are set to produce the optimal fields for 56 GHz. Field and current values in the other coils are well below the critical current of this type of Nb<sub>3</sub>Sn.

ducting magnets at 56 GHz, we used a TOSCA model of VENUS to compute the fields generated when the ampere turns in all coils were doubled. While this is an oversimplification of the problem since it does not address the increased shear forces that would be generated by a doubling of the currents and fields, it does generate a set of minimum requirements for the superconducting materials, which can be used to assess different wire technologies. While VENUS has iron bars inside the sextupole coils, this only increases the sextupole strength 10% above an air core design for 28 GHz fields. The VENUS sextupole can produce 2.2 T at the plasma chamber wall and doubling the ampere turns will produce at least 4 T at this point, which meets the magnetic field criterion for 56 GHz. The superconducting current density was estimated by assuming a superconducting fraction of 0.25 in the coil packs. The fields and current densities were evaluated to determine the operating points for the magnets. The highest B fields occur in the sextupole where current density in the superconductor,  $j_{sc}$ , is 1550 A/mm2 and B is 12.7 T, as shown in Fig. 5. This operating point is below the short sample current limit for commercially available Nb<sub>3</sub>Sn conductor from Oxford Superconducting Technologies, as illustrated in Fig. 5. New high  $T_c$  superconductors such as B2212 offer the potential for operating in even higher magnetic fields. However, it is too early to consider their use for a fourth generation ECR, because of the difficulty in constructing coils with them and the potential for burnout in the wire during a quench.

While the model calculations show that the short sample superconducting properties of Nb<sub>3</sub>Sn meet the requirements for ECRIS-56, the design of such a magnet would require detailed mechanical and magnetic modeling, especially with respect to calculating the Lorentz forces on the coils and designing an adequate clamping system. The intercoil forces for a 56 GHz magnet will be roughly four times as great for those at 28 GHz. At the injection end of where the axial magnetic fields interact with the end currents in the sextupole, the end forces on the sextupole, coils are alternately inward and outward, which makes the clamping difficult than for a solenoid. In addition, the design must take into account

that the somewhat fragile material properties of Nb<sub>3</sub>Sn make magnet fabrication more challenging than for NbTi.

The inverted coil geometry used for SECRAL reduces the forces on the sextupole ends, since the axial fields are smaller at that point than for a conventional geometry magnet structure. In addition, it would allow for additional space for radial clamping. On the other hand, the internal sextupole fields must be much greater than those used in a conventional configuration, since the field strength of a sextupole depends on the square of radius, and in this design the sextupole diameter is significantly larger than that of the plasma chamber wall.

#### V. OTHER DESIGN CONSIDERATIONS

Generating sufficient microwave power, coupling it into ECRIS-56, removing the heat from the plasma walls, and dealing with an intense level of bremsstrahlung generated when hot electrons collide with the plasma walls will be major technical challenges for ECRIS-56. The VENUS ECR has operated up to about 9 kW of rf power so far, which is the highest power coupled into an ECR source so far. However, this translates to a power density in VENUS of only about 1 kW/l and does not appear to be the saturation power density, where the production of high charge state reaches a maximum. This is not surprising as other sources such as the 14 GHz AECR-U operate well up to about 2 kW/l. Since the power density should scale roughly as the plasma density divided by the electron confinement time, it is probable that the saturation power density at 28 GHz will be well above 2 kW/l. At 56 GHz the practical limits of microwave power availability and heat removal will probably limit the power density to values significantly less than the saturation values. While 28 GHz gyrotrons capable of producing 10 kW of continuous wave power are commercially available, at higher frequencies existing gyrotrons are pulsed. However, gyrotrons at 53, 60, and 70 GHz, which can produce 200 kW for 100 ms, have been constructed and could produce 30 kW cw with the appropriate power supplies. With further R&D, these gyrotrons could even be extended to 50 kW.<sup>15</sup>

The question, however, is if it is possible to build a plasma chamber that has enough cooling capacity to dissipate this amount of power. The microwave power is partially coupled into the plasma and partially dissipated on the plasma walls. The microwave heating of the walls is widely distributed, but the hot plasma electrons are dumped back onto the plasma walls along the magnetic flutes defined by the vector field of the sextupole and solenoid fields. This generates localized heating on the plasma wall, which can result in burnout of the plasma chamber.<sup>16</sup> As the operating frequency of ECR ion sources has increased, so has the amount of x rays observed. A model calculation of ECR heated plasma predicts that mean energy of the electrons increases rapidly with frequency.<sup>17</sup> While the plasma chamber walls surrounding magnetic structures all serve to reduce the x-ray flux outside of a traditional ECR source, as the mean energy of the electrons increases, additional shielding must be added for personnel protection. In a superconducting

ECR ion source, the x rays cause an additional cryogenic load by depositing energy in the cold mass of the cryostat. One design solution is adding a high liner made from dense high z material such as tantalum between the plasma chamber and the cryostat to attenuate the x rays.<sup>18</sup> A second option would be to significantly increase the amount of refrigeration available at 4 K and might be the only possibility to operate ECR ion sources at these high frequencies.

So, while building a fourth generation ECR ion source presents challenges, the basic technologies to do so are available. The next step would be to design and build a prototype superconducting magnet structure capable of producing the required magnetic fields. The development cost of such a system is high, but by providing more intense beams with higher charge states, a fourth generation ECR ion source could enhance the capability of heavy-ion accelerators now being constructed and reduce the length and cost of future machines now being considered.

#### ACKNOWLEDGMENT

This work supported by the U.S. Department of Energy under Contract No. DE-AC02-05CH11231.

- <sup>1</sup>R. Geller, IEEE Trans. Nucl. Sci. 23, 904 (1976).
- <sup>2</sup>D. Leitner, M. L. Galloway, T. L. Loew, C. M. Lyneis, I. Castro Rodriguez, and D. S. Todd, Rev. Sci. Instrum. **79**, 02C710 (2008).
- <sup>3</sup>R. Geller, F. Boug, P. Brian, J. Debernardi, M. Delaunay, B. Jaquot, P. Ludwig, R. Pauthenet, M. Pontonnier, and P. Sortais, Proceedings of the International Conference on ECR Ion Sources and Their Applications, p. 17; NSCL Report No. MSUCP-47, 1987, edited by J. Parker (unpublished).
- <sup>4</sup>D. Hitz, M. Delaunay, P. Ludwig, G. Melin, and M. Pontonnier, Proceedings of the EPAC, London, 1994 (http://cern.ch/AccelConf/e94/PDF/ EPAC1994\_1418.PDF) (unpublished).
- <sup>5</sup>D. Hitz, A. Girard, G. Melin, S. Gammino, G. Ciavola, and L. Celona, Rev. Sci. Instrum. **73**, 509 (2002).
- <sup>6</sup>S. V. Golubev, S. V. Razin, and V. G. Zorin, Rev. Sci. Instrum. **69**, 634 (1998).
- <sup>7</sup> P. A. Zavodszky, B. Arend, D. Cole, J. DeKamp, G. Machicoane, F. Marti, P. Miller, J. Hoskalik, J. Ottarson, J. Vincent, and A. Zeller, Rev. Sci. Instrum. **77**, 03A334 (2006).
- <sup>8</sup>G. Ciavola, S. Gammino, L. Celona, L. Torrisi, S. Passarello, L. Andó, M. Cacvenago, A. Galatà, P. Spaedtke, K. Tinschert, R. Lang, R. Iannucci, R. Leroy, C. Barue, D. Hitz, P. Seyfert, H. Koivisto, P. Suominen, O. Tarvainen, H. Beijers, S. Brandenburg, D. Vanrooyen, C. Hill, D. Kuchler, H. Homeyer, J. Röhrich, L. Schachter, and S. Dobrescu, Rev. Sci. Instrum. **77**, 03A303 (2006).
- <sup>9</sup>T. Nakagawa, Y. Higurashi, M. Kidera, T. Aihara, M. Kase, A. Goto, and Y. Yano, Rev. Sci. Instrum. **77**, 03A304 (2006).
- <sup>10</sup> D. Leitner and C. M. Lyneis, Proceedings of the 2005 Particle Accelerator Conference, May 2005 (unpublished), p. 179 (http://cern.ch/AccelConf/ p05/PAPERS/MOPB002.PDF).
- <sup>11</sup>C. E. Taylor, S. Caspi, M. Leitner, S. Lundgren, C. Lyneis, D. Wutte, S. T. Wang, and J. Y. Chen, IEEE Trans. Appl. Supercond. **10**, 224 (2000).
- <sup>12</sup> H. W. Zhao, L. T. Sun, X. H. Gou, X. Z. Zhang, Z. M. Ahang, P. Yuan, D. Z. Xie, J. Y. Li, Y. C. Feng, W. He, M. T. Song, X. X. Li, Y. Cao, H. Wang, B. H. Ma, W. Lu, W. L. Zhan, and B. W. Wei, High Energy Phys. Nucl. Phys. **31**, 8 (2007).
- <sup>13</sup>S. Gammino, High Energy Phys. Nucl. Phys. **31**, 137 (2007).
- <sup>14</sup>C. Lyneis and D. Leitner, High Energy Phys. Nucl. Phys. **31**, 237 (2007).
- <sup>15</sup> K. Felch C.P.I (private communication).
  <sup>16</sup> D. Leitner, C. M. Lyneis, S. R. Abbott, R. D. Dwinell, D. Collins, and M. Leitner, AIP Conf. Proc. **749**, 8 (2005).
- <sup>17</sup>A. Girard, C. Pernot, G. Melin, and C. Le'cot, Phys. Rev. E **62**, 1182 (2000).
- <sup>18</sup>C. M. Lyneis, D. Leitner, O. Tarvainen, D. Todd, S. Virostek, S. Virostek, and T. Loew, Rev. Sci. Instrum. **77**, 03A342 (2006).