

Lawrence Berkeley National Laboratory

Lawrence Berkeley National Laboratory

Title

Single-shot spatiotemporal measurements of high-field terahertz pulses

Permalink

<https://escholarship.org/uc/item/02q4k4w9>

Author

van Tilborg, Jeroen

Publication Date

2012-05-18

Peer reviewed

Single-shot spatiotemporal measurements of high-field terahertz pulses

J. van Tilborg, C. B. Schroeder, Cs. Tóth, C. G. R. Geddes, E. Esarey, and W. P. Leemans
Lawrence Berkeley National Laboratory, University of California, Berkeley, California 94720, USA

DISCLAIMER

This document was prepared as an account of work sponsored by the United States Government. While this document is believed to contain correct information, neither the United States Government nor any agency thereof, nor the Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or the Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof or the Regents of the University of California.

the (110)-cut GaP. A $\lambda/4$ plate was rotated to yield a circular polarization state incident on the analyzer.

Through the THz-induced electro-optic (EO) effect in the GaP crystal, the intensity envelope of probe laser $I_1(t)$, transmitted through the analyzer, was modulated to $I_m(t)$. It can be shown¹³ that $I_m(t) = 1/2[1 + \sin \Gamma^*(t)]I_1(t)$, where in the Fourier domain $\Gamma^*(\nu) = \Gamma_{\text{THz}}(\nu)T_{\text{GaP}}(\nu)$ and ν is the radiation frequency. $\Gamma^*(\nu)$ represents the THz-induced phase retardation and is a convolution of the source profile $\Gamma_{\text{THz}}(\nu)$ and crystal effects $T_{\text{GaP}}(\nu)$.^{13,14} The function $T_{\text{GaP}}(\nu)$ for 200 μm thick GaP has previously been discussed¹⁵; over the frequency range 0–8 THz, dispersion effects were found to be relatively limited. $\Gamma_{\text{THz}}(t)$ is related to the original THz field profile $E_{\text{THz}}(t)$ through¹⁴ $\Gamma_{\text{THz}}(t) = 2\pi L n_0^3 r_{41} E_{\text{THz}}(t) / \lambda_0$, with $L = 200 \mu\text{m}$ the GaP crystal thickness, $n_0 = 3.19$ the index of refraction in GaP at λ_0 , and $r_{41} \approx 2 \times 10^{-12} \text{ mV}^{-1}$ the EO coefficient of GaP.¹⁶ For CTR, the THz field $E_{\text{THz}}(\nu)$ is determined by the Fourier transformation of the electron bunch charge profile and diffraction effects from the limited size of the transverse plasma–vacuum interface.^{3,15}

The EO-modulated laser envelope was recorded in a single-shot manner¹⁰ through noncollinear sum-frequency generation of $I_m(t)$ and a second short laser pulse $I_2(t - \tau_2)$ (pulse length of 70 fs FWHM, which determines the time resolution of the system), with τ_2 the respective temporal delay between both laser beams. The frequency doubling occurred in a β -barium borate (BBO) crystal. A CCD camera [CCD 1 (see Fig. 1)] recorded the time-integrated transverse (xy -plane) intensity distribution of the frequency-doubled radiation $I_{2\omega}(x, y)$. During post-processing, each image $I_{2\omega}(x, y)$ was integrated over x to yield $I_{2\omega}(y)$. Also, each profile was normalized to yield $I_{2\omega} \rightarrow (I_{2\omega} - I_{2\omega,0}) / I_{2\omega,0}$, with $I_{2\omega,0}$ the reference profile in absence of a THz pulse. Due to the noncollinear geometry, the delay τ_2 is a function of the position y within the crystal and $I_{2\omega}(y)$ can be converted to a temporal profile $I_{2\omega}(\tau_2)$ through $\tau_2 = (y/c)\tan(\alpha^*/2)$, with c the speed of light in vacuum. The angle of incidence between both laser pulses at the crystal surface was $\alpha = 10^\circ$ (inside the BBO crystal $\alpha^* = 6.3^\circ$), and the laser beam diameters were $\approx 6 \text{ mm}$ (intensity FWHM). After defining a measured retardation function as $\Gamma_{\text{cor}}(\tau_2) = \arcsin I_{2\omega}(\tau_2)$, it can be found^{13,14,17} that

$$\Gamma_{\text{cor}}(\nu) \approx \Gamma_{\text{THz}}(\nu)T_{\text{GaP}}(\nu)I_{\text{env},2}(\nu), \quad (1)$$

with $I_{\text{env},2}(\nu)$ the envelope spectrum of $I_2(t)$.

Three measured representative phase retardation profiles $\Gamma_{\text{cor}}(t)$ and $|\Gamma_{\text{cor}}(\nu)|$, obtained through the single-shot measurement of $I_{2\omega}(\tau_2)$, are shown in Figs. 2(a) and 2(b), respectively. Shot A in Fig. 2(a) shows a field profile with just one main field cycle (spectrum extending to $\approx 6 \text{ THz}$) and peak phase retardation of $\Gamma_{\text{cor}} \approx 1 \text{ rad}$. Through relation (1), and considering that the field reducing effects of dispersion and surface transmission in the GaP crystal can be approximated as $T_{\text{GaP}} \approx 0.25$,¹⁵ an estimation of




Fig. 2. (a) Measured single-shot THz field profiles in terms of phase retardation $\Gamma_{\text{cor}}(t)$. (b) Fourier transformation $|\Gamma_{\text{cor}}(\nu)|$ of the data. The solid curves are calculated from a CTR-based model.

the THz field amplitude at the crystal location yields $E_{\text{THz}} \approx 0.4 \text{ MV cm}^{-1}$. The estimated sensitivity (based on fluctuation of $I_{2\omega,0}$) is $\approx 20 \text{ kV cm}^{-1}$.

Figure 2 also displays the presence of a trailing THz pulse (two maxima in the temporal domain and interference in the spectral domain, more clearly visible in shots B and C). Although the position of the trailing pulse was relatively stable at a delay of 230–250 fs, its relative field strength showed strong fluctuations (from weaker in shot A to stronger in shot C). Each measurement (in both domains) was compared with modeled^{4,15} EOS profile, which yielded best agreement if a 45 fs (rms) electron bunch was assumed (one bunch emitting two THz pulses at a separation of 240 fs). The relative field amplitude of the modeled trailing pulse was 30%, 57%, and 90% for shots A, B, and C, respectively.

For single-shot 2D-spatial THz imaging, the setup in Fig. 1 was slightly modified. The $\lambda/4$ plate and the two lenses in the path of probe laser 1 were removed, such that a collimated laser beam was overfilling the THz spot at the GaP crystal. By removing the flipper-mirror, the 2D time-integrated intensity distribution $I_{2D}(x, y, \tau)$ was recorded by CCD camera 2, with τ the delay between $E_{\text{THz}}(t)$ and $I_1(t)$. The compressor for probe laser 1 was tuned to yield a pulse length of 70 fs (intensity FWHM), which allowed for time-resolved 2D imaging. For a linear-polarized laser beam, it can be derived^{13,14} that $I_{2D}(x, y, \tau) \propto \int I_1(t - \tau) \sin^2[\Gamma^*(x, y, t)/2] dt$, with $\Gamma^*(\nu)$ previously defined in the Fourier domain.

After switching the setup to the single-shot 2D EOS technique, the 2D laser transmission $I_{2D}(x, y, \tau)$ was recorded while varying the delay τ between the laser and THz beam. It was found that the 2D THz profile was stable at a given delay, but evolved over time. Three characteristic $I_{2D}(x, y, \tau)$ images are shown in Figs. 3(a)–3(c), with (a) $\tau = -250 \text{ fs}$, (b) τ

=0 fs, and (c) $\tau=350$ fs. The data show that a main THz spot is present [see, e.g., Fig. 3(b)], where the main spot has an intensity FWHM of $\approx 600 \mu\text{m}$. The substructure indicates the presence of effects from diffraction [e.g., shot D in Fig. 3(a)], coma [e.g., shot F in Fig. 3(c)], and other aberrations. Diffraction is present because the THz emission overfills parabola OAP2 (see Fig. 1), while coma can be present if the alignment of OAP2 and OAP3 is not perfect. At a fixed delay $\tau=0$ fs, another series of images was analyzed by taking lineouts at $y=0$ mm; several lineouts, shown in Fig. 4, indicate that the position of the substructure is stable, but that the relative intensity fluctuates shot to shot.

It was found that it is unlikely that the double-THz-pulse structure (e.g., EOS measurements in Fig. 2) is a result of the LWFA production of two electron bunches as previously hypothesized.¹⁵ The absence of a correlation between the THz-pulse features with LWFA parameters such as electron energy and plasma density supports this conclusion. The double-THz-pulse profile is rather the result of optical effects in the THz focusing system (diffraction, coma, and other aberrations). A heuristic ray-based model (excluding effects such as the Gouy shift and bandwidth-induced dispersion at focus), where each ray was defined as a single-cycle pulse with a finite transverse dimension, was developed and confirmed coma-induced occurrence of a double-pulse profile.¹⁷ Experimentally, the spatiotemporal coupling is fixed by the arrangement and alignment of the optics in the THz beam line, resulting in a stable positioning of the temporal and spatial substructure (see Figs. 2 and 4). However, fluctuations of the electron bunch energy and pointing can result in a varying angular THz emission profile, which yields fluctuations in the amplitude ratio of the field structure.




Fig. 3. (Color online) Three representative single-shot 2D THz images $I_{2D}(x, y, \tau)$, taken at different values for the delay τ between the THz and laser pulse.




Fig. 4. At a fixed delay $\tau=0$ fs, lineouts at $y=0$ of three consecutive 2D shots are displayed.

In summary, single-cycle broad-bandwidth THz pulses were studied at focus, demonstrating the production of THz pulses with spectra of 0–6 THz and peak fields of $\approx 0.4 \text{ MV cm}^{-1}$. A trailing THz pulse, with varying amplitude shot to shot, was observed at a stable separation of ≈ 240 fs. A 2D-spatial EOS technique indicated the presence of a main THz spot surrounded by time-evolving substructure. Both techniques support the conclusion that diffraction, coma, and other aberrations are spatiotemporally coupled in the focal volume.

This work was supported by the U.S. Department of Energy under contract DE-AC02-05CH11231. J. van Tilborg's e-mail address is JvanTilborg@lbl.gov.

References

1. M. S. Sherwin, C. A. Schmuttenmaer, and P. H. Bucksbaum, eds., *Opportunities in THz Science* (DOE-NSF-NIH workshop, 2004).
2. G. L. Carr, M. C. Martin, W. R. McKinney, K. Jordan, G. R. Neil, and G. P. Williams, *Nature* **420**, 153 (2002).
3. C. B. Schroeder, E. Esarey, J. van Tilborg, and W. P. Leemans, *Phys. Rev. E* **69**, 016501 (2004).
4. J. van Tilborg, C. B. Schroeder, C. V. Filip, Cs. Tóth, C. G. R. Geddes, G. Fubiani, R. Huber, R. A. Kaindl, E. Esarey, and W. P. Leemans, *Phys. Rev. Lett.* **96**, 014801 (2006).
5. W. P. Leemans, C. G. R. Geddes, J. Faure, Cs. Tóth, J. van Tilborg, C. B. Schroeder, E. Esarey, G. Fubiani, D. Auerbach, B. Marcellis, M. A. Carnahan, R. A. Kaindl, J. Byrd, and M. C. Martin, *Phys. Rev. Lett.* **91**, 074802 (2003).
6. M. Kempe and W. Rudolph, *Phys. Rev. A* **48**, 4721 (1993).
7. M. A. Porras, *Phys. Rev. E* **65**, 026606 (2002).
8. S. Hunsche, S. Feng, H. G. Winful, A. Leitenstorfer, M. C. Nuss, and E. P. Ippen, *J. Opt. Soc. Am. A* **16**, 2025 (1999).
9. Z. Jiang and X.-C. Zhang, *Opt. Express* **5**, 243 (1999).
10. S. P. Jamison, J. Shen, A. M. MacLeod, W. A. Gillespie, and D. A. Jaroszynski, *Opt. Lett.* **28**, 1710 (2003).
11. S. P. Jamison, G. Berden, A. M. MacLeod, D. A. Jaroszynski, B. Redlich, A. F. G. van der Meer, and W. A. Gillespie, *Nucl. Instrum. Methods Phys. Res. A* **557**, 305 (2006).
12. Q. Wu, T. D. Hewitt, and X.-C. Zhang, *Appl. Phys. Lett.* **69**, 1026 (1996).
13. G. Gallot and D. Grischkowsky, *J. Opt. Soc. Am. B* **16**, 1204 (1999).
14. J. Faure, J. van Tilborg, R. A. Kaindl, and W. P. Leemans, *Opt. Quantum Electron.* **36**, 681 (2004).
15. J. van Tilborg, C. B. Schroeder, C. V. Filip, Cs. Tóth, C. G. R. Geddes, G. Fubiani, E. Esarey, and W. P. Leemans, *Phys. Plasmas* **13**, 056704 (2006).
16. Q. Wu and X.-C. Zhang, *Appl. Phys. Lett.* **70**, 1784 (1997).
17. J. van Tilborg, "Coherent terahertz radiation from laser-wakefield-accelerated electron beams," Ph.D. thesis (Eindhoven University of Technology, 2006).