# **UC Berkeley**

# **SEMM Reports Series**

# **Title**

A Uniqueness Theorem for Aging Viscoelastic Bodies

# **Permalink**

https://escholarship.org/uc/item/1g57f22m

# **Authors**

Lubliner, Jacob Sackman, Jerome

# **Publication Date**

1965-12-01

Structures and Materials Research
Department of Civil Engineering
Division of Structural Engineering
and Structural Mechanics

Report Number 65-15

## A UNIQUENESS THEOREM FOR AGING VISCOELASTIC BODIES

by

J. Lubliner
Assistant Professor of Civil Engineering
University of California at Berkeley

and

J. L. Sackman Associate Professor of Civil Engineering University of California at Berkeley

Grant Number DA-ARO-D-31-124-G257
DA Project No.: 20010501B700
ARO Project No.: 4547-E

"Requests for additional copies by Agencies of the Department of Defense, their contractors, and other Government agencies should be directed to:

> Defense Documentation Center Cameron Station Alexandria, Virginia 22314

Department of Defense contractors must be established for DDC services or have their "need-to-know" certified by the cognizant military agency of their project or contract."

Structural Engineering Laboratory University of California Berkeley, California

December 1965

## Summary

On the basis of two theorems pertaining to the asymptotic behavior of certain Laplace transforms, the uniqueness of the displacement field in a general linear viscoelastic body (i.e., one with time-variable properties) throughout a time interval is demonstrated, provided the instantaneous elasticity tensor (or, in the case of a generalized Kelvin-Voigt material, the instantaneous viscosity tensor) is positive definite and a continuous function of time, and provided the following information is specified: the displacement field, to within a rigid-body motion, throughout the body and at all times before the given interval; the displacement and velocity fields throughout the body at the beginning of the interval (initial conditions); the body force throughout the body and throughout the interval; and, at each point of the boundary, in each of three orthogonal directions, a component of the traction or of the displacement throughout the time interval. If inertia is neglected, the initial conditions may be dispensed with, but the displacement field is unique only to within a rigid-body motion.

### I. INTRODUCTION

A uniqueness theorem for the first boundary-value problem of the linear theory of viscoelasticity was apparently first established by V. Voltera [1], and was based on his earlier work on integro-differential equations [2]. This theorem applies to anisotropic, inhomogeneous, time-variable viscoelastic bodies with time-invariable instantaneous elastic response undergoing quasi-static deformations, but may be extended to include time-variable instantaneous elastic response.

Recently, Gurtin and Sternberg [3] called attention to Volterra's "little-known" but "remarkably strong uniqueness theorem". They slightly extended the theorem to accommodate stress-strain relations in creep-integral and differential-equation form, as well as in relaxation-integral form, restricting attention to isotropic, non-aging viscoelastic bodies.

In a subsequent paper, Sternberg and Gurtin [4] utilized the method developed by Volterra [1,2] to extend Volterra's uniqueness theorem to thermo-rheologically simple, ablating viscoelastic solids undergoing quasistatic deformations. For such solids, the effective viscoelastic properties are time-variable due to the dependence of these properties on the presence of a time-variable temperature field, but the instantaneous elastic response is taken to be time-invariable.

Prior to the restatement of Volterra's theorem by Gurtin and Sternberg [3], Breuer and Onat [5] established a uniqueness theorem for the mixed boundary-value problem of linear viscoelasticity theory. That theorem deals with isotropic, non-aging viscoelastic bodies undergoing quasi-static

deformations. It is less general than Volterra's theorem in still another respect: it requires that the relaxation functions be of "positive definite" type, whereas Volterra's theorem (interpreted for the isotropic case) requires only that the (time-invariable) instantaneous moduli of elasticity be positive.

Later, Onat and Breuer [6] generalized their uniqueness theorem so that, as in Volterra's theorem, positiveness of the instantaneous elastic shear and bulk moduli was required, rather than "positive definiteness" of the shear and bulk relaxation functions. Their proof of this theorem utilizes the theory of the Laplace transformation, which experience has shown to be a useful and natural tool in the analysis of problems of non-aging (i.e., time-invariable) linear viscoelasticity theory. The theorem was established for an isotropic, homogeneous, non-aging viscoelastic body undergoing quasi-static deformation under "mixed" boundary conditions. Various extensions to include inertia effects, anisotropy, and nonhomogeneity have been made by Edelstein and Gurtin [9] and Odeh and Tadjbakhsh [10].

Here we are concerned with a uniqueness theorem for a general linear viscoelastic body under "mixed-mixed" boundary conditions. By a general linear viscoelastic body we mean one which is anisotropic, nonhomogeneous and time-variable with respect to both instantaneous response and memory.

Thus the theorem we establish is more general than the previously established uniqueness theorems for non-ablating viscoelastic bodies.

In the construction of this theorem, we employ the Laplace transformation. Although the Laplace transformation is not as natural a tool of analysis for the general linear viscoelastic body as it is for the non-aging

viscoelastic body, we find it useful in the development of the uniqueness theorem. By means of this transformation, and asymptotic methods, we are able to establish the positive-definiteness of a certain functional, from which uniqueness then follows directly.

# II. PRELIMINARY THEOREMS

For any vector  $\mbox{$\omega$}$  with components  $\mbox{$\omega$}_{\mbox{$\lambda$}}$  ( $\mbox{$\lambda$}=1,\cdots, \mbox{$\gamma$}$ ) we define the norm

$$\|\chi\| = \sum_{i=1}^{n} |u_i|.$$
 (1.1)

Similarly, for an  $n \times n$  matrix  $\overset{\triangle}{\sim}$  with elements  $a_{i,j}$  we define the norm

$$\|A\| = \sum_{i=1}^{n} \sum_{j=1}^{n} |a_{i,j}|.$$
 (1.2)

For two vectors  $\swarrow$  ,  $\times$  we define the inner product

The following inequalities are easily proved, and will be used in subsequent work:

$$\| \mathcal{L} + \mathcal{L} \| \le \| \mathcal{L} \| + \| \mathcal{L} \|_{2}$$
 (1.4)

$$\| \underset{\sim}{\Delta} \downarrow _{\parallel} \| \leq \| \underset{\sim}{\Delta} \| \| \| \underset{\sim}{\downarrow} \|_{2}, \tag{1.5}$$

$$| \mathcal{L} \cdot \mathcal{L} | \leq | | \mathcal{L} | | | | \mathcal{L} | | . \tag{1.6}$$

Another important inequality is

$$\|\mathbf{y}\|^2 \le \mathbf{n} \mathbf{y} \cdot \mathbf{y} \cdot \tag{1.7}$$

This follows from the Cauchy-Schwartz inequality,

$$\left( y_{\cdot} \cdot y_{\cdot} \right)^{2} \leq \left( y_{\cdot} \cdot y_{\cdot} \right) \left( y_{\cdot} \cdot y_{\cdot} \right), \tag{1.8}$$

if we set  $v_i = \operatorname{sgn} u_i$ ,  $i = 1, \dots, n$ .

For a vector function (x) of a real variable x, defined over a < x < b the following inequality holds:

$$\|\int_{0}^{b} u(x) dx \| \leq \int_{0}^{b} \|u(x)\| dx. \tag{1.9}$$

We shall now consider the asymptotic behavior of vector functions of x as  $x o \infty$  . We write

$$(1.10)$$

if there exists  $X_o$  and a positive constant A such that  $\| \mathcal{L} \| \leq A \| \mathcal{L} \|$  for all  $X > X_o$ ; and

$$\chi(x) = o(\chi(x)) \quad \text{as } x \to \infty$$
 (1.11)

if for any  $\[epsilon] > 0$  there exists an  $X_e$  such that  $\| \[u \] \| \le e \| \[v \] \|$  for all  $X > X_e$ . In (1.10) and (1.11)  $\[u \] and \[v \] need not have the same number of dimensions; in particular, one (or both) may be a scalar function, e.g., <math>\[u \] (x) = O(e^{kx})$ . Furthermore, equivalent definitions apply to matrices.

The following little theorem will prove important later on: If y(x) = O(y(x)) as  $x \to \infty$ , then  $y(x) \cdot y(x) = O(y(x) \cdot y(x))$  as  $x \to \infty$ .

Proof: By (1.6), (1.7), and (1.11),  $| y \cdot x | \le | y | | x | | \le | y | |^2 \le n \in y \cdot x$  for any  $\in$ , for  $x > x_{\epsilon}$ .

We shall next state and prove a lemma and two theorems pertaining to Laplace transforms of vector functions of t defined over  $0 < t < \infty$ . For any f(t) with components f(t) the Laplace transform is

$$\bar{f}(s) = f\{f\} = \int_{0}^{\infty} e^{-st} f(t) dt \qquad (1.12)$$

with components

$$\overline{f}_{i}(s) = \mathcal{L}\left\{f_{i}\right\} = \int_{0}^{\infty} e^{-st} f_{i}(t) dt$$
 (1.12')

defined over  $C \le S \le \infty$  , C being large enough to insure the convergence of the integrals (1.12'). Throughout the subsequent work, S will be treated as a real variable.

Lemma: If h (t) is a vector function possessing a Laplace transform  $\bar{h}$  (s) which converges absolutely for S sufficiently large, and there exist values  $t_0$  and  $t_1$ , with  $0 \le t_0 \le t_1$ , such that

(a) 
$$h(t) = 0$$
 for  $t < t_0$ 

(b) ||h(t)|| > 0 and none of the h;(t) changes sign for to \(\frac{1}{2} \tau\_1)

then

$$\mathcal{L}\left\{\|h\|\right\} = \|\bar{h}(s)\| + o(e^{-st_i}) \text{ as } s \to \infty$$

Define a vector function  $\wp^*(+)$  as follows:

$$h^*(t) = h(t), t \ge t_1$$

$$= h(t_1), t \ge t_1$$

h; (t) do not change sign; hence

$$\mathcal{L}\left\{\| \ b_{n}^{*} \|\right\} = \| \ \overline{b}^{*} (s) \|. \tag{1.13}$$

Let

$$y_{k}(s) \equiv \overline{y}^{*}(s) - \overline{y}(s).$$

Clearly [7, p. 481]

$$y(s) = o(e^{-st_i})$$
 as  $s \rightarrow \infty$ .

We now define a vector k with components

$$k_{i} = \lim_{S \to \infty} sgn \ \overline{h_{i}} (s);$$
then there exists an  $s_{o}$  such that, for  $s > s_{o}$ ,

$$\|\bar{h}^*(s)\| = \|\bar{h}(s)\| + k \cdot \mu(s)$$

$$= \|\bar{h}(s)\| + o(e^{-st_1}) \quad \text{as } s \to \infty. \tag{1.14}$$

Similarly,

$$\mathcal{L}\{\|\mathbf{k}^*\|^2\} = \mathcal{L}\{\|\mathbf{k}\|^2\} + o(e^{-st_i}). \tag{1.15}$$

By combining (1.13), (1.14) and (1.15), we prove the Lemma.

On noting that, for any a such that to east, ,

$$\lim_{s\to\infty} e^{sa} \| \hat{h}(s) \| = \lim_{s\to\infty} e^{sa} \mathcal{L}\{\|\hat{h}\|\},$$
 we can easily demonstrate the following

Corollary: If to <a = t, , then

Theorem 1: If % (t) satisfies the conditions of the Lemma, and % (S,t) is a matrix function tending to zero as  $S \to \infty$  uniformly in t, then

$$\int_{0}^{\infty} e^{-st} Q(s,t) h(t) dt = q(s) = o(\bar{h}(s)) \text{ as } s \to \infty$$

Proof: For any  $\epsilon > 0$  there exists an  $s_0$  independent of  $\epsilon$ , such that

hence, for \$>\$0,

From the Lemma we have

$$\mathcal{L}\left\{\|h\|^{2} = \|h(s)\| + o(e^{-st_{2}}) \quad as \quad s \to \infty$$

By the Corollary to the Lemma, the last term can be made less than  $\| \overline{b}(s) \|$  for S sufficiently large; supposing So to be large enough, we have

$$\|\overline{\mathcal{L}}(s)\| \le \varepsilon \|\overline{\mathcal{L}}(s)\|$$
 for  $s > s_0$ , proving the theorem.

Theorem 2: If h(t) satisfies the conditions of the Lemma, and if

f(t) = G(t) h(t) where G(t) is a continuous matrix function, then, if  $\overline{f}(s)$  exists,

 $\frac{1}{f}(s) = G(t_0) \frac{1}{h}(s) + O(\frac{1}{h}(s)) \quad \text{as} \quad s \to \infty.$ Proof: Since G(t) is continuous, for any  $\epsilon > 0$  there exists an  $\alpha > t_0$  such that

In particular, we may take  $a \in t$ , . We now write

$$y_{\lambda}(s) \equiv \overline{f}(s) - G(t_{0})\overline{y_{\lambda}}(s)$$

$$= y_{\lambda}^{*}(s) + o(e^{-sa}) \quad as \quad s \to \infty,$$
(1.16)

where

From the above definition,

As in Theorem 1, we may show

for S sufficiently large. Furthermore, by the Corollary to the Lemma we can find S sufficiently large so that the second term of (1.16) is less than  $(\epsilon/2)$   $|| \bar{\lambda}(3) ||$ . Consequently there exists an S such that

The theorem is thus proved.

# III. THE UNIQUENESS PRINCIPLE

# 3.1 Description of a Viscoelastic Body

Consider a viscoelastic body occupying a closed region R in three-dimensional space; the boundary of R is B. We are concerned with infinitesimal deformations of the body, i.e., deformations so small that the body may be regarded as occupying R throughout its history. If we use cartesian coordinates  $x_i$ : (i=1,2,3) to denote a point x of R, and t to denote time, then the mechanical state of the body is specified by the displacement vector  $(x_i,t)$  with components  $(x_i,t)$ , the strain tensor  $(x_i,t)$  with components  $(x_i,t)$  and the stress tensor  $(x_i,t)$  with components  $(x_i,t)$  and the stress tensor  $(x_i,t)$  with components  $(x_i,t)$  is the indices  $(x_i,t)$  range over 1,2,3. The strain components are given by

$$\epsilon_{ij} = \frac{1}{2} \left( u_{i,j} + u_{j,i} \right) \tag{3.1}$$

where

$$()_{i} = \frac{\partial}{\partial x_{i}} ()$$

The stress tensor is symmetric and satisfies the equation of motion

where (')=
$$\frac{1}{2}$$
('),  $\frac{1}{2}$  is the body force, and  $\frac{1}{2}$  is the density in the rest state. (3.2)

At a point X of B , if N denotes the outward unit normal vector, then the traction vector  $mathbb{t}$  is defined by

$$t_{i} = \gamma_{i} \sigma_{ij}$$
 (3.3)

To express the relation between stress and strain, it is convenient to represent them as vectors in 6-space, with components  $G_{\alpha}$ ,  $\epsilon_{\alpha}$  ( $\alpha=1,\cdots,\epsilon$ ). The constitutive equation of general linear viscoelasticity takes the form

$$\mathcal{L}(x,t) = \mathcal{H}(x,t) \dot{\mathcal{L}}(x,t) + \int_{-\infty}^{t} (x,t)^{2} \dot{\mathcal{L}}(x,t) d\tau, \qquad (3.4)$$
where  $\mathcal{H}$  and  $\mathcal{G}$  are matrices with elements  $\mathcal{H}_{\alpha\beta}, \mathcal{G}_{\alpha\beta}(\alpha,\beta=1,\cdot\cdot,b)$ .

 $\mathcal{H}$  represents initial Newtonian viscosity, and  $\mathcal{G}$  represents elasticity and relaxation; Equation (3.4) represents, therefore, the behavior of a generalized Kelvin-Voigt material. If  $\mathcal{H} = \mathcal{Q}$  then the constitutive equation

$$\mathcal{L}(x,t) = \mathcal{E}(x,t) \mathcal{E}(x,t) - \int_{-\infty}^{t} \mathcal{R}(x,t,\tau) \mathcal{E}(x,\tau) d\tau$$
(3.5)

where  $\mathcal{E}(x,t) = \mathcal{G}(x,t,t)$  and  $\mathcal{R} = \frac{1}{37} \mathcal{G}$ , may be obtained from (3.4) by integration by parts.  $\mathcal{E}$  represents instantaneous elasticity, and  $\mathcal{R}$  "memory" or "heredity". Equation (3.5) corresponds essentially to Volterra's "hereditary elasticity", except that Volterra assumed  $\mathcal{E}$  independent of  $\mathcal{E}$ . In the subsequent work we shall treat viscoelastic materials governed by (3.5) though ultimately we shall direct attention to generalized Kelvin-Voigt materials as well.

## 3.2 Histories

By a history  $\mathcal{P}(t)$  we shall mean a vector function  $\mathcal{L}(X,T)$  defined for all X in  $\mathbb{R}$  and  $\mathcal{T} \angle t$ , and the corresponding functions  $\mathcal{L}$  and  $\mathcal{T}$  given by (3.1) and (3.5). A vector function  $\mathcal{L}(X,T)$  is associated with the

history, and related to it by (3.2). By a null history  $\mathcal{O}(t)$  we shall mean a function  $\mathcal{U}(x,\tau)$  such that  $\mathcal{E}$  (and hence  $\mathcal{T}$  ) vanishes for all  $\times$  in  $\mathbb{R}$  and  $\tau \leftarrow t$  (i.e., a rigid-body motion). For two histories  $\mathcal{H}_1(t)$  and  $\mathcal{H}_2(t)$  we shall define their sum and difference  $\mathcal{H}_1(t) \pm \mathcal{H}_2(t)$  by the vector functions  $\mathcal{U}_1(x,t) \pm \mathcal{U}_2(x,t)$ ; since the operations in (3.1) and (3.5) are linear, we also have the corresponding functions  $\mathcal{E}_1 \pm \mathcal{E}_2$  and  $\mathcal{E}_1 \pm \mathcal{E}_2$ . We shall call  $\mathcal{H}_1(t)$  and  $\mathcal{H}_2(t)$  equivalent, and write  $\mathcal{H}_1(t) = \mathcal{H}_2(t)$ , if  $\mathcal{H}_1(t) - \mathcal{H}_2(t) = \mathcal{O}(t)$ .

A non-null history  $\mathcal{A}(t)$  will be considered admissible if the function  $\boldsymbol{\xi}$  satisfies the following two conditions:

- (1) It is infinitesimal [8, p. 242];
- (2) Any time interval may be divided into a finite number of intervals in which none of the  $\epsilon_{\alpha}$  changes sign (i.e., has both positive and negative values).

Condition (2) excludes, for example, time functions of the type

sin(1/2).Condition (1) requires to be a continuous function of X.

No further continuity condition will be imposed a priori; it will be assumed that any discontinuities will be such that the governing equations can be satisfied in the distribution sense. Attention will be drawn to the fact that the continuity requirements of Refs. 3 and 5 exclude shock waves.

## 3.3 Uniqueness

We shall now consider two admissible histories  $\mathcal{H}_1(t)$  and  $\mathcal{H}_2(t)$  , with t>0 , such that

$$\mathcal{A}_{1}(o) \doteq \mathcal{A}_{2}(o) ; \qquad (3.6)$$

$$\mathcal{L}_{1}(x,0) = \mathcal{L}_{2}(x,0) , \quad x \in \mathbb{R};$$
 (3.7)

$$\dot{y}_{1}(x, 0) = \dot{y}_{2}(x, 0), \quad x \in \mathbb{R};$$
(3.8)

$$f_1(x,\tau) = f_2(x,\tau), x \in \mathbb{R}, O \in \tau \in \mathcal{T};$$
 (3.9)

and

$$t_{1k}(x,\tau) = t_{2k}(x,\tau) \quad \text{or} \quad u_{1k}(x,\tau) = u_{2k}(x,\tau)$$
 (3.10)

for each k (k=1,2,3) referred to a local orthogonal base at x,  $x \in B$ ,  $0 < \tau < t$ . If we define a history

i.e.,  $\mathcal{U}' = \mathcal{U}_1 - \mathcal{U}_2$ , etc., then

$$\mathcal{H}'(o) = \Theta(o) \, , \tag{3.11}$$

$$\mathcal{U}'(x,0) = \mathcal{Q} ; \qquad (3.12)$$

$$\dot{\mathcal{L}}^{\dagger}(x,0) = \mathcal{Q}^{\dagger} \tag{3.13}$$

$$t_{k}^{l}(x,\tau) = 0$$
 or  $U_{k}(x,\tau) = 0$  (3.14)

for each k as before, xEB, octct.

As a consequence of (3.11) we have

$$\mathfrak{D}'(t) = \mathbb{E}(t) \, \underline{\epsilon}'(t) - \int_{0}^{t} \mathbb{R}(t,\tau) \, \underline{\epsilon}'(\tau) \, d\tau, \qquad (3.15)$$

with the dependence on X not explicitly indicated but to be understood henceforth. We also have, by virtue of (3.9),

$$G_{ij}, j = \rho U_{i}$$
(3.16)

We now introduce Laplace transforms of the functions u', g', u', u', to be denoted by u'(s), etc. We form the surface integral

$$I = \int_{\mathcal{B}} \frac{1}{\zeta}'(s) \cdot \overline{\mathcal{Q}}'(s) dS, \qquad (3.17)$$

which, by (3.14), must vanish for all \$ . By means of the divergence theorem we obtain

$$I = \begin{cases} n_j \overline{u}_j'(s) \overline{u}_i'(s) dS \\ = \begin{cases} \overline{c}_{ij}'(s) \overline{u}_i'(s) \end{bmatrix}, & \text{if } dV \\ = \overline{u}_1 + \overline{u}_2 \end{cases}$$

where

$$I_{i} = \int_{R} \overline{c_{i}} j_{i,j}(s) \overline{u}_{i,j}'(s) dV$$

$$= \int_{R} \rho s^{2} \overline{u}_{i}'(s) \cdot \overline{u}_{i}'(s) dV$$

by (3.12), (3.13), and (3.16), and

$$I_2 = \int_R \overline{\mathcal{D}}_i'(s) \, \overline{\mathcal{U}}_{i,j}'(s) \, dV$$

$$= \int_R \overline{\mathcal{D}}_i'(s) \cdot \overline{\mathcal{E}}_i'(s) \, dV$$

by (3.1) and the symmetry of  $\mathfrak T$ 

It is clear that  $T_1$  cannot be negative, and will vanish if and only if  $\overline{L}^1(S)$  vanishes everywhere in R . We now proceed to study  $T_2$  . We write

where

and

$$\mathfrak{T}^{(1)}(t) = \int_{0}^{t} \mathbb{R}(t,\tau) \, \xi'(\tau) \, d\tau.$$

If  $\mathcal{H}'(t)$  is not a null history, then there must be a subset Q of R in which g' does not vanish identically for  $O \leftarrow \tau \leftarrow t$ . Furthermore,  $\mathcal{H}'(t)$  is admissible; hence, for each point X of Q there exists an interval  $t_0 \leftarrow \tau \leftarrow t_1$ , with  $O \leftarrow t_0 \leftarrow t_1 \leftarrow t$  such that  $g'(\tau) = 0$  for  $\tau \leftarrow t_0$ , while in  $f_0 \leftarrow \tau \leftarrow t_1$ , at least one of the  $f_0 \leftarrow t_0 \leftarrow t_1$  is bounded, that ||g|| > 0 and none of them change sign. Since  $g'(t) \leftarrow t_1$  is bounded,  $g'(t) \leftarrow t_1 \leftarrow t_2$  converges absolutely for  $f_0 \leftarrow t_1 \leftarrow t_2$  [7, p.33]. Consequently  $g'(t) \leftarrow t_1 \leftarrow t_2$  satisfies the condition of the Lemma of  $g'(t) \leftarrow t_1 \leftarrow t_2$  Then, by Theorem 2.

$$\bar{\mathcal{L}}''(s) = \bar{\mathcal{L}}(t_0) \bar{\mathcal{L}}'(s) + o(\bar{\mathcal{L}}'(s)) \quad \text{as} \quad s \to \infty.$$
 (3.18)

The Laplace transform of  $\mathfrak{D}^{\text{iii}}$  is

$$\overline{\mathbb{Q}}^{(1)}(s) = \int_{0}^{\infty} e^{-st} \int_{0}^{t} \mathbb{R}(t,\tau) \, \underline{\mathcal{E}}'(\tau) d\tau dt$$

$$= \int_{0}^{\infty} e^{-s\tau} \left[ \int_{0}^{\infty} e^{-s\tau'} \mathbb{R}(\tau+\tau',\tau) d\tau' \right] \underline{\mathcal{E}}'(\tau) d\tau; \qquad (3.19)$$

but the quantity in brackets is the Laplace transform with respect to  $\tau'$  of  $\mathbb{R}(\tau+\tau',\tau)$  and therefore vanishes as  $s \to \infty$  uniformly in  $\tau$  [7,p.162]. Consequently, by Theorem 1,

$$\overline{C}^{(1)}(s) = o(\overline{E}'(s)) \qquad as \quad s \to \infty$$
 (3.20)

and therefore

$$\widetilde{\mathcal{C}}'(s) = \widetilde{\mathbb{E}}(t_0)\widetilde{\mathfrak{E}}'(s) + o(\widetilde{\mathfrak{E}}'(s))$$
 as  $s \to \infty$  (3.21)

Lastly, by (2.12)

$$\vec{\mathcal{C}}'(s) \cdot \vec{\mathcal{E}}'(s) = \vec{\mathcal{E}}'(s) \cdot \vec{\mathcal{E}}(t_0) \vec{\mathcal{E}}'(s) + o(\vec{\mathcal{E}}'(s) \cdot \vec{\mathcal{E}}'(s))$$
 as  $s \to \infty$ . (3.22)

If  $\xi$   $(t_o)$  is a positive definite matrix (i.e., has only positive real eigenvalues), then

$$\xi'(s) \cdot \xi(s) = \xi(s) \cdot \xi'(s), \qquad (3.23)$$

where  $E_1$  is the smallest eigenvalue of  $E_X(t_0)$ . Hence the second term on the right of (3.22) can be made numerically less than the first for S sufficiently large. Therefore there exists an  $S_X$  such that  $\overline{C}_X(t_0) \cdot \overline{E}_X(t_0)$  must be positive for  $S_X(t_0) \cdot E_X(t_0)$ . Defining

 $S_o = \max S_x \ ,$   $x \in Q$  We conclude that  $I_2$  must be positive for  $S > S_o$ . Since, however,  $I_1$  cannot be negative, I cannot vanish for  $S > S_o$ . We have therefore contradicted the assumption that  $P_1(t)$  is not a null history.

If  $\mathcal{A}'(t)$  is a null history, then,  $I_2$  vanishes, and I equals  $I_1$ . I can therefore vanish if and only if  $\mathcal{A}'(s)$  vanishes everywhere in  $\mathcal{R}$ , and, consequently, if and only if  $\mathcal{A}'(x,t)$  vanishes everywhere in  $\mathcal{R}$ , octt

We have thus proved that for two admissible histories  $\mathcal{H}_1(t)$  and  $\mathcal{H}_2(t)$  related by (3.6) - (3.10), the displacement (and hence the strain and stress) fields are equal in the time interval octob for a viscoelastic body governed by (3.5) if  $\mathcal{E}(x,\tau)$  is a positive definite matrix and a continuous function of  $\tau$  in octob.

#### 3.4 Extension to Generalized Kelvin-Voigt Material

There is no evidence that any real materials are of the generalized Kelvin-Voigt type, i.e., behave instantaneously like Newtonian fluids; even water possesses some instantaneous shear elasticity. Neveretheless, for the sake of theoretical interest, we shall show how the uniqueness theorem enunciated in the previous subsection may be extended to such materials.

<sup>\*</sup> See also Ref. 11, remark at the end of § 5.

If we form, instead of I , the integral

$$I' = \int_{B} \overline{\xi}'(s) \cdot \overline{\psi}'(s) dS,$$

then, on noting the condition (3.7), we see immediately that I'=sI; by an analogous definition  $I'_1=sI_1$  and  $I'_1\geq 0$  for s>0. The corresponding integral  $I'_2$  has the integrand  $\overline{C}'(s)$ .  $\overline{C}(s)$ , and this can, by complete analogy with the procedure of 3.3, be shown to be positive for large s unless  $\overline{C}'$  (and hence  $\overline{C}'$ ) vanishes, provided f(t) is continuous and positive definite. This uniqueness criterion is much weaker than the one enunciated for generalized Kelvin-Voigt materials by Gurtin and Sternberg, [3, Theorem 8.2 (b)].

#### IV. ADDITIONAL REMARKS

#### 4.1 Isotropic Materials

If a viscoelastic material governed by (3.5) is isotropic in regard to instantaneous behavior, the E matrix has the form

<sup>\*</sup>Except that £ must possess, for large 5 , an absolutely convergent Laplace transform.

where  $G_1$  is the (time-variable) instantaneous "bulk modulus" and  $G_2$  is the "shear modulus". The eigenvalues are  $3G_1$  and (repeated fivefold)  $2G_2$ . Hence, the condition for positive-definiteness of E is  $G_1 > 0$ ,  $G_2 > 0$ .

A similar result will apply to the generalized Kelvin-Voigt material.

# 4.2 Quasi-Static Uniqueness

We may neglect the inertia of the material by letting  $\varrho$  vanish; then  $I_1$  vanishes identically, and I vanishes if and only if  $I_2$  does, i.e., if H'(t) is a null history. In a quasi-static treatment, therefore, the displacement field is unique only to within a rigid-body motion (as in Ref. [3]). Also, the initial conditions (3.7), (3.8) may be dispensed with.

#### References

- 1. V. Volterra, "Sulle equazioni integro-differenziali della teoria dell' elasticita", Atti Accad. Lincei (5) 18, 296-301 (1909).
- V. Volterra, "Sulle equazioni integro-differenziali", Atti Accad.
  Lincei (5) 18, 167-174 (1909).
- 3. M. E. Gurtin and E. Sternberg, "On the Linear Theory of Viscoelasticity", Arch. Rat. Mech. Anal. 11, 291-356 (1962).
- 4. E. Sternberg and M. E. Gurtin, "Uniqueness in the Theory of Thermo-Rheologically Simple Ablating Viscoelastic Solids", Progress in Applied Mechanics (The Prager Anniversary Volume), 373-384, (The MacMillan Company, New York, 1963).
- 5. S. Breuer and E. T. Onat, "On Uniqueness in Linear Viscoelasticity", Q. Appl. Math. 19, 355-359 (1962).
- E. T. Onat and S. Breuer, "On Uniqueness in Linear Viscoelasticity", Progress in Applied Mechanics (The Prager Anniversary Volume), 349-353 (The MacMillan Company, New York, 1963).
- 7. G. Doetsch, <u>Handbuch der Laplace-Transformation</u>, Vol. I (Verlag Birkhäuser, <u>Basel</u>, 1950).
- 8. B. D. Coleman and W. Noll, "Foundations of Linear Viscoelasticity", Rev. Mod. Phys. 33, 239-249 (1961).
- 9. W. S. Edelstein and M. E. Gurtin, "Uniqueness Theorems in the Linear Theory of Anisotropic Viscoelastic Solids", Arch. Rat. Mech. Anal. 17, 47-60 (1964).
- 10. F. Odeh and I. Tadjbakhsh, "Uniqueness in the Linear Theory of Viscoelasticity", Arch. Rat. Mech. Anal. 18, 244-250 (1965)
- 11. B. D. Coleman, "On Thermodynamics, Strain Impulses, and Linear Viscoelasticity", Arch. Rat. Mech. Anal. 17, 230-254 (1964).