Lawrence Berkeley National Laboratory

LBL Publications


Title


Reversible Formation of $[P{sub2}Pt H]{sub 2} Pt (I)$ Complexes from cis- $P{sub 2}Pt H{sub 2}$ Complexes, where $P{sub 2}$ is a Chelating Phosphine

Permalink https://escholarship.org/uc/item/5bv6k2m3

Authors Schwartz, D.J. Andersen, R.A.

Publication Date 1994-07-01





DISCLAIMER

This document was prepared as an account of work sponsored by the United States Government. While this document is believed to contain correct information, neither the United States Government nor any agency thereof, nor the Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or the Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof or the Regents of the University of California.

LBL-36674 UC-401

Reversible Formation of [P₂PtH]₂ Pt(I) Complexes from *cis*-P₂PtH₂ Complexes, where P₂ is a Chelating Phosphine

D.J. Schwartz and R.A. Andersen*

Department of Chemistry University of California, Berkeley

and

Chemical Sciences Division Lawrence Berkeley Laboratory University of California Berkeley, California 94720

July 1994

*Address correspondence to this author at the Chemistry Department, University of California, Berkeley, CA 94720 USA.

This work was supported by the Director, Office of Energy Research, Office of Basic Energy Sciences, Chemical Sciences Division, of the U.S. Department of Energy under Contract No. DE-AC03-76SF00098.

Several platinum cis dihydride phosphine complexes, (diphos)PtH₂ [4, diphos = $iPr_2P(CH_2)_2PiPr_2$ (dippe); 5, diphos = $Cy_2P(CH_2)_2PCy_2$ (dcype); and 6, diphos = $tBu_2P(CH_2)_2PtBu_2$ (dtbpe)], have been found to be unstable in solution, reversibly losing H₂ and forming binuclear complexes of the general formula [(P-P)PtH]₂. The extent of dimerization in solution is directly related to the steric size of the phosphine ligand, larger phosphines imparting kinetic stability to the *cis* dihydride monomers. The dimeric complexes possess terminal hydride ligands based on their IR spectra; however the room temperature ¹H, ³¹P{¹H}, ¹⁹⁵Pt{¹H} NMR spectra show equivalence within the sets of H. Pt, and P nuclei, indicating that the dimers are fluxional in solution. This fluxional process can be stopped at low temperature for the (dippe) and (dcvpe) derivatives, 1 and 2, but not for the (dtbpe) derivative, 3. The complex 1 crystallizes in the orthorhombic space group P2₁2₁2₁ in a cell of dimensions a = 9.245(2) Å, b = 16.966(2) Å, c =22.690(6) Å, Z = 4. The structure shows square planar geometry about each Pt(I) center, the coordination sphere being composed of one bidentate phosphine ligand, a terminal hydride, and a direct, unbridged bond to the other Pt center. The angle between the two square planes is 93.2(1)°, the Pt-Pt distance is 2.5777(5) Å. The complex 3 crystallizes as a toluene solvate in the triclinic space group $P\overline{1}$ with a = 11,552(3) Å, b = 13,123(3) Å, c = 17.694(4) Å, $\alpha = 81.20(2)^{\circ}$, $\beta = 89.20(2)^{\circ}$, $\gamma = 66.55(2)^{\circ}$, Z = 2. The structure is similar to that of 1, however there are several distortions resulting from steric crowding caused by the larger tert-butyl groups (Pt-Pt distance = 2.6094(6) Å). The spectral and structural details, solution properties, and the nature of the fluxional process, are discussed.

Introduction

Monohydrides of platinum(II) with monodentate phosphine ligands, for example *trans*-Pt(H)(Cl)(PEt₃)₂, were first prepared by Chatt in 1957.^{1a, b} The *trans*-dihydrides are less stable, and no isolated compounds were described until 1974 when Shaw used sterically bulky phosphines in order to prevent decomposition.^{1c} Shaw also showed that the *cis*-dihydrides are stable towards loss of dihydrogen only when chelating bidentate phosphines with sterically bulky substituents are used.^{1d, 2}

Consistent with this latter concept, in the course of preparing *cis*-(P-P)PtH₂ complexes of various phosphines, Otsuka and co-workers³ found that only the derivatives containing sterically bulky phosphines were stable in solution. Solutions of the derivatives containing smaller phosphines gradually darkened in color, and the intensity of the hydride resonance in the ¹H NMR spectrum as well as the Pt-H stretch in the infrared spectrum, diminished over time. Otsuka <u>et al</u>. suggested that for the (P-P)PtH₂ derivatives containing sterically smaller phosphines, reversible loss of dihydrogen was occurring to give (P₂Pt)₂ dimers in solution. This postulate was made based on the above observations, and the fact that reduction of (dtbpp)PtCl₂ (dtbpp = (tBu)₂P(CH₂)₃P(tBu)₂) in tetrahydrofuran yields only the hydride-free compound Pt₂(dtbpp)₂. This readish-orange Pt(0) dimer is controversial since some chemical reactions imply the presence of Pt-H bonds, suggesting that perhaps more than one species is present in solution.^{3a}

Similarly, $(Cy_2P(CH_2)_nPCy_2)PtH_2$ (n = 2, dcype; n = 3, dcypp) have also been reported to be unstable in solution.^{4a} The monomers lose dihydrogen in solution and generate a species that was identified as a dimer, $[(P-P)PtH]_2$, by ¹H and ³¹P{¹H} NMR spectroscopy. This deduction was questioned by Pidcock and co-workers^{4b} since they showed that warming a solution of (dppe)PtH₂ (dppe = Ph₂P(CH₂)₂PPh₂), formed at low temperature, to room temperature yields the dimer [(dppe)PtH]₂, whose ¹H and ³¹P NMR spectra are very different from those of the (dcype) and (dcypp) derivatives in ref. 4a. The

latter complexes give NMR spectra that are similar to those that have been observed for cationic complexes of the type [(P-P)₂Pt₂H₃][X]; the proton source is presumably H₂O, so the anion is (⁻OH).^{4b} The fluxional cation, [(P-P)₂Pt₂H₃][X], with either one or two bridging hydrides in the solid state, is a pervasive structural feature in platinum hydride chemistry.⁵ The hydrides in (dcypp)PtH₂ are also fluxional; they undergo mutual exchange on the NMR timescale and it has been suggested that η^2 -hydrogen complexes are involved.^{4a,c}

This novel suggestion was the origin of our studies since we thought that it might be possible to displace the hypothetical dihydrogen ligand with $(Me_5C_5)_2Yb$. As part of an endeavor to use (P-P)Pt and *cis*-(P-P)PtH₂ complexes as ligands towards $(Me_5C_5)_2Yb$,⁶ we prepared various dihydrides with chelating bidentate phosphine ligands. We observed that these compounds lose dihydrogen to a variable extent, depending upon the substituents on phosphorus and that the resulting dimers, $[(P-P)PtH]_2$, are fluxional in solution. These dimers have never been studied in detail, and no crystal structures of these neutral dimeric platinum hydrides have been reported, though they are generally written as if they contain bridging hydride ligands,⁴ in analogy with $[(dcypp)Ni(\mu-H)]_2$.^{7a,b} Recently, the related palladium hydride dimer, $[(dippp)Pd(\mu-H)]_2$, has been described.^{7c} In the solid state, the hydride ligands bridge the two palladium centers in an unsymmetrical manner, and the P₂Pd planes are twisted relative to each other by 20°, compared to a twist angle in the nickel dimer of 63°. In solution both molecules are fluxional, with equivalency within the sets of hydride and phosphorus nuclei.

Results

Syntheses. Stirring a thf solution of $[(Me_2CH)_2P(CH_2)_2P(CHMe_2)_2]PtCl_2$, (dippe)PtCl₂, with sodium amalgam at room temperature under one atmosphere of hydrogen for one day gave $[(dippe)PtH]_2$ (1) as the sole product, isolated in 62% yield. This result was unexpected as the synthetic method is identical (except for the identity of the phosphine) to that used by Otsuka to synthesize (dtbpe)PtH₂.^{3a} The dimer 1 is light

brown in color, soluble in aliphatic hydrocarbons, and is volatile enough to give a molecular ion in the mass spectrum. The dimeric nature of 1 is clear from the ${}^{31}P{}^{1}H$ NMR spectrum, in which two different ${}^{195}Pt-{}^{31}P$ coupling constants are observed. The solid state infrared spectrum shows two strong bands at 1939 and 1926 cm⁻¹, indicating the presence of terminal hydride ligands. The ¹H-coupled ¹⁹⁵Pt INEPT NMR spectrum (see Supplementary Material) shows that there are two hydrides per dimer. The hydride region of the ¹H NMR spectrum of 1 shows an apparent 'quintet of quintets', ^{3b,5e} indicating equivalency on the NMR timescale within the sets of four phosphorus, two platinum, and two hydride nuclei, at 25 °C.

A similar synthetic procedure using the cyclohexylphosphine derivative, $(dcype)PtCl_2$, yields the known monomer $(dcype)PtH_2(5)^{4a}$ in 85% yield after crystallization from thf, as colorless crystals. Inspection of the ${}^{31}P{}^{1}H$ NMR spectrum of the crude reaction mixture in C₆D₆ showed that it contained a *ca*. 9:1 ratio of 5 and a material shown to be the dimer [(dcype)PtH]₂ (2). This ratio is unchanged indefinitely under nitrogen at room temperature, and is also unchanged after prolonged heating at 90 °C in a closed system. However heating a sample of 5 in toluene at reflux for 16 hours, under a slow purge of nitrogen (i.e, in an *open* system), gives 2 as a yellow powder in 58% isolated yield. The NMR data for 2 are similar to those of 1. The solid state infrared spectrum shows two features at 1965 and 1937 cm⁻¹, due to terminal Pt-H stretches.

As mentioned in the Introduction, conversion of 5 to 2 in solution has been reported in the literature.^{4a} In contrast to our findings, these authors reported that room temperature solutions of 5 gave complete conversion to 2 within one hour. In addition, Pidcock and co-workers have suggested that the species identified by Clark and Hampden-Smith as "[(dcype)Pt(μ -H)]₂" was actually [(dcype)₂Pt₂H₃]⁺, where the anion is presumably hydroxide. We have found that adding several drops of water to a benzene solution of 5 results in clean conversion to [(dcype)₂Pt₂H₃]⁺[OH]⁻. The NMR values of this cationic

complex (see later discussion) show that this is indeed the complex that Clark and Hampden-Smith identified as 2; our results confirm the suggestion made by Pidcock <u>et</u> $al.^{4b}$

A benzene solution of (dtbpe)PtH₂ (6), prepared using Otsuka's method,^{3a} is stable indefinitely at room temperature under nitrogen, as was found for 5. In contrast to 5, no evidence of a dimeric complex is seen in the ¹H and ³¹P{¹H} NMR spectra of the crude reaction mixture. Otsuka and co-workers reported that 6 is stable in solution up to temperatures of 100 °C. We found that this is indeed true for a toluene solution of 6 in a closed system. However, analogous to 5, heating a toluene solution of 6 at 90 °C for 16 hours under a slow purge of nitrogen gives a reddish-brown solution from which [(dtbpe)PtH]₂ (3) can be isolated in 73% yield as dark orange crystals. This dimer also shows two terminal Pt-H stretching frequencies in the infrared spectrum at 1975 and 1951 cm⁻¹. The dimer 3 is stable indefinitely in benzene under nitrogen at room temperature, and has similar ¹H and ³¹P{¹H} NMR spectra to those of 1 and 2 (Table 1).

(Table 1 here)

Monomer/Dimer Equilibrium. Benzene solutions of all of the dimers, 1-3, are stable at room temperature under a nitrogen atmosphere. However, when the nitrogen is replaced by hydrogen gas (1 atm), quantitative conversion to the *cis*-dihydride monomers occurs within 24 hours for all three samples; conversion was followed by $^{31}P{^{1}H}$ NMR spectroscopy. The (dippe)PtH₂ monomer (4) was not isolated as it is only stable under an atmosphere of hydrogen gas; its identity was deduced by the similarity of its ^{1}H and $^{31}P{^{1}H}$ NMR spectral values to those of 5 and 6 (Table 2).

6

(Table 2 here)

Solutions of 5 and 6 (converted from 2 and 3) were then stable indefinitely when the hydrogen was replaced by nitrogen. In contrast, the sample of 4 slowly reverted to 1 when the hydrogen atmosphere was replaced by nitrogen; the sample consisted of a ca. 2:1 ratio of 1:4 after 100 hours at room temperature under nitrogen. Interconversion of 1 and 4 was found to be facile, depending upon whether N₂ or H₂ was present over the solution

(eq. 1).

(equation 1 here)

This interconversion is clean, with no by-products observed in the $^{31}P{^{1}H}$ spectrum, indicating that eq. 1 is a reversible chemical equilibrium.

Solid State Structures of 1 and 3. The ORTEP diagrams of 1 and 3 are shown in Figures 1 and 2, respectively. The crystallographic data (Table 3), positional parameters (Tables 4 and 5), and selected bond lengths and angles (Table 6) are given below.

(Figures 1 and 2 here)

The hydride ligands could not be located, but their positions are inferred from the square planar geometry about each platinum center. Qualitatively, both structures contain two square planar platinum centers, the coordination sphere of each consisting of two phosphorus atoms, one hydride, and the other platinum atom; the idealized symmetry is C_2 . Formally, both metal centers are in the +I oxidation state and a metal-metal bond is present, accounting for the observed diamagnetism. Dimeric platinum hydride complexes possessing an unbridged Pt-Pt bond have not been structurally characterized before.

(Tables 3-6 here)

Considering first the structure of 1, the Pt-P bond distances in 1 are in the expected range.^{3a,8} The distances for the pair of phosphorus atoms *trans* to the hydrides (Pt(1)-

P(1), 2.257 (3) Å; Pt(2)-P(3), 2.254 (3) Å) are identical within experimental error to the analogous distances for the pair *trans* to the other platinum atom (Pt(1)-P(2), 2.242 (3) Å, Pt(2)-P(4), 2.244 (3) Å), indicating that the terminal Pt-H bond and the Pt-Pt bond have similar*trans* influences. The Pt(1)-Pt(2) separation of 2.5777 (5) Å for 1 is consistent with a direct, unbridged Pt(I)-Pt(I) bond, and is within the range found in the four Pt(I) dimers containing unbridged Pt-Pt bonds that have been crystallographically characterized (2.53-2.63 Å).⁹ These distances are shorter then expected, considering that the covalent radius of Pt(0) is 1.38 Å¹⁰ and that of Pt(II) is 1.31 Å.¹¹ Many Pt(I) dimers with bridging ligands are known and they have been reviewed.¹²

The P-Pt-Pt angles, 102.1° (P(3)-Pt(2)-Pt(1)), 100.5° (P(1)-Pt(1)-Pt(2)), 168.6° (P(2)-Pt(1)-Pt(2)), and 167.4° (P(4)-Pt(2)-Pt(1)), none of which deviate from the idealized square planar values (90° for the first pair, 180° for the latter pair) by more than 13° , are also consistent with the presence of two terminal hydrides. The analogous values for ([(PCy₃)(SiEt₃)Pt(μ -H)]₂ are $123-134^{\circ}.1^{3}$ This lack of deviation from idealized square planar values indicates that steric interactions between *iso*-propyl groups of the phosphines are negligible, as such interactions would result in an opening of the P(3)-Pt(2)-Pt(1) and P(1)-Pt(1)-Pt(2) angles from the idealized value of 90°. Examination of the *iso*-propyl groups on P(1) and P(3) shows that these steric interactions are minimized by the orientation of the alkyl groups; the methine hydrogen atoms on C(11) and C(30) point towards, while the larger methyl groups point away from, each other.

The dihedral angle between the planes defined by P(1)-Pt(1)-P(2)/P(3)-Pt(2)-P(4) is 93°. The analogous angle in [(dtbpp)Pt]₂ is 82°.^{3a} For the latter structure, in which the P-Pt-Pt angles are *ca*. 128°, a 90° dihedral angle would minimize steric interactions between the large *tert*-butyl groups on the phosphine ligands, and this is probably the reason for the 82° angle. However, since the P(1)-Pt(1)-Pt(2), P(3)-Pt(2)-Pt(1) angles in 1 are *ca*. 101°, such steric interactions would be minimized if this dihedral angle were 180° (there are

actually two 180° orientations, the orientation being discussed has the hydrides *trans* to each other, relative to the Pt-Pt vector, Fig. 3):

(Figure 3 here)

This geometry places all of the alkyl groups on the phosphine ligands near hydrides, as opposed to near other alkyl groups, and minimizes the steric interactions discussed in the previous paragraph. The dihedral angle in the nickel analogue, $[(dcypp)Ni(\mu-H)]_2$,^{7b} is 63°, and this was rationalized based on a steric argument. In the palladium analogue, $[(dippp)Pd(\mu-H)]_2$,^{7c} it is 20°, and this was rationalized by assuming that the larger size of Pd results in minimal steric interactions between the *iso*-propyl groups on opposite ends of the dimer. The main difference between the Ni and Pd dimers and 1 is the presence of terminal hydrides in the latter complex, resulting in more acute P(1)-Pt(1)-Pt(2), P(3)-Pt(2)-Pt(1) angles, making the 180° geometry the sterically favored one, relative to the 90° geometry is assumed to be the thermodynamically preferred conformation, as it is observed in the solid state structures of 1 and 3.

The structure of 3 is qualitatively similar to that of 1, however there are several differences. The Pt(1)-Pt(2) distance in 3 is 2.609(1) Å, 0.03 Å longer than in 1. This lengthening is most reasonably ascribed to steric interactions between the larger *tert*-butyl groups on the two phosphine ligands, specifically between the C(6) and C(9) *tert*-butyl groups. In contrast to 1, in which the methine hydrogens on these analogous carbon atoms can be oriented so as to minimize steric interactions, such a lower energy conformation does not exist for 3. In addition, the P-Pt-Pt angles (114.7° (P(3)-Pt(2)-Pt(1)), 115.7° (P(1)-Pt(1)-Pt(2)), 152.3° (P(2)-Pt(1)-Pt(2)), and 153.8° (P(4)-Pt(2)-Pt(1)), deviate from the ideal square planar values by *ca*. 26°, *vs. ca*. 13° in 1. This distortion is also consistent with steric interactions between the *tert*-butyl groups.

The P(1)-Pt(1)-Pt(2)-P(3) torsional angle may also be used as evidence that steric interactions play a role in the structural distortions in 3. In 3, this angle is 108°, in 1 it is 97°. The steric interactions between the C(6) and C(9) *tert*-butyl groups (on P(1) and P(3)) result in an opening of this angle by 11°, relative to 1. There are no close intramolecular non-bonded interactions between the C(6) and C(9) alkyl groups, presumably because the distortions discussed above relieve such interactions. This is illustrated clearly by the observation that the C(17)-C(27) distance (methyl carbons on C(6) and C(9), respectively), 3.80 Å, decreases to 2.25 Å when the P-Pt-Pt angles, Pt-Pt distance, and P-Pt-Pt-P dihedral angles are set equal to their analogous values in the structure of 1.

It can be argued that all of these distortions are also consistent with a distortion towards a bridging hydride structure for 3. However, the solid state infrared data show that the hydrides are terminal in both 1 and 3. No terminal M-H stretches are present in the infrared spectrum of $[(dcypp)Ni(\mu-H)]_2$;^{7a} unfortunately, no infrared data were reported for $[(dippp)Pd(\mu-H)]_2$.^{7c} Also, if the solid state structure of 3 did contain bridging or semi-bridging hydride ligands, the P(1)-Pt(1)-Pt(2)-P(3) torsional angle would be closer to 180° ,⁹ as is observed in Fryzuk's palladium analogue,^{7c} to satisfy the square planar coordination of the platinum centers. The observed angle is 108.1° . It seems reasonable to conclude that the distortions observed in the structure of 3 arise as a result of the steric interactions discussed above.

Room Temperature NMR Spectra. The room temperature ¹H, ³¹P{¹H}, and ¹⁹⁵Pt{¹H} (INEPT) NMR spectra of 1 (Fig. 4) show that all four phosphorus nuclei, both platinum nuclei, and the two hydride nuclei, are equivalent on the NMR timescale. Qualitatively, the room temperature ¹H and ³¹P{¹H} spectra of 2 and 3 are identical with those of 1.

(Figure 4 here)

The ¹H, ³¹P{¹H}, and ¹⁹⁵Pt{¹H} spectra for 1-3 consist of the superposition of three subspectra, arising from the three different isotopomeric combinations of platinum nuclei having different nuclear spins (Pt/Pt, 43.8%; Pt/¹⁹⁵Pt, 44.8%; ¹⁹⁵Pt/¹⁹⁵Pt, 11.4%--the percentages arise from the 33.8% natural abundance of ¹⁹⁵Pt). The splitting in the ¹H spectrum consists of an apparent quintet of quintets (Fig. 5), arising from the superposition of an A₂M₂M'₂ spin system (Pt/Pt isotopomer, central quintet), an A₂M₂M'₂X spin system (Pt/¹⁹⁵Pt isotopomer, doublet of quintets), and an A₂M₂M'₂XX' spin system (¹⁹⁵Pt/¹⁹⁵Pt isotopomer, triplet of quintets); the superposition of these spin systems, giving the observed apparent quintet of quintets, has been discussed in detail in the literature, with respect to [(P-P)₂Pt₂H₃]⁺[X]⁻ complexes.^{3b, 5e}

(Figure 5 here)

The pattern observed in the ³¹P{¹H} spectrum (Fig. 4b) arises from a combination of an A₂A'₂ spin system (Pt/Pt isotopomer, a singlet), an A₂A'₂X spin system (Pt/¹⁹⁵Pt isotopomer, giving rise to all of the observed splitting in the experimental spectrum, see labels in Fig. 4b); and an A₂A'₂XX' spin system (¹⁹⁵Pt/¹⁹⁵Pt isotopomer, a second order pattern), the latter of which is only partially observed in the experimental spectrum (the outermost visible lines correspond to half of the total intensity of this subspectrum),^{3b} as a result of the 11.4% abundance of this isotopomer and of the multiple couplings present for this spin system. Again, the superposition of these spin systems has been discussed in the literature, with respect to [(P-P)₂Pt₂H₃]+[X]⁻ complexes.^{3b, 5e} Similarly, the experimental ¹⁹⁵Pt{¹H} spectrum (Fig. 4c) is a superposition of A₂A'₂X (Pt/¹⁹⁵Pt, triplet of triplets, see labels on Fig. 4c) and A₂A'₂XX' (¹⁹⁵Pt/¹⁹⁵Pt, second order pattern) spin systems; the latter subspectrum is not observed in the experimental spectrum, due to its low relative abundance and multiple couplings. As expected, the ^{1,2}J_{PtP} values obtained from the ³¹P{¹H} spectrum (Table 1) are identical to those measured from the ¹⁹⁵Pt{¹H} spectrum. Clearly, some sort of fluxional process is occurring that makes the two hydrides, the four phosphorus nuclei, and the two platinum nuclei equivalent on the NMR timescale at room temperature, as the spectra are not consistent with the solid state structures of 1 and 3. Such a process, in which there is equivalency within the sets of H, P, and Pt nuclei, has been reported for several [(P-P)₂Pt₂H₃][X] complexes.^{3b, 5e} A static planar [(P-P)Pt(μ -H)]₂ structure of D_{2h} symmetry is not consistent with the observed equivalency, although this has been suggested in the literature.^{4a,7c}

The NMR values for 1-3 (Table 1) are similar to the room temperature values reported by Pidcock and co-workers for $[(dppe)PtH]_2$ (also in Table 1).^{4b} Comparison of these values to the values for trihydride cationic complexes of the type $[(P-P)_2Pt_2H_3][X]$ (Table 7) which exhibit several different structures,^{5e} all of which contain at least one bridging hydride in the solid state, shows significant differences.

(Table 7 here)

The neutral dimers 1-3 have a much larger average ${}^{3}J_{PP}$ value than the average long-range J_{PP} value for the cationic complexes. In addition, the average ${}^{2}J_{PtP}$ value for the neutral dimers 1-3 are much larger then the analogous value for the cationic complexes (e.g, ${}^{2}J_{PtP}$ = 420 Hz for 2; J_{PtP} = 149 Hz for the analogous cationic complex, [(dcype)₂Pt₂H₃][OH]). These differences indicate that there is more spin-spin communication between the two halves of the neutral dimers, relative to the cationic complexes. The direct, unbridged Pt-Pt bond in the solid state for the complexes 1-3 transmits spin-spin coupling more efficiently than the bridged Pt-Pt bond in the cationic complexes.

Comparison of the averaged spectral values for the neutral dimers to those of monomeric cis-P₂PtH₂ (Table 2) shows that the ¹J_{PtH} values are much smaller, and the ¹J_{PtP} values are larger, for the former complexes. These differences are indicative of bridging or semi-bridging hydride ligands in the neutral dimers (on the NMR timescale, at

room temperature),¹⁴ inconsistent with the terminal hydride coordination found in the solid state structures of 1 and 3. Lastly, comparison of the values among the three dimers shows that 1 and 2 possess very similar values, while the values for 3 are slightly different (this difference being most pronounced in the J_{PtP} values).

Low Temperature NMR Spectra. In order to learn more about the fluxional process, NMR samples of 1, 2, and 3 in dg-toluene were cooled to -90 °C, and the ¹H and ³¹P{¹H} NMR spectra were recorded. The spectra of 3 were virtually identical with the room temperature spectra, implying that the fluxional process is still rapid. However, the spectra of 1 and 2 were significantly different from the room temperature spectra, due to stopping of the fluxional process(es) that occur(s) at room temperature. The temperature at which the fluxional process is stopped is -54 °C for 1 and -36 °C for 2. Both averaged^{3b,5e} and stopped-exchange^{5a,5c,5h,15} cases have been reported for [P4Pt₂H₃][X] complexes; complexes with chelating phosphines yield averaged spectra at all temperatures and complexes with monodentate phosphines yield stereochemically rigid spectra at all temperatures. The palladium dimer [(dippp)PtH]₂ is fluxional at all temperatures.^{7c} Thus, complexes 1 and 2 represent the first cases in which both regimes, fluxional and stereochemically rigid, are accessible. An interesting study¹⁶ has yielded an estimate of 17.2 kJ mol⁻¹ for the fluxional process in [(dppe)₂Pt₂H₃][BF4], based on proton T₁ and T₂ measurements.

The ${}^{31}P{}^{1}H$ spectrum of 1 taken at -90 °C is shown in Figure 6. The low temperature ${}^{1}H$ and ${}^{31}P{}^{1}H$ spectra for 2 are qualitatively identical to those of 1.

(Figure 6 here)

While the 90° and 180° geometries (Fig. 3) cannot be distinguished based on the low temperature ¹H, ³¹P, and ¹⁹⁵Pt NMR data, the data are entirely consistent with the solid state structure found for **1**, as discussed below, and so it is reasonable to assume that the

low temperature solution structure is similar to the observed solid state structure. Since the low temperature spectra of 1 and 2 are similar, we assume that they have similar solid state structures.

The assignments shown in Figure 7 will be used to discuss the low temperature spectra; unless otherwise stated, only one half of the dimer will be explicitly discussed, the other half being related by a C₂ axis (e.g, ${}^{1}J_{PtaHa}$ implies ${}^{1}J_{PtbHb}$; while the ${}^{195}Pt/Pt$ isotopomer of the dimer does not possess a true C₂ axis, any exceptions will be explicitly stated when necessary). The low temperature ${}^{1}H$ and ${}^{31}P{}^{1}H{}$ values for 1 and 2 are presented in Table 8.

(Figure 7 here)

(Table 8 here)

The hydride region of the low temperature ¹H spectrum contains a doublet with symmetrically-spaced satellites. This pattern arises from coupling to the *trans* phosphorus nucleus and to the nearer ¹⁹⁵Pt nucleus (${}^{2}J_{PdHa}$ and ${}^{1}J_{PtaHa}$, respectively). Comparison of these J_{PtH} and J_{PH} values to the analogous values for the *cis*-P₂PtH₂ complexes (Table 2) shows that, in contrast to the room temperature values for the dimers (Table 1, and accompanying discussion), the values are very similar, providing support for a low temperature structure containing terminal hydride ligands located *trans* to a phosphorus nucleus. The couplings between H_a and the three other phosphorus nuclei and the other platinum center are presumably too small to be resolved.

The low temperature ${}^{31}P{}^{1}H}$ spectrum (Fig. 6) is also consistent with the solid state structure found for 1. There are now two different phosphorus environments, P_a/P_b which are *trans* to Pt centers, and P_c/P_d which are *trans* to hydrides. Again, this spectrum is a superposition of the three subspectra arising from the three different isotopomers present. The Pt/Pt isotopomer gives two singlets, for the two different pairs of phosphorus environments (an AA'MM' spin system), which are observed as the two major resonances in the experimental spectrum. The 195 Pt/ 195 Pt subspectrum (an AA'MM'XX' system) is not visible in the experimental spectrum due to its low relative abundance, and so the remainder of the spectrum arises from the Pt/ 195 Pt isotopomer (an AA'MM'X spin system). A splitting diagram for this spin system is shown in Figure 8.

(Figure 8 here)

The higher-field resonance is assigned to P_c/P_d ; this assignment was confirmed by a ${}^{1}H/{}^{3}P{}^{1}H{}$ HMQC¹⁷ spectrum (included as Supplementary Material). The splitting observed is ${}^{1}J_{PtaPd}$; ${}^{2}J_{PtbPd}$ is unresolved. It is not very surprising that the P-P couplings are unresolved as the *cis* coupling ${}^{2}J_{PaPd}$ is expected to be the largest coupling involving P_d, and ${}^{2}J_{PP}$ values in *cis*-P₂PtX₂ complexes (X = H, R), where P₂ is a C₂-bridged chelating phosphine, can be <3 Hz.¹⁸ The lower-field resonance arises from P_a and P_b, which are *trans* to platinum centers. The two different J_{PtP} values observed are ${}^{1}J_{PtaPa}$ and ${}^{2}J_{PtbPa}$, the additional coupling observed is ${}^{3}J_{PaPb}$ (Figure 8). This P-P coupling cannot be ${}^{2}J_{PaPd}$, since it is not seen in the higher-field resonance. Again, as for the high field resonances in this spectrum, w_{1/2} = 40 Hz). Simulation of the experimental spectrum using these assighments gives good agreement with the experimental spectrum (the simulated spectrum and subspectra are available as Supplementary Material).

The ¹⁹⁵Pt/¹⁹⁵Pt subspectrum (an AA'MM'XX' spin system) is not visible in the ¹⁹⁵Pt dimension of the experimental ¹H/¹⁹⁵Pt{¹H} HMQC¹⁷ spectrum, and consequently the entire experimental spectrum arises from the Pt/¹⁹⁵Pt subspectrum (an AA'MM'X spin system). Simulation of this subspectrum, using the coupling constant values obtained from the ³¹P{¹H} spectrum, gives good agreement with the experimental spectrum (the experimental spectrum, simulated subspectra, and the simulated spectrum, are available as

Supplementary Material), providing further support that the low temperature solution-state structure of 1 is identical to the solid-state structure.

Solution Behavior of 1-3. A 1:1 mixture of 5 and its deuterated analogue, (dcype)PtD₂ (d₂-5), in C₆D₆ reaches the 1:2:1 5:(dcype)Pt(H)(D):d₂-5 equilibrium ratio within one hour. The same result was found for the analogous reaction using 6 and its deuterated derivative. In both cases, the reactions were followed by $^{31}P{^1H}$ and ^{1}H NMR spectroscopy As a control, no evidence of H/D scrambling in the protiated monomers 5 and 6 with C₆D₆ at room temperature was observed in the ¹H and ³¹P{¹H} spectra over several days. In contrast, a 1:1 sample of 1 and its deuterated analogue, [(dippe)PtD]₂ (d₂-1), scrambles much more slowly than the monomers; the half-life is *ca*. 90 hours at room temperature (eq. 2). Dimer 1 does not undergo H/D exchange with C₆D₆ at room temperature at any appreciable rate. However, heating a C₆D₆ solution of 1, 2, or 3 for 12 hours at 90-100 °C results in complete deuterium incorporation at the hydride positions, for all three samples.

We have not quantitatively studied the scrambling process, however several qualitative experiments were done. No evidence of scrambling was observed for a 1:1 sample of 3 and d_2 -6 after 51 hours at room temperature (eq. 3). A 1:1 sample of 1 and d_2 -6 in C₆D₆ scrambles completely within 48 hours (eq. 4). Also, no evidence of scrambling is observed for a 1:1 sample of d_2 -1 and 3, after 72 hours (eq. 5).

(Equations 2-5 here)

Clearly, there are differences in the reactivity of 1, relative to that of 3. The lower rates in 3 are likely due to the increased steric protection of the Pt-Pt bond by the *tert*-butyl groups, as discussed in detail in the structural discussion above.

A small amount of "mixed dimer", $[(R_2P(CH_2)_2PR_2)(H)Pt-Pt(H)(R'_2P(CH_2)_2PR'_2)]$, was present in the samples for which H/D scrambling was observed. The identity of these mixed dimers was confirmed by a ${}^{1}H/{}^{3}P{}{}^{1}H}$ HMQC¹⁷ NMR spectrum on a sample containing a mixture of 1, 2, and [(dippe)(H)Pt-Pt(H)(dcype)] (made by heating a C₆H₆ sample of 1 and 2); three different hydride resonances were correlated with the three different dimeric complexes present (this spectrum is available as Supplementary Material). While no more than *ca*. 10-20% of this "mixed dimer" was present in the samples, it may be responsible for the H/D scrambling that occurs. The mechanism of formation of such "mixed dimers" was not investigated; however, based on the low lability of bidentate phosphine ligands bound to platinum, it is not unreasonable to postulate that it involves cleavage of the Pt-Pt bond to generate P₂Pt and P₂PtH₂ fragments, which can then scramble to give the mixed dimer.

Discussion.

Fluxional Behaviour. Any postulate concerning the fluxionality of these dimers must adequately explain the equivalence of all four phosphorus nuclei, both hydrides, and both platinum centers in the rapid exchange temperature region. In addition, the proposed process must be consistent with the lower barrier observed for the derivative with the bulkiest phosphine, **3**. The simplest process that is consistent with these observations (Fig. 9) involves rotation of one of the (P₂PtH) moieties by 90° around the Pt-Pt vector (Step A) to give the 180° geometry discussed above (Fig. 3), followed by hydride exchange between metal centers with simultaneous twisting of the phosphine ligands by 90° relative to the plane defined by the square planar metal centers (Step B).

(Figure 9 here)

Such a fluxional process, if fast on the NMR timescale, would result in equivalent hydrides and would exchange P_a and P_b with P_d and P_c , respectively, making all four phosphorus nuclei equivalent.

If it is assumed that the first stage of the process depicted above (Step A) has the higher barrier, with the hydride exchange/phosphine-twisting process (Step B) possessing a relatively small barrier, then stopping the fluxional process is a result of freezing out the conformation that is observed in the solid state; i.e, a geometry in which the two square planes of the platinum coordination spheres are oriented roughly 90° relative to each other. As discussed above, the low temperature NMR data are consistent with the solid state geometry. If the 180° orientation were frozen out, then hydride exchange between the platinum centers would not cease, as the barrier to this process (B) is assumed to be small. Consistent with the assumption that the 90° orientation is thermodynamically more stable than the 180° orientation is the fact that both 1 and 3 crystallize in the former geometry.

Why, though, does 3 have a lower barrier for the fluxional process (i.e., Step A) than 1 and 2? As discussed above, there are several distortions in the solid state structure of 3, relative to that of 1, that were rationalized as being due to increased steric interactions between the *tert*-butyl groups. These distortions indicate that the 90° orientation for 3 is destabilized, relative to the analogous orientation for 1. This destabilization would result in a lower barrier to interconversion between the 90° and 180° orientations for 3 (Fig. 10), as is experimentally observed.

(Figure 10 here)

This argument assumes that the thermodynamic stability of the 180° orientation for all three dimers is roughly equal; i.e, the destabilization of the 90° orientation of **3** is not offset by a corresponding destabilization of the 180° geometry. This seems reasonable to us, as this geometry minimizes steric interactions between the alkyl groups.

The similar barriers for 1 and 2 are consistent with this proposal as the phosphine on 2 (dcype), as in the case of 1, also possesses a methine hydrogen which can be oriented in such a way as to relieve steric interactions between alkyl groups (Figure 3). As discussed above, this stabilizes the 90° geometry. The close agreement of the room temperature NMR

values for 1 and 2, relative to the slightly different values for 3 (Table 1), may also be indicative of these differences.

(P-P)PtH₂/[(P-P)PtH]₂ Equilibria. Theoretical calculations have shown that there is essentially no barrier to reductive elimination of dihydrogen from cis-P₂PtH₂ complexes.¹⁹ Otsuka and co-workers have suggested that bulky phosphines kinetically stabilize the cis-dihydride monomers, thus allowing their isolation.^{3a,b} The results described above support this explanation: the stability of the monomeric cis-dihydride complexes that we have prepared (i.e, the tendency not to dimerize in solution) correlate directly with the steric size of the phosphine (3 > 2 > 1; the cone angles for the monodentate analogues, PR₃, are 182, 170, 160°, for P(t-Bu)₃, PCy₃, P(i-Pr)₃, respectively²⁰).

For *cis*-dihydrides containing sterically smaller phosphine ligands (e.g, 4), the kinetic barrier for loss of H₂ is small and occurs in solution at room temperature. The resulting product of such a reaction is a neutral [(P-P)PtH]₂ dimer, presumably arising from reaction of *cis*-P₂PtH₂ with P₂Pt, although other mechanisms of formation of the dimeric complexes are possible. This contrasts with the postulate made by Otsuka <u>et al</u> ^{3a} that loss of dihydrogen from *cis*-P₂PtH₂ complexes gives solutions of (P₂Pt)₂ dimers. The Otsuka postulate was based on several lines of evidence: the structure of [(dtbpp)Pt]₂, which showed no evidence for hydrides; a decrease in the intensity of the hydride resonance in the ¹H NMR spectra and of the M-H stretch in the IR spectrum as solutions of the *cis*-dihydride monomers were heated, and a color change from colorless to reddish-brown as the solutions were heated. The last three observations are also consistent with loss of dihydrogen to give (P₂PtH)₂ dimers, as we have shown.

In contrast to the reddish-brown solutions formed upon heating solutions of cis-P₂PtH₂ complexes, the (P₂Pt)₂ dimer was prepared by the sodium amalgam reduction of a thf solution of (dtbpp)PtCl₂ under nitrogen. As mentioned by Otsuka <u>et al.</u>, it is possible that a cis-P₂PtH₂ intermediate is never formed in this reaction, and that the (P₂Pt)₂ dimer

results from reduction of the P_2PtCl_2 starting material to a P_2Pt intermediate, which then dimerizes to give the observed product. Based on the results presented above, the formation of $(P_2Pt)_2$ dimeric complexes from solutions of *cis*- P_2PtH_2 complexes is not a general process; formation of Pt(I) hydride-containing dimers such as 1-3 is favored, at least with the chelating phosphines used in this study.

The geometry of these [(P-P)MH]₂ dimers changes on descending the Group 8 metals; the hydrides in the Ni complex are symmetrically bridging,^{7b} those in the Pd complex are semi-bridging,^{7c} and those in the Pt complexes described above are strictly terminal. This may be rationalized as a relativistic effect in the following way.²¹ In the gas phase the Au-H distance of 1.52 Å is less than the Ag-H distance of 1.62 Å, even though the M-M distances in the homonuclear diatomic molecules are virtually identical (d(Ag-Ag) = 2.48 Å, d(Au-Au) = 2.47 Å). This has been rationalized on the basis of the relativistic stabilization of the 6s orbital of Au vs. the 5s orbital of Ag.^{21c} Since terminal M-H bonds are shorter than bridging M-H bonds, they can incorporate more metal-based s-orbital character. This seems to be a reasonable rationalization for why M-H terminal bonds are preferred as one descends the Ni/Pd/Pt column.

Experimental Section

Apparatus and Materials. All reactions and product manipulations were carried out under dry nitrogen using standard Schlenk and dry box techniques. Pentane, hexane, toluene, diethyl ether and tetrahydrofuran were distilled from sodium benzophenone ketyl under nitrogen immediately prior to use. Dichloromethane was distilled from calcium hydride under nitrogen immediately prior to use. Deuterated solvents for NMR measurements were distilled from either sodium or potassium under nitrogen and stored over sodium. Other chemicals were of reagent grade, unless otherwise specified.

Infrared spectra were recorded on a Nicolet 5DX FTIR spectrometer as Nujol mulls between CsI plates. Melting points were measured on a Thomas-Hoover melting point apparatus in capillaries sealed under nitrogen and are uncorrected. Elemental analyses were performed by the microanalytical laboratories at the University of California, Berkeley. Mass spectrometry analyses were obtained at the UCB mass spectrometry facility on a Kratos MS-50 mass spectrometer, and the isotopic cluster of the molecular ion is reported as follows: ion amu (observed intensity, calculated intensity).

All ¹H, ³¹P{¹H}, ¹⁹⁵Pt{¹H}, and 2-D NMR spectra were recorded on Bruker AM and AMX spectrometers operating at 400, 162, or 85.6 MHz, respectively; or at 300, 121.5, or 64.2 MHz, respectively. The 2-D spectra were acquired using the heteronuclear multiple quantum coherence (HMQC) pulse sequence.¹⁷ ¹H NMR shifts are relative to tetramethylsilane, the residual protio-resonance was used as an internal reference; ³¹P NMR shifts are relative to 85% H₃PO₄ at δ 0.0, with shifts downfield of the reference considered positive; ¹⁹⁵Pt shifts are referenced to a frequency scale in which the proton signal of tetramethylsilane is at 100.000 MHz and the frequency of 0.0 ppm for ¹⁹⁵Pt is set to 21.4000 MHz,¹⁴ and scaled according to the ¹H frequency of the particular machine used.

The (P-P)PtCl₂ complexes were made from (cod)PtCl₂ and the corresponding phosphines. Otsuka's method was used to prepare cis-(dtbpe)PtH₂ (6).^{3a} Cis-(dcype)PtH₂ (5) was prepared *via* the same procedure, using (dcype) as the phosphine; its spectroscopic properties were identical to those reported in the literature.^{4a} The deuterated analogue, (dcype)PtD₂, (d₂-5), was prepared in the same manner, using deuterium gas instead of hydrogen gas.

[(dippe)PtH]₂ (1). A mixture of (dippe)PtCl₂ (1.2 g, 2.3 mmol) and Na/Hg (0.8%, 50 g) in THF (150 mL) was stirred under H₂ (1 atm) at room temperature for 15 h. The mixture was allowed to settle for 4 h, filtered, and the solvent was removed from the filtrate under reduced pressure. The dark brown solid was extracted with hexane (3 x 50 mL), the solution was filtered, and the filtrate was concentrated to *ca*. 40 mL. Slow cooling of this solution to -40 °C yielded 1 as light brown crystals (0.65 g, 62%), mp 118-131 °C

(decomp.) ¹H NMR (C₆D₆): δ 2.06 (m, 8H), 1.40-1.00 (m, 56H), 0.50 ('q of q', 2H, ¹J_{PtH} = 516 Hz, ²J_{PH} = 40 Hz) ppm. ³¹P{¹H} NMR, see Table 1. ¹⁹⁵Pt{¹H} NMR (d₈-toluene): δ +190 (¹J_{PtP} = 2210 Hz, ²J_{PtP} = 410 Hz) ppm. IR: 1939 s, 1926 s, 1406 m, 1378 s, 1358 s 1298 w, 1241 s, 1234 s, 1159 w, 1104 m, 1086 m, 1076 m, 1027 s, 1021 s, 923 m 887 s, 882 s, 856 m, 853 m, 776 s, 680 s, 672 s, 660 s, 652 s, 634 s, 577 m, 514 s, 481 m, 465 m, 440 m cm⁻¹. MS (EI, 50 eV) 914.3 (43, 32), 915.3 (77, 72), 916.3 (100, 100), 917.3 (69, 76), 918.3 (48, 51), 919.3 (24, 26), 920.4 (17, 16), 921.3 (5, 4), 922.3 (2, 2). Anal. Calcd for C₂₈H₆₆P₄Pt₂: C, 36.7; H, 7.26. Found: C, 36.9; H, 7.23.

[(dcype)PtH]₂ (2). A toluene solution (50 mL) of 5 (0.90 g, 1.5 mmol) was heated at 110 °C for 16 h in a Schlenk tube which was kept under a slow flow of N₂. The flask was allowed to cool to room temperature and the solvent was removed under reduced pressure, yielding a yellow solid. The ³¹P{¹H} spectrum of the crude product showed the material was a 3:1 mixture of 2:5. This residue was extracted with pentane (3 x 30 mL), the solvent was removed from the extract under reduced pressure, and the resulting solid was redissolved in THF (15 mL). Slow cooling of this solution to -80 °C yielded 2 as yellow crystals (0.53 g, 58%), mp 224-231 °C (decomp). ¹H NMR (C₆D₆): δ 2.38-0.82 (m, 96H), 0.49 ('q of q', 2H, ¹J_{PtH} = 512 Hz, ²J_{PH} = 40 Hz) ppm. ³¹P{¹H} NMR, see Table 1. IR: 1965 s, 1937 s, 1445 s, 1409 w, 1378 s, 1343 m, 1301 w, 1290 w, 1262 m, 1237 w, 1187 w, 1178 m, 1169 m, 1048 m, 1004 s, 913 m, 887 m, 853 m, 851 s, 818 m, 780 m, 739 s, 648 m, 638 m, 537 m, 523 m, 501 m, 458 m cm⁻¹. Anal. Calcd for C₅₂H₉₈P₄Pt₂: C, 50.5; H, 7.98. Found: C, 50.6; H, 8.04.

 $[(dtbpe)PtH]_2$ (3). A 4:1 hexane:toluene solution (60 mL, total) of 6 (0.52 g, 1.0 mmol) was heated at 90 °C for 16 h in a schlenk tube under a slow purge of N₂. The solvent was removed under reduced pressure from the reddish-brown solution, and the

residue was extracted with hexane (3 x 30 mL). The solvent was removed from the extract under reduced pressure, and the solid residue was redissolved in toluene (20 mL). Slow cooling of this solution to -40 °C yielded **3** as dark orange prisms (0.38 g, 73%), mp 220-236 °C (decomp). ¹H NMR (C₆D₆): δ 1.50 (m, 8H), 1.35 (m, 72H), 0.05 ('q of q', 2H, ¹J_{PtH} = 570 Hz, ²J_{PH} = 42 Hz) ppm. ³¹P{¹H} NMR, see Table 1. IR: 1975 bm, 1951 bm, 1479 s, 1385 s, 1363 s, 1356 s, 1261 w, 1239 w, 1182 s, 1094 m, 1019 m, 937 m, 851 m, 812 s, 775 s, 664 s, 651 s, 644 s, 602 s, 570 m, 495 s, 458 m, 423 m cm⁻¹. Anal. Calcd for C₃₆H₈₂P₄Pt₂: C, 42.0; H, 8.03. Found: C, 41.7; H, 7.96.

[(dippe)PtD]₂ (d₂-1). A mixture of (dippe)PtCl₂ (1.1 g, 2.1 mmol) and Na/Hg (0.8%, 50 g) in THF (150 mL) was stirred under D₂ (1 atm) at room temperature for 15 h. The mixture was allowed to settle for 4 h, filtered, and the solvent was removed from the filtrate under reduced pressure to yield a dark brown solid. A ¹H NMR spectrum at this point showed that the crude product was an isotopic mixture of the dideuteride, hydridodeuteride, and dihydride complexes. The solid was dissolved in toluene (80 mL) and stirred at room temperature under D₂ (1 atm) for 30 h. The head space over the solution was evacuated and refilled with 1 atm. N₂ gas, and the sample was stirred at room temperature for 70 h. This process was repeated (D₂/30 h, then N₂/70 h), and the solvent was then removed under reduced pressure. The dark brown solid was extracted with pentane (3 x 50 mL), filtered, and the filtrate was concentrated to *ca*. 40 mL. Slow cooling of this solution to -80 °C yielded the product as a dark brown solid (0.570 g, 60%), shown to be fully deuterated d₂-1 by ¹H and ³¹P{¹H} NMR spectroscopy.

(dtbpe)PtD₂ (d₂-6). A mixture of (dtbpe)PtCl₂ (0.50 g, 0.86 mmol) and Na/Hg (0.8%, 50 g) in THF (150 mL) was stirred under D₂ (1 atm) at room temperature for 15 h. The mixture was allowed to settle for 4 h, filtered, and the solvent was removed from the filtrate under reduced pressure. A ¹H NMR spectrum at this point showed that the crude product

was an isotopic mixture of the dideuteride, hydridodeuteride, and dihydride complexes. The dark brown solid was dissolved in toluene (40 mL) and stirred at room temperature under D_2 (1 atm) for 90 h. The head space above the solution was then evacuated and refilled with D_2 to a pressure of 1 atm, and the solution was stirred for an additional 48 h. The solution was filtered and the filtrate was concentrated to *ca*. 20 mL. Slow cooling of this solution to -80 °C yielded the product as a beige solid (0.33 g, 74%).

[(dcype)₂Pt₂H₃][OH]. To a benzene solution (0.5 mL) of 1 (15 mg), 2 drops of water were added, and the mixture was stirred for several minutes. The solvent was removed under reduced pressure and the pale yellow solid residue was extracted into CDCl₃ and placed in an NMR tube. ¹H NMR (CDCl₃): δ 1.60 (m, 96H), -2.81 ('q of q', 3H, ¹J_{PtH} = 480 Hz, ²J_{PH} = 39 Hz) ppm. ³¹P{¹H} NMR, see Table 7.

Crystal Structure Determinations of 1 and 3.

Light brown crystals of 1 were obtained from slow cooling of a hexane solution to -40 °C; dark orange crystals of 3 were obtained from slow cooling of a toluene solution to -40 °C. Crystal data and numerical details of the structure determinations are given in Table 3. The crystals were placed in Paratone N oil, mounted on the end of a cut quartz capillary tube, and placed under a flow of cold nitrogen on an Enraf-Nonius CAD4 diffractometer. Intensities were collected with graphite-monochromatized MoK α ($\lambda = 0.71073$ Å) radiation using the ø-2ø scan technique. Lattice parameters were determined using automatic peak search and indexing procedures. Intensity standards were measured every hour of data collection.

The raw intensity data were converted to structure factor amplitudes and their esds by correction for scan speed, background, and Lorentz and polarization effects. Corrections for crystal decomposition were performed for both data sets. An empirical absorption correction was applied to the data for **1**, after a full isotropic refinement, using the program DIFABS;²² an empirical correction based on the observed variation in the azimuthal scan data was applied to 3. The structures were solved by Patterson techniques and refined using standard least-squares and Fourier technique. The secondary extinction coefficient was refined for both data sets, giving final values of 4.28 x 10⁻⁸, 1 (12% maximum correction on F); 2.01 x 10⁻⁷, 3 (19% maximum correction on F). Near the end of the refinement cycle, one reflection was rejected from the data set for 1, as a result of an anomalously high w(Δ)² value.

For 1, the hydrogen atoms were placed in idealized positions and included in the structure factor calculations but not refined. All hydrogen atoms were given isotropic thermal parameters of $1.3(B_{iso})$ of the atom to which they were bonded. As the quality of the data was not sufficient, no hydrogen atoms were added to the model for 3.

Based on a difference Fourier map of the heavy atom isotropic model for 3, five of the eight *tert*-butyl groups of the two phosphine ligands were found to be rotationally disordered (i.e, positive difference peaks were located in between the methyl groups of the disordered *tert*-butyl groups). This disorder was modelled by assigning two different carbon atoms to each disordered methyl group, with the multiplicity of each atom assigned on the basis of the intensity ratio of difference peaks (the total multiplicity of the two atoms summing to one). The methyl group of the toluene molecule was also found to be disordered; again a similar modelling technique was used--two methyl carbons were assigned (on adjacent ring carbons), with the total multiplicity summing to one. All of the heavy atoms were then refined anisotropically, except for the disordered methyl groups of the *tert*-butyl groups and also the carbon atoms of the entire toluene molecule (giving a total of 33 anisotropic heavy atoms and 26 isotropic heavy atoms in the final model).

The least-squares program minimized the expression, $\Sigma w(|F_0| - |F_c|)^2$, where w is the weight of a given observation. A value of 0.04 for the p-factor was used for both data sets to reduce the weight of intense reflections in the refinements. The analytical forms of the scattering factor tables for the neutral atoms were used and all non-hydrogen

scattering factors were corrected for both real and imaginary components of anomalous dispersion.

References:

(1) (a) Chatt, J.; Duncanson, L. A.; Shaw, B. L. Proc. Chem. Soc. 1957, 343. (b)
Chatt, J.; Shaw, B. L. J. Chem. Soc. 1962, 5075. (c) Shaw. B. L.; Uttley, M. F. J.
Chem. Soc., Chem. Commun. 1974, 918. (d) Moulton, C. J.; Shaw, B. L. Ibid. 1976, 365.

(2) (a) Transition Metal Complexes of Phosphorus, Arsenic, and Antimony Ligands; McAuliffe, C. A., ed.; John Wiley: New York, 1973. (b) McAuliffe, C. A.; Levason, W. Phosphine, Arsine, and Stibine Complexes of the Transition Elements; Elsevier: New York, 1979.

(3) (a) Yoshida, T.; Yamagata, T.; Tulip, T. H.; Ibers, J. A.; Otsuka, S.; J. Am. Chem. Soc. 1978, 100, 2063. (b) Tulip, T. H.; Yamagata, T.; Yoshida, Y.; Wilson, R. D.; Ibers, J. A.; Otsuka, S. Inorg. Chem. 1979, 18, 2239. (c) Otsuka, S. J. Organomet. Chem. 1980, 200, 191.

(4) (a) Clark, H. C.; Hampden Smith, M. J. J. Am. Chem. Soc. 1986, 108, 3829.
(b) Carmichael, D.; Hitchcock, P. B.; Nixon, J. F.; Pidcock, A. J. Chem. Soc., Chem. Commun. 1988, 1554. (c) Serivanti, A.; Campustrini, R.; Caruran, G. Inorg. Chim. Acta. 1988, 142, 187.

(5) (a) Bracher, G.; Grove, D. M.; Pregosin, P. S.; Venanzi, L. M. Angew. Chem., Int. Ed. Engl. 1979, 18, 155. (b) Carmona, D.; Thouvenot, R.; Venanzi, L. M.; Bachechi, F.; Zambonelli, L. J. Organomet. Chem. 1983, 250, 589. (c) Bachechi, F.; Bracher, G.; Grove, D.; Kellenberger, D. M.; Pregosin, P. S.; Venanzi, L. M.; Zambonelli, L. Inorg. Chem. 1983, 22, 1031. (d) Bachechi, F. Acta Crystallogr. 1993, C49, 460. (e) Knobler, C. B.; Kaesz, H. D.; Minghetti, G.; Bandini, A. L.; Banditelli, G.; Bonati, F. Inorg. Chem. 1983, 22, 2324. (f) Chiang, M. Y.; Bau, R.; Minghetti, G.; Bandini, A. L.; Banditelli, G.; Koetzle, T. F. Ibid. 1984, 23, 122. (g) Aime, S.; Gobetto, R.; Bandini, A. L.; Banditelli, G.; Minghetti, G. *Ibid.* **1991**, *30*, 316. (h) Paonessa, R. S.; Trogler, W. C.; *Ibid.* **1983**, *22*, 1038.

(6) These studies will be reported later.

(7) (a) Jonas, K.; Wilke, G. Angew. Chem., Int. Ed. Engl. 1970, 9, 312. (b)
Barnett, B. L.; Kruger, C.; Tsay, Y-H.; Summerville, R. H.; Hoffmann, R. Chem. Ber.
1977, 110, 3900. (c) Fryzuk, M. D.; Lloyd, B. R.; Clentsmith, G. K. B.; Rettig, S. J. J.
Am. Chem. Soc. 1994, 116, 3804.

(8) Orpen, A. G.; Brammer, L.; Allen, F. H.; Kennard, O.; Watson, D. G.; Taylor,
R.; J. Chem. Soc., Dalton Trans. 1989, 51. This article lists Pt-P distances for a variety of compounds in various oxidation states and coordination numbers.

(9) (a) Boag, N. M.; Browning, J.; Crocker, C.; Goggin, P. L.; Goodfellow, R. J.; Murray, M.; Spencer, J. L. J. Chem. Res (S). 1978, 228. (b) Boag, N. M.; Browning, J.; Crocker, C.; Goggin, P. L.; Goodfellow, R. J.; Murray, M.; Spencer, J. L. J. Chem. Res. (M). 1978, 2962. (c) Yamamoto, Y.; Takahashi, K.; Yamazaki, H. Chem. Let.
1985, 201. (d) Couture, C.; Farrar, D. H.; Fisher, D. S.; Gukathasan, R. R.; Organometallics. 1987, 6, 532.

(10) Otsuka, S.; Yoshida, T.; Matsumoto, M.; Nakatsu, K.; J. Am. Chem. Soc. 98, 1976, 5850.

(11) Bell, J. D.; Hall, D.; Waters, T. N.; Acta. Crystallogr. 21, 1966, 440.

(12) Anderson, G. K. Adv. Organometal. Chem. 1993, 35, 1.

(13) (a) Ciriano, M.; Green, M.; Howard, J. A. K.; Proud, J.; Spencer, J. L.; Stone,
F. G. A.; Tsipis, C. A. J. Chem. Soc., Dalton Trans. 1978, 801. (b) Green, M.;
Howard, J. A. K.; Proud, J.; Spencer, J. L.; Stone, F. G. A.; Tsipis, C. A. J. Chem.
Soc., Chem. Commun. 1976, 671.

(14) Pregosin, P. S. in Annual Reports on NMR Spectroscopy, Vol. 17; Webb, G.A., ed.; Academic Press Inc.: London, 1986.

(15) Bracher, G.; Grove, D. M.; Venanzi, L. M.; Bachechi, F.; Mura, P. Zambonelli,L. Angew. Chem., Int. Ed. Engl. 1978, 17, 778.

(16) Aime, S.; Gobetto, R.; Bandini, A. L.; Banditelli, G.; Minghetti, G. Inorg. Chem. 1991, 30, 316.

(17) (a) Bax, A.; Griffey, R. H.; Hawkins, B. L. J. Magn. Reson. 1983, 55, 301.
(b) Bax, A.; Subramanian, S. J. Magn. Reson. 1986, 67, 565.

(18) Garrou, P. E. Chem. Rev. 1985, 85, 171. (b) Hackett, M. Ibers, J. A.; Whitesides, G. M. J. Am. Chem. Soc. 1988, 110, 1436.

(19) (a) Low, J. J.; Goddard III, W. A. J. Am. Chem. Soc. 1984, 106, 6928. (b)
Low, J. J.; Goddard III, W. A. Organometallics. 1986, 5, 609.

(20) Otsuka, S. J. Organomet. Chem. 1980, 191.

(21) (a) Pitzer, K. Acc. Chem. Res. 1979, 12, 271. (b) Pyykko, P.; Desclaux, J. P. *Ibid* 1979, 12, 276. (c) Pyykko, P. Chem. Rev. 1988, 88, 563.

(22) Walker, N.; Stuart, D. Acta Crystallogr. 1983, A39, 158.

Acknowledgment. This work was supported by the Director, Office of Energy Research, Office of Basic Energy Sciences, Chemical Sciences Division of the U.S. Department of Energy under Contract No. DE-AC03-76F00098. We thank the National Science Foundation for a predoctoral fellowship to D.J.S., Dr. F. J. Hollander for helpful advice concerning X-ray crystallography, and Dr. Graham Ball for helpful discussions and for help with the 2-D NMR spectra.

Supplementary Material Available: Complete tables of bond lengths and angles, anisotropic thermal parameters, hydrogen atom positional parameters (for 1), root mean square amplitudes of thermal vibration, and observed and calculated structure factors, for 1 and 3. In addition, an ORTEP diagram showing all of the disorder in 3 is included. The following NMR spectra are included: a) ¹⁹⁵Pt INEPT spectrum of 1 (85.6 MHz, 25 °C, dg-toluene), b) $^{1}H/^{31}P{^{1}H}$ HMQC spectrum of 1 (300 MHz, -90 °C, dg-toluene), c) $^{1}H/^{3}P{^{1}H}$ HMQC spectrum of the "mixed dimer sample", containing 1, 2, and [(dcype)Pt(H)Pt(H)(dippe)] (400 MHz, 25 °C, dg-thf), d) simulated ³¹P{¹H} spectrum of 1 at -90 °C (Fig. 6a), using the coupling constant values given in the text, including the subspectra for the Pt/Pt, Pt/195Pt, and 195Pt/195Pt isotopomers, and e) experimental ¹H/¹⁹⁵Pt HMOC spectrum of 1 (300 MHz, -90 °C, dg-toluene), with the simulated ¹⁹⁵Pt¹H} spectrum, using the coupling constant values given in the text, including the subspectra for the Pt/195Pt and 195Pt/195Pt isotopomers. This material is contained in many libraries on microfiche, immediately follows this article in the microfilm version of the journal, and can be ordered from the ACS; see any current masthead page for ordering information.

Figure captions:

Figure 1. ORTEP diagram of [(dippe)PtH]₂ (1), 50% probability ellipsoids.

Figure 2. ORTEP diagram of $[(dtbpe)PtH]_2$ (3), 50% probability ellipsoids. For clarity, the disordered methyl groups and the toluene solvate are not shown. No hydrogen atoms were included in the model (see Experimental section for details).

Figure 3. (a) Idealized geometry of 1 that would minimize steric interactions between the alkyl groups of the phosphine ligands, (b) Newman projections of both the 180° and 90° geometries, down the P-Pt-Pt-P vector, showing the increased steric interactions in the latter conformation (for clarity, the P nuclei *trans* to the Pt centers are not shown). Note the orientation of the *iso*-propyl methine H's, as in the solid state structure of 1, minimizing the steric interactions.

Figure 4. NMR spectra of 1 (25 °C, C₆D₆), a) ¹H spectrum (400 MHz), the central hydride resonance is indicated with an asterisk, the outermost resonances are not resolved due to their low intensity; b) ${}^{31}P{}^{1}H$ spectrum (162 MHz); c) ${}^{195}Pt{}^{1}H$ INEPT spectrum (85.6 MHz).

Figure 5. Splitting diagram for the hydride region of the 25 °C ¹H spectrum of 1 (Fig. 4a, an apparent "quintet of quintets").

Figure 6. ${}^{31}P{}^{1}H$ NMR spectrum of 1 at -90 °C (121 MHz, dg-toluene).

Figure 7. Assignments used to discuss the low temperature NMR values of 1 and 2.

Figure 8. Proposed coupling scheme for the low temperature ${}^{31}P{1H} {}^{195}Pt/Pt$ subspectrum (AA'MM'X spin system) of 1.

Figure 9. Proposed fluxional process for the dimers 1, 2, and 3.

Figure 10. Illustration of the proposed cause of the differences in the fluxional barriers for 1, 2 and 3.

Tables.

	δ (Pt-H),	² J _{PH} , Hz	¹ JPtH, Hz	δ (P), ppm	^{1,2} J _{PtP} , Hz	³ J _{PP} , ^a Hz
1	0.49	40	516	105.5	2210, 410	45
2	0.49	40	512	92.8	2180, 420	44
3	0.05	42	570	119.9	3112, 362	47
[(dppe)PtH]2 ^b	0.30	42	564	70.9	2201, 388	44

Table 1. 1H and 31P{1H} NMR Data for the Dimers 1-3 (25 °C. C6D6) and [(dippe)PtH]2

^aThis coupling is expressed only in the $Pt/^{195}Pt$ and $^{195}Pt/^{195}Pt$ subspectra. ^bValues taken from reference 4b, measured in dg-thf.

Table 2. 1H and 31P{1H} NMR Data for the Monomers 4-6 (25°C, C6D6).

	δ (Pt-H), ppm	² J _{PtransH} , Hz	² JPcisH, Hz	¹ J _{PtH} , <u>Hz</u>	δ (P), ppm	¹ JPtP, Hz	
4 ^a	0.46	179	16	1097	87.9	1829	
5	0.56	179	16	1100	78.2	1822	
6	-0.54	180	16	1096	107.8	1872	

^aNot isolated, see text.

•	1	3
chem formula	Pt2P4C28H66	Pt2P4C36H82
mol wt.	916.92	1029.13
crystal size (mm)	0.48 x 0.45 x 0.18	0.50 x 0.38 x 0.23
space group	P212121	PĨ
a, Å	9.245 (2)	11.552 (3)
b, Å	16.966 (2)	13.123 (3)
c, Å	22.690 (6)	17.694 (4)
a, (deg)	90	81.20 (2)
β, (deg)	90	89.20(2)
γ , (deg)	90	66.55 (2)
v, Å ³	3559 (1)	2431 (1)
Z	4	2
d (calc.), g cm ⁻³	1.713	1.407
μ (calc.), cm- ¹	81.4	59.6
T, ℃	-95	-88
rfins measd	+h, +k, +l	+h, ±k, ±1
2ø range	3-55°	3-50°
no rflns collected:	4630	8658
max cor for cryst decay:	1.4% on F	2.1% on F
absn corrn ^a	$T_{max} = 1.31, T_{min} = 0.759$	$T_{max} = 0.998, T_{min} = 0.677$
no atoms in least squares	34	59
no. unique rflns	4567	8529
no. rflns with $F^2 > 3\sigma(F^2)$	3646	6398
p factor	0.04	0.04
no params	308	403
Rb	0.0344	0.0533
R _w	0.0371	0.0675
R _{all}	0.0529	0.0753
GOF	1.070	2.212
diff Fourier (e ⁻ Å ⁻³)	+1.4, -0.37	+3.2, -0.29
	11.7, -0.37	TJ.4, TU.47

Table 3. Crystallographic Data for [(dippe)PtH]2 (1) and [(dtbpe)PtH]2 (3)

^aThe program DIFABS²² was used for the absorption correction for 1; an empirical absorption correction based on the azimuthal scans was done for 3. ^bThe definitions for R and R_w are as follows:

$$R = \frac{\Sigma ||F_0| - |F_c||}{\Sigma |F_0|} \qquad R_w = \sqrt{\frac{\Sigma w (|F_0| - |F_c|)^2}{\Sigma w F_0^2}}$$

atom	X	Y	ZZ	B _{equiv} b	
PT1	0.4034(1)	0.10695(1)	0.27179(1)	1.015(6)	
PT2	0.42467(1)	0.09281(1)	0.15894(1)	0.975(6)	
P1	0.4308(4)	-0.0199(2)	0.2998(1)	1.26(5)	
P2	0.4113(4)	0.1415(2)	0.3671(1)	1.80(6)	
Р3	0.1906(3)	0.0888(2)	0.1312(1)	1.58(6)	
P4	0.4850(3)	0.0976(2)	0.0632(1)	1.28(5)	
C1	0.420(2)	-0.0234(6)	0.3820(5)	1.9(2)	
C2	0.468(2)	0.0538(7)	0.4111(5)	2.3(3)	
С3 ,	0.179(1)	0.1098(8)	0.0509(5)	2.2(2)	
C4 `	0.318(1)	0.0851(7)	0.0182(5)	1.8(2)	
C10	0.605(1)	-0.712(7)	0.2834(5)	1.9(2)	
C11	0.296(1)	-0.0922(7)	0.2773(6)	2.1(2)	
C12	0.615(1)	-0.0951(7)	0.2193(6)	2.7(3)	
C13	0.726(2)	-0.0182(9)	0.3002(6)	3.1(3)	
C14	0.323(2)	-0.1766(7)	0.2999(6)	2.9(3)	
C15	0.143(2)	-0.0654(9)	0.2930(7)	3.1(3)	
C20	0.246(2)	0.1762(7)	0.4047(5)	2.1(3)	
C21	0.550(2)	0.2142(7)	0.3876(5)	3.3(3)	
C22	0.125(2)	0.1161(9)	0.3992(6)	4.2(3)	
C23	0.197(2)	0.2541(9)	0.3799(7)	4.0(4)	
C24	0.696(2)	0.197(1)	0.3583(7)	4.0(3)	
C25	0.568(2)	0.2245(9)	0.4560(6)	5.2(4)	
C30	0.099(2)	-0.0067(8)	0.1387(5)	2.6(3)	
C31	0.060(1)	0.1608(8)	0.1607(6)	2.5(3)	
C32	0.186(2)	-0.0730(8)	0.1097(7)	3.8(3)	
C33	-0.057(2)	-0.0087(9)	0.1160(7)	3.6(3)	
C34	0.121(2)	0.2464(8)	0.1580(6)	3.2(3)	
C35	0.012(2)	0.1404(9)	0.2240(6)	2.9(3)	
C40	0.612(1)	0.0264(7)	0.0299(5)	2.2(2)	
C41	0.561(2)	0.1930(7)	0.0397(5)	2.3(3)	
C42	0.573(2)	-0.0577(7)	0.0446(5)	3.1(3)	
C43	0.634(2)	0.0386(9)	-0.0365(6)	3.4(3)	
C44	0.714(2)	0.2018(9)	0.0630(5)	3.0(3)	
C45	0.463(2)	0.2606(7)	0.0604(5)	2.6(3)	

Table 4. Atomic Coordinates and B Values ($Å^2$) for the Non-Hydrogen Atoms of Compound 1^{a}

^aNumbers in parentheses give estimated standard deviations. ^bEquivalent isotropic thermal parameters are calculated as $(4/3)[\alpha^2\beta_{11} + b^2\beta_{22} + c^2\beta_{33} + ab(\cos\gamma)\beta_{12} + ac(\cos\beta)\beta_{13} + bc(\cos\alpha)\beta_{23}]$.

atom	X	У	Z	Bequiv
PTI	0.09551(1)	0.23233(1)	0.30281(1)	1.594(9)
PT2	0.28116(1)	0.05574(1)	0.26754(1)	1.610(9)
P1	0.1074(3)	0.4004(2)	0.2611(2)	2.00(7)
P2	-0.0631(3)	0.3169(2)	0.3766(2)	1.82(6)
P3	0.2296(3)			
		-0.0261(3)	0.1760(2)	2.04(7)
P4	0.4687(3)	-0.0937(2)	0.2913(2)	1.82(6)
C1	-0.015(1)	0.506(1)	0.3114(9)	3.7(3)
C2	-0.080(1)	0.465(1)	0.3688(9)	4.3(4)
C3	0.477(1)	-0.193(1)	0.2264(9)	4.6(3)
C4	0.357(1)	-0.170(1)	0.1806(9)	4.2(4)
C5	0.259(1)	0.414(1)	0.2892(8)	2.9(3)
C6	0.063(1)	0.463(1)	0.1566(8)	3.0(3)
C7	-0.028(1)	0.264(1)	0.4826(8)	3.7(4)
C8	-0.230(1)	0.331(1)	0.3508(9)	4.7(4)
C9	0.223(1)	0.039(1)	0.0720(8)	3.2(3)
C10	0.087(1)	-0.065(1)	0.1930(8)	2.9(3)
C11	0.487(1)	-0.179(1)	0.3880(9)	3.8(4)
C12	0.618(1)	-0.070(1)	0.270(1)	4.6(4)
C13	0.371(1)	0.334(1)	0.249(1)	5.6(5)
C14	0.253(1)	0.537(1)	0.269(1)	4.1(4)
C15	0.274(2)	0.379(1)	0.376(1)	5.7(4)
C16	0.026(2)	0.592(1)	0.136(1)	5.2(5)
C17	0.174(2)	0.404(1)	0.1072(9)	5.3(5)
C18	-0.050(1)	0.433(1)	0.135(1)	6.3(5)
C19	-0.121(2)	0.335(1)	0.5338(9)	5.0(4)
C20	-0.051(2)	0.144(2)	0.497(1)	3.8(5)*
C20'	0.045(4)			
C20 C21		0.145(3)	0.511(3)	5(1)*
	0.114(2)	0.222(2)	0.499(1)	3.7(5)*
C21'	0.084(3)	0.321(3)	0.498(2)	3.3(7)*
.C22	-0.332(1)	0.391(1)	0.401(1)	4.7(4)
C23	-0.272(2)	0.430(2)	0.274(1)	3.5(5)*
C23'	-0.240(4)	0.327(4)	0.271(3)	6(1)*
C24	-0.232(2)	0.225(2)	0.335(2)	4.2(6)*
C24'	-0.207(3)	0.182(3)	0.394(2)	4.0(8)*
C25	0.208(2)	-0.024(1)	0.0116(9)	4.9(4)
C26	0.369(2)	0.024(2)	0.063(1)	3.5(5)*
C26'	0.328(3)	0.090(3)	0.066(2)	3.7(8)*
C27	0.119(3)	0.154(1)	0.058(1)	8.9(8)
C28	-0.035(1)	0.046(1)	0.176(1)	4.7(4)
C29	0.077(1)	-0.146(1)	0.141(1)	4.5(4)
C30	0.099(1)	-0.118(1)	0.2764(9)	6.7(4)
C31	0.390(2)	-0.244(2)	0.380(1)	4.0(5)*
C31'	0.365(4)	-0.152(3)	0.426(3)	2.9(9)*
C32	0.439(2)	-0.114(2)	0.452(1)	4.9(5)*
C32'	0.521(4)	-0.093(4)	0.446(3)	3.0(9)*
C33	0.608(2)	-0.287(1)	0.408(1)	4.7(4)
C34	0.592(2)	0.021(2)	0.205(1)	4.0(5)*
C34'	0.608(4)	-0.045(4)	0.171(3)	3(1)*
C34 C35				
	0.635(2)	-0.010(2)	0.349(1)	3.9(5)*
C35'	0.638(4)	0.015(3)	0.296(2)	2.5(8)*
C36	0.738(1)	-0.174(1)	0.273(1)	4.0(4)
C37 C37'	0.608(2)	0.636(2)	0.069(2) 0.117(4)	6.6(7)* 4(1)*
	0.509(5)	0.567(5)		

Table 5. Atomic Coordinates and B Values ($Å^2$) for the Atoms of Compound 3

C38	0.497(2)	0.662(2)	0.017(2)	9.2(7)*
C39	0.480(2)	0.717(2)	-0.051(1)	6.2(5)*
C40	0.366(2)	0.737(2)	-0.100(1)	7.6(6)*
C41	0.280(2)	0.695(2)	-0.069(1)	7.6(6)*
C41 C42 C43	0.318(2) 0.414(2)	0.633(2) 0.609(1)	0.008(2) 0.052(1)	10.6(8)* 5.7(4)*

*These atoms were left with isotropic thermal parameters, as they are involved in the disorder.

1	3
777 (5)	2.6094 (6)
	2.274 (3)
	2.248 (3)
54 (3)	2.281 (3)
14 (3)	2.260 (3)
.12 (8)	114.71 (8)
	153.75 (9)
.53 (7)	115.70 (8)
	152.31 (9)
56 (10)	89.76 (12)
23 (11)	89.58 (11)
	57 (3) 42 (3) 54 (3) 14 (3) .12 (8) .43 (8) .53 (7) .59 (9) 56 (10)

Table 6. Selected Intramolecular Distances (Å) and Angles (deg) in [(dippe)PtH]₂ (1) and [(dtbpe)PtH]₂ (3)

Table 7. 1H and 31P{1H} NMR Data for Selected [(P-P)2Pt2H3][X] Complexes, in CDCl3.

Complex	δ (Pt-H), ppm	² J _{PH} , Hz	¹ J _{PtH,} Hz	δ (P), ppm	¹ J _{Pt} P, Hz	J _{PP} , Hz	Reference	
[(dcype)2Pt2H3][OH]	-2.81	39	480	84.2	2802, 149	8	this work	
[(dppe)2Pt2H3][BF4]	-2.8	41	500	57.2	2925, 171	10	5e	
[(dtbpe)2Pt2H3][BPh4]	-3.85	40	443	109	2946, 161	8	3b	

Table 8. 1H and 31P{1H} NMR Data for 1 and 2 (-90 °C, dg-toluene).

	δ (Pt-H),	² J _{PdHa} ,	¹ JPtaHa,	δ (P),	¹ J _{PtaPa} ,	² J _{PtaPb} ,				•
	ppm	<u> </u>	Hz	ppm	Hz	<u> </u>	Hz	<u> </u>	<u> Hz</u>	
1	1.04	163	996	109.1, 98.5	2030 ^a	785	b	2320	200°.	
2	đ	170	đ	96.9, 90.1	2000	800	b	2320	210	


^aAll of the J_{PtP} values in this table were measured from the Pt/¹⁹⁵Pt subspectrum, as the Pt/Pt subspectrum has no ¹⁹⁵Pt and the ¹⁹⁵Pt/¹⁹⁵Pt subspectrum is not visible in the experimental spectrum. ^bUnresolved, see text.


^cThe ${}^{3}J_{PaPb}$ values arise from the Pt/¹⁹⁵Pt and ${}^{195}Pt/{}^{195}Pt$ subspectra, and were measured from the former subspectrum.


^dDue to the cyclohexyl resonances obscuring the hydride resonance, these values could not be measured-only the higher field platinum satellite (a doublet) was visible.

Equations and Figures.


1 atm. N₂ (-H₂) [(dippe)PtH]₂ (1) 2 (dippe)PtH₂ 1 atm. H_2 4 1 .(+H₂) slow H/D (2) [(dippe)PtD]₂ [(dippe)PtH]₂ + C₆D₆,rt scrambling $(t_{1/2} \text{ ca. 90 h})$ d₂-1 1 no H/D (3) (dtbpe)PtD₂ [(dtbpe)PtH)₂ + C₆D₆, rt/51h scrambling d₂-6 3 complete H/D scrambling [(dippe)PtH]₂ (4) (dtbpe)PtD₂ + C₆D₆, rt/48h 1 d₂-6 no H/D (5) [(dippe)PtD]₂ [(dtbpe)PtH]₂ + scrambling C₆D₆, rt/72h d₂-1 3









(a)







41






















Figure 8




Figure 9.




Figure 10

Satura

LAWRENCE BERKELEY LABORATORY UNIVERSITY OF CALIFORNIA TECHNICAL INFORMATION DEPARTMENT BERKELEY, CALIFORNIA 94720