

Lawrence Berkeley National Laboratory

Recent Work

Title

THE MARINE MAMMALS OF HAWAII: A BIBLIOGRAPHY

Permalink

<https://escholarship.org/uc/item/02h905r0>

Author

Payne, S.F.

Publication Date

1981-08-01



Lawrence Berkeley Laboratory

UNIVERSITY OF CALIFORNIA

EARTH SCIENCES DIVISION

THE MARINE MAMMALS OF HAWAII: A BIBLIOGRAPHY

Susan F. Payne

RECEIVED
LAWRENCE
BERKELEY LABORATORY


August 1981

SEP 10 1981

LIBRARY AND
DOCUMENTS SECTION

TWO-WEEK LOAN COPY

This is a Library Circulating Copy
which may be borrowed for two weeks.
For a personal retention copy, call
Tech. Info. Division, Ext. 6782



64
e2
LBL-13192

DISCLAIMER

This document was prepared as an account of work sponsored by the United States Government. While this document is believed to contain correct information, neither the United States Government nor any agency thereof, nor the Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or the Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof or the Regents of the University of California.

THE MARINE MAMMALS OF HAWAII:
A BIBLIOGRAPHY

Susan F. Payne

Earth Sciences Division
Lawrence Berkeley Laboratory
University of California
Berkeley, California 94720

Prepared for the Assistant Secretary for Conservation & Renewable Energy, Office of Solar Power Applications, Division of Ocean Energy Systems, United States Department of Energy under contract number W-7405-ENG-48.

THE MARINE MAMMALS OF HAWAII:
A BIBLIOGRAPHY

Susan F. Payne

Marine Sciences Group
Earth Sciences Division
Lawrence Berkeley Laboratory
University of California
Berkeley, California 94720

INTRODUCTION

Information on organisms at proposed Ocean Thermal Energy Conversion (OTEC) sites is required to assess the potential impacts of OTEC power plant operations. To gather information on the distribution, abundance, and biology of organisms known to occur in OTEC regions, the Marine Sciences Group at Lawrence Berkeley Laboratory conducted literature surveys on those organisms. This bibliography is a product of a literature survey on marine mammals at proposed OTEC sites in the Hawaiian Islands.

This bibliography concentrates on publications about abundance and distribution, migration routes, and feeding ecology of the marine mammals known to inhabit the main and leeward Hawaiian Islands. Some works on the general biology of marine mammals are also included.

This work was supported by the Ocean Systems Branch, Division of Solar Technology of the U.S. Department of Energy under Contract No. W-7405-ENG-48.

REFERENCES

- AKIMUSKIN, I.I. (1955) The feeding of the cachalot. Dokl. Akad. Nauk. SSSR 101:1139-1140. (in Russian)
- ALVERSON, D.L., et al. (1972) Report of the porpoise committee - observations on the status of stocks and a recommended program to reduce the incidental kill of porpoise taken in the eastern tropical Pacific tuna seine fishery. Rep. NOAA Tuna-Porpoise Review Committee, 63 pp. 1-63.
- ANDERSEN, H.T. (ed.) (1969) The biology of marine mammals, NY, Academic Press, 511 pp.
- ANDREWS, R.C. (1909) Observations on the habits of the finback and humpback whales of the eastern North Pacific. Bull. Am. Mus. Nat. Hist. 26:213-226.
- ANDREWS, R.C. (1916) Monographs of the Pacific Cetacea. II. The sei whale (Balaenoptera borealis Lesson). Mem. Am. Mus. Nat. Hist., n.s. 1(6):291-388.
- BAILEY, A.M. (1918) The monk seal of the southern Pacific. Nat. Hist. 18:396-399.
- BAILEY, A.M. (1952) The Hawaiian monk seal. Museum Pictorial, Denver Mus. Nat. Hist. 7:1-32.
- BAKER, C.S., P.H. FORESTELL, R.C. ANTINOJA and L.M. HERMAN (1979) Interactions of the humpback whale, Megaptera novaeangliae, with the right whale, Balaena glacialis, and odontocete cetaceans. Abstr. of paper presented at 3rd Conf. on Biol. of Marine Mammals, 7-11 October 1979, Seattle, WA.
- BALAZS, G.H. and G.C. WHITTOW (1978) Bibliography of the Hawaiian monk seal, Monachus schauinslandi. Univ. Hawaii, Hawaii Inst. Mar. Biol., Tech. Rep. No. 35, March 1978, 27 pp.
- BALCOMB, K.C. (1966) Summary report on the status of the Hawaiian monk seal, Monachus schauinslandi, on Laysan and Lisianski Islands, 10-22 June 1966. Pac. Ocean Biol. Survey Program, Smithsonian Inst., Wash. D.C., unpubl. 7pp.
- BANKS, R.C. and R.L. BROWNELL (1969) Taxonomy of the common dolphins of the eastern Pacific Ocean. J. Mammal. 50(2): 262-271.
- BEAMISH, P. (1978) Evidence that a captive humpback whale, Megaptera novaeangliae, does not use sonar. Deep Sea Res. 25(5):469-472.

- BERZIN, A.A. (1972) The sperm whale, Israel Program for Scientific Translations, Jerusalem, Trans. No. TT-71-50152, 394 pp. Translated from Russian.
- BERZIN, A.A. (1978) Whale distribution in tropical Eastern Pacific waters. Int. Whaling Comm. Rep. 28:173-177.
- BETESHEVA, E.I. and I.I. AKIMUSKIN (1955) Food of the sperm whale (Physeter catodon) in the Kurile Island region. Trudy Inst. Okeanol. Akad. Nauk. SSSR 18:86-94. (in Russian).
- BROWN, D.H., M.C. CALDWELL and D.K. CALDWELL (1966) Observations on the behavior of wild and captive false killer whales, with notes on associated behavior of other genera of captive delphinids. Los Angeles Co. Mus. Contrib. Sci. 95:1-32.
- BROWN, D.H. and K.S. NORRIS (1956) Observations of captive and wild cetaceans. J. Mammal. 37(3):311-326.
- BROWN, S.G. (1957) Migrations of humpback whales. Nature 179(4573):1278.
- BROWNELL, R.L. C. SCHÖENWALD, and R.R. REEVES (1979) Report on world catches of marine mammals, 1965-1976. Final report for Marine Mammal Commission contract MM6AC002. NTIS pub. PB-290713. 360 pp.
- BRUYNS, W.F.J.M. (1971) Field guide of whales and dolphins, Amsterdam, Tor Publishing Co., 258 pp.
- BRYAN, E.H., Jr. (1978) The northwestern Hawaiian Islands: an annotated bibliography, Pacific Scientific Info. Center, B.P. Bishop Mus., unpubl. 167 pp.
- BUCHANAN, J.Y. (1896) The sperm whale and its food. Nature 53:223-225.
- BULLIS, H. and J.C. MOORE (1956) Two occurrences of false killer whales. Am. Mus. Novitates 1756:1-5.
- BUTLER, G.D. and M.D.F. UDVARDY (1966) Basking behavior of the Hawaiian monk seal on Laysan Island. J. Wildl. Mgt. 30:627-628.
- CALDWELL, D.K. and M.C. CALDWELL (1966) Observations on the distribution, coloration, behavior, and audible sound production of the spotted dolphin, Stenella plagiodon (Cope). Los Angeles Co. Mus. Contrib. Sci. 104:1-28.
- CALDWELL, D.K. and M.C. CALDWELL (1971) The pygmy killer whale, Feresa attenuata, in the western Atlantic, with a summary of world records. J. Mammal. 52:206-209.

CALDWELL, D.K., M.C. CALDWELL, and D.W. RICE (1966) Behavior of the sperm whale, Physeter catodon L. In: K.S. NORRIS (ed.) Whales, dolphins, and porpoises, Univ. Calif. Press, Berkeley, CA., pp.677-716.

CARLQUIST, S. (1970) Hawaii - a natural history, Natural History Press, Garden City, NY, 463 pp.

CHAPMAN, D.G. (1977) Summary of North Pacific sperm whale assessments. Int. Whaling Comm. Rep. 27:212-213.

CHITTLEBOROUGH, R.G. (1958) The breeding cycle of the female humpback whale, Megaptera nodosa (Bonnaterre). Australia J. Mar. Freshw. Res. 9:1-18.

CHITTLEBOROUGH, R.G. (1965) Dynamics of two populations of the humpback whale, Megaptera novaeangliae (Borowski). Australia J. Mar. Freshw. Res. 16:33-128.

CLARKE, M.R. (1962) Stomach contents of a sperm whale caught off Madeira in 1959. Norsk. Havf Fangst-Tid. 51:173-191.

CLARKE, M.R. (1972) New technique for the study of sperm whale migration. Nature 238(5364):405-406.

CLARKE, M.R., N. MACLEOD and O. PALIZA (1976) Cephalopod remains from the stomachs of sperm whales caught off Peru and Chile. J. Zool. (Lond.) 180(4):477-493.

COWAN, I.M. (1939) The sharp-headed finner whale of the eastern Pacific. J. Mammal. 20(2):215-225.

DARLING, J.K., K.M. GIBSON, and G.K. SILBER (1979) Observations on the abundance and behavior of humpback whales, Megaptera novaeangliae, off West Maui, Hawaii, 1977-1979. Abstr. of paper presented at 3rd Conf. on Biol. of Marine Mammals, 7-11 October 1979, Seattle, WA.

DAWBIN, W.H. (1966) The seasonal migrating cycle of humpback whales. In: K.S. NORRIS (ed.) Whales, dolphins, and porpoises, Univ. Calif. Press, Berkeley, CA., pp.145-170.

DAWBIN, W.H. and R.A. FALLA (1949) A contribution to the study of the humpback whale based on observations at New Zealand shore stations. Proc. 7th Pac. Sci. Congr. 4:373-382.

DELONG, R.L. and R.L. BROWNELL (1977) Hawaiian monk seal (Monachus schauinslandi) habitat and population survey in the northwestern (leeward) Hawaiian Islands. April 1977. Nat. Mar. Fish. Serv., N.W. and Alaska Fish. Cent., Seattle, WA., Unpubl., 30 pp.

- DOHERTY, J.G. (1972) Hawaiian monk seal: Monachus schauinslandi. Animal Kingd. 75(1):33.
- DUNN, D.J.(ed.) (1978) The humpback whale. Waters, J. Vancouver Aq. 3(4):4-8.
- EARLE, S.A. (1979) Quantitative sampling of krill (Euphausia pacifica) relative to feeding strategies of humpback whales(Megaptera novaeangliae) in Glacier Bay, Alaska. Abstr. of paper presented at 3rd Conf. on Biol. of Marine Mammals, 7-11 October 1979, Seattle, WA.
- EBERHARDT, L.L. (1979) A review of marine mammal census methods. Wildl. Monogr. No.63, 46 pp.
- ECKMAN, S. (1953) Zoogeography of the sea, Sidgwick and Jackson, London, 417 pp.
- EDMONDSON, C.H. (1948) Records of Kogia breviceps from the Hawaiian Islands. J. Mammal. 29:76-77.
- EVANS, W.E. (1974) Radio-telemetric studies of two species of small odontocete cetaceans. In: W.E. SCHEVILL (ed.) The whale problem, Harvard Univ. Press, Cambridge, MA, pp.385-394.
- FITCH, J.E. and R.L. BROWNELL, JR. (1968) Fish otoliths in cetacean stomachs and their importance in interpreting feeding habits. J. Fish. Res. Board Can. 25(12):2561-2574.
- FITTER, R. (1978) Whaling- the continuing slide to extinction. Oryx 14(4):325-327.
- FORESTELL, P. and L.M. HERMAN (1977) The Hawaiian humpback whale: behaviors. Abstr. of paper presented at 2nd Conf. Biol. Marine Mammals, Dec. 1977, San Diego, CA.
- FORESTELL, P.H. and L.M. HERMAN (1979) Behavior of "escort" accompanying mother-calf pairs of humpback whales. Abstr. of paper presented at 3rd Conf. on Biol. of Marine Mammals, 7-11 October 1979, Seattle, WA.
- FRUTCHMAN, P. (1978) Cetacean encounter. Oceans 11(6):52-55.
- GALBREATH, E.C. (1963) Three beaked whales stranded on the Midway Islands, Central Pacific Ocean. J. Mammal. 44:422-423.
- GALLUCI, V.F., T.J. QUINN II and C. RAWSON (1979) Spatial and temporal patterns of occurrence of porpoises in the Eastern Tropical Pacific, 1974-1976. Abstr. of paper presented at 3rd Conf. on Biol. of Marine Mammals, 7-11 October 1979, Seattle, WA.

GASKIN, D.E. (1968) Distribution of Delphinidae (Cetacea) in relation to sea surface temperatures off eastern and southern New Zealand. *New Zealand J. Mar. Freshw. Res.* 2:527-534.

GASKIN, D.E. (1976) The evolution, zoogeography, and ecology of Cetacea. *Oceanogr. Mar. Biol. Annu. Rev.* 14:247-346.

GASKIN, D.E. and M.W. CAWTHORN (1967) Diet and feeding habits of the sperm whale (*Physeter catodon*) in the Cook Strait region of New Zealand. *New Zealand J. Mar. Freshw. Res.* 2:156-179.

GERACI, J.R. (1978) The enigma of marine mammal strandings. *Oceanus* 21(2):38-47.

GERACI, J.R. and D. ST.AUBIN (1979) The biology of marine mammals, insights through stranding. Final report for Marine Mammal Commission contract MM7AC020. NTIS pub. PB-293890. 351 pp.

GLOCKNER, D.A. and S.C. VENUS (1979) Humpback whale, *Megaptera novaeangliae*, cows with calves identified off West Maui, Hawaii, 1977- 1979. Abstr. of paper presented at 3rd Conf. on Biol. of Marine Mammals, 7-11 October 1979, Seattle, WA.

GUDKOV, V.M. (1962) Relationship between the distribution of zooplankton, sea birds, and baleen whales, translated by U.S. Naval Oceanographic Office, Wash., DC, 1974, Trans. No. N00-T-7, DDC AD 777, 904/4GA, 22 pp.

GULLAND, J.A. (1974) Distribution and abundance of whales in relation to basic productivity. In: W.E. SCHEVILL (ed.) The whale problem, Harvard Univ. Press, Cambridge, MA, pp.27-52.

HAMPTON, I.F.G. and G.C. WHITTOE (1976) Body temperature and heat exchange in the Hawaiian spinner dolphin, *Stenella longirostris*. *Comp. Biochem. Physiol. A. Comp. Physiol.* 55(2):195-197.

HANDLEY, C.O.,Jr. (1966) A synopsis of the genus *Kogia* (pygmy sperm whales). In: K.S. NORRIS (ed.) Whales, dolphins, and porpoises, Univ. Calif. Press, Berkeley, CA, pp.62-69.

HARDY, A.C. and R.E. GUNTHER (1935) The plankton of the South Georgia whaling grounds and adjacent waters, 1926-1927. *Discovery Rep.* 11:1-456.

HARRISON, R.J. and J.E. KING (1965) Marine mammals, Hutchinson Univ. Library, London, 192 pp.

HERMAN, L.M. and R.C. ANTINOJA (1977) Humpback whales in the Hawaiian breeding waters: population and pod characteristics. *Sci. Rep. Whales Res. Inst. Tokyo* 29:59-85.

HERMAN, L.M., R.C. ANTINOJA, C.S. BAKER, and R.S. WELLS (1979) Temporal and spatial distribution of humpback whales in Hawaii. Abstr. of paper presented at 3rd Conf. on Biol. of Marine Mammals, 7-11 October 1979, Seattle, WA.

HERSHKOVITZ, P. (1966) Catalog of living whales. Bull. U.S. Mus., Smithsonian Inst., Wash. DC 246:1-259.

HESTER, F.J., J.R. HUNTER and R.R. WHITNEY (1963) Jumping and spinning behavior in the spinner porpoise. J. Mammal. 44(4):586-588.

HEZEEN, B.C. (1957) Whales entangled in deep sea cables. Deep Sea Res. 4(2):105-115.

HIRASAKA, K. (1937) On the pygmy sperm whale, Kogia breviceps, (Blainville). Mem. Fac. Sci. Agr., Taihoku Imp. Univ. 14(5):117-142.

HUBBS, C.L. (1951) Eastern Pacific records and general distribution of the pygmy sperm whale. J. Mammal. 32:403-410.

HUBBS, C.L. (1952) Antitropical distribution of fishes and other organisms. Proc. 7th Pac. Sci. Congr., 324-330.

HUBBS, C.L. W.F. PERRIN and K.C. BALCOMB (1973) Stenella coeruleoalba in the eastern and central tropical Pacific. J. Mammal. 54:549-552.

HUDNALL, J. (1978) Whale park. Oceans 11(2):8-15.

JOHNSON, B.W. and P.A. JOHNSON (1978) The Hawaiian monk seal on Lay-san Island: 1977. Final report for Marine Mammal Commission contract MM7AC009, NTIS pub. PB-285428, 43 pp.

JOHNSON, P.A. and B.W. JOHNSON (1977) Preliminary results of an observational study of the Hawaiian monk seal on Laysan Island. Abstr. of paper presented at 2nd Conf. Biol. Marine Mammals, December 1977, San Diego, CA.

JOHNSON, P.A. and B.W. JOHNSON (1979) Hawaiian monk seal: notes on reproductive behavior. Abstr. of paper presented at 3rd Conf. on Biol. of Marine Mammals, 7-11 October 1979, Seattle, WA.

JURASZ, C.M. and V. JURASZ (1978) Humpback whales in southeastern Alaska. Alaska Geogr. 5(4):116-127.

JURASZ, C.M. and A.A. WOLMAN (1977) Humpback whales in Hawaii: vessel census 1976. Mar. Fish. Rev. paper 1254.

- KASUYA, T. (1972) Growth and reproduction of Stenella coeruleoalba based on the age determination by means of dentine growth layers. Sci. Rep. Whales Res. Inst. Tokyo 24:57-79.
- KASUYA, T., N. MIYAZAKI, and W.H. DAWBIN (1974) Growth and reproduction of Stenella attenuata in the Pacific coast of Japan. Sci. Rep. Whales Res. Inst. Tokyo 26:157-226.
- KATONA, S.K. and S. KRAUS (1979) Photographic identification of individual humpback whales (Megaptera novaeangliae) : evaluation and analysis of the technique. Final report for Marine Mammal Commission contract MM7AC015.
- KAWAMURA, A. (1977) On the food of Bryde's whales caught in the South Pacific and Indian Oceans. Sci. Rep. Whales Res. Inst. Tokyo 29:49-58.
- KELLOGG, R. (1929) What is known of the migration of some whalebone whales. Annu. Rep. Smithsonian Inst. 1928:467-494.
- KELLOGG, R. (1940) Whales, giants of the sea. Nat. Geogr. 77:35-90.
- KENYON, K.W. (1972) Man vs. the monk seal. J. Mammal. 53(4):687-696.
- KENYON, K.W. (1973) The Hawaiian monk seal. In: Seals; Proc. workshop of seal specialists on threatened and depleted seals of the world, 18-19 August 1972, Guelph, Canada. World Wildl. Fund, Switzerland, pp.88-97.
- KENYON, K.W. and C.H. FISCUS (1963) Age determination in the Hawaiian monk seal. J. Mammal. 44:280-281.
- KENYON, K.W. and D.W. RICE (1959) Life history of the Hawaiian monk seal. Pac. Sci. 13(3):215-252.
- KING, J.E. (1956) The monk seals (genus Monachus). Bull. Brit. Mus. Nat. Hist. 3(5):204-252.
- KRIDLER, E., D.L. OLSEN and G.C. WHITTO (1971) Body temperature of the Hawaiian monk seal. J. Mammal. 52(2):476.
- LAWTON, W., D. RICE, and A. WOLMAN (1979) Occurrence of southeastern Alaskan humpback whales, Megaptera novaeangliae, in Mexican coastal waters. Abstr. of paper presented at 3rd Conf. on Biol. of Marine Mammals, 7-11 October 1979, Seattle, WA.
- LEATHERWOOD, J.S., W.E. EVANS and D.W. RICE (1972) The whales, dolphins, and porpoises of the Eastern North Pacific: a guide to their identification in the water, Naval Undersea Research and Development Center, San Diego, CA, NUC-TP-282, COM-72-10645, DDC AD 743 059, 169 pp.

MACKINTOSH, N.A. (1966) The distribution of southern blue and fin whales. In: K.S. NORRIS (ed.) Whales, dolphins, and porpoises. Univ. Calif. Press, Berkeley, CA., pp.125-142.

MACKINTOSH, N.A. (1972) Biology of the populations of large whales. Science Progress 60(240):449-464.

MARCUZZI, G. and G. PILLERI (1971) On the zoogeography of Cetacea. In: G. PILLERI (ed.) Investigations on cetacea, Brain Anatomy Institute, Berne, Switzerland, Vol.3, pp.101-170.

MARTIN, H., W.E. EVANS and C.A. BOWERS (1971) Methods for radio tracking marine mammals in the open sea. In: I.E.E.E. Eng. in the Ocean Env. Conf., pp. 44-49.

MATSUURÄ, Y. and K. MAEDA (1942) Biological investigation on the whales found in the northern Pacific Ocean. Hogeishiryo 9:1-59.

MATTHEWS, L.H. (1937) The humpback whale, Megaptera nodosa. Discovery Rep. 17:7-92.

McLAREN, I.A. (1975) A speculative overview of phocid evolution. In: K. RONALD and A.W. MANSFIELD (eds.) Biology of the seal, Rapports et Proces-verbaux des Reunions Consuels Int. pour l'exploration de la Mer 169, pp.43-48.

MITCHELL, E. (1975) Porpoise, dolphin, and small whale fisheries of the world: status and problems. International Union for Conservation of Nature and Natural Resources, Morges, Switzerland, IUCN Monograph 3, 129 pp.

MIYAZAKI, N. (1977a) School structure of Stenella coeruleoalba. Int. Whaling Comm. Rep. 27:498-499.

MIYAZAKI, N. (1977b) Growth and reproduction of Stenella coeruleoalba in the Pacific coast of Japan. Sci. Rep. Whales Res. Inst. Tokyo 29:21-48.

MIYAZAKI, N., T. KUSAKA and M. NISHIWAKI (1973) Food of Stenella coeruleoalba. Sci. Rep. Whales Res. Inst. Tokyo 25:265-275.

MIYAZAKI, N. and M. NISHIWAKI (1978) School structure of the striped dolphin off the Pacific coast of Japan. Sci. Rep. Whales Res. Inst. Tokyo 30:65-115.

MIYAZAKI, N. and S. WADA (1978) Observation of Cetacea during whale marking cruise in the Western Tropical Pacific, 1976. Sci. Rep. Whales Res. Inst. Tokyo 30:179-195.

MIZUE, K. (1951) Food of whales (in the adjacent waters of Japan). Sci. Rep. Whales Res. Inst. Tokyo 5:81-90.

MOORE, J.C. (1963) Recognizing certain species of beaked whales of the Pacific Ocean. Amer. Midl. Nat. 70:396-428.

MOORE, J.C. (1966) Diagnoses and distributions of beaked whales of the genus Mesoplodon known from North American waters. In: K.S. NORRIS (ed.) Whales, dolphins, and porpoises, Univ. Calif. Press, Berkeley, CA, pp.32-61.

MOORE, J.C. (1968) Relationships among the living genera of beaked whales, with classifications, diagnoses, and keys. Fieldiana:Zoology 53:209-298.

MOORE, J.C. and R.M. GILMORE (1965) A beaked whale new to the western hemisphere. Nature 205:1239-1240.

MORRIS, R.A. and L.S. MOWBRAY (1966) An unusual barnacle attachment on the teeth of the Hawaiian spinner dolphin. Norsk Hvalfangst-Tid 55(1):15-16.

MOWBRAY, L.S. (1965) Hawaiian monk seals (Monachus schauinslandi) and green turtles (Chelonia mydas) at Waikiki Aquarium. Int. Zoo. Yearbook 5:146-147.

MURPHY, R.C. (1924) Seals as sperm whale food. J. Mammal. 5:132.

NEMOTO, T. (1959) Food of baleen whales with reference to whale movements. Sci. Rep. Whales Res. Inst. Tokyo 14:149-290.

NISHIWAKI, M. (1966a) Distribution and migration of the larger cetaceans in the North Pacific as shown by Japanese whaling results. In: K.S. NORRIS (ed.) Whales, dolphins, and porpoises, Univ. Calif. Press, Berkeley, CA, pp.171-191.

NISHIWAKI, M. (1966b) Distribution and migration of marine mammals in the North Pacific area. Eleventh Pac. Sci. Congr., Symp. no. 4, 49 pp.

NISHIWAKI, M. (1967) Distribution and migration of marine mammals in the north Pacific area. Bull. Ocean. Res. Inst. Univ. Tokyo 1:1-63.

NISHIWAKI, M. (1975) Ecological aspects of smaller cetaceans, with emphasis on the striped dolphin (Stenella coeruleoalba). J. Fish. Res. Board Can. 32(7):1069-1072.

NISHIWAKI, M. and A. SASAO (1977) Human activities disturbing natural migration routes of whales. Sci. Rep. Whales Res. Inst. Tokyo 29:113-120.

NORMAN, J.R. and F.C. FRASER (1948) Giant fishes, whales, and dolphins, 2nd ed., Putnam, London, 375 pp.

NORRIS, K.S. (1966) Whales, dolphins, and porpoises, Univ. Calif. Press, Berkeley, CA, 789 pp.

NORRIS, K.S. (1974) The porpoise watcher, W.W. Norton and Co., NY, 250 pp.

NORRIS, K.S. and T.P. DOHL (1978) (ms.) The behavior of the Hawaiian spinner porpoise, Stenella longirostris (Schlegel, 1841). Center for Coastal Marine Studies, Univ. Calif. Santa Cruz, 66 pp.

NORRIS, K.S. and J.D. HALL (In press) Development of techniques for estimating trophic impact of marine mammals. Final report for Marine Mammal Commission contract MM4AC013.

OHATA, C.A., D.T. MATSURA, G.C. WHITTOW, and S.W. TINKER (1972) Diurnal rhythm of body temperature in the Hawaiian monk seal. *Pac. Sci.* 26(1):117-120.

OHSUMI, S. (1977) Bryde's whales in the North Pacific in 1976. *Int. Whaling Comm. Rep.* 27:156-160.

OHSUMI, S. (1978) Further assessment of population of Bryde's whales in the North Pacific. *Int. Whaling Comm. Rep.* 28:227-280.

OHSUMI, S. and Y. MASAKI (1977) Stocks and trends of abundance of the sperm whale in the North Pacific. *Int. Whaling Comm. Rep.* 27:167-175.

OHSUMI, S., Y. MASAKI, and S. WADA (1977) Seasonal distribution of sperm whales sighted by scouting boats in the North Pacific and Southern hemisphere. *Int. Whaling Comm. Rep.* 27:308-323.

OKUTANI, T. and T. NEMOTO (1964) Squids as the food of sperm whales in the Bering Sea and Alaskan Gulf. *Sci. Rep. Whales Res. Inst. Tokyo* 18:111-122.

OMURA, H. (1953) Biological study on humpback whales in the Antarctic whaling areas IV and V. *Sci. Rep. Whales Res. Inst. Tokyo* 8:81-101.

ORR, J.M. (1978) A survey of Tursiops populations in the coastal United States, Hawaii, and territorial waters. Prepared for the U.S. Marine Mammal Commission, Requisition no. PL 92-522.

ORR, R.T. (1951) Cetacean records from the Pacific coast of North America. *Wassman J. Biol.* 9:147-148.

ORR, R.T. (1965) The rough-toothed dolphin in the Galapagos Archipelago. J. Mammal. 46:101.

PAYNE, K. (1979) Progressive changes in songs of humpback whales. Abstr. of paper presented at 3rd Conf. on Biol. of Marine Mammals, 7-11 October 1979, Seattle, WA.

PAYNE, R.S. (1979) Humpback whale songs as an indicator of "stocks". Abstr. of paper presented at 3rd Conf. on Biol. of Marine Mammals, 7-11 October 1979, Seattle, WA.

PERRIN, W.F. (1968) The porpoise and the tuna. Sea Frontiers 14:166-174.

PERRIN, W.F. (1969) Color pattern of eastern Pacific spotted dolphin Stenella graffmani Lonberg (Cetacea: Delphinidae). Zoologica 54(4):135-142.

PERRIN, W.F. (1972a) Color patterns of spinner porpoises (Stenella cf.s. longirostris) of the eastern Pacific and Hawaii, with comments on delphinid pigmentation. USFWS Fish. Bull. 70:983-1003.

PERRIN, W.F. (1975a) Variation of spotted and spinner porpoise (genus Stenella) in the eastern Pacific and Hawaii, Univ. Calif. Press, Berkeley, CA, 212 pp.

PERRIN, W.F. (1975b) Distribution and differentiation of populations of dolphins of the genus Stenella in the eastern tropical Pacific. J. Fish. Res. Board Can. 32(7):1059-1067.

PERRIN, W.F. (1976) First record of the melon-headed whale, Peponocephala electra, in the eastern Pacific, with a summary of world distribution. USFWS Fish. Bull. 74:457-458.

PERRIN, W.F., J.M. COE and J.R. ZWEIFEL (1975) (ms.) Growth and reproduction of the spotted porpoise (Stenella attenuata) in the offshore eastern tropical Pacific.

PERRIN, W.F., D.B. HOLTS and R.B. MILLER (1977) Growth and reproduction of the eastern spinner dolphin, a geographical form of Stenella longirostris, in the eastern tropical Pacific. USFWS Fish. Bull. 75:725-750.

PERRIN, W.F. and C.L. HUBBS (1969) Observations on a young pygmy killer whale (Feresa attenuata) from eastern tropical Pacific Ocean. Trans. San Diego Soc. Nat. Hist. 15:297.

PERRIN, W.F. and J.R. HUNTER (1972) Escape behavior of Hawaiian spinner porpoises. USFWS Fish. Bull. 70:49-60.

PERRIN, W.F. E.D. MITCHELL and P.J.H. VAN BREE (1978) Historical zoogeography of tropical pelagic dolphins. *Congr. Theriol. Int.* 2:73. (Abstr. only)

PERRIN, W.F. and C.J. ORANGE (1971) Porpoise tagging in the eastern tropical Pacific. *Proc. 21st Tuna Conf.*, 1970, Lake Arrowhead, CA. (Abstr. only).

PERRIN, W.F. and W.A. WALKER (1975) The rough-toothed porpoise, Steno bredanensis in the eastern tropical Pacific. *J. Mammal.* 56(4):905-907.

PERRIN, W.F., R.R. WARNER, C.H. FISCUS, and D.B. HOLTS (1973) Stomach contents of porpoises, Stenella spp. and yellowfin tuna, Thunnus albacares in mixed-species aggregations. *USFWS Fish. Bull.* 71:1077-1092.

PFUND, R. ed. (1975) Rare Hawaiian monk seal sighted off Molokai. *Sea Grant Newsletter*, Univ. Hawaii, 5:9.

PIKE, G.C. (1950) Stomach contents of whales caught off the coast of British Columbia. *Prog. Rep. Pac. Coast Stns.* 83:27-28.

PIKE, G.C. (1956) Guide to the whales, porpoises, and dolphins of the north-east Pacific and Arctic waters of Canada and Alaska. *Fish. Res. Bd. Can. Biol. Sta.*, Nanaimo, B.C. Circ. 32 (rev.) i-v, 1-14.

PRIVALIKHIN, V.I. (1975) Distribution and fisheries of Bryde's whales in the northwestern Pacific. *Biological resources of the Far Eastern seas. Tezsy Vsesoyuznogo Soveshchaniya*, Vladivostok.

PRIVALIKHIN, V.I. and A.A. BERZIN (1978) Abundance and distribution of Bryde's whale Balaenoptera edeni, in the Pacific Ocean. *Int. Whaling Comm. Rep.* 28:301-302.

PRYOR, K.W. (1970) A tagging method for small cetaceans. *J. Mammal.* 51(3):609-610.

PRYOR, T., K. PRYOR, and K.S. NORRIS (1965) Observations on a pygmy killer whale (Feresa attenuata Gray) from Hawaii. *J. Mammal.* 46:450-461.

RAUSCH, R.L. (1969) Diphyllobothrid cestodes from the Hawaiian monk seal, Monachus schauinslandi Matchsie, from Midway Atoll. *J. Fish. Res. Board Can.* 26:947-956.

REPENNING, C.A. and C.E. RAY (1977) The origin of the Hawaiian monk seal. *Proc. Biol. Soc. Wash.* 89(58):667-688.

- RICE D.W. (1960a) Population dynamics of the Hawaiian monk seal. J. Mammal. 41(3):376-385.
- RICE, D.W. (1960b) Distribution of the bottlenosed dolphin in the leeward Hawaiian Islands. J. Mammal. 41(3):407-408.
- RICE, D.W. (1963) Progress report on biological studies of the larger Cetacea in the waters off California. Norsk Hvalfangst-Tid. 52:181-187.
- RICE, D.W. (1964a) The Hawaiian monk seal. Nat. Hist. 73:48-55.
- RICE, D.W. (1964b) The Hawaiian monk seal. Oryx 7:295-300.
- RICE, D.W. (1974) Whales and whale research in the eastern North Pacific. In: W.E. SCHEVILL (ed.) The whale problem: a status report, Harvard Univ. Press, Cambridge, MA, pp.170-195.
- RICE, D.W. (1977) A list of the marine mammals of the world. (3rd ed.) NOAA Tech. Rep. NMFS SSRF-711, April 1977.
- RICE, D.W. (1977) Sperm whales in the equatorial Eastern Pacific: population size and social organization. Int. Whaling Comm. Rep. 27:333-336.
- RICE, D.W. and C.H. FISCUS (1968) Right whales in the southeastern North Pacific. Norsk Hvalfangst-Tid. 57:105-107.
- RICE, D.W. and A.A. WOLMAN (1978) Humpback whale census in Hawaiian waters - February 1977. In: K.S. NORRIS and R.R. REEVES (eds.), Report on a workshop on problems related to humpback whales (Megaptera novaeangliae) in Hawaii. Final Report for Marine Mammal Commission Contract MM7AC018, NTIS Pub. PB-28079, Appendix V.
- RIDGWAY, S.H. (ed.) (1972) Mammals of the sea: biology and medicine. Thomas, Springfield, IL, 812 pp.
- RONALD, K., L.M. HANLY, P.J. HEALEY and L.J. SELLEY (1976) An annotated bibliography on the Pinnipedia. Int. Counc. Explor. Sea, Copenhagen, 785 pp.
- ROSENBLUM, E.E. (1962) Distribution of sperm whales. J. Mammal. 43:111-112.
- ROVNIN, A.A. (1969) Distribution of the big whales in the tropical parts of the Pacific Ocean. In: V.A. ARSENIEV, et al. (eds.) Marine mammals, Akad. Nauk., Moscow, SSSR.
- SAMPSON, W.F. (1970) Stenella coeruleoalba in the northern Pacific Ocean. J. Mammal. 51:809.

- SCATTERGOOD, L.W. (1949) Notes on the little-piked whale (with bibliography). *Murrelet* 30(1):1-16.
- SCHEFFER, V.B. (1953) Measurements and stomach contents of eleven delphinids from the Northeast Pacific. *Murrelet* 34(2): 27-30.
- SCHEFFER, V.B. (1958) Seals, sea lions, and walruses: a review of the Pinnipedia, Stanford Univ. Press, Stanford, CA, 179 pp.
- SCHEVILL, W.E. and W.A. WATKINS (1974) Listening to Hawaiian spinner porpoises. *Gov. Rep. Ann.* 74(23):68. Nov. 15, 1974.
- SCHREIBER, R.W. (1952) Some sounds from marine life in the Hawaiian area. *J. Acoust. Soc. Amer.*, 24:116.
- SCHREIBER, R.W. and E. KRIDLER (1969) Occurrence of an Hawaiian monk seal (Monachus schauinslandi) on Johnston Atoll, Pacific Ocean. *J. Mammal.* 50:841-842.
- SERGEANT, D.E. (1962) The biology of the pilot or pothead whale, Globicephala melaena (Trail) in Newfoundland waters. *Bull. Fish. Res. Board Can.* 132:1-84.
- SHALLENBERGER, E.W. (1977) The effect of human-generated activities on the Hawaiian humpback whale. Abstr. of paper presented at 2nd Conf. Biol. Marine Mammals, December 1977, San Diego, CA.
- SHALLENBERGER, E.W. (1977) Humpback whales in Hawaii: population and distribution. Presented at: Oceans '77; 3rd Ann. Combined Conf. MTS/IEEE. October 1977, Los Angeles, CA.
- SHOMURA, R.S. and T.S. HIDA (1965) Stomach contents of a dolphin caught in Hawaiian waters. *J. Mammal.* 46:500-501.
- SLIJPER, E.J. (1962) Whales, Hutchinson, London, 475 pp.
- SOARES, M., E. SHALLENBERGER and R. ANTINOJA (1977) The Hawaiian humpback whale: population characteristics. Abstr. of paper presented at 2nd Conf. Biol. Marine Mammals, December 1977, San Diego, CA.
- STEELE, J. (ed.) (1970) Marine food chains, Oliver and Boyd, Edinburgh, 552 pp.
- SVIHLA, A. (1959) Notes on the Hawaiian monk seal. *J. Mammal.* 40:226-229.
- TAYLOR, L.R. and G. NAFTEL (1978) Preliminary investigations of shark predation on the Hawaiian monk seals at Pearl and Hermes Reef and French Frigate Shoals. Final report for Marine Mammal Commission contract MM7AC011. NTIS pub. PB-285626. 41 pp.

THOMPSON, P.O. (1979) Underwater whale sounds off Oahu. Abstr. of paper presented at 3rd Conf. on Biol. of Marine Mammals, 7-11 October 1979, Seattle, WA.

THOMPSON, P.O., W.C. CUMMINGS, A.J. PERRONE and S.J. KENNISON (1977) Humpback whale sounds in Alaska, Hawaii, and western North Atlantic. Abstr. of paper presented at 2nd Conf. on Biol. Marine Mammals, December 1977, San Diego, CA.

TILLMAN, M.F. (1977) Estimates of stock size for the North Pacific Bryde's whale. Int. Whaling Comm. Rep. 27:176-179.

TOMICH, P.O. (1969) Mammals in Hawaii, Bishop Mus. Press, Honolulu, Hawaii, Spec. Pub. 57, 238 pp.

TORMOSOV, D.D. (1977) Ecological aspects of differential distribution of sperm whales. Int. Whaling Comm. Rep. 27:361-362.

TOWNSEND, C.H. (1935) The distribution of certain whales as shown by logbook records of American whale ships. Zoologica 19:1-50.

TRUE, F.W. (1889) Contributions to the natural history of the cetaceans: a review of the family Delphinidae. Bull. U.S. Nat. Mus. 36:1-191.

TRUE, F.W. (1906) Notes on a porpoise of the genus Prodelphinus from the Hawaiian Islands. Bull. U.S. Fish Comm. 23:811-815.

TYACK, P. (1979) Interactions between singing humpback whales and nearby whales. Abstr. of paper presented at 3rd Conf. on Biol. of Marine Mammals, 7-11 October 1979, Seattle, WA.

U.S. NATIONAL MARINE FISHERIES SERVICE, U.S. FISH AND WILDLIFE SERVICE (1976) Hawaiian monk seal final regulations. Fed. Reg. 41(227):51611-51612. 23 Nov. 1976.

VAN BREE, P.J.H. and W.F. PERRIN (1977) On the diagnosis of the spinner dolphin, Stenella longirostris (Gray 1928) and its holotype. Zool. Med. Rijkmus. Nat. Hist. Leiden 52(21):255-259.

VOLKOV, A.F. and I.F. MOROZ (1977) Oceanological conditions of the distribution of Cetacea in the Eastern Tropical part of the Pacific Ocean. Int. Whaling Comm. Rep. 27:186:188.

WADA, S. (1977) Indices of abundance of large-sized whales in the North Pacific in the 1975 whaling season. Int. Whaling Comm. Rep. 27:189-194.

WADE, L.S. and G.L. FRIEDRICHSEN (1979) Recent sightings of the blue whale, Balaenoptera musculus, in the Northeastern Tropical Pacific. NMFS Fish. Bull. 76(4):915-919.

- WATKINS, W.A. (1978) A radio tag for big whales. Oceanus 21(2):48-54.
- WHITTOW, G.C. (1971) Tropical seals. Sea Frontiers 17(5):285-287.
- WHITTOW, G.C. (1978) Thermoregulatory behavior of the Hawaiian monk seal (Monachus schauinslandi). Pac. Sci. 32(1):47-60.
- WHITTOW, G.C., I.F.G. HAMPTON, and C.A. OHATA (1978) Body temperature of the rough-toothed dolphin. J. Wildl. Mgt. 42(1):184-185.
- WILKE, F. and A.J. NICHOLSON (1958) Food of porpoises in the water off Japan. J. Mammal. 39(3):441:443.
- WINN, H.E. and T.J. THOMPSON (1979) Comparison of humpback whale sounds across the northern hemisphere. Abstr. of paper presented at 3rd Conf. on Biol. of Marine Mammals, 7-11 October 1979, Seattle, WA.
- WIRTZ, W.O. (1968) Reproduction, growth, and development and juvenile mortality in the Hawaiian monk seal. J. Mammal. 49(2):229-238.
- WURSIG, B. (1979) Dolphins. Sci. Am. 240(3):136-148.
- YAMADA, M. (1954) Some remarks on the pygmy sperm whale, Kogia. Sci. Rep. Whales Res. Inst. Tokyo 9:37-58.

This report was done with support from the Department of Energy. Any conclusions or opinions expressed in this report represent solely those of the author(s) and not necessarily those of The Regents of the University of California, the Lawrence Berkeley Laboratory or the Department of Energy.

Reference to a company or product name does not imply approval or recommendation of the product by the University of California or the U.S. Department of Energy to the exclusion of others that may be suitable.

TECHNICAL INFORMATION DEPARTMENT
LAWRENCE BERKELEY LABORATORY
UNIVERSITY OF CALIFORNIA
BERKELEY, CALIFORNIA 94720