UC Davis

Dermatology Online Journal

Title

Analysis of patient attitudes and behavior regarding dermatologic care during the COVID-19 pandemic: a survey-based study at a single academic institution

Permalink

https://escholarship.org/uc/item/0fr2c39r

Journal

Dermatology Online Journal, 28(6)

Authors

Gao, D X Kahn, J S Cohen, S R et al.

Publication Date

2022

DOI

10.5070/D328659738

Copyright Information

Copyright 2022 by the author(s). This work is made available under the terms of a Creative Commons Attribution-NonCommercial-NoDerivatives License, available at https://creativecommons.org/licenses/by-nc-nd/4.0/

Peer reviewed

Analysis of patient attitudes and behavior regarding dermatologic care during the COVID-19 pandemic: a survey-based study at a single academic institution

DX Gao BA, JS Kahn MS BS, SR Cohen MD, N Dumont, FC Yang MD, D Rosmarin MD

Affiliations: ¹Department of Dermatology, Tufts Medical Center, Boston, Massachusetts, USA

Corresponding Author: David Rosmarin MD, Tufts Medical Center, 800 Washington Street #114, Boston, MA 02111, Tel: 617-636-1579, Fax: 617-636-9179, Email: drosmarin@tuftsmedicalcenter.org

Keywords: attitudes, COVID-19, dermatology, health inequities, mask, skin check

To the Editor:

The impact of the coronavirus disease 201919 (COVID-19) pandemic has been significant and pervasive across industries, including healthcare. It has been reported that 41% of adults have avoided/delayed medical care due to COVID-19, which worsens outcomes [1]. As demographic populations are associated with higher mortality from COVID-19, including Asian and Black race, age greater than 60 years, and those with a high school diploma or less, it is important to identify if particular groups of individuals also heightened concern about seeking dermatologic care and their expectations when visiting the dermatologist [2-4]. We were specifically interested in attitudes of patients toward in-person visits including examination of the skin underneath their mask.

In January 2021, a 7-question Institutional Review Board-approved survey was given to 226 consecutive adult patients presenting for outpatient care at Tufts Medical Center Dermatology, with 207 responding (response rate=90.8%), Table 1. Questions were focused on the impact of COVID-19 on patients' dermatologic care, care-seeking behavior, and mask-wearing behavior. Statistical analyses were performed using R 4.0.3 using z-tests for proportions, with subgroup analyses performed in age, race/ethnicity, and education.

Our results revealed patients 30-59 years of age and non-White individuals to be most concerned about COVID-19. In terms of changes in dermatologic careseeking, 25% of total respondents reported concerns about frequenting a dermatology office during the pandemic, whereas 17% of total respondents reported having avoided/delayed dermatologic care due to COVID-19. Patients noting concern about coming to the dermatologist's office tended to have avoided/delayed care (Spearman correlation=0.58, P<0.001). Asians were more likely than Whites to report COVID-19 negatively impacted their care (12/35 [34%] versus 17/114 [15%], P=0.006) and to have delayed care due to COVID-19 (10/35 [29%] versus 15/115 [13%], P=0.016). Similar trends were seen for all non-Whites versus Whites as well. Surprisingly, respondents ≥60 years were more likely than respondents 30-59 years old to disagree about being concerned with going to their dermatologist (30/48 [63%] versus 32/84 [38%], P=0.003) or to have avoided/delayed care due to COVID-19 (41/48 [85%] versus 56/81 [51%], P=0.02), respectively (<u>Table 2</u>).

A large minority of all patients (32%) did not want their dermatologist to examine the skin under the mask. Compared to Asians and all non-Whites, Whites were more likely to disagree that examination under the mask could expose them to COVID-19 (10/35 [29%] versus 73/114 [64%], P<0.001; 39/88 [44%] versus 73/114 [64%], P=0.003, respectively).

It is important for dermatologists to be cognizant of the fears of patients when conducting visits in the office. Patients may still have concerns about

Table 1. Demographics of respondents.

Age	N (%)			
18- 29 ("young")	60 (31.3%)			
30- 59 ("middle-aged")	84 (43.8%)			
60+ ("older")	48 (25.0%)			
Gender				
Male	82 (39.8%)			
Female	122 (59.2%)			
Other	2 (1.0%)			
Prefer not to say	0 (0%)			
Race/ethnicity				
White	115 (55.6%)			
Black	22 (10.6%)			
Hispanic	17 (8.2%)			
Asian	36 (17.4%)			
Native American	0 (0%)			
Native Hawaiian or Pacific Islander	0 (0%)			
Mixed (>=2 races)	12 (5.8%)			
Other/unknown	3 (1.4%)			
Prefer not to say	2 (1.0%)			
Highest level of education completed				
Some high school/high school/trade school	58 (28.0%)			
Bachelors	93 (44.9%)			
Masters/doctorates	50 (24.2%)			
Prefer not to say	6 (2.9%)			

unmasking [5]. Although certain groups of high-risk patients are disproportionately affected by COVID-

19, many patients still remain concerned about the virus. Limitations of this study include single center analysis, sampling bias toward patients willing to be seen in-person, and differences in disease prevalence inherent to certain ages and skin types. This study was conducted before the COVID-19 vaccine was widely available and represents a limited time period.

Potential conflicts of interest

David Rosmarin has received honoraria as a consultant for AbbVie, Boehringer-Ingelheim, Bristol Meyers Squibb, Celgene, Concert, Dermavant, Dermira, Incyte, Janssen, Kyowa Kirin, Lilly, Novartis, Pfizer, Regeneron, Sanofi, Sun Pharmaceuticals, UCB, VielaBio; has received research support from AbbVie, Amgen, Bristol Meyers Squibb, Celgene, Dermira, Galderma, Incyte, Janssen, Lilly, Merck, Novartis, Pfizer, and Regeneron Pharmaceuticals Inc; and has served as a paid speaker for AbbVie, Amgen, Celgene, Janssen, Lilly, Novartis, Pfizer, Regeneron Pharmaceuticals Inc., and Sanofi. Remaining authors declare no conflicts of interest.

References

- Center for Disease Control and Prevention (2020, September 11).
 Delay or Avoidance of Medical Care Because of COVID-19-Related Concerns United States, June 2020.
 https://www.cdc.gov/mmwr/volumes/69/wr/mm6936a4.htm#:~:
 text=As%20of%20June%2030%2C%202020%2C%20an%20estimated%2041%25%20of,avoided%20urgent%20or%20emergency%20care.
 Accessed on March 17, 2021.
- Sze S, Pan D, Nevill CR, et al. Ethnicity and clinical outcomes in COVID-19: A systematic review and meta-analysis. EClinicalMedicine. 2020;29:100630. [PMID: 33200120].
- Center for Disease Control and Prevention. (2021, February 26).
 Older adults at greater risk of requiring hospitalization or dying if diagnosed with COVID-19.

- https://www.cdc.gov/coronavirus/2019-ncov/need-extraprecautions/older-adults.html. Accessed on March 15, 2021.
- 4. Abedi V, Olulana O, Avula V, et al. Racial, Economic, and Health Inequality and COVID-19 Infection in the United States. *J Racial Ethn Health Disparities*. 2021;8:732-742. [PMID: 32875535].
- Center for Disease Control and Prevention (2021, May 7). Scientific Brief: SARS-CoV-2 Transmission. https://www.cdc.gov/coronavirus/2019-ncov/science/sciencebriefs/sars-cov-2-transmission.html. Accessed on August 6, 2021.
- Center for Disease Control and Prevention (2021, May 7). Scientific Brief: SARS-CoV-2 Transmission. https://www.cdc.gov/coronavirus/2019-ncov/science/sciencebriefs/sars-cov-2-transmission.html. Accessed on August 6, 2021.

Table 2. Statistical analyses of questions analyzed by age, race/ethnicity, and education.

				"I am concerned about			"I have avoided or						""	1.1	
	"COVID -19 has had a			coming to a dermatologist's office			delayed seeing a dermatologist			<i>,,</i> ,			"I am concerned that examining under the mask		
										and the second of the second o					
negative impact on my			during the COVID-19			specifically because of		to examine the skin under			9				
	dermatologic care"			pandemic"			COVID-19"			my mask"			COVID"		
Age*	SA/A	SD/D	<u>Total</u>	SA/A	SD/D	<u>Total</u>	SA/A	SD/D	<u>Total</u>	SA/A	SD/D	<u>Total</u>	SA/A	SD/D	<u>Total</u>
18-29 (A1)	8 (14%)	28 (47%)	59	14 (23%)	29 (48%)	60	13 (22%)	45 (75%)	60	28 (47%)	23 (38%)	60	9 (12%)	49 (63%)	78
30-59 (A2)	15 (18%)	48 (59%)	82	24 (29%)	32 (38%)	84	15 (19%)	56 (69%)	81	42 (51%)	23 (28%)	82	18 (22%)	40 (49%)	82
60+ (A3)	10 (21%)	27 (56%)	48	10 (21%)	30 (63%)	48	5 (10%)	41 (85%)	48	22 (46%)	12 (25%)	48	9 (19%)	32 (68%)	47
A1 vs A3, P values	0.317	0.366	-	0.756	0.142	-	0.119	0.182	-	0.931	0.141	-	0.240	0.551	-
A2 vs A3, P values	0.723	0.799	-	0.328	0.00344***	-	0.219	0.0193	-	0.553	0.705	-	0.707	0.0168	-
Race/ethnicity*	SA/A	SD/D	Total	SA/A	SD/D	Total	SA/A	SD/D	Total	SA/A	SD/D	Total	SA/A	SD/D	Total
White (R1)	17 (15%)	73 (64%)	114	26 (23%)	61 (53%)	115	15 (13%)	95 (83%)	115	53 (46%)	40 (35%)	115	19 (17%)	73 (64%)	114
Asian (R2)	12 (34%)	11 (31%)	35	10 (28%)	12 (33%)	36	10 (29%)	21 (60%)	35	14 (40%)	10 (29%)	35	7 (20%)	10 (29%)	35
Non-White** (R3)	20 (23%)	37 (43%)	87	25 (28%)	38 (42%)	90	18 (21%)	60 (69%)	87	43 (49%)	25 (28%)	88	19 (22%)	39 (44%)	88
R1 vs R2, P values	0.00567	< 0.001	-	0.525	0.396	-	0.0155	0.146	-	0.526	0.495	-	0.650	< 0.001	-
R1 vs R3, P values	0.143	0.00120	-	0.0195	0.124	-	0.00258	0.0115	-	0.650	0.335	-	0.375	0.00259	-
Education*	SA/A	SD/D	Total	SA/A	SD/D	<u>Total</u>	SA/A	SD/D	Total	SA/A	SD/D	<u>Total</u>	SA/A	SD/D	<u>Total</u>
Some HS/HS/Trade (E1)	11 (19%)	27 (47%)	57	13 (22%)	28 (48%)	58	7 (13%)	45 (80%)	56	22 (39%)	17 (30%)	57	9 (16%)	33 (58%)	57
Bachelor's (E2)	18 (20%)	51 (55%)	92	20 (22%)	49 (53%)	93	14 (15%)	69 (75%)	92	48 (52%)	26 (28%)	93	16 (17%)	52 (57%)	92
Masters/doctorates (E3)	4 (8%)	33 (67%)	49	16 (32%)	23 (46%)	50	11 (22%)	38 (76%)	50	24 (48%)	22 (44%)	50	11 (22%)	29 (58%)	50
E1 vs E2, P values	0.968	0.338	-	0.896	0.598	-	0.646	0.452	-	0.121	0.806	-	0.799	0.869	-
E1 vs E3, P values	0.101	0.0193	-	0.262	0.813	-	0.194	0.587	-	0.327	0.129	-	0.411	0.991	-

^{*}Answer options included Strongly Agree (SA), Agree (A), Neutral, Disagree (D), Strongly Disagree (SD).

**"Non-White" subgroup consisted of respondents answering either Black, Hispanic, Asian, Mixed, and Other/Unknown for race, which were grouped and analyzed together.

***Statistical tests were conducted using z-tests in R 4.0.3, with statistical significance determined at a P value < 0.05.