

UC Santa Cruz

Recent Work

Title

Nudibranch Systematic Index

Permalink

<https://escholarship.org/uc/item/0hb5d87j>

Author

McDonald, Gary R

Publication Date

2006-07-29

This is an index of my approximately 6,200 nudibranch reprints and books. I have indexed them only for information concerning systematics, taxonomy, nomenclature, & description of taxa (as these are my areas of interest, and to have tried to index for areas such as physiology, behavior, ecology, neurophysiology, anatomy, etc. would have made the job too large and I would have given up long ago). This is a working list and as such is bound to contain errors, but it should allow you to quickly find information concerning the description, taxonomy, or systematics of almost any species of nudibranch. The phylogenetic hierarchy used is based on *Traite de Zoologie*, with a few additions and changes (since this is intended to be an index, and not a definitive classification, I have not attempted to update the hierarchy to reflect recent changes). The full citation for any of the authors and dates listed may be found in the nudibranch bibliography at http://repositories.cdlib.org/ims/Bibliographia_Nudibranchia/. Names in square brackets and preceded by an equal sign are junior synonyms which were listed as such in at least one of the cited papers. If only a generic name is listed in square brackets after a species name, it indicates that the generic allocation of the species has changed, but the specific epithet is the same. (e.g.: *C. batava* Kerbert, 1886:CXXXVIII [=*C. obscura*; =*C. sargassicola*; =*Doridella*]) indicates that at least one of the listed papers considers *C. batava* to be a junior synonym of *C. obscura* and another paper lists *C. batava* as a junior synonym of *C. sargassicola*; and yet another paper considers that proper name to be *Doridella batava*.

A generic name within vertical bars indicates the genus in which the species was originally described. (e.g.: *C. burchi* (Marcus & Marcus, 1967) |*Doridella*|) indicates the *C. burchi* was originally placed in the genus *Doridella*.

An * preceding a species name indicates that the species is the type of the genus.

A † indicates that the publication contains a color illustration of the species, this is included only for articles of which I have original reprints or color photocopies. Articles which contain color illustrations but for which I have only black and white photocopies are not marked as having color illustrations, as I cannot be sure whether an illustration is in color if I have access only to a black and white copy, and this feature was added to the list so that I could quickly determine where to find a color illustration in my library, so indicating that an article has a color illustration when I have only a black and white photocopy is not useful for my purposes.

Order: **Nudibranchia** Blainville, 1814

[Dermobranches Dumeril, 1806; Gymnobranchia Schweigger, 1820; Hydrobranches Lamarck, 1819; Notobranchia Bronn, 1862]

Adams & Adams, 1858:47; Bergh, 1892:4(996); Chenu, 1859:400; Gould, 1870:225; Hayward, Wigham, & Yonow, 1990:696 (key to European families); Hoffmann, 1926:7 (key to families); Jensen, 2000:432; Odhner, 1907:8 (key to families); Parker, 1982:1047; Pruvot-Fol, 1954b:229; Roginskaya, 1987d:155; Schmekel & Portmann, 1982:10 (key to groups); Thiele, 1992:691; Thompson, 1976:15, 103; 1988:106; Thompson & Brown, 1976:14 (key to British families); Thompson & Brown, 1984:3; Willan & Morton, 1984:60

Suborder: **Doridacea** Odhner 1934

[=Anthobranchiata Féruccac, 1819; =Anthobranchia; =Ctenidiacea; =Cyclobranches Blainville; =Doridina Odhner, 1934; =Doridoidea; =Holohepatica Bergh, 1881; =Pygobranchia Gray; =Urobranches Lat.]

Adams & Adams, 1858:48; Bergh, 1905a:88; 1892:79(1071); Burn, 1989:758 (key to families); Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:29; Fischer, 1883:518; Franc, 1968:856; Kay, 1979:457; Jensen, 2000:433; 2000b:621; Jensen & Clark, 1986:451; Nordsieck, 1972:51; Odhner, 1939:25; O'Donoghue, 1924a:542; Parker, 1982:1038; Pruvot-Fol, 1954b:231 (key to European species); Risbec, 1953:16 (key to families & genera); Roginskaya, 1987d:157; Rudman, 1998:990; Schmekel & Portmann, 1982:56; Thiele, 1931:420; 1992:692; Thompson, 1976a:35; 1988:154; Thompson & Brown, 1984:37 (key to British species); Vayssiére, 1913a:312; Wells & Bryce, 1993:74; Willan & Morton, 1984:82

Dorid sp. 1 Hermosillo, 2004:109

Dorid sp. 2 Hermosillo, 2004:109

Dorid sp. 3 Hermosillo, 2004:109

Doride sp. 1 Trainito, 2005:66†

Doride sp. 2 Trainito, 2005:66†

Doride sp. 3 Trainito, 2005:66†

Doride sp. 4 Trainito, 2005:66†

Doridacea sp.1 Ono, 1999:137†

Doridacea sp.2 Ono, 1999:137†

Doridacea sp.3 Ono, 1999:138†

Doridacea sp.4 Ono, 1999:138†

Doridacea sp.5 Ono, 1999:139†

Doridacea sp.6 Ono, 1999:139†

Doridacea sp.7 Ono, 1999:140†

Doridacea sp.A Suzuki, 2000:118†

Doridacea sp.B Suzuki, 2000:118†

- Doridacea sp.C Suzuki, 2000:118†
 Doridacea sp.D Suzuki, 2000:119†
 Doridacea sp.E Suzuki, 2000:119†
 Doridacea sp.F Suzuki, 2000:119†
 Doridacea sp.G Suzuki, 2000:119:†

Superfamily: **Gnathodoridoidea** Odhner, 1968:254
 [=Gnathodoridacea Odhner, 1934]

Franc, 1968:857; Marcus & Marcus, 1962a:269; Nordsieck, 1972:51; Parker, 1982:1039

Doridoxidae Bergh, 1900a:15
 [=Doridomorphidae, =Doridoeididae]

Eliot, 1906e:544; Franc, 1968:857; Just & Edmunds, 1985:44; Nordsieck, 1972:51; Parker, 1982:1039;
 Schrödl, Wägele, & Willan, 2001:83; Thiele, 1926:111; 1931:420; 1992:692; Willan, 1998a:1008

Doridoxa Bergh, 1900a:16

Nordsieck, 1972:51; Thiele, 1931:420; 1992:692

Doridoxa benthalis Barnard, 1963:443
 Schrödl, Wägele, & Willan, 2001:892

**Doridoxa ingolfiana* Bergh, 1900a:16
 Bergh, 1906:pl. 31; Just & Edmunds, 1985:44†; Lemche, 1941a:18; Nordsieck, 1972:51; Odhner,
 1907:19; Schrödl, Wägele, & Willan, 2001:84

Doridoxa ingolfiana var. Bergh, 1900a:18 [=Dermatobranchus walteri]

Bathydorididae Bergh, 1891:126

Bergh, 1892:98(1090); Franc, 1968:857; MacFarland, 1906:113; Parker, 1982:1039; Thiele, 1926:111;
 1931:422; 1992:695

Bathydoris Bergh, 1884a:109

Baranetz, 1995:71; Bergh, 1900a:7; Eliot, 1907b:12; Evans, 1914:191; Odhner, 1907:19; Thiele,
 1931:422; 1992:695; Valdes 2004b:552; Valdes & Bertsch, 2000:177; Wägele, 1989f:273

**Bathydoris abyssorum* Bergh, 1884a:109
 Valdes, 2002a:1085; Wägele, 1989e:363

Bathydoris aioca Marcus & Marcus, 1962a:270
 Behrens, 2004:20; Lance, 1967:410; Valdes & Bertsch, 2000:172

Bathydoris argentina Kaiser, 1980:47 [=B. clavigera]
 Wägele, 1989e:361

Bathydoris browni Evans, 1914:192 [=B. hodgsoni]
 Wägele, 1989e:362

Bathydoris clavigera Thiele, 1912:220 [=*Prodoris*]

Troncoso, García, & García Gómez, 1997:20; Wägele, 1987a:183; 1989:81; 1989e:343; Wägele & Schminke, 1987:†

Bathydoris hodgsoni Eliot, 1907b:12

Valdes, 2002a:1088; Wägele, 1987a:183; 1989e:353

Bathydoris inflata Eliot, 1907b:17 [=*B. hodgsoni*]

Wägele, 1989e:362

Bathydoris ingolfiana Bergh, 1900a:8

Lemche, 1941a:19; Valdes, 2002a:1086

Bathydoris obliquata Odhner, 1934:233 [=*B. clavigera*]

Minichev, 1972a:360

Bathydoris patagonica Kaiser, 1980:45

Schrödl, 2003:90†; Wägele, 1989e:362

Bathydoris violacea Baranetz, 1993:13*Bathydoris vitjazi* Minichev, 1969:51

Wägele, 1989e:363

Prodoris Baranetz, 1997:64*Prodoris clavigera* (Thiele, 1912) |*Bathydoris*|

Baranetz, 1997:64

Superfamily: **Anadoridoidea** Odhner, 1968:254

[=Anadoridacea Odhner, 1934; =Onchidorididae Alder & Hancock, 1845;
=Phanerobranchia Fischer, 1883 (non Ihering, 1876)]

Barnard, 1927:190; Bergh, 1889:849; 1892:137(1129); 1905a:185; Eliot, 1906e:547; Franc, 1968:858;
Nordsieck, 1972:51; O'Donoghue, 1926:201; Parker, 1982:1039; Rudman, 1998:990; Thompson &
Brown, 1984:39; Vayssiére, 1913a:332

Tribe: **Suctoria** Bergh, 1892:155(1147)

Franc, 1968:858; Nordsieck, 1972:51

Corambidae Bergh, 1869, 1892

[=Hypobranchiaeidae Fischer, 1883:530]

Bergh, 1892:165(1157); Eliot, 1910d:159; Franc, 1968:858; Jensen, 2000:434; 2000b:622; MacFarland, 1906:151; Martynov, 1994:4; 1994a:36; 1995:59; Nordsieck, 1972:51; Parker, 1982:1039; Pelseneer, 1892a:144; Pruvot-Fol, 1954b:304; Rudman, 1998:990; Schrödl & Wägele, 2001:10; Thiele, 1926:112; 1931:429; 1992:706; Valdes & Bouchet, 1997:17 (table of genera); Vayssiére, 1913a:362

Corambinae Martynov, 1994:4*Corambe* Bergh, 1869a:359

Bergh, 1871:1293; 1892:166(1158); Fischer, 1891:358; 1895:235; Franc, 1968:858; Kerbert, 1886:CXXXVII; MacFarland & O'Donoghue, 1929:3; Marcus, 1958:56; Martynov, 1994:5; McDonald, 1983:158; McDonald & Nybakken, 1980:40; Nordsieck, 1972:51; Pruvot-Fol, 1954b:304; Swennen & Dekker, 1995:102; Thiele, 1931:430; 1992:706; Vayssiére, 1913a:363

Corambe baratariae (Harry, 1953) |*Corambella*| [=*C. batava*]

Swennen & Dekker, 1992:104

Corambe batava Kerbert, 1886 [=C. obscura; C. sargassicola; =Doridella; =Doridella obscura]

Giard, 1886:136; Jutting & Engel, 1936:51; Swennen & Dekker, 1995:97

Corambe evelinae Marcus, 1958:53 [=Neocorambe]

Corambe lucea Marcus, 1959:61

Schrödl, 2003:52†; Schrödl & Wägele, 2001:5; Schrödl, et al., 2005:27†

Corambe obscura (Verrill, 1870) |Doridella|

Redfern, 2001:171†

Corambe pacifica MacFarland & O'Donoghue, 1929:5 [=Quasicorambe (Gulbinia); =Neocorambe]

Behrens, 1980:58†; 1991:44†; 2004:34; 2005:†; Behrens & Hermosillo, 2005:50†; Farmer, 1980:55; Lamb & Hanby, 2005:257†; MacFarland, 1966:130†; McDonald, 1983:158; McDonald & Nybakken, 1980:40†

**Corambe sargassicola* Bergh, 1871:1294 [=C. obscura]

Fischer, 1891:386

Corambe steinbergae (Lance, 1962) |Doridella|

Behrens & Hermosillo, 2005:50†

Corambe testudinaria Fischer, 1889:381 [=C. sargassicola; =Neocorambe]

Fischer, 1891:360; 1891a:304; Garcia-Gomez, 2002:†; García, Urgorri, & López González, 1990:113; Nordsieck, 1972:52; Pruvot-Fol, 1954b:305; Swennen & Dekker, 1995:102; Vayssiére, 1913a:363

Corambe thompsoni Millen & Nybakken, 1991:209 [=Psammodoris]

Corambe sp.1 Behrens, 1991:44† [=Loy thompsoni]

Behrens, 2004:34

Corambe sp. Gosliner, 1987b:95†

Swennen & Dekker, 1995:104

Subgenus: (*Corambe*)

Martynov, 1994:6

Subgenus: (*Corambella*)

Martynov, 1994:6

Subgenus: Suhinia Martynov, 1994:6

Corambe (*Suhinia*) *steinbergae* (Lance, 1961) |Corambella|

Corambella Balch, 1899:151
[=Doridella]

Franc, 1968:858; MacFarland, 1966:132; Thiele, 1931:430; 1992:706

Corambella baratariae Harry, 1953:1 [=Corambe; =Corambe obscura; ?=Doridella batava; =Doridella obscura]

Marcus & Marcus, 1960b:256

Corambella bolini MacFarland, 1966:134† [=Doridella steinbergae; =Paracorambe]

Corambella carambola Marcus, 1955:163 [=Corambe; =Corambe obscura; =Doridella; =Doridella obscura]

**Corambella depressa* Balch, 1899:151 [=Corambe; =Corambe obscura; =Doridella]

Corambella lucea (Marcus, 1959) |Corambe| [=Neocorambe]

Corambella steinbergae Lance, 1962a:35 [=Doridella; =Paracorambe]
Farmer, 1980:54; Thompson, 1976:†

Corambella sp. Bouchet & Tardy, 1976a:212 [=Corambe batava]
Swennen & Dekker, 1995:100

Corambella sp. Steinberg, 1960:49 & Lance, 1961:67 [=C. steinbergae]

Doridella Verrill, 1870:408

Franz, 1967:73; McDonald, 1983:182; McDonald & Nybakken, 1980:40; Mienis, 1984:1619; Swennen & Dekker, 1995:102; Verrill, 1873:664

Doridella batava (Kerbert, 1886) |Corambe|
Butot, 1984:1480; Swennen, 1987:34

Doridella burchi Marcus & Marcus, 1967b:205 [=Corambe; =Corambe obscura; =Doridella obscura]

**Doridella obscura* Verrill, 1870:408 [=Corambe]
Fischer, 1891:388; Franz, 1967:73; Marcus, 1972:312; Marcus & Marcus, 1967:94; Roginskaya & Grinzov, 1990:855; Verrill, 1873:664

Doridella steinbergae (Lance, 1962) |Corambella| [=Corambe; =Corambe (Suhinia); =Paracorambe]

Behrens, 1980:60†; 1991:44†; 2004:34; Lamb & Hanby, 2005:257†; McDonald, 1983:182; McDonald & Nybakken, 1980:40†; Thompson, 1976a:†; Yonow, 1997:†

Doridella sp. Beesley, Ross, & Wells, 1998:pl. 35†

Hypobranchiae Adams, 1847:23
[=Corambe]

Adams & Adams, 1858:46; Bergh, 1871:1293; Chenu, 1859:399; Fischer, 1883:520; 1891:387; Marcus & Marcus, 1960b:257

Hypobranchiae depressa Adams, 1847:23

**Hypobranchiae fusca* Adams, 1847:24
Marcus & Marcus, 1960b:257

Neocorambe Swennen & Dekker, 1995:104

Neocorambe lucea (Marcus, 1959) |Corambe| [=Corambe]
Schrödl, 1996:29†

**Neocorambe testudinaria* (Fischer, 1889) |Corambe|

Paracorambe Swennen & Dekker, 1995:104

**Paracorambe steinbergae* (Lance, 1962) |Corambella|

Quasicorambe Martynov, 1994:6

Subgenus: (*Gulbinia*) Martynov, 1994:7

Quasicorambe (Gulbinia) lucea (Marcus, 1959) |Corambe| [=Corambe]
Gary McDonald, Long Marine Lab, 100 Shaffer Rd., Santa Cruz, Cal. 95060

Quasicorambe (Gulbinia) pacifica (MacFarland & O'Donoghue, 1929) |*Corambe*|

Subgenus: (*Quasicorambe*) Martynov, 1994:7

Quasicorambe (Quasicorambe) testudinaria (Fischer, 1889) |*Corambe*|

Loyinae Martynov, 1994:7

Loy Martynov, 1994:7

Loy meyeni Martynov, 1994:7

Loy thompsoni (Millen & Nybakken, 1991) |*Corambe*|

Behrens & Hermosillo, 2005:50†

Proloy, Martynov, 1994:11

**Proloy millenae* Martynov, 1994:11

Psammodoris Martynov, 1994:13

**Psammodoris thompsoni* (Millen * Nybakken, 1991) |*Corambe*|

Goniodorididae H. & A. Adams, 1854

[=Okeniidae Iredale & O'Donoghue, 1923]

Bergh, 1883:167; 1905:88; Bouchet & Ortea, 1983:230; Burn, 1961:103; Chenu, 1859:402; Edmunds & Just, 1985:58; Franc, 1968:858; Hayward, Wigham, & Yonow, 1990:714; Hoffmann, 1926:12; Jensen, 2000:434; 2000b:622; Just & Edmunds, 1985:62; Macnae, 1958:364; Nordsieck, 1972:52; Odhner, 1907:23 (key to genera); Parker, 1982:1040; Pruvot-Fol, 1954b:306; Riedl, 1970:427; Roginskaya, 1987d:168; Rudman, 1998:991; Rudman & Darvell, 1990:33; Sachidhanandam, Willan, & Chou, 2000:517 (as Okeniidae); Schmekel & Portmann, 1982:125; Thompson, 1988:154; Thompson & Brown, 1984:39; Vayssi  re, 1913a:342; Wells & Bryce, 1993:74; Willan & Coleman, 1984:18; Willan & Morton, 1984:91

Goniodorididae sp.1 Nakano, 2004:86†

Goniodorididae sp.2 Nakano, 2004:91†

Goniodorididae sp.3 Nakano, 2004:91†

Goniodorididae sp.1 Ono, 2004:95†

Goniodorididae sp.2 Ono, 2004:95†

Goniodorididae sp.1 Suzuki, 2000:54†

Murphydoris Sigurdsson, 1991:259

**Murphydoris singaporensis* Sigurdsson, 1991:260

Murphydoris sp. "GBR Murphydoris" Coleman, 2001:†

Murphydoris sp.1 Marshall & Willan, 1999:69†

Sakishimaia Hamatani, 2001:153

Sakishimaia kondoi Hamatani, 2001:153 [=Okenia]

Ono, 2004:94†

Teshia Edmunds, 1966a:69 [=Okenia]

Vall  s, Vald  s, & Ortea, 2000:16

Gary McDonald, Long Marine Lab, 100 Shaffer Rd., Santa Cruz, Cal. 95060

Teshia digitata Edmunds, 1966a:69 [=Okenia]

Goniodoridinae H. & A. Adams, 1854
[=Okeniidae]

Adams & Adams, 1858:52; Bergh, 1892:155(1146); Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:37; Fez Sanchez, 1974:124; Franc, 1968:858; MacFarland, 1906:143; Nordsieck, 1972:52; Thiele, 1931:428; 1992:704

Goniodoris Forbes & Goodsir, 1839
[=Doriprismatica; =Glossodoris]

Abraham, 1877:236; Alder & Hancock, 1854a:fam. 1, pl. 17; 1864:130; Bergh, 1879a:365; 1880d:113; 1883:173; 1892:162(1154); 1905:88; Chenu, 1859:402; Eliot, 1910d:157; Fez Sanchez, 1974:125; Fischer, 1883:522; Forbes, 1840:104; Forbes & Hanley, 1850-1851:571; Franc, 1968:859; Gray, 1857:211; Jeffreys, 1869:81; Nordsieck, 1972:52; Odhner, 1907:23; Pruvot-Fol, 1954b:307; Risbec, 1928:174; 1953:95; Rudman & Darvell, 1990:34; Schmekel & Portmann, 1982:125; Thiele, 1931:428; 1992:704; Thompson & Brown, 1984:40; Vayssi  re, 1901a:72; 1913a:349

Goniodoris aspersa Alder & Hancock, 1864:131
Eliot, 1906b:1007

Goniodoris atromarginata (Cuvier, 1804) |Doris| [=Casella; =Casella rufomarginata;
=Glossodoris]
Burn, 1965:87

Goniodoris atromarginata minor Angas, 1864:51 [=Glossodoris angasi]

Goniodoris barroisi Vayssi  re, 1901a:76 [=G. castanea]
Nordsieck, 1972:52; Pruvot-Fol, 1954b:307; Vayssi  re, 1913a:353

Goniodoris barvicensis (Johnston, 1838) |Doris| [=G. nodosa]
Forbes, 1840:105; Thompson, 1856:274

Goniodoris bennetti Angas, 1864:51 [=Chromodoris; =Glossodoris; =Hypselodoris]
Burn, 1965:88

Goniodoris castanea Alder & Hancock, 1845:314 (non Ono, 1999:76†, =Goniodoris sp.)
Abe, 1964:43, 85†; Alder & Hancock, 1847b:fam. 1, pl. 19†; Baba, 1955:45†; Ballesteros, 1985:11; Bergh, 1880d:126; 1883:151; 1905:89; Brown & Picton, 1979:9; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:37†; Cesari, 1990:†; Colgan, 1914:203; Dekker, 1989:98; Eliot, 1908a:105; Fez Sanchez, 1974:125†; Forbes & Hanley, 1850-1851:572; Garcia-Gomez, 2002:90†; Garstang, 1890:452; Gosliner, 1987b:93†; Hayward, Wigham, & Yonow, 1990:715; Hunnam & Brown, 1975:145; Jeffreys, 1869:82; Masuda, 1999:98†; Nakano, 2004:84†; Nobre, 1931:45; 1936:31; 1938-40:58; Nordsieck, 1972:52†; Ortea, Moro, Bacallado, & Herrera, 2001:†; Okutani, 2000:779†; Ortea, Moro, Bacallado, P  rez S  nchez, & Vall  s. 1997:127; Perrone, 1986a:24; Picton & Morrow, 1994:52†; Powell, 1979:286; Pruvot-Fol, 1954b:307; Riedl, 1970:427; 1983:331; Rol  n & Otero-Schmitt, 1996:136†; Rudman & Darvell, 1990:34†; Schmekel & Portmann, 1982:130†; Suzuki, 2000:48†; Swennen, 1987:33; Thompson, 1988:156; Thompson & Brown, 1976:80; 1984:40†; Tolmer, 1930:77; Trainito, 2003:25†; 2005:38†; Vayssi  re, 1901a:74; 1913a:352; Vicente, 1967:153; W  gele & Cervera, 2001:61; Walton, 1908:239

Goniodoris castanea var. *pallida* Dautzenberg & Durouchoux, 1913:8 [=G. castanea]

Goniodoris citrina Alder & Hancock, 1864:131
Eliot, 1906b:1007

Goniodoris coelestis Deshayes, 1865, 1866 [=Chromodoris; =Chromodoris orsinii;
=Glossodoris; =Glossodoris tricolor; =Hypselodoris; =Hypselodoris orsinii;
=Hypselodoris tricolor; =Mexichromis tricolor]

- Goniodoris crossei* Angas, 1864:54 [=Chromodoris; =Glossodoris; =Glossodoris diardii; =Hypselodoris; =Hypselodoris infucata; =Hypselodoris obscura]
Burn, 1965:88
- Goniodoris danielsseni* Friele & Hansen, 1876:72
Eliot, 1910d:157; Odhner, 1907:25
- Goniodoris daphne* Angas, 1864:54 [=Chromodoris; =Glossodoris; =Glossodoris marginata]
Burn, 1965:88
- Goniodoris elegans* (Cantraine, 1835) |Doris| [=Chromodoris; =Chromodoris cantrainii]
Fischer, 1872:12; 1874:228
- Goniodoris elegans* Deshayes, 1866 [=Glossodoris gracilis]
- Goniodoris elegans* Frédol, 1864 [=Glossodoris valenciennesi]
- Goniodoris elongata* (Thompson, 1840) |Doris| [=G. nodosa; =Glossodoris]
Thompson, 1856:274
- Goniodoris emarginata* Forbes, 1840:105 [=G. nodosa]
Collingwood, 1861b:41
- Goniodoris erinaceus* Crosse in Angas, 1864:57 [=Glossodoris; =Trippa intecta]
Burn, 1965:88
- Goniodoris felis* Baba, 1949:139†
Rudman & Darvell, 1990:34†; Marshall & Willan, 1999:66†; Nakano, 2004:84†; Ono, 2004:92†;
Suzuki, 2000:49†
- Goniodoris festiva* Angas, 1864:53 [=Chromodoris; =Glossodoris; =Mexichromis]
Burn, 1965:88
- Goniodoris flavidula* Bergh, 1873 [=Glossodoris; =Thorunna furtiva]
- Goniodoris glabra* Baba, 1937c:294 [?=G. joubini]
Abe, 1964:44; Baba, 1949:139†; Orr, 1980:114; 1981:58†; Rudman & Darvell, 1990:35†; Suzuki,
2000:49†
- Goniodoris godeffroyana* (Garrett; Bergh, 1877) |Chromodoris| [=Chromodoris;
=Risbecia]
- Goniodoris infucata* (Rüppell & Leuckart, 1831) |Doris| [=Glossodoris]
- Goniodoris joubini* Risbec, 1928:175†
Coleman, 2001:†; Johnson & Boucher, 1983:282; Kay & Young, 1969:227; Marshall & Willan,
1999:66†; Nakano, 2004:84†; Ono, 2004:93†; Risbec, 1953:95; Willan & Coleman, 1984:18†
- Goniodoris kolabana* Winckworth, 1946a:59
- Goniodoris lamberti* Crosse, 1875:314 [=Chromodoris; =Glossodoris]
- Goniodoris lineata* Gray, 1850a:pl. 200. fig 4; 1850b:104
- Goniodoris loringi* Angas, 1864:52 [=Chromodoris; =Glossodoris]
Burn, 1965:88
- Goniodoris marginata* Forbes, 1840 [=G. nodosa] (probably a reference to *G. emarginata*)

Goniodoris mariei Crosse, 1872:73 [=Dendrodoris; =Doridopsis; =Glossodoris; =Mexichromis]
Crosse, 1872a:153

Goniodoris meraculus Burn, 1958:10
Burn, 1966a:277; 1973a:204; 1989:773

Goniodoris mercurialis Macnae, 1958:365†
Gosliner, 1987b:93†

Goniodoris mimula Marcus, 1955:161

Goniodoris modesta Alder & Hancock, 1864:132
Eliot, 1905f:243

Goniodoris montrouzieri Crosse, 1875:311 [=Chromodoris; =Dendrodoris nigra;
=Doridopsis; =Glossodoris]

**Goniodoris nodosa* (Montagu, 1808) |Doris|

Alder & Hancock, 1846:fam. 1, pl. 18†; Bergh, 1880d:119; Brown & Picton, 1979:9; Colgan, 1914:203;
Evertsen & Bakken, 2001a:13†; Fez Sanchez, 1974:126; Forbes & Hanley, 1850-1851:572; Garstang,
1890:447; Herdman & Clubb, 1889:227; Hayward, Wigham, & Yonow, 1990:715; Hoffmann, 1926:14;
Hunnam & Brown, 1975:145; Jeffreys, 1869:81; Jutting & Engel, 1936:48; Larsen, 1925:34; McMillan,
1968:69; Nobre, 1931:46; 1936:31; 1938-40:58; Nordsieck, 1972:52; Odhner, 1907:25; 1939:41; Picton
& Morrow, 1994:54†; Pruvot-Fol, 1954b:307; Rolán & Otero-Schmitt, 1996:135†; Swennen, 1987:33;
Thompson, 1976:†; 1976a:†; 1988:158†; Thompson & Brown, 1976:80; 1984:41†; Vayssièvre,
1913a:352; Yonow, 1997:†

Goniodoris obscura Stimpson, 1855a:388 [=Glossodoris; =Hypselodoris; =Hypselodoris
infucata]

Goniodoris ovata Barnard, 1934:2

Goniodoris pallida (Rüppell & Leuckart, 1828) |Doris| [=Glossodoris]

Goniodoris paretii Verany
Verany, 2001:65

Goniodoris petiti Crosse, 1875:315 [=Chromodoris; =Dendrodoris erubescens;
=Glossodoris]

Goniodoris picturata Mörch, 1863:35 [=Chromodoris mörchii; =Glossodoris]

Goniodoris pulchella (Rüppell & Leuckart, 1831) |Doris| [=Glossodoris]

Goniodoris pulcherrima (Cantraine, 1835) |Doris| [=Chromodoris villafranca]

Goniodoris punctata Bergh, 1905:91
Eliot, 1907a:349; Powell, 1979:286

Goniodoris regalis Forbes, 1844:186 [=Doriprismatica; =Glossodoris]

Goniodoris rossiteri (Crosse, 1875) |Doris|
Risbec, 1953:57

Goniodoris souverbiei Crosse, 1875:316 [=Chromodoris; =Glossodoris; =Glossodoris
diardii]

Goniodoris splendida Angas, 1864:55 [=Chromodoris; =Glossodoris]
Burn, 1965:88

- Goniodoris sugashimae* Baba, 1960b:82
- Goniodoris tenerrima* Forbes, 1844:186 [=Doriprismatica; =Glossodoris]
- Goniodoris tinctoria* (Rüppell & Leuckart, 1828) |Doris| [=Glossodoris]
- Goniodoris trilineata* Adams & Reeve, 1850:68 [=Glossodoris; =Pectenodoris]
- Goniodoris tryoni* Garrett, 1873:232 [=Chromodoris; =Glossodoris; =Hypselodoris; =Risbecia]
- Goniodoris verrieri* Crosse, 1875:313 [=Chromodoris; =Glossodoris]
- Goniodoris verrucosa* Crosse in Angas, 1864:56 [=Chromodoris; =Glossodoris]
Burn, 1965:88
- Goniodoris violacea* Risbec, 1928:177† [plate VII labeled as Chromodorois violacea]
Coleman, 2001:†; Marshall & Willan, 1999:67†; Risbec, 1953:96
- Goniodoris vividula* Forbes, 1844:186 [=Chromodoris coerulea; =Doriprismatica;
=Glossodoris]
- Goniodoris whitei* Adams & Reeve, 1850:68 [=Glossodoris; =Hypselodoris]
- Goniodoris xantholeuca* (Ehrenberg, 1831) |Doris| [=Glossodoris pallida]
- Goniodoris* sp. Alder & Hancock, 1864:pl. 33, fig. 20 [=Aethedoris indica]
- Goniodoris* sp. “Coleman’s Goniodoris” Coleman, 2001:†
- Goniodoris* sp. “snowflake Goniodoris” Coleman, 2001:†
- Goniodoris* sp. Gosliner, 1987b:93†
- Goniodoris* sp. Hirase, 1927 [=G. castanea]
- Goniodoris* sp.1 Marshall & Willan, 1999:67†
- Goniodoris* sp.1 Nakano, 2004:86†
- Goniodoris* sp.2 Nakano, 2004:86†
- Goniodoris* sp.1 Ono, 2004:93†
- Goniodoris* sp.2 Ono, 2004:94†
- Goniodoris* sp.1 Suzuki, 2000:50†

Subgenus: (*Goniodoridella*) Pruvot-Fol, 1933b:116

- **Goniodoris* (*Goniodoridella*) *savignyi* Pruvot-Fol, 1933b:117 [=Goniodoridella]
Baba, 1960b:81; Pruvot-Fol, 1933a:146

Goniodoridella Pruvot-Fol, 1933

Rudman & Darvell, 1990:35

- Goniodoridella savignyi* Pruvot-Fol, 1933 |*Goniodoris* (*Goniodoridella*)|
Abe, 1964:44, 85†; Marshall & Willan, 1999:65†; Nakano, 2004:83†; Okutani, 2000:779†; Ono,
2004:92†; Rudman & Darvell, 1990:36†; Suzuki, 2000:50†

- Goniodoridella* sp.1 Marshall & Willan, 1999:65†

Lophodoris (Sars, 1878 =nomen nudum) Odhner, 1922

Franc, 1968:8589; Marcus & Marcus, 1970a:72; Nordsieck, 1972:52; Odhner, 1922:25

Lophodoris danielsseni (Friele & Hansen, 1876) |*Goniodoris*|
 Just & Edmunds, 1985:62†; Nordsieck, 1972:52; Odhner, 1922:26; Pruvot-Fol, 1954b:307

Lophodoris scala Marcus & Marcus, 1970a:72

Pelagella Gray, 1850b:105
 [=*Goniodoris*]

Adams & Adams, 1858:57; Chenu, 1859:404

Pelagella paretii Vérany |*Doris*| [=*Goniodoris castanea*]

Pelagella sp. Mörch, 1863:36

Okeniinae Iredale & O'Donoghue, 1923
 Franc, 1968:859; Nordsieck, 1972:52

Cargoa Vogel & Schultz, 1970:388
 [=*Okenia*]

ICZN, 1974:13; Lemche, 1972:196

**Cargoa cupella* Vogel & Schultz, 1970:390 [=*Okenia*]

Idalia Leuckart, 1828:15
 [=*Okenia*] [non Philippi, 1844, =*Caloplocamus*; non Hubner, 1820]

Abraham, 1877:237; Adams & Adams, 1858:61; Alder & Hancock, 1854a:genus 8; Bergh, 1881c:142; 1883:173; 1892:163(1155); 1902:186; 1907:79; Chenu, 1859:406; Eliot, 1910d:158; Fischer, 1883:524; Forbes & Hanley, 1850-1851:578; Gray, 1857:212; Jeffreys, 1869:78; Lemche, 1971:265; Leuckart, 1841:345; O'Donoghue, 1921:176; Odhner, 1907:23; Sars, 1878:313; Vayssiére, 1901a:78; 1913a:353; 1919:76; Vogel & Schultz, 1970:388

Idalia aspersa Alder & Hancock, 1845b:fam. 1, pl. 26† [=*I. cirrigera*; =*Idaliella*; =*Okenia*; =*Okenia quadricornis*]
 Alder & Hancock, 1855:append. 12; Colgan, 1914:204; Forbes & Hanley, 1850-1851:578; Garstang, 1890:180; Hoffmann, 1926:15; ICZN, 1974:13; Jeffreys, 1869:79; Lemche, 1972:196; Odhner, 1907:25

Idalia caudata (Oersted, 1844) |*Idalla*| [=*Idalia aspersa*; =*Okenia elegans*]

Idalia cirrigera (Philippi, 1839) |*Euplocamus*| [=*I. leachii*; =*Okenia elegans*]
 Lovén, 1847:189; Tiberi, 1880:217; Vayssiére, 1913a:354

Idalia crocea (Philippi, 1836) |*Euplocamus*| [=*Euplocamus*; =*Triopa*]
 Tiberi, 1880:216

Idalia dautzenbergi Vayssiére, 1919:79 [=*Okenia*; =*Okenia elegans*]

Idalia dubia Sars, 1835 |*Polycera*| [=*Polycera*]

**Idalia elegans* Leuckart, 1828:15 [=*Okenia*] (non Alder, 1850:112 =*I. leachi*)
 Alder & Hancock, 1854:103; 1855:fam. 1, pl. 27†; Bergh, 1881c:146; Hoffmann, 1926:15; ICZN, 1974:13; Jeffreys, 1869:78; Lemche, 1972:196; Odhner, 1907:25; Vayssiére, 1901a:78; 1913a:354; 1919:78

Idalia inaequalis Forbes, in Forbes & Hanley, 1850-1851:579 [=*Idaliella*; =*Okenia aspersa*; =*Okenia quadricornis*]
 Alder & Hancock, 1855:append. 13; Jeffreys, 1869:80

Idalia laciniosa Philippi, 1844 [=*I. elegans*; =*Okenia elegans*]

Idalia leachii Alder & Hancock, 1855:fam. 1, pl. 27† [=*Idalina*; =*Okenia*]

- Jeffreys, 1869:79; Vayssi  re, 1913a:354
- Idalia mediterranea* Ihering, 1886:39 [=Okenia]
Vayssi  re, 1913a:355
- Idalia modesta* Verrill, 1875a:41 [=Okenia quadricornis]
- Idalia neapolitana* (delle Chiaje, 1841) |*Idalia*| [=Lamellidoris; =Okenia elegans;
=Onchidoris]
Tiberi, 1880:217
- Idalia plebeia* Bergh, 1902:186
- Idalia pulchella* Alder & Hancock, 1854:103 [=Idaliella; =Okenia; =Okenia
quadricornis]
Alder & Hancock, 1855:append. 14; Beaumont, 1900:851; Hoffmann, 1926:15; Jeffreys, 1869:80;
Odhner, 1907:25; Sars, 1878:313; Verrill, 1879a:198
- Idalia pulchella* var. *fusca* Odhner, 1907:25, 101 [=Okenia pulchella] {nom. nov. for *I.
cirrigera*}
- Idalia quadricornis* (Montagu, 1815) |*Doris*| [=Okenia]
Alder & Hancock, 1855:append. 15; Forbes & Hanley, 1850-1851:580; Jeffreys, 1869:80
- Idalia ramosa* (Cantraine, 1836, 1840) |*Doris*| [=Kaloplocamus]
Tiberi, 1880:217
- Idalia ramosa* Philippi
Verany, 2001:68
- Idalia tentaculata* Stimpson, 1855:379
- Idalia vancouverensis* O'Donoghue, 1921:177
- Subgenus: (*Idalia*)
- Bergh, 1892:163(1155)
- Subgenus: (*Idaliella*) Bergh, 1881
- Bergh, 1892:164(1156); Fischer, 1883:525
- Idaliella*** Bergh, 1881
[=Rudman, 2004:5;]
- Barnard, 1927:197; Bergh, 1883:174; Franc, 1968:859; Lemche, 1971:265; Nordsieck, 1972:53; Thiele,
1931:429; Vayssi  re, 1913a:355
- Idaliella amoenula* Bergh, 1907:80
- **Idaliella aspersa* (Alder & Hancock, 1854) |*Idalia*|
Vayssi  re, 1913a:356
- Idaliella pallida* (Agassiz)
Balch, 1910:101
- Idaliella pulchella* (Alder & Hancock, 1854) |*Idalia*| [=Idalia]
Vayssi  re, 1913a:355
- Idaliella quadricornis* (Montagu, 1815) |*Idalia*|
Nordsieck, 1972:53†
- Idalina*** Norman, 1890:74
[=Okenia]

- Vogel & Schultz, 1970:389
- **Idalina elegans* (Leuckart, 1828) |*Idalia*| [=Okenia]
- Idalla*** Oersted, 1844
 { suppressed } [=*Idaliella*] { rejected, ICZN, 1974:13 }
- Lemche, 1972:196; Vogel & Schultz, 1970:392
- **Idalla caudata* Oersted, 1844 [=Okenia aspera; =Okenia quadricornis] { rejected, ICZN, 1974:13 }
- Lemche, 1972:196; Vogel & Schultz, 1970:392
- Okenia** Menke, 1830 (Bronn, 1826 = nomen nudum)
- Bouchet & Ortea, 1983:231; Burn, 1967a:52; Franc, 1968:859; Gosliner, 1996a:202; ICZN, 1974:13; Lemche, 1971:265; 1972:196; McDonald, 1983:195; Morse, 1972:101; Muñoz, Valdes, & Ortea, 1996:101; Pruvot-Fol, 1954b:308; Rudman & Darvell, 1990:38; Nordsieck, 1972:52; Rudman, 2004:5; Schmekel, 1979:355; Schmekel & Portmann, 1982:125; Thiele, 1931:428; 1992:704; Thompson, 1988:160; Thompson & Brown, 1984:42; Vogel & Schultz, 1970:388
- Okenia academica* Camacho-Garcia & Gosliner, 2004:431†
 Camacho-Garcia, Gosliner, & Valdes, 2005:75†
- Okenia amoenula* (Bergh 1907) |*Idaliella*|
 Gosliner, 1987b:92†; Macnae, 1958:368†; Vallès, Valdés, & Ortea, 2000:16
- Okenia angelensis* Lance, 1966:76
 Behrens, 1980:64†; 1991:45†; 2004:34; Behrens & Hermosillo, 2005:51†; Farmer, 1980:135; Gosliner & Bertsch, 2004:418; McDonald, 1983:195; McDonald & Nybakken, 1980:40†; Muñoz, Valdes, & Ortea, 1996:102; Schrödl, 1996:30; 2003:55
- Okenia angelica* Gosliner & Bertsch, 2004:420†
 Behrens & Hermosillo, 2005:52†
- Okenia ascidicola* Morse, 1972:97 [=O. quadricornis]
- Okenia aspersa* (Alder & Hancock, 1845) |*Idalia*| [=O. quadricornis]
 Cervera, López-González, & García-Gómez, 1991:56; Just & Edmunds, 1985:64†; Picton & Morrow, 1994:54†; Thompson, 1988:160; Thompson & Brown, 1976:83; 1984:42†
- Okenia barnardi* Baba, 1937 |*Okenia (Idaliella)*| (non Debelius, 1996:† =O. virginiae)
 Debelius, 1996:†; Nakano, 2004:89†; Rudman, 2004:22†; Rudman & Darvell, 1990:39†
- Okenia brunneomaculata* Gosliner, 2004:129†
- Okenia cirrigera* (Philippi, 1839) |*Idalia*| [=O. elegans]
 O'Donoghue, 1929:776
- Okenia cochimi* Gosliner & Bertsch, 2004:424†
 Behrens & Hermosillo, 2005:52†
- Okenia cupella* (Vogel & Schultz, 1970) |*Cargoa*| [=O. impexa]
 Valdes & Ortea, 1995:230
- Okenia dautzenbergi* Vayssière, 1919 |*Idalia*| [=O. elegans]
 Nordsieck, 1972:52; Pruvot-Fol, 1954b:310
- Okenia digitata* (Edmunds, 1966) |*Teshia*|
 Vallès, Valdés, & Ortea, 2000:18
- Okenia distincta* Baba, 1940 |*Okenia (Okenia)*|
 Nakano, 2004:92†; Okutani, 2000:779†

Okenia echinata Baba, 1949 |*Okenia (Okenia)*|

Nakano, 2004:88†; Rudman, 2004:6†; Suzuki, 2000:52†

**Okenia elegans* (Leuckart, 1826, 1828) |*Idalia*|

Barletta, 1981:48†; Brown & Picton, 1979:9; Hayward, Wigham, & Yonow, 1990:715; Hunnam & Brown, 1975:150; McMillan, 1968:69; Nordsieck, 1972:52; Picton & Morrow, 1994:56†; Pruvot-Fol, 1951:28; 1954b:308; Riedl, 1983:333; Thompson, 1976:†; 1976a:†; 1988:162†; Thompson & Brown, 1976:82†; 1984:43†; Schmekel & Portmann, 1982:125; Vicente, 1967:154

Okenia elegans elegans (Leuckart, 1828) |*Idalia*|

Okenia evelinae Marcus, 1957:438 [=*O. zoobotryon*]

Marcus & Marcus, 1960a:162; 1970a:74

Okenia hallucigenia Rudman, 2004:40†

Okenia hiroi (Baba, 1938) |*Hopkinsiella*|

Gordon & Rudman, 2006:†; Rudman, 2004:42†

Okenia hispanica Valdes & Ortea, 1995:231

Okenia impexa Marcus, 1957:434

Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:39†; Eyster, 1980:589; Redfern, 2001:172†; Schmekel, 1979:355; Schmekel & Portmann, 1982:127; Valdes & Ortea, 1995:229

Okenia impexa banyulensis Schmekel, 1979:357

Okenia japonica Baba, 1949 |*Okenia (Okenia)*|

Gosliner, 2004:131; Rudman, 2004:27; Rudman & Darvell, 1990:39†; Nakano, 2004:89†; Suzuki, 2000:51†

Okenia kendi Gosliner, 2004:135†

Behrens, 2005:†

Okenia kondoi (Hamatani, 2001) |*Sakishimaia*|

Gosliner, 2004:152†

Okenia lambat Gosliner, 2004:139†

Okenia leachi (Alder & Hancock, 1854) |*Idalia*|

Nordsieck, 1972:52; Picton & Morrow, 1994:56†; Pruvot-Fol, 1954b:309; Thompson, 1988:163; Thompson & Brown, 1976:84; 1984:44†

Okenia liklik Gosliner, 2004:141†

Okenia luna Millen, Schrödl, Vargas, & Indacochea, 1994:313

Muñoz, Valdes, & Ortea, 1996:104; Schrödl, 1996:31†; 2003:55†

Okenia mediterranea (Ihering, 1886) |*Idalia*|

Barletta & Melone, 1976:214; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:41†; Cervera, López-González, & García-Gómez, 1991:59; Garcia-Gomez, 2002:†; Moreno & Templado, 1998:53; Nordsieck, 1972:52; Pruvot-Fol, 1951:29; Riedl, 1983:333; Rolán & Otero-Schmitt, 1996:137†; Schmekel, 1979:358; Schmekel & Portmann, 1982:128; Trainito, 2003:25†; 2005:39†; Valdes & Ortea, 1995:225; Wirtz, 1999:†

Okenia mellita Rudman, 2004:19†

Okenia mexicorum Gosliner & Bertsch, 2004:427†

Angullo-Campillo, 2005:†; Behrens & Hermosillo, 2005:52†

Okenia mijia Burn, 1967a:55

Rudman, 2004:29†

- Okenia miramarae* Ortea & Espinosa, 2000a:84
- Okenia modesta* (Verrill, 1875) |*Idalia*
- Okenia nakamotoensis* (Hamatani, 2001) |*Hopkinsia*|
Gosliner, 2004:149†
- Okenia opuntia* Baba, 1960 |*Okenia (Okenia)*| (non Coleman, 2001:† =*O. echinata*)
- Okenia pellucida* Burn, 1967a:52
Coleman, 1989:17†; 2001:†; Gosliner, 2004:126†; Okutani, 2000:779†; Rudman, 2004:25†; Willan & Coleman, 1984:18†
- Okenia pilosa* (Bouchet & Ortea, 1983) |*Hopkinsia*|
Gosliner, 2004:147†; Rudman, 2004:46†
- Okenia plana* Baba, 1960b:80 [= *Doris eolida*; =*Hopkinsia*]
Behrens, 1980:66†; 1991:45†; 2004:34; Behrens & Hermosillo, 2005:53†; Farmer, 1980:136; Gosliner, 2004:144†; McDonald, 1983:195; McDonald & Nybakken, 1980:40†; Powell, 1979:286; Rudman, 2004:49†; Steinberg, 1963:65; Willan & Coleman, 1984:18†; Willan & Morton, 1984:91
- Okenia pulchella* (Alder & Hancock, 1854) |*Idalia*
Brown & Picton, 1979:9; Dekker, 1989:98; Nordsieck, 1972:52; Thompson, 1988:164; Thompson & Brown, 1976:85; 1984:44†
- Okenia purpurata* Rudman, 2004:9†
- Okenia purpureolineata* Gosliner, 2004:133†
- Okenia pusilla* Sordi, 1974:3 [= *O. cupella*; =*O. impexa*]
- Okenia quadricornis* (Montagu, 1815) |*Doris*|
Pruvot-Fol, 1953b:83; Schmekel & Portmann, 1982:129; Valdes & Ortea, 1995:223
- Okenia rosacea* (MacFarland, 1905) |*Hopkinsia*|
Behrens, 2005:†; Behrens & Hermosillo, 2005:53†; Gosliner, 2004:143†; Lamb & Hanby, 2005:261†
- Okenia stellata* Rudman, 2004:35†
- Okenia vancouverensis* O'Donoghue, 1921) |*Idalia*|
Behrens, 1991:45†; 2004:35; Behrens & Hermosillo, 2005:53†; Gosliner & Bertsch, 2004:415; Lamb & Hanby, 2005:257†
- Okenia vena* Rudman, 2004:13†
- Okenia virginiae* Gosliner, 2004:137†
Rudman, 2004:16†
- Okenia zoobotryon* (Smallwood, 1910) |*Polycerella*|
Clark, 1984:94; Edmunds & Just, 1985:58; Jensen & Clark, 1986:453; Ortea, Moro, Bacallado, Pérez Sánchez, & Vallès. 1997:127†; Redfern, 2001:172†; Rudman, 2004:32†; Valdes & Ortea, 1995:227
- Okenia* sp.1 Angullo-Campillo, 2005:†
- Okenia* sp.2 Angullo-Campillo, 2005:†
- Okenia* sp.1 Behrens, 1991:46†
- Okenia* sp.1 Behrens, 2004:20
- Okenia* sp.2 Behrens, 2004:20
- Okenia* sp. Burn, 1966a:277

- Okenia* sp. "Arabian okenia" Coleman, 2001:†
- Okenia* sp. "black-tipped okenia" Coleman, 1989:17†; 2001:† [=*O. mellita*]
- Okenia* sp. "Carol's okenia" Coleman, 2001:† [=*O. purpurata*]
- Okenia* sp. "Coleman's okenia" Coleman, 2001:†
- Okenia* sp. "orange okenia" Coleman, 2001:† [=*O. stellata*]
- Okenia* sp. "pink okenia" Coleman, 2001:† [=*O. hallucigenia*]
- Okenia* sp. "purple-tipped okenia" Coleman, 2001:†
- Okenia* sp. "red stripe okenia" Coleman, 2001:† [=*O. stellata*]
- Okenia* sp. "Sydney okenia" Coleman, 2001:† [=*O. mija*]
- Okenia* sp. "white-speckled" Coleman, 2001:†
- Okenia* sp. Gosliner, 1987b:92† [=*O. virginiae*]
- Okenia* sp. Gosliner, 1996a:202
Behrens, 2004:20
- Okenia* sp.1 Gosliner, Behrens, & Williams, 1996:171† [=*O. nakanotoensis*]
- Okenia* sp.2 Gosliner, Behrens, & Williams, 1996:171†
- Okenia* sp. Kay & Young, 1969:227
- Okenia* sp. Morton & Miller, 1968 [=*O. pellucida*]
- Okenia* sp.1 Nakano, 2004:89†
- Okenia* sp.2 Nakano, 2004:90†
- Okenia* sp.3 Nakano, 2004:90†
- Okenia* sp.4 Nakano, 2004:90†
- Okenia* sp.5 Nakano, 2004:91†
- Okenia* sp.1 Ono, 2004:95†
- Okenia* sp. Steinberg, 1960:49 [=*O. plana*]
Steinberg, 1963:65
- Okenia* sp.1 Suzuki, 2000:52†
- Okenia* sp.2 Suzuki, 2000:53†
- Okenia* sp. Wirtz, 1999:†
- Subgenus: (*Idalia*)
- Okenia (Idalia) dautzenbergi* Vayssi  re, 1919 |*Idalia*| [=*O. elegans*]
Pruvot-Fol, 1954b:310
- Okenia (Idalia) mediterranea* (Ihering, 1886) |*Idalia*|
Pruvot-Fol, 1954b:311
- Okenia (Idalia) pulchella* (Alder & Hancock, 1854) |*Idalia*|
Pruvot-Fol, 1954b:310

Subgenus: (*Idaliella*) Bergh

Marcus, 1957:440

Okenia (Idaliella) barnardi Baba, 1937c:295*Okenia (Idaliella) quadricornis* (Montagu, 1815) |*Doris*|

Pruvot-Fol, 1954b:310; Schmekel & Portmann, 1982:129; Valdes & Ortea, 1995:223

Subgenus: (*Okenia*)*Okenia (Okenia) babai* Hamatani, 1961c:363*Okenia (Okenia) barnardi* Baba, 1937 |*Okenia (Idaliella)*|

Abe, 1964:43

Okenia (Okenia) distincta Baba, 1940:104

Abe, 1964:42

Okenia (Okenia) echinata Baba, 1949:138†

Abe, 1964:42

Okenia (Okenia) japonica Baba, 1949:138†

Abe, 1964:42

Okenia (Okenia) opuntia Baba, 1960b:80*Okenia (Okenia) plana* Baba, 1960b:80 [= *Doris eolida*; =*Hopkinsia*]*Okenia (Okenia) sapelona* Marcus & Marcus, 1967b:203 [=*O. mediterranea*]

Aculinae Pruvot-Fol, 1954

Franc, 1968:859; Nordsieck, 1972:53

Ancula Lovén, 1846:137

Abraham, 1877:238; Adams & Adams, 1858:62; Alder & Hancock, 1847b:fam. 1, pl. 25†; 1854a:genus 7; Bergh, 1881a:629; 1883:174; 1892:164(1156); Eliot, 1910d:158; Fischer, 1883:525; Fischer & Ortea, 1996:90; Forbes & Hanley, 1850-1851:580; Franc, 1968:860; Gould, 1870:233; Gray, 1857:213; Jeffreys, 1869:77; MacFarland, 1906:147; McDonald, 1983:143; McDonald & Nybakken, 1980:40; Meyer & Möbius, 1865:59; Nordsieck, 1972:53; Odhner, 1907:23; Pruvot-Fol, 1954b:311; Roginskaya, 1987d:168; Thiele, 1931:429; 1992:705; Thompson, 1988:166†; Thompson & Brown, 1984:46; Vayssière, 1913a:357

**Ancula cristata* (Alder, 1841) |*Polycera*| [=*A. gibbosa*]

Bergh, 1881a:631; Colgan, 1914:204; Filatova & Zatsepin, 1948:398; Forbes & Hanley, 1850-1851:580; Garstang, 1889:190; Gurjanowa, 1927:26; Herdman, 1890:43; 1890c:43; Herdman & Clubb, 1889:227; 1890:134; 1892a:134; Hoffmann, 1926:15; Hunnam & Brown, 1975:150; Jeffreys, 1869:77; Jutting & Engel, 1936:49; Larsen, 1925:35; Lemche, 1938:24; 1941a:25; Meyer & Möbius, 1865:59†; Odhner, 1907:26; 1939:41; Roginskaya, 1962:92; 1976:24; 1987d:168; Thompson & Brown, 1976:86; Vayssière, 1913a:359; Walton, 1908:240

Ancula cristata sulphurea Stimpson, 1854 |*Ancula sulphurea*|*Ancula cristata* var. Cocks, 1852:1*Ancula espinosai* Ortea, 2001:49†*Ancula evelinae* Marcus, 1961a:144

Eyster, 1980:589

Ancula fuegiensis Odhner, 1926:45

Fischer & Ortea, 1996:91; Munoz & Ortea, 1994:131; Schrödl, 1996:30; 2003:54

Ancula fusca (Lafont, 1874) |*Drepania*| [=*Drepania*]

Ancula gibbosa (Risso, 1818) |*Tritonia*|

Baba, 1990:9; Behrens & Hermosillo, 2005:51†; Brown & Picton, 1979:10; Dekker, 1989:100; Hayward, Wigham, & Yonow, 1990:715; Lamb & Hanby, 2005:260†; Meyer, 1970:140; Nakano, 2004:83†; Nordsieck, 1972:53†; Picton & Morrow, 1994:58†; Pruvot-Fol, 1954b:312; Swennen, 1987:33; Thompson, 1988:166†; Thompson & Brown, 1984:46†

Ancula kariyana Baba, 1990

Nakano, 2004:82†

Ancula (Eucrairia) kariyana Baba, 1990:14

Ancula lentiginosa Farmer & Sloan, 1964:148

Behrens, 1980:50†; 1991:46†; 2004:35; Behrens & Hermosillo, 2005:51†; Farmer, 1980:146; Fischer & Ortea, 1996:91; McDonald, 1983:143; McDonald & Nybakken, 1980:40†; Munoz & Ortea, 1994:132

Ancula mapae (Burn, 1961) |*Drepaniella*|

Ancula pacifica MacFarland, 1905:53 [=*A. gibbosa*]

Behrens, 1980:52†; 1991:46†; 2004:35; Farmer, 1980:145; Goddard, 1984:146; Guernsey, 1912:75; MacFarland, 1906:148†; 1966:123†; Marcus, 1961:29; McDonald, 1983:144; McDonald & Nybakken, 1980:40†

Ancula sulphurea Stimpson, 1853:26 [=*A. cristata*; =*A. gibbosa*]

Eliot, 1910d:158; Gould, 1870:233†

Ancula sp. Gosliner, 1987b:94†

Ancula sp. Kent, 1893

Basedow & Hedley, 1905:148

Ancula sp.1 Suzuki, 2000:53†

Ancula sp. Takahashi, 1970:9 [=*A. pacifica*]

Bermudella Odhner, 1941:16

Franc, 1968:860

Bermudella polycerelloides Ortea & Bouchet, 1983:50 [=*Okenia zoobotryon*]

Ortea, Moro, Bacallado, Pérez Sánchez, & Vallès. 1997:128

**Bermudella zoobotryon* |*Polycerella*| (Smallwood, 1910) [=*Okenia*]

Eyster, 1980:590

Drepania Lafont, 1874:369

(non Hubner, 1816) [=*Drepanida*; =*Trapania*]

Baba, 1935a:337 (synopsis of species); Bergh, 1881a:635; 1883:152, 175; 1892:164(1156); Fischer, 1883:525; Ihering, 1886:36; Pruvot-Fol, 1931:309; Vayssiére, 1913a:356

**Drepania fusca* Lafont, 1874:369 [=*Trapania*]

Drepania graeffei Bergh, 1881a:636 [=*Trapania fusca*]

Ihering, 1886:37; Vayssiére, 1913a:357

Drepania japonica Baba, 1935a:336 [=*Trapania*]

Drepania tartanella Ihering, 1886:37 [=*Trapania fusca*]

Vayssiére, 1913a:356

Drepania velox (Cockerell, 1901) |*Thecacera*| [=*Trapania*]

MacFarland, 1929:487

Drepanida MacFarland, 1931
[=*Trapania*]

MacFarland, 1931:31; Thiele, 1931:429; 1992:705

Drepanida fusca (Lafont, 1874) |*Drepania*|

Drepanida graeffei (Bergh, 1881) |*Drepania*|

Drepanida tartanella (Ihering, 1886) |*Drepania*|

Drepanida velox (Cockerell, 1901) |*Thecacera*| [=*Trapania*]

Drepaniella Burn, 1961

Burn, 1961a:51; Marcus, 1972a:297

**Drepaniella mapae* Burn, 1961:102 [=*Eucrairia*]

Eucrairia Burn, 1961, 1962
[=*Ancula*]

Burn, 1961a:51

Eucrairia fuegiensis (Odhner, 1926) |*Ancula*|

Burn, 1961a:51

**Eucrairia mapae* (Burn, 1961) |*Drepaniella*|

Burn, 1966a:277

Miranda Alder & Hancock, 1845, 1847
[=*Ancula*]

Chenu, 1859:406

**Miranda cristata* Alder & Hancock, 1847 [=*Ancula gibbosa*]

Spahria Risbec, 1928:180

Franc, 1968:860; Risbec, 1953:97; Thiele, 1931:429; 1992:706

Spahria minima Risbec, 1928:180†

Risbec, 1953:97

Trapania Pruvot-Fol, 1931:309

Cervera, Garcia-Gomez, & Megina, 2000:22 (table of Atlantic & Mediterranean species); Franc, 1968:860; Miller, 1981:5; McDonald, 1983:214; McDonald & Nybakken, 1980:40; Nordsieck, 1972:53; Pruvot-Fol, 1954b:313; Rudman, 1987:189; Rudman & Darvell, 1990:40; Schmekel & Portmann, 1982:125; Thompson, 1988:168; Thompson & Brown, 1984:47

Trapania aurata Rudman, 1987:206

Coleman, 1989:18†; 2001:†; Debelius, 1996:†; Marshall & Willan, 1999:69†; Ono, 2004:97†; Rudman & Darvell, 1990:40†

Trapania aureopunctata Rudman, 1987:203

Trapania benni Rudman, 1987:193

Coleman, 2001:†

Trapania brunnea Rudman, 1987:190

Coleman, 1989:18†; 2001:†; Ono, 1999:75†; 2004:96† Willan, 1989a:182

Trapania dalva Marcus, 1972a:296

Cervera, Garcia-Gomez, & Megina, 2000:†; Redfern, 2001:172†

- Trapania darvelli* Rudman, 1987:206
 Ono, 2004:97†; Rudman & Darvell, 1990:†
- **Trapania fusca* (Lafont, 1874) [*Drepania*]
 Kress, 1970:113; Nordsieck, 1972:53; Pruvot-Fol, 1954b:313; Riedl, 1983:331; Schmekel & Portmann, 1982:132
- Trapania goddardi* Hermosillo & Valdes, 2004:556†
 Behrens & Hermosillo, 2005:54†
- Trapania goslineri* Millen & Bertsch, 2000:354†
 Behrens, 2005:†; Behrens & Hermosillo, 2005:54†; Hermosillo-Gonzalez, 2003:24†
- Trapania graeffei* (Bergh, 1880) [*Drepania*] [=*T. fusca*]
 Nordsieck, 1972:53
- Trapania hispalensis* Cervera & García-Gómez, 1989:193†
 Cervera, Garcia-Gomez, & Megina, 2000:†; Garcia-Gomez, 2002:†; Perrone, 1990b:23; Trainito, 2005:40†
- Trapania inbiotica* Camacho-Garcia & Ortea, 2000:322†
 Camacho-Garcia, Gosliner, & Valdes, 2005:74†
- Trapania japonica* (Baba, 1935) [*Drepania*]
 Baba, 1990:8; Nakano, 2004:93†; Rudman, 1987:197; Rudman & Darvell, 1990:41†
- Trapania lineata* Haefelfinger, 1960a:229
 Ballesteros, 1985:13; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:43†; Cervera, Garcia-Gomez, & Megina, 2000:†; Riedl, 1983:333; Schmekel & Portmann, 1982:133†; Thompson, 1976a:†; Trainito, 2003:25†; 2005:39†; Turk, 2000:163†; Vicente, 1967:154
- Trapania luquei* Ortea, 1989:21†
 Cervera, Garcia-Gomez, & Megina, 2000:†; Moro, Ortea, & Bacallado, 1997:119†
- Trapania maculata* Haefelfinger, 1960a:226
 Ballesteros, 1985:12; Barletta & Melone, 1976:†; Brown & Picton, 1976:63; 1979:10; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:45†; Cervera & García-Gómez, 1988:161; 1989:†; Cervera, Garcia-Gomez, & Megina, 2000:†; Garcia-Gomez, 2002:†; George & George, pl. 90†; Parent, Breton, & Reboux, 2001[2000]:21; Picton & Morrow, 1994:58†; Rolán & Otero-Schmitt, 1996:139; Templado, Talavera, & Murillo, 1987:93; Thompson, 1988:168†; Thompson & Brown, 1976:88; 1984:48†; Trainito, 2003:26†; 2005:1, 40†; Turk, 2000:163†; Walls, 1982:316†
- Trapania maringa* Marcus, 1957:442
- Trapania orteai* Cervera & García-Gómez, 1989:190†
 Cervera, Garcia-Gomez, & Megina, 2000:†; Garcia-Gomez, 2002:91†; Gavaia, Malaquias, Calado, & Urgorri, 2003:107†; Perrone, 1990b:23
- Trapania pallida* Kress, 1968 [=*T. maculata*]
 Brown & Picton, 1979:10; Cervera, Garcia-Gomez, & Megina, 2000:†; Garcia-Gomez, 2002:†; Hayward, Wigham, & Yonow, 1990:715; Kress, 1970:111; Ortea & Urgorri, 1981:51; Picton & Morrow, 1994:60†; Thompson, 1988:170; Thompson & Brown, 1976:87; 1984:48†
- Trapania reticulata* Rudman, 1987:201
- Trapania rudmani* Miller, 1981:6
 Coleman, 2001:†; Enderby & Enderby, 2005:9†; Willan & Coleman, 1984:18; †Willan & Morton, 1984:92
- Trapania safracornia* Fahey, 2004:2†
- Trapania sanctipetrensis* Cervera, Garcia-Gomez, & Megina, 2000:18†
 Gary McDonald, Long Marine Lab, 100 Shaffer Rd., Santa Cruz, Cal. 95060

- Garcia-Gomez, 2002:†
- Trapania tartanella* (Ihering, 1886) [*Drepania*] [=*T. graeffei*]
Cervera, Garcia-Gomez, & Megina, 2000:†; Garcia-Gomez, 2002:†; Ortea, Quero, Rodriguez, & Valdés, 1989:242; Templado, Luque, & Moreno, 1988:16
- Trapania toddi* Rudman, 1987:204
Coleman, 2001:†; Marshall & Willan, 1999:70†; Nakano, 2004:93†; Rudman & Darvell, 1990:†
- Trapania velox* (Cockerell, 1901) [*Thecacera*]
Behrens, 1980:70†; 1991:47†; 2004:35; Behrens & Hermosillo, 2005:54†; Farmer, 1980:154; MacFarland, 1966:127†; McDonald, 1983:214; McDonald & Nybakken, 1980:40†
- Trapania* sp.1 Behrens, 1991:47† [=*T. goslineri*]
Behrens, 2004:35
- Trapania* sp. Bertsch & Kerstitch, 1984:264
- Trapania* sp Camacho-Garcia, Gosliner, & Valdes, 2005:75†
- Trapania* sp. “red-fringed Trapania” Coleman, 2001:†
- Trapania* sp.1 Gosliner, 1987b:94†
- Trapania* sp.1 cf. *brunnea* Rudman 1987
Nakano, 2004:92†; Ono, 2004:96†
- Trapania* sp.2 Gosliner, 1987b:94†
- Trapania* sp. 2 cf. *brunnea* Rudman 1987
Ono, 2004:96†
- Trapania* sp. Kay & Young, 1969:228
- Trapania* sp. Kerstitch, 1988:†
- Trapania* sp. Masuda, 1999:97†
- Trapania* sp. Moreno & Templado, 1998:53†
- Trapania* sp.2
Nakano, 2004:93†
- Trapania* sp. 3 Nakano, 2004:94†
- Trapania* sp. 4 Nakano, 2004:94†
- Trapania* sp. 5 Nakano, 2004:94†
- Trapania* sp. 6 Nakano, 2004:95†
- Trapania* sp. 7 Nakano, 2004:95†
- Trapania* sp. Ono, 1999:75†
- Trapania* sp. 3 Ono, 2004:97†
- Trapania* sp. 4 Ono, 2004:98†
- Trapania* sp. 5 Ono, 2004:99†
- Trapania* sp. 6 Ono, 2004:99†
- Trapania* sp.A Tonozuka 2003:71†

Hopkinsiinae Odhner, 1968

Franc, 1968:860

Hopkinsia MacFarland, 1905:53 [=Okenia]

Bouchet & Ortea, 1983:231; Franc, 1968:860; MacFarland, 1906:149; McDonald, 1983:190; McDonald & Nybakken, 1980:42; Rudman & Darvell, 1990:36; Thiele, 1931:429; 1992:705

Hopkinsia hiroi (Baba, 1938) |*Hopkinsiella*| [=Okenia]

Masuda, 1999:79†; Nakano, 2004:87†; Okutani, 2000:779†; Rudman & Darvell, 1990:38†; Suzuki, 2000:51†

Hopkinsia nakamotoensis Hamatani, 2001:151 [=Okenia]

Nakano, 2004:88†

Hopkinsia pilosa Bouchet & Ortea, 1983:227 [=Okenia]

Marshall & Willan, 1999:67†; Nakano, 2004:87†; Rudman & Darvell, 1990:36†

Hopkinsia plana (Baba, 1960) |Okenia| [=Doris eolida]

Ono, 2004:94†; Rudman & Darvell, 1990:37†

****Hopkinsia rosacea*** MacFarland, 1905:54 [=Okenia]

Behrens, 1980:62†; 1991:47†; 2004:35; Bertsch, 1981b:†; Farmer, 1980:129; Lance, 1969:†; 1983:†; MacFarland, 1906:149†; 1966:125†; Marcus, 1961:29; McDonald, 1983:190; McDonald & Nybakken, 1980:42†

Hopkinsia sp. Beesley, Ross, & Wells, 1998:pl. 35†

Hopkinsia sp. Debelius, 1996:†

Hopkinsia sp.1 Marshall & Willan, 1999:68† [=Okenia hallucigenia]

Hopkinsia sp.2 Marshall & Willan, 1999:68† [=Okenia stellata]

Hopkinsia sp. Wells & Bryce, 1993:74† [=Okenia stellata]

Hopkinsiella Baba, 1938:9

[=Hopkinsia]

Franc, 1968:860

****Hopkinsiella hiroi*** Baba, 1938:10 [=Hopkinsia; = Okenia]

Baba, 1949:139†

Akiodorididae Millen & Martynov, 2005:2

Akiodoris Bergh, 1879

[*Aciodoris*]

Bergh, 1879a:354; 1880a:201; 1883:169; 1892:158(1150); Fischer, 1883:524; Millen & Martynov, 2005:3; Thiele, 1931:426; 1992:702

****Akiodoris lutescens*** Bergh, 1880a:202

Millen & Martynov, 2005:3

Akiodoris salacia Millen in Millen & Martynov, 2005:7

Behrens & Hermosillo, 2005:58†

Akiodoris sp.1 Behrens, 1991:51† [=A. salacia]

***Armodoris* Minichev, 1972a:366**

Millen & Martynov, 2005:11

***Armodoris antarctica* Minichev, 1972a:366**

Millen & Martynov, 2005:11

***Doridunculus* Sars, 1878**

Bergh, 1883:169; 1892:158(1150); Eliot, 1910d:154; Fischer, 1883:523; Franc, 1968:861; Nordsieck, 1972:53; Odhner, 1907:23; Sars, 1878:309; Thiele, 1931:426; 1992:702; Vayssi  re, 1913a:343

****Doridunculus echinulatus* Sars, 1878:309**

Eliot, 1910d:154; Nordsieck, 1972:53; Odhner, 1907:23; 1926a:25; Vayssi  re, 1913a:343

***Doridunculus pentabranchus* Odhner, 1907:100 [=*D. echinulatus*]**

Eliot, 1910d:154; Hoffmann, 1926:12; Odhner, 1907:23

Doridunculus unicus* Martynov & Roginskaya, 2005:135**Echinocorambe* Valdes & Bouchet, 1998:15*****Echinocorambe brattegardi* Valdes & Bouchet, 1998:15*****Prodoridunculus* Thiele, 1912:222**

Boss & Bieler, 1991:47; Thiele, 1931:427; 1992:702

Prodoridunculus gaussianus* Thiele, 1912:222*Onchidorididae Alder & Hancock, 1845**

[=Lamellidorididae Pruvot-Fol, 1954; =Onchidoridae; =Pseudodorididae Eliot, 1910]

Adams & Adams, 1858:57; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:31; Chenu, 1859:404; Fahey & Valdes, 2005:214; Franc, 1968:861; Gray, 1850:206; Hayward, Wigham, & Yonow, 1990:712; Jensen, 2000:434; Just & Edmunds, 1985:66; Nordsieck, 1972:53; Odhner, 1926:46; Parker, 1982:1040; Pruvot-Fol, 1931:315; Pruvot-Fol, 1954b:295; Roginskaya, 1987d:160; Rudman, 1998:992; Rudman & Darvell, 1990:41; Sachidhanandam, Willan, & Chou, 2000:517; Schmekel & Portmann, 1982:118; Thiele, 1931:426; 1992:701; Thompson, 1988:172; Thompson & Brown, 1984:49; Willan & Morton, 1984:93

Onchidorididae sp.A Lemche in Edmunds & Just, 1985:74†

Onchidorididae sp.B Lemche in Edmunds & Just, 1985:76† [=*Adalaria jannae*]***Acanthodoris* Gray, 1850b:103**

Abraham, 1877:228; Adams & Adams, 1858:56; Bergh, 1879a:356; 1880a:237; 1883:170; 1890a:988; 1892:158(1158); 1905:93; Chenu, 1859:404; Eliot, 1910d:155; Fahey & Valdes, 2005:215; Fischer, 1883:523; Franc, 1968:861; Gray, 1857:207; MacFarland, 1906:146; 1925:49; McDonald, 1983:131; McDonald & Nybakken, 1980:42; Nordsieck, 1972:53; O'Donoghue, 1921:168; Odhner, 1907:23; Pruvot-Fol, 1935:251; 1954b:303; Roginskaya, 1987d:161; Sars, 1878:308; Thiele, 1931:427; 1992:702; Thompson, 1988:194; Thompson & Brown, 1984:62; Vayssi  re, 1913a:345

***Acanthodoris armata* O'Donoghue, 1927:4**

Fahey & Valdes, 2005:235

***Acanthodoris atrogriseata* O'Donoghue, 1927:2**

Fahey & Valdes, 2005:235

Acanthodoris bifida* (Verrill, 1870) |*Doris*| [=*A. stellata*]**Acanthodoris brunnea* MacFarland, 1905:52**

Behrens, 1980:46†; 1991:48†; Behrens & Hermosillo, 2005:55†; Fahey & Valdes, 2005:218†; Farmer, 1980:137; Lamb & Hanby, 2005:255; MacFarland, 1906:146†; 1925:53; 1966:118†; McDonald, 1983:131; McDonald & Nybakken, 1980:42†; Nakano, 2004:95†; O'Donoghue, 1921:171

Acanthodoris caerulescens Bergh, 1880a:252

Fahey & Valdes, 2005:235

Acanthodoris citrina Verrill, 1879:313 [=*A. pilosa*]

Acanthodoris columbina MacFarland, 1926:94 [=*A. nanaimoensis*]

Lance, 1983:†; MacFarland, 1966:121; Steinberg, 1963:64

Acanthodoris falklandica Eliot, 1907a:358

Fahey & Valdes, 2005:221; Marcus, 1959:60; Odhner, 1926:46; Schrödl, 1996:29†; 2003:51†; Schrödl, et al., 2005:27†

Acanthodoris globosa Abraham, 1877:262

Eliot, 1907a:350; Fahey & Valdes, 2005:235; Powell, 1979:286

Acanthodoris hudsoni MacFarland, 1905:51

Behrens, 1980:46†; 1991:48†; Behrens & Hermosillo, 2005:55†; Fahey & Valdes, 2005:223†; Lamb & Hanby, 2005:254; MacFarland, 1906:144; 1925:51; McDonald, 1983:133; McDonald & Nybakken, 1980:42†; O'Donoghue, 1921:170

Acanthodoris lutea MacFarland, 1925:60

Behrens, 1980:48†; 1991:48†; 2004:36; Behrens & Hermosillo, 2005:55†; Fahey & Valdes, 2005:224†; Farmer, 1980:138; Lamb & Hanby, 2005:255; MacFarland, 1966:120; McDonald, 1983:133; McDonald & Nybakken, 1980:42†

Acanthodoris metulifera Bergh, 1905:98

Fahey & Valdes, 2005:235

Acanthodoris mollicella Abraham, 1877:262 [=*A. pilosa* var. *novzealandiae*]

Eliot, 1907a:349; Fahey & Valdes, 2005:235; Powell, 1979:286; Willan & Morton, 1984:93

Acanthodoris nanaimoensis O'Donoghue, 1921:172

Behrens, 1980:48†; 1991:49†; 2004:36; Behrens & Hermosillo, 2005:56†; Fahey & Valdes, 2005:226†; Farmer, 1980:139; Lamb & Hanby, 2005:255; Lee & Foster, 1985:443; McDonald, 1983:133; McDonald & Nybakken, 1980:42†; Steinberg, 1963:64

Acanthodoris nanega Burn, 1969:91

Fahey & Valdes, 2005:229

Acanthodoris ornata Verrill, 1879:313 [=*A. pilosa*]

Eliot, 1910d:155

**Acanthodoris pilosa* (Abildgaard in Müller, 1789) |*Doris*|

Baba, 1935c:117; 1957:13; Behrens, 1991:49†; Behrens & Hermosillo, 2005:56†; Bergh, 1880a:239; 1890a:989; Brown & Picton, 1979:10; Colgan, 1914:201; Dekker, 1989:100; Derjugin, 1915:547; Evertsen & Bakken, 2001a:13†; Fahey & Valdes, 2005:215†; Filatova & Zatsepin, 1948:399; Garcia-Gomez, 2002:93†; Hayward, Wigham, & Yonow, 1990:712; Herdman & Clubb, 1889:226; Hoffmann, 1926:13; Jutting & Engel, 1936:43; Lamb & Hanby, 2005:255; Larsen, 1925:28; Lemche, 1938:21; Løyning, 1927:250; McDonald, 1983:134; McDonald & Nybakken, 1980:42†; Meyer, 1970:137; Mörch, 1868:203; Nakano, 2004:96†; Nordsieck, 1972:53†; Odhner, 1939:39; O'Donoghue, 1921:168; 1924:30; Odhner, 1907:24; Picton & Morrow, 1994:70†; Pruvot-Fol, 1935:251; 1954b:304; Roginskaya, 1985a:236; 1987d:161; Swennen, 1987:35; Roginskaya, 1962:92; Sars, 1878:308; Thompson, 1988:194; Thompson & Brown, 1976:90; 1984:62†; Vayssiére, 1913a:346; Walton, 1908:238

Acanthodoris pilosa var. *albescens* Bergh, 1880

- Acanthodoris pilosa* var. *fusca* Lovén
Hoffmann, 1926:13; Odhner, 1907:24
- Acanthodoris pilosa* var. *novzealandiae* Bergh, 1905:94
- Acanthodoris pilosa* *ornata* (Verrill, 1879) |*Acanthodoris ornata*|
- Acanthodoris pilosa* var. *pallida* Bergh, 1905:97
- Acanthodoris pilosa pilosa* Abildgaard, 1789 |*Acanthodoris pilosa*|
- Acanthodoris pilosa* var. *purpurea* Bergh, 1880a:247
O'Donoghue, 1924:31
- Acanthodoris pina* Marcus & Marcus, 1967:201
Behrens & Hermosillo, 2005:56†; Fahey & Valdes, 2005:230†; Farmer, 1980:140
- Acanthodoris planca* Fahey & Valdes, 2005:236†
- Acanthodoris quadrangulata* (Alder & Hancock) |*Doris*| [=*A. pilosa*] |
- Acanthodoris rhodoceras* Cockerell in Cockerell & Eliot, 1905:38
Behrens, 1980:48†; 1991:49†; 2004:36; Behrens & Hermosillo, 2005:57†; Fahey & Valdes, 2005:231†;
Farmer, 1980:141; MacFarland, 1925:55; Marcus, 1961:26; McDonald, 1983:136; McDonald &
Nybakken, 1980:42†
- Acanthodoris serpentinotus* Williams & Gosliner, 1979:216†
Fahey & Valdes, 2005:234†
- Acanthodoris sibirica* (Aurivilius, 1887) |*Doris (Adalaria)*|
Odhner, 1907:24
- Acanthodoris stellata* (Linnaeus)
Pruvot-Fol, 1935:254
- Acanthodoris stellata* Verrill, 1879:313 [=*A. pilosa*] |
- Acanthodoris stohleri* Lance, 1968:8 [=*A. pina*] |
- Acanthodoris subquadrata* (Alder & Hancock, 1845, 1851) |*Doris*|
Nordsieck, 1972:54; Pruvot-Fol, 1954b:304; Vayssière, 1913a:346
- Acanthodoris uchidai* Baba, 1935c:119
Fahey & Valdes, 2005:235
- Acanthodoris vatheleti* Rochebrune & Mabille, 1889:11
Fahey & Valdes, 2005:235; Schrödl, 2003:90
- Acanthodoris* sp. Gosliner, 1987b:91†
- Acanthodoris* sp. Marcus, 1972
- Acanthodoris* sp. MacGinitie & MacGinitie, 1949 [=*A. rhodoceras*] |
- Acanthodoris* sp. Pruvot-Fol, 1935:255
- Adalaria*** Bergh, 1878
Bergh, 1879a:360; 1880a:224; 1883:170; 1892:159(1151); 1908:161; Eliot, 1910d:155; Fischer,
1883:524; Franc, 1968:861; Nordsieck, 1972:53; Odhner, 1907:23; Roginskaya, 1987d:166; Thiele,
1931:427; 1992:703; Thompson, 1988:174; Thompson & Brown, 1984:49; Vayssière, 1913a:346
- Adalaria albopapillosa* Dall, 1871:137 [=*A. proxima*] |
Bergh, 1880a:232

Adalaria derjugini Volodchenko, 1941:53, 62

Adalaria "hellmanni" Lemche

Jensen & Knudsen, 1995:32

Adalaria jannae Millen, 1987:2696

Behrens, 1991:50†; Behrens & Hermosillo, 2005:57†; Fahey & Valdes, 2005:239; Lamb & Hanby, 2005:256†

**Adalaria loveni* (Alder & Hancock, 1854) |*Doris*|

Bergh, 1880a:234; Brown & Picton, 1979:11; Eliot, 1910d:108; Hoffmann, 1926:13; Just & Edmunds, 1985:78†; Larsen, 1925:30; Løyning, 1927:250; Nordsieck, 1972:53; Odhner, 1907:24; Roginskaya, 1987d:166; Thompson, 1988:174; Thompson & Brown, 1976:94; 1984:49

Adalaria pacifica Bergh, 1880a:227 [=*A. proxima*]

Bergh, 1908:162

Adalaria proxima (Alder & Hancock, 1854) |*Doris*|

Baranetz, 2000:116; Barletta, 1981:50; Behrens, 1991:50†; Behrens & Hermosillo, 2005:57†; Bergh, 1880a:225; Brown & Picton, 1979:11; Colgan, 1913a:33; 1914:201; Fahey & Valdes, 2005:241; Hayward, Wigham, & Yonow, 1990:714; Hoffmann, 1926:13; Jensen & Knudsen, 1995:32; Lamb & Hanby, 2005:256; Lemche, 1938:21; Nakano, 2004:96†; Nordsieck, 1972:53†; Odhner, 1939:39; Picton & Morrow, 1994:60†; Roginskaya, 1987d:166; Thompson, 1958:49; 1976a:†; 1988:176†; Thompson & Brown, 1976:92; 1984:50†; Vayssiére, 1913a:347; Walls, 1982:308†

Adalaria sibirica Aurivillius, 1887 |*Doris (Adalaria)*| [=*Calycidoris guentheri*]

Adalaria tschuktschiana Krause, 1885:296

Adalaria virescens Bergh, 1880a:230 [=*A. proxima*]

Adalaria sp. Behrens, 1980:100† [=*A. jannae*]

Adalaria sp.1 Behrens, 1991:50†

Behrens, 2004:36; Behrens & Hermosillo, 2005:58†

Adalaria sp. Goddard, 1984:145

Adalaria sp. Jaeckle, 1984:209

Adalaria sp. Lamb & Hanby, 2005:256†

Adalaria sp.A Lemche in Just & Edmunds, 1985:80†

Adalaria sp.B Lemche in Just & Edmunds, 1985:82†

Adalaria sp.C Lemche in Just & Edmunds, 1985:84†

Adalaria sp. Levenstein & Pasternak, 1973:1101 [=*Doridunculus unicus*]

Adalaria sp. Nakano, 2004:96†

Ancylodoris Dybowski, 1900:143
[=*Lamellidoris*; = *Onchidoris*]

Boss, 1973:11; Thiele, 1931:428; 1992:704

**Ancylodoris baicalensis* Dybowski, 1900:143

Boss, 1973:11; Cockerell, 1927:553; Dybowski, 1901:141; Lindholm, 1927:168

Arctadalaria Roginskaya, 1971:1154, 1157

Arctadalaria septentrionalis Roginskaya, 1971:1154

Arctadalaria spiculoides (Volodchenko, 1941) |*Lamellidoris*|

Arctadalaria tschuktschica (Krause, 1885) |*Adalaria*|

Atalodoris Iredale & O'Donoghue, 1923:221 [=*Onchidoris*]
[*Ataladoris*]

Thiele, 1931:428

**Atalodoris pusilla* (Alder & Hancock, 1845) |*Doris*| [=*Lamellidoris*]

Calycidoris Abraham, 1876a:132
[Roginskaya, 1972 created family Calycidorididae for this genus]

Abraham, 1877:224; Bergh, 1883:172; 1892:(1154); Eliot, 1907a:359; Fahey & Valdes, 2005:242;
Franc, 1968:861; Thiele, 1931:427; 1992:702

**Calycidoris guntheri* Abraham, 1876a:133

Behrens, 2004:20; Eliot, 1907a:359; Fahey & Valdes, 2005:243; Roginskaya, 1972:913; Schrödl,
2003:90

Calycidoris sibirica Aurivillius |*Doris (Adalaria)*| [=*C. guntheri*]

Diaphorodoris Iredale & O'Donoghue, 1923:221

Fahey & Valdes, 2005:246; Millen, 1985:90; Nordsieck, 1972:54; Portmann & Sandmeier, 1960a:174;
Rudman & Darvell, 1990:41; Schmekel & Portmann, 1982:118; Thiele, 1931:428

Diaphorodoris lirulatocauda Millen, 1985:84

Behrens, 1991:51†; Behrens & Hermosillo, 2005:58†; Fahey & Valdes, 2005:248

**Diaphorodoris luteocincta* (Sars, 1870) |*Doris*| [=*Onchidoris*]

Ballesteros, 1985:13; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:31†; Fahey & Valdes,
2005:246; Garcia-Gomez, 2002:94†; Just & Edmunds, 1985:66†; Lamb & Hanby, 2005:256†; Luque,
1983:63; Nordsieck, 1972:54†; Picton & Morrow, 1994:68†; Pruvot-Fol, 1932a:323; 1951:30;
1954b:302; Schmekel & Portmann, 1982:122†; Trainito, 2003:26†; 2005:40†; Wirtz, 1998a:†; Wirtz &
Martins, 1993:56

Diaphorodoris luteocincta var. *alba* Portmann & Sandmeier, 1966 [=*Onchidoris*
luteocincta]

Nordsieck, 1972:54; Portmann & Sandmeier, 1960a:182

Diaphorodoris luteocincta papillata Portmann, 1960 [=*D. papillata*]
Nordsieck, 1972:54

Diaphorodoris luteocincta reticulata Portmann & Sandmeier, 1960a:181 [=*Onchidoris*
luteocincta]

Diaphorodoris mitsuii (Baba, 1938) |*Lamellidoris*|

Baba, 1988d:83; 1988h:1; Fahey & Valdes, 2005:249; Masuda, 1999:123†; Millen, 1985:90; Nakano,
2004:97†; Okutani, 2000:783†; Rudman & Darvell, 1990:41†; Suzuki, 2000:106†

Diaphorodoris papillata Portmann & Sandmeier, 1960a:182

Ballesteros, 1985:13; Calado & Urgorri, 1998:99; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli,
1990:33†; Fahey & Valdes, 2005:253; Garcia-Gomez, 2002:95†; Riedl, 1983:333; Schmekel &
Portmann, 1982:124; Trainito, 2003:26†; 2005:41†; Turk, 2000:163†

Diaphorodoris sp. Gosliner, 1987b:92† [=*D. mitsuii*]

Lamellidoris Alder & Hancock, 1855:xvii, 1876
[=*Diaphorodoris*; =*Onchidoris*]

Abraham, 1877:225; Bergh, 1878b:603; 1879a:362; 1880a:207; 1883:171; 1890a:985; 1892:160(1152); 1894:191; 1900a:2; Eliot, 1910d:155; Fischer, 1883:524; Franc, 1968:861; Nordsieck, 1972:54; O'Donoghue, 1921:174; Odhner, 1907:23; Pruvot-Fol, 1954b:295; Sars, 1878:306; Vayssi  re, 1913a:347

Lamellidoris acutiuscula (Moller, 1842) |*Doris*|

Odhner, 1907:25

Lamellidoris albonigra Pruvot-Fol, 1951:30 [=*Onchidoris*]

Nordsieck, 1972:54; Pruvot-Fol, 1954b:300

Lamellidoris aspera (Alder & Hancock, 1842, 1845) |*Doris*| [=*L. muricata*; =*Onchidoris*]

Evans & Evans, 1917:108; Hoffmann, 1926:14; Jutting & Engel, 1936:45; Odhner, 1907:24; Pruvot-Fol, 1954b:298

Lamellidoris aureopuncta Verrill, 1901:31

Lamellidoris beringi Volodchenko, 1941:54, 63

**Lamellidoris bilamellata* (Linnaeus, 1761, 1767) |*Doris*| [=*Onchidoris*; =*Onchidoris fusca*] (non H  gg, 1905 =*Cadlina laevis*)

Bergh, 1878b:606; 1880a:211; 1883:150; 1905:101; Colgan, 1914:202; H  gg, 1905:103; Hoffmann, 1926:13; Jutting & Engel, 1936:46; M  rnoch, 1868:203; Nordsieck, 1972:54+; O'Donoghue, 1921:174; 1922:126; Odhner, 1907:24; Pruvot-Fol, 1954b:296; Sars, 1878:306; Vayssi  re, 1913a:348; Walton, 1908:239

Lamellidoris bilamellata var. *liturata* (Beck) Bergh, 1878b:609

Odhner, 1907:24

Lamellidoris bilamellata var. *pacifica* Bergh, 1880

Bergh, 1894:192

Lamellidoris bilamellata var. *pacifica* Bergh, 1880

Lamellidoris bouvieri Vayssi  re, 1919:72 [=*Lamellidoris neapolitana*; =*Onchidoris*]

Lamellidoris depressa (Alder & Hancock, 1842, 1845) |*Doris*| [=*Onchidoris*] (non Schmekel, 1968 =*Onchidoris bouvieri*)

Eliot, 1906c:346; Nordsieck, 1972:54; Pruvot-Fol, 1954b:298; Vayssi  re, 1913a:349

Lamellidoris derelicta (Fischer, 1867) |*Doris*|

Lamellidoris diademata (Agassiz, 1850) |*Doris*|

Lamellidoris diaphana (Alder & Hancock, 1845) |*Doris*|

Hoffmann, 1926:14; Nordsieck, 1972:54; Odhner, 1907:24; Pruvot-Fol, 1954b:297; Vayssi  re, 1913a:348

Lamellidoris echinata (Lov  n, 1846) |*Doris*|

Lamellidoris elfortiana (Blainville, 1816) |*Doris*| (non M  rnoch, 1868 =*Acanthodoris pilosa*)

Lamellidoris eubalia (Fischer, 1872) |*Doris*|

Lamellidoris (Lamellidoris) fusca (M  ller, 1776) |*Doris*|
Baba, 1957:11

Lamellidoris graeffei Bergh, 1890a:986 [=*Lamellidoris neapolitana*]

Lamellidoris grisea (Stimpson, MS, Gould, 1870) |*Doris*|
Balch, 1910:101

- Lamellidoris hystricina* Bergh, 1878b:614 [=Onchidoris]
Bergh, 1880a:219
- Lamellidoris inconspicua* (Alder & Hancock, 1851) |Doris| [=Onchidoris]
Hoffmann, 1926:14; Nordsieck, 1972:54; Odhner, 1907:25; Pruvot-Fol, 1954b:298
- Lamellidoris lactea* Verrill, 1900:548
Verrill, 1901:32
- Lamellidoris liturata* (Beck in Möller, 1842) |Doris| [=Onchidoris bilamellata]
- Lamellidoris loveni* (Alder & Hancock, 1862) |Doris| [=Adalaria]
- Lamellidoris luteocincta* (Sars, 1870) |Doris| [=Diaphorodoris]
Eliot, 1910d:109†; Farran, 1905:208; Hoffmann, 1926:14; Odhner, 1907:25; Vayssiére, 1913a:349
- Lamellidoris maculata* (Garstang, 1895) |Doris| [=Doridigitata sticta]
- Lamellidoris maugeensis* Burn, 1958:9
- Lamellidoris miniata* Verrill, 1901:32
- Lamellidoris muricata* (Müller, 1776) |Doris| [=Onchidoris]
Bergh, 1880a:221; 1900a:2; Derugin, 1915:548; Hoffmann, 1926:13; Larsen, 1925:31; Mörch, 1867:75; Odhner, 1907:24; Pruvot-Fol, 1954b:300; Sars, 1878:307; Vayssiére, 1913a:348
- Lamellidoris neapolitana* (delle Chiaje, 1841) |Idalia| [=Onchidoris]
Nordsieck, 1972:54; Pruvot-Fol, 1954b:299
- Lamellidoris oblonga* (Alder & Hancock, 1851) |Doris| [=Onchidoris]
Eliot, 1906c:346; Nordsieck, 1972:54; Pruvot-Fol, 1954b:298
- Lamellidoris olivacea* (Verrill, 1900) |Doris|
Verrill, 19901:33
- Lamellidoris proxima* (Alder & Hancock, 1845) |Doris|
Sars, 1878:307
- Lamellidoris pusilla* (Alder & Hancock, 1845) |Doris| [=Atalodoris]
Eliot, 1906c:347; Hoffmann, 1926:14; Nordsieck, 1972:54; Odhner, 1907:24; Pruvot-Fol, 1954b:298
- Lamellidoris quadrimaculata* Verrill, 1900:549
- Lamellidoris scutigera* (Orbigny, 1837) |Villiersia|
Pruvot-Fol, 1954b:300
- Lamellidoris sparsa* (Alder & Hancock, 1845) |Doris| [=Onchidoris] (non Mörch, 1868
=Acanthodoris pilosa)
Farran, 1904:3; Garstang, 1889:179; Hoffmann, 1926:14; Mörch, 1867:75; Nordsieck, 1972:54; Odhner, 1907:24; Pruvot-Fol, 1954b:298
- Lamellidoris spiculoides* Volodchenko, 1941:55, 63
- Lamellidoris tenella* (Agassiz, 1850) |Doris|
Balch, 1910:101
- Lamellidoris tenella* (Gould, 1870) |Doris|
- Lamellidoris tuberculata* (Hutton, 1873) |Onchidoris|
- Lamellidoris ulidiana* (Thompson, 1845) |Doris| [=L. neapolitana; =Onchidoris;
=Onchidoris neapolitana]
Eliot, 1910d:108†; Nordsieck, 1972:54; Pruvot-Fol, 1951:30; 1954b:298

- Lamellidoris varians* Bergh, 1878b:613
- Lamellidoris varians* var. Bergh, 1880a:218
- Lamellidoris* sp. Beaumont, 1900:850
- Lamellidoris* sp. Farran, 1904:3
- Lamellidoris* n. sp.35 Mörch, 1871:179
- Lamellidoris* n. sp.38 Mörch, 1871:180
- Lamellidoris* n. sp. vel var. *praecedentis* Mörch, 1868:204 [= *Onchidoris bilamellata*]
Subgenus: (*Adalaria*) Bergh, 1880
- Lamellidoris* (*Adalaria*) *loveni* (Alder & Hancock, 1862) |*Doris*|
Pruvot-Fol, 1954b:302
- Lamellidoris* (*Adalaria*) *proxima* (Alder & Hancock, 1845) |*Doris*|
Pruvot-Fol, 1954b:301
Subgenus: (*Lamellidoridella*) Baba, 1938:130
- Lamellidoris* (*Lamellidoridella*) *mitsuii* Baba, 1938a:130 [= *Diaphorodoris*]
Abe, 1964:41; Baba, 1949:137†
- Oicodespina*** Gistl, 1848
[= *Okiodespina*] [= *Onchidoris*]
- Onchidoris*** Blainville, 1816
[*Onchidorus*; *Onchidora*; *Oncidiadoris*; *Oncodoris*]
Adams & Adams, 1858:58; Blainville, 1825:489; Chenu, 1859:404; Cuvier, 1830:52; 1834:37; Fahey & Valdes, 2005:255; Gray, 1857:207; Iredale & O'Donoghue, 1923:219; McDonald, 1983:196; McDonald & Nybakken, 1980:42; Ortea & Ballesteros, 1982:240 (key to European species); Rang, 1829:133; Roginskaya, 1987d:162; Schmekel & Portmann, 1982:118; Thiele, 1931:427; 1992:703; Thompson, 1988:178; Thompson & Brown, 1984:53; Voigt, 1834:117
- Onchidoris albonigra* (Pruvot-Fol, 1951) |*Lamellidoris*|
Ballesteros, 1985:13; Ortea & Ballesteros, 1982:248; Perrone, 1986a:25; Schmekel & Portmann, 1982:118
- Onchidoris aspera* (Alder & Hancock, 1842) |*Doris*| [= *O. muricata*]
- Onchidoris bilamellata* (Linnaeus, 1767) |*Doris*| [= *O. fusca*]
Behrens, 1980:66†; 1991:51†; 2004:36†; Behrens & Hermosillo, 2005:59†; Brown & Picton, 1979:11; Dekker, 1989:100; Evertsen & Bakken, 2001a:13†; Fahey & Valdes, 2005:255; Farmer, 1980:142; Hayward, Wigham, & Yonow, 1990:714; Hunnam & Brown, 1975:150; Lamb & Hanby, 2005:257†; Lemche, 1938:19; 1941a:20; Marcus, 1958:27; 1961:27; McDonald, 1983:196; McDonald & Nybakken, 1980:42†; Nakano, 2004:97†; Odhner, 1939:40; Picton & Morrow, 1994:62†; Roginskaya, 1987d:163; Swennen, 1987:34; Thompson, 1988:178; Thompson & Brown, 1976:97; 1984:53†
- Onchidoris bilamellata* var. *pacifica* (Bergh, 1878) |*Lamellidoris*|
- Onchidoris bouvieri* (Vayssière, 1919) |*Lamellidoris*|
Schmekel & Portmann, 1982:120
- Onchidoris cervinoi* Ortea & Urgorri, 1979a:507
Ortea. 1979a:29
- Onchidoris depressa* (Alder & Hancock, 1842) |*Doris*|

Brown & Picton, 1979:12; Hayward, Wigham, & Yonow, 1990:714; Just & Edmunds, 1985:68†; Ortea & Ballesteros, 1982:240; Picton & Morrow, 1994:62†; Thompson, 1988:180; Thompson & Brown, 1976:100; 1984:54†

Onchidoris diaphana Alder & Hancock, 1845 |*Doris*| [=*O. muricata*]

Onchidoris fusca (Müller, 1776) |*Doris*| [=*O. bilamellata*]

Filatova & Zatsepin, 1948:399; Meyer, 1970:139; O'Donoghue, 1927:9; Roginskaya, 1976:24

Onchidoris grisea (Stimpson MS, Gould, 1870) |*Doris*|

Verrill, 1870:407

Onchidoris hystricina (Bergh, 1878) |*Lamellidoris*| (non Behrens, 1980:66†; non Jaeckle, 1984:209; non McDonald, 1983:198; non McDonald & Nybakken, 1980:44† non Nybakken & McDonald, 1981:440, =*Diaphorodoris lirulatocauda*)
Farmer, 1980:143; Marcus, 1961:28

Onchidoris inconspicua (Alder & Hancock, 1851) |*Doris*|

Hunnam & Brown, 1975:148; Ortea & Ballesteros, 1982:244; Picton & Morrow, 1994:64†; Thompson, 1988:182; Thompson & Brown, 1976:100; 1984:56†

**Onchidoris leachii* Blainville, 1816 [=*O. bilamellata*; =*O. fusca*]

Kelaart, 1859:304; 1883:100; Voigt, 1834:117

Onchidoris luteocincta (Sars, 1870) |*Doris*| [=*Diaphorodoris*]

Brown & Picton, 1979:12; Hayward, Wigham, & Yonow, 1990:714; Hunnam & Brown, 1975:147; Thompson, 1976a:†; 1988:184†; Thompson & Brown, 1976:102†; Thompson & Brown, 1984:58†

Onchidoris maugeensis (Burn, 1958) |*Lamellidoris*|

Coleman, 2001:†

Onchidoris muricata (Müller, 1776) |*Doris*| (non McDonald, 1975, nor McDonald & Nybakken, 1978, nor Nybakken, 1978, nor Nybakken & McDonald, 1981, nor Roller, 1970 =*Adalaria jannae*)

Behrens, 1980:66†; 1991:52†; Behrens & Hermosillo, 2005:59†; Brown & Picton, 1979:11; Dekker, 1989:100; Fahey & Valdes, 2005:258; Filatova & Zatsepin, 1948:399; Goddard, 1984:152; Hayward, Wigham, & Yonow, 1990:714; Hunnam & Brown, 1975:148; Lemche, 1938:20; 1941a:22; Løyning, 1927:251; McMillan, 1968:69; Meyer, 1970:140; Millen, 1985:80; Odhner, 1939:40; Picton & Morrow, 1994:64†; Roginskaya, 1962:91; 1987d:164; Swennen, 1987:35; Thompson, 1988:186; Thompson & Brown, 1976:98; 1984:58†

Onchidoris neapolitana (delle Chiaje, 1841) |*Idalia*|

Ballesteros, 1985:13; Ortea & Ballesteros, 1982:246; Riedl, 1983:333; Sánchez-Santos, 2005:45; Schmekel & Portmann, 1982:121

Onchidoris oblonga (Alder & Hancock, 1845) |*Doris*|

Brown & Picton, 1979:12; Picton & Morrow, 1994:66†; Thompson, 1988:188; Thompson & Brown, 1976:100; 1984:59†

Onchidoris pallida Verrill, 1870 [=*O. aspersa*; =*O. muricata*]

Verrill, 1873:665

Onchidoris papillata (Portmann & Sandmeier, 1960) |*Diaphorodoris*|

Onchidoris pusilla (Alder & Hancock, 1845) |*Doris*|

Brown & Picton, 1979:13; Ortea, 1979e:167; Picton & Morrow, 1994:66†; Thompson, 1988:190; Thompson & Brown, 1976:104; 1984:60†

Onchidoris reticulata Ortea, 1979e:169

Ortea, 1979a:29; Ortea, Llera, & Vizcaino, 1982:85

Onchidoris sparsa (Alder & Hancock, 1846) |*Doris*|

Ballesteros, 1984:137; Brown & Picton, 1979:12; Hunnam & Brown, 1975:148; Ortea, 1979c:45; Perrone, 1990b:23; Picton & Morrow, 1994:68†; Rolán & Otero-Schmitt, 1996:140†; Thompson, 1988:192; Thompson & Brown, 1976:102; 1984:62†

Onchidoris tenella (Gould, 1870) |*Doris*|

Verrill, 1870:407

Onchidoris tridactila Ortea & Ballesteros, 1982:241*Onchidoris tuberculatus* Hutton, 1873:54*Onchidoris ulidiana* (Thompson, 1845) |*Lamellidoris*| [=*O. muricata*]*Onchidoris varians* (Bergh, 1878) |*Lamellidoris*|*Onchidoris* sp. Garcia-Gomez, 2002:†*Onchidoris* sp. Goddard, 1984:152 [=*Diaphorodoris lirulatocauda*]*Onchidoris* sp.A Lemche in Just & Edmunds, 1985:70†*Onchidoris* sp.B Lemche in Just & Edmunds, 1985:72†*Onchidoris* sp. McDonald, 1983:198 [=*Adalaria jannae*]*Onchidoris* sp. McDonald & Nybakken, 1980:44† [=*Adalaria jannae*]*Onchidoris* sp. McDonald & Nybakken, 1981 [=*Adalaria jannae*]*Onchidoris* sp. Marshall & Willan, 1999:70†*Onchidoris* sp. Roller & Long, 1969 [=*Adalaria jannae*]

Subgenus: (*Atalodoris*) Iredale & O'Donoghue, 1923

Thiele, 1992:703

Subgenus: (*Diaphorodoris*) Iredale & O'Donoghue, 1923

Thiele, 1992:70

Subgenus: (*Onchidoris*) Blainville, 1816

Thiele, 1992:703

Proctaporia Mörch, 1857:78

[=*Onchidoris*]

Proctaporia fusca* (Fabricius, 1780) Mörch |*Doris*| [=*Doris pallida*]*Villiersia*** Orbigny, 1837:14

(non Locard, 1886) [=*Onchidoris*]

Adams & Adams, 1858:58; Chenu, 1859:404; Fischer, 1867:7; 1883:524; Gray, 1857:207; Lovén, 1841:231; 1842:361

**Villiersia scutigera* Orbigny, 1837:15 [=*Lamellidoris*; =*Lamellidoris depressa*]
Fahey & Valdes, 2005:260**Tribe: Nonsuctoria** Bergh, 1892:141(1133)

Franc, 1968:861; Nordsieck, 1972:55

Triophidae Odhner, 1941:12
[=Kaloplocamidae Pruvot-Fol, 1954]

Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:47; Cattaneo-Vietti & Sordi, 1988:49; Franc, 1968:861; Hayward, Wigham, & Yonow, 1990:718; Jensen, 2000:435; 2000b:622; Nordsieck, 1972:55; Parker, 1982:1040; Rudman & Darvell, 1990:42; Sachidhanandam, Willan, & Chou, 2000:516; Schmekel & Portmann, 1982:105; Thompson, 1988:196; Thompson & Brown, 1984:64

Triophinae Odhner, 1968

Cattaneo-Vietti & Sordi, 1988:56 (table of genera); Franc, 1968:861; Kay, 1979:476; Rudman, 1998:993

Cabrilla Fewkes, 1889:139
[=*Triopha*]

**Cabrilla occidentalis* Fewkes, 1889:140 [=*Triopha*]
O'Donoghue, 1926:215

Crimora Alder & Hancock, 1862:263

Abraham, 1877:231; Bergh, 1883:161; 1892:148(1140); Eliot, 1910d:152; Fischer, 1883:525; Franc, 1968:862; Jeffreys, 1869:73; McDonald, 1983:163; McDonald & Nybakken, 1980:44; Pruvot-Fol, 1954b:326; Schmekel & Portmann, 1982:105; Thiele, 1931:424; 1992:698; Thompson, 1988:196; Thompson & Brown, 1984:64†; Vayssiére, 1913a:338

Crimora coneja Marcus, 1961:25

Behrens, 1980:58†; 1991:52†; 2004:37; 2005:†; Behrens & Hermosillo, 2005:60†; Farmer, 1980:161; Lance, 1969:†; McDonald, 1983:163; McDonald & Nybakken, 1980:44†

Crimora lutea Baba, 1949:133† (non Allan, 1957:4 =*Plocamopherus* sp.)

Coleman, 1989:9†; 2001:†; Marshall & Willan, 1999:49†; Nakano, 2004:103†; Ono, 2004:105†; Wells & Bryce, 1993:76†; Willan & Coleman, 1984:10†

Crimora multidigitalis (Burn, 1957) |*Euphurus*|

Burn, 1966a:276

**Crimora papillata* Alder & Hancock, 1862:263

Ballesteros, 1985:13; Barletta, 1981:52†; Barletta & Melone, 1976:216; Brown & Picton, 1979:13; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:47†; Eliot, 1910d:110†; Garcia-Gomez, 2002:95†; Haefelfinger, 1962:161; Hayward, Wigham, & Yonow, 1990:718; Hunnam & Brown, 1975:143; Jeffreys, 1869:74; Nordsieck, 1972:55; Ortea, Moro, Bacallado, Pérez Sánchez, & Vallès, 1997:128†; Picton & Morrow, 1994:70†; Pruvot-Fol, 1954b:326; Rolán & Otero-Schmitt, 1996:139†; Schmekel & Portmann, 1982:107†; Thompson, 1976:†; 1988:196; Thompson & Brown, 1976:106; Trainito, 2003:26†; 2005:44†; Turk, 2000:163†; Vayssiére, 1913a:338

Crimora sp. Gosliner, 1987b:95†

Euplocamus Philippi, 1836:103

(non Latreille, 1809) [=*Idalia*; =*Kaloplocamus*; =*Triopa*]

Alder, 1845:264; Barnard, 1927:194; Bergh, 1879e:27; 1880c:184; 1883:165; 1884a:56; 1892:153(1145); 1892b:11; 1898:533; 1907:70; Fischer, 1883:527; Gray, 1857:215; Ihering, 1886:35; Leuckart, 1841:345; Misuri, 1917:82; Pruvot-Fol, 1931:308; Vayssiére, 1901a:65; 1913a:341

Euplocamus atlanticus Bergh, 1892b:12 [=*Kaloplocamus*]

Bergh, 1899:19

Euplocamus capensis Bergh, 1905 | *Euplocamus croceus* var. *capensis* | [=*Kaloplocamus*]

Euplocamus cirrigera Philippi, 1839:115 [=*Idalia*]
Philippi, 1840:89

- Euplocamus claviger* (Müller, 1776) |*Doris*| [=Limacia; =Triopa]
Thompson, 1856:275
- **Euplocamus croceus* Philippi, 1836:103 [=Idalia; =Kaloplocamus ramosus; =Triopa]
Barnard, 1927:194; Bergh, 1879e:29; 1883:142; Ihering, 1886:35; Mazzarelli, 1903:296; 1905:1;
Misuri, 1917:82; Odhner, 1923:5; Vayssi  re, 1901a:66; 1913a:342
- Euplocamus croceus* Bergh, 1879 [=Kaloplocamus ramosus]
- Euplocamus croceus* var. *capensis* Bergh, 1907:71 [=Kaloplocamus ramosus]
- Euplocamus cuvieri* Tyzenhaus, 1846
- Euplocamus frondosus* Philippi, 1839:114 [=Kaloplocamus ramosus; *E. croceus*;
=Idalia; =Triopa croceus]
Philippi, 1840:88
- Euplocamus holboelli* M  ller, 1842:79 [=Palio dubia; =Polycera; =Polycera dubia]
M  ller, 1842a:6
- Euplocamus japonicus* Bergh, 1879e:41 [=Kaloplocamus ramosus]
Eliot, 1913:30
- Euplocamus laciniosus* Philippi, 1841:57 [=Idalia elegans]
- Euplocamus lacunosa* Philippi [=Idalia] {lapsus for *E. laciniosus*}
- Euplocamus maculatus* Bergh, 1898:534 [=Kaloplocamus]
Odhner, 1921:226
- Euplocamus pacificus* Bergh, 1884a:57 [=Kaloplocamus]
- Euplocamus plumosus* Schultz [=Caloplocamus ramosus]
- Euplocamus plumosus* Thompson, 1840:90 [=Euphurus claviger; =Idalia;
=Kaloplocamus ramosus; =Limacia clavigera; =Triopa claviger]
- Euplocamus ramosus* (Cantraine, 1835) |*Doris*| [=Kaloplocamus]
O'Donoghue, 1929:775
- Euplocamus ramosus* Philippi, 1840 [=E. croceus; =Kaloplocamus]
- Euplocamus* sp.   rsted, 1845:419
- Heteroplocamus** Oliver, 1915:544
[=Kaloplocamus; =Plocamopherus]
- **Heteroplocamus pacificus* (Bergh, 1884) |*Euplocamus*| [=Kaloplocamus]
- Histiophorus** Pease, 1860
[=Plocamopherus]
- **Heteroplocamus maculatus* Pease, 1860 [=Plocamopherus]
- Holoplocamus** Odhner, 1926:42
Cattaneo-Vietti & Sordi, 1988:57 (table of species); Franc, 1968:862; Gosliner, 1996a:201; Thiele,
1931:426; 1992:701
- Holoplocamus papposus* Odhner, 1926:42
Marcus & Marcus, 1969a:25; Schr  dl, 1996:32†; 2003:60†

Holoplocamus sp. Gosliner, 1996a:201

Behrens, 2004:21

Joubiniopsis Risbec, 1928:212

Franc, 1968:861; Risbec, 1953:110; Thiele, 1931:426; 1992:701

Joubiniopsis bouraili Risbec, 1928:212†

Risbec, 1953:110

Kaloplocamus Bergh, 1879, 1880

[*Caloplocamus*] [=Euplocamus]

Franc, 1968:861; Jensen, 2000a:168; Macnae, 1958:343; Nordsieck, 1972:55; Pruvot-Fol, 1954b:323; Rudman & Darvell, 1990:44; Schmekel & Portmann, 1982:105; Thiele, 1931:425; 1992:700

Kaloplocamus acutus Baba, 1955:45†

Baba, 1989g:238; Coleman, 2001:†; Marshall & Willan, 1999:50†; Nakano, 2004:104†; Okutani, 2000:781†; Ono, 2004:107†; Rudman & Darvell, 1990:44†

Kaloplocamus atlanticus (Bergh, 1893) |Euplocamus|

Nordsieck, 1972:55

Kaloplocamus aureus Odhner, 1932:41

Nordsieck, 1972:55; Ortea, Moro, Bacallado, Pérez Sánchez, & Vallès, 1997:129†

Kaloplocamus croceus (Philippi, 1836) |Euplocamus| [=K. ramosus]

Kaloplocamus filosus Cattaneo-Vietti & Sordi, 1988:50 [=K. ramosus]

Perrone, 1990b:24

Kaloplocamus maculatus (Bergh, 1898) |Euplocamus|

Schrödl, 1996:32; 2003:61

Kaloplocamus orientalis Thiele, 1925:286

Kaloplocamus principiswalliae (Collingwood, 1881) |Triopa|

Pruvot-Fol, 1935b:121

Kaloplocamus ramosus (Cantraine, 1835) |Doris|

Abe, 1964:40; Baba, 1949:136†; 1989g:231†; Burn, 1958:9; 1989:772; Garcia-Gomez, 2002:†; Gosliner, 1987b:98†; Jensen, 2000a:168; Macnae, 1958:344; Masuda, 1999:94†; Nakano, 2004:104†; Nordsieck, 1972:55; Ono, 1999:67†; 2004:106†; Ortea Rato, Moro Abad, & Caballer Gutierrez, 2001:119†; Ortea, Moro, Caballer, & Bacallado, 2003:170†; Parent, Breton, & Reboux, 2001[2000]:22; Pruvot-Fol, 1951:35; 1954b:323; Riedl, 1983:331; Rudman & Darvell, 1990:45†; Schmekel & Portmann, 1982:109; Suzuki, 2000:64†; Templado, Talavera, & Murillo, 1987:93; Vallès, Valdés, & Ortea, 2000:27; Vicente, 1967:155; Wirtz, 1998a:†

Kaloplocamus yatesi (Angas, 1864) |Triopa| (non Willan & Coleman, 1984 =K. acutus)

Coleman, 1989:9†; Masuda, 1999:94†; Willan & Coleman, 1984:10†

Kaloplocamus sp. "southern kaloplocamus" Coleman, 1989:9†

Kaloplocamus sp. "Coleman's Kaloplocamus" Coleman, 2001:†

Kaloplocamus sp. GBR Kaloplocamus" Coleman, 2001:†

Kaloplocamus sp. Marshall & Willan, 1999:50†

Kaloplocamus sp. Pruvot-Fol, 1951:36

Peplidia Lowe, 1842:51

[=Idalia; =Plocamopherus]

Lowe, 1843:309

**Peplidia maderae* Lowe, 1842:51 [=*Plocamopherus*]
Lowe, 1843:310

Plocameros Leuckart (lapsus for *Plocamophorus*)

Cuvier, 1834:37

Plocamocerus Cuvier, 1830:52 (lapsus for *Plocamophorus*)
[=*Plocamopherus*]

Plocamocerus ocellatus (Rüppell & Leuckart, 1831) |*Plocamophorus*|

Plocamocerus (Peplidia) maderae (Lowe, 1842) |*Peplidia*|

Plocamophorus Rüppell & Leuckart, 1831:17
[*Plocamopherus*; *Plocamophorus*]

Abraham, 1876:287; 1876a:138; 1877:232; Adams & Adams, 1858:55; Alder & Hancock, 1864:132; Barnard, 1927:195; Bergh, 1877:431; 1879e:43; 1880c:184; 1883:144, 165; 1890a:949; 1892:(1146); Chenu, 1859:403; Eliot, 1906d:149; Fischer, 1883:526; Franc, 1968:861; Gray, 1857:215; Marcus, 1979:134 (synopsis of species); Nordsieck, 1972:55; O'Donoghue, 1929:805; Pruvot-Fol, 1954b:326; Simroth, 1895b:167; Risbec, 1928:205; 1953:105; Rudman & Darvell, 1990:42; Thiele, 1931:426; 1992:701; Thompson, 1975:509 (synopsis of species); Vayssiére, 1912:66; Voigt, 1834:117

Plocamophorus amboinensis Bergh, 1890a:951

Plocamophorus aphelis Barnard, 1927:195

Plocamophorus ceylonicus (Kelaart, 1858) |*Polycera*|

Alder & Hancock, 1864:133; Coleman, 1989:8†; 2001:†; Eliot, 1909:139; Jensen, 2000a:163; Johnson & Boucher, 1983:281; Marshall & Willan, 1999:51†; Narayanan, 1968a:95; Nakano, 2004:105†; Ono, 2004:106†; Risbec, 1928:208†; 1953:108; Rudman & Darvell, 1990:43; Thompson, 1975:509†; Willan & Coleman, 1984:10†

Plocamophorus sp. cf. *ceylonicus* (Kelaart, 1858)

Ono, 2004:107†

Plocamophorus flagellatus Kruzenstern, 1813

Plocamophorus fulgurans Risbec, 1928:206† [=*Triopa*]
Risbec, 1953:105

Plocamophorus gulo Marcus, 1979:134

Plocamophorus imperialis Angas, 1864:59 (non Coleman, 1988 =*K. acutus*)

Abe, 1964:41; Allan, 1947:439; 1950:223; Baba, 1949:137†; Beesley, Ross, & Wells, 1998:pl. 35†; Bergh, 1883:144; Coleman, 1989:8†; 2001:†; Debelius, 1996:†; Eliot, 1913:30; Marshall & Willan, 1999:51†; Masuda, 1999:94†; Morley, 1996:26; Nakano, 2004:105†; Okutani, 2000:779†; Ono, 1999:68, 69†; 2004:107†; Suzuki, 2000:65†; Tonozuka 2003:65†; Willan & Coleman, 1984:10†

Plocamophorus indicus Bergh, 1890a:954

Eliot, 1910:435; Vayssiére, 1912:66

Plocamophorus insignis Smith, 1884:91

Coleman, 2001:†

Plocamophorus levivarius Abraham, 1876:288

Plocamophorus lucayensis Hamann & Farmer, 1988:68†

Plocamophorus maculatus (Pease, 1860) |*Histiophorus*|

Debelius, 1996:†; Gosliner, 1987b:98†; Kay, 1979:476; Kay & Young, 1969:225; Wells & Bryce, 1993:76†

Plocamophorus maderae (Lowe, 1842) |*Peplidia*|

Eliot, 1906d:150; Malaquias, Cervera, Abreu, & López-González, 2001:†; Nordsieck, 1972:55; Ortea, Moro, Bacallado, & Herrera, 2001:†; Ortea, Moro, Bacallado, Pérez Sánchez, & Vallès, 1997:128†; Ortea, Moro, Caballer, & Bacallado, 2003:170†; Pruvot-Fol, 1954b:326; Wirtz, 1999:†

Plocamophorus naeavatus Abraham, 1876a:139 [=*P. imperialis*]

**Plocamophorus ocellatus* Rüppell & Leuckart, 1831:17

Eliot, 1908a:102; Narayanan, 1968a:194; O'Donoghue, 1929:806; Valdes & Templado, 2002:24; Voigt, 1834:117; White, 1951:244

Plocamophorus pilatecta Hamann & Farmer, 1988:71†

Plocamophorus ramulosus (Stimpson, 1855) |*Polydera*|

Plocamophorus tilesii Bergh, 1877:433 (non Baba, 1949:136† partim. =*P. ceylonicus*)

Abe, 1964:40; Baba, 1935a:332; Bergh, 1879e:45; 1894:184; Bertsch & Johnson, 1981:81†; Coleman, 2001:†; Eliot, 1913:30; Jensen, 2000a:162; Masuda, 1999:93†; Nakano, 2004:106†; Okutani, 2000:779†; Ono, 1999:68,69†; 2004:108†; Rudman & Darvell, 1990:43†; Suzuki, 2000:65†; Tonozuka 2003:65†; Wells & Bryce, 1993:78†

Plocamophorus Behrens, 2005:†

Plocamophorus sp. “orange-dappled Plocamopherus” Coleman, 2001:†

Plocamophorus sp. Gosliner, 1987b:98†

Plocamophorus sp. Krusenstern, 1813

Mörch, 1867:288

Plocamophorus sp. Narayanan, 1968a:197

Plocamopherus sp. Nakano, 2004:106†

Plocamophorus sp. Ono, 1999:69†

Plocamophorus sp. Willan & Coleman, 1984:10†

Plocamophorus sp. Wirtz, 1999:15†

Triopha Bergh, 1880a:261

Bergh, 1883:161; 1892:148(1140); 1894:184; Ferreira, 1977:387; Fischer, 1883:527; Franc, 1968:861; MacFarland, 1906:135; McDonald, 1983:215; McDonald & Nybakken, 1980:44; O'Donoghue, 1921:165; 1922c:137; Steinberg, 1961:60; Thiele, 1931:424; 1992:698

Triopha aurantiaca Cockerell, 1908:107 [=*T. maculata*]

O'Donoghue, 1922c:137

**Triopha carpenteri* (Stearns, 1873) |*Triopha*| [=*T. catalinae*]

Baba, 1957:11; Farmer, 1980:155; MacFarland, 1905:48; 1906:135†; 1966:106†; Marcus, 1961:22; O'Donoghue, 1922c:137; Okutani, 2000:779†; Robilliard, 1974a:990; Stearns, 1873a:209; Thompson, Thompson, 1976:†; 1976a:†

Triopha catalinae (Cooper, 1863) |*Triopha*|

Behrens, 1980:72†; 1991:56†; 2004:38; 2005:†; Behrens & Hermosillo, 2005:65†; Ferreira, 1977:389; Lamb & Hanby, 2005:258†; Marcus, 1961:23; McDonald, 1983:215; McDonald & Nybakken, 1980:44†; Nakano, 2004:107†; O'Donoghue, 1922c:136

Triopha elioti O'Donoghue, 1921:165 [=*T. catalinae*]

Triopha grandis MacFarland, 1905:50 [=*T. occidentalis*]

Farmer, 1967:341; 1980:156; MacFarland, 1906:139†; 1966:112†

Triopha maculata MacFarland, 1905:49

Behrens, 1980:72†; 1991:56†; Behrens & Hermosillo, 2005:66†; Farmer, 1980:157; Ferreira, 1977:396; Lamb & Hanby, 2005:258†; MacFarland, 1906:137†; 1966:109†; Marcus, 1961:23; McDonald, 1983:216; McDonald & Nybakken, 1980:44†

Triopha modesta Bergh, 1880a:262 [=*T. catalinae*]

Bergh, 1894:184; Marcus, 1961:23; O'Donoghue, 1922c:137; Robilliard, 1974a:990

Triopha occidentalis (Fewkes, 1889) |*Cabrilla*|

McDonald, 1983:217; McDonald & Nybakken, 1980:44†

Triopha scrippsiana Cockerell, 1915:228 [=*T. catalinae*]

Marcus, 1961:23

Triopha sp.1 Behrens, 1991:56† [=*T. catalinae*]

Behrens, 2004:38

Triopha sp. Bertsch, et al., 1972 [=*T. maculata*]

Triopha sp. Cockerell & Eliot, 1905:42 [=*T. aurantiaca*; =*T. maculata*]

Triopha sp. Ferreira, 1977 [=*T. maculata*]

Triopha sp. Roller & Long, 1969 [=*T. maculata*]

Triopha sp. Sphon & Lance, 1968 [=*T. maculata*]

Kalinginae Odhner, 1968

Cattaneo-Vietti & Sordi, 1988:56; Franc, 1968:862; Rudman, 1998:994

Brachychlanis Ehrenberg, 1831 {nomen oblitum}

[*Brachychlamys*; *Brachylanis*] [=Kalinga; =Goniodoris; =Hypselodoris]

Adams & Adams, 1858:53; Gray, 1857:212; Johnson & Valdes, 2001:1373

**Brachychlanis pantherina* Ehrenberg, 1831 [=*Hypselodoris infucata*]

Bergh, 1877c:65; O'Donoghue, 1929:734; Johnson & Valdes, 2001:1383

Kalinga Alder & Hancock, 1864:134

Abraham, 1877:229; Barnard, 1927:193; Bergh, 1883:166; 1890a:959; 1892:154(1146); 1907:74; Eliot, 1906a:670; Fischer, 1883:526; Rao, 1936:41; Rudman & Darvell, 1990:47; Thiele, 1931:426; 1992:701; Thompson, 1975:504

**Kalinga ornata* Alder & Hancock, 1864:135

Abe, 1964:41; Baba, 1955:45†; Barnard, 1927:194; Behrens, 2005:†; Bergh, 1890a:959; 1907:75; Burn, 1966d:254; Eliot, 1906a:670, 1913:31; Farran, 1905a:347; Jensen, 2000a:172; Lin & Tchang, 1965:9; Nakano, 2004:101†; Okutani, 2000:779†; Pruvot-Fol, 1956:351; Rudman & Darvell, 1990:47†; Suzuki, 2000:63†; Tan, Pai, & Hsha, 1987:77†; Thompson, 1975:505; Willan & Coleman, 1984:10†

Aegiridae Fischer, 1883

[=Aegiretidae; =Aegeritidae (lapsus); =Notodorididae Odhner, 1926]

Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:35; Fahey & Gosliner, 2004:614; Franc, 1968:862; Hayward, Wigham, & Yonow, 1990:718; Jensen, 2000:436; 2000b:622; Nordsieck, 1972:55; Parker, 1982:1041; Risbec, 1953:59; Rudman, 1998:995; Sachidhanandam, Willan, & Chou, 2000:516; Schmekel & Portmann, 1982:99; Thiele, 1992:696; Thompson, 1988:198; Thompson & Brown, 1984:66; Wells & Bryce, 1993:91; Willan & Coleman, 1984:16

Aegiretidae sp. Ono, 2004:125†

Aegires Lovén, 1844:49
 [*Aegirus*]

Abraham, 1877:233; Adams & Adams, 1858:54; Alder & Hancock, 1854a:genus 4; Bergh, 1881a:60; 1883:159; 1892:146(1138); Chenu, 1859:402; Eliot, 1910d:151; Fahey & Gosliner, 2004:618; Fez Sanchez, 1974:131; Fischer, 1883:528; Forbes & Hanley, 1850-1851:574; Franc, 1968:862; Gray, 1857:215; Haefelfinger, 1968:575; Jeffreys, 1869:69; Lovén, 1845:151; 1846:138; McDonald, 1983:137; McDonald & Nybakken, 1980:44; Nordsieck, 1972:55; Odhner, 1907:21; Pruvot-Fol, 1954b:243; Schmekel & Portmann, 1982:99; Thiele, 1931:423; 1992:697; Thompson, 1981a:316; 1988:198; Thompson & Brown, 1984:66; Vayssiére, 1901a:54; 1913a:335

Aegires absalaoi Garcia, Troncoso, & Dominguez, 2002:51

Aegires albopunctatus MacFarland, 1905:45 [=*A. leuckarti*]

Behrens, 1980:50†; 1991:52†; 2004:36; Behrens & Hermosillo, 2005:59†; Bertsch, 1984c:†; Cockerell & Eliot, 1905:44; Fahey & Gosliner, 2004:618†; Farmer, 1980:144; Lamb & Hanby, 2005:258†; Lance, 1969:†; MacFarland, 1906:133; 1966:101†; Marcus, 1961:20; McDonald, 1983:137; McDonald & Nybakken, 1980:44†; O'Donoghue, 1927:7; Risbec, 1928:127

Aegires albus Thiele, 1912:222

Fahey & Gosliner, 2004:623; Odhner, 1926:41; Troncoso, Garcia, Backeljau, & Urgorri, 1994:114

Aegires citrinus (Bergh 1875) |*Notodoris*|

Fahey & Gosliner, 2004:663

Aegires citrinus Pruvot-Fol, 1930a:230 [=*Aegires pruvotfolae* nom. nov.] (non Nakano, 2004:117, no. 242, bottom left photograph, =*A. incusus*: non Nakano, 2004:117, no. 242 top & right photographs, =*A. flores*)

Coleman, 2001:†; Marshall & Willan, 1999:58†; Ono, 2004:122†; Risbec, 1953:60

Aegires exeches Fahey & Gosliner, 2004:656†

Aegires flores Fahey & Gosliner, 2004:652†

Aegires gardineri (Eliot, 1906) |*Notodoris*|

Fahey & Gosliner, 2004:667

Aegires gomezi Ortea, Luque, & Templado, 1990:333

Fahey & Gosliner, 2004:628†

Aegires hapsis Fahey & Gosliner, 2004:660†

Aegires hispidus Hesse, 1872:346 |*Aegirus*| [=*A. punctilucens*]

Eliot, 1910d:151; Hesse, 1873:307; Pruvot-Fol, 1931a:751

Aegires incisus (Sars, 1878) |*Triopa*|

Fahey & Gosliner, 2004:670

Aegires incusus Fahey & Gosliner, 2004:648†

Aegires lemoncello Fahey & Gosliner, 2004:643†

Aegires leuckarti Vérany, 1853:388 [=*A. punctilucens*]

Bergh, 1881a:655; 1883:135; Fahey & Gosliner, 2004:630; Fez Sanchez, 1974:131; Garcia-Gomez, 2002:†; Haefelfinger, 1968:576; Ihering, 1886:24; Risbec, 1928:125†; 1953:60; Trainito, 2005:38†; Vayssiére, 1901a:55; 1913a:337; Verany, 2001:69 (as *Algirus leuckartii*)

Aegires malinus Fahey & Gosliner, 2004:645†

Aegires maura (Forbes, 1840) |*Doris*|

Gary McDonald, Long Marine Lab, 100 Shaffer Rd., Santa Cruz, Cal. 95060

- Aegires minor* (Eliot, 1904) |*Notodoris*|
 Behrens, 2005:†; Fahey & Gosliner, 2004:668
- Aegires ninguis* Fahey & Gosliner, 2004:640†
- Aegires ortizi* Templado, Luque, & Ortea, 1987:306
 Fahey & Gosliner, 2004:632; Ortea, Luque, & Templado, 1990:333; Redfern, 2001:174†
- Aegires palensis* Ortea, Luque, & Templado, 1990:336
 Fahey & Gosliner, 2004:633; Moreno & Templado, 1998:52†
- Aegires petalis* Fahey & Gosliner, 2004:654†
- Aegires pruvotfolae* Fahey & Gosliner, 2004:623†
- **Aegires punctilucens* (Orbigny, 1837) |*Polycera*| (non Baba, 1974:11; nor Marshall & Willan, 1999:59, pl. 93; nor Nakano, 2004:117, no. 243; nor Ono, 1999:71, no. 103, =*A. exeches*)
 Alder & Hancock, 1848:fam. 1, pl. 21†; Barletta, 1981:54; Bergh, 1881a:651; Brown & Picton, 1979:13; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:35†; Colgan, 1914:199; Dons, 1933:17; Fahey & Gosliner, 2004:634; Farran, 1904:5; Forbes & Hanley, 1850-1851:574; Garcia-Gomez, 2002:†; Haefelfinger, 1968:576; Hayward, Wigham, & Yonow, 1990:718; Hoffmann, 1926:11; Hunnam & Brown, 1975:143; Lovén, 1844:49; 1845:152; 1847:188; Nordsieck, 1972:55†; Odhner, 1939:37; 2004:123†; Picton & Morrow, 1994:72†; Pruvot-Fol, 1954b:243; Riedl, 1970:427; 1983:331; Rolán & Otero-Schmitt, 1996:138; Sordi & Majidi, 1956:239; Templado, Luque, & Ortea, 1987:303; Thompson, 1988:198; Thompson & Brown, 1976:108; 1984:66†; Trainito, 2003:25†; 2005:38†; Vayssiére, 1901a:58; 1913a:336; Vicente, 1967:151
- Aegires punctilucens leuckarti* Vérany, 1853 |*Aegires leuckarti*| [=*A. leuckarti*]
 Baba, 1974b:11; Jeffreys, 1869:70; Odhner, 1907:22; Pruvot-Fol, 1951:13; Schmekel & Portmann, 1982:102
- Aegires punctilucens punctilucens* (Orbigny, 1837) |*Polycera punctilucens*|
 Schmekel & Portmann, 1982:99†
- Aegires serenae* (Gosliner & Behrens, 1997) |*Notodoris*|
 Behrens, 2005:†; Fahey & Gosliner, 2004:669
- Aegires sublaevis* Odhner, 1932:39
 Behrens & Hermosillo, 2005:59†; Camacho-Garcia, Gosliner, & Valdes, 2005:78†; Fahey & Gosliner, 2004:635; Jensen & Clark, 1986:452; Malaquias, Cervera, Abreu, & López-González, 2001:†; Marcus & Marcus, 1970a:70; Meyer, 1977:302; Ortea, Moro, Bacallado, Pérez Sánchez, & Vallès, 1997:130†; Redfern, 2001:174†; Schmekel & Portmann, 1982:103†; Starmühlner, 1955:224; Templado, Luque, & Ortea, 1987:306; Templado, Talavera, & Murillo, 1987:93; Thompson, 1981a:315
- Aegires villosus* Farran, 1905a:346
 Baba, 1955:44†; Burn, 1989:771; Coleman, 2001:†; Edmunds, 1971:379; Fahey & Gosliner, 2004:638; Lin & Tchang, 1965:14; Marshall & Willan, 1999:59†; Masuda, 1999:95†; Nakano, 2004:118†; Ono, 1999:70†; 2004:123†; Risbec, 1928:123†; 1953:59; Tonozuka 2003:66†; Wells & Bryce, 1993:91†; Willan & Coleman, 1984:16†
- Aegires* sp. Debelius, 1996:† [=*A. villosus*]
- Aegires* sp. Gosliner, 1987b:99† top photo [=*A. ninguis*]
- Aegires* sp. Ono, 2004:124†
- Aegires* sp. Usuki, 1969 [=*A. punctilucens*]
 Subgenus: (*Anaegires*) Odhner, 1934:242
 Marcus, 1961:21

- **Aegires (Anaegires) albus* Thiele, 1912 [*Aegires*]
Troncoso, Garcia, Backeljau, & Urgorri, 1996:36; Wägele, 1987:267
- Aegires (Anaegires) protectus* Odhner, 1934:241 [=*A. albus*]
Notodoris Bergh, 1875d:64
[=*Aegires*]
Abraham, 1877:233; Allan, 1932:102; Bergh, 1883:159; 1892:145(1137); Eliot, 1904a:84; 1906e:547;
Fischer, 1883:527; Franc, 1968:862; O'Donoghue, 1924a:564; Thiele, 1931:423; 1992:696; Thompson,
1975:505; 1981a:316
- **Notodoris citrina* Bergh, 1875d:64 [=*Aegires*]
Coleman, 1989:15†; 2001:†; Debelius, 1996:†; Marshall & Willan, 1999:60†; Masuda, 1999:94†;
Okutani, 2000:781†; Ono, 1999:55,71†; 2004:124†; Wells & Bryce, 1993:91†; Willan & Coleman,
1984:16†
- Notodoris gardineri* Eliot, 1906e:548 [=*Aegires*]
Allen & Steene, 1994; Coleman, 1989:14†; 2001:†; Debelius, 1996:†; Dominguez, Moreira, &
Troncoso, 2004:95†; Gosliner, Behrens, & Williams, 1996:172†; Marshall & Willan, 1999:60†;
O'Donoghue, 1924a:565; Ono, 2004:125†; Thompson, 1975:506†; Willan & Coleman, 1984:16†;
Yonow & Hayward, 1991:11†
- Notodoris gardineri* var. *nigerrima* Yonow, 1994:106†
- Notodoris megastigmata* Allan, 1932:103 [=*N. gardineri*; =*Aegires gardineri*]
- Notodoris minor* Eliot, 1904a:84† [=*Aegires*]
Coleman, 2001:†; Colin & Arneson, 1995:190†; Debelius, 1996:†; Dominguez, Moreira, & Troncoso,
2004:95†; George & George, pl. 90†; Gosliner, Behrens, & Williams, 1996:172†; Masuda, 1999:95†;
Okutani, 2000:781†; Ono, 2004:124†; Tonozuka 2003:66†; Wells & Bryce, 1993:91†; Yonow,
Anderson, & Buttress, 2001:842
- Notodoris serenae* Gosliner & Behrens, 1997:303† [=*Aegires*]
Coleman, 2001:† Ono, 2004:126†; Tonozuka 2003:67†
- Notodoris* sp. Allen & Steene, 1994:† [=*N. serenae*]
- Notodoris* sp. Colin & Arneson, 1995:190† [=*N. serenae*]
- Notodoris* sp. Debelius, 1996:†
- Notodoris* sp. Gosliner, Behrens, & Williams, 1996:172† [=*N. serenae*]
- Notodoris* sp. Kerstitch, 1988:†
- Notodoris* sp.1 Marshall & Willan, 1999:61†
- Serigea*** Nordsieck, 1972:55
Thompson, 1981a:316
- Serigea sublaevis* (Odhner, 1931) [*Aegires*] [=*Aegires sublaevis*]
Nordsieck, 1972:55
- Triopella*** Sars, 1878:310
[=*Aegires*]
Bergh, 1883:159; 1892:146(1138); Eliot, 1910d:151; Fischer, 1883:528; Franc, 1968:862; Nordsieck,
1972:55; Odhner, 1907:21; Thiele, 1931:423; 1992:696; Vayssiére, 1913a:333
- **Triopella incisa* (Sars, 1872) [*Triopa*] [=*Aegires*]

Marcus & Marcus, 1969a:23; Nordsieck, 1972:55; Odhner, 1907:21; 1939:36; Sars, 1878:310;
Vayssi  re, 1913a:335

Polyceridae Alder & Hancock, 1845
[=Euphoridae Odhner, 1968; Polyeratidae]

Adams & Adams, 1858:53; Barnard, 1927:190; Bergh, 1883:155; 1892:141(1133); 1899:18; 1905a:185;
Burn, 1989:772; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:107; Chenu, 1859:402;
Edmunds & Just, 1985:57; Erhardt & Moosleitner, 1997:666; Fez Sanchez, 1974:127; Fischer,
1883:522; Franc, 1968:863; Hayward, Wigham, & Yonow, 1990:715; Hoffmann, 1926:11; Jeffreys,
1869:69; Jensen, 2000:434; Jensen & Clark, 1986:452; Just & Edmunds, 1985:58; MacFarland,
1906:132; Macnae, 1958:341 (key to S. African genera); Nordsieck, 1972:56; Odhner, 1907:21 (key to
genera); 1941:11; Parker, 1982:1041; Pelseneer, 1892a:143; Pruvot-Fol, 1954b:314; Riedl, 1970:427;
Risbec, 1953:95; Roginskaya, 1987d:169; Rudman, 1998:993; Sachidhanandam, Willan, & Chou,
2000:514; Schmekel, 1970:201; Schmekel & Portmann, 1982:110; Thiele, 1926:112; 1931:422;
1992:696; Thompson, 1988:200; Thompson & Brown, 1984:67; Vayssi  re, 1913a:332; Wells & Bryce,
1993:75; Willan & Coleman, 1984:10

Polycerid sp. Redfern, 2001:174   [=*Kankelibranchus incognitus*]

Polyceridae sp.1 Suzuki, 2000:63  

Polyceratidae inder

Wirtz, 1998a:  

Cladophora Gray, 1840:148 {nomen nudum}
[=*Triopa*]

O'Donoghue, 1924a:564

Colga Bergh, 1880a:261 [=Issa; =Issena]

Martynov & Baranets, 2002:26

**Colga lacera* (Abildgaard, 1806) |Doris|

Colga minichevi Martynov & Baranets, 2002:33

Colga pacifica (Bergh) |Issa| [=Issena] (non Just & Edmunds, 1985:60  )
Behrens, 2004:22  ; Martynov & Baranets, 2002:35

Colga villosa (Odhner, 1907) |Issa|

Martynov & Baranets, 2002:27

Cufaea Leach, 1852:21; Gray, 1847
[=*Polydera*]

**Cufaea flava* (Montagu, 1804) |Doris|

Leach, 1852:21

Cufaea plana (Leach, MSS) Gray, 1847:268

Esuriospinax Ortea, 1989:23

**Esuriospinax templadoi* Ortea, 1989:23   [=Paliolla]

Euphurus M  ller, 1781
(Rafinesque, 1815:142 =nomen nudum),
[=*Limacia*]

Thiele, 1931:423; 1992:697

Euphurus camtschatica Wolodtschenko, 1939 [=Colga pacifica]

**Euphurus claviger* (Müller, 1776) |Doris| [=Limacia]

Odhner, 1926a:24; 1939:38; Løyning, 1927:250

Euphurus lacer Abildgaard, 1806 [Colgan villosa]

Euphurus multidigitalis Burn, 1957:15 [=Crimora]

Euphurus ornatus Baba, 1937c:289 [=Limacia]

Masuda, 1999:93†; Okutani, 2000:781†; Suzuki, 2000:56†

Folietta Nordsieck, 1972:56

Folietta maculata (Pruvot-Fol, 1951) |Polycera| [=Palio dubia]

Nordsieck, 1972:56

Galacera Risso-Dominguez, 1960:58

**Galacera marplatensis* (Franceschi, 1928) |Polycera quadrilineata var. marplatensis|

[=Polycera marplatensis]

Greiblada Bergh, 1894a:1

[=Polycera]

Edmunds, 1961:319; Franc, 1968:864; Miller, 1996b:444; Nordsieck, 1972:56; Odhner, 1941:11; Thompson, 1988:208; Thompson & Brown, 1984:72

Greiblada abei Baba, 1960:75 [=Polycera]

**Greiblada elegans* Bergh, 1894a:2 [=Polycera (Greiblada) elegans]

Brown & Picton, 1979:15; Hayward, Wigham, & Yonow, 1990:716; Hunnam & Brown, 1975:147; Nordsieck, 1972:56†; Picton & Morrow, 1994:74†; Pruvot-Fol, 1951:34; Riedl, 1983:331; Thompson, 1976a:†; 1988:208†; Thompson & Brown, 1976:116; 1984:72†

Greiblada messinensis (Odhner, 1941) |Polycera (Greiblada) messinensis| [=Polycera elegans]

Nordsieck, 1972:57

Issa Bergh, 1881a:645

(non Walker, 1867) [=Issena]

Bergh, 1883:160; 1892:147(1139); 1894:188; Eliot, 1910d:152; Fischer, 1883:527; Odhner, 1907:21; Vayssi  re, 1913a:337

**Issa lacera* (M  ller) (Abildgaard, 1806) |Doris| [=Colga villosa; =Issena; =Issena pacifica]

Bergh, 1881a:646; Grieg, 1913a:5; Vayssi  re, 1913a:338

Issa lacera pacifica Bergh, 1894:189 [=Colga pacifica]

Odhner, 1907:22

Issa ramosa Verrill & Emerton, 1881:301

Verrill, 1884a:647

Issa villosa Odhner, 1907:22, 100 [=Colga]

Issena Iredale & O'Donoghue, 1923:225

Franc, 1968:863; Nordsieck, 1972:57; Pruvot-Fol, 1954b:324; Thiele, 1931:423; 1992:698

Issena abildgaardi Pruvot-Fol, 1954 [=Colga villosa; =I. pacifica]

Gary McDonald, Long Marine Lab, 100 Shaffer Rd., Santa Cruz, Cal. 95060

Nordsieck, 1972:57; Pruvot-Fol, 1954b:325

Issena lacera Abildgaard, 1806 |*Doris*| [=Colga villosa; =I. abildgaardi; =I. pacifica]
Filatova & Zatsepin, 1948:398

Issena pacifica Iredale & O'Donoghue, 1923:225 [=Colga]
Lemche, 1938:24; Odhner, 1939:37

Kankelibranchus Ortea, Espinosa, & Caballer, 2004:103

Kankelibranchus incognitus Ortea, Espinosa, & Caballer, 2004:103

Laila MacFarland, 1905:46 [=Limacia]

(Burn, 1967b:213 created subfamily Lailinae)

Franc, 1968:863; MacFarland, 1906:134; 1966:103; McDonald, 1983:192; McDonald & Nybakken, 1980:46; O'Donoghue, 1921:163; Ortea, Quero, Rodriguez, & Valdes, 1989a:106; Thiele, 1931:424; 1992:698; Vallès, Valdés, & Ortea, 2000:20

**Laila cockerelli* MacFarland, 1905:47 [=Limacia]

Behrens, 1980:64†; 1991:53†; 2004:37; Bertsch, 1985a:†; Cockerell & Eliot, 1905:43; Farmer, 1980:147; Guernsey, 1912:77; 1913a:137; Lance, 1969:†; 1983:†; MacFarland, 1906:134†; 1966:104†; Marcus, 1961:21; McDonald, 1983:192; McDonald & Nybakken, 1980:46†; O'Donoghue, 1921:163; Thompson, 1976:†; Vallès, Valdés, & Ortea, 2000:20

Laila janssi Bertsch & Ferreira, 1974:345† [=Limacia]

Farmer, 1980:148; Vallès, Valdés, & Ortea, 2000:20

Limacia Müller, 1781

Brown & Picton, 1979:15; Franc, 1968:863; ICZN, 1967a:286; Lemche, 1965c:100; Nordsieck, 1972:56; Pruvot-Fol, 1954b:322; Schmekel & Portmann, 1982:105; Thompson, 1988:214; Thompson & Brown, 1984:74; Vallès, Valdés, & Ortea, 2000:20; Vicente, 1967:154

Limacia annulata Vallès, Valdés, & Ortea, 2000:20

**Limacia clavigera* (Müller, 1776) |*Doris*|

Barletta, 1981:56†; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:113†; Everts & Bakken, 2001a:13†; Garcia-Gomez, 2002:96†; Gosliner, 1987b:99†; Hayward, Wigham, & Yonow, 1990:716; Heyns, 1995:1; Hunnam & Brown, 1975:143; Macnae, 1958:345; Nordsieck, 1972:56†; Ortea, Moro, Bacallado, Pérez Sánchez, & Vallès, 1997:131†; Ortea, Moro, Caballer, & Bacallado, 2003:170†; Ortea, Quero, Rodriguez, & Valdes, 1989a:99; Picton & Morrow, 1994:78†; Pruvot-Fol, 1954b:322; Riedl, 1983:331; Rolán & Otero-Schmitt, 1996:148; Schmekel & Portmann, 1982:105†; Thompson, 1976a:†; 1988:214†; Thompson & Brown, 1976:120; 1984:75†; Trainito, 2003:26†; 2005:44†; Walls, 1982:313†; Wirtz, 1998a:†

Limacia cockerelli (MacFarland, 1905) |*Laila*|

Behrens, 2005:†; Behrens & Hermosillo, 2005:60†; Lamb & Hanby, 2005:258†; Ortea, Quero, Rodriguez, & Valdes, 1989a:106

Limacia janssi (Bertsch & Ferreira, 1974) |*Laila*|

Behrens & Hermosillo, 2005:61†; Camacho-Garcia, Gosliner, & Valdes, 2005:75†; Ortea, Quero, Rodriguez, & Valdes, 1989a:106

Limacia lucida (Stimpson, 1854) |*Triopa*|

Ortea, Quero, Rodriguez, & Valdes, 1989a:106

Limacia ornata (Baba, 1937c) |*Euphurus*|

Coleman, 2001:†; Nakano, 2004:103†; Ono, 2004:105†

Limacia sp. Bryce, 1994:†

Limacia sp Debelius, 1996:†

Limacia sp. "red-tipped limacia" Coleman, 1989:14†

Limacia sp. Wells & Bryce, 1993:78†

Ohola Bergh, 1883:136, 163
[=*Greibela*; =*Thecacera*]

Bergh, 1884a:52; 1892:151(1143); Franc, 1968:864; Odhner, 1941:11; Thiele, 1931:425; 1992:699

**Ohola pacifica* Bergh, 1883:136 [=*Thecacera*]

Bergh, 1884a:52; Eliot, 1908a:101

Palio Gray, 1857:213
[=*Polydora*]

Barnard, 1927:192; Bergh, 1880a:257; 1883:162; 1892:150(1142); Franc, 1968:864; Miller, 1996b:444; Nordsieck, 1972:56; Odhner, 1907:21; Roginskaya, 1987d:169; Thiele, 1931:424; Thompson, 1988:210; Thompson & Brown, 1984:72; Vayssiére, 1901a:59; 1913a:339

Palio amakusana Baba, 1960:76

Abe, 1964:37, 84†

Palio capensis (Quoy & Gaimard, 1824) |*Polydora*| [=*Polydora*]

Barnard, 1927:192

Palio cookii (Angas, 1864) |*Polydora*|

Burn, 1957:16

Palio dubia (Sars, 1829) |*Polydora*| [=*Polydora*; =*P. lessonii*]

Behrens & Hermosillo, 2005:61†; Brown & Picton, 1979:14; Filatova & Zatsepina, 1948:398; Hayward, Wigham, & Yonow, 1990:716; Hunnam & Brown, 1975:145; Jutting & Engel, 1936:41; Lamb & Hanby, 2005:260†; Larsen, 1925:26; Nordsieck, 1972:56†; Picton & Morrow, 1994:76†; Roginskaya, 1987d:169; Thompson, 1988:210; Thompson & Brown, 1976:114; 1984:73†

Palio fujitai (Baba, 1937) |*Polydora*|

Orr, 1981:57†

Palio lessonii (Orbigny, 1837) |*Polydora*| [=*P. dubia*; =*Polydora dubia*]

Farran, 1909:16; Grieg, 1914:13; Hoffmann, 1926:2; Nordsieck, 1972:56; Odhner, 1907:22; Ortea & Urgorri, 1981:53; Vayssiére, 1901a:60; 1913a:340

Palio lessoni var. *ocellata* (Alder & Hancock, 1842) |*Polydora*| [=*P. nothus*]

Palio maculata Pruvot-Fol, 1951 [=*Polydora*]

Palio nothus (Johnston, 1838) |*Triopha*|

Brown & Picton, 1979:14; Hayward, Wigham, & Yonow, 1990:716; Labb  , 1931:20; Picton & Morrow, 1994:76†; Swennen, 1987:32; Thompson, 1988:212; Thompson & Brown, 1984:74†

**Palio ocellata* (Alder & Hancock, 1842) |*Polydora*| [=*P. lessonii*]

Palio pallida Bergh, 1880a:257 [=*P. dubia*]

Palio parvula Burn, 1958:6 [=*Polydora*]

Palio pudica Lov  n, 1846 |*Polydora*| [=*P. lessonii*]

Palio zosterae (O'Donoghue, 1924) |*Polydora*|

Phanerobranchus Fr  dol, 1864, 1865
[=*Polydora*]

Phanerobranchus doriforme Frédol, 1865*Polycera* Cuvier, 1817:390[*Policera*]

Abraham, 1877:239; Adams & Adams, 1858:54; Alder, 1841:337; Alder & Hancock, 1854a:genus 6; Allan, 1932:101; Barnard, 1927:191; Bergh, 1880a:254; 1883:163; 1892:150(1142); Chenu, 1859:403; Cuvier, 1830:52; 1834:37; Eliot, 1910d:153; Erhardt & Moosleitner, 1997:671†; Fez Sanchez, 1974:129; Fischer, 1883:526; Fleming, 1822:468; Forbes & Hanley, 1850-1851:576; Franc, 1968:864; Gould, 1870:226; Gray, 1857:213; Hoeven, 1856:783; Ihering, 1886:15; Jeffreys, 1869:74; MacFarland, 1906:141; Marcus & Marcus, 1967:197 (key to American species); McDonald, 1983:204; McDonald & Nybakken, 1980:46; Meyer & Möbius, 1865:49; Miller, 1996b:443; Misuri, 1917:76; Nordsieck, 1972:56; Odhner, 1907:21; 1941:11, 16 (synopsis of species); O'Donoghue, 1924:7; Rang, 1829:131; Risbec, 1928:198; 1953:102; Risso, 1826:30; Sars, 1878:312; Schmekel & Portmann, 1982:110; Thiele, 1931:424; 1992:699; Thompson, 1975:507; Thompson & Brown, 1984:67; Vayssiére, 1901a:62; 1913a:340; Voigt, 1834:117

Polycera abei (Baba, 1960) [*Greilada*]

Abe, 1964:37, 84†; Nakano, 2004:98†; Ono, 2004:99†

Polycera alabe Collier & Farmer, 1964:388†

Behrens, 1991:53†; 2004:37; Behrens & Hermosillo, 2005:62†; Camacho-Garcia, Gosliner, & Valdes, 2005:18, 76†; Engle & Richards, 2001:191; Farmer, 1980:149; Schrödl, 2003:56†

Polycera (Greilada) atlantica Pruvot-Fol, 1956:359 [= *Greilada elegans*; = *P. elegans*]*Polycera atra* MacFarland, 1905:50

Behrens, 1980:68†; 1991:53†; Behrens & Hermosillo, 2005:63†; Bertsch, 1984:†; Farmer, 1980:150; Lamb & Hanby, 2005:260†; MacFarland, 1906:143†; 1966:115†; Marcus & Marcus, 1967:196; McDonald, 1983:204; McDonald & Nybakken, 1980:46†; Nordsieck, 1972:56

Polycera aurantiomarginata García & Bobo, 1984:362

Cervera, Templado, García-Gómez, Ballesteros, Ortea, García, Ros, & Luque, 1988:†; Garcia-Gomez, 2002:99†; Gavaia, Malaquias, Calado, & Urgorri, 2003:108†; Martinez-Pita, Guerra-Garcia, Sanchez-Espana, & Garcia, 2006:227; Perrone, 1990b:24; Sánchez-Tocino, Ocaña, & García, 2000:†; Trainito, 2005:42†; Vallès, Valdés, & Ortea, 2000:24

Polycera aurisula Marcus, 1957:432

Marcus, 1958:52; Marcus & Marcus 1960a:161

Polycera canteriata (Quatrefages) [= *P. quadrilineata*]*Polycera capensis* Quoy & Gaimard, 1824

Coleman, 1989:13†; 2001:†; Debelius, 1996:†; Erhardt & Moosleitner, 1997:671†; George & George, pl. 90†; Gosliner, 1982:35; 1987b:96†; Macnae, 1958:352; Odhner, 1941:14; Pruvot-Fol, 1934:75; Rudman & Avern, 1988:†; Thompson, 1975:507†; Willan & Coleman, 1984:14†

Polycera ceylonica Kelaart, 1858 [= *Plocamophorus*]

Kelaart, 1859a:489

Polycera chilluna Marcus, 1961a:143*Polycera citrina* Alder, 1841:340 [= *Palio dubia*; = *Palio lessonii*; = *P. dubia*]*Polycera conspicua* Allan, 1932:101 [= *P. capensis*]

Allan, 1950:223

Polycera cooki Angas, 1864:58 [= *Paliolla*]

Burn, 1965:89

Polydora cornigera Adams & Reeve in Adams, 1848 [=Ceratosoma; =Ceratosoma trilobatum]

Polydora cornuta (Abildgaard, 1806) |Doris| [=P. quadrilineata]

Frey & Leuckart, 1847:144; Hoeven, 1856:783; Menke, 1844a:131; Sars, 1878:312; Voigt, 1834:118

Polydora cristata Alder, 1841:340 [=Ancula; =Ancula gibbosa]

Frey & Leuckart, 1847:144

Polydora doriformis (Quatrefages) [=P. quadrilineata]

Polydora dubia Sars, 1829 [=Idalia; =Palio; =Palio lessonii; =Polydora dubia] (non

Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:109† =P. hedgpethi)

Lemche, 1941a:24; Lovén, 1846:138; Meyer, 1970:141; Odhner, 1939:38; Roginskaya, 1962:93

Polydora elegans (Bergh, 1984) |Greilada|

Danrigal & Huyghens, 1981: †; Edmunds, 1961:316; Garcia-Gomez, 2002:†; Ortea, Moro, Bacallado, Pérez Sánchez, & Vallès, 1997:132†; Riedl, 1970:427; Trainito, 2005:43†; Wirtz, 1998a:†; Wirtz & Martins, 1993:56

Polydora faeroensis Lemche, 1929:12

Brown & Picton, 1979:14; Garcia-Gomez, 2002:99†; George & George, pl. 90†; Hayward, Wigham, & Yonow, 1990:716; Hunnam & Brown, 1975:147; ICZN, 1977a:35; Just & Edmunds, 1985:58†; Lemche, 1973:91; Lemche & Thompson, 1974:186; Odhner, 1941:3; Ortea & Urgorri, 1981:52; Picton & Morrow, 1994:74†; Sánchez-Tocino, Ocaña, & García, 2000:†; Thompson, Thompson, 1976a:†; 1988:202†; Thompson & Brown, 1976:112; 1984:67†; Trainito, 2005:43†

Polydora flava (Montagu, 1804) |Doris| [=P. quadrilineata]

Voigt, 1834:118

Polydora fujitai Baba, 1937c:290

Abe, 1964:36; Baba, 1955:44†; Miller, 2001a:494; Nakano, 2004:98†; Okutani, 2000:781†; Ono, 2004:101†; Orr, 1980:114; Suzuki, 2000:54†

Polydora funerea Pruvot-Fol, 1930a:230

Risbec, 1953:105

Polydora fusca Frey & Leuckart, 1847:144 [=Palio lessonii]

Polydora gnupa Marcus & Marcus, 1967:198 [=P. hedgpethi]

Behrens & Hermosillo, 2005:63†; Camacho-Garcia, Gosliner, & Valdes, 2005:76†

Polydora hedgpethi Marcus, 1964:128

Behrens, 1980:68†; 1991:54†; 2004:37; Behrens & Hermosillo, 2005:63†; Bertsch, 1984:†; Cervera, García-Gómez, & García, 1988:225; Coleman, 2001:†; Debelius, 1996:†; Erhardt & Moosleitner, 1997:671†; Farmer, 1980:151; Gosliner, 1982:30; 1987b:97†; Masuda, 1999:92†; McDonald, 1983:205; McDonald & Nybakken, 1980:46†; Miller, 2001a:491; Nakano, 2004:99†; Okutani, 2000:781†; Suzuki, 2000:55†; Trainito, 2005:43†; Vallès, Valdés, & Ortea, 2000:22; Wells & Bryce, 1993:76†; Willan & Coleman, 1984:14†

Polydora herthae Marcus & Marcus, 1963:34

Ortea, Espinosa, & Camacho, 1999:158; Redfern, 2001:173†

Polydora hispida Hesse, 1872 |Aegirus| [=Aegires punctilucens]

Polydora holbolli (Möller, 1842) |Euplocamus| [=P. dubia; =Palio lessonii]

Bergh, 1879e:23; Derjugin, 1915:547

Polydora horrida Hesse, 1872:345 [=Aegires punctilucens; =P. quadrilineata]

Hesse, 1873:306; Pruvot-Fol, 1931a:751

- Polytcera hummi* Abbott, 1952:3
 Eyster, 1980:588; Marcus, 1961a:143
- Polytcera illuminata* (Gould, 1841) |*Doris*| [= *Palio dubia*; = *P. lessonii*]
- Polytcera janjukia* Burn, 1962:99
 Burn, 1966a:276; 1970:52; Coleman, 2001:†; Miller, 2005:51†
- Polytcera japonica* Baba, 1949:134†
 Marshall & Willan, 1999:53†; Nakano, 2004:98†; Ono, 1999:65†; 2004:100†
- Polytcera lessonii* Orbigny, 1837:5 [= *Idalia*; = *Palio*; = *Palio dubia*; *P. dubia*] (non Risbec, 1928:198† = *P. risbeci* or = *P. pruvotae*)
 Alder & Hancock, 1848:fam. 1, pl. 24†; Bergh, 1879e:17; Colgan, 1914:200; Gould, 1870:226†; Jeffreys, 1869:76; O'Donoghue, 1929:774; Tolmer, 1929:30; Verrill, 1873:665
- Polytcera lessonii* var. *ocellata* Alder & Hancock, 1842 |*Polytcera ocellata*|
- Polytcera lineata* Risso, 1826:30 [= *Plocamopherus insignis*; = *P. quadrilineata*]
 Cantraine, 1841:55; Pruvot-Fol, 1936a:632; Voigt, 1834:118
- Polytcera maculata* Pruvot-Fol, 1951:31 [= *Palio dubia*]
 Pruvot-Fol, 1954b:317
- doxi* Miller, 2005:51†
- Polytcera manzanilloensis* Ortea, Espinosa, & Camacho, 1999:161
 Ortea, Espinosa, & Caballer, 2004:106
- Polytcera marplatensis* Franceschi, 1928 |*Polytcera quadrilineata* var. *marplatensis*|
 Marcus, 1958:50; Muniain & Ortea, 1998:142; Schrödl, 2003:57†
- Polytcera mediterranea* Bergh, 1879 |*Polytcera quadrilineata* var. *mediterranea*| [= *P. quadrilineata*]
- Polytcera melanosticta* Miller, 1996b:444
 Coleman, 2001:†
- Polytcera modesta* Lovén, 1846:138 [= *Palio dubia*; = *P. dubia*; = *P. lessonii*]
- Polytcera nigrocrocea* Barnard, 1927:191 [= *P. capensis*]
 White, 1955:181
- Polytcera nigrolineata* Dautzenberg & Durouchoux, 1913 |*Polytcera quadrilineata* var. *nigrolineata*| [= *P. quadrilineata*]
- Polytcera nigropicta* Ihering, 1885 |*Polytcera quadrilineata* var. *nigropicta*| [= *P. quadrilineata*]
- Polytcera nonlineata* Thompson, 1840 |*Polytcera quadrilineata* var. *nonlineata*| [= *P. faeroensis*]
- Polytcera nothus* (Johnston, 1838) |*Triopa*|
- Polytcera ocellata* Alder & Hancock, 1842:33 [= *Palio lessonii*; = *Palio nothus*; *P. dubia*]
 Alder & Hancock, 1846:fam. 1, pl. 23†; Forbes & Hanley, 1850-1851:578; Jeffreys, 1869:76; Meyer & Möbius, 1865:49†; Sauvage, 1873:31; Tolmer, 1928:109; 1929:30
- Polytcera odhneri* Marcus, 1955:158
 Edmunds & Just, 1985:57; Marcus, 1958:51; Ortea, Espinosa, & Caballer, 2004:106; Redfern, 2001:173†

Polycera odhneri Rosa, 1963

Polycera ornata Orbigny, 1837:9 [=*P. quadrilineata*]

Polycera pallida (Bergh, 1880) |*Palio*| [=*P. dubia*]
Bergh, 1879e:27

Polycera parvula (Burn, 1958) |*Palio*|
Burn, 1966a:276; Coleman, 2001:†; Miller, 2005:51†

Polycera picta Risbec, 1928:200†
Coleman, 2001:†; Risbec, 1953:103

Polycera plebeia Lovén, 1846:138 [=*Palio nothus*; =*P. dubia*; =*P. quadrilineata*]

Polycera priva Marcus, 1959:56
Schrödl, 1996:30†; 2003:58†; Schrödl, et al., 2005:27†

Polycera pruvotae Risbec, 1953:102 (replacement name for *P. lessoni* of Risbec, 1928)

Polycera pudica Lovén, 1846:138 [=*Palio dubia*; =*Palio lessonii*; =*P. dubia*]
Sars, 1878:313

Polycera punctilucens Orbigny, 1837:7 [=*Aegires*]

**Polycera quadrilineata* (Müller, 1776) |*Doris*| (non Pruvot-Fol 1954b:315 =*P. marplatensis*)

Alder, 1841:338; Alder & Hancock, 1851a:fam. 1, pl. 22†; Ballesteros, 1985:15; Barletta & Melone, 1976:215†; Bergh, 1879e:602; 1883:135; Brown & Picton, 1979:13; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:107†; Colgan, 1911:24; 1914:199; Dahl, 1925:163; Dautzenberg & Durouchoux, 1906:41; Elmhirst, 1908:228; Evertsen & Bakken, 2001a:13†; Farran, 1909:16; Fez Sanchez, 1974:129†; Forbes & Hanley, 1850-1851:576; Garcia-Gomez, 2002:97†; Garstang, 1889:182; Gosliner, 1987b:97†; Haefelfinger, 1960:101; Hayward, Wigham, & Yonow, 1990:716; Herdman & Clubb, 1890:133; 1892a:133; Hoffmann, 1926:12; Hunnam & Brown, 1975:147; Ihering, 1886:16; Jeffreys, 1869:75; Labbé, 1931:21; Larsen, 1925:24; Lemche, 1938:22; 1941a:24; Løyning, 1927:250; Luque, 1983:62; Mazzarelli, 1903:295; Meyer & Möbius, 1865:55†; Misuri, 1917:76; Nobre, 1931:47; 1936:32; 1938-40:59; Nordsieck, 1972:56†; Odhner, 1907:22; 1939:38; Ortea, Moro, Bacallado, Pérez Sánchez, & Vallès, 1997:131†; Picton & Morrow, 1994:72†; Pruvot-Fol, 1951:31; 1953b:84; Riedl, 1970:427; 1983:331; Rolán & Otero-Schmitt, 1996:149†; Rolán-Alvarez & Rolán, 1990:92; Schmekel, 1970:201; Schmekel & Portmann, 1982:111†; Swennen, 1987:31; Tchang Si, 1931a:14; Thompson, 1856:274; Thompson, 1976:†; 1988:204; Thompson & Brown, 1976:110; 1984:68†; Tolmer, 1929:30; Trainito, 2003:26†; 2005:44†; Vayssiére, 1901a:63; 1913a:341; Verany, 2001:66; Vicente, 1967:154; Wägele & Schminke, 1987:†; Voigt, 1834:117; Wirtz, 1998a:†; 1999:†

Polycera quadrilineata fusca Müller [=*P. dubia*]

Polycera quadrilineata var. *marplatensis* Franceschi, 1928:579 [=*P. marplatensis*]
Carcelles, 1944:264

Polycera quadrilineata var. *mediterranea* Bergh, 1879e:14

Polycera quadrilineata var. *nigrolineata* Dautzenberg & Durouchoux, 1913:8

Polycera quadrilineata nigropicta Ihering, 1885

Polycera quadrilineata var. *nonlineata* Thompson, 1840:92

Polycera ramulosa Stimpson, 1855:379 [=*Plocamophorus*]

Polycera risbeci Odhner, 1941:14, 17

Burn, 1970:51; Marshall & Willan, 1999:53†; Ono, 2004:100†; Willan & Coleman, 1984:14†

- Polytcera rycia* Marcus & Marcus, 1970a:71
Ortea, Espinosa, & Camacho, 1999:160; Redfern, 2001:173†
- Polytcera salamandra* Labb  , 1931:22 [=*P. quadrilineata*]
Nordsieck, 1972:56; Odhner, 1941:14; Pruvot-Fol, 1954b:317
- Polytcera tabescens* Risbec, 1928:202† [=*Tambja limaciformis*]
Risbec, 1953:103
- Polytcera tricolor* Robilliard, 1971a:235
Behrens, 1980:68†; 1991:54†; 2004:37; 2005:†; Behrens & Hermosillo, 2005:64†; Debelius, 1996:†;
Farmer, 1980:152; Lamb & Hanby, 2005:260†; McDonald, 1983:206; McDonald & Nybakken,
1980:46†; Thompson, 1976a:†; Walls, 1982:312†
- Polytcera typica* Thompson, 1840:92 [=*P. quadrilineata*]
Thompson, 1856:275
- Polytcera varians* Sars, 1840 [=*P. cornuta*; =*P. quadrilineata*]
- Polytcera webbii* Orbigny, 1839 [=*Ceratosoma*; =*Glossodoris*; =*Glossodoris gracilis*;
=*Glossodoris valenciennesi*; =*Goniodoris*; =*Hypselodoris picta*]
- Polytcera xicoi* Ortea & Rol  n, 1989:23
- Polytcera zeylanica* Kelaart, 1858
Kelaart, 1883:103
- Polytcera zosterae* O'Donoghue, 1924:7
Behrens, 1980:70†; 1991:54†; 2004:37; Farmer, 1980:153; McDonald, 1983:206; McDonald &
Nybakken, 1980:46†
- Polytcera* sp. Camacho-Garcia, Gosliner, & Valdes, 2005:76†
- Polytcera* sp. "gaudy Polytcera" Coleman, 2001:†
- Polytcera* sp. "Portsea Polytcera" Coleman, 2001:†
- Polytcera* sp. "remarkable Polytcera" Coleman, 2001:†
- Polytcera* sp. "yellow-speckled Polytcera" Coleman, 2001:†
- "*Polytcera*" sp. Edmunds & Just, 1985:57 [=*Kankelibranchs incognitus*]
- Polytcera* sp. Gosliner, 1987b:97†
- Polytcera* sp. Lance, 1961:66
- Polytcera* sp. Lance, 1969:† [=*P. tricolor*]
- Polytcera* sp.1 Marshall & Willan, 1999:54†
- Polytcera* sp. M  rch, 1857 & 1877 [=*P. quadricolor*]
- Polytcera* sp.1 Nakano, 2004:100†
- Polytcera* sp.2 Nakano, 2004:100†
- Polytcera* sp.1 Ono, 1999:65† [=*P. risbeci*]
- Polytcera* sp.1 Ono, 2004:101†
- Polytcera* sp.2 Ono, 1999:66† [=*P. japonica*]
- Polytcera* sp.2 Ono, 2004:102†

- Polycera* sp.3 Ono, 1999:66†
Polycera sp.3 Ono, 2004:102†
Polycera sp.4 Ono, 1999:67† [=P. aberi]
Polycera sp.4 Ono, 2004:103†
Polycera sp. Sauvage, 1873:31
Polycera sp.1 Schrödl, 1996:31† [=Polycera alabe]
Polycera sp.1 Suzuki, 2000:55†
Polycera sp. Takahashi, 1971:3 [=Ancula (Eucrairia) kariyana]
Polycera sp. Takahashi, 1977:22 [=Ancula; =Ancula (Eucrairia) kariyana]
Polyrcera sp. Trainito, 2003:50†
Polycera sp. Yonow, 1990:292†
Subgenus: (*Greilada*) Bergh, 1894
Schmekel & Portmann, 1982:110
Polycera (Greilada) elegans (Bergh, 1894) |*Greilada*|
Pruvot-Fol, 1954b:320; 1956:356; Schmekel & Portmann, 1982:114†
Polycera (Greilada) messinensis Odhner, 1941:7 [=Greilada elegans; =P. elegans; ?=P. quadrilineata]
Pruvot-Fol, 1954b:320
Subgenus: (*Ohola*) Bergh, 1883
Polycera (Ohola) pacifica (Bergh, 1883) |*Ohola*|
Subgenus: (*Palio*) Gray, 1857
Schmekel & Portmann, 1982:110
Polycera (Palio) amakusana Baba, 1960
Nakano, 2004:99†
Polycera (Palio) dubia (Sars, 1829) |*Polycera*|
Lemche, 1938:23; Pruvot-Fol, 1954b:319; Schmekel & Portmann, 1982:113†
Polycerella Verrill, 1880a:386
Bergh, 1883:162; 1892:149(1141); Franc, 1968:864; Odhner, 1941:14; Schmekel & Portmann, 1982:110; Thiele, 1931:424; 1992:699
Polycerella conyna Marcus, 1957:429 [=P. emertoni]
Franz & Clark, 1972:265; Marcus, 1972:312; 1976a:7; Marcus & Marcus, 1960a:159
Polycerella davenportii Balch, 1899:150 [=P. emertoni]
Franz & Clark, 1972:265
**Polycerella emertoni* Verrill, 1880a:387
Bergh, 1883:137; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:111†; Franz, 1968:8; Franz & Clark, 1972:265; Garcia-Gomez, 2002:103†; García & Bobo, 1986:49; Redfern, 2001:173†; Schmekel & Portmann, 1982:116†
Polycerella glandulosa Behrens & Gosliner, 1988:319
Behrens, 1991:55†; 2004:347; Behrens & Hermosillo, 2005:64†; Camacho-Garcia, Gosliner, & Valdes, 2005:77†

Polycerella recondita Schmekel, 1965:226 [=*P. emertoni*]

Polycerella zoobotryon Smallwood, 1910:143 [=*Bermudella*; =*Okenia*]
Smallwood, 1913:609

***Thecacera* Fleming, 1828**

Abraham, 1877:231; Adams & Adams, 1858:55; Alder & Hancock, 1854a:genus 5; Bergh, 1883:161; 1892:149(1141); Chenu, 1859:403; Eliot, 1905f:241; 1910d:153; Fez Sanchez, 1974:128; Fischer, 1883:525; Forbes & Hanley, 1850-1851:575; Franc, 1968:864; Gray, 1857:214; Jeffreys, 1869:72; Nordsieck, 1972:57; Odhner, 1907:21; Pruvot-Fol, 1950:48; 1954b:321; Thiele, 1931:424; Thompson, 1988:206; Thompson & Brown, 1984:71; Vayssi  re, 1913a:338; Willan, 1989b:9

Thecacera boyla Willan, 1989b:2

Thecacera canteriata Bergh

Thecacera capitata Alder & Hancock, 1854:103 [=*Polycreta quadrilineata*]

Alder & Hancock, 1855:append. 11; Jeffreys, 1869:73; Nordsieck, 1972:57; Pruvot-Fol, 1954b:322; Vayssi  re, 1913a:339

Thecacera darwini Pruvot-Fol, 1950:49

Fischer, van der Velde, & Roubos, 2005:35†; Marcus, 1959:57; Schr  dl, 1996:32†; 2001:184†; 2003:58†; Schr  dl, et al., 2005:31†

Thecacera doriformis Bergh

Thecacera in hacae Macnae, 1958:350† [=*T. pacifica*]

Thecacera lamellata Barnard, 1933:294 [=*T. maculata*; =*T. pennigera*]

Thecacera maculata Eliot, 1905f:241 [=*T. pennigera*]

Macnae, 1958:347†

Thecacera pacifica (Bergh, 1883) |*Ohola*|

Behrens, 2005:†; Burn, 1974:305; Coleman, 1989:13†; 2001:†; Debelius, 1996:†; Gosliner, 1987b:96†; Masuda, 1999:92†; Nakano, 2004:101†; Okutani, 2000:781†; Ono, 1999:57,70†; 2004:103†; Suzuki, 2000:56†; Tonozuka 2003:63†; Wells & Bryce, 1993:78†; Willan & Coleman, 1984:14†

**Thecacera pennigera* (Montagu, 1815) |*Doris*|

Abe, 1964:37, 85†; Alder & Hancock, 1855:fam. 1, pl. 21a†, append. 9; Allan, 1957:4; Baba, 1960:76; Brown & Picton, 1979:15; Burn, 1978a:22; Coleman, 1989:14†; 2001:†; Colgan, 1911:25; Daly, 2000:†; Debelius, 1996:†; Fez Sanchez, 1974:129; Forbes & Hanley, 1850-1851:575; Garcia-Gomez, 2002:†; Gavaia, Malaquias, Calado, & Urgorri, 2003:109†; Gosliner, 1987b:95†; Hayward, Wigham, & Yonow, 1990:716; Jeffreys, 1869:72; Marcus, 1957:426; Masuda, 1999:92†; Nakano, 2004:101†; Nordsieck, 1972:57†; Okutani, 2000:781†; Ono, 2004:103†; Ortea, Moro, Bacallado, P  rez S  nchez, & Vall  s, 1997:132†; Picton & Morrow, 1994:78†; Pruvot-Fol, 1954b:321; Sauvage, 1873:30; Suzuki, 2000:57†; Swennen, 1987:32; Thompson, 1854:237; Thompson, 1976a:†; 1988:206†; Thompson & Brown, 1976:118†; 1984:71†; Vall  s, Vald  s, & Ortea, 2000:26; Vayssi  re, 1913a:339; Willan, 1976:347; Willan & Coleman, 1984:14†; Wirtz, 1999:†

Thecacera pennigera var. *nigrescens* Labb  , 1931:20

Thecacera picta Baba, 1972:88

Coleman, 2001:†; Debelius, 1996:†; Masuda, 1999:93†; Nakano, 2004:100†; Ono, 2004:103†; Suzuki, 2000:58†; Tonozuka 2003:63†; Wells & Bryce, 1993:78†

Thecacera velox Cockerell, 1901:87 [=*Trapania*]

O'Donoghue, 1922c:139

Thecacera virescens Alder & Hancock, 1851:290

Alder & Hancock, 1852a:74; 1855:append. 10; Forbes & Hanley, 1850-1851:576; Jeffreys, 1869:73;
Nordsieck, 1972:57; Odhner, 1907:22; Pruvot-Fol, 1954b:322; Vayssi  re, 1913a:339

Thecacera vittata Yonow, 1994:110†

Thecacera sp. Behrens, 2005:†

Thecacera sp. (Darwin) Bergh, 1883:162 [= *Thecacera darwini*]

Thecacera sp. Darwin (Bergh, 1892) [= *T. darwini*]

Thecacera sp. Debelius, 1996:†

Thecacera sp. Gosliner, 1987b:96†

Thecacera sp. Masuda, 1999:93†

Thecacera sp.1 Nakano, 2004:101†

Thecacera sp.2 Nakano, 2004:101†

Thecacera sp.1 Suzuki, 2000:58†

Thecacera sp.A Tonozuka 2003:64†

Thecacera sp.B Tonozuka 2003:64†

Themisto Oken, 1814, 1815 (non 1807)
[= *Polydora*; = *Triopa*]

**Themisto quadrilineata* (Oken in M  ller, 1776) | *Doris* |

Triopa Johnston, 1838
[= *Euphurus*; = *Limacia*]

Abraham, 1877:229; Adams & Adams, 1858:60; Alder, 1845:264; Alder & Hancock, 1854a:genus 3;
Barnard, 1927:192; Bergh, 1881a:638; 1883:152, 161; 1892:147(1139); 1905a:185; 1907:65; Chenu,
1859:405; Eliot, 1910d:152; Fez Sanchez, 1974:128; Fischer, 1883:527; 1888:131; Forbes & Hanley,
1850-1851:573; Gray, 1857:214; Jeffreys, 1869:71; Johnston, 1838a:123; Odhner, 1907:21; Sars,
1878:311; Vayssi  re, 1913a:337

Triopa camtchatica Volodchenko, 1941:56, 64 [= *Colga pacifica*]

Triopa carpenteri Stearns, 1873:78 [= *Triopha catalinae*]

Triopa catalinae Cooper, 1863a:59

**Triopa clavigera* (M  ller, 1776) | *Doris* | [= *Euphurus*; = *Limacia*]

Alder & Hancock, 1848:fam. 1, pl. 20†; Bergh, 1881a:640; Colgan, 1914:204; Fez Sanchez, 1974:128;
Forbes & Hanley, 1850-1851:573; Hoffmann, 1926:12; Ihering, 1886:32; Jeffreys, 1869:71; Johnston,
1838a:124; Lov  n, 1847:189; Nobre, 1931:46; 1936:31; 1938-40:60; Odhner, 1907:22; Vayssi  re,
1913a:337

Triopa crocea (Philippi, 1836) | *Euplocamus* |

Triopa fulgurans (Risbec, 1928) | *Plocamophorus* |
Risbec, 1925:472

Triopa gracilis Pease, 1871:301
Pruvot-Fol, 1947:112

Triopa holbollii (M  ller, 1842) | *Euplocamus* |

- Triopa incisa* Sars, 1872:35 [=*Triopella*]
- Triopa lacer* (Abildgaard) [=*Colga villosa*; =*Issena pacifica*]
- Triopa lacer* (Cuvier) Müller [=*Colga villosa*]
Derjugin, 1915:547; Lovén, 1847:189
- Triopa lacer* (Müller, 1806) |*Doris*|
Sars, 1878:311
- Triopa longicornis* Bergh, 1905a:186
- Triopa lucida* Stimpson, 1855a:388 [=*Limacia clavigera*]
Barnard, 1927:193; Bergh, 1907:66
- Triopa nothus* Johnston, 1838a:125 [=*Palio*; =*Polydera dubia*; =*Polydera ocellata*]
- Triopa pacifica* Volodchenko, 1941:55, 64
- Triopa principiswalliae* Collingwood, 1881:133†
Pruvot-Fol, 1935b:120
- Triopa tristis* Bergh, 1905a:186
- Triopa yatesi* Angas, 1864:60 [=*Kaloplocamus*]
Burn, 1965:89

Gymnodorididae Odhner, 1968

(Burn, 1967b:213 created subfamily Nembrothinae for *Nembrotha*, *Tambja*, & *Robostra*)
Burn, 1967b:213; 1989:772; Franc, 1968:865; Jensen, 2000b:622; Kay, 1979:474; Parker, 1982:1041;
Rudman, 1998:994; Rudman & Darvell, 1990:47; Sachidhanandam, Willan, & Chou, 2000:515; Wells
& Bryce, 1993:86; Willan & Coleman, 1984:16

Nembrothinae sp.

Nakano, 2004:111†

Analogium Risbec, 1928:193

Franc, 1968:865; Risbec, 1953:101; Thiele, 1931:425; 1992:700

Analogium amakusanum Baba, 1996:91† [=*Gymnodoris*]

Coleman, 2001:†; Okutani, 2000:783

**Analogium striatum* (Eliot, 1908) |*Trevelyanopsis*| [=*Gymnodoris*]

Coleman, 2001:†; Hamatani, 1995a:179; Marshall & Willan, 1999:62†; Okutani, 2000:783†; Risbec,
1928:194†; 1953:101

Angasiella Crosse, 1864 {invalid} [=*Nembrotha*]

Abraham, 1877:212; Angas, 1864:50; Fischer, 1883:526; Marcus, 1958:49

**Angasiella edwardsi* Angas, 1864:49 [=*Nembrotha*]

O'Donoghue, 1929:734

Angasiella limaciformis (Eliot, 1908) |*Nembrotha*|

Gymnodoris Stimpson, 1855:379

Baba, 1937c:292 (synopsis of Japanese species); Franc, 1968:865; Macnae, 1958:354; O'Donoghue,
1929:809; Rudman & Darvell, 1990:47; Thiele, 1931:425; 1992:699; Thompson, 1975:508

Gymnodoris alba (Bergh, 1877) |*Trevelyanopsis*|

Baba, 1949:135†; Coleman, 2001:†; Gosliner, 1987b:102†; Lin & Tchang, 1965:8; Kay, 1979:474; Kay & Young, 1969:221; Marshall & Willan, 1999:62†; Masuda, 1999:96†; Nakano, 2004:112†; Okutani, 2000:783†; Ono, 2004:115†; Suzuki, 2000:67†; Rudman & Darvell, 1990:47†; Wells & Bryce, 1993:88†

Gymnodoris amakusana (Baba, 1996) |*Analogium*|

Nakano, 2004:113†

Gymnodoris arnoldi (Burn, 1957) |*Nembrotha*|

Burn, 1962:96; 1989:773; Coleman, 1989:15†; 2001:†; Willan & Coleman, 1984:16†

Gymnodoris aurita (Gould, 1852) |*Doris*|

Behrens, 2005:†; Coleman, 2001:†; Debelius, 1996:†; Erhardt & Moosleitner, 1997:656†; Gosliner & Behrens, 1997:287†; Ono, 2004:120†; Tonozuka 2003:67†; Wells & Bryce, 1993:86†

Gymnodoris bicolor (Alder & Hancock, 1864) |*Trevelyanana*| (non Abe, 1964 =*G. alba*;

non Kay & Young, 1969:221 nor Macnae, 1958:358 =*G. citrina*)

Abe, 1964:38; Bertsch & Johnson, 1981:78†; Kay, 1979:474; Marcus & Burch, 1965:249; Thompson, 1975:508

Gymnodoris ceylonica (Kelaart, 1858) |*Trevelyanana*|

Allen & Steene, 1994:†; Baba, 1989e:192; Coleman, 1989:16†; 2001:†; Debelius, 1996:†; Erhardt & Moosleitner, 1997:667†; Gosliner, Behrens, & Williams, 1996:171†; Johnson & Boucher, 1983:277; Macnae, 1958:355; Marshall & Willan, 1999:63†; Masuda, 1999:97†; Nakano, 2004:113†; Ono, 2004:116†; Tonozuka 2003:68†; Willan & Coleman, 1984:16; †Yonow, 1990:292†

Gymnodoris citrina (Bergh, 1877) |*Trevelyanana*| [=*G. bicolor*]

Baba, 1935a:334; 1949:135†; Coleman, 2001:†; Debelius, 1996:†; Johnson & Boucher, 1983:278; Marcus & Marcus, 1970:169; Marshall & Willan, 1999:63†; Nakano, 2004:114†; Okutani, 2000:783; Ono, 1999:72†; 2004:115†; Orr, 1980:110; 1981:22†; Risbec, 1956:20; 1956a:20; Rudman & Darvell, 1990:48†; Suzuki, 2000:66†; Yonow, 1984:215; Young, 1967:169

Gymnodoris coccinea (Eliot, 1904) |*Trevelyanana*|

Gymnodoris crocea (Bergh, 1889) |*Trevelyanana (Rhodigina) crocea*|

Gymnodoris impudica (Rüppell & Leuckart, 1831) |*Doris*|

White, 1951:242

Gymnodoris inornata (Bergh, 1880) |*Trevelyanana*|

Abe, 1964:39; Baba, 1949:135†; Coleman, 2001:†; Gosliner, 1987b:102†; Lin & Tchang, 1965:8; Macnae, 1958:359; Masuda, 1999:96†; Nakano, 2004:114†; Okutani, 2000:783†; Ono, 2004:116†; Orr, 1980:110; 1981:21†; Rudman & Darvell, 1990:50†; Suzuki, 2000:66†

Gymnodoris japonica (Baba, 1930) |*Trevelyanana*| [=*G. citrina*]

Baba, 1935a:334; 1937c:292

Gymnodoris kouaouae (Risbec, 1928) |*Trevelyanana*|

Baba, 1935a:334

**Gymnodoris maculata* Stimpson, 1855:379 [=*Gymnodoris bicolor*; =*Trevelyanana*]

Gymnodoris marginata (Odhner, 1917) |*Trevelyanana*|

Gymnodoris nigricolor Baba, 1960d:72

Behrens, 2005:†; Coleman, 2001:†; Okutani, 2000:783†; Ono, 2004:117†; Rudman & Darvell, 1990:51†

Gymnodoris okinawae Baba, 1936:25

Bertsch & Johnson, 1981:79†; Coleman, 1989:16†; 2001:†; Edmunds, 1971:380; Gosliner, 1987b:102†; Johnson & Boucher, 1983:278; Kay, 1979:475†; Kay & Young, 1969:223; Marshall & Willan,

1999:64†; Masuda, 1999:96†; Nakano, 2004:113†; Okutani, 2000:783†; Ono, 2004:117†; Wells & Bryce, 1993:88†

Gymnodoris pattani Swennen, 1996:41

Gymnodoris plebeia (Bergh, 1877) [*Trevelyanai*]
Kay, 1979:476

Gymnodoris rubromaculata (Bergh, 1905) [*Trevelyanai*]
Risbec, 1956a:21

Gymnodoris rubropapulosa (Bergh, 1905) [*Trevelyanai*]
Behrens, 2005:†; Coleman, 2001:†; Debelius, 1996:†; Erhardt & Moosleitner, 1997:666†; King & Fraser, 2002:114†; Nakano, 2004:115†; Ono, 2004:21,118†; Rudman & Darvell, 1990:50†; Suzuki, 2000:67†

Gymnodoris striata (Eliot, 1908) [*Trevelyanai*] [= *Analogium*] (non Baba, 1937a:216; non Coleman, 1989:16†; nor Rudman & Darvell, 1990:52† = *Analogium amakusanum*)
Abe, 1964:39; Debelius, 1996:†; Lin & Tchang, 1965:8; Johnson & Boucher, 1983:279; Marcus & Marcus, 1970:169; O'Donoghue, 1929:809; Ono, 1999:72†; 2004:120†; Tonozuka 2003:68†; Willan & Coleman, 1984:16; †Yonow, 1990:292†

Gymnodoris (Analogium) striata (Eliot, 1908) [*Trevelyanai*]
Jensen, 1998:255

Gymnodoris subflava Baba, 1949:135†
Rudman & Darvell, 1990:50

Gymnodoris subornata Baba, 1960d:72
Abe, 1964:39, 85†; Nakano, 2004:115†

Gymnodoris sp. Baba & Noda, 1993:283†

Gymnodoris sp. Behrens, 2005:†

Gymnodoris sp. Bryce, 1994:58†

Gymnodoris sp. Bryce, 1994:61†

Gymnodoris sp. Coleman, 1981 [= *G. striata*]

Gymnodoris sp. "Coleman's gymnodoris" Coleman, 2001:†

Gymnodoris sp. "fringed gymnodoris" Coleman, 2001:†

Gymnodoris sp. "GBR gymnodoris" Coleman, 2001:†

Gymnodoris sp. "orange gymnodoris" Coleman, 2001:†

Gymnodoris sp. "striate gymnodoris" Coleman, 2001:†

Gymnodoris sp. "yellow-daubed gymnodoris" Coleman, 2001:†

Gymnodoris sp. "yellow-papillose gymnodoris" Coleman, 2001:†

Gymnodoris sp. "lemon-spotted gymnodoris" Coleman, 1989:15†

Gymnodoris sp. Debelius, 1996:†

Gymnodoris sp. Edmunds, 1971:382

Gymnodoris sp. Engel & Eeken, 1962:27

Gymnodoris sp.1 Gosliner, 1987b:103†

- Gymnodoris* sp.2 Gosliner, 1987b:103†
Gymnodoris sp. Gosliner, Behrens, & Williams, 1996:172† [=*G. aurita*]
Gymnodoris sp. Jensen & Clark, 1986:452
Gymnodoris sp.1 Marshall & Willan, 1999:64†
Gymnodoris sp. Masuda, 1999:96†
Gymnodoris sp. (top photo) Masuda, 1999:97†
Gymnodoris sp. (second photo) Masuda, 1999:97†
Gymnodoris sp.1 Nakano, 2004:116†
Gymnodoris sp.2 Nakano, 2004:116†
Gymnodoris sp.3 Nakano, 2004:116†
Gymnodoris sp.1 Ono, 1999:73†
Gymnodoris sp.2 Ono, 1999:73†
Gymnodoris sp.3 Ono, 1999:74†
Gymnodoris sp.4 Ono, 1999:74†
Gymnodoris sp.1 Ono, 2004:21,118†
Gymnodoris sp.2 Ono, 2004:119†
Gymnodoris sp.3 Ono, 2004:119†
Gymnodoris sp.4 Ono, 2004:120†
Gymnodoris sp.5 Ono, 2004:121†
Gymnodoris sp.6 Ono, 2004:121†
Gymnodoris sp.7 Ono, 2004:121†
Gymnodoris sp.8 Ono, 2004:120†
Gymnodoris sp.9 Ono, 2004:121†
Gymnodoris sp.10 Ono, 2004:121†
Gymnodoris sp.11 Ono, 2004:122†
Gymnodoris sp. Rudman & Darvell, 1990:51†
Gymnodoris sp.A Tonozuka 2003:69†
Gymnodoris sp.B Tonozuka 2003:69†
Gymnodoris sp.C Tonozuka 2003:70†
Gymnodoris sp.D Tonozuka 2003:70†
Gymnodoris sp. Wells & Bryce, 1993:86†, 88†
Gymnodoris sp. (28) Willan & Coleman, 1984:16†
Gymnodoris sp. (31) Willan & Coleman, 1984:16†

Kentiella Pruvot-Fol, 1931a:754****Kentiella rutilans*** Pruvot-Fol, 1931a:754

Winckworth, 1946a:61

Lamellana Lin, 1992:181****Lamellana gymnota*** Lin, 1992:182***Lecithophorus*** Macnae, 1958:362****Lecithophorus capensis*** Macnae, 1958:362†

Gosliner, 1987b:103†

Lecithophorus sp. Gosliner, 1987b:104†***Nembrotha*** Bergh, 1877:451

Abraham, 1877:235; Allan, 1933:449; Barnard, 1927:196; Bergh, 1881a:658; 1890a:980; 1890b:171; 1892:(1144); 1905a:193; 1907:67; Burn, 1967b:212, 214; Cotton & Godfrey, 1933:108; Eliot, 1904a:89; 1906e:549; Fischer, 1883:527; Franc, 1968:865; Macnae, 1958:360; Marcus, 1958:49; O'Donoghue, 1924a:567; Thiele, 1931:425; 1992:700

Nembrotha affinis Eliot, 1904a:92 [=*Tambja*]*Nembrotha amitina* Bergh, 1905a:201 [=*N. morosa*]*Nembrotha arnoldi* Burn, 1957:16 [=*Gymnodoris*]*Nembrotha caerulea* Eliot, 1904a:91*Nembrotha capensis* Bergh, 1907:68 [=*N. morosa*]

Barnard, 1927:196

Nembrotha chamberlaini Gosliner & Behrens, 1997:292†

Behrens, 2005:†; Knop, 2004:†; 2004a:† Masuda, 1999:90†; Tonozuka 2003:55†

Nembrotha citrina Bergh, 1875 [=*Gymnodoris*]*Nembrotha cristata* Bergh, 1877:458

Behrens, 2005:†; Bergh, 1905a:194; Coleman, 2001:†; Colin & Arneson, 1996:188†; Debelius, 1996:†; Dominguez, Moreira, & Troncoso, 2004:94†; Eliot, 1904a:90; Erhardt & Moosleitner, 1997:668†; Lin, 1975:146; Masuda, 1999:89†; Ono, 1999:59†; 2004:108†; Tonozuka 2003:53†; Wells & Bryce, 1993:81†; Willan & Coleman, 1984:11†; Yonow, 1994:108†

Nembrotha diaphana Bergh, 1877:454

Pruvot-Fol, 1927:47

Nembrotha divae Marcus, 1958:47*Nembrotha edwardsi* (Angas, 1864) |*Angasiella*|*Nembrotha eliora* Marcus & Marcus, 1967:194 [=*Tambja*; =*Tambja abdere* partim.]*Nembrotha gracilis* Bergh, 1877:458 [=*Roboastra*]

Baba, 1949:136†

Nembrotha gratiosa Bergh, 1890b:172

Bergh, 1890a:981

Nembrotha guttata Yonow, 1994:108†
Debelius, 1996:†

Nembrotha sp. cf. *guttata* Yonow, 1994
Nakano, 2004:106†; Ono, 2004:109†

Nembrotha hubbsi Lance, 1968:6 [= *Tambja eliora*]

Nembrotha kubaryana Bergh, 1877:454

Allen & Steene, 1994*; Behrens, 2005:†; Bergh, 1881a:659; 1905a:197†; Coleman, 2001:†; Colin & Arneson, 1995:188†; Debelius, 1996:†; Erhardt & Moosleitner, 1997:669†; Gosliner, Behrens, & Williams, 1996:170†; Johnson & Boucher, 1983:280; Kerstitch, 1988:†; Lin, 1975:146; Masuda, 1999:90†; Ono, 1999:60†; 2004:109†; Powell, 1979:285; Tonozuka 2003:52†; Wells & Bryce, 1993:81†; Willan & Coleman, 1984:12†; Yonow & Hayward, 1991:11†

Nembrotha limaciformis Eliot, 1908a:98 [= *Angasiella*; = *Tambja*]
Baba, 1960d:73; Debelius, 1996:†; Ono, 1999:59†; Wells & Bryce, 1993:84†

Nembrotha lineolata Bergh, 1905a:199†

Baba, 1976a:131; Beesley, Ross, & Wells, 1998:pl. 37†; Coleman, 1989:10†; 2001:†; Colin & Arneson, 1995:188†; Eales, 1938:95; Erhardt & Moosleitner, 1997:670†; Gosliner, Behrens, & Williams, 1996:170†; Knop, 2004a:†; Marshall & Willan, 1999:52†; Masuda, 1999:90†; Nakano, 2004:108†; Okutani, 2000:781†; Ono, 1999:58, 61†; 2004:110†; Suzuki, 2000:62†; Tonozuka 2003:54†; Wells & Bryce, 1993:84†; Yonow, Anderson, & Buttress, 2001:838†

Nembrotha lineolata var. Bergh, 1905a:200†

Nembrotha livingstonei Allan, 1933:450

Coleman, 2001:†; Gosliner, 1987b:99†; Marshall & Willan, 1999:52†; Masuda, 1999:89†; Ono, 2004:110†

Nembrotha luteolineata Baba, 1936:26 [= *Roboastra*]

Nembrotha megalocera Yonow, 1990:292†

Behrens, 2005:†; Cervera, Garcia-Gomez, & Megina, 1994:125; 1996:55; Coleman, 2001:†; Debelius, 1996:†; Erhardt & Moosleitner, 1997:670†; Erhardt & Moosleitner, 1997:669; Tonozuka 2003:56†

Nembrotha milleri Gosliner & Behrens, 1997:296†

Behrens, 2005:†; Coleman, 2001:†; Ono, 1999:60, 101†; 2004:111†; Tonozuka 2003:53†

Nembrotha morosa Bergh, 1877:457 [= *Tambja*]

Bergh, 1905a:195†; Macnae, 1958:360; Powell, 1979:286

Nembrotha mullineri Gosliner & Behrens, 1997:300†

Behrens, 2005:†; Tonozuka 2003:57†

**Nembrotha nigerrima* Bergh, 1877:451

Bergh, 1905a:196; Coleman, 1989:10†; Risbec, 1956:19; 1956a:19; Wells & Bryce, 1993:84†

Nembrotha nigerrima var. Eliot, 1906e:549

Nembrotha purpureolineata O'Donoghue, 1924a:568

Allen & Steene, 1994:†; Baba, 1976a:132; Coleman, 2001:†; Colin & Arneson, 1995:188†; Debelius, 1996:†; Gosliner, 1987b:100†; King & Fraser, 2002:114†; Nakano, 2004:108†; Suzuki, 2000:62†; Tonozuka 2003:54†; Wells & Bryce, 1993:81†

Nembrotha rubroocellata Bergh, 1905a:201†

Nembrotha rubropapulosa Bergh, 1905a:198† [= *Roboastra gracilis*]

Nembrotha rutilans (Pruvot-Fol, 1931) | *Kentiella*

Behrens, 2005:†; Coleman, 1989:10†; 2001:†; Debelius, 1996:†; Wells & Bryce, 1993:84†

- Nembrotha sagamiana* Baba, 1955:44†
- Nembrotha semperi* Bergh
- Nembrotha tabescens* (Risbec, 1928) |*Polycera*| [= *Tambja limaciformis*]
Coleman, 1989:11†
- Nembrotha verconis* Basedow & Hedley, 1905:158 [= *Tambja*]
Cotton & Godfrey, 1933:108
- Nembrotha* sp. Baba & Hamatani, 1952:4
- Nembrotha* sp. Behrens, 2005:†
- Nembrotha* sp. Bergh, 1890a:984
- Nembrotha* sp. “red-dotted Nembrotha” Coleman, 2001:†
- Nembrotha* sp. “donut Nembrotha” Coleman, 2001:†
- Nembrotha* sp. Colin & Arneson, 1995:188† [= *N. chamberlaini*]
- Nembrotha* sp. Debelius, 1996:†
- Nembrotha* sp. Erhardt & Moosleitner, 1997:669
- Nembrotha* sp. Farmer, 1970 [= *Tambja abdere*]
- Nembrotha* sp. George & George, pl. 90†
- Nembrotha* sp. Gosliner, Behrens, & Williams, 1996:170† [= *N. chamberlaini*]
- Nembrotha* sp. Haas, 1920:141
- Nembrotha* sp. Okutani, 1994 [= *N. chamberlaini*]
- Nembortha* sp.A Tonozuka 2003:58†
- Nembrotha* sp.B Tonozuka 2003:58†
- Nembrotha* sp. (11) Willan & Coleman, 1984:12† [= *N. livingstonei*]
- Nembrotha* sp. (12) Willan & Coleman, 1984:12† [= *N. lineolata*]
- Nembrotha* sp. (13) Willan & Coleman, 1984:12†
- Paliolla*** Burn, 1958:7
- **Paliolla cooki* (Angas, 1864) |*Polycera*|
Burn, 1958:7; 1975c:107; 1989:773; Coleman, 1989:17†; 2001:†
- Paliolla templadoi*(Ortea, 1989) |*Esuriospinax*|
Ortea, Rolan, & Valdes, 1992:104
- Paliolla* sp. “red-speckled Paliolla” Coleman, 2001:†
- Paliolla* sp. Masuda, 1999:95†
- Paliolla* sp. Wells & Bryce, 1993:88†

Rhodigina Bergh, 1877:446 (in footnote)
[=subgenus of *Trevelyanana*]

**Rhodigina plebia* Bergh, 1877

Roboastra Bergh, 1877:458 (in footnote)

Burn, 1967b:213, 214; Farmer, 1978:384 (key to species); García-Gómez, 1985:169; Pola, Cervera, & Gosliner, 2005

Roboastra arika Burn, 1967b:218 (non Coleman, 1989:12†; nor 2001:†; nor Marshall & Willan, 1999:54†, = *Tambja victoriae*)
 Debelius, 1996:†; Gosliner, Behrens, & Williams, 1996:171†; Pola, Cervera, & Gosliner, 2005:178; Willan & Coleman, 1984:14†

Roboastra caboverdensis Pola, Cervera, & Gosliner, 2003:387†
 Pola, Cervera, & Gosliner, 2005:180

Roboastra europaea García-Gómez, 1985:169

Cervera, Templado, García-Gómez, Ballesteros, Ortea, García, Ros, & Luque, 1988:†; Garcia-Gomez, 2002:105†; Moreno & Templado, 1998:52†; Perrone, 1990b:23; Pola, Cervera, & Gosliner, 2003:382†; 2005:179; Trainito, 2005:41†

**Roboastra gracilis* (Bergh, 1877) |*Nembrotha*|

Baba, 1977:290; Bertsch & Johnson, 1981:80†; Burn, 1967b:215; Coleman, 1989:13†; 2001:†; Debelius, 1996:†; Gosliner, 1987b:101†; Hamatani & Baba, 1976:136; Marshall & Willan, 1999:55†; Masuda, 1999:91†; Nakano, 2004:108†; Ono, 1999:61, 121†; 2004:114†; Pola, Cervera, & Gosliner, 2005:168; Suzuki, 2000:59†; Tonozuka 2003:59†; Wells & Bryce, 1993:81†; Willan & Coleman, 1984:14†; Yonow, 1994:109†

Roboastra leonis Pola, Cervera, & Gosliner, 2005:181
 Behrens, 2005:†; Camacho-Garcia, Gosliner, & Valdes, 2005:78†

Roboastra luteolineata (Baba, 1936) |*Nembrotha*|

Behrens, 2005:†; Coleman, 2001:†; Debelius, 1996:†; Gosliner, 1987b:101†; Hamatani & Baba, 1976:137; Masuda, 1999:91†; Nakano, 2004:109†; Okutani, 2000:781†; Ono, 1999:62†; 2004:113†; Pola, Cervera, & Gosliner, 2005:174; Suzuki, 2000:60†; Tonozuka 2003:59†

Roboastra rubropapulosa (Bergh, 1905) |*Nembrotha*|

Behrens, 2005:†; Gosliner, Behrens, & Williams, 1996:246†; Ono, 1999:62†

Roboastra tigris Farmer, 1978:381

Behrens, 2005:†; Behrens & Hermosillo, 2005:64†; Debelius, 1996:†; Farmer, 1980:133; Kerstitch, 1988:†; Pola, Cervera, & Gosliner, 2005:178

Roboastra sp Debelius, 1996:† [=*R. leonis*]

Roboastra sp. Erhardt & Moosleitner, 1997:672

Roboastra sp. Farmer, 1970 [=*R. tigris*]

Roboastra sp. Farmer, 1978:384 [=*R. leonis*]

Stenodoris Pease, 1866:205

[=*Trevelyana*]

Fischer, 1883:527; Pruvot-Fol, 1947:99

Stenodoris picta (Pease, 1871) |*Trevelyana*| [=*Gymnodoris ceylonica*]

**Stenodoris rubra* Pease, 1866:206

Pruvot-Fol, 1947:111

Tambja Burn, 1962:98

Burn, 1967b:213, 214; Pola, Cervera, & Gosliner, 2005b:258; Miller & Haagh, 2005:55; Schick & Cervera, 1998:344 (table of Atlantic species)

Tambja abdere Farmer, 1978:377

Gary McDonald, Long Marine Lab, 100 Shaffer Rd., Santa Cruz, Cal. 95060

Behrens & Hermosillo, 2005:65†; Camacho-Garcia, Gosliner, & Valdes, 2005:77†; Erhardt & Moosleitner, 1997:673†; Farmer, 1980:130; Pola, Valles, Cervera, Medina, & Gosliner, 2006:59†

Tambja affinis (Eliot, 1904) |*Nembrotha*| (non George & George, 1979 =*Roboastria arika*)

Coleman, 1989:12†; Debelius, 1996:†; Erhardt & Moosleitner, 1997:674†; George & George, pl. 90†; Marshall & Willan, 1999:55†; Suzuki, 2000:61†; Tan, Pai, & Hsha, 1987:77†; Wells & Bryce, 1993:78†; Willan & Coleman, 1984:14†; Yonow, 1990:293†

Tambja amakusana Baba, 1987:15

Nakano, 2004:107†; Ono, 1999:64†; 2004:111†; Suzuki, 2000:60†

Tambja amitina (Bergh, 1905) |*Nembrotha*|

Tambja anayana Ortea, 1989a:29

Ocana, Sanchez-Tocino, & Garcia, 2004:207

Tambja blacki Pola, Cefvera, & Gosliner, 2006:407†

Tambja capensis (Bergh, 1907) |*Nembrotha*|

Gosliner, 1987b:100†

Tambja ceutae García-Gómez & Ortea, 1988:302†

Caballer Gutierrez, Moro Abad, & Ortea Rato, 2001:131; Garcia-Gomez, 2002:†; Malaquias, Cervera, Abreu, & López-González, 2001:†; Moreno & Templado, 1998:52†; Ocana, Sanchez-Tocino, & Garcia, 2004:207; Ortea, Moro, Bacallado, Pérez Sánchez, & Vallès. 1997:130†; Perrone, 1990b:24; Pola, Cefvera, & Gosliner, 2006:407†; Sánchez-Tocino, García, & Ocaña, 2000:68†; Trainito, 2005:42†; Wirtz, 1998a:†; Wirtz & Martins, 1993:56†

Tambja diaphana (Bergh, 1877) |*Nembrotha*|

Tambja divae (Marcus, 1958) |*Nembrotha*|

Tambja eliora (Marcus & Marcus, 1967) |*Nembrotha*|

Behrens, 1991:55†; 2004:38; 2005:†; Behrens & Hermosillo, 2005:65†; Camacho-Garcia, Gosliner, & Valdes, 2005:77†; Coleman, 2001:†; Farmer, 1978:375; 1980:131; 1984:16†; Pola, Cefvera, & Gosliner, 2006:407†

Tambja fantasmalis Ortea & García-Gómez, 1986:1

Ocana, Sanchez-Tocino, & Garcia, 2004:207

Tambja fusca Farmer, 1978:378 [=*T. abdere*]

Behrens, 1991:55†; 2004:38; 2005:†; Debelius, 1996:†; Farmer, 1980:132

Tambja gabrielae Pola, Cervera, & Gosliner, 2005b:258†

Tambja gratiosa (Bergh, 1890) |*Nembrotha*|

Tambja haidari Pola, Cervera, & Gosliner, 2006:403†

Tambja kushimotoensis Baba, 1987:13

Debelius, 1996:†; Erhardt & Moosleitner, 1997:674†; Masuda, 1999:92†; Ono, 1999:63†; Yonow & Hayward, 1991:12†

Tambja limaciformis (Eliot, 1908) |*Nembrotha*|

Coleman, 2001:†; Marshall & Willan, 1999:56†; Nakano, 2004:109†; Ono, 2004:113†

Tambja marbellensis Schick & Cervera, 1998:344

Garcia-Gomez, 2002:†; Ocana, Sanchez-Tocino, & Garcia, 2004:207; Sánchez-Tocino, Ocaña, & García, 2000:†; Sánchez-Tocino, García, & Ocaña, 2000:70†; Trainito, 2005:42†

Tambja morosa (Bergh, 1877) |*Nembrotha*|

Behrens, 2005:†; Coleman, 1989:11†; 2001:†; Colin & Arneson, 1995:190†; Debelius, 1996:†; Gosliner, 1987b:100†; Hoover, 1998:176†; Marshall & Willan, 1999:57†; Nakano, 2004:109†; Okutani, 2000:781†; Ono, 2004:112†; Tan, Pai, & Hsha, 1987:77†; Tonozuka 2003:60†; Wells & Bryce, 1993:80†; Willan & Coleman, 1984:12†

Tambja mullineri Farmer, 1978:379

Camacho-Garcia, Gosliner, & Valdes, 2005:78†; Debelius, 1996:†; Gosliner, 1991b:293

Tambja oliva Meyer, 1977:302

Espinosa & Ortea, 2001:†

Tambja olivaria Yonow, 1994:109†

Coleman, 2001:†; Yonow, 1997:†

Tambja sagamiana (Baba, 1955) |*Nembrotha*|

Coleman, 2001:†; Masuda, 1999:91†; Nakano, 2004:112†; Okutani, 2000:781†; Ono, 1999:64†; 2004:112†; Suzuki, 2000:61†

Tambja simplex Ortea & Moro, 1999:150†

Cervera, Garcia-Gomez, & Cattaneo-Vietti, 2000:190; Ocana, Sanchez-Tocino, & Garcia, 2004:207

Tambja stegosauriformis Pola, Cervera, & Gosliner, 2005a:979

Pola, Cefvera, & Gosliner, 2006:408†

Tambja tabescens (Risbec, 1928) |*Polycera*|

Tambja tentaculata Pola, Cervera, & Gosliner, 2005b:258†

Tambja tenuilineata Miller & Haagh, 2005:55†

**Tambja verconis* (Basedow & Hedley, 1905) |*Nembrotha*|

Behrens, 2005:†; Burn, 1962:99; 1966a:277; 1989:772; Coleman, 1989:11†; 2001:†; Debelius, 1996:†; Nakano, 2004:110†; Willan & Coleman, 1984:12†

Tambja victoriae Pola, Cervera, & Gosliner, 2005b:266†

Tambja zulu Pola, Cervera, & Gosliner, 2005b:262†

Tambja sp. Behrens, 2005:†

Tambja sp. "black-streak Tambja" Coleman, 2001:†

Tambja sp. "fine-lined Tambja" Coleman, 2001:†

Tambja sp. "green-flecked Tambja" Coleman, 2001:†

Tambja sp. "lemon Tambja" Coleman, 2001:†

Tambja sp. "orange Tambja" Coleman, 2001:†

Tambja sp. "painted tambja" Coleman, 1989:12†

Tambja sp. "ridged Tambja" Coleman, 2001:†

Tambja sp. "southern Tambja" Coleman, 2001:†

Tambja sp. Debelius, 1996:†

Tambja sp. Erhardt & Moosleitner, 1997:673†

Tambja sp. George & George, pl. 90†

Tambja sp. Gosliner, 1987b:101†

- Tambja* sp.1 Marshall & Willan, 1999:57†
Tambja sp.1 Nakano, 2004:110†
Tambja sp.2 Nakano, 2004:110†
Tambja sp.3 Nakano, 2004:111†
Tambja sp.4 Nakano, 2004:111†
Tambja sp. Ocana, Sanchez-Tocino, & Garcia, 2004:207
Tambja sp.1 Ono, 2004:114†
Tambja sp.2 Ono, 2004:114†
Tambja sp._Sánchez-Tocino, García, & Ocaña, 2000:72†
Tambja sp. Tan, Pai, & Hsha, 1987:78†
Tambja sp.A Tonozuka 2003:61†
Tambja sp.B Tonozuka 2003:61†
Tambja sp.C Tonozuka 2003:62†
Tambja sp.D Tonozuka 2003:62†
Tambja sp. Willan & Coleman, 1984:12†
Tambja sp. Wirtz, 1998a:†; 1999:14†

Trevelyan Kelaart, 1858a:257
[=*Gymnodoris*]

- Abraham, 1876a:144; 1877:234; Alder & Hancock, 1864:132; Bergh, 1877:440; 1880c:185; 1883:139, 164; 1889:850; 1892:151(1143); 1905a:187; Chenu, 1859:403; Eliot, 1904a:85; 1906a:667; 1906e:549; 1909a:93; Kelaart, 1883:100; O'Donoghue, 1929:733; Risbec, 1928:181; 1953:97; Vayssi  re, 1912:60
- Trevelyan alba* Bergh, 1877:443 [=Gymnodoris]
Eliot, 1910:434
- Trevelyan alba* var. *pallida* Bergh, 1883:139
- Trevelyan bicolor* Alder & Hancock, 1864:132 [=Gymnodoris; =Plocamophorus] (non Risbec, 1953:98 =Gymnodoris citrina)
Eliot, 1904a:89; Farran, 1905a:346
- **Trevelyan ceylonica* Kelaart, 1858a:257 [=Gymnodoris]
Eliot, 1904a:86; 1906a:669; 1906b:1007; 1909a:93; Risbec, 1928:183†; 1953:97; Vicente, 1966a:119
- Trevelyan citrina* Bergh, 1877:442 [=Gymnodoris; =Gymnodoris bicolor; =T. bicolor]
- Trevelyan coccinea* Eliot, 1904a:85 [=Gymnodoris]
- Trevelyan concinna* Abraham, 1876a:145
- Trevelyan crocea* Bergh, 1889 |*Trevelyan (Rhodigina)*| [=Gymnodoris]
Eliot, 1904a:87†; 1906e:549
- Trevelyan (Rhodigina) crocea* Bergh, 1889:850 [=Gymnodoris]
- Trevelyan defensa* Bergh, 1905a:192† [=Gymnodoris citrina]

Trevelyania felis Collingwood, 1881:134† [=Vayssierea; ?=Vayssierea caledonica]
 Pruvot-Fol, 1935b:121

Trevelyania inornata Bergh, 1880:186 [=Gymnodoris]
 Bergh, 1905a:188

Trevelyania japonica Baba, 1930 [=Gymnodoris; =Gymnodoris bicolor; =Gymnodoris citrina]

Trevelyania kouaouae Risbec, 1928:184†
 Risbec, 1930a:288; 1953:98

Trevelyania limacina (Quoy & Gaimard, 1832) |Doris|
 Pruvot-Fol, 1934:76

Trevelyania maculata (Stimpson, 1855) |Gymnodoris|

Trevelyania marginata Odhner, 1917:62

Trevelyania perlucens Risbec, 1928:185† [=Gymnodoris bicolor; =Gymnodoris citrina;
 =T. bicolor]

Trevelyania picta Pease, 1871:301 [=T. ceylonica]
 Pruvot-Fol, 1947:112

Trevelyania plebeia Bergh, 1877:446

Trevelyania rubra Bergh, 1905a:189 [=T. kouaouae]

Trevelyania rubra (Pease, 1866) |Stenodoris|

Trevelyania rubromaculata Bergh, 1905a:189† [=T. ceylonica]

Trevelyania rubropapulosa Bergh, 1905a:191† [=Gymnodoris]

Trevelyania striata Eliot, 1908a:100 [=Analogium; =Gymnodoris]
 Vayssi  re, 1912:61

Trevelyania suggens Risbec, 1928:190† [=Gymnodoris bicolor; =Gymnodoris citrina;
 =T. bicolor]

Trevelyania zeylanica Kelaart, 1858 [=T. ceylonica]
 Kelaart, 1883:100

Trevelyania Fischer, 1883:527 {emendation of *Trevelyania*}
 [=Gymnodoris]

Fucolidae Pruvot-Fol, 1933:401

Fucola Quoy & Gaimard, 1833

Pruvot-Fol, 1934:77

Fucola (*Trevelyania*) *felis* (Collingwood, 1881) |Trevelyania|
 Pruvot-Fol, 1933:401

**Fucola rubra* Quoy & Gaimard,, 1833
 Pruvot-Fol, 1929:376; 1933:401; 1935b:122

Vayssiereidae Thiele, 1931:430

[=Okadaidae Baba, 1931:64]

Gary McDonald, Long Marine Lab, 100 Shaffer Rd., Santa Cruz, Cal. 95060

Franc, 1968:865; Jensen, 2000:436; Kay, 1979:476; Parker, 1982:1042; Risbec, 1953:110; Rudman, 1998:996; Sachidhanandam, Willan, & Chou, 2000:518; Thiele, 1992:707

Okadaia Baba, 1930a:47

Baba, 1931:65; Franc, 1968:865; 1992:725

Okadaia caledonica (Risbec, 1928) |*Vayssierea*| [=*Vayssierea*]

Okadaia cinnabareus (Ralph, 1944) |*Pellibranchus*|

Powell, 1979:285; Willan & Morton, 1984:94

**Okadaia elegans* Baba, 1930a:48

Abe, 1964:45; Baba, 1931:65; 1937:148; 1949:140†; Gosliner, 1987b:104†; Kay, 1979:476; Kay & Young, 1969:226; Okutani, 2000:783†; Young, 1967:171; 1969a:903

Okadaia tecticardia Slavoshevskaya, 1971:207

Pellibranchus Ralph, 1944:24
[=*Okadaia*]

Ralph, 1948:528

**Pellibranchus cinnabareus* Ralph, 1944:24 [=*Okadaia*]

Ralph, 1948:528

Vayssierea Risbec, 1928:289

Franc, 1968:865; Pruvot-Fol, 1929:376; Thiele, 1931:430; 1992:707

**Vayssierea caledonica* Risbec, 1928:289†

Burn, 1970:52; Coleman, 2001:†; Marshall & Willan, 1999:58†; Risbec, 1930c:94; 1953:111

Vayssierea elegans (Baba, 1930) |*Okadaia*|

Tan, Pai, & Hsha, 1987:81†

Vayssierea felis (Collingwood, 1881) |*Trevelyania*|

Nakano, 2004:118†; Ono, 2004:127†

Rhodopidae Ihering, 1876:144; Fischer, 1883

[Salvini-Plawen, 1991a:301 considers this family as the Rhodopemorpha, of uncertain systematic rank; Fischer, 1883:547; Sabelli, Giannuzzi-Savelli, & Bedulli, 1990:453 list it as order Rhodopida Fischer, 1883]

Franc, 1968:865; Haszprunar & Kunz, 1996:494; Salvini-Plawen, 1991a:308; Thiele, 1926:114; 1931:461

Helminthope Salvini-Plawen, 1991a:304

Helminthope psammobionta Salvini-Plawen, 1991a:304

Haszprunar & Kunz, 1996:494

Rhodope Kölliker, 1847:239

Bergh, 1882a:550; Fischer, 1883:547; Haszprunar & Kunz, 1996:494; Odhner, 1968:253; Thiele, 1931:461; 1992:754; Vayssière, 1913a:260

R. crucispiculata Salvini-Plawen, 1991a:311

Rhodope marcusii Salvini-Plawen, 1991a:310

Rhodope transtrosa Salvini-Plawen, 1991a:302

Haszprunar, 1997:371; Haszprunar & Kunz, 1996:486

**Rhodope veranyi* Kölliker, 1847:239 [non Karling, 1966:33, =*R. sp.D* vide: Salvini-Plawen, 1991a:310]

Graff, 1882:73; Haszprunar & Kunz, 1996:484; Marcus & Marcus, 1952:4; Riedl, 1959:107; Salvini-Plawen, 1970:294; 1991a:301; Trinchese, 1887b:131; Vayssiére, 1913a:260

Rhodope sp.A Arnaud, Poizat, & Salvini-Plawen, 1986:158 [=*R. marcusii*]

Rhodope sp.B Arnaud, Poizat, & Salvini-Plawen, 1986:158 [=*Helminthope psammobionta*]

Rhodope sp.C Arnaud, Poizat, & Salvini-Plawen, 1986:158 [=*R. crucispiculata*]

Rhodope sp.D Karling, 1966

Salvini-Plawen, 1991a:310

Rhodoplana Vayssiére, 1906a:45

[Vayssiére, 1906b:149 says it is a rhabdocoel flatworm]

Rhodoplana vandellii Vayssiére, 1906:46

Superfamily: **Eudoroidea** Odhner, 1934

[=Cryptobranchia Fischer, 1883; =Doridoidea Rafinesque, 1815; =Eudoridacea Odhner, 1934]

Barnard, 1927:173; Bergh, 1888b:801; 1891:103; 1892:83(1075); 1905a:88; Eliot, 1903a:355; 1906e:550; Franc, 1968:865; Jensen, 2000b:622; Nordsieck, 1972:57; Odhner, 1926:53 (synopsis of families); O'Donoghue, 1926:200; Parker, 1982:1042; Rudman, 1998:997; Thompson & Brown, 1984:75; Vayssiére, 1913a:312

Goslineria Valdés, 2001:256

**Goslineria callosa* Valdés, 2001:256

Pharodoris Valdés, 2001:257

**Pharodoris diaphora* Valdés, 2001:260

Pharodoris philippinensis Valdés, 2001:264

Pharodoris sp. Valdés, 2001:266

Hexabranchidae Bergh, 1891:126

Barnard, 1927:173; Bergh, 1892:99(1091); 1900:224; 1905a:89; Eliot, 1906e:545; Franc, 1968:866; Jensen, 2000:436; 2000b:622; Kay, 1979:470; MacFarland, 1906:113; Parker, 1982:1042; Risbec, 1953:57; Rudman, 1998:997; Sachidhanandam, Willan, & Chou, 2000:514; Thiele, 1926:111; 1931:422; 1992:695; Wells & Bryce, 1993:93; Willan & Coleman, 1984:10

Aethedoris Abraham, 1877:237 [=*Hexabranchus*]

Cotton & Godfrey, 1933:104; Fischer, 1883:526; Pruvot-Fol, 1931:309; Valdes, 2002c:561

**Aethedoris indica* Abraham, 1877:237 |*Goniodoris* sp. Alder & Hancock|

Aethedoris verconis (Basedow & Hedley, 1905) |*Albania*|

Cotton & Godfrey, 1933:104; Pruvot-Fol, 1931:309

Heptabranchus Adams, 1848, 1849
[=*Hexabranchus*]

Adams & Adams, 1858:59; Chenu, 1859:405; Fischer, 1883:520; Valdes, 2002c:561

**Heptabranchus burnetti* Adams, 1848 [=*Hexabranchus*]

Hexabranchus Ehrenberg, 1831
[non Gray, 1850, =*Dendrodoris*; =*Doridopsis*; =*Doriopsis*]

Abraham, 1876a:134; 1877:222; Adams & Adams, 1858:59; Baba, 1988g:11; Bergh, 1877c:71; 1878a:547; 1880b:32; 1889:827; 1905a:89; Chenu, 1859:405; Eliot, 1905c:270; 1906e:546; 1908a:97; Fischer, 1883:520; Gray, 1857:210; O'Donoghue, 1924a:545; Thiele, 1931:422; 1992:696; Valdes, 2002b:291; 2002c:560

Hexabranchus adamsi Gray, 1850a:pl. 219, fig. 1, 1850b:104 [=*H. sanguineus*]
Barnard, 1927:174; Eliot, 1905a:235

Hexabranchus anaiteus Bergh, 1878a:557 [=*H. praetextus*; =*H. sanguineus*]

Hexabranchus aneiteumensis Abraham, 1877:261 [=*H. sanguineus*]

Hexabranchus aureomarginatus Ostergaard, 1955:132 [=*H. sanguineus*]
Kay, 1979:470; Kay & Young, 1969:213

Hexabranchus burnetti (Adams, 1858) |*Heptabranchus*|

Hexabranchus cardinalis (Gould, 1852) |*Doris*|

Hexabranchus digitatus Eliot, 1903, 1906e:546 [=*H. sanguineus*]

Hexabranchus faustus Bergh, 1878a:550 [=*H. marginatus*; =*H. sanguineus*]
Eliot, 1905c:271; 1906e:546

Hexabranchus faustus var. Bergh, 1878a:555

Hexabranchus flammulatus (Quoy & Gaimard, 1832) |*Doris*| [=*H. sanguineus*]
Baba, 1986:†; Iredale & McMichael, 1962:94; Narayanan, 1968:378; Wild, 1895:90

Hexabranchus gloriosus (Kelaart, 1858) |*Doris*|
Hancock, 1864

Hexabranchus imperialis (Kent, 1897) |*Doris*| [=*H. marginatus*; =*H. sanguineus*]
Allan, 1950L223†; O'Donoghue, 1924a:545

Hexabranchus lacer (Cuvier, 1804) |*Doris*| [=*H. marginatus*]
Bergh, 1900:226; Okutani, 2000:783†; Pruvot-Fol, 1934:75; 1935:218

Hexabranchus lacer Bergh, 1900:226 (nec Cuvier, 1804) [=*H. sanguineus*]

Hexabranchus laciniatus Gray, 1850a:pl. 230, fig. 2; 1850b:104 [=*H. lacer*]

Hexabranchus marginatus (Quoy & Gaimard, 1832) |*Doris*| [=*H. sanguineus*]
Baba, 1936:23; Bergh, 1889:828; 1905a:90†; Edmunds, 1968c:†; 1971:340; 1972:69; Eliot, 1905c:271; 1909a:82; Farran, 1905a:334; Kay & Young, 1969:214; Lin, 1975:145; Lin & Tchang, 1965:7; Marcus & Marcus, 1970:160; Risbec, 1928:116†; 1953:57; Taki, 1933:346; Vicente, 1963:99; 1966a:114; Yonow, 2001:44†

Hexabranchus marginatus var. Bergh, 1905a:91†

Hexabranchus marginatus var. *moebii* (Eliot, 1905c for 1904:271)

- Hexabranchus marginatus* var. *malgache* Risbec, 1929:52
- Hexabranchus mauritianus* Abraham, 1877 [=*H. sanguineus*]
- Hexabranchus mauritiensis* Abraham, 1877:261 [=*H. praetextus*]
- Hexabranchus moebii*
Baba, 1986:†
- Hexabranchus morsomus* Marcus & Marcus, 1962
Collin, et al., 2005:691†; Humann, 1992:243†; Marcus, 1976b:134; Marcus & Marcus, 1970a:69; Ortea, Caballer, & Moro, 2003:194†; Valdes, 2002b:296
- Hexabranchus nebulosus* Pease, 1860:33 [=*Dendrodoris nigra*; =*Doridopsis nigra*; =*Doriopsis nigra*]
Pruvot-Fol, 1947:109
- Hexabranchus notatus* Bergh, 1878a:564
- Hexabranchus orbicularis* Abraham, 1877:260 [=*H. praetextus*; =*H. sanguineus*]
- Hexabranchus pellucidulus* Abraham, 1876 [=*H. sanguineus*]
- Hexabranchus petersi* Bergh, 1878a:560 [=*H. praetextus*]
Martens, 1879:739
- Hexabranchus plicatus* Hägg, 1904:5 [=*H. sanguineus*]
- **Hexabranchus praetextus* Ehrenberg, 1831 [=*H. sanguineus*]
Bergh, 1877c:71; Vayssière, 1912:16
- Hexabranchus pulchellus* Pease, 1860:33 [=*H. sanguineus*]
Bergh, 1880b:32; Bertsch & Johnson, 1981:30†; Kay & Young, 1969:215; Pruvot-Fol, 1947:109
- Hexabranchus punctatus* Bergh, 1905a:92
- Hexabranchus sandwichensis* (Souleyet & Eyedoux, 1852) |*Doris*|
- Hexabranchus sanguineus* (Rüppell & Leuckart, 1831) |*Doris*|
Allen & Steene, 1994:†; Behrens, 2005:†; Bertsch & Johnson, 1981:31†; Coleman, 1989:8†; 2001:†; Colin & Arneson, 1995:184†; Debelius, 1996:†; Dominguez, Moreira, & Troncoso, 2004:947; Eales, 1938:92; Eliot, 1908a:98; Erhardt & Moosleitner, 1997:680†; Francis, 1980:252; George & George, pl. 90† & 91; Gohar & Soliman, 1963:220; Gosliner, 1987b:87†; Gosliner, Behrens, & Williams, 1996:161†; Grieve & Grieve, 1986:38†; Hoover, 1998:172†; Kay, 1979:471; Kerstitch, 1988:†; King & Fraser, 2002:114†; Lin, 1989:11; Marshall & Willan, 1999:48†; Masuda, 1999:98†; Meyer, 1977:302; Nakano, 2004:119†; Ono, 1999:76†; 2004:21,127†; Suzuki, 2000:48†; Tan, Pai, & Hsha, 1987:78†; Tavares, 1998:†; Thompson, 1972b:1; 1976:†; Tonozuka 2003:72†; Valdes, 2002b:291; 2002c:561; Velling, 2004:†; Walls, 1982:309†; Wells & Bryce, 1993:93†; Willan & Coleman, 1984:10†; Yonow, 1990:294†; Yonow & Hayward, 1991:15†
- Hexabranchus souleyeti* Bergh, 1877 |*Doris sandwichensis* Souleyet|
- Hexabranchus suezensis* Abraham, 1876a:137 [=*H. praetextus*; =*H. sanguineus*]
- Hexabranchus sumptuosus* (Gould, 1852) |*Doris*|
- Hexabranchus superbus* (Gould, 1852) |*Doris*|
- Hexabranchus tinkeri* Ostergaard, 1955:128† [=*H. marginatus*; =*H. sanguineus*]
- Hexabranchus* sp. Rudman, 1986a:347†

Cadlinidae Bergh, 1891:134
[=Echinochilidae Odhner, 1968]

Bergh, 1892:108(1100); 1898:523; 1900a:3; Franc, 1968:866; Hayward, Wigham, & Yonow, 1990:718; Nordsieck, 1972:57; Roginskaya, 1987d:158; Thompson, 1988:216; Thompson & Brown, 1984:76; Vayssi  re, 1913a:323

Cadlininae
[=Echinochilinae Odhner, 1968]

Bertsch, 1977:111; Franc, 1968:866; MacFarland, 1906:125

Acanthochila M  rck, 1868
{ rejected, ICZN, 1967:91 } [=Cadlina]

Lemche, 1965b:51

**Acanthochila laevis* (Linnaeus, 1767) |Doris| [=Cadlina]

Cadlina Bergh, 1879c:170 [Bergh, 1878b:XXXIV = nomen nudum]

Bergh, 1879a:344; 1892:108(1100); 1894:168; 1900a:3; Eliot, 1910d:150; Fischer, 1883:521; Franc, 1968:866; Gosliner, 1996a:199; ICZN, 1967:91; Ihering, 1880:51; Lemche, 1965b:51; MacFarland, 1966:140; Marcus, 1955:122 (synopsis of species); McDonald, 1983:152; McDonald & Nybakken, 1980:46; Miller, 1980:165; Odhner, 1926:55; O'Donoghue, 1921:161; Odhner, 1907:20; Risbec, 1928:162; Roginskaya, 1987d:158; Rudman, 1984:233; Thiele, 1931:430; 1992:707; Thompson, 1988:216; Thompson & Brown, 1984:77; Vayssi  re, 1913a:324; Wilson & Lee, 2005:725

Cadlina abyssicola Vald  s, 2001:238

Cadlina affinis Odhner, 1934:251

Schr  dl, 2000a:299

Cadlina berghi Odhner, 1926 |C. repanda Alder & Hancock (Bergh)| [=C. sparsa]

Cadlina burnayi Ortea, 1988:3† (=Tyrinna evelinae)

Valdes & Afonso, 2003:176

Cadlina clarae Ihering, 1880:52 [=C. pellucida; =Echinochila pellucida]

Eliot, 1906d:144; 1910d:150; Vayssi  re, 1913a:324

Cadlina dubia Edmunds, 1981:182†; 1982:517

Cadlina evelinae Marcus, 1958a:18 [=Tyrinna]

Collier & Farmer, 1964:380; Edmunds, 1981:176†; 1982:517; Farmer, 1980:82; Marcus & Marcus, 1967:168; Thompson, 1977a:†; 1980:77

Cadlina excavata (Pruvot-Fol, 1951) |Echinochila|

Cadlina falklandica Odhner, 1926:60 [=C. magellanica]

Cadlina flavomaculata MacFarland, 1905:43

Behrens, 1980:54†; 1991:57†; 2004:38; Cockerell & Eliot, 1905:35; Farmer, 1980:83; Gosliner, 1996a:199; MacFarland, 1906:126†; 1966:144†; Marcus, 1961:15; McDonald, 1983:152; McDonald & Nybakken, 1980:46†; O'Donoghue, 1922a:154; Rudman, 1984:238

Cadlina georgiensis Schr  dl, 2000a:303

Cadlina glabra (Friele & Hansen, 1876) |Doris| [=Doris laevis]

Eliot, 1910d:150; Hoffmann, 1926:11; Odhner, 1907:21

Cadlina japonica Baba, 1937d:75

Baba, 1949:146†; Choe & Lee, 1994:362†; Masuda, 1999:106†; Nakano, 2004:148†; Suzuki, 2000:90†

Cadlina juvenca (Bergh, 1898) |*Chromodoris*| [=*Tyrinna nobilis*]
 Schrödl, 1996:21

Cadlina kerguelensis Thiele, 1912:250
 Schrödl, 2000a:300

Cadlina laevigata Odhner, 1926:62 [=C. sparsa]

Cadlina laevis (Linnaeus, 1767) |*Doris*|

Barletta, 1981:58; Bouchet & Moreteau, 1975:8; Brown & Picton, 1979:16; Daly, 2000:†; Evertsen & Bakken, 2001a:13†; Filatova & Zatsepin, 1948:398; Garcia-Gomez, 2002:133†; Hayward, Wigham, & Yonow, 1990:718; Hunnam & Brown, 1975:139; Jensen & Knudsen, 1995:33; Jutting & Engel, 1936:52; Lemche, 1938:18; 1941a:19; Odhner, 1939:29; Ortea & Urgorri, 1981:54; Picton & Morrow, 1994:80, 135†; Roginskaya, 1962:89; 1987d:158; Rolán & Otero-Schmitt, 1996:146; Rudman, 1984:234; Swennen, 1987:31; Thompson, 1988:216; Thompson & Brown, 1976:122; 1984:77†; Volodchenko, 1955:249

Cadlina limbaughi Lance, 1962:155† [=C. limbaughorum]
 Farmer, 1980:84; McDonald, 1983:153; McDonald & Nybakken, 1980:46†

Cadlina limbaughorum Lance, 1962 |C. limbaughi|
 Behrens, 1980:54†; 1982:291; 1991:57†; Behrens & Hermosillo, 2005:78†

Cadlina luarna (Marcus & Marcus, 1967) |*Inuda*|

Behrens & Hermosillo, 2005:79†; Camacho-Garcia, Gosliner, & Valdes, 2005:80†; Valdes & Angulo Campillo, 2000:78†

Cadlina luteomarginata MacFarland, 1905 |C. marginata| [=C. marginata]

Behrens, 1980:54†; 1991:57†; Behrens & Hermosillo, 2005:79†; Farmer, 1980:85; Lamb & Hanby, 2005:254; MacFarland, 1966:140†; Nakano, 2004:148†; Rudman, 1984:236

Cadlina magellanica Odhner, 1926:58
 Schrödl, 2000a:301; 2003:29

Cadlina marginata MacFarland, 1905:43 [=C. luteomarginata]

Cockerell & Eliot, 1905:35; MacFarland, 1906:125†; McDonald, 1983:153; McDonald & Nybakken, 1980:48†; O'Donoghue, 1921:162

Cadlina modesta MacFarland, 1966

Behrens, 1980:56†; 1991:58†; Behrens & Hermosillo, 2005:79†; Bertsch, 1969:231; Farmer, 1980:86; Goddard, 1984:148; Lamb & Hanby, 2005:254; McDonald, 1983:154; McDonald & Nybakken, 1980:48†; Rudman, 1984:240

Cadlina nigrobranchiata Rudman, 1985:259†
 Coleman, 2001:†; Debelius, 1996:†; Wells & Bryce, 1993:129†

Cadlina obvelata (Müller, 1776) |*Doris*| [=C. laevis]
 Grieg, 1913:90; Hoffmann, 1926:11; Larsen, 1925:21; Odhner, 1907:21

Cadlina ornatissima Risbec, 1928:163† [=*Cadlinella*]

Cadlina pacifica Bergh, 1879c:176

Cadlina pellucida (Risso, 1818) |*Doris*|

Garcia-Gomez, 2002:†; Moreno & Templado, 1998:52; Rolán & Otero-Schmitt, 1996:145†; Trainito, 2005:48†

Cadlina planulata (Stimpson, 1853) |*Doris*| [=C. laevis]

**Cadlina repanda* (Alder & Hancock, 1842) |*Doris*| [=C. laevis; =C. obvelata]
 Bergh, 1879c:171; 1894:169; 1900a:4; Vayssi  re, 1913a:324

Cadlina rumia Marcus, 1955

Bertsch, 1975:416; Collin, et al., 2005:691†; Edmunds, 1981:179†; 1982:517; Farmer, 1980:87; Marcus & Marcus, 1967:51; Redfern, 2001:175†; Thompson, 1980:77

Cadlina sagamiensis Baba, 1937d:78

Baba, 1949:147†; Lin, 1975:146; Masuda, 1999:106†; Nakano, 2004:148†; Suzuki, 2000:89†

Cadlina scabriuscula (Bergh, 1890) |*Chromodoris*|*Cadlina scopae* (Ortea, Bacallado, & Valdes, 1992) |*Berlanguella*|

Camacho-Garcia, Gosliner, & Valdes, 2005:80†

Cadlina "smedjana" Lemche

Jensen & Knudsen, 1995:33

Cadlina sparsa (Odhner, 1921) |*Juanella*|

Behrens, 1980:56†; 1991:58†; 2004:38; Behrens & Hermosillo, 2005:80†; Camacho-Garcia, Gosliner, & Valdes, 2005:81†; Farmer, 1980:88; Jaeckle, 1983:93; Marcus, 1959:27; 1961:15; McDonald, 1983:154; McDonald & Nybakken, 1980:48†; Schrödl, 1996:21†; 2000a:303; 2003:30†; Schrödl, et al., 2005:26†

Cadlina tasmanica Rudman, 1990a:304†*Cadlina willani* Miller, 1980:166

Coleman, 2001:†; Enderby & Enderby, 2005:9†; Morley, 1991:33; Willan & Coleman, 1984:30†; Willan & Morton, 1984:90

Cadlina sp. Baba, 1935a:342

Baba, 1937c:300

Cadlina sp. 1 Behrens & Hermosillo, 2005:80†*Cadlina* sp. Bouchet & Moreteau, 1975:9*Cadlina* sp. Camacho-Garcia, Gosliner, & Valdes, 2005:81†*Cadlina* sp. Chamberlain & Behrens, 1980:284*Cadlina* sp. Eliot, 1913:21

Baba, 1937c:299

Cadlina sp.1 Gosliner, 1987b:85†*Cadlina* sp.2 Gosliner, 1987b:86†*Cadlina* sp.3 Gosliner, 1987b:86†*Cadlina* sp.4 Gosliner, 1987b:86†*Cadlina* sp. Hamann, 1984:68†*Cadlina* sp. Lance, 1961:66 [=*C. limbaughi*]*Cadlina* sp.A Lemche in Just & Edmunds, 1985:46†*Cadlina* sp.B Lemche in Just & Edmunds, 1985:48†*Cadlina* sp. Valdés, 2001:244*Cadlinella* Thiele, 1931:431

Boss & Bieler, 1991:19; Franc, 1968:866; Risbec, 1953:90; Rudman, 1984:246; Rudman & Darvell, 1990:53; Thiele, 1992:708

Cadlinella hirsuta Rudman, 1995:2

Gary McDonald, Long Marine Lab, 100 Shaffer Rd., Santa Cruz, Cal. 95060

Coleman, 2001:†

**Cadlinella ornatissima* (Risbec, 1928) |*Cadlina*|

Baba, 1949:147†; Behrens, 2005:†; Coleman, 1989:44†; 2001:†; Debelius, 1996:†; King & Fraser, 2002:118†; Marshall & Willan, 1999:87†; Masuda, 1999:106†; Nakano, 2004:151†; Okutani, 2000:791†; Ono, 1999:88†; 2004:160†; Risbec, 1953:90; Rudman, 1984:247; Rudman & Darvell, 1990:53†; Suzuki, 2000:91†; Tan, Pai, & Hsha, 1987:81†; Willan & Coleman, 1984:30†; ; Wilson & Healy, 2002a:179; Yonow, Anderson, & Buttress, 2001:850

Cadlinella subornatissima Baba, 1996a:265†

Okutani, 2000:791†; Suzuki, 2000:91†

Cadlinella sp. Debelius, 1996:† [=*Taringa halgerda*]

Chromocadlina Odhner in Franc, 1968:866 {nomen nudum}

Chromocadlina panamensis Odhner in Franc, 1968:866 {nomen nudum}

Echinochila Mörch, 1869

{rejected, ICZN, 1967:91} [=*Cadlina*]

Franc, 1968:866; Lemche, 1965b:51; Nordsieck, 1972:57; Pruvot-Fol, 1954b:264

Echinochila clarae (Ihering, 1880) |*Cadlina*|

Pruvot-Fol, 1953b:75

Echinochila excavata Pruvot-Fol, 1951:26

Nordsieck, 1972:58; Pruvot-Fol, 1954b:265

Echinochila glabra (Friese & Hansen, 1876) |*Doris*|

Nordsieck, 1972:57; Pruvot-Fol, 1954b:265

Echinochila laevis (Linnaeus, 1767) |*Doris*|

Nordsieck, 1972:57; Pruvot-Fol, 1935:229; 1954b:265

Echinochila pellucida (Risso, 1826) |*Doris*|

Nordsieck, 1972:58; Pruvot-Fol, 1954b:265

Jeanrisbecia Odhner in Franc, 1968

[=*Risbecia*]

Jeanrisbecia francoisi (Risbec, 1928) |*Ceratosoma*| [non *Ceratosoma francoisi*

Rochebrune, 1895]

Juanella Odhner, 1921:225

[=*Cadlina*; =*Echinochila*]

Juanella sparsa Odhner, 1921:225 [=*Cadlina*]

Lissodoridinae Odhner in Franc, 1968:866

Lissodoris Odhner, 1934:245

[=*Chromodoris*]

**Lissodoris mollis* Odhner, 1934:245

Franc, 1968:866; Powell, 1979:285

Chromodorididae Bergh, 1891:137

(vide Bouchet & Rocroi, 2001:172)

[=Glossodorididae Thiele, 1929]

Bergh, 1892:111 (1103); 1898:530; 1899:17; 1905a:142; Bertsch, 1977:111; Burn, 1989:759; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:59; Edmunds & Just, 1985:52; Fez Sanchez, 1974:117; Franc, 1968:867; ICZN, 1986:27; Jensen, 2000:436; 2000b:622; Jensen & Clark, 1986:451; Just & Edmunds, 1985:46; MacFarland, 1906:128; Nordsieck, 1972:58; O'Donoghue, 1924a:552; Parker, 1982:1042; Pruvot-Fol, 1954b:256; Risbec, 1953:61; Rudman, 1998:999; Rudman & Darvell, 1990:53; Sachidhanandam, Willan, & Chou, 2000:518; Schmekel, 1970:188; Schmekel & Portmann, 1982:56; Thiele, 1931:430; 1992:707; Vayssi  re, 1913a:327; Wells & Bryce, 1993:113; Willan & Coleman, 1984:18†; Willan & Morton, 1984:89

Chromodorid sp. Behrens, 1980:100† [=Mexichromis amalguae]

Chromodorid sp. Behrens, 2005:†

Chromodoroid 1 Johnson, 1983:356 [=Hypselodoris andersoni]

Chromodorididae sp.1 Nakano, 2004:191†

Chromodorididae sp.2 Nakano, 2004:191†

Chromodorididae sp.3 Nakano, 2004:191†

Chromodorididae sp.1 Ono, 1999:102† [=Pectenodoris trilineata]

Chromodorididae sp.1 Ono, 2004:198

Chromodorididae sp.2 Ono, 2004:199†

Chromodorididae sp cf. Noumea aureopunctata Rudman, 1987
Ono, 2004:199†

Snowflake Bertsch & Johnson, 1980:59† [=Glossodoris poliahu]

White dot Bertsch & Johnson, 1981:66† [=Hypselodoris sp.)

Actinodoris Ehrenberg, 1831

{rejected, ICZN, 1986:27} [=Chromodoris; =Glossodoris]

Adams & Adams, 1858:49; Bergh, 1877c:55; Chenu, 1859:401; Gray, 1857:208; Rudman, 1983a:211;
R. Winckworth, 1946:154

Actinodoris australis Angas, 1864:49 [=Dendrodoris nigra]

Burn, 1965:87

Actinodoris cruenta (Quoy & Gaimard, 1832) |Doris|

Actinodoris flammulata (Quoy & Gaimard, 1832) |Doris|

Actinodoris fumosa (Quoy & Gaimard, 1832) |Doris| [=Doridopsis]

Actinodoris krusensternii Tilesius, Gray, 1850a:pl. 230, fig. 5; 1850b:102 [=Doridopsis]

Actinodoris mauritiana (Quoy & Gaimard, 1832) |Doris| [=Doridopsis]

Actinodoris punctata (Quoy & Gaimard, 1832) |Doris|

Actinodoris sordida (Quoy & Gaimard, 1832) |Doris|

Actinodoris spiraculata (Gould, 1852) |Doris|

**Actinodoris sponsa* Ehrenberg, 1831 [=Chromodoris elisabethina; =Chromodoris quadricolor; =Glossodoris; =Glossodoris quadricolor]

Rudman, 1983a:214

- Actinodoris superba* (Gould, 1852) |*Doris*|
- Actinodoris tilesii* Tilesius, Gray, 1850a:pl.230, fig. 4; 1850b:102
- Actinodoris tuberculosa* (Quoy & Gaimard, 1852) |*Doris*|
- Actinodoris xantholeuca* (Ehrenberg, 1831) |*Doris*| [=*Glossodoris*]
- Albania*** Collingwood, 1881:132
[=*Hexabranchus*]
- Pruvot-Fol, 1931:309; 1935b:120; Valdes, 2002c:561
- **Albania formosa* Collingwood, 1881:133† [=*Hexabranchus marginatus*; *Hexabranchus sanguineus*]
Pruvot-Fol, 1935b:120
- Albania verconis* Basedow & Hedley, 1905:154 [=*Verconia*]
Burn, 1962a:150
- Ardeadoris*** Rudman, 1984:163
- Ardeadoris egretta* Rudman, 1984:163† (*Andeadoris egrettae* in Colin & Arneson, 1995
is lapsus)
Allen & Steene, 1994:†; Coleman, 1989:41†; 2001:†; Colin & Arneson, 1995:179†; Debelius, 1996:†;
Dominguez, Moreira, & Troncoso, 2004:100; Gosliner, Behrens, & Williams, 1996:162†; Marshall &
Willan, 1999:87†; Masuda, 1999:108†; Ono, 1999:90†; 2004:159†; Rudman, 1990a:310
- Ardeadoris scottjohnsoni* Bertsch & Gosliner, 1989:261 (non Ono, 1999:90† =(*Noumea angustolutea*)
Bertsch & Gosliner, 1990:16
- Babaina*** Odhner in Franc, 1968:867
(non Roller, 1972) [=*Thorunna*]
- Bertsch, 1977:113
- Babaina arbuta* (Burn, 1961) |*Glossodoris*|
- Babaina daniellae* (Kay & Young, 1969) |*Hypselodoris*| [=*Thorunna*] (non Bertsch &
Johnson, 1981:109† = *Thorunna kahuna*)
- Babaina festiva* Roller, 1972 [=*Babakina*]
- **Babaina florens* (Baba, 1949) |*Glossodoris*| [=*Thorunna*]
Odhner in Franc, 1968:867
- Berlanguella*** Ortea, Bacallado, & Valdes, 1992:34
- Berlanguella scopae* Ortea, Bacallado, & Valdes, 1992:34† [=*Cadlina*]
- Casella*** H. & A. Adams, 1854, 1858
[=*Glossodoris*]
- Abraham, 1877:229; Adams & Adams, 1858:57; Bergh, 1874c:102; 1877:463; 1889:838; 1890a:941;
1892:118(1110); 1905a:162; Bertsch, 1977:113; Chenu, 1859:404; Fischer, 1883:522; Franc, 1968:868;
Gohar & Aboul-Ela, 1959a:47; O'Donoghue, 1929:823; Rudman, 1983a:217; Thiele, 1931:433;
1992:711; Thompson, 1972a:393; White, 1951:248
- Casella atromarginata* (Cuvier, 1804) |*Doris*| [=*Glossodoris*] (non Gohar & Aboul-Ela,
1959a:47 =*Glossodoris plumbea*)

Allan, 1947:446; 1950:221†; André, 1896:400; Baba, 1949:145†; Bergh, 1874c:102; 1877:463; 1890a:942; 1902:185; 1905a:162†; Edmunds, 1972:74; Eliot, 1904:399; 1905f:251; 1907:87; George & George, pl. 91†; Johnson & Boucher, 1983:263; Lin, 1975:148; Lin & Tchang, 1965:11; Marcus & Marcus, 1960:902; Orr, 1980:111; 1981:35†; Pruvot-Fol, 1935:229; Risbec, 1956:12; 1956a:12; Taki, 1932:214; Tan, Pai, & Hsha, 1987:80†; Thompson, 1972a:393†; 1976:†; 1976a:†; Vayssiére, 1912:55; Walls, 1982:313†; Willan & Coleman, 1984:28†

Casella atromarginata var. *maccarthyi* (Kelaart, 1858) |*Doris*|

Casella atromarginata var. *pallida* Bergh, 1905a:163†

Casella cincta Bergh, 1888:pl. 77; 1889:838 [=*C. atromarginata*; =*Glossodoris*] Engel & Eeken, 1962:25; Farran, 1905a:342

Casella foxi O'Donoghue, 1929:823 [=*Glossodoris cincta*] White, 1951:248

**Casella gouldii* Adams & Adams, 1858 [=*C. atromarginata*]

Casella maccarthyi (Kelaart, 1858) |*Doris*| [=*Glossodoris atromarginata*] (non Eliot, 1906a:644 =*Glossodoris atromarginata*)

Casella obsoleta (Rüppell & Leuckart, 1831) |*Doris*| (non Gohar & Soliman, 1967c:150 =*Glossodoris cincta*)

Casella philippinensis Bergh, 1874 [=*C. atromarginata*; =*Glossodoris atromarginata*]

Casella rubra Bergh, 1905a:163

Casella rufomarginata Bergh, 1890a:943 [=*Glossodoris*] Engel & Eeken, 1962:25

Casella sedna Marcus & Marcus, 1967:178 [=*Chromolaichma*; =*Glossodoris*]

Casella sp. George & George, pl. 91†

Casella sp.1 Tan, Pai, & Hsha, 1987:80†

Casella sp.2 Tan, Pai, & Hsha, 1987:80†

Casella sp. Willan & Coleman, 1984 [=*Glossodoris cincta*; =*Glossodoris vespa*]

Casella sp. (78) Willan & Coleman, 1984:28†

Casella sp. (79) Willan & Coleman, 1984:28†

Casella sp. (80) Willan & Coleman, 1984:28†

Casella sp. (81) Willan & Coleman, 1984:30†

Ceratodoris Gray, 1850b:103
[=*Echinodoris*]

Abraham, 1877:222; Adams & Adams, 1858:52; Chenu, 1859:402; Fischer, 1883:521; Franc, 1968:867; Pruvot-Fol, 1933:401

**Ceratodoris eolida* (Quoy & Gaimard, 1832) |*Doris*|
Pruvot-Fol, 1934:69; Rudman, 1995:9

Chromodoridella Eliot, 1905a:233

Barnard, 1927:185; Pruvot-Fol, 1935a:255; Thiele, 1931:432; 1992:709; R. Winckworth, 1946:154

**Chromodoridella mirabilis* Eliot, 1905a:233 [=*Glossodoris*; =*Glossodoris diardii*]

Barnard, 1927:185

Chromodoris Alder & Hancock, 1855:xvii
 { nom. cons., ICZN, 1986:27}

Abraham, 1877:213; Alder & Hancock, 1864:123; Baba, 1985:226; Bergh, 1875d:72; 1877:465; 1879c:164; 1879d:87; 1879g:1; 1881b:81; 1884:647; 1884a:64; 1889:831; 1890a:929; 1892:112(1104); 1894:180; 1899:17; 1905:67; 1905a:143; Bertsch, 1970:7; 1977:113; 1978:324; Eliot, 1904:383; 1905f:245; 1906e:550; Fez Sanchez, 1974:117; Fischer, 1883:521; Franc, 1968:867; Gray, 1857:208; Ihering, 1880:5; McDonald, 1983:155; McDonald & Nybakken, 1980:48; Odhner, 1957:250; Ortea, Bacallado,& Valdes, 1992:51; Schmekel & Portmann, 1982:56; Risbec, 1953:61 (key to New Caledonia species); Rudman, 1983a:211; 1984:130; Rudman & Darvell, 1990:55; Thiele, 1992:709; Thompson, 1972a:398; Vayssi  re, 1913a:330; Wilson & Lee, 2005:722; R. Winckworth, 1946:154

Chromodoris adeima Yonow, 1984:219

Chromodoris aegialia Bergh, 1905:70 [=C. agassizii; =*Glossodoris*; =*Hypselodoris agassizii*]

Chromodoris africana Eliot, 1904 |C. elizabethina africana|

Coleman, 2001:†; Debelius, 1996:†; Erhardt & Moosleitner, 1997:653, 654†; Gosliner, 1987b:74†; King & Fraser, 2002:118†; Marshall & Willan, 1999:89†; Rudman, 1977:372; 1982:219; Wells & Bryce, 1993:122†; Yonow, 1989:293†

Chromodoris agassizii Bergh, 1894:182 [=*Glossodoris*; =*Hypselodoris*]

Chromodoris aila Marcus, 1961a:141

Chromodoris alba (Hasselt, 1824) |*Doris*| (non Orr, 1980:111 =*Noumea nivalis*)
 1981:31†; Tan, Pai, & Hsha, 1987:79†

Chromodoris albescens Bergh [=C. albescens (Schultz)]

Odhner, 1914:166

Chromodoris albescens (Schultz in Philippi, 1836, 1884) [=*Doris piraini*] (non Rioja, 1917:492 =*Hypselodoris villafranca*)

Fez Sanchez, 1974:119; Ihering, 1880:25; Nobre, 1931:45; 1936:30; 1938-40:56

Chromodoris albolimbata Bergh, 1907:55 [=*Glossodoris*]

Chromodoris albolineata von Martens in Bergh, 1879g:5 [=C. lineolata; =*Glossodoris*; =*Glossodoris lineolata*; ?=*Glossodoris quadricolor*]

Chromodoris albomaculata (Pease, 1866) |*Goniobranchus*| [=*Glossodoris*]

Chromodoris albonares Rudman, 1990a:307†

Nakano, 2004:155†; Ono, 2004:163†

Chromodoris albonotata Bergh, 1877:492 [=*Glossodoris*; ?=Glossodoris albomaculata]
 (non Bertsch & Johnson, 1981:52†; nor Kay & Johnson, 1987:127 =*Glossodoris tomsmithi*)

Bergh, 1879g:5; Yonow, 2001:17

Chromodoris albopunctata (Garrett, 1879) |*Goniobranchus*|

Bertsch & Gosliner, 1989:254; Bertsch & Gosliner, 1990:16; Coleman, 2001:†; Colin & Arneson, 1995:180†; Debelius, 1996:†; Hoover, 1998:161†; Johnson & Boucher, 1983:263; Marshall & Willan, 1999:90†; Nakano, 2004:154†; Ono, 2004:163†; Tonozuka 2003:80†; Wells & Bryce, 1993:120†; Yonow, 2001:6†

Chromodoris albopustulosa (Pease, 1860) |*Doris*| [?=Glossodoris albomaculata]

Bergh, 1881b:82; Bertsch & Gosliner, 1990:17; Bertsch & Johnson, 1981:53†; Eliot, 1910a:251; Hoover, 1998:161†; Kay, 1979:466†; Kay & Young, 1969:199; Young, 1967:168; Yonow, 2001:17

Chromodoris alderi Collingwood, 1881:132† [=*C. reticulata*; =*C. tinctoria*; =*Glossodoris*]

Fujita, 1892b:165; Gosliner, 1987b:75†; Pruvot-Fol, 1935b:119; Risbec, 1928:135†; Rudman, 1973:191

Chromodoris alias Rudman, 1987a:356†

Coleman, 2001:†; Ono, 1999:85†; Masuda, 1999:102†; Wells & Bryce, 1993:117†

Chromodoris alternata (Burn, 1957) |*Glossodoris*|

Burn, 1966a:272; 1969:80; 1989:759; Coleman, 2001:†; Rudman, 1987a:338†; Wells & Bryce, 1993:123†

Chromodoris amabilis (Kelaart, 1859) |*Doris*| [=*C. lilacina*]

Eliot, 1906a:642†

Chromodoris ambiguus Rudman, 1987a:334†

Coleman, 2001:†

Chromodoris amoena Cheeseman, 1886:137 [=*Ceratosoma*; =*Glossodoris*]

Burn, 1989:760; Eliot, 1907a:345; Erhardt & Moosleitner, 1997:649†; Odhner, 1924:53; Thompson, 1972a:399†; 1976a:†; Willan & Coleman, 1984:20†; Willan & Morton, 1984:89

Chromodoris annae Bergh, 1877:473 [=*C. elisabethina*; =*C. quadricolor*; =*Glossodoris*; =*Glossodoris quadricolor*]

André, 1896:401; Behrens, 2005:†; Bergh, 1890a:931; Cobb & Willan, 2005:62†; Coleman, 2001:†; Colin & Arneson, 1995:182†; Debelius, 1996:†; Erhardt & Moosleitner, 1997:650†; Gosliner, Behrens, & Williams, 1996:162†; Johnson, 1984a:8†; Lin, 1989:8; Masuda, 1999:99†; Nakano, 2004:155†; Ono, 1999:81†; 2004:164†; Rudman, 1982:210†; Salleh, Yasin, & Shau-Hwai, 2000:410; Tavares, 1998:†; Tonozuka 2003:76†; Yonow, 2001:6†

Chromodoris annae unitaeniata André, 1896:401

Chromodoris annulata Eliot, 1904:389† [=*Glossodoris*]

Behrens, 2005:†; Bertsch & Kerstitch, 1984:264; Coleman, 2001:†; Colin & Arneson, 1995:182†; Crossland, 1937:31; Debelius, 1996:†; Edmunds, 1971:371; Eliot, 1905a:233; Erhardt & Moosleitner, 1997:651†; Gohar & Aboul-Ela, 1957a:215; Gosliner, 1987b:74†; Kerstitch, 1988:†; King & Fraser, 2002:118†; Rudman, 1973:189†; 1987a:367†; Yonow, 1989:293†

Chromodoris antonii Bertsch, 1976:156 [=*Mexichromis*]

Chromodoris aspersa (Gould, 1852) |*Doris*|

Bertsch & Gosliner, 1990:17; Coleman, 1989:44†; 2001:†; Debelius, 1996:†; Hoover, 1998:162†; Marshall & Willan, 1999:90†; Masuda, 1999:103†; Nakano, 2004:156†; Okutani, 2000:785†; Ono, 1999:86†; 2004:164†; Rudman, 1983:145†; Yonow, 1989:293†; 2001:9†; Yonow & Hayward, 1991:12

Chromodoris atopa Bergh, 1905:73 [=*Ceratosoma amoena*; =*Glossodoris*]

Chromodoris aureomarginata Cheeseman, 1881 for 1880:223 [=*Glossodoris*]

Coleman, 2001:†; Eliot, 1907a:346; Enderby & Enderby, 2005:8†; Rudman, 1985:243; Willan & Coleman, 1984:28†; Willan & Morton, 1984:90

Chromodoris aureopurpurea Collingwood, 1881:129† [=*Glossodoris*] (non Thompson, 1972a:401† nor Willan & Coleman, 1984 =*C. collingwoodi*)

Baba, 1989a:21; Coleman, 2001:†; Debelius, 1996:†; Marshall & Willan, 1999:91†; Masuda, 1999:102†; Nakano, 2004:156†; Okutani, 2000:785†; Ono, 2004:166†; Pruvot-Fol, 1935b:116; Rudman, 1987a:346†; Suzuki, 2000:68†; Tonozuka 2003:82†; Wells & Bryce, 1993:117†; Willan & Coleman, 1984:20†

- Chromodoris aureopurpurea* var. Fujita, 1892b:164 [=C. aureopurpurea; =Glossodoris aureopurpurea]
- Chromodoris aurigera* Rudman, 1990a:303†
Wells & Bryce, 1993:123†
- Chromodoris australis* Risbec, 1928:143† [=Glossodoris; =Hypselodoris; =Thorunna]
- Chromodoris banksi* Farmer, 1963:84† [=Chromolaichma dalli; =Glossodoris dalli]
Bertsch, Ferreira, Farmer, & Hayes, 1973:288
- Chromodoris banksi sonora* Marcus & Marcus, 1967:173 [=Chromolaichma dalli;
=Glossodoris dalli]
- Chromodoris barnardi* Kelaart, MS, Collingwood, 1868:91 [=Glossodoris]
- Chromodoris baumanni* Bertsch, 1970:8 [=Glossodoris]
Bertsch, 1978:307; 1984:†; Bertsch, Ferreira, Farmer, & Hayes, 1973:289; Coleman, 2001:†; Debelius, 1996:†; Farmer, 1980:89; Ortea, Bacallado, & Valdes, 1992:68; Rudman, 1983:167
- Chromodoris bennetti* (Angas, 1864) |Goniodoris| [=Glossodoris; =Hypselodoris]
Hedley, 1923:315; Bergh, 1893:415
- Chromodoris bimaensis* Bergh, 1905a:160† [=Glossodoris; =Glossodoris pallescens]
Rudman, 1983:149†
- Chromodoris binza* Marcus & Marcus, 1963:25
Ortea, Valdés, & Espinosa, 1994:242
- Chromodoris bistellata* (Verrill, 1900) |Doris| [=Aphelodoris antillensis; =Glossodoris]
Clark, 1984:94; Jensen & Clark, 1986:451
- Chromodoris bombayana* (Winckworth, 1946) |Glossodoris|
Rudman, 1983:169
- Chromodoris bouchei* Rudman, 1982:190†
Coleman, 2001:†; Debelius, 1996:†; King & Fraser, 2002:118†; Yonow, 1994:110†
- Chromodoris brachyphylla* (Ehrenberg, 1831) |Doris (Pterodoris)|
- Chromodoris briqua* Marcus & Burch, 1965:245
- Chromodoris britoi* Ortea & Perez, 1983:62† [=C. clenchi]
Ballesteros, Barrajón, Luque, Moreno, Talavera, & Templado, 1986:49; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:59†; García-Gómez, 2002:†; Nicolay, 1983:16; Ortea, Valdés, & Espinosa, 1994:243; Parent, Breton, & Reboux, 2001[2000]:22; Perrone, 1993:68; Trainito, 2003:28†; 2005:46†; Wirtz, 1996:168; 1998a:8†; 1999:†
- Chromodoris buchananae* Gosliner & Behrens, 2000:112†
Coleman, 2001:†
- Chromodoris bullockii* Collingwood, 1881:128† [=C. rosans; =Glossodoris;
=Hypselodoris] (non Wells & Bryce, 1993:126† =Risbecia apolegma)
Allen & Steene, 1994:†; Coleman, 1989:31†; Eliot, 1906e:551; Gosliner, Behrens, & Williams, 1996:162†; Kerstitch, 1988:†; Lin, 1989:9; Pruvot-Fol, 1935b:115; Tavares, 1998:†; Willan & Coleman, 1984:26†; Yonow, 2001:9†
- Chromodoris burni* Rudman, 1982:203†
Coleman, 2001:†; Marshall & Willan, 1999:91†; Masuda, 1999:101†; Nakano, 2004:159†; Suzuki, 2000:70†
- Chromodoris caeruleata* (Stimpson) |Hemidoris|
Gary McDonald, Long Marine Lab, 100 Shaffer Rd., Santa Cruz, Cal. 95060

Chromodoris cainardi (Kelaart) [?lapsus for *C. barnardi*]

Chromodoris calensis Bergh, 1879 [=Hypselodoris californiensis]

Bertsch, 1978b:242; Costello, 1947:232; Russell, 1968:140

Chromodoris californiensis Bergh, 1879c:168 [=Glossodoris; =Hypselodoris]

Bergh, 1894:181; Bertsch & Burn, 1979:253; Cockerell & Eliot, 1905:37; ICZN, 1983:92; MacFarland, 1966:157†

Chromodoris camoena Bergh, 1879g:17 [=Glossodoris]

Chromodoris cantrainii Bergh, 1879, 1884 [=C. elegans, =Doris calcareae; =Doris lutescens; =Doris nardoii; =Glossodoris; =Glossodoris valenciennes; =Hypselodoris pictai]

Bergh, 1899:17

Chromodoris cardinalis Bergh, 1880b:23 [=Glossodoris]

Chromodoris carnea Bergh, 1889:836 [=Glossodoris]

Eliot, 1901b:225

Chromodoris cavae Eliot, 1904:388† [=C. aureopurpurea; =C. tennentana; =Glossodoris]

Chromodoris cazaee Gosliner & Behrens, 2004:2†

Chromodoris charlottae Schrödl, 1999|Glossodoris|

Behrens, 2005:†

Chromodoris citrina Bergh, 1874c:pl. 1, figs. 14-17 [=Glossodoris]

Chromodoris clavata Risbec, 1928:151† [=C. lineolata; =C. striatella; =Glossodoris; =Glossodoris lineolata; ?=Glossodoris quadricolor]

Chromodoris clenchi (Russell, 1935) |Glossodoris| (non Mienis, 1983:527 =C. britoi; non Thompson, 1980:79 =C. binza)

Behrens, 2005:†; Edmunds & Just, 1985:52; Gosliner, 1990a:148†; Humann, 1992:239†; Jensen & Clark, 1986:452; Marcus, 1976b:135; Meyer, 1977:299; Nicolay, 1983:16; Ortea, Valdés, & Espinosa, 1994:239; Perrone, 1990b:25

Chromodoris clitonota Bergh, 1905a:160† [=Durvilledoris lemniscata; =Glossodoris; =Thorunna]

Risbec, 1928:156†

Chromodoris coerulea (Risso, 1818) |Doris|

Bergh, 1881b:83

Chromodoris coi (Risbec, 1956) |Glossodoris|

Allen & Steene, 1994:†; Beesley, Ross, & Wells, 1998:pl. 37†; Behrens, 2005:†; Coleman, 1989:32†; 2001:†; Colin & Arneson, 1995:182†; Debelius, 1996:†; Erhardt & Moosleitner, 1997:651†; George & George, pl. 91†; Gosliner, Behrens, & Williams, 1996:163†; Knop, 2004:†; Lin, 1989:15; Marshall & Willan, 1999:92†; Masuda, 1999:104†; Nakano, 2004:158†; Okutani, 2000:787†; Ono, 1999:83, 140†; 2004:166†; Rudman, 1987a:395†; Yasin, & Shau-Hwai, 2000:411; Tonozuka 2003:78†; Willan & Coleman, 1984:26†; Yonow, 2001:11†

Chromodoris colemani Rudman, 1982

Coleman, 1989:30†; 2001:†; Debelius, 1996:†; Nakano, 2004:158†; Ono, 1999:82†; 2004:165†; Suzuki, 2000:71†; Tonozuka 2003:76†; Willan & Coleman, 1984:24†

Chromodoris collingwoodi Rudman, 1987a:358†

Baba, 1989a:23; Behrens, 2005:†; Coleman, 1989:28†; 2001:†; Nakano, 2004:159†; Debelius, 1996:†; Ono, 2004:166†; Rudman & Darvell, 1990:58†; Tonozuka 2003:78†; Wells & Bryce, 1993:117†; Yonow, 2001:11†

Chromodoris conchyliata Yonow, 1984:216

King & Fraser, 2002:118†

Chromodoris corimbae Ortea, Gofás, & Valdés, 1997:122†

Chromodoris crossei (Angas, 1864) |*Goniodoris*| [=*Hypselodoris obscura*] (non Bergh, 1905a:146† =*Hypselodoris infucata*)
Bergh, 1884:648

Chromodoris dalli Bergh, 1879c:165 [=*Glossodoris*; =*Glossodoris luteorosea*]

Farmer, 1980:90

Chromodoris daphne (Angas, 1864) |*Goniodoris*|

Coleman, 1989:27†; 2001:†; Debelius, 1996:†; Marshall & Willan, 1999:93†; Rudman, 1973:193; 1983:114†; 1986b:†; Thompson, 1972a:402†; Willan & Coleman, 1984:18†

Chromodoris decora (Pease, 1860) |*Doris*| [=*Glossodoris*]

Bergh, 1880b:25; Bertsch & Gosliner, 1990:17; Coleman, 1989:32†; 2001:†; Debelius, 1996:†; Hoover, 1998:162†; Johnson & Boucher, 1983:264; Kay, 1979:467; Marshall & Willan, 1999:93†; Masuda, 1999:105†; Nakano, 2004:160†; Okutani, 2000:785†; Ono, 1999:83†; 2004:165†; Perrone & Doneddu, 2001:123; Rudman, 1986a:329†; Suzuki, 2000:70†; Wells & Bryce, 1993:117†; Willan & Coleman, 1984:26†; Yonow, 1989:294†

Chromodoris decorata Risbec, 1928:152† [=*Glossodoris*; =*Hypselodoris*;

=*Hypselodoris maculosa*]

Bertsch & Johnson, 1981:55†; Kay & Young, 1969:200; Willan & Coleman, 1984:26†

Chromodoris diardii (Kelaart, 1859) |*Doris*| [=*Hypselodoris infucata*]

Eliot, 1906a:643†; 1908a:106

Chromodoris dianae Gosliner & Behrens, 1998a:135†

Behrens, 2005:†; Coleman, 2001:†; Masuda, 1999:101†; Nakano, 2004:158†; Ono, 1999:81†; 2004:168†; Tonozuka 2003:74†; Yonow, 2001:13†

Chromodoris dictya Marcus & Marcus, 1970a:57

Chromodoris dollfusi Pruvot-Fol, 1933 [=*Glossodoris*]

Rudman, 1973:194

Chromodoris elegans (Cantraine, 1840) |*Doris*| [=*C. cantraini*; =*C. schultziana*;

=*Hypselodoris picta*] (non Vayssiére, 1910a:109 = *Hypselodoris foutandraui*)

Bergh, 1878:6; 1890a:977; Ihering, 1880:21; Mazzarelli, 1903:294; Vayssiére, 1901a:38; 1913a:330

Chromodoris elegantula (Philippi, 1844) |*Doris*| (non Edmunds, 1977 =*C. kpone*; non

Ihering, 1880:30 =*Diaphorodoris papillata*)

Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:61†; Perrone, 1993:70; Rudman, 1983:168; Schmekel & Portmann, 1982:57; Trainito, 2003:28†; 2005:45†; Vayssiére, 1913a:332

Chromodoris elegantula polychroma Perrone, 1993:74

Chromodoris elisabethina Bergh, 1877:466 [=*C. quadricolor*; =*Glossodoris*] (non

Bergh, 1905 nor Rudman, 1977 =*C. lochi*)

Allen & Steene, 1994:†; André, 1896:400; Bergh, 1890a:929; Coleman, 1989:31†; 2001:†; Colin & Arneson, 1995:182†; Debelius, 1996:†; Eliot, 1906a:551; Gosliner, Behrens, & Williams, 1996:163†; Johnson, 1998:†; Kerstitch, 1988:†; Marshall & Willan, 1999:94†; Masuda, 1999:100†; Ono, 1999:78†;

2004:167†; Rudman, 1977:377; 1982:205†; Salleh, Yasin, & Shau-Hwai, 2000:411; Tan, Pai, & Hsha, 1987:78†; Wells & Bryce, 1993:123†; Willan & Coleman, 1984:24†

Chromodoris elisabethina var. Bergh, 1905a:144†

Chromodoris elizabethina africana Eliot, 1904:392† [=C. africana]

Chromodoris elizabethina var. *annae* Bergh, 1877 [*Chromodoris annae*] [=Glossodoris quadricolor]

Chromodoris epicuria (Basedow & Hedley, 1905) [*Hypselodoris*]

Burn, 1989:760; Coleman, 1989:33†; 2001:†; Rudman, 1987a:318†; Wells & Bryce, 1993:120†

Chromodoris euelpis Bergh, 1907:56 [=Glossodoris]

Rudman, 1983:169

Chromodoris fayae Lance, 1968:3 [=Chromolaichma sedna; =Glossodoris sedna]

Chromodoris festiva (Angas, 1864) [*Goniodoris*] [=Mexichromis]

Bergh, 1893:417; Orr, 1980:111; 1981:26†; Rudman, 1973:194

Chromodoris fidelis (Kelaart, 1858) [*Doris*]

Coleman, 1989:33†; 2001:†; Eliot, 1906a:642†; 1909a:91; Erhardt & Moosleitner, 1997:652†; Johnson, 1984a:8†; Johnson & Boucher, 1983:265; King & Fraser, 2002:120†; Marcus & Burch, 1965:245; Marshall & Willan, 1999:94†; Masuda, 1999:104†; Nakano, 2004:160†; Okutani, 2000:787†; Ono, 1999:82†; 2004:170†; Orr, 1981:30†; Rudman, 1985:276†; Rudman & Darvell, 1990:55†; Tan, Pai, & Hsha, 1987:79†; Tonozuka 2003:77†; Wells & Bryce, 1993:126†; Willan & Coleman, 1984:26†; Yonow, 1989:294†; 1994:115†; 2001:15†

Chromodoris figurata Bergh, 1905:71 [=C. amoena; =Ceratosoma amoena; =Glossodoris]

Chromodoris flammulata Bergh, 1905a:151† [=C. fidelis; =Glossodoris; =Glossodoris fidelis]

Risbec, 1928:137†

Chromodoris flava Eliot, 1904:399† [=Glossodoris; =Noumea]

Chromodoris francoisae Bouchet in Bouchet & Ortea, 1980:123† [=Mexichromis]
Ortea, 1988:9

Chromodoris fumosa Collingwood [=C. lineolata]

Chromodoris funerea Collingwood, 1881:131† [=C. lineolata; Glossodoris;
=Glossodoris lineolata; =Glossodoris quadricolor]
André, 1896:400; Pruvot-Fol, 1935b:118

Chromodoris galactos Rudman & Johnson in Rudman, 1985:286†

Chromodoris galeorum Bertsch, 1978:310

Behrens, 1991:58†; 2004:39; Behrens & Hermosillo, 2005:80†; Bertsch & Kerstitch, 1984:265; Engle & Richards, 2001:191; Farmer, 1980:91; Rudman, 1983:167

Chromodoris geminus Rudman, 1987a:384†

Coleman, 2001:†; Debelius, 1996:†; Erhardt & Moosleitner, 1997:652†; King & Fraser, 2002:120†; Tonozuka 2003:80†; Yonow, 1989:294†; Yonow, Anderson, & Buttress, 2001:851; Yonow & Hayward, 1991:13†

Chromodoris geometrica Risbec, 1928:148† [=Glossodoris] (non Debelius, 1996:210,
bottom left photo =C. hintuanensis)

Allen & Steene, 1994:†; Behrens, 2005:†; Coleman, 1989:29†; 2001:†; Debelius, 1996:†; Dominguez, Moreira, & Troncoso, 2004:98†; Gosliner, 1987b:76†; Gosliner, Behrens, & Williams, 1996:163†; Johnson & Boucher, 1983:265; King & Fraser, 2002:120†; Lin, 1989:9; Marshall & Willan, 1999:95†; Masuda, 1999:105†; Nakano, 2004:162†; Okutani, 2000:785†; Ono, 1999:86†; 2004:170†; Rudman, 1973:187†; Tan, Pai, & Hsha, 1987:78†; Tonozuka 2003:82†; Tubbenhauer, 1986:†; Willan & Coleman, 1984:22†; Yonow, 1994:111†; 2001:11†; Young, 1967:166

Chromodoris ghanensis (Edmunds, 1968) |*Glossodoris*|

Edmunds, 1981:183†; 1982:518

Chromodoris ghardaiana Gohar & Aboul-Ela, 1957a:220† [=*Risbecia*]

Edmunds, 1972:74

Chromodoris glauca Bergh, 1879d:106 [=*Glossodoris*; =*Hypselodoris californiensis*]

{ suppressed, ICZN, 1983:92 }

Bertsch & Burn, 1979:253

Chromodoris gleniei (Kelaart, 1858) |*Doris*| [=*Glossodoris*]

Coleman, 2001:†; Debelius, 1996:†; Eliot, 1906a:643†; 1906b:1000; Rudman, 1987a:391†; Yonow, 1994:115†; Yonow, Anderson, & Buttress, 2001:852

Chromodoris gloriosa Bergh, 1875d:79 [=*Glossodoris*; =*Noumea varians*]

Chromodoris godeffroyana (Garrett) Bergh, 1877:493 |*Goniodoris*| [=*Glossodoris*;

=*Hypselodoris*; =*Risbecia*] (non Bertsch & Johnson, 1980:75; nor Bertsch & Johnson, 1981:50†; nor Johnson & Bertsch, 1979:8 =*Risbecia imperialis*)

Bergh, 1879g:12; Tubbenhauer, 1986:†; Willan & Coleman, 1984:22†

Chromodoris gonatophora Bergh, 1879d:102 [=*Glossodoris*]

Chromodoris goslineri Ortea & Valdés in Ortea, Valdés, & García-Gómez, 1996:143

Chromodoris gracilis (delle Chiaje, 1830) |*Doris*|

Eliot, 1906d:146; Ihering, 1880:11

Chromodoris gracilis (Rapp, 1827) |*Doris*| [=*Hypselodoris villafranca*] (non Edmunds &

Edmunds, 1973 =*Hypselodoris bilineata*)

Bergh, 1880b:15; Nobre, 1936:30

Chromodoris grahami Thompson, 1980:80

Humann, 1992:237†; Rudman, 1983:168; 1988:398

Chromodoris haliclona (Burn, 1957) |*Glossodoris*| [=*Noumea*]

Burn, 1966a:272

Chromodoris hamiltoni Rudman, 1977:374

Gosliner, 1987b:74†; King & Fraser, 2002:120†; Rudman, 1982:205

Chromodoris heatherae Gosliner, 1994:239

Coleman, 2001:†; King & Fraser, 2002:120†

Chromodoris hilaris Bergh, 1890a:935 [=*Glossodoris*; ?= *Glossodoris quadricolor*;

=*Hypselodoris*] (non Baba, 1953 =*Hypselodoris maridadilus*)

Chromodoris hilaris var. Eliot, 1904:396 [=*Hypselodoris emma*]

Chromodoris hintuanensis Gosliner & Behrens, 1998a:155†

Behrens, 2005:†; Coleman, 2001:†; Nakano, 2004:161†; Ono, 2004:167†; Tonozuka 2003:83†; Yonow, 2001:16†

- Chromodoris histrio* Bergh, 1877:493 {Bergh, 1875 =nomen nudum} [=C. rufomaculata;
=Glossodoris]
Bergh, 1879g:8; 1902:184
- Chromodoris hunteri* Rudman, 1983:112†
Rudman & Avern, 1988:†
- Chromodoris iheringi* Bergh, 1879d:89 [=C. luteorosea; =C. luteorosea var. iheringi;
=Glossodoris]
- Chromodoris imperialis* |Doris prismatica imperialis| (Pease, 1860) [=Risbecia] (non
Kay, 1979:467; non Bertsch & Johnson, 1979, nor 1980 nor 1981:49, 58† nor Kay &
Young, 1969:202 =C. albopunctatus)
Bergh, 1880b:25
- Chromodoris inconspicua* Eliot, 1904:398 [=Glossodoris; =Hypselodoris]
- Chromodoris inopinata* Bergh, 1905a:157† [=Glossodoris]
Eliot, 1906a:643; 1911:1070; Gosliner, 1987b:75†; Rudman, 1973:179†; Yonow, 2001:18†
- Chromodoris inornata* Pease, 1871a:18 (non Gohar & Soliman, 1969 = C. dollfusi) [=C.
aspersa; =C. pallida; =Glossodoris]
Bergh, 1880b:21; Eliot, 1900:518; 1908a:110; Gohar & Soliman, 1967a:78; Johnson & Boucher,
1983:266; Pruvot-Fol, 1947:113; Rudman, 1973:181†; Willan & Coleman, 1984:18†
- Chromodoris iris* Collingwood, 1881:127† [=C. runcinata; =Glossodoris; =Glossodoris
diardii; =Glossodoris runcinata; =Hypselodoris festiva; =Hypselodoris infucata]
(non Risbec, 1928:139† =Hypselodoris infucata)
Pruvot-Fol, 1935b:114
- Chromodoris joshi* Gosliner & Behrens, 1998a:139†
Behrens, 2005:†; Masuda, 1999:99†; Tonozuka 2003:84†
- Chromodoris juvenca* Bergh, 1898:531 [=Cadlina; =Glossodoris; Tyrinna nobilis]
Odhner, 1921:226
- Chromodoris kempfi* Marcus, 1970:940
Collin, et al., 2005:692†; Humann, 1992:237†
- Chromodoris kitae* Gosliner, 1994:242
- Chromodoris kpone* Edmunds, 1981:185†; 1982:518
Rudman, 1983:168
- Chromodoris krishna* Rudman 1973:183† [=C. fidelis]
- Chromodoris krohnii* (Vérany, 1846) |Doris| [=C. pallens]
Ballesteros, 1985:17; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:63†; Garcia-Gomez,
2002:112†; Ihering, 1880:33; Ortea, Moro, Bacallado, & Herrera, 2001:†; Parent, Breton, & Reboux,
2001[2000]:23; Rolán & Otero-Schmitt, 1996:144†; Schmekel, 1970:193; Schmekel & Portmann,
1982:58†; Trainito, 2003:28†; 2005:7, 45†; Turk, 2000:164†; Wägele & Schminke, 1987:†
- Chromodoris kuiteri* Rudman, 1982:223†
Beesley, Ross, & Wells, 1998:pl. 35†; Coleman, 1989:30†; 2001:†; Debelius, 1996:†; Erhardt &
Moosleitner, 1997:652†; Marshall & Willan, 1999:96†; Masuda, 1999:104†; Willan & Coleman,
1984:24†
- Chromodoris kuniei* Pruvot-Fol, 1930a:229 [=Glossodoris]
Allen & Steene, 1994:†; Behrens, 2005:†; Coleman, 1989:29†; 2001:†; Colin & Arneson, 1995:182†;
Debelius, 1996:†; Dominguez, Moreira, & Troncoso, 2004:97†; Erhardt & Moosleitner, 1997:653†;

Gosliner, Behrens, & Williams, 1996:163†; Lin, 1989:15; Marshall & Willan, 1999:96†; Nakano, 2004:162†; Ono, 1999:84†; 2004:167†; Rudman, 1987a:381†; Tonozuka 2003:81†; Wells & Bryce, 1993:120†; Yonow, 2001:22†

Chromodoris lactea Bergh, 1905a:159 [=C. fidelis; *Glossodoris*; =*Glossodoris fidelis*]

Chromodoris lapinigensis Bergh, 1879g:18 [=*Glossodoris*]

Chromodoris lata Risbec, 1928:154† [=*Glossodoris*]

Rudman, 1985:291

Chromodoris lekker Gosliner, 1994:245

Nakano, 2004:161†

Chromodoris lemniscata (Quoy & Gaimard, 1832) |*Doris*|

Chromodoris lentiginosa Pease, 1871a:18 [=C. decora; =*Glossodoris*]

Pruvot-Fol, 1947:113

Chromodoris leopardus Rudman, 1987a:387†

Baba, 1989c:96; Behrens, 2005:†; Coleman, 2001:†; Debelius, 1996:†; Marshall & Willan, 1999:97†; Masuda, 1999:104†; Okutani, 2000:785†; Ono, 1999:85†; 2004:169†; Tonozuka 2003:81†; Yonow, 2001:23†; Yonow, Anderson, & Buttress, 2001:854†

Chromodoris lilacina (Gould, 1852) |*Doris*| (non Kay, 1979, nor Kay & Young,

1969:202, nor Young, 1967:168 =C. inornata which =C. aspersa)

Bertsch & Johnson, 1981:54†; Kay, 1979:467†; Rudman, 1983:168

Chromodoris lineata Eliot, 1904:396 [=*Hypselodoris hilaris*; =*Hypselodoris maridadilus*; =*Hypselodoris mouaci*]

Chromodoris lineata (Eydoux & Souleyet, 1852) |*Doris*| (non Morton & Morton, 1983
=*Hypselodoris maritima*)

Eliot, 1905a:233

Chromodoris lineata nigrolineata Eliot, 1904:397 [=*Hypselodoris nigrolineata*]

Chromodoris lineolata (Hasselt, 1824) |*Doris*| [=C. striatella] (non Bergh, 1905 =C. striatella; non Morton & Morton, 1983 =*Hypselodoris maritima*; non Thompson, 1972a:pl 4a =*Chromodoris burni*)

Allen & Steene, 1994:†; Bergh, 1890a:933; 1905a:148†; Coleman, 2001:†; Colin & Arneson, 1995:182†; Debelius, 1996:†; Eliot, 1907:86; Nakano, 2004:161†; Ono, 2004:172†; Orr, 1981:28†; Rudman, 1982:196†; Rudman & Darvell, 1990:59†; Thompson, 1972a:403†; Tonozuka 2003:77†; Willan & Coleman, 1984:24†; Yonow, 2001:23†

Chromodoris lochi Rudman, 1982:186†

Behrens, 2005:†; Bertsch, 1987a:†; Coleman, 1989:31†; 2001:†; Colin & Arneson, 1995:182†; Debelius, 1996:†; Gosliner, Behrens, & Williams, 1996:164†; Knop, 2004:†; 2004a:†; Nakano, 2004:163†; Okutani, 2000:785†; Ono, 1999:80†; 2004:169†; Salleh, Yasin, & Shau-Hwai, 2000:410; Tonozuka 2003:75†; Willan & Coleman, 1984:24†; Yonow, 2001:24†

Chromodoris loringi (Angas, 1864) |*Goniodoris*| [=C. amoena]

Coleman, 1989:34†; 2001:†; Rudman, 1983:133†; Thompson, 1972a:404†; 1976a:†

Chromodoris luteopunctata (Gantes, 1962) |*Glossodoris*|

Cervera, García-Gómez, & Ortea, 1989:445; Garcia-Gomez, 2002:†; Trainito, 2005:47†

Chromodoris luteorosea (Rapp, 1827) |*Doris*|

Ballesteros, 1984a:†; 1985:17; Bergh, 1880b:17; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:65†; Danrigal & Huyghens, 1981:†; Edmunds, 1981:187†; 1982:520; Erhardt & Moosleitner,

1997:657†; Garcia-Gomez, 2002:108†; Ihering, 1880:27; Koutsoubas, Koukouras, & Thompson, 1993:158; Ortea & Valdés, 1991:70; Perrone, 1983b:133; Riedl, 1983:335; Schmekel, 1970:192; Schmekel & Portmann, 1982:59†; Trainito, 2003:28†; 2005:47†; Turk, 2000:164†; Vayssiére, 1901a:34; 1913a:331; 1919:71

Chromodoris luteorosea var. *iheringi* Bergh, 1880b:19

Chromodoris lutescens (delle Chiaje, 1846) |*Doris*| [=Glossodoris luteorosea]
Ihering, 1880:37

Chromodoris luxuriosa Bergh, 1877:493 [=Durvilledoris lemniscata; =Glossodoris]
Bergh, 1879g:7

Chromodoris macfarlandi Cockerell, 1901 [=Glossodoris]

Behrens, 1980:56†; 1981:5; 1991:59†; 2004:39; Behrens & Hermosillo, 2005:81†; Bertsch, 1978:313; 1984c:†; Cockerell, 1902:20; Costello, 1947:232; Farmer, 1980:92; ICZN, 1954a:117; Lance, 1969:†; 1983:†; McDonald, 1983:156; McDonald & Nybakken, 1980:48†

Chromodoris maculosa Pease, 1871a:16 [=Hypselodoris]

Eliot, 1908a:108; Pruvot-Fol, 1947:113

**Chromodoris magnifica* (Quoy & Gaimard, 1832) |*Doris*|

Allen & Steene, 1994:†; Behrens, 2005:†; Coleman, 1989:34†; 2001:†; Colin & Arneson, 1995:182†; Debelius, 1996:†; Dominguez, Moreira, & Troncoso, 2004:98†; Eliot, 1904:397; Gosliner, Behrens, & Williams, 1996:164†; Lin, 1989:8; Marshall & Willan, 1999:97†; Masuda, 1999:99†; Nakano, 2004:163†; Ono, 1999:79†; 2004:168†; Rudman, 1977:380; 1982:216†; 1984:131; Yasin, & Shau-Hwai, 2000:411; Tonozuka 2003:74†; Yonow, 2001:24†

Chromodoris mandapamensis Valdes, Mollo, & Ortea, 1999:466†

Behrens, 2005:†

Chromodoris marenzelleri Bergh, 1881:219 [=Glossodoris; =Glossodoris diardii;
=Glossodoris festiva; =Hypselodoris festiva; =Hypselodoris infucata]
Eliot, 1913:29

Chromodoris marginata (Pease, 1860) |*Doris*| [?=C. aureomarginata; =C. pallida; =C. trimarginata; =C. verrieri] (non Coleman, 1975,, nor Willan & Coleman, 1984:28† =Ardeadoris egretta; non Gillett & MacNeil, 1959 =C. youngbleuthi; non Gosliner, 1987b:76† =C. verrieri; non Orr, 1981:27† =C. sinensis; non Thompson, 1972a:405† =G. angasi; non Utinomi, 1976 =C. rubrocornuta)

Bergh, 1880b:27; 1905a:150†; Hamann, 1984b:1†; Johnson & Boucher, 1983:267; Kay, 1979:467; Orr, 1980:111; Risbec, 1928:133†

Chromodoris mariana Bergh, 1890a:937 [=Glossodoris]

Chromodoris mariei (Crosse, 1872) |*Goniodoris*| [=Mexichromis] (non Willan & Coleman, 1984:18† =Mexichromis festiva)
Rudman, 1973:185†

Chromodoris marisliae Bertsch in Bertsch, Ferreira, Farmer, & Hayes, 1973:289†

Behrens & Hermosillo, 2005:81†; Bertsch, 1978:312; 1984c:†; Coleman, 2001:†; Farmer, 1980:93; Hermosillo, 2004:109†
Johnson, 1998:†; Kerstitch, 1988:†

Chromodoris maritima (Baba, 1949) |*Glossodoris*| [=Hypselodoris]

Orr, 1980:110; 1981:25†

Chromodoris marpessa Bergh, 1905a:152† [=Glossodoris]

- Chromodoris mcfarlandi* Cockerell, 1902 {emended to *macfarlandi*; Costello, 1950:431;
ICZN, 1954a:117}
Costello, 1947:232
- Chromodoris messinensis* Ihering, 1880:15 [=Doris villa; =Glossodoris;
=Hypselodoris]
- Chromodoris michaeli* Gosliner & Behrens, 1998a:150†
Coleman, 2001:†; Ono, 2004:169†; Tonozuka 2003:85†; Willan, 2005:60†
- Chromodoris mollita* Abraham, 1877:260 [=Glossodoris]
- Chromodoris morchii* Bergh, 1879g:3 [=Glossodoris]
Bergh, 1879d:98
- Chromodoris mouaci* Risbec, 1930a:278 [=Glossodoris; =Hypselodoris; =Hypselodoris
whitei]
- Chromodoris multimaculosa* Rudman, 1987a:331†
- Chromodoris naiki* Valdes, Mollo, & Ortea, 1999:468†
- Chromodoris ndukuei* Risbec, 1928:145† [=Chromodoris decora; =Glossodoris]
- Chromodoris neona* (Marcus, 1955) |Glossodoris| [=C. clenchi]
Marcus, 1976b:135; Marcus & Marcus, 1967:51†; 1967a:614; Ortea, Valdés, & Espinosa, 1994:242;
Thompson, 1976a:†; 1977a:†
- Chromodoris nigrostriata* Eliot, 1904:394† [=Hypselodoris; =Hypselodoris nigrolineata
partim.] (non Coleman, 1989:33† =Hypselodoris zephyra)
- Chromodoris nodulosa* Bergh, 1905a:154 [=Glossodoris]
- Chromodoris nona* (Baba, 1955) |Glossodoris|
Masuda, 1999:101†; Nakano, 2004:165†; Suzuki, 2000:69†
- Chromodoris norrisi* Farmer, 1963:81† (non Marcus & Marcus, 1967 =C. baumannii)
Behrens, 1991:59†; Behrens & Hermosillo, 2005:81†; Bertsch, Ferreira, Farmer, & Hayes, 1973:292;
Coleman, 2001:†; Debelius, 1996:†; Farmer, 1980:94; Kerstitch, 1988:†
- Chromodoris nyala* Marcus & Marcus, 1967:53† [=Risbecia]
Humann, 1992:237†
- Chromodoris obsoleta* (Rüppell & Leuckart, 1831) |Doris| [=Casella]
Coleman, 2001:†; Debelius, 1996:†; Rudman, 1973:192; Tan, Pai, & Hsha, 1987:79†; Yonow,
1989:294†
- Chromodoris odhneri* (Risbec, 1953) |Risbecia| [=Risbecia tryoni]
Johnson, 1998:†; Okutani, 2000:787†; Tan, Pai, & Hsha, 1987:79†; Willan & Coleman, 1984:20†
- Chromodoris ophthalmica* Bergh, 1905a:153† [=Glossodoris]
- Chromodoris orientalis* Rudman, 1983:161
Choe & Lee, 1994:360†; Masuda, 1999:102†; Nakano, 2004:164†; Okutani, 2000:785†; Rudman &
Darvell, 1990:61†; Suzuki, 2000:68†
- Chromodoris orsinii* (Vérany, 1846) |Doris| [=Hypselodoris]
Ihering, 1880:38
- Chromodoris pallens* (Rapp, 1827) |Doris|
Ihering, 1880:36; Mienis & Gat, 1987:732

- Chromodoris pallescens* Bergh, 1875d:81 [=Glossodoris] (non Bergh, 1874 =*C. aspersa*; non Eliot, 1913:28 nor Morton & Morton, 1983 nor Orr, 1981:24† nor Utinomi, 1976 =*C. orientalis*; non Lim & Chou, 1970 =*C. tumulifera*)
Orr, 1980:110
- Chromodoris pallida* (Rüppell & Leuckart, 1831) |Doris| [=Glossodoris]
Eliot, 1908a:109
- Chromodoris pantharella* Bergh, 1879d:94 [=Glossodoris]
- Chromodoris pantherina* Bergh, 1905a:155 [=Glossodoris]
- Chromodoris pantherina* (Ehrenberg) Issel, 1869 & Sturany, 1903
Yonow, 1989:309
- Chromodoris papulosa* Bergh, 1905a:156 [=Glossodoris]
- Chromodoris parthenopea* (delle Chiaje, 1841) |Doris|
Ihering, 1880:37
- Chromodoris paupera* Bergh, 1877:484 [=Glossodoris]
- Chromodoris peasei* Bergh, 1880b:26 [=Glossodoris; =Hypselodoris]
- Chromodoris perola* Marcus, 1976b:137
- Chromodoris perplexa* (Burn, 1957) |Glossodoris| [=Digidentis]
Burn, 1966a:272; 1969:81; Willan & Coleman, 1984:20†
- Chromodoris petechialis* (Gould, 1852) |Doris| [=C. tinctoria] (non Kay & Young, 1969 = C. tinctoria)
Bertsch & Gosliner, 1990:17; Bertsch & Johnson, 1981:48†; Eliot, 1905a:231; 1905f:250; 1909:138; Kay, 1979:468; Kay & Young, 1969:204; Rudman, 1973:193; 1983:167
- Chromodoris picta* (Pease, 1860) |Doris|
Bergh, 1881b:82
- Chromodoris picturata* (Ehrenberg, 1831) |Pterodoris| [=Glossodoris]
- Chromodoris pirainii* (Vérany, 1846) |Doris|
Ihering, 1880:37
- Chromodoris placida* (Baba, 1949) |Glossodoris| [=Hypselodoris]
Orr, 1980:111; 1981:29†
- Chromodoris ponga* Marcus & Marcus, 1970a:55
- Chromodoris porcata* Bergh, 1889:831 [=C. lilacina; =Glossodoris] (non Eliot, 1910b:224 =C. alias)
- Chromodoris porterae* Cockerell, 1901 [=Glossodoris; =Hypselodoris; =Mexichromis]
Cockerell, 1902:20; Guernsey, 1912:74; MacFarland, 1905:44; 1906:129†; 1966:163†; McDonald, 1983:157; McDonald & Nybakken, 1980:48†
- Chromodoris preciosa* (Kelaart, 1858) |Doris|
Behrens, 2005:†; Coleman, 2001:†; Eliot, 1906a:642†; 1909a:92;; Gosliner, 2001:†; Gosliner, Behrens, & Williams, 1996:109†; Nakano, 2004:165†; Ono, 2004:173†; Rudman, 1985:268†
- Chromodoris pretiosa* (Kelaart) (lapsus for *C. preciosa*)
- Chromodoris prismatica* [=Hypselodoris lineata]

Chromodoris propinquata (Pease, 1860) |*Doris*|
Bergh, 1881b:81

Chromodoris pruna Gosliner, 1994:248

Chromodoris pulchella Bergh, 1873:pl. 25 [=*C. subpulchella*; =*Glossodoris*;
?=*Halgerda willeyi*; =*Risbecia*]

Chromodoris pulchella (Rüppell & Leuckart, 1831) |*Doris*| [=*Glossodoris*; =*Risbecia*
(non Bergh, 1873 =*Halgerda*]
Gohar & Aboul-Ela, 1957a:205†

Chromodoris pulcherrima (Cantraine, 1835) |*Doris*|

Chromodoris punctilucens Bergh, 1890b:162 [=*Glossodoris*] (non Odhner, 1931
=*Glossodoris edmundsi*)

Chromodoris purpurea (Risso in Guerin, 1831) |*Doris*|

Ballesteros, 1985:17; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:67†; Danrigal &
Huyghens, 1981: †; Garcia-Gomez, 2002:110†; Gosliner, 1990a:145†; Luque, 1983:63; Malaquias,
Cervera, Abreu, & López-González, 2001:†; Ortea, Moro, Caballer, & Bacallado, 2003:171†; Ortea &
Perez, 1983:66†; Perrone, 1986a:30; 1993:66; Riedl, 1983:335; Rolán & Otero-Schmitt, 1996:143†;
Schmekel, 1970:192; Schmekel & Portmann, 1982:61†; Trainito, 2003:30†; 2005:46†; Turk,
2000:164†; Wirtz, 1996:169; 1998a:†

Chromodoris pusilla Bergh, 1874 [=*Durvilledoris*; =*Glossodoris*]
Eliot, 1905f:249

Chromodoris pustulans Bergh, 1877:488 [=*Glossodoris*]
Eliot, 1906e:551

Chromodoris quadricolor (Rüppell & Leuckart, 1828) |*Doris*| (non Bergh, 1905 nor Lim
& Chou, 1970 =*C. elisabethina*; non Bergh, 1905 nor Risbec, 1928:131† nor Risbec,
1953 nor Lim & Chou, 1970 =*C. lochi*; non Eliot, 1908a:107 nor Gohar & Aboul-
Ela, 1959a:42 nor Marcus & Marcus, 1960:899 =*C. africana*; non Gillett & McNeill,
1959 =*C. kuiteri*)

Bergh, 1905:68; 1905a:143†; Cattaneo Vietti, 1986:167†; Cattaneo-Vietti, Chemello, & Giannuzzi-
Savelli, 1990:69†; Debelius, 1996:†; Eliot, 1910:429; Erhardt & Moosleitner, 1997:655†; George &
George, pl. 91†; Kerstitch, 1988:†; Okutani, 2000:785†; Ono, 1999:77,78†; Perrone, 1990b:25;
Rudman, 1977:370; 1982:213; Tavares, 1998:†; Thompson, 1972a:406†; 1976:†; Trainito, 2003:30†;
2005:46†; Yonow, 1989:296†; 1997:†; Yonow, Anderson, & Buttress, 2001:852

Chromodoris quadricolor var. *africana* Eliot, 1904 |*C. africana*| (non Thompson, 1972
=*C. kuiteri*)

Chromodoris quadricolor quadricolor (Rüppell & Leuckart, 1828) |*Doris*|
Burn, 1968a:173

Chromodoris quadricolor westraliensis (O'Donoghue, 1924) |*Glossodoris*| [=*C.
westraliensis*]
Burn, 1968a:173

Chromodoris reticulata (Pease, 1866) |*Goniobranchus*| [=*C. tinctoria*; =*Glossodoris*]
(non Eliot, 1904 = *C. inopinata*)

Bergh, 1879g:9; Coleman, 2001:†; Colin & Arneson, 1995:182†; Debelius, 1996:†; Eliot, 1904:386;
Farran, 1905a:341; Gosliner, Behrens, & Williams, 1996:164†; Masuda, 1999:103†; Ono, 1999:84†;
Rudman, 1973:192

Chromodoris reticulata var. Eliot, 1911:1086† [=*C. obsoleta*]

- Chromodoris roboi* Gosliner & Behrens, 1998a:159†
 Coleman, 2001:†; Marshall & Willan, 1999:98†; Masuda, 1999:105†; Nakano, 2004:164†; Ono, 2004:173†; Suzuki, 2000:71†; Tonozuka 2003:87†
- Chromodoris rodamaculata* Ortea & Valdés, 1991:72†
 Ortea, Moro, Bacallado, & Herrera, 2001:†
- Chromodoris rolani* Ortea, 1988:11†
- Chromodoris rosans* Bergh, 1889:834 [=Glossodoris]
 Eliot, 1906e:551
- Chromodoris roseopicta* Verrill, 1900:549 [=Glossodoris]
 Verrill, 1901:33
- Chromodoris rubrocornuta* Rudman, 1985:283†
 Nakano, 2004:165†; Ono, 2004:174†; Rudman & Darvell, 1990:56†
- Chromodoris rudolphi* Bergh, 1877:494 [=Glossodoris]
- Chromodoris rufomaculata* Pease, 1871a:17 [=Glossodoris]
 Marshall & Willan, 1999:98†; Nakano, 2004:166†; Ono, 2004:172†; Pruvot-Fol, 1947:113; Rudman, 1987a:352†
- Chromodoris runcinata* Bergh, 1877:479 [=Glossodoris; =Glossodoris diardii;
 =Hypselodoris infucata] (non Bergh, 1884a:76 =Hypselodoris obscura)
 Eliot, 1904:393; 1905a:232; Vayssiére, 1912:46
- Chromodoris ruzaifai* Ortea, Bacallado, & Valdes, 1992:55†
 Camacho-Garcia, Gosliner, & Valdes, 2005:83†; Debelius, 1996:†
- Chromodoris saintvincentius* (Burn, 1962) |Hypselodoris| [=Hypselodoris infucata]
- Chromodoris sannio* Bergh, 1890a:939 [=C. mariei; =Glossodoris; =Mexichromis mariei]
 Eliot, 1905f:248
- Chromodoris scabriuscula* Bergh, 1890b:160 [=Glossodoris]
- Chromodoris scurra* Bergh, 1875d:78 [=Durvilledoris lemniscata; =Glossodoris]
 Eliot, 1900:518; 1904:395
- Chromodoris scurra* var. Bergh, 1877:478 [=?Doris dorsalis Gould]
- Chromodoris sedna* (Marcus & Marcus, 1967) |Casella| [=Chromolaichma]
 Humann, 1992:239†
- Chromodoris semperi* Bergh, 1877:482 [=C. diardii; =Glossodoris; =Glossodoris diardii; =Hypselodoris infucata] (non Eliot, 1905f:246 =Hypselodoris kanga)
- Chromodoris semperi* var. Bergh, 1905a:147†
- Chromodoris semperi nigrostriata* Eliot, 1904 |C. nigrostriata| [=C. nigrostriata;
 =Hypselodoris infucata]
- Chromodoris semperi tenuilinearis* Eliot, 1905 |C. tenuilinearis| [=C. tenuilinearis;
 =Hypselodoris infucata]
 Eliot, 1905f:248
- Chromodoris shirarae* (Baba, 1953) |Glossodoris| [=C. tumulifera]
 Orr, 1980:111; 1981:23†

- Chromodoris sibogae* Bergh, 1905a:157 [=Glossodoris] (non Bertsch & Johnson, 1981:49† =Ardeadoris scottjohnsoni; non Eliot, 1913:27 =Glossodoris misakinosibogae)
Tan, Pai, & Hsha, 1987:79†
- Chromodoris simplex* Pease, 1871a:17 [=Glossodoris; =Noumea]
Pruvot-Fol, 1947:113
- Chromodoris sinensis* Rudman, 1985:272†
Coleman, 2001:†; Lin, 1989:14; Nakano, 2004:166†; Rudman & Darvell, 1990:56†; Yonow, 2001:26†
- Chromodoris sonora* Marcus & Marcus, 1967 |C. banksi sonora| [=Glossodoris dalli]
- Chromodoris sphoni* (Marcus, 1971) |Felimida|
Behrens & Hermosillo, 2005:82†; Bertsch, 1978:321; Bertsch & Kerstitch, 1984:265; Farmer, 1980:95; Gosliner, 1991b:286; Ortea, Bacallado, & Valdes, 1992:51†
- Chromodoris splendens* Alder & Hancock, 1848
Rudman, 1973:194
- Chromodoris splendens* Eliot, 1904:390 [=C. splendida; =Glossodoris]
- Chromodoris splendida* (Angas, 1864) |Goniodoris|
Coleman, 1989:28†; 2001:†; Debelius, 1996:†; Erhardt & Moosleitner, 1997:656†; Johnson, 1998:†; Marshall & Willan, 1999:99†; Rudman, 1973:194; 1983:107†; 1990a:310; Rudman & Avern, 1988:†; Thompson, 1972a:406†; Walls, 1982:309†; Willan & Coleman, 1984:20†
- Chromodoris striatella* Bergh, 1877:474 [=C. lineolata; =Glossodoris; =Glossodoris albolineata; =Glossodoris quadricolor] (non Bergh, 1884 =C. lineolata)
Bergh, 1879g:5; 1884a:73; Coleman, 1989:35†; 2001:†; Lin, 1989:10; Okutani, 2000:785†; Rudman, 1982:200†; Rudman & Darvell, 1990:60†; Tonozuka 2003:86†; Wells & Bryce, 1993:123†
- Chromodoris strigata* Rudman, 1982:229†
Behrens, 2005:†; Coleman, 1989:34†; 2001:†; Nakano, 2004:166†; Ono, 1999:79†; 2004:171†; Tonozuka 2003:85†
- Chromodoris subpulchella* Abraham, 1877 [=Glossodoris]
- Chromodoris sycilla* Bergh, 1890b:165 [=Glossodoris]
Bergh, 1890a:974
- Chromodoris sykesi* Eliot, 1904:387† [=C. albopunctatus; =Glossodoris]
- Chromodoris tasmaniensis* Bergh, 1905:69 [=Glossodoris]
Burn, 1966a:272; 1966e:332; 1989:760; Coleman, 1989:27†; 2001:†; Rudman, 1983:120†; 1986b:†; 1987a:326; Willan & Coleman, 1984:18†
- Chromodoris tennentana* (Kelaart, 1859) |Doris|
Eliot, 1906a:643†; Rudman, 1987a:364†; Yonow, Anderson, & Buttress, 2001:854
- Chromodoris tenuilinearis* Farran, 1905a:342 [=Glossodoris; =Hypselodoris nigrostriata]
Vayssi  re, 1912:51
- Chromodoris tenuis* Collingwood, 1881:130† [=C. aspersa; =Glossodoris]
Pruvot-Fol, 1935b:116; Risbec, 1928:129†; Rudman, 1973:194; 1983:166
- Chromodoris thalassopora* Bergh, 1879g:19 [=Glossodoris]
- Chromodoris thompsoni* Rudman, 1983:131†
Burn, 1989:761; Coleman, 2001:†

Chromodoris tinctoria (Rüppell & Leuckart, 1831) |Doris| [=Glossodoris]

Burn, 1989:761; Behrens, 2005:†; Choe & Lee, 1994:359†; Coleman, 2001:†; Colin & Arneson, 1995:182†; Debelius, 1996:†; Eliot, 1911:1069†; Gohar & Soliman, 1967b:96; King & Fraser, 2002:122†; Marshall & Willan, 1999:99†; Masuda, 1999:103†; Nakano, 2004:167†; Okutani, 2000:785†; Ono, 2004:174†; Rudman, 1973:191; Suzuki, 2000:69†; Tonozuka 2003:79†; Tubbenhauer, 1986:†; Wells & Bryce, 1993:117†; Willan & Coleman, 1984:22†; Yonow, 1989:296†

Chromodoris tricolor (Cantraine, 1835) |Doris| [=Chromodoris coerulea; =Hypselodoris; =Mexichromis]

Ihering, 1880:9

Chromodoris trilineata Ihering, 1880:33-36 [=C. krohni; =Glossodoris krohni]*Chromodoris trimarginata* (Winckworth, 1946) |Glossodoris| (non Kay & Young, 1969:205 =C. marginata; =C. verrieri)

Lin, 1989:14; Rudman, 1985:267†; Valdes, Mollo, & Ortea, 1999:462†

Chromodoris tritos Yonow, 1994:116†

Behrens, 2005:†; Coleman, 2001:†; Debelius, 1996:†

Chromodoris trouilloti Risbec, 1928:146† [=Glossodoris]*Chromodoris tryoni* (Garrett, 1873) |Goniodoris| [=C. aureopurpurea; =Hypselodoris; =Risbecia]

Bergh, 1877:490; 1879g:14; Johnson & Boucher, 1983:268

Chromodoris tryoni var. Eliot, 1904:391 [=Risbecia pulchella]*Chromodoris tumulifera* Collingwood, 1881:130† [=C. pallescens; =Glossodoris]

Nakano, 2004:167†; Okutani, 2000:785†; Pruvot-Fol, 1935b:116; Rudman, 1973:194; 1983:117†; Rudman & Darvell, 1990:58†

Chromodoris tura Marcus & Marcus, 1967:55† [=Mexichromis]*Chromodoris unitaeniata* André, 1896 |Chromodoris annae unitaeniata| [=Glossodoris]*Chromodoris universitatis* Cockerell, 1901 [=C. californiensis; =Glossodoris; =Hypselodoris californiensis]

Cockerell, 1902:19

Chromodoris valenciennesii (Cantraine, 1841) |Doris| [=Hypselodoris picta]

Odhner, 1932:30

Chromodoris varians Pease, 1871a:19 [=Glossodoris; =Noumea] (non Ono, 1999:87†; nor Willan & Coleman, 1984:27 =Noumea alboannulata)

Masuda, 1999:101†; Pruvot-Fol, 1947:113; Willan & Coleman, 1984:26†

Chromodoris variata Risbec, 1928:141† [=C. aureopurpurea; =Glossodoris]*Chromodoris variegata* Pease, 1871a:15 [=Durvilledoris lemniscata; =Glossodoris; =Glossodoris lemniscata]

Pruvot-Fol, 1947:113

Chromodoris venusta Bergh, 1905a:153 [=Glossodoris]*Chromodoris verrieri* (Crosse, 1875) |Goniodoris|

Bertsch & Gosliner, 1990:17; Coleman, 2001:†; Debelius, 1996:†; Masuda, 1999:103†; Ono, 2004:172,227†; Rudman, 1985:262†; Wells & Bryce, 1993:120†; Yonow, 1989:296†

Chromodoris versicolor Risbec, 1928:147† [=Glossodoris; =Risbecia]

- Chromodoris vibrata* (Pease, 1860) |*Doris*| [=*Hypselodoris*]
 Bergh, 1880b:26; Bertsch & Gosliner, 1990:17; Bertsch & Johnson, 1981:57†; Coleman, 2001:†;
 Hoover, 1998:163†; Nakano, 2004:168†; Ono, 2004:175†
- Chromodoris vicina* Eliot, 1904:392 [=*C. tennentana*; =*Glossodoris*]
 Edmunds, 1971:372†; Gosliner, 1987b:75†; Mienis, 1984b:581
- Chromodoris victoriae* (Burn, 1957) |*Glossodoris*| [=*C. epicuria*]
 Burn, 1966a:272; Willan & Coleman, 1984:28†
- Chromodoris villafranca* (Risso, 1818) |*Doris*| [=*Glossodoris gracilis*; =*Hypselodoris*]
 Bergh, 1878:22; 1880b:14; 1881b:83; Fez Sanchez, 1974:118†; Ihering, 1880:19; Nobre, 1931:44;
 1936:30; 1938-40:55; Tchang Si, 1931a:113; Vayssiére, 1901a:40; 1913a:331
- Chromodoris virgata* Bergh, 1905a:161† [=*Glossodoris*; =*Pectenodoris trilineata*]
 Willan & Coleman, 1984:26†
- Chromodoris virginea* Bergh, 1877:486 [=*Glossodoris*; =*Glossodoris marginata*]
- Chromodoris westraliensis* (O'Donoghue, 1924) |*Glossodoris*]
 Burn, 1989:761; Coleman, 1989:30†; 2001:†; Debelius, 1996:†; Rudman, 1982:226†; Wells & Bryce,
 1993:120†; Willan & Coleman, 1984:24†
- Chromodoris willani* Rudman, 1982:193†
 Behrens, 2005:†; Cobb & Willan, 2005:62†; Coleman, 2001:†; Colin & Arneson, 1995:182†; Debelius,
 1996:†; Erhardt & Moosleitner, 1997:659†; Gosliner, Behrens, & Williams, 1996:164†; Lin, 1989:10;
 Nakano, 2004:168†; Ono, 1999:80†; 2004:175†; Salleh, Yasin, & Shau-Hwai, 2000:410; Tonozuka
 2003:75†
- Chromodoris woodwardi* Rudman, 1983:138†
 Coleman, 2001:†
- Chromodoris youngbleuthi* Kay & Young, 1969:206 [=*Glossodoris*; =*Glossodoris rufomarginata*]
 Kay, 1979:468; Rudman, 1973:177†; Tan, Pai, & Hsha, 1987:79†; Willan & Coleman, 1984:28†
- Chromodoris zebra* Heilprin, 1888:327 [=*Glossodoris*]
 Heilprin, 1889:187; Smallwood, 1910:137; Smallwood & Clark, 1912:625
- Chromodoris zebrina* Alder & Hancock, 1864:123 [=*Glossodoris*]
 Eliot, 1906b:1001
- Chromodoris* sp. Allen & Steene, 1994:† (page 198, photo in second row, first
 column)=*C. dianae*
- Chromodoris* sp. 1 Behrens & Hermosillo, 2005:82†
- Chromodoris* sp. Bergh, 1907:57
 Pruvot-Fol, 1951a:144
- Chromodoris* sp. Berry, 1907 [=*C. macfarlandi*]
- Chromodoris* sp. Bertsch, 1971 [=*C. baumanni*]
- Chromodoris* sp. Burn, 1966a:273
- Chromodoris* sp. Burn, 1969:81 [=*Noumea closei*]
- Chromodoris* sp. "haloed chromodoris" Coleman, 1989:28†
- Chromodoris* sp. "red-netted chromodoris" Coleman, 1989:29†

- Chromodoris* sp. "exmouth chromodoris" Coleman, 1989:32†
- Chromodoris* sp. "tooth-edged chromodoris" Coleman, 1989:35† [=*C. roboi*]
- Chromodoris* sp. "flower petal chromodoris" Coleman, 1989:43†
- Chromodoris* sp. "alluring chromodoris" Coleman, 2001:†
- Chromodoris* sp. "cake-icing chromodoris" Coleman, 2001:†
- Chromodoris* sp. "haloed chromodoris" Coleman, 2001:†
- Chromodoris* sp. "high-gilled chromodoris" Coleman, 2001:†
- Chromodoris* sp. "marbled chromodoris" Coleman, 2001:†
- Chromodoris* sp. "Moreton chromodoris" Coleman, 2001:†
- Chromodoris* sp. "Obor's chromodoris" Coleman, 2001:†
- Chromodoris* sp. "petalled chromodoris" Coleman, 2001:†
- Chromodoris* sp. "south Pacific chromodoris" Coleman, 2001:†
- Chromodoris* sp. "spot-margined chromodoris" Coleman, 2001:†
- Chromodoris* sp. "Queensland chromodoris" Coleman, 2001:†
- Chromodoris* sp. Colin & Arneson, 1995:182† [figs. 852 & 856 =*C. dianae*; fig. 855 =*C. michaeli*]
- Chromodoris* sp. Crossland, 1937 [=*Risbecia ghardaqana*]
- Chromodoris* sp. Debelius, 1996:† [(page 213, upper photo)=*C. joshi*; (page 213, lower photo)=*Aldisa andersoni*; (page 214, upper photo)=*Hypselodoris iacula*; (page 214, middle photo)=*Hypselodoris kaname*]; (page 215, upper photo)=*Glossodoris charlottae*]
- Chromodoris* sp. Demir, 1954:573
- Chromodoris* sp. Eliot, 1900:518
Pruvot-Fol, 1951a:144
- Chromodoris* sp. Erhardt & Moosleitner, 1997:650†
- Chromodoris* sp. Fujita, 1892a:98 [=*Glossodoris pallescens*]
- Chromodoris* sp. George & George, pl. 91† fig. 6
- Chromodoris* sp. George & George, pl. 91† fig. 7
- Chromodoris* sp.1 Gosliner, 1987b:76† [=*C. heatherae*]
- Chromodoris* sp.2 Gosliner, 1987b:77† [=*Noumea protea*]
- Chromodoris* sp.3 Gosliner, 1987b:77† [=*C. geminus*]
- Chromodoris* sp.4 Gosliner, 1987b:77† [=*C. lekker*]
- Chromodoris* sp.5 Gosliner, 1987b:78†
- Chromodoris* sp.6 Gosliner, 1987b:78†
- Chromodoris* sp.7 Gosliner, 1987b:78† [=*C. alius*]

- Chromodoris* sp.8 Gosliner, 1987b:79† [=*C. pruna*]
Chromodoris sp. Gosliner, Behrens, & Williams, 1996:165†
Chromodoris sp. Guernsey, 1912:75 [=*C. californiensis*; =*Hypselodoris californiensis*] O'Donoghue, 1926:211; Steinberg, 1961:62
Chromodoris sp. Hamann, 1984 [=*Mexichromis amalguae*]
Chromodoris sp. Hoover, 1998:163†
Chromodoris sp.2 Johnson, 1984a:8
Chromodoris sp.3 Johnson, 1984a:8
Chromodoris sp.4 Johnson, 1984a:8
Chromodoris sp.7 Johnson, 1984a:8†
Chromodoris sp.9 Johnson, 1984a:8†
Chromodoris sp. Velling, 2004:†
Chromodoris sp.1 Marshall & Willan, 1999:100†
Chromodoris sp.2 Marshall & Willan, 1999:101†
Chromodoris sp. Masuda, 1999:100†
Chromodoris sp. Masuda, 1999:105† [=*Aldisa albatrossae*]
Chromodoris sp. Nakano, 2004:168†
Chromodoris sp. Nicolay, 1983 [=*C. britoi*]
Chromodoris sp.(14) Okutani, 2000:787†
Chromodoris sp. (15) Okutani, 2000:787†
Chromodoris sp. (16) Okutani, 2000:787†
Chromodoris sp.1 Ono, 1999:87† [=*Noumea* sp.]
Chromodoris sp.2 Ono, 1999:88† [=*C. petechialis*]
Chromodoris sp.2 cf. *strigata* Rudman, 1982
Ono, 2004:171†
Chromodoris sp. 3 Ono, 2004:175†
Chromodoris sp. Orr, 1980:110
Chromodoris sp. Pruvot-Fol, 1951
Pruvot-Fol, 1951a:144
Chromodoris sp.B. Rudman, 1977 [=*C. kuiteri*]
Chromodoris sp. Yasin, & Shau-Hwai, 2000:411
Chromodoris sp. Takahashi, 1973:9 [=*Mexichromis festiva*]
Chromodoris sp.1 Tan, Pai, & Hsha, 1987:79†
Chromodoris sp.2 Tan, Pai, & Hsha, 1987:79†

- Chromodoris* sp.3 Tan, Pai, & Hsha, 1987:80†
Chromodoris sp.4 Tan, Pai, & Hsha, 1987:80†
Chromodoris sp.5 Tan, Pai, & Hsha, 1987:80†
Chromodoris sp.6 Tan, Pai, & Hsha, 1987:80†
Chromodoris sp.7 Tan, Pai, & Hsha, 1987:80†
Chromodoris sp.8 Tan, Pai, & Hsha, 1987:80†
Chromodoris sp.A Tonozuka 2003:79†
Chromodoris sp.B Tonozuka 2003:83†
Chromodoris sp.C Tonozuka 2003:84†
Chromodoris sp. D Tonozuka 2003:86†
Chromodoris sp. Trainito, 2003:28†
Chromodoris sp. Trainito, 2005:45†
Chromodoris sp. (50) Tubbenhauer, 1986:†
Chromodoris sp. (51) Tubbenhauer, 1986:†
Chromodoris sp. (53) Tubbenhauer, 1986:†
Chromodoris sp. Wells & Bryce, 1993:126†
Chromodoris sp. Willan & Coleman, 1984 [=C. aureopurpurea]
Chromodoris sp. (42) Willan & Coleman, 1984:20†
Chromodoris sp. (43) Willan & Coleman, 1984:20†
Chromodoris sp. (44) Willan & Coleman, 1984:20†
Chromodoris sp. (50) Willan & Coleman, 1984:22†
Chromodoris sp. (51) Willan & Coleman, 1984:22†
Chromodoris sp. (53) Willan & Coleman, 1984:22†
Chromodoris sp. (63) Willan & Coleman, 1984:24†
Chromodoris sp. (68) Willan & Coleman, 1984:26†
Chromodoris sp. Yonow, 1989:296† [=Glossodoris charlottae]
Chromodoris sp. Yonow, 1994:110†
Chromodoris sp. cf. *africana* Rudman, 1982
Ono, 2004:163†
Chromodoris sp. cf. *africana*
Rudman, 1982:221†
- Chromolaichma*** Bertsch, 1977:113
[=Glossodoris]
- Bertsch, 1978a:70

Chromolaichma dalli (Bergh, 1879) |*Chromodoris*|
Bertsch, 1978a:76

Chromolaichma punctilucens (Bergh, 1890) |*Chromodoris*|

**Chromolaichma sedna* (Marcus & Marcus, 1967) |*Casella*| [=*Glossodoris*]
Bertsch, 1978a:70; Farmer, 1980:96

Chromolaichma youngbleuthi (Kay & Young, 1969) |*Chromodoris*| [=*Glossodoris rufomarginata*]
Bertsch & Johnson, 1981:69†

Crepidoris Pagenstecher, 1877:62
[=*Glossodoris*]

Crepidoris plumbea Pagenstecher, 1877:62 [=*Glossodoris*]

Digidentis Rudman, 1984:226

**Digidentis arbuta* (Burn, 1961) |*Glossodoris*|
Burn, 1989:764; Coleman, 2001:†; Debelius, 1996:†; Rudman, 1984:226

Digidentis kulonba (Burn, 1966) |*Hypselodoris*|
Rudman, 1990a:287†

Digidentis perplexa (Burn, 1957) |*Glossodoris*|
Burn, 1989:764; Coleman, 1989:43†; 2001:†; Rudman, 1987a:341†

Diversidoris Rudman, 1987a:307
Rudman & Darvell, 1990:54

**Diversidoris aurantiumodulosa* Rudman, 1987a:309†
Coleman, 2001:†; Rudman & Darvell, 1990:54†

Doriprismatica Orbigny, 1839
[=*Glossodoris*; =*Goniodoris*]

Adams & Adams, 1858:52; R. Winckworth, 1946:154

Doriprismatica albescens Schultz, 1836
Tiberi, 1880:210

**Doriprismatica atromarginata* (Cuvier, 1804) |*Doris*| [=*Glossodoris*]
White, 1948:203

Doriprismatica caerulea (Risso, 1818) |*Doris*| [=*Hypselodoris tricolor*]

Doriprismatica calcarae (Vérany, 1846) |*Doris*|
Tiberi, 1880:212

Doriprismatica elegans (Cantraine, 1835) |*Doris*|
Tiberi, 1880:209

Doriprismatica elegans (Quoy & Gaimard, 1832) |*Doris*|

Doriprismatica elegantula (Philippi, 1844) |*Doris*|
Tiberi, 1880:211

Doriprismatica festiva Adams, 1861:140 [=*Glossodoris*; =*Glossodoris diardii*;
=*Hypselodoris*; =*Hypselodoris infucata*]

Doriprismatica imperialis Pease, 1860 |*Doris prismatica imperialis*| [=Chromodoris; Glossodoris]

Doriprismatica infucata (Rüppell & Leuckart, 1831) |*Doris*| [=Glossodoris]

Doriprismatica lineata Pease, 1860 |*Doris prismatica lineata*| [=Chromodoris lineolata; =Chromodoris peasii; =Chromodoris prismatica; =Glossodoris; =Hypselodoris; =Hypselodoris bertschi]

Doriprismatica lutescens (delle Chiaje, 1841) |*Doris*| [=Hypselodoris elegans]
Tiberi, 1880:211

Doriprismatica nardii (Vérany, 1846) |*Doris*|
Tiberi, 1880:212

Doriprismatica obsoleta (Rüppell & Leuckart, 1831) |*Doris*| [=Casella]

Doriprismatica pallida (Rüppell & Leuckart, 1831) |*Doris*| [=Glossodoris]

Doriprismatica pirajni (Vérany, 1846) |*Doris*|
Tiberi, 1880:213

Doriprismatica pulchella (Rüppell & Leuckart, 1831) |*Doris*| [=Glossodoris]

Doriprismatica regalis (Forbes, 1843) |*Goniodoris*|
Tiberi, 1880:213

Doriprismatica tenerrima (Forbes, 1843) |*Goniodoris*|
Tiberi, 1880:214

Doriprismatica tinctorum (Rüppell & Leuckart, 1828) |*Doris*| [=Glossodoris]

Doriprismatica villa (Vérany, 1846) |*Doris*|
Tiberi, 1880:213

Doriprismatica villafranca (Risso, 1818) |*Doris*| [=Hypselodoris]
Tiberi, 1880:210

Doriprismatica vivida (Forbes, 1843) |*Goniodoris*|
Tiberi, 1880:214

Durvilledoris Rudman, 1984:229

Durvilledoris albofimbria Rudman, 1995:22

Durvilledoris circumflavus Rudman, 1990a:284†

**Durvilledoris lemniscata* (Quoy & Gaimard, 1832) |*Doris*|

Coleman, 2001:†; Gosliner, 1987b:79†; Marshall & Willan, 1999:101†; Ono, 2004:176†; Rudman, 1984:229; Yonow, 1989:304†; Yonow & Hayward, 1991:13†

Durvilledoris pusilla (Bergh, 1874) |*Chromodoris*|
Nakano, 2004:169†; Ono, 2004:176†; Rudman, 1986a:324; Suzuki, 2000:84†; Yonow, 1994:119†;
2001:26†

Durvilledoris similaris Rudman, 1986a:320†
Ono, 2004:178†

Echinodoris Bergh, 1874c:109 [=Ceratodoris]

Bergh, 1892:101(1093); Thiele, 1931:434; 1992:712

Echinodoris armata Eliot, 1913:7

**Echinodoris eolida* (Quoy & Gaimard, 1832) |*Doris*| [=Ceratodoris]
Bergh, 1874c:109; Rudman, 1995:9

Felimare Marcus & Marcus, 1967:62
[=*Hypselodoris*]

Bertsch, 1977:114

**Felimare bayeri* Marcus & Marcus, 1967:62† [=Hypselodoris]

Felimida Marcus, 1971:355
[=*Chromodoris*]

**Felimida sphoni* Marcus, 1971:356 [=Chromodoris]

Anonymous, 1972:11

Glossodoris Ehrenberg, 1831
{ nom. cons., ICZN, 1986:27 } [=Chromodoris; =Staurodoris]

Adams & Adams, 1858:49; Baba, 1985:226; Barnard, 1927:181; Bergh, 1877c:53; Chenu, 1859:401; Gray, 1857:208; Nordsieck, 1972:58; Odhner, 1957:250; O'Donoghue, 1924a:553; 1929:768, 818; Ortea, Bacallado,& Valdes, 1992:41; Pruvot-Fol, 1933b:122; 1954b:256; Rudman, 1983a:211; 1984:145; Rudman & Darvell, 1990:64; Satyamurti, 1952:236; Thiele, 1931:431; 1992:709; Winckworth, 1946:153

Glossodoris aegialia (Bergh, 1905) |*Chromodoris*| [=Hypselodoris agassizi] (non White, 1952 =*Hypselodoris webbi* or *Hypselodoris picta*)
Pruvot-Fol, 1951a:78; White, 1952:116

Glossodoris aeruginosa Rudman, 1995:12
Cobb & Willan, 2005:63†; Marshall & Willan, 1999:101†

Glossodoris agassizi (Bergh, 1894) |*Chromodoris*|
Pruvot-Fol, 1951a:78

Glossodoris alba (Hasselt, 1824) |*Doris*|
Pruvot-Fol, 1951a:79

Glossodoris albescens (Schultz in Philippi, 1836) |*Doris*|
Pruvot-Fol, 1951a:79

Glossodoris albolimbata (Bergh, 1907) |*Chromodoris*|
Barnard, 1927:182; Pruvot-Fol, 1951a:81

Glossodoris albolineata (von Martens in Bergh, 1879) |*Chromodoris*|
Pruvot-Fol, 1951a:81

Glossodoris albomaculata (Pease, 1866) |*Goniobranchus*|
Pruvot-Fol, 1951a:82; Yonow, 2001:17

Glossodoris albomaculata var. *erythraea* Pruvot-Fol, 1933b:124†
Pruvot-Fol, 1933a:147; 1951a:82; Yonow, 1989:309

Glossodoris albonotata (Bergh, 1877) |*Chromodoris*|
Pruvot-Fol, 1951a:82

Glossodoris albopunctata (Garrett, 1879) |*Goniobranchus*|
Pruvot-Fol, 1951a:83

- Glossodoris albopustulosa* (Pease, 1860) |*Doris*| [=Chromodoris]
Pruvot-Fol, 1951a:83
- Glossodoris alderi* (Collingwood, 1881) |*Chromodoris*| [=Chromodoris tinctoria]
Abe, 1964:45; Baba, 1949:141†; Pruvot-Fol, 1951a:83; Risbec, 1953:65
- Glossodoris alternata* Burn, 1957:17 [=Chromodoris]
- Glossodoris amabilis* (Kelaart, 1859) |*Doris*| [=Chromodoris lilacina]
Pruvot-Fol, 1951a:84
- Glossodoris amoena* (Cheeseman, 1886) |*Chromodoris*| [=Ceratosoma; =Chromodoris]
Odhner, 1934:249; Powell, 1979:285; Pruvot-Fol, 1951a:84
- Glossodoris angasi* Rudman, 1986:140†
Coleman, 2001:†
- Glossodoris annae* (Bergh, 1877) |*Chromodoris*|
Pruvot-Fol, 1951a:85
- Glossodoris annulata* (Eliot, 1904) |*Chromodoris*| [=Chromodoris]
Barnard, 1927:183; Pruvot-Fol, 1951a:85
- Glossodoris arbuta* Burn, 1961b:55 [=Digidentis]
- Glossodoris ariponensis* (Kelaart, 1859) |*Doris*|
Pruvot-Fol, 1951a:85
- Glossodoris aspersa* (Gould, 1852) |*Doris*|
Pruvot-Fol, 1951a:86
- Glossodoris atopa* (Bergh, 1905) |*Chromodoris*|
Powell, 1979:285; Pruvot-Fol, 1951a:86
- Glossodoris atromarginata* (Cuvier, 1804) |*Doris*|
Allen & Steene, 1994:†; Baba, 1988e:161; Behrens, 2005:†; Coleman, 1989:37†; 2001:†; Colin & Arneson, 1995:184†; Debelius, 1996:†; Dominguez, Moreira, & Troncoso, 2004:103†; Gosliner, 1987b:83†; Gosliner, Behrens, & Williams, 1996:165†; King & Fraser, 2002:122†; Lin, 1989:7; Marshall & Willan, 1999:102†; Masuda, 1999:110†; Nakano, 2004:170†; Okutani, 2000:787†; Ono, 1999:94†; 2004:178†; Rudman, 1984:149†; 1986:103†; Suzuki, 2000:73†; Tavares, 1998:†; Tonozuka 2003:87†; Wells & Bryce, 1993:132†; Yonow, 1989:298†; 2001:27†; Yonow & Hayward, 1991:13†
- Glossodoris aureola* Rudman, 1995:16
- Glossodoris aureomarginata* (Cheeseman, 1881) |*Chromodoris*| [=Chromodoris]
Powell, 1979:285; Pruvot-Fol, 1951a:86; Rudman & Darvell, 1990:64†
- Glossodoris aureopurpurea* (Collingwood, 1881) |*Chromodoris*| [=Chromodoris]
Abe, 1964:46; Baba, 1935:341; 1949:141†; Lin & Tchang, 1965:10; Pruvot-Fol, 1951a:86
- Glossodoris australis* (Risbec, 1927) |*Chromodoris*| [=Thorunna]
Pruvot-Fol, 1951a:87
- Glossodoris averni* Rudman, 1985:247†
Coleman, 1989:38†; 2001:†; Debelius, 1996:†; Marshall & Willan, 1999:103†; Nakano, 2004:169†; Ono, 2004:176†; Rudman, 1990a:279†; Tonozuka 2003:88†
- Glossodoris banksi* (Farmer, 1963) |*Chromodoris*| [=Chromolaichma dalli]
- Glossodoris barnardii* (Kel. MS, Collingwood, 1868) |*Doris*|
Pruvot-Fol, 1951a:87

- Glossodoris baumanni* (Bertsch, 1970) |*Chromodoris*|
 Behrens & Hermosillo, 2005:82†; Camacho-Garcia, Gosliner, & Valdes, 2005:81†; Gosliner, Ortea, & Valdes, 2004:593†
- Glossodoris bennetti* (Angas, 1864) |*Goniodoris*| [=*Hypselodoris*]
 Allan, 1947:440; 1950:220†; Pruvot-Fol, 1951a:87
- Glossodoris bilineata* Pruvot-Fol, 1953b:72† [=*Hypselodoris*]
- Glossodoris bimaensis* (Bergh, 1905) |*Chromodoris*|
 Pruvot-Fol, 1951a:88
- Glossodoris bombayana* H. C. Winckworth, 1946:155
 Pruvot-Fol, 1951a:88
- Glossodoris brachyphylla* (Ehrenberg, 1831) |*Doris (Pterodoris)*||
 O'Donoghue, 1929:724; Pruvot-Fol, 1951a:88
- Glossodoris bullocki* (Collingwood, 1881) |*Chromodoris*||
 Pruvot-Fol, 1951a:89
- Glossodoris calcarae* (Vérany, 1846) |*Doris*||
 Pruvot-Fol, 1951a:89
- Glossodoris calensis* (Bergh, 1879) |*Chromodoris*||
 Pruvot-Fol, 1951a:89
- Glossodoris californiensis* (Bergh, 1879) |*Chromodoris*|| [=*Hypselodoris*]
 Pruvot-Fol, 1951a:89
- Glossodoris camoena* (Bergh, 1875) |*Chromodoris*||
 Pruvot-Fol, 1951a:90
- Glossodoris cantrainii* (Bergh, 1892) |*Chromodoris*||
 Pruvot-Fol, 1951a:90
- Glossodoris capensis* Barnard, 1927:181 [=*G. decorata*]
 Pruvot-Fol, 1951a:90
- Glossodoris cardinalis* (Bergh, 1880) |*Chromodoris*||
 Pruvot-Fol, 1951a:91
- Glossodoris carlsoni* Rudman, 1986:162†
- Glossodoris carnea* (Bergh, 1888) |*Chromodoris*||
 Barnard, 1927:182; Pruvot-Fol, 1951a:91
- Glossodoris cavae* (Eliot, 1904) |*Chromodoris*|| [=*Chromodoris tennentana*]
 Pruvot-Fol, 1951a:92
- Glossodoris charlottae* Schrödl, 1999b:89
- Glossodoris cincta* (Bergh, 1888) |*Casella*||
 Coleman, 1989:37†; 2001:†; Debelius, 1996:†; Gosliner, Behrens, & Williams, 1996:165†; King & Fraser, 2002:122†; Marshall & Willan, 1999:103†; Masuda, 1999:109†; Nakano, 2004:170†; Okutani, 2000:787†; Ono, 1999:95†; 2004:180†; Pruvot-Fol, 1951a:92; Rudman, 1986:149†; Tonozuka, 2003:88†; Knop, 2004a:†; Wells & Bryce, 1993:132†; Yonow, 1994:120†; 2001:27†; Yonow, Anderson, & Buttress, 2001:856
- Glossodoris citrina* (Bergh, 1874) |*Chromodoris*||
 Pruvot-Fol, 1951a:92; Yonow, 1989:300†

- Glossodoris clavata* (Risbec, 1927) |*Chromodoris*|
Pruvot-Fol, 1951a:92
- Glossodoris clenchi* Russell, 1935:59 [=*Chromodoris*]
Pruvot-Fol, 1951a:93
- Glossodoris clitonota* (Bergh, 1905) |*Chromodoris*| [=*Durvilledoris lemniscata*]
Pruvot-Fol, 1951a:93; Taki, 1932:215
- Glossodoris coelestis* (Deshayes, 1866) |*Goniodoris*| [=*G. tricolor*; =*Hypselodoris orsinii*] (non Sordi & Majidi, 1957 =*Mexichromis tricolor*)
Nordsieck, 1972:58; Pruvot-Fol, 1951:22; 1951a:93; 1954b:260; Vicente, 1967:152
- Glossodoris coerulea* (Risso, 1818) |*Doris*|
Pruvot-Fol, 1951a:94
- Glossodoris coeruleata* (Stimpson, 1855) |*Hemidoris*|
Pruvot-Fol, 1951a:94
- Glossodoris coi* Risbec, 1956:9; 1956a:9 [=*Chromodoris*]
- Glossodoris cristata* Kock., Weinkauff, 1873
Tiberi, 1880:196
- Glossodoris crossei* (Angas, 1864) |*Goniodoris*|
Allan, 1950:221; Lin & Tchang, 1965:10; Pruvot-Fol, 1951a:95
- Glossodoris cruentus* Rudman, 1986:167†
Behrens, 2005:†; Coleman, 1989:39†; 2001:†; Debelius, 1996:†; Gosliner, Behrens, & Williams, 1996:165†; Okutani, 2000:789†; Ono, 1999:95†; 2004:179†; Yonow, 2001:28†
- Glossodoris dalli* (Bergh, 1879) |*Chromodoris*| [=*Chromolaichma*]
Behrens, 1991:59†; 2004:39; Behrens & Hermosillo, 2005:83†; Camacho-Garcia, Gosliner, & Valdes, 2005:82†; Debelius, 1996:†; Garcia, Carmona, & Troncoso, 1999:279; Gosliner, 1991b:289; Ortea, Bacallado, & Valdes, 1992:41† Pruvot-Fol, 1951a:95
- Glossodoris daphne* (Angas, 1864) |*Goniodoris*| [=*Chromodoris*]
Allan, 1947:440; 1950:220; Pruvot-Fol, 1951a:96
- Glossodoris decora* (Pease, 1860) |*Doris*| [=*Chromodoris*]
Allan, 1947:441; Baba, 1955:46†; Pruvot-Fol, 1951a:96
- Glossodoris decorata* (Risbec, 1928) |*Chromodoris*| [=*Hypselodoris maculosa*]
Risbec, 1953:72
- Glossodoris decussata* (Risbec, 1927) |*Noumea*|
Pruvot-Fol, 1951a:96
- Glossodoris derelicta* (Fischer, 1867) |*Doris*| [=*Doris verrucosa*]
Tiberi, 1880:195
- Glossodoris dendrobranchia* Rudman, 1990a:264†
Cobb & Willan, 2005:63†; Coleman, 2001:†
- Glossodoris diardii* (Kelaart, 1858) |*Doris*| [=*G. iris*; =*Hypselodoris infucata*]
O'Donoghue, 1929:724; Pruvot-Fol, 1951a:97; Risbec, 1953:66
- Glossodoris dollfussi* Pruvot-Fol, 1933b:126† [=*Hypselodoris*]
Pruvot-Fol, 1933a:148; 1951a:97; Yonow, 1989:309
- Glossodoris dorbignyi* Gray, 1857:208 [=*Staurodoris*]

- Glossodoris dorsalis* (Gould, 1852) |*Doris*|
 Pruvot-Fol, 1951a:98
- Glossodoris edenticulata* White, 1952:113 [=*Hypselodoris picta*]
- Glossodoris edmundsi* Cervera, García-Gómez, & Ortea, 1989:449
 Gosliner, 1990a:159†; Ortea, Valdés, & García-Gómez, 1996:17†; Wirtz, 1998a:†; 1999:†
- Glossodoris electra* Rudman, 1990a:281†
 Coleman, 2001:†; Debelius, 1996:†; Masuda, 1999:110†; Suzuki, 2000:73†
- Glossodoris elegans* (Cantraine, 1835) |*Doris*|
 Pruvot-Fol, 1951a:99
- Glossodoris elegans* (Quoy & Gaimard, 1832) |*Doris*|
 Pruvot-Fol, 1934:73†; Pruvot-Fol, 1951a:98
- Glossodoris elegantula* (Philippi, 1844) |*Doris*| [=*Chromodoris*] (non Edmunds, 1968a:87
 =*Chromodoris kpone*)
 Haefelfinger, 1969b:93; 1969c:703; Nordsieck, 1972:59; Pruvot-Fol, 1932a:323; 1951a:99; 1954b:263
- Glossodoris elisabethina* (Bergh, 1877) |*Chromodoris*|
 Pruvot-Fol, 1951a:100
- Glossodoris elizabethina* (Kelaart, 1859) |*Doris*|
 Pruvot-Fol, 1951a:100
- Glossodoris elongata* (Thompson, 1840) |*Doris* (*Goniodoris*)|
 Pruvot-Fol, 1951a:100
- Glossodoris epicuria* (Basedow & Hedley, 1905) |*Hypselodoris*|
 Pruvot-Fol, 1951a:100
- Glossodoris erinacea* (Crosse in Angas, 1864) |*Goniodoris*|
 Pruvot-Fol, 1951a:101
- Glossodoris erythraea* (Ehrenberg, 1831) |*Doris*| [=*Chromodoris*]
 Pruvot-Fol, 1951a:101; Rudman, 1983:168
- Glossodoris euelpis* (Bergh, 1907) |*Chromodoris*|
 Barnard, 1927:182; Pruvot-Fol, 1951a:101
- Glossodoris fauntandraui* Pruvot-Fol, 1951 (lapsus for *G. fontandraui*)
- Glossodoris festiva* (Adams, 1861) |*Doriprismatic*| [=*Hypselodoris*]
 Abe, 1964:47; Baba, 1935a:338; 1949:142†; Pruvot-Fol, 1951a:101
- Glossodoris festiva* (Angas, 1864) |*Goniodoris*|
 Pruvot-Fol, 1951a:102
- Glossodoris fidelis* (Kelaart, 1859) |*Doris*| [=*Chromodoris*]
 Baba, 1953:208; Pruvot-Fol, 1951a:102; Risbec, 1953:66
- Glossodoris figurata* (Bergh, 1908) |*Chromodoris*| [=*G. amoena*]
 Pruvot-Fol, 1951a:103
- Glossodoris flabellifera* (Cheeseman, 1880) |*Doris*|
 Pruvot-Fol, 1951a:103
- Glossodoris flammulata* (Bergh, 1905) |*Chromodoris*|
 Pruvot-Fol, 1951a:104

Glossodoris flava (Eliot, 1904) |*Chromodoris*| [=Noumea]
 Pruvot-Fol, 1951a:104

Glossodoris flavidula (Bergh, 1873) |*Goniodoris*|
 Pruvot-Fol, 1951a:105

Glossodoris florens Baba, 1949:143† [=Thorunna]
 Abe, 1964:49

Glossodoris fontandraui Pruvot-Fol, 1951:24 [=G. messinensis; =Hypselodoris messinensis] (non Ortea, 1977a:262 =Hypselodoris cantabrica)
 Nordsieck, 1972:58; Pruvot-Fol, 1951a:105; 1954b:262; Vicente, 1963a:176; 1967:152

Glossodoris funerea (Collingwood, 1881) |*Chromodoris*|
 Pruvot-Fol, 1951a:105

Glossodoris geometrica (Risbec, 1928) |*Chromodoris*| [=Chromodoris]
 Allan, 1947:441; Pruvot-Fol, 1951a:106; Risbec, 1953:70

Glossodoris ghanensis Edmunds, 1968a:88 [=Chromodoris]
 Cervera, García-Gómez, & Ortea, 1989:446

Glossodoris glauca (Bergh) |*Chromodoris*| [=Hypselodoris]
 Pruvot-Fol, 1951a:106

Glossodoris gleniei (Kelaart, 1858) |*Doris*|
 Pruvot-Fol, 1951a:106

Glossodoris gloriosa (Bergh, 1875) |*Chromodoris*|
 Pruvot-Fol, 1951a:107

Glossodoris godeffroyana (Bergh, 1875) |*Chromodoris*|
 Pruvot-Fol, 1951a:107

Glossodoris gonatophora (Bergh, 1879) |*Chromodoris*|
 Pruvot-Fol, 1951a:108

Glossodoris gracilis (Rapp, 1827) |*Doris*| [=Hypselodoris villafranca] (non Barash & Danin, 1971 =Chromodoris britoi; non Pruvot-Fol, 1953b:pl. 1, figs. 1-2 =H. cantabrica; non Vicente, 1967, pl. 2, fig. 4, nor Ortea, 1975, fig. P. 44 =Hypselodoris tricolor)
 Haefelfinger, 1959:311; 1969b:96; 1969c:706; Nordsieck, 1972:58†; Pruvot-Fol, 1951:20; 1951a:108; 1953b:74†; 1954b:256; Riedl, 1970:428; Sordi & Majidi, 1956:239; Vicente, 1963a:176; 1967:151; 1981:77

Glossodoris gregorius Rudman, 1986:137†

Glossodoris haliclona Burn, 1957:17 [=Noumea]
 Burn, 1961b:56

Glossodoris hikuerensis (Pruvot-Fol, 1954) |*Rosodoris*|
 Behrens, 2005:†; Coleman, 2001:†; Debelius, 1996:†; Dominguez, Moreira, & Troncoso, 2004:104; Marshall & Willan, 1999:104†; Nakano, 2004:171†; Ono, 1999:96†; 2004:180†; Rudman, 1986:158†; Tonozuka 2003:89†; Wells & Bryce, 1993:132†; Yonow, 1989:300†; 1994:120†; Yonow, 2001:28†

Glossodoris hilaris (Bergh, 1890) |*Chromodoris*| [=Hypselodoris] (non Baba, 1953:210 =Hypselodoris mouaci; =Hypselodoris maridadilus; non Marcus & Burch, 1965 =Hypselodoris whitei)
 Lin & Tchang, 1965:9; Pruvot-Fol, 1951a:109

- Glossodoris histrio* (Bergh, 1877) |*Chromodoris*|
Pruvot-Fol, 1951a:110
- Glossodoris humberti* (Kelaart, 1858) |*Doris*|
O'Donoghue, 1932:161; Pruvot-Fol, 1951a:110; Satyamurti, 1952:236
- Glossodoris iheringi* (Bergh, 1879) |*Chromodoris*|
Pruvot-Fol, 1951a:110
- Glossodoris imperialis* (Pease, 1860) |*Doris prismatica imperialis*| [=*Chromodoris*; =*Risbecia*]
Pruvot-Fol, 1951a:111
- Glossodoris inconspicua* (Eliot, 1904) |*Chromodoris*|
Pruvot-Fol, 1951a:111
- Glossodoris infucata* (Rüppell & Leuckart, 1831) |*Doris*|
O'Donoghue, 1929:724; Pruvot-Fol, 1951a:111
- Glossodoris inopinata* (Bergh, 1905) |*Chromodoris*|
Pruvot-Fol, 1951a:112
- Glossodoris inornata* (Pease, 1871) |*Chromodoris*| [=*Chromodoris*; =*Chromodoris aspersa*]
Allan, 1947:442; O'Donoghue, 1929:819; Pruvot-Fol, 1951a:112
- Glossodoris iris* (Collingwood, 1881) |*Chromodoris*|
Pruvot-Fol, 1951a:113
- Glossodoris juvenca* (Bergh, 1898) |*Chromodoris*| [=*Cadlina*; *Tyrinna nobilis*]
Pruvot-Fol, 1951a:113
- Glossodoris katoi* Baba, 1938a:131
Ono, 2004:179†; Pruvot-Fol, 1951a:113
- Glossodoris kophos* Yonow, 2001:28†
- Glossodoris krohni* (Vérany, 1846) |*Doris*| [=*Chromodoris*]
Haefelfinger, 1959:311; 1969b:96; 1969c:706; Nordsieck, 1972:58†; Pruvot-Fol, 1951:23; 1951a:114; 1953b:74; 1954b:259; Vicente, 1981:79
- Glossodoris kulonba* (Burn, 1966) |*Hypselodoris*|
Burn, 1989:762
- Glossodoris kuniei* (Pruvot-Fol, 1930) |*Chromodoris*| [=*Chromodoris*]
Pruvot-Fol, 1951a:113; Risbec, 1953:77
- Glossodoris lactea* (Bergh, 1905) |*Chromodoris*|
Pruvot-Fol, 1951a:114
- Glossodoris lamberti* (Crosse, 1875) |*Goniodoris*|
Pruvot-Fol, 1951a:115; Risbec, 1953:80
- Glossodoris lapinicensis* (Bergh, 1879) |*Chromodoris*|
Pruvot-Fol, 1951a:115
- Glossodoris lata* (Risbec, 1927) |*Chromodoris*| [=*Chromodoris*]
Pruvot-Fol, 1951a:115; Risbec, 1953:74
- Glossodoris lemniscata* (Quoy & Gaimard, 1832) |*Doris*| [=*Durvilleedoris*]
Pruvot-Fol, 1934:73†; 1951a:116

- Glossodoris lentiginosa* (Pease, 1871) |*Chromodoris*|
Pruvot-Fol, 1951a:118
- Glossodoris limbata* Vicente, 1967:153 [=*Cadlina laevis*; =*Diaphorodoris luteocincta*]
- Glossodoris lineata* (Eyedoux & Souleyet, 1852) |*Doris*|
Barnard, 1927:183; Pruvot-Fol, 1951a:116
- Glossodoris lineata* (Pease, 1860) |*Doris prismatica lineata*| [=*Hypselodoris*]
Pruvot-Fol, 1951a:116
- Glossodoris lineolata* (Hasselt, 1824) |*Doris*|
Allan, 1947:444; 1950:220; Baba, 1949:140†; Lin & Tchang, 1965:9; Pruvot-Fol, 1951a:117; Risbec, 1953:70
- Glossodoris loringi* (Angas, 1864) |*Goniodoris*| [=*Chromodoris*]
Pruvot-Fol, 1951a:119
- Glossodoris luteola* (Couthouy MS, Gould, 1852) |*Doris*|
Pruvot-Fol, 1951a:119
- Glossodoris luteopunctata* Gantes, 1962:133
- Glossodoris luteorosea* (Rapp, 1827) |*Doris*| [=*Chromodoris*] (non White, 1951:246
=unidentifiable vide Yonow, 1989:309)
Barletta & Melone, 1976:212; Haefelfinger, 1959:309; 1969b:96; 1969c:707; Nordsieck, 1972:58†;
O'Donoghue, 1929:770; 1951a:118; Pruvot-Fol, 1954b:261; Riedl, 1970:428; Vicente, 1963a:176;
1967:152; 1981:77; Wägele & Schminke, 1987:†
- Glossodoris lutescens* (delle Chiaje, 1841) |*Doris*|
Pruvot-Fol, 1951a:119; 1954b:263
- Glossodoris luxuriosa* (Bergh, 1875) |*Chromodoris*|
Pruvot-Fol, 1951a:120
- Glossodoris maccartyi* (Kelaart, 1858) |*Doris*|
Pruvot-Fol, 1951a:120
- Glossodoris macfarlandi* (Cockerell, 1901) |*Chromodoris*| [=*Chromodoris*]
MacFarland, 1966:153†; Pruvot-Fol, 1951a:120
- Glossodoris magnifica* (Quoy & Gaimard, 1832) |*Doris*|
Pruvot-Fol, 1951a:120
- Glossodoris marenzelleri* (Bergh, 1881) |*Chromodoris*| [=*G. festiva*]
Pruvot-Fol, 1951a:121
- Glossodoris marginata* (Pease, 1860) |*Doris*| [=*Chromodoris*; =*Chromodoris trimarginata*] (non Abe, 1964, non Baba, 1938:11, partim., non Guang-Yu & Tchang-Si, 1965:10 =*Chromodoris sinensis*; non Baba, 1938:11, partim.
=*Chromodoris rubrocornuta*; non Gillett & McNeill, 1959 =*G. rufomarginata*)
Abe, 1964:47; Baba, 1938:11; 1951a:121; Risbec, 1953:63; Vicente, 1966a:115
- Glossodoris mariana* (Bergh, 1890) |*Chromodoris*|
Pruvot-Fol, 1951a:122
- Glossodoris mariei* (Crosse, 1872) |*Goniodoris*| [=*Chromodoris*; =*Mexichromis*] (non Allan, 1947:443 =*Mexichromis festiva*)
Pruvot-Fol, 1951a:122; Risbec, 1953:78; Vicente, 1966a:116
- Glossodoris maritima* Baba, 1949:142† [=*Hypselodoris*]

- Abe, 1964:48
- Glossodoris marmorata* (Savigny, 1826) |*Doris*|
Pruvot-Fol, 1951a:122
- Glossodoris marpessa* (Bergh, 1905) |*Chromodoris*|
Pruvot-Fol, 1951a:122
- Glossodoris messinensis* (Ihering, 1880) |*Chromodoris*| [=Hypselodoris; =Hypselodoris villafranca] (non Ballesteros, 1980:95-97, fig. 24 (partim) =Hypselodoris tricolor; non Haefelfinger, 1969b:96 nor 1969c, 707 =Hypselodoris fontandraui; non Ortea, 1977a:265 =Hypselodoris cantabrica)
Haefelfinger, 1969b:96; 1969c:707; Pruvot-Fol, 1951a:123
- Glossodoris mirabilis* (Eliot, 1905) |*Chromodoridella*|
Pruvot-Fol, 1951a:123
- Glossodoris misakinosibogae* Baba, 1988e:158
Masuda, 1999:109†; Nakano, 2004:172†; Suzuki, 2000:72†
- Glossodoris moerchi* (Bergh, 1879) |*Chromodoris*|
Pruvot-Fol, 1951a:124
- Glossodoris mollita* (Abraham, 1877) |*Chromodoris*|
Pruvot-Fol, 1951a:123
- Glossodoris montrouzieri* (Crosse, 1864) |*Goniodoris*|
Pruvot-Fol, 1951a:124
- Glossodoris mouaci* (Risbec, 1928) |*Chromodoris*| [=Hypselodoris]
Pruvot-Fol, 1951a:124; Risbec, 1953:76
- Glossodoris multituberculata* Baba, 1953:207 [=Mexichromis]
Lin & Tchang, 1965:10
- Glossodoris nana* Baba
- Glossodoris nardii* (Vérany, 1846) |*Doris*|
Pruvot-Fol, 1951a:124
- Glossodoris ndukuei* (Risbec, 1928) |*Chromodoris*| [=Chromodoris decora]
Pruvot-Fol, 1951a:125; Risbec, 1953:69
- Glossodoris neona* Marcus, 1955:124 [=Chromodoris clenchi]
Marcus, 1957:419
- Glossodoris nigrolineata* (Eliot, 1904) |*Chromodoris*|
Pruvot-Fol, 1951a:125
- Glossodoris nigrostriata* (Eliot, 1904) |*Chromodoris*| (non H. C. Winckworth, 1946:159
=Hypselodoris kanga)
Pruvot-Fol, 1951a:125
- Glossodoris nivalis* (Baba, 1937) |*Noumea*|
Pruvot-Fol, 1951a:126
- Glossodoris nodulosa* (Bergh, 1905) |*Chromodoris*|
Pruvot-Fol, 1951a:126
- Glossodoris nona* Baba, 1953:208
Baba, 1955:46†

- Glossodoris obscura* (Stimpson, 1855) |*Goniodoris*|
Pruvot-Fol, 1951a:126
- Glossodoris obsoleta* (Rüppell & Leuckart, 1831) |*Doris*| [=Casella]
Pruvot-Fol, 1933a:148; 1951a:127
- Glossodoris ocellata* Ortea, Gofás, & Valdés, 1997:118†
- Glossodoris oculata* (delle Chiaje, 1841) |*Doris*|
Pruvot-Fol, 1951a:127
- Glossodoris odhneri* Risbec, 1953:84
- Glossodoris ophthalmica* (Bergh, 1905) |*Chromodoris*|
Pruvot-Fol, 1951a:127
- Glossodoris orsinii* (Vérany, 1846) |*Doris*|
Pruvot-Fol, 1951a:127
- Glossodoris paladentatus* Rudman, 1986:116†
Coleman, 1989:38†2001:†; Ono, 2004:181†
- Glossodoris pallens* (Rapp, 1827) |*Doris*|
Pruvot-Fol, 1951a:128; 1954b:263; Vicente, 1963a:177; 1967:153
- Glossodoris pallescens* (Bergh, 1875) |*Chromodoris*| (non Abe, 1964 nor Baba, 1933 nor
1935 nor 1949 =*Chromodoris orientalis*; non Risbec, 1953:81 =*Chromodoris*
bimaensis)
Abe, 1964:45; Baba, 1935a:340; 1949:141†; Pruvot-Fol, 1951a:128
- Glossodoris pallida* (Rüppell & Leuckart, 1831) |*Doris*|
Coleman, 2001:†; Debelius, 1996:†; Gosliner, Behrens, & Williams, 1996:166†; Hamatani, 1995:101;
King & Fraser, 2002:122†; Marshall & Willan, 1999:104†; Masuda, 1999:109†; Nakano, 2004:172†;
O'Donoghue, 1929:725; Okutani, 2000:787†; Ono, 1999:96†; 2004:181†; Pruvot-Fol, 1951a:128;
Rudman, 1984:145†; 1990a:273; Suzuki, 2000:72†; Tonozuka 2003:90†; Yonow, 1989:300†
- Glossodoris pantharella* (Bergh, 1879) |*Chromodoris*|
Pruvot-Fol, 1951a:128
- Glossodoris pantherina* (Bergh, 1905) |*Chromodoris*|
Pruvot-Fol, 1951a:129
- Glossodoris papulosa* (Bergh, 1905) |*Chromodoris*|
Pruvot-Fol, 1951a:129
- Glossodoris parthenopeia* (delle Chiaje, 1841) |*Doris*|
Pruvot-Fol, 1951a:129
- Glossodoris pasinii* (Vérany, 1846) |*Doris*|
Pruvot-Fol, 1951a:130
- Glossodoris paupera* (Bergh, 1877) |*Chromodoris*|
Pruvot-Fol, 1951a:130
- Glossodoris peasei* (Bergh, 1880) |*Chromodoris*|
Pruvot-Fol, 1951a:130
- Glossodoris perplexa* Burn, 1957:17 [=*Chromodoris*; =*Digidentis*]
- Glossodoris petechialis* (Gould, 1952) |*Doris*| [=*Chromodoris*]
Pruvot-Fol, 1951a:130

- Glossodoris petiti* (Crosse, 1875) |*Goniodoris*|
Pruvot-Fol, 1951a:131
- Glossodoris picta* (Pease, 1860) |*Doris*| [=Hypselodoris peasei]
Pruvot-Fol, 1951a:131
- Glossodoris picta* (Schultz-Philippi, 1836) |*Doris*| [=Hypselodoris]
Pruvot-Fol, 1951a:131
- Glossodoris picturata* (Ehrenberg, 1831) |(Pterodoris) *Doris*|
Pruvot-Fol, 1951a:132
- Glossodoris picturata* (Mörch, 1863) |*Goniodoris*|
Pruvot-Fol, 1951a:132
- Glossodoris pirainii* (Vérany, 1846) |*Doris*|
Pruvot-Fol, 1951a:132
- Glossodoris placida* Baba, 1949:142† [=Hypselodoris]
Abe, 1964:48
- Glossodoris plumbea* (Pagenstecher, 1877) |*Crepidoris*|
Pruvot-Fol, 1951a:133; Rudman, 1986:123†; Yonow, 1989:300†
- Glossodoris poecila* H. C. Winckworth, 1946:158
Pruvot-Fol, 1951a:133
- Glossodoris poliahu* Bertsch & Gosliner, 1989:256
Bertsch & Gosliner, 1990:17; Debelius, 1996:†; Hoover, 1998:164†
- Glossodoris porcata* (Bergh, 1888) |*Chromodoris*| 1989
Barnard, 1927:183; Pruvot-Fol, 1951a:133
- Glossodoris porterae* (Cockerell, 1901) |*Chromodoris*| [=Chromodoris; =Hypselodoris;
=Mexichromis]
Hoffmann, 1933:†; Pruvot-Fol, 1951a:134
- Glossodoris preciosa* (Kelaart, 1859) |*Doris*|
Pruvot-Fol, 1951a:134
- Glossodoris prismatica* (Pease, 1860) |*Doris*|
Pruvot-Fol, 1951a:134
- Glossodoris prismatica lineata* (Pease, 1860) |*Doris*| [=Hypselodoris bertschi]
Ostergaard, 1955:127
- Glossodoris propinquata* (Pease, 1860) |*Doris*|
Pruvot-Fol, 1951a:134
- Glossodoris pulchella* (Bergh, 1873) |*Chromodoris*|
Pruvot-Fol, 1951a:
- Glossodoris pulchella* (Rüppell & Leuckart, 1831) |*Doris*|
Pruvot-Fol, 1951a:135
- Glossodoris pulcherrima* (Cantraine, 1835) |*Doris*|
Pruvot-Fol, 1951a:135
- Glossodoris pulchra* (Pease, 1861) |*Doris*|
Pruvot-Fol, 1951a:135
- Glossodoris pulchra* (Rüppell & Leuckart, 1828)

- Pruvot-Fol, 1951a:135
- Glossodoris pullata* Rudman, 1995:10
- Glossodoris punctata* (Rüppell & Leuckart, 1828) |*Doris*|
Pruvot-Fol, 1951a:135
- Glossodoris punctilucens* (Bergh, 1890) |*Chromodoris*| (non Altimira & Ros, 1979
= *Glossodoris edmundsi*; non Odhner, 1932:32 = *G. edmundsi*; non Pruvot-Fol,
1951a:136 = *G. edmundsi*)
Nordsieck, 1972:58
- Glossodoris punctulata* (Hasselt, 1824) |*Doris*|
Pruvot-Fol, 1951a:136
- Glossodoris punctulifera* (Bergh, 1874) |*Doris*|
Pruvot-Fol, 1951a:136
- Glossodoris purpurea* (Risso in Guerin, 1831) |*Doris*| [= *Chromodoris*]
Haefelfinger, 1969b:96; 1969c:707; Nordsieck, 1972:58; Pruvot-Fol, 1951:22; 1951a:136; 1953b:73;
1954b:262; Riedl, 1970:428; Vicente, 1967:153; 1981:79
- Glossodoris pusilla* (Bergh, 1874) |*Chromodoris*|
Pruvot-Fol, 1951a:137
- Glossodoris pustulans* (Bergh, 1877) |*Chromodoris*|
Pruvot-Fol, 1951a:137
- Glossodoris quadricolor* (Rüppell & Leuckart, 1828) |*Doris*| [= *Chromodoris*] (non Engel
& Nissen-Meyer, 1964:27 nor Pruvot-Fol, 1934:71 = *Chromodoris magnifica*)
Engel & Eeken, 1962:23; Pruvot-Fol, 1933a:147; 1933b:123†; 1951a:137; Risbec, 1953:63; White,
1951:245
- Glossodoris ransoni* Pruvot-Fol, 1954:18 [= *Chromodoris kuniei*; = *Hypselodoris*]
- Glossodoris regalis* (Forbes, 1844) |*Goniodoris*|
Pruvot-Fol, 1951a:138
- Glossodoris reticulata* (Quoy & Gaimard, 1832) |*Doris*|
Allan, 1947:444; 1950:221; Pruvot-Fol, 1934:74; 1951a:138
- Glossodoris reticulata* (Pease, 1866) |*Goniobranchus*| [= *G. alderi*] (non Baba, 1933a:169
& Allan, 1947 = *C. tinctoria*)
Pruvot-Fol, 1951a:138
- Glossodoris romeri* (Risbec, 1927) |*Noumea*|
Pruvot-Fol, 1951a:139
- Glossodoris rosans* (Bergh, 1889) |*Chromodoris*|
Pruvot-Fol, 1951a:139
- Glossodoris roseopicta* (Verrill, 1900) |*Chromodoris*|
Pruvot-Fol, 1951a:140
- Glossodoris rubroannulata* Rudman, 1986:166†
Behrens, 2005:†; Coleman, 1989:39†; 2001:†; Marshall & Willan, 1999:105†; Rudman, 1986b:†;
Tonozuka 2003:90†
- Glossodoris rudolphii* (Bergh, 1877) |*Chromodoris*|
Pruvot-Fol, 1951a:140; Yonow, 2001:17
- Glossodoris rufomaculata* (Pease, 1871) |*Chromodoris*| [= *Chromodoris*]
Gary McDonald, Long Marine Lab, 100 Shaffer Rd., Santa Cruz, Cal. 95060

Pruvot-Fol, 1951a:141

Glossodoris rufomarginata (Bergh, 1890) |*Casella*|

Behrens, 2005:†; Bertsch & Gosliner, 1990:17; Burn, 1989:762; Coleman, 2001:†; Debelius, 1996:†; Hoover, 1998:164†; Marshall & Willan, 1999:105†; Masuda, 1999:110†; Nakano, 2004:173†; Ono, 1999:97†; 2004:179†; Rudman, 1986:144†; Tonozuka 2003:91†; Wells & Bryce, 1993:132†; Yonow, 1989:302†

Glossodoris runcinata (Bergh, 1877) |*Chromodoris*| [=*Hypselodoris infucata*]

Barnard, 1927:184; Engel & Eeken, 1962:24; O'Donoghue, 1929:821; Pruvot-Fol, 1951a:141; White, 1951:244

Glossodoris sagamiensis Baba, 1949:143† [=*Hypselodoris*]

Glossodoris sannio (Bergh, 1890) |*Chromodoris*|

Pruvot-Fol, 1951a:141

Glossodoris scabriuscula (Bergh, 1890) |*Chromodoris*|

Pruvot-Fol, 1951a:143

Glossodoris scacchiana (delle Chiaje, 1830) |*Doris scacchii*|

Pruvot-Fol, 1951a:142

Glossodoris schultzii (delle Chiaje, 1841) |*Doris*|

Pruvot-Fol, 1951a:142

Glossodoris scurra (Bergh, 1875) |*Chromodoris*|

Pruvot-Fol, 1951a:142

Glossodoris sedna (Marcus & Marcus, 1967) |*Casella*| [=*Chromolaichma*]

Behrens & Hermosillo, 2005:83†; Bertsch, 1984:†; 1988:395; Coleman, 2001:†; Debelius, 1996:†; Ortea, Bacallado,& Valdes, 1992:46†; Rudman, 1984:152

Glossodoris semeion H. C. Winckworth, 1946:157 [=*G. diardii*]

Pruvot-Fol, 1951a:143

Glossodoris semperi (Bergh, 1877) |*Chromodoris*| [=*G. iris*] (non Lim & Chou, 1960

=*Hypselodoris* sp.A Rudman, 1977)

Lim & Chou, 1970a:118; Pruvot-Fol, 1951a:143

Glossodoris setoensis Baba, 1938:12 [=*Chromodoris decora*]

Glossodoris shirarae Baba, 1953:206 [=*G. tumulifera*]

Baba, 1955:46†

Glossodoris sibogae (Bergh, 1905) |*Chromodoris*| (non Abe, 1964 nor Baba, 1949:142†

nor 1985 nor Lin, 1975:147 =*G. misakinobogae*)

Abe, 1964:47; Pruvot-Fol, 1951a:143; Rudman, 1986:112†

Glossodoris simplex (Pease, 1871) |*Chromodoris*|

Pruvot-Fol, 1951a:144

Glossodoris smaragdina (Gould, 1852) |*Doris*|

Pruvot-Fol, 1951a:144

Glossodoris souverbii (Crosse, 1875) |*Goniodoris*|

Pruvot-Fol, 1951a:144; Risbec, 1953:80

Glossodoris splendens (Eliot, 1904) |*Chromodoris*|

Pruvot-Fol, 1951a:145

Glossodoris splendida (Angas, 1864) |*Goniodoris*| [=*Chromodoris*]

- Pruvot-Fol, 1951a:145
- Glossodoris sponsa* (Ehrenberg, 1831) |(*Actinodoris*) *Doris*|
Pruvot-Fol, 1951a:145
- Glossodoris stellatus* Rudman, 1986:121†
Coleman, 1989:38†; 2001:†; Debelius, 1996:†
- Glossodoris striatella* (Bergh, 1877) |*Chromodoris*|
Pruvot-Fol, 1951a:146
- Glossodoris subpulchella* (Abraham, 1877) |*Chromodoris*|
Pruvot-Fol, 1951a:146
- Glossodoris sycilla* (Bergh, 1890) |*Chromodoris*|
Pruvot-Fol, 1951a:146
- Glossodoris sykesi* (Eliot, 1904) |*Chromodoris*|
Pruvot-Fol, 1951a:146
- Glossodoris symmetricus* Rudman, 1990a:275†
Coleman, 2001:†; Debelius, 1996:†; King & Fraser, 2002:122†; Nakano, 2004:171†; Ono, 2004:182†;
Yonow, Anderson, & Buttress, 2001:857
- Glossodoris tasmaniensis* (Bergh, 1905) |*Chromodoris*| [=*Chromodoris*]
Burn, 1957:17; 1961b:56; Pruvot-Fol, 1951a:147
- Glossodoris tenera* (Costa, 1840) |*Doris*|
Pruvot-Fol, 1951a:
- Glossodoris tenerrima* (Forbes, 1844) |*Goniodoris*|
Pruvot-Fol, 1951a:148
- Glossodoris tennentana* (Kelaart, 1859) |*Doris*| [=*Chromodoris tennentana*]
Pruvot-Fol, 1951a:148; White, 1948:202
- Glossodoris tenuilinearis* (Farran, 1905) |*Chromodoris*|
O'Donoghue, 1929:726; Pruvot-Fol, 1951a:148
- Glossodoris tenuis* (Collingwood, 1881) |*Chromodoris*| (non Risbec, 1928 nor Risbec,
1953:62 =*Chromodoris aspersa*)
Lin, 1975:147; Pruvot-Fol, 1951a:149
- Glossodoris thalassopora* (Bergh, 1879) |*Chromodoris*|
Pruvot-Fol, 1951a:149
- Glossodoris tibboeli* Valdes & Adams, 2005:603
- Glossodoris tinctoria* (Rüppell & Leuckart, 1831) |*Doris*|
Pruvot-Fol, 1951a:149
- Glossodoris tomsmithi* Bertsch & Gosliner, 1989:259
Bertsch & Gosliner, 1990:17; Coleman, 2001:†; Hoover, 1998:165†; Nakano, 2004:171†; Ono,
2004:182†; Yonow, 2001:17
- Glossodoris tricolor* (Cantraine, 1835, 1841) |*Doris*| [=*Hypselodoris*; =*Mexichromis*]
(non Haefelfinger, 1969b (partim.) nor 1969c, nor Ros, 1975 (partim.), nor 1978, nor
1978a, nor Ros & Altimira, 1977, =*Hypselodoris orsinii*)
Ballesteros, 1982b:230; Haefelfinger, 1959:312; 1969b:96; Pruvot-Fol, 1951a:150; Vicente, 1963a:176;
1967:151; 1981:77
- Glossodoris trilineata* (Adams & Reeve, 1850) |*Goniodoris*| [=*Pectenodoris*]
Gary McDonald, Long Marine Lab, 100 Shaffer Rd., Santa Cruz, Cal. 95060

- Pruvot-Fol, 1951a:150
- Glossodoris trimarginata* H. C. Winckworth, 1946:156 [=Chromodoris]
Pruvot-Fol, 1951a:150
- Glossodoris trouillotti* (Risbec, 1928) |Chromodoris|
Pruvot-Fol, 1951a:151; Risbec, 1953:70
- Glossodoris tryoni* (Garrett, 1873) |Goniodoris|
Pruvot-Fol, 1951a:151
- Glossodoris tumulifera* (Collingwood, 1881) |Chromodoris|
Abe, 1964:49, 86†; Pruvot-Fol, 1951a:151
- Glossodoris tura* (Marcus & Marcus, 1967) |Chromodoris| [=Mexichromis]
- Glossodoris undaurum* Rudman, 1985:248†
Coleman, 2001:†; Debelius, 1996:†; King & Fraser, 2002:124; Wells & Bryce, 1993:132†
- Glossodoris undulata* Pruvot-Fol, 1954:21 [=G. atromarginata; =G. sibogae]
- Glossodoris unitaeniata* (André, 1896) var. |Chromodoris annae unitaeniata|
Pruvot-Fol, 1951a:152
- Glossodoris universitatus* (Cockerell, 1902) |Chromodoris| [=Hypselodoris californiensis]
Pruvot-Fol, 1951a:152
- Glossodoris valenciennesi* (Cantraine, 1841) |Doris| [=Hypselodoris elegans; = Hypselodoris picta] (non Ortea, 1975:figs. .p. 44, nor 1977a:267, nor Ros, 1975:324 (partim.) pl. 2, fig. 25 =Hypselodoris cantabrica; non Pruvot-Fol, 1954b:257 nor Vicente, 1967:152 =Hypselodoris elegans)
Ballesteros, 1982b:230; Barletta, 1981:60†; Haefelfinger, 1969b:96; 1969c:708; Haefelfinger & Kress, 1970:28; Nordsieck, 1972:58; Pruvot-Fol, 1951:21; 1951a:152; 1953b:74†; Sordi & Majidi, 1956:240; Vicente, 1963a:176; 1981:77; 1991:12†
- Glossodoris varians* (Pease, 1871) |Chromodoris|
Pruvot-Fol, 1951a:153
- Glossodoris variata* (Risbec, 1928) |Chromodoris| [=Chromodoris aureopurpurea]
Pruvot-Fol, 1951a:154; Risbec, 1953:67
- Glossodoris variegata* (Pease, 1871) |Chromodoris|
Pruvot-Fol, 1951a:154
- Glossodoris venulosa* (Leuckart, 1828) |Doris|
Pruvot-Fol, 1951a:154
- Glossodoris venusta* (Bergh, 1905) |Chromodoris|
Pruvot-Fol, 1951a:155
- Glossodoris verrieri* (Crosse, 1875) |Goniodoris|
Pruvot-Fol, 1951a:155; Risbec, 1953:80
- Glossodoris verrucosa* (Crosse in Angas, 1864) |Goniodoris|
Pruvot-Fol, 1951a:155
- Glossodoris versicolor* (Risbec, 1927) |Chromodoris|
Pruvot-Fol, 1951a:155
- Glossodoris vespa* Rudman, 1990:268†
Coleman, 2001:†

- Glossodoris vibrata* (Pease, 1860) |*Doris*|
Pruvot-Fol, 1951a:156
- Glossodoris vicina* (Eliot, 1904) |*Chromodoris*| [=*Chromodoris tennentana*]
Pruvot-Fol, 1951a:156
- Glossodoris victoriae* Burn, 1957:16 [=*Chromodoris epicuria*]
Burn, 1961b:56
- Glossodoris villaiae* (Vérany, 1846) |*Doris*|
Pruvot-Fol, 1951a:156
- Glossodoris villafranca* (Risso, 1818) |*Doris*|
Pruvot-Fol, 1951a:156
- Glossodoris virgata* (Bergh, 1905) |*Chromodoris*|
Pruvot-Fol, 1951a:157
- Glossodoris virginea* (Bergh, 1877) |*Chromodoris*|
Pruvot-Fol, 1951a:157
- Glossodoris vividia* (Forbes, 1844) |*Goniodoris*|
Pruvot-Fol, 1951a:157
- Glossodoris webbii* (Orbigny, 1839) |*Polycera*| [=*Hypselodoris picta*]
Pruvot-Fol, 1951a:157
- Glossodoris westraliensis* O'Donoghue, 1924a:554 [=*Chromodoris*; =*Chromodoris quadricolor*; =*G. quadricolor*] (non Gillett & McNeill, 1959 =*Chromodoris kuiteri*)
Allan, 1950:220†; 1957:6; Pruvot-Fol, 1951a:158
- Glossodoris whitei* (Adams & Reeve, 1850) |*Goniodoris*|
Pruvot-Fol, 1951a:158
- **Glossodoris xantholeuca* (Ehrenberg, 1831) |*Doris*| [=*Chromodoris pallida*; =*G. pallida*]
Pruvot-Fol, 1951a:158; Rudman, 1983a:214
- Glossodoris xishaensis* Lin, 1975:147 [=*Hypselodoris maculosa*]
- Glossodoris youngbleuthi* (Kay & Young, 1969) |*Chromodoris*|
- Glossodoris zebra* (Heilprin, 1888) |*Chromodoris*|
Pruvot-Fol, 1951a:159
- Glossodoris zebrina* (Alder & Hancock, 1864) |*Chromodoris*|
Pruvot-Fol, 1951a:159
- Glossodoris* sp. Allan, 1947:445 [=*Noumea cameroni*; =*Noumea haliclona*]
- Glossodoris* sp. Baba, 1985 [=*G. misakinosibogae*]
- Glossodoris* sp. (Bergh, 1907)
Barnard, 1927:184; Pruvot-Fol, 1951a:144
- Glossodoris* sp. Berry, 1907
O'Donoghue, 1926:212
- Glossodoris* sp. "Coleman's Glossodoris" Coleman, 2001:†
- Glossodoris* sp. "pink-gilled Glossodoris" Coleman, 2001:†
- Glossodoris* sp. "reversed Glossodoris" Coleman, 2001:†

- Glossodoris* sp. Eales, 1938:98
- Glossodoris* sp. Fridman & Levy, 1977 [= *Hypselodoris maridadilus*]
- Glossodoris* sp. (Fujita, 1893)
Baba, 1937c:298
- Glossodoris* sp. Gillett & McNeil., 1959 [= *Risbecia godeffroyana*]
- Glossodoris* sp.1 Gosliner, 1987b:84†
- Glossodoris* sp.2 Gosliner, 1987b:84† [= *G. cincta*]
- Glossodoris* sp.3 Gosliner, 1987b:84† [= *G. hikuerensis*]
- Glossodoris* sp.4 Gosliner, 1987b:85†
- Glossodoris* sp. Gosliner, Behrens, & Williams, 1996:166†
- Glossodoris* sp. Johnson, 1984a:8
- Glossodoris* sp. King & Fraser, 2002:122†
- Glossodoris* sp. 2 Nakano, 2004:174†
- Glossodoris* sp. 3 Nakano, 2004:174†
- Glossodoris* sp. 4 Nakano, 2004:174†
- Glossodoris* sp.1 Ono, 2004:182†
- Glossodoris* sp.2 Ono, 2004:183†
- Glossodoris* sp. Ostergaard, 1950:109 [= *G. prismatica lineata*]
- Glossodoris* sp. Pruvot-Fol
Pruvot-Fol, 1951a:145
- Glossodoris* sp. Pruvot-Fol, 1954:20
- Glossodoris* sp.A Rudman, 1986:127†
- Glossodoris* sp.B Rudman, 1986:129
- Glossodoris* sp.C Rudman, 1986:133† [= *G. dendrobranchia*]
- Glossodoris* sp.D Rudman, 1986:135†
- Glossodoris* sp. Rudman, 1986:180 [= *G. misakinosibogae*]
- Glossodoris* sp.1 cf. *electra* Rudman, 1990
Nakano, 2004:160†
- Glossodoris* sp.A Tonozuka 2003:89†
- Glossodoris* sp. B Tonozuka 2003:91†
- Glossodoris* sp. Vicente, 1966a:115
- Goniobranchus*** Pease, 1866:204
[= *Chromodoris*; = *Glossodoris*]
- Pruvot-Fol, 1947:99, 106; R. Winckworth, 1946:154
- Goniobranchus albomaculatus* Pease, 1866:204

- Pease, 1871:302; Pruvot-Fol, 1947:110, 112
- Goniobranchus albopunctatus* Garrett, 1879:31 [=Glossodoris]
- Goniobranchus godeffroyana* (Bergh, 1877) |Chromodoris| [=Chromodoris; =Risbecia]
- Goniobranchus peasei* Bergh, 1880 |Chromodoris| [=Hypselodoris]
- Goniobranchus pulchra* (Pease, 1861) |Doris| [=Glossodoris]
- Goniobranchus reticulatus* Pease, 1866:205 [=Chromodoris; =Glossodoris]
Pruvot-Fol, 1947:110
- Goniobranchus vibrata* (Pease, 1860) |Doris| [=Hypselodoris]
- Gruvelia*** Risbec, 1928:171
- Franc, 1968:867; Thiele, 1931:433; 1992:712
- **Gruvelia spahri* Risbec, 1928:171†
Risbec, 1953:95
- Hemidoris*** Stimpson, 1855:379
[=Glossodoris]
- R. Winckworth, 1946:154
- **Hemidoris coeruleata* Stimpson, 1855:379 [=Glossodoris; ?=Glossodoris diardii]
- Hypselodoris*** Stimpson, 1855
{nom. cons., ICZN, 1986:27} [=Glossodoris]
- Alejandrino & Valdes 2006:189; Baba, 1985:227; Bertsch, 1977:113; Cotton & Godfrey, 1933:103; Erhardt & Moosleitner, 1997:659; Franc, 1968:867; Gosliner & Johnson, 1999:2; Johnson & Valdes, 2001:1372; McDonald, 1983:190; McDonald & Nybakken, 1980:48; Odhner, 1957:250; Ortea, Bacallado,& Valdes, 1992:59; Rudman, 1983a:215; 1984:184; Rudman & Darvell, 1990:61; Schmekel & Portmann, 1982:57; Thompson, 1972a:394; R. Winckworth, 1946:154
- Hypselodoris acriba* Marcus & Marcus, 1967:60
Behrens, 2005:†; Gosliner & Johnson, 1999:4; Humann, 1992:233†; Ortea, Valdés, & García-Gómez, 1996:84†
- Hypselodoris aegialia* (Bergh, 1904) |Chromodoris| [=H. agassizi]
Bertsch, 1978b:241
- Hypselodoris agassizii* (Bergh, 1894) |Chromodoris|
Behrens & Hermosillo, 2005:83†; Bertsch, 1978b:236; 1984:†; Camacho-Garcia, Gosliner, & Valdes, 2005:18, 83†; Coleman, 2001:†; Farmer, 1980:101; Ferreira & Bertsch, 1975:326; Gosliner & Johnson, 1999:5; Marcus & Marcus, 1967:78; Ortea, Bacallado,& Valdes, 1992:68; Sphon, 1971a:214
- Hypselodoris alboterminata* Gosliner & Johnson, 1999:9†
- Hypselodoris andersoni* Bertsch & Gosliner, 1989:247
Bertsch & Gosliner, 1990:18; Gosliner & Johnson, 1999:13; Hoover, 1998:165†
- Hypselodoris apolegma* (Yonow, 2001) |Risbecia|
Behrens, 2005:†; Nakano, 2004:175†; Ono, 2004:184†
- Hypselodoris australis* (Risbec, 1928) |Chromodoris|
Johnson & Boucher, 1983:270
- Hypselodoris babai* Gosliner & Behrens, 2000:120†
Coleman, 2001:†; Ono, 2004:183†

Hypselodoris bayeri (Marcus & Marcus, 1967) |*Felimare*| (non Thompson, 1976a:29 nor 1980:82 =*H. marci*)

Gosliner & Johnson, 1999:14; Humann, 1992:235†; Ortea, Valdés, & García-Gómez, 1996:88†; Redfern, 2001:175†; Rudman, 1984:188; Thompson, 1976a:†; 1977a:†; 1980:82

Hypselodoris bennetti (Angas, 1864) |*Goniodoris*|

Burn, 1989:763; Coleman, 1989:36†; 2001:†; Debelius, 1996:†; Gosliner & Johnson, 1999:15; Rudman, 1983:141†; Thompson, 1972a:394; Tubbenhauer, 1986:†; Willan & Coleman, 1984:22†

Hypselodoris bertschi Gosliner & Johnson, 1999:15†

Coleman, 2001:†; Nakano, 2004:177†

Hypselodoris bilineata (Pruvot-Fol, 1953) |*Glossodoris*|

Bouchet, 1975:120; Edmunds, 1981:192†; 1982:520; Garcia-Gómez, 2002:127†; Gosliner, 2001:†; Gosliner & Johnson, 1999:18; Luque, 1983:66; Ortea, Valdés, & García-Gómez, 1996:73†; Trainito, 2003:32†; 2005:48†; Wirtz, 1999:†

Hypselodoris bilineata bilineata (Pruvot-Fol, 1953) |*Glossodoris*|

Ortea, Valdés, & García-Gómez, 1996:82

Hypselodoris bilineata senegalensis Ortea, Valdés, & García-Gómez, 1996:84

Hypselodoris bilineata viridis Ortea, Valdés, & García-Gómez, 1996:83

Hypselodoris bollandi Gosliner & Johnson, 1999:19†

Coleman, 2001:†; Masuda, 1999:102†; Ono, 1999:100†; 2004:184†

Hypselodoris bullockii (Collingwood, 1881) |*Chromodoris*|

Behrens, 2005:†; Coleman, 2001:†; Debelius, 1996:†; Dominguez, Moreira, & Troncoso, 2004:104†; Erhardt & Moosleitner, 1997:662†; Gosliner & Johnson, 1999:22; King & Fraser, 2002:124; Marshall & Willan, 1999:106†; Masuda, 1999:111†; Nakano, 2004:176†; Ono, 1999:98,101†; 2004:185,243†; Rudman 1995:41; Suzuki, 2000:78†; Tonozuka 2003:92†

Hypselodoris bullocki (Collingwood, 1881) var. 1 Tonozuka 2003:92†

Hypselodoris bullocki (Collingwood, 1881) var. 2 Tonozuka 2003:92†

Hypselodoris bullocki (Collingwood, 1881) var. 3 Tonozuka 2003:93†

Hypselodoris bullocki (Collingwood, 1881) var. 4 Tonozuka 2003:93†

Hypselodoris bullocki (Collingwood, 1881) var. 5 Tonozuka 2003:93†

Hypselodoris californiensis (Bergh, 1879) |*Chromodoris*|

Behrens, 1980:64†; 1991:60†; Behrens & Hermosillo, 2005:84†; Bertsch, 1978b:241; 1985a:†; Debelius, 1996:†; Farmer, 1980:102; Gosliner & Johnson, 1999:22; Marcus & Marcus, 1967:176; McDonald, 1983:191; McDonald & Nybakken, 1980:48†

Hypselodoris cantabrica Bouchet & Ortea, 1980:118†

Garcia-Gómez, 2002:130†; Gosliner & Johnson, 1999:23; Luque, 1983:63; Ortea, Valdés, & García-Gómez, 1996:104†; Rolán & Otero-Schmitt, 1996:147†; Thompson & Turner, 1983:85; Trainito, 2005:48†

Hypselodoris capensis (Barnard, 1927) |*Glossodoris*| (non Debelius, 1996:†, 234, lower photo =*H. carnea*)

Coleman, 2001:†; Debelius, 1996:†235, upper photo; Gosliner, 1987b:81†; Gosliner & Johnson, 1999:23

Hypselodoris carnea (Bergh, 1889) |*Chromodoris*|

Debelius, 1996:†; Gosliner, 1987b:81†; Gosliner & Johnson, 1999:26; King & Fraser, 2002:124

- Hypselodoris centunculus* Yonow, 1994:122† [=*H. whitei*]
- Hypselodoris ciminoi* Ortea, Valdés, & García-Gómez, 1996:134†
- Hypselodoris clenchi* (Russell, 1935) |*Glossodoris*| [=*Chromodoris*]
- Hypselodoris coelestis* (Deshayes in Fredol, 1865) |*Goniodoris*|
Ballesteros, Alvarez, & Mateo, 1986:99; Parent, Breton, & Reboux, 2001[2000]:24
- Hypselodoris coelestis* (Ihering, 1880)
Ballesteros, 1985:15
- Hypselodoris crossei* (Angas, 1864) |*Goniodoris*|
- Hypselodoris cuis* Marcus, 1965:272
Gosliner & Johnson, 1999:28
- Hypselodoris daniellae* Kay & Young, 1969:207 [=*Thorunna*]
Kay, 1979:468†
- Hypselodoris decorata* (Risbec, 1928) |*Chromodoris*| [=*H. maculosa*] (non Johnson & Boucher, 1983:270 nor Rudman, 1984 =*H. maculosa*)
- Hypselodoris diardii*
- Hypselodoris dollfusi* (Pruvot-Fol, 1933) |*Glossodoris*|
Behrens, 2005:†; Coleman, 2001:†; Gosliner & Behrens, 2000:116†
- Hypselodoris edenticulata* (White, 1952) |*Glossodoris*| [=*H. picta*; =*H. webbi*]
Barlow, 1974:52; Erhardt & Moosleitner, 1997:660†; Humann, 1992:233†; Marcus & Marcus, 1967:56; Tavares, 1998:†
- Hypselodoris elegans* (Cantraine, 1835) |*Doris*| [=*H. picta*; =*H. valenciennesii*]
Erhardt & Moosleitner, 1997:661†; Mienis, 1984a:14; Perrone, 1991a:277; Riedl, 1983:335; Schmekel & Portmann, 1982:62†; Wägele & Schminke, 1987:†
- Hypselodoris emmae* Rudman, 1977:362
Behrens, 2005:†; Coleman, 2001:†; Debelius, 1996:†; Gosliner & Johnson, 1999:29; Marshall & Willan, 1999:107†; Nakano, 2004:177†; Ono, 2004:183†; Tonozuka 2003:94†; Velling, 2004:†; Yonow, 1994:120†
- Hypselodoris epicuria* Basedow & Hedley, 1905:153 [=*Chromodoris*; =*Glossodoris*]
Burn, 1962a:150; Cotton & Godfrey, 1933:103
- Hypselodoris espinosai* Ortea & Valdés in Ortea, Valdés, & García-Gómez, 1996:139†
- Hypselodoris festiva* (Adams, 1861) |*Doriprismatica*|
Baba, 1995:1; Choe & Lee, 1994:361†; Coleman, 2001:†; Colin & Arneson, 1995:184†; Masuda, 1999:113†; Nakano, 2004:175†; Okutani, 2000:789†; Orr, 1980:110; 1981:32†; Rudman, 1977:387; Rudman & Darvell, 1990:63†; Suzuki, 2000:75†; Tan, Pai, & Hsha, 1987:81†
- Hypselodoris flavomarginata* Rudman, 1995:31
Gosliner & Johnson, 1999:31
- Hypselodoris florens* (Baba, 1949) |*Glossodoris*| (non Okutani, 1994:219, =*H. kaname*)
- Hypselodoris fontandraui* (Pruvot-Fol, 1951) |*Glossodoris*|
Garcia-Gomez, 2002:124†; Gosliner, 2001:†; Gosliner & Johnson, 1999:31; Ortea, Valdés, & García-Gómez, 1996:65†; Parent, Breton, & Reboux, 2001[2000]:24; Trainito, 2003:32†; 2005:50†; Turk, 2000:164†; Wirtz, 1998a:8†
- Hypselodoris fucata* Gosliner & Johnson, 1999:32†

- King & Fraser, 2002:124
- Hypselodoris gasconi* Ortea in Ortea, Valdés, & García-Gómez, 1996:120†
Trainito, 2003:32†; 2005:51†
- Hypselodoris ghiselini* Bertsch 1978b:245
Behrens, 1991:60†; 2005:†; Behrens & Hermosillo, 2005:84†; Bertsch, 1984:†; 1985a:†; Coleman, 2001:†; Debelius, 1996:†; Erhardt & Moosleitner, 1997:659†; Farmer, 1980:103; Gosliner & Johnson, 1999:34
- Hypselodoris godeffroyana* (Bergh, 1877) |*Chromodoris*| [=Risbecia]
Marcus & Marcus, 1970:160
- Hypselodoris gofasi* Ortea & Valdés in Ortea, Valdés, & García-Gómez, 1996:123
- Hypselodoris gracilis* (Rapp, 1827) |*Doris*| [=Glossodoris; =*Hypselodoris villafranca*]
(non Gat & Mienis, 1983:507 =*C. britoi*)
Ballesteros, 1985:15; Danrigal & Huyghens, 1981: †; Luque, 1983:64; Riedl, 1983:335; Schmekel, 1970:191; Thompson & Turner, 1983:85
- Hypselodoris hilaris* (Bergh, 1890) |*Chromodoris*| (non Marcus & Burch, 1965:248 =*H. mouaci*)
- Hypselodoris iacula* Gosliner & Johnson, 1999:36†
Behrens, 2005:†; Tonozuka 2003:95†
- Hypselodoris infucata* (Rüppell & Leuckart, 1831) |*Doris*| (non Thompson, 1972a:395† =*H. obscura* partim.; =*H. sp.B* Rudman, 1977 partim.; non Wells & Bryce, 1993:114† =*H. saintvincentius*)
Behrens, 2005:†; Bertsch & Johnson, 1981:62†; Burn, 1989:763; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:71†; Cevik & Ozturk, 2001:27; Coleman, 1989:35†; 2001:†; Debelius, 1996:†; Edmunds, 1971:375†; Gosliner, 1987b:81†; Gosliner & Johnson, 1999:38; Hoover, 1998:166†; Johnson & Boucher, 1983:271; Johnson & Valdes, 2001:1374; Lin, 1989:11; Masuda, 1999:113†; Nakano, 2004:176†; Narayanan, 1968a:198; Okutani, 2000:789†; Ono, 1999:97†; 2004:185†; Rudman, 1973:190; Suzuki, 2000:79†; Tonozuka 2003:97†; Trainito, 2003:30†; 2005:51†; Valdes & Templado, 2002:25; Willan & Coleman, 1984:22†; Yonow, 1989:302†; 2001:30†
- Hypselodoris insulana* Gosliner & Johnson, 1999:40†
- Hypselodoris kaname* Baba, 1994a:175
Coleman, 2001:†; Gosliner & Johnson, 1999:43; Masuda, 1999:112†; Nakano, 2004:178†; Ono, 2004:186†; Suzuki, 2000:77†; Tonozuka 2003:96†
- Hypselodoris kanga* Rudman, 1977:356, 388 (non Colin & Arneson, 1995:184†, =*H. nigrostriata*)
Behrens, 2005:†; Coleman, 2001:†; Debelius, 1996:†; Gosliner & Johnson, 1999:45; Orr, 1980:110; 1981:33†; Rudman & Darvell, 1990:63†; Tonozuka 2003:97†; Yonow, 2001:31†
- Hypselodoris katerythros* Yonow, 2001:31†
- Hypselodoris kayae* Young, 1967:164
- Hypselodoris koumacensis* Rudman, 1995:34
Gosliner & Johnson, 1999:47
- Hypselodoris krakatoa* Gosliner & Johnson, 1999:47†
Coleman, 2001:†; Nakano, 2004:178†
- Hypselodoris kulonba* Burn, 1966g:191 [=Digidentis]
Rudman, 1985:256

Hypselodoris lacteola Rudman, 1995:28

Gosliner & Johnson, 1999:52

Hypselodoris lapislazuli (Bertsch & Ferreira, 1974) |*Thorunna*|

Bertsch, 1978b:247; Camacho-Garcia, Gosliner, & Valdes, 2005:83†; Debelius, 1996:†; Gosliner & Johnson, 1999:52; Ortea, Bacallado, & Valdes, 1992:59†

Hypselodoris lilyeveae Alejandrino & Valdes 2006:191†

Hypselodoris lineata (Eyedoux & Souleyet, 1852) |*Doris*| (non Bertsch & Johnson,

1980a:74; nor Bertsch & Johnson, 1981:65†; nor Kay, 1979:469; =*H. sp.*)

Bertsch & Gosliner, 1990:18; Kay & Young, 1969:209; Rudman, 1977:389

Hypselodoris maculosa (Pease, 1871) |*Chromodoris*|

Baba, 1994a:178†; Coleman, 1989:36†; 2001:†; Debelius, 1996:†; Gosliner, 2001:†; Gosliner & Johnson, 1999:53; King & Fraser, 2002:124; Marshall & Willan, 1999:107†; Masuda, 1999:114†; Nakano, 2004:179†; Okutani, 2000:789†; Ono, 1999:98†; 2004:187†; Rudman, 1986a:340†; Tonozuka 2003:95†; Wells & Bryce, 1993:114†; Yonow, 1989:302†; Yonow, Anderson, & Buttress, 2001:858

Hypselodoris magnifica (Quoy & Gaimard, 1832) |*Doris*|

Hypselodoris malacitana Luque, 1986

Ortea, Valdés, & García-Gómez, 1996:109†; Trainito, 2005:51†

Hypselodoris marci Marcus, 1970:941

Ortea, Valdés, & García-Gómez, 1996:100†; Thompson & Turner, 1983:85

Hypselodoris maridadilus Rudman, 1977:359 [=*H. mouaci*] (non Colin & Arneson,

1995:184† =*H. whitei*)

Bertsch & Gosliner, 1990:18; Bertsch & Johnson, 1981:64†; Erhardt & Moosleitner, 1997:662†; Gosliner, 1987b:82†; Gosliner & Johnson, 1999:55; Hoover, 1998:166†; Okutani, 2000:789†; Wells & Bryce, 1993:114†; Yonow, 1989:303†; 2001:33†; Yonow & Hayward, 1991:15†

Hypselodoris maritima (Baba, 1949) |*Glossodoris*|

Baba, 1995:6; Behrens, 2005:†; Coleman, 1989:36†; 2001:†; Rudman, 1982:236; Rudman & Darvell, 1990:62†; Marshall & Willan, 1999:108†; Masuda, 1999:112†; Nakano, 2004:179†; Okutani, 2000:789†; Ono, 2004:186†; Suzuki, 2000:76†; Tan, Pai, & Hsha, 1987:81†; Willan & Coleman, 1984:24†

Hypselodoris messinensis (Ihering, 1880) |*Chromodoris*| (non Cattaneo, Chemello, &

Giannuzzi-Savelli, 1990, pl. 4, fig. 6 =*H. tricolor*; non Luque, 1983:64 = *H. fontandraui*)

Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:73†; Luque, 1983:64; Schmekel, 1970:190; Schmekel & Portmann, 1982:64†

Hypselodoris midatlantica Gosliner, 1990a:152† [=*H. tricolor*]

Garcia-Gomez, 2002:131†; Gosliner, 2001:†; Gosliner & Johnson, 1999:59

Hypselodoris mouaci (Risbec, 1930) |*Chromodoris*| [=*H. whitei*] (non Baba, 1994a:176

=*H. maridadilus*)

Coleman, 2001:†; Debelius, 1996:†; Gosliner & Johnson, 1999:57; Johnson & Boucher, 1983:272; Marshall & Willan, 1999:108†

Hypselodoris muniani Ortea & Valdés in Ortea, Valdés, & García-Gómez, 1996:136

Hypselodoris nigrolineata (Eliot, 1904) |*Chromodoris*|

Gosliner & Johnson, 1999:60; Rudman, 1977:364; 1982:236†

Hypselodoris nigrostriata (Eliot, 1904) |*Chromodoris*| (non Marshall & Willan, 1999:109† =*H. zephyra*)

Coleman, 2001:†; Debelius, 1996:†; Gosliner & Johnson, 1999:60; Rudman, 1977:353, 387; Tonozuka 2003:96†; Yonow, Anderson, & Buttress, 2001:858

**Hypselodoris obscura* (Stimpson, 1855) |*Goniodoris*| (non Coleman, 1989†; nor Debelius, 1996:†; nor Wells & Bryce, 1993:114†; nor Willan & Coleman, 1984:22 =*H. infucata*)

Coleman, 2001:†; Gosliner & Johnson, 1999:61; Johnson & Valdes, 2001:1386; Marshall & Willan, 1999:110†; Rudman, 1977:387; 1984:185; Tubbenhauer, 1986:†

Hypselodoris orsinii (Verany, 1846) |*Doris*|

Garcia-Gomez, 2002:121†; Gosliner & Johnson, 1999:61; Ortea, Valdés, & García-Gómez, 1996:58†; Trainito, 2003:32†; 2005:49†; Turk, 2000:164†

Hypselodoris paulinae Gosliner & Johnson, 1999:61†

Hypselodoris peasei (Bergh, 1880) |*Chromodoris*|

Kay, 1979:470; Kay & Young, 1969:210

Hypselodoris picta (Schultz in Philippi, 1836) |*Doris*|

Garcia-Gomez, 2002:117†; Gosliner & Johnson, 1999:64; Malaquias, Cervera, Abreu, & López-González, 2001:†; Ortea, Valdés, & García-Gómez, 1996:43†; Trainito, 2005:3, 37, 52†; Troncoso, Garcia, & Urgorri, 1998:133; Turk, 2000:164†

Hypselodoris picta azorica Ortea, Valdés, & García-Gómez, 1996:56

Wirtz, 1998a:8†

Hypselodoris picta lajensis Troncoso, Garcia, & Urgorri, 1998:133

Hypselodoris picta picta (Schultz in Philippi, 1836) |*Doris*|

Ortea, Valdés, & García-Gómez, 1996:53; Trainito, 2003:30†; 2005:52†

Hypselodoris picta tema Edmunds, 1981 |*Hypselodoris tema*|

Ortea, Valdés, & García-Gómez, 1996:56

Hypselodoris picta verdensis Ortea, Valdés, & García-Gómez, 1996:56

Hypselodoris picta webbi (d'Orbigny, 1839) |*Polycera webbi*|

Ortea, Valdés, & García-Gómez, 1996:56; Wirtz, 1999:12†

Hypselodoris pinna Ortea, 1988:5†

Ortea, Valdés, & García-Gómez, 1996:115†

Hypselodoris placida (Baba, 1949) |*Glossodoris*|

Baba, 1995:7; Gosliner & Johnson, 1999:65; Masuda, 1999:112†; Nakano, 2004:180†; Rudman, 1983:165; Rudman & Darvell, 1990:62†; Suzuki, 2000:74†

Hypselodoris porterae (Cockerell, 1901) |*Chromodoris*| [=*Chromodoris*; =*Mexichromis*]

Lance, 1969:†

Hypselodoris punicea Rudman, 1995:25 [=*Thorunna*]

Hypselodoris purpureomaculosa Hamatani, 1995:105

Coleman, 2001:†; Gosliner & Johnson, 1999:66; Knop, 2004:†; Masuda, 1999:113†; Nakano, 2004:177†; Okutani, 2000:791†; Ono, 1999:99,140†; 2004:186†; Tonozuka 2003:94†

Hypselodoris ransoni (Pruvot-Fol, 1954) |*Glossodoris*|

Gosliner & Johnson, 1999:68

Hypselodoris regina Marcus & Marcus, 1970b:199

Coleman, 2001:†; Gosliner & Johnson, 1999:69; Rudman, 1977:367; 1982:234

Hypselodoris reidi Gosliner & Johnson, 1999:69†

- Hypselodoris rosans* Bergh, (1889) |*Chromodoris*|
Rudman, 1995:41
- Hypselodoris rudmani* Gosliner & Johnson, 1999:6072†
King & Fraser, 2002:124
- Hypselodoris rufomarginata* (Bergh, 1890) |*Casella*|
Coleman, 1989:37†
- Hypselodoris ruthae* Marcus & Hughes, 1974:518
Edmunds & Just, 1985:53; Gosliner & Johnson, 1999:75; Humann, 1992:235†; Meyer, 1977:300; Ortea, Valdés, & García-Gómez, 1996:93; Thompson, 1977a:†; 1980:83
- Hypselodoris sagamiensis* (Baba, 1949) |*Glossodoris*|
Baba, 1995:9; Gosliner & Johnson, 1999:76; Nakano, 2004:180†; Suzuki, 2000:77†
- Hypselodoris saintvincentius* Burn, 1962a:151
Johnson & Valdes, 2001:1390
- Hypselodoris semeion* (Winckworth, 1946) |*Glossodoris*|
Rudman, 1983:169
- Hypselodoris shimodaensis* Baba, 1994a:180†
Gosliner & Johnson, 1999:76; Masuda, 1999:114†; Nakano, 2004:182†; Okutani, 2000:789†; Suzuki, 2000:78†
- Hypselodoris sycilla* (Bergh, 1890) |*Chromodoris*| (non Marcus & Marcus, 1970a:58 =*H. picta* or *H. webbi*)
Marcus & Marcus, 1967:59
- Hypselodoris tema* Edmunds, 1981:189†; 1982:520 [=*Hypselodoris picta*]
- Hypselodoris tricolor* (Cantraine, 1835) |*Doris*| [=*Glossodoris*; =*Mexichromis*] (non Thompson, 1976a, nor Pereira, 1980, nor Giannuzzi-Savelli, 1983, nor Cimino, De Rosa, De Stefano, & Sodano, 1982, nor Cattaneo, Chemello, & Giannuzzi-Savelli, 1990 =*H. orsini*)
Ballesteros, 1985:15; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:75†; Erhardt & Moosleitner, 1997:658†; George & George, pl. 91†; Ortea, Moro, Caballer, & Bacallado, 2003:170†; Ortea, Valdés, & García-Gómez, 1996:32†; Parent, Breton, & Reboux, 2001[2000]:25; Perrone, 1986a:29; Rolán & Otero-Schmitt, 1996:146; Schmekel, 1970:191; Schmekel & Portmann, 1982:66†; Thompson, 1976a:†; Trainito, 2003:32†; 2005:49†; Turk, 2000:164†; Wirtz, 1998a:†; 1999:†
- Hypselodoris tryoni* (Garrett, 1873) |*Goniodoris*| [=*Chromodoris*; =*Risbecia*]
Young, 1967:162
- Hypselodoris valenciennesi* (Cantraine, 1841) |*Glossodoris*| [=*Glossodoris*; =*H. picta*]
(non Urgorri & Besteiro, 1983:21 =*H. cantabrica*)
Ballesteros, 1984a:†; 1985:17; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:77†; Mienis, 1984a:14; Perrone, 1983b:132; Schmekel, 1970:189; Thompson & Turner, 1983:85
- Hypselodoris vibrata* (Pease, 1860) |*Doris*| (non Debelius, 1996:† =*Chromodoris roboi*)
Kay, 1979:470; Kay & Young, 1969:211
- Hypselodoris villafranca* (Risso, 1818) |*Doris*|
Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:81†; Garcia-Gomez, 2002:115†; Gosliner & Johnson, 1999:77; Nicolay, 1983:16; Ortea, Valdés, & García-Gómez, 1996:22†; Parent, Breton, & Reboux, 2001[2000]:25; Rolán & Otero-Schmitt, 1996:147†; Schmekel & Portmann, 1982:68† Trainito, 2003:32†; 2005:50†; Turk, 2000:164†
- Hypselodoris violabranchia* Gosliner & Johnson, 1999:677†

Hypselodoris webbi (Orbigny, 1839) |*Polydora*| [=*H. picta*]

Bouchet & Ortea, 1980:121†; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:79†; Gat & Mienis, 1986:120; Gosliner, 1990a:155†; Luque, 1983:65; Ortea, 1988:5; Ortea & Templado, 1984:75; Perrone, 1990c:213; 1991a:277; Thompson & Turner, 1983:83; Wirtz, 1996:169

Hypselodoris whitei (Adams & Reeve, 1850) |*Goniodoris*|

Coleman, 2001:†; Gosliner & Johnson, 1999:80; Masuda, 1999:113†; Nakano, 2004:181†; Ono, 1999:99†; 2004:189†; Tonozuka 2003:98†

Hypselodoris xicoi Ortea, Valdés, & García-Gómez, 1996:129†

Hypselodoris zebra (Heilprin, 1889) |*Chromodoris*|

Gosliner & Johnson, 1999:83; Jensen & Clark, 1986:452; Thompson, 1977:218; Thompson & Turner, 1983:85

Hypselodoris zephyra Gosliner & Johnson, 1999:84†

Coleman, 2001:†; Nakano, 2004:181†; Ono, 2004:188†; Tonozuka 2003:98†; Yonow, 2001:34†

Hypselodoris sp. Avila, 1993:142 [=*H. gasconi*]

Hypselodoris sp. Bertsch, et al., 1973 [=*H. ghiselini*]

Hypselodoris sp. Burn, 1966a:273

Hypselodoris sp. “beautiful Hypselodoris” Coleman, 2001:†

Hypselodoris sp. “Coleman’ Hypselodoris” Coleman, 2001:†

Hypselodoris sp. “magical Hypselodoris” Coleman, 2001:†

Hypselodoris sp. “purple-gilled Hypselodoris” Coleman, 2001:†

Hypselodoris sp. “royal Hypselodoris” Coleman, 2001:†

Hypselodoris sp. “tiled Hypselodoris” Coleman, 2001:†

Hypselodoris sp. Debelius, 1996:† (page 238 lower photo =*H. zephyra*)

Hypselodoris sp. Farmer, 1971 [=*H. ghiselini*]

Hypselodoris sp.1 Gosliner, 1987b:82† [=*H. fucata*]

Hypselodoris sp.2 Gosliner, 1987b:82† [=*H. rudmani*]

Hypselodoris sp.3 Gosliner, 1987b:83† [=*H. rudmani*]

Hypselodoris sp. Gosliner, Behrens, & Williams, 1996:166† [=*H. krakatoa*]

Hypselodoris sp. Hoover, 1998:157†

Hypselodoris sp.1 Hoover, 1998:167†

Hypselodoris sp.2 Hoover, 1998:167†

Hypselodoris sp.3 Hoover, 1998:167†

Hypselodoris sp. Humann, 1992:234† [=*H. marci*]

Hypselodoris sp. King & Fraser, 2002:126

Hypselodoris sp. Marcus & Marcus, 1966:177

Hypselodoris sp.1 Marshall & Willan, 1999:110†

Hypselodoris sp.2 Marshall & Willan, 1999:111†

- Hypselodoris* sp. Masuda, 1999:111† (top photo)†
Hypselodoris sp. Masuda, 1999:111† (second photo)†
Hypselodoris sp. Masuda, 1999:111† (third photo)†
Hypselodoris sp. Masuda, 1999:112† (bottom photo)
Hypselodoris sp. Masuda, 1999:114† (third photo)
Hypselodoris sp. Narayanan, 1968a:198
Hypselodoris sp. Nakano, 2004:182†
Hypselodoris sp.1 Ono, 1999:100†
Hypselodoris sp.2 Ono, 1999:101† [=Noumea romeri]
Hypselodoris sp.A Rudman, 1977:388
Hypselodoris sp.B Rudman, 1977:388
Hypselodoris sp.1 Tan, Pai, & Hsha, 1987:81†
Hypselodoris sp.2 Tan, Pai, & Hsha, 1987:81†
Hypselodoris sp.A Tonozuka 2003:99†
Hypselodoris sp. Trainito, 2003:32†

***Mexichromis* Bertsch, 1977:113**

Baba, 1985:226; Bertsch, 1978a:80; Rudman, 1984:208; Rudman & Darvell, 1990:54

- Mexichromis amalguae* Gosliner & Bertsch, 1988:127
Behrens, 1991:60†; Behrens & Hermosillo, 2005:84†

**Mexichromis antonii* (Bertsch, 1976) |*Chromodoris*|

Behrens & Hermosillo, 2005:85†; Bertsch, 1978a:80; Camacho-Garcia, Gosliner, & Valdes, 2005:84†;
Farmer, 1980:105; Rudman, 1984:208

Mexichromis festiva (Angas, 1864) |*Goniodoris*|

Baba, 1989:15; Coleman, 2001:†; Izumi, 1987:9; Marshall & Willan, 1999:111†; Rudman, 1983:155;
Suzuki, 2000:80†

Mexichromis francoisae (Bouchet in Bouchet & Ortea, 1980) |*Chromodoris*|

Ortea, Valdés, & García-Gómez, 1996:148†

Mexichromis katalexis Yonow, 2001:36†

Mexichromis macropus Rudman, 1983:158†

Beesley, Ross, & Wells, 1998:pl. 35†; Behrens, 2005:†; Bryce, 1994:†; Burn, 1989:764; Coleman,
2001:†; Masuda, 1999:106†; Wells & Bryce, 1993:126†

Mexichromis mariei (Crosse, 1872) |*Goniodoris*|

Allen & Steene, 1994:†; Coleman, 2001:†; Lin, 1989:12; Nakano, 2004:183†; Ono, 2004:189†;
Rudman, 1983:151†; Rudman & Avern, 1988:†; Tonozuka 2003:100†; Yonow, 1989:304†

Mexichromis molloii Ortea & Valdés in Ortea, Valdés, & García-Gómez, 1996:152†

Mexichromis multituberculata (Baba, 1953) |*Glossodoris*|

Baba, 1989:12; Behrens, 2005:†; Coleman, 2001:†; Debelius, 1996:†; Masuda, 1999:107†; Nakano,
2004:183†; Okutani, 2000:791†; Ono, 2004:189†; Rudman & Darvell, 1990:54†; Suzuki, 2000:80†;
Tonozuka 2003:99†

Mexichromis porterae (Cockerell, 1901) |*Chromodoris*| [=Chromodoris]

Behrens, 1980:64†; 1991:61†; 2005:†; Behrens & Hermosillo, 2005:85†; Bertsch, 1978a:82; Farmer, 1980:106; Rudman, 1984:211

Mexichromis tica Gosliner, Ortea, & Valdes, 2004:589†

Camacho-Garcia, Gosliner, & Valdes, 2005:84†

Mexichromis tricolor (Cantraine, 1841) |*Doris*|

Edmunds, 1981:195†; 1982:520

Mexichromis tura (Marcus & Marcus, 1967) |*Chromodoris*|

Behrens & Hermosillo, 2005:85†; Bertsch, 1978a:84; Camacho-Garcia, Gosliner, & Valdes, 2005:84†; Farmer, 1980:107; Rudman, 1984:209

Noumea Risbec, 1928:165

[=Thorunna]

Baba, 1985:226; Marcus & Marcus, 1970:163; Ortea, Bacallado,& Valdes, 1992:62; Risbec, 1953:85; Rudman, 1984:137; Rudman & Darvell, 1990:54; Thiele, 1931:432; 1992:710

Noumea alboannulata Rudman, 1986a:333†

Coleman, 2001:†; Nakano, 2004:182†; Ono, 2004:190†; Yonow, 1989:298†; 2001:39†

Noumea angustolutea Rudman, 1990a:291†

Nakano, 2004:184†; Ono, 2004:190†

Noumea aureopunctata Rudman, 1987a:315†*Noumea cameroni* Burn, 1966g:193 [=*N. haliclona*]*Noumea catalai* Rudman, 1990a:300†*Noumea closei* Rudman, 1986c:391†*Noumea crocea* Rudman, 1986c:382†

Coleman, 1989:42†; 2001:†; Marshall & Willan, 1999:112†; Nakano, 2004:184†; Ono, 2004:190†

Noumea decussata Risbec, 1928:167† [=Glossodoris; =Thorunna] (non Abe, 1964 =*N. nivalis*)

Abe, 1964:49; Risbec, 1953:86

Noumea flava (Eliot, 1904) |*Chromodoris*|

Coleman, 1989:41†; 2001:†; Ono, 2004:191†; Risbec, 1928:169†; 1953:89; Rudman, 1986c:379†; Suzuki, 2000:84†

Noumea gloriosa (Bergh) |*Chromodoris*| (non Abe, 1964 =*N. purpurea*)

Abe, 1964:50

Noumea haliclona (Burn, 1957) |*Glossodoris*| (non Ortea, Bacallado,& Valdes, 1992:62†, =*Glossodoris naumanni*)

Burn, 1989:762; Coleman, 2001:†; Rudman, 1983:126†; 1984:139†; 1986c:394†; Rudman & Avern, 1988:†

Noumea hongkongiensis Rudman, 1990a:297†*Noumea laboutei* Rudman, 1986c:399†

Coleman, 2001:†; Debelius, 1996:†; Nakano, 2004:185†; Ono, 2004:188†

Noumea margaretae Burn, 1966g:195 [=*N. haliclona*]

Debelius, 1996:†

Noumea nivalis Baba, 1937c:298 [=Glossodoris; =*N. decussata*]

- Baba, 1949:144†; Masuda, 1999:107†; Nakano, 2004:184†; Okutani, 2000:791†; Rudman, 1985:250†;
Rudman & Darvell, 1990:55†; Suzuki, 2000:81†
- Noumea norba* Marcus & Marcus, 1970:161 [=*N. purpurea*; =*Thorunna*]
Coleman, 2001:†; Nakano, 2004:185†; Ono, 2004:191†; Suzuki, 2000:83†; Tonozuka 2003:101†
- Noumea parva* Baba, 1949:144†
- Noumea protea* Gosliner, 1994:250
- Noumea purpurea* Baba, 1949:144† [=*N. gloriosa*]
Bertsch & Gosliner, 1990:18; Coleman, 2001:†; Gosliner, 1987b:80†; Marshall & Willan, 1999:112†;
Masuda, 1999:107†; Nakano, 2004:186†; Okutani, 2000:791†; Rudman, 1986a:311†; Suzuki, 2000:81†;
Yonow, 1989:298†
- Noumea regalis* Ortea, Caballer, & Moro, 2001:2†
- **Noumea romeri* Risbec, 1928:165† [=*Glossodoris*]
Coleman, 2001:†; Marshall & Willan, 1999:113†; Ono, 2004:191†; Risbec, 1953:85; Rudman,
1984:138; 1995:41
- Noumea simplex* (Pease, 1871) |*Chromodoris*|
Coleman, 2001:†; Marshall & Willan, 1999:113†; Nakano, 2004:186†; Ono, 2004:192†; Rudman,
1984:141; 1995:41; Suzuki, 2000:82†
- Noumea spencerensis* Rudman, 1987a:324†
- Noumea subnivalis* Baba, 1987a:19
Nakano, 2004:187†; Suzuki, 2000:82†
- Noumea sudanica* Rudman, 1985:254†
Yonow, 1989:298†
- Noumea sulphurea* Rudman, 1986c:384†
Coleman, 1989:42†; 2001:†
- Noumea tasmaniensis* (Bergh, 1905) |*Chromodoris*|
- Noumea varians* (Pease, 1871) |*Chromodoris*| (non Gosliner, 1987b:79† =*Durvilledoris pusilla*)
Bertsch & Gosliner, 1990:18; Coleman, 2001:†; Marshall & Willan, 1999:114†; Masuda, 1999:107†;
Nakano, 2004:186†; Okutani, 2000:791†; Ono, 1999:89†; 2004:194†; Rudman, 1986a:316†; Suzuki,
2000:83†; Yonow, 1994:122†
- Noumea verconiforma* Rudman, 1995:19 (non Ono, 1999:89† =*Noumea simplex*)
- Noumea violacea* Risbec, 1930a:281 [=*Hallaxa indecora*]
Risbec, 1953:90
- Noumea* sp. Baba, 1985 [=*N. subnivalis*]
- Noumea* sp. Burn, 1966a:273
- Noumea* sp. "mauve-gilled noumea" Coleman, 1989:41†
- Noumea* sp. "Kuiter's Noumea" Coleman, 2001:†
- Noumea* sp. Debelius, 1996:†
- Noumea* sp. Gosliner, 1987b:80†
- Noumea* sp.1 Marshall & Willan, 1999:114†

Noumea sp. Nakano, 2004:187†

Noumea sp. Ono, 2004:192†

Otinodoris White, 1948:203

Franc, 1968:867; Valdes, 2002c:603

**Otinodoris winckworthi* White, 1948:203

Otinodoris sp. “furry Otinodoris” Coleman, 2001:†

Otinodoris sp.1 Marshall & Willan, 1999:80†

Otinodoris sp. Valdes, 2002c:604†

Pectenodoris Rudman, 1984:159

Pectenodoris aurora Johnson & Gosliner, 1998:300†

Gosliner, 2001:†; Ono, 1999:94†; 2004:193†

Pectenodoris trilineata (Adams & Reeve, 1850) |*Goniodoris*|

Coleman, 1989:43†; 2001:†; Gosliner, 2001:†; Johnson & Gosliner, 1998:296†; Marshall & Willan, 1999:114†; Ono, 2004:193†; Rudman, 1984:159; Tonozuka 2003:101†; Yonow, 2001:40†

Pterodoris Ehrenberg, 1831

{rejected, ICZN, 1986:27} [=*Chromodoris*; =*Glossodoris*; =*Hypselodoris*]

Bergh, 1877c:57; Odhner, 1957:252; Rudman, 1983a:211; R. Winckworth, 1946:154

Pterodoris brachyphylla Ehrenberg, 1831 [=*Glossodoris*]

Pterodoris cristata Kock, Weinkauff, 1873 [=*Glossodoris*]

Tiberi, 1880:196

Pterodoris picta (Ehrenberg) O'Donoghue, 1926 [lapsus for *Pterodoris picturata*]

Pterodoris pantherina Ehrenberg, 1831

Pruvot-Fol, 1951a:129; Rudman, 1983a:214

**Pterodoris picturata* Ehrenberg, 1831 [=*Glossodoris*]

Pterodoris trilineata (Adams & Reeve, 1850) |*Goniodoris*|

Rudman, 1986a:319†

Risbecia Odhner, 1934

Erhardt & Moosleitner, 1997:664; Risbec, 1953:93; Rudman, 1984:195

Risbecia apolegma Yonow, 2001:40† [=*Hypselodoris*]

**Risbecia francoisi* (Risbec, 1928)|*Ceratosoma* (non Odhner, 1934 =*R. tryoni*)

Risbecia ghardaqana (Gohar & Aboul-Ela, 1957) |*Chromodoris*|

Coleman, 2001:†; Rudman, 1987a:374†; Yonow, 1989:303†

Risbecia godeffroyana (Garrett MS, Bergh, 1877) |*Chromodoris*|

Coleman, 1989:42†; 2001:†; Dominguez, Moreira, & Troncoso, 2004:100†; Marshall & Willan, 1999:115†; Ono, 2004:194†; Rudman, 1984:202; 1987a:373†

Risbecia imperialis (Pease, 1860) |*Doris prismaticalis imperialis*| (non Colin & Arneson,

1995:184†; nor Debelius, 1996:† =*Risbecia godeffroyana*)

Bertsch & Gosliner, 1990:18; Hoover, 1998:168†; Rudman, 1987a:370

Risbecia nyalya (Marcus & Marcus, 1967) |*Chromodoris*|

Ortea, Valdés, & García-Gómez, 1996:147

Risbecia odhneri Risbec, 1953:94 [=*R. tryoni*]

Risbecia pulchella (Rüppell & Leuckart, 1831) |*Doris*|

Behrens, 2005:†; Coleman, 2001:†; Debelius, 1996:†; Erhardt & Moosleitner, 1997:663†; Gosliner, 1987b:83†; King & Fraser, 2002:126; Rudman, 1984:203; Tonozuka 2003:104†; Yonow, 1989:303†

Risbecia reticulata (Quoy & Gaimard, 1832) |*Doris*|

Risbec, 1956:10; 1956a:10

Risbecia tryoni (Garrett, 1873) |*Goniodoris*|

Allen & Steene, 1994:†; Behrens, 2005:†; Coleman, 2001:†; Debelius, 1996:†; Dominguez, Moreira, & Troncoso, 2004:100†; Gosliner, Behrens, & Williams, 1996:167†; Marshall & Willan, 1999:116†; Masuda, 1999:108†; Nakano, 2004:188†; Ono, 1999:91†; 2004:195†; Rudman, 1984:196; 1987a:379†; Tierney & Tierney, 2000†; Tonozuka 2003:103†; Wells & Bryce, 1993:135†; Yonow, 2001:43†

Risbecia versicolor (Risbec, 1928) |*Chromodoris*|

Risbec, 1953:93

Risbecia sp. “western Risbecia” Coleman, 2001:†;

Rosodoris Pruvot-Fol, 1954:23
[=*Glossodoris*]

**Rosodoris hikuerensis* Pruvot-Fol, 1954:23 [=*Glossodoris*]

Thorunna Bergh, 1878a:575
[=*Chromodoris*]

Baba, 1985:227; Bergh, 1892:119(1111); Bertsch, 1977:113; Franc, 1968:867; Ortea, Bacallado, & Valdes, 1992:65; Rudman, 1984:216; Thiele, 1931:433; 1992:711

Thorunna africana Rudman, 1984:220

Gosliner, Behrens, & Williams, 1996:193†; Yonow, 1989:304†

Thorunna australis (Risbec, 1928) |*Chromodoris*|

Gosliner, Behrens, & Williams, 1996:167†; Nakano, 2004:189†; Ono, 1999:92†; 2004:195†; Rudman, 1986a:336†

Thorunna clitonota (Bergh, 1905) |*Chromodoris*|

Johnson & Boucher, 1983:273

Thorunna daniellae (Kay & Young, 1969) |*Hypselodoris*|

Bertsch & Gosliner, 1990:18; Coleman, 2001:†; Gosliner, Behrens, & Williams, 1996:243†; Hoover, 1998:169†; Nakano, 2004:189†; Ono, 2004:196†; Rudman, 1984:221; 1990a:311

Thorunna decussata (Risbec, 1928) |*Noumea*|

Johnson & Boucher, 1983:274

**Thorunna florens* (Baba, 1949) |*Glossodoris*|

Baba, 1988:325; Coleman, 2001:†; Masuda, 1999:110†; Nakano, 2004:188†; Ono, 1999:91†; 2004:196†; Rudman, 1990a:313†; Tonozuka 2003:102†; Wells & Bryce, 1993:126†

Thorunna furtiva Bergh, 1878a:575 (non Eliot, 1908a:110 =*T. africana*)

Coleman, 2001:†; Marshall & Willan, 1999:117†; Nakano, 2004:189†; Ono, 2004:194†; Rudman, 1984:217; 1985:†

Thorunna gloriosa (Bergh, 1874) |*Chromodoris*| (non Bertsch & Johnson, 1981:60†, top photo =*Noumea purpurea*, bottom photo =*Noumea varians*)

- Thorunna halourga* Johnson & Gosliner, 2001:147†
Nakano, 2004:190†; Ono, 2004:197†
- Thorunna horologia* Rudman, 1984:223
King & Fraser, 2002:126; Rudman, 1985:†
- Thorunna kahuna* Johnson & Gosliner, 2001:143†
- Thorunna lapislazuli* Bertsch & Ferreira, 1974:343† [=Hypselodoris]
- Thorunna montrouzieri* Rudman, 1995:37
Coleman, 2001:†
- Thorunna nivalis* (Baba, 1937) |Noumea|
Bertsch & Gosliner, 1990:18; Bertsch & Johnson, 1981:61†
- Thorunna norba* (Marcus & Marcus, 1970) |Noumea|
Johnson, 1984a:8†; Johnson & Boucher, 1983:275
- Thorunna picta* (Pease, 1860) |Doris|
- Thorunna punicea* (Rudman, 1995) |Hypselodoris|
Gosliner & Johnson, 1999:65
- Thorunna purpuropedis* Rudman & Johnson in Rudman, 1985:289†
Ono, 2004:197†
- Thorunna speciosus* Rudman, 1990a:318†
- Thorunna talaverai* Ortea, Bacallado, & Valdes, 1992:65†
- Thorunna tura* (Marcus & Marcus, 1967) |Chromodoris| [=Mexichromis]
- Thorunna* sp. “glorious Thorunna” Coleman, 2001:†
- Thorunna* sp. “purple Thorunna” Coleman, 2001:†
- Thorunna* sp. Hoover, 1998:169† [=T. kahuna]
- Thorunna* sp. Marcus & Marcus, 1960:901
- Thorunna* sp.1 Marshall & Willan, 1999:117†
- Thorunna* sp.2 Nakano, 2004:190†
- Thorunna* sp. Ono, 1999:92†
- Thorunna* sp. Ono, 2004:198†
- Thorunna* sp. cf. *montrouzieri* Rudman, 1995
Nakano, 2004:190†; Ono, 2004:199†
- Tyrinna** Bergh, 1898:523
Marcus, 1959:29; Muniain, Valdes, Ortea, 1996:265; Rudman, 1984:244; Schrödl & Millen, 2001:1145; Thiele, 1931:431; 1992:709
- Tyrinna evelinae* (Marcus, 1958) |Cadmia|
Behrens, 1991:61†; 2004:39; Behrens & Hermosillo, 2005:86†; Camacho-Garcia, Gosliner, & Valdes, 2005:85†; Schrödl & Millen, 2001:1160; Valdes & Afonso, 2003:1976
- **Tyrinna nobilis* Bergh, 1898:524 [=Doris delicata]
Marcus, 1959:31; Muniain, Valdes, Ortea, 1996:266; Schrödl, 1996:22†; 2003:31†; Schrödl & Millen, 2001:1146; Schrödl, et al., 2005:26†

Tyrinna pusae Marcus, 1959:33 [= *Tyrinna nobilis*]

Tyrinna sp. Eliot, 1913:21

Verconia Pruvot-Fol, 1931:310

**Verconia verconis* (Basedow & Hedley, 1905) | *Albania*

Burn, 1989:762; Coleman, 2001:†; Debelius, 1996:†; Rudman, 1986b:†; Wells & Bryce, 1993:135†

Actinocyclidae Pruvot-Fol, 1934

Franc, 1968:867; Kay, 1979:471; O'Donoghue, 1929:727; Parker, 1982:1043

Actinocyclus Ehrenberg, 1831

[= *Sphaerodoris*] [non Tiberi, = *Dendrodoris*]

Adams & Adams, 1858:50; Bergh, 1877c:67; Chenu, 1859:401; Franc, 1968:867; Gray, 1857:209; O'Donoghue, 1929:727; Thiele, 1931:432; 1992:710; Valdes, 2002:193

Actinocyclus fragilis Ehrenberg, 1831

Bergh, 1877c:67; O'Donoghue, 1929:728

Actinocyclus grandiflora Rüppell

Tiberi, 1880:196

Actinocyclus japonicus (Eliot, 1913) | *Sphaerodoris*

Baba, 1933a:169; 1949:148†; Bertsch & Johnson, 1981:43†; Coleman, 1989:21†; 2001:†; Lin & Tchang, 1965:11; Kay, 1979:471; Kay & Young, 1969:216; Suzuki, 2000:92†; Wells & Bryce, 1993:94†; Willan & Coleman, 1984:34†

Actinocyclus laevis var. *variegatus* (Eliot, 1904) | *Sphaerodoris*

Baba, 1949:148†

Actinocyclus limbatus Cuvier [= *Dendrodoris*; = *Doridopsis*]

Tiberi, 1880:197

Actinocyclus ocellatus

Actinocyclus papillatus (Bergh 1878)

Nakano, 2004:119†; Valdes, 2002:199

Actinocyclus setiger Rüppell

Actinocyclus tuberculatus (Cuvier, 1804) | *Doris* | [= *Doris*]

Tiberi, 1880:198

Actinocyclus velutinus Ehrenberg, 1831 [= *Doridopsis*]

Bergh, 1877c:67; O'Donoghue, 1929:728

**Actinocyclus verrucosus* Ehrenberg, 1831 [= *Doridopsis*; = *Sphaerodoris*]

Bergh, 1877c:65; Nakano, 2004:120†; Ono, 2004:128†; Valdes, 2002:194

Halla Bergh, 1878a:572
(non Costa, 1844) [= *Hallaxa*]

Bergh, 1892:105(1097); 1905a:115

Halla decorata Bergh, 1878b:573

Halla indecora Bergh, 1905a:116

***Hallaxa* Eliot, 1909**

Franc, 1968:867; Gosliner & Johnson, 1994:155; Gosliner & Williams, 1975:403; McDonald, 1983:188; McDonald & Nybakken, 1980:48; Miller, 1987:123; O'Donoghue, 1929:814; Ortea, Valdes, & Templado, 1997:86; Thiele, 1931:432; 1992:710; Vayssi  re, 1912:33

Hallaxa albopunctata Gosliner & Johnson, 1994:171

Hallaxa apefiae Marcus, 1957:421

Gosliner & Johnson, 1994:157; Ortea, Valdes, & Templado, 1997:86

Hallaxa atrotuberculata Gosliner & Johnson, 1994:159  

Cobb & Willan, 2005:62  ; Marshall & Willan, 1999:86  

Hallaxa chani Gosliner & Williams, 1975:396

Behrens, 1980:62  ; 1991:61  ; Behrens & Hermosillo, 2005:66  ; Farmer, 1980:43; Goddard, 1981:157; Gosliner & Johnson, 1994:158; McDonald, 1983:189; McDonald & Nybakken, 1980:48  

Hallaxa cryptica Gosliner & Johnson, 1994:178  

Behrens, 2005:  ; Marshall & Willan, 1999:86  ; Nakano, 2004:120  ; Ono, 2004:129  

Hallaxa decorata (Bergh, 1878) |*Halla*| (non O'Donoghue, 1929:814 =*H. indecora*)

Eliot, 1909a:90

Hallaxa elongata Gosliner & Johnson, 1994:169  

Hallaxa gilva Miller, 1987:125

Hallaxa hileenae Gosliner & Johnson, 1994:176  

Ono, 2004:129  

Hallaxa iju Gosliner & Johnson, 1994:167  

Coleman, 2001:  ; Nakano, 2004:121  ; Ono, 2004:128  

Hallaxa indecora (Bergh, 1905) |*Halla*|

Abe, 1964:50; Baba, 1949:149  ; Burn, 1958:10; 1966a:273; Gosliner & Johnson, 1994:174; Nakano, 2004:121  ; Ono, 1999:104  ; 2004:130  ; Vayssi  re, 1912:33

Hallaxa michaeli Gosliner & Johnson, 1994:182  

Coleman, 2001:  

Hallaxa paulinae Gosliner & Johnson, 1994:172  

Ono, 2004:128  

Hallaxa translucens Gosliner & Johnson, 1994:163  

Coleman, 2001:  

Hallaxa sp. "brown Hallaxa" Coleman, 2001:  

Hallaxa sp. "Coleman's Hallaxa" Coleman, 2001:  

Hallaxa sp. Gosliner, 1987b:69   [=*H. albopunctata*]

Hallaxa sp. Gosliner & Johnson, 1994:165

Hallaxa sp. McDonald, 1975 [=*H. chani*]

***Sphaerodoris* Bergh, 1878a:586**
[=*Actinocyclus*]

Bergh, 1877c:66; 1890a:924; 1892:121(1113); Eliot, 1904:402; 1913:21; Fischer, 1883:521

Sphaerodoris incii (Alder in Gray, 1850) |*Doris*|

Sphaerodoris japonica Eliot, 1913:23 [=Actinocyclus; =Actinocyclus verrucosus]

Sphaerodoris laevis Bergh, 1890a:925 [=Actinocyclus verrucosus]
Eliot, 1910:431

Sphaerodoris laevis var. *variegata* Eliot, 1904:403 [=Actinocyclus papillatus]

Sphaerodoris papillata Bergh, 1878a:590 [=Actinocyclus]

Sphaerodoris punctata Bergh, 1878a:587 [=Actinocyclus verrucosus]

Sphaerodoris verrucosa (Ehrenberg, 1831) |Actinocyclus|

Miamiridae Bergh, 1891:143

Bergh, 1892:120(1112); 1905:80; Franc, 1968:867; MacFarland, 1906:130; Parker, 1982:1043; Thiele, 1931:433; 1992:711

Ceratosoma J. E. Gray in M. E. Gray, 1850b:105
[vide Rudman, 1984a]

Abraham, 1876a:140; 1877:233; Adams & Adams, 1858:56; Adams & Reeve, 1850:67; Bergh, 1876a:392; 1880b:28; 1884a:79; 1890a:945; 1892:119(1111); 1905a:164; Chenu, 1859:403; Cotton & Godfrey, 1933:104; Eliot, 1904:400; 1906e:552; Fischer, 1883:520; Franc, 1968:868; Gosliner, 1996:120; Gray, 1857:216; Pruvot-Fol, 1935:223; Rochebrune, 1895:123; Rudman, 1984:170; 1984a:104; Thiele, 1931:433; 1992:711; Thompson, 1975:496 (synopsis of species); Valdes & Gosliner, 1999:34

Ceratosoma adelaide Basedow & Hedley, 1905:156 [=C. brevicaudatum]
Burn, 1962a:153; Cotton & Godfrey, 1933:106

Ceratosoma alleni Gosliner, 1996:116†
Behrens, 2005:†; Gosliner, Behrens, & Williams, 1996:162†

Ceratosoma amoena (Cheeseman, 1886) |Chromodoris| [=Chromodoris; =Glossodoris]
Coleman, 1989:39†; 2001:†; Debelius, 1996:†; Powell, 1937a:121; Rudman, 1984:179; 1988:171†;
Wells & Bryce, 1993:129†

Ceratosoma berghi Rochebrune, 1895:125 [=C. trilobatum]

Ceratosoma bicolor Baba, 1949:146† [=C. trilobatum]
Baba, 1989d:147; Masuda, 1999:108†; Okutani, 2000:789†; Suzuki, 2000:88†

Ceratosoma bicone Bergh, 1905a:167† [=C. tenuum]

Ceratosoma brevicaudatum Abraham, 1876a:142
Allan, 1950:222†; Basedow & Hedley, 1905:154; Burn, 1957:18; 1961d:316; 1962a:150; 1966a:273;
1966c:77; 1966e:333; 1989:763; Coleman, 1989:40†; 2001:†; Cotton & Godfrey, 1933:106; Debelius,
1996:†; O'Donoghue, 1924a:558; Rochebrune, 1895:130; Rudman, 1984:175; 1986b:†; 1988:165†;
Wells & Bryce, 1993:129†; Willan & Coleman, 1984:30†

Ceratosoma caledonicum Fischer, 1876:92 [=C. cornigerum; =C. trilobatum]
Risbec, 1928:158; Rochebrune, 1895:128

Ceratosoma corallinum Odhner, 1917:60 [=C. cornigerum; =C. trilobatum]
Willan & Coleman, 1984:30†

**Ceratosoma cornigerum* Adams & Reeve, 1850:68 [=C. trilobatum] (non Bergh, 1905
partim. nor Eliot, 1904 partim. nor Pruvot-Fol, 1933 nor Rudman, 1984:172, fig. 38C
only nor Thompson, 1975 partim. =C. tenuum; non Bergh, 1905:165-167 partim. =C.
moloch; Baba, 1933; Eliot, 1913:27 =C. trilobatum var. A; Baba, 1949:145†,

- Nishimura & Suzuki, 1971 =*C. trilobatum* var. B; non Willan & Coleman, 1984:30†
 =*C. gracillimum*)
 Bergh, 1876a:393; 1905a:165; Bertsch & Gosliner, 1990:16; Burn, 1975b:106; Edmunds, 1971:368;
 Eliot, 1904:401; 1913:27; Farran, 1905a:343; Kay, 1979:466; Kay & Young, 1969:198; Pruvot-Fol,
 1933a:148; 1933b:128†; Rochebrune, 1895:124; Rudman, 1984:171; 1984a:104; Thompson,
 1975:497†; 1976:†; 1976a:†
- Ceratosoma cornigerum* var. Bergh, 1884a:80 [=*C. berghi*; =*C. trilobatum*]
- Ceratosoma cornigerum* var. Bergh, 1905a:166†
- Ceratosoma francoisi* Rochebrune, 1894:55 [=*C. trilobatum*] (non Odhner, 1934
 =*Risbecia tryoni*; non Risbec, 1928:159† =*Risbecia odhneri* =*Risbecia tryoni*)
 Rochebrune, 1895:135
- Ceratosoma gibbosum* Rochebrune, 1894:55 [=*C. trilobatum*]
 Rochebrune, 1895:135
- Ceratosoma gracillimum* Semper in Bergh, 1876a:403 (non Debelius, 1996:222† =*C. trilobatum*)
 Coleman, 1989:40†; 2001:†; Eliot, 1906e:553; Marshall & Willan, 1999:88†; Ono, 2004:161†; Risbec,
 1956:13; 1956:13; Rochebrune, 1895:128; Rudman, 1984:174; 1988:156†; Tonozuka 2003:104†
- Ceratosoma ingozi* Gosliner, 1996:115†
- Ceratosoma jousseaumei* Rochebrune, 1894:55 [=*C. cornigerum*; =*C. tenue*]
 Rochebrune, 1895:132; White, 1951:248
- Ceratosoma lixi* Rochebrune, 1894:55 [=*C. trilobatum*]
 Rochebrune, 1895:134
- Ceratosoma magnificum* (Eliot, 1910) |*Miamira*|
 Behrens, 2005:†; Coleman, 2001:†
- Ceratosoma miamirana* (Bergh, 1875) |*Orodoris*|
 Dominguez, Moreira, & Troncoso, 2004:101†; Ono, 2004:160†; Tonozuka 2003:106†; Valdes &
 Gosliner, 1999:37†
- Ceratosoma moloch* Rudman, 1988:158†
 Coleman, 2001:†; Colin & Arneson, 1995:180†; Marshall & Willan, 1999:88†; Nakano, 2004:153†;
 Ono, 2004:162†
- Ceratosoma oblongum* Abraham, 1876a:143 [=*C. brevicaudatum*]
 Rochebrune, 1895:131
- Ceratosoma ornatum* Bergh, 1890a:946 [=*C. cornigerum*; =*C. tenue*]
 Eliot, 1910:431; Farran, 1905a:343
- Ceratosoma palliollatum* Rudman, 1988:162†
 Coleman, 2001:†; Ono, 1999:93†; 2004:161†
- Ceratosoma polyomma* Bergh, 1880b:29 [=*C. cornigerum*]
 Rochebrune, 1895:130
- Ceratosoma pustulosus* (Cuvier, 1804) |*Doris*|
 Rudman, 1988:178
- Ceratosoma rhopalicum* Rochebrune, 1894:55 [=*C. cornigerum*; =*C. tenue*]
 Rochebrune, 1895:133
- Ceratosoma sinuata* (van Hasselt, 1824) |*Doris*|

Behrens, 2005:†; Coleman, 2001:†; Nakano, 2004:154†; Ono, 2004:162†; Tonozuka 2003:107†; Valdes & Gosliner, 1999:34†; Yonow, 2001:4†

Ceratosoma tenue Abraham, 1876a:141 [?=C. cornigerum]

Allen & Steene, 1994:†; Behrens, 2005:†; Coleman, 2001:†; Debelius, 1996:†; Hoover, 1998:160†; King & Fraser, 2002:118†; Nakano, 2004:151†; Ono, 1999:93†; 2004:161†; Rochebrune, 1895:132; Rudman, 1988:148†; Smith, 1884:90; Tonozuka 2003:106†; Wells & Bryce, 1993:129†; Yonow, 1989:302†; 2001:4†

**Ceratosoma trilobatum* (Gray, 1827) |Doris| [?=C. cornigerum] (non Rudman, 1988:137, 148 =C. bicolor)

Allen & Steene, 1994:†; Baba, 1989d:141; Behrens, 2005:†; Bergh, 1876a:405; Coleman, 1989:40†; 2001:†; Colin & Arneson, 1995:180†; Debelius, 1996:†; Dominguez, Moreira, & Troncoso, 2004:102; Eliot, 1906e:552; Marshall & Willan, 1999:89†; Nakano, 2004:152†; Okutani, 2000:787†; Ono, 2004:159†; Rochebrune, 1895:126; Rudman, 1984a:104; 1988:135†; Salleh, Akib, Yasin, Mohammad, & Shau-Hwai, 2001:488; Suzuki, 2000:85†; Tonozuka 2003:105†; Wells & Bryce, 1993:129†

Ceratosoma trilobatum var. A Baba, 1989d:141

Ceratosoma trilobatum var. B Baba, 1989d:144

Ceratosoma trilobatum var. C Baba, 1989d:146

Ceratosoma webbii (Orbigny, 1839) |Polycera|

Ceratosoma sp. “Coleman’s Ceratosoma” Coleman, 2001:†

Ceratosoma sp. “netted Ceratosoma” Coleman, 2001:†

Ceratosoma sp. Fujita, 1892c:250 [=C. cornigerum; =C. trilobatum var. A]

Ceratosoma sp. Gosliner, 1987b:85† [=C. ingozi]

Ceratosoma sp. Lin, 1989:16

Ceratosoma sp. Masuda, 1999:109†

Ceratosoma sp. Salleh, Akib, Yasin, Mohammad, & Shau-Hwai, 2001:488

Ceratosoma sp.1 Suzuki, 2000:88†

Graviera Vayssi  re, 1912:29
[?=Sclerodoris]

Franc, 1968:868; Thiele, 1931:437; 1992:716

**Graviera rugosa* Vayssi  re, 1912:30

Miamira Bergh, 1875d:53

[=Ceratosoma Gray, 1850]

Abraham, 1877:228; Bergh, 1876a:412; 1892:120(1112); 1905:80; Eliot, 1904:405; Fischer, 1883:522; Franc, 1968:868; Thiele, 1931:433; 1992:711

Miamira flavicostata Baba, 1940a:239 [=M. sinuata]

Baba, 1949:147†

Miamira magnifica Eliot, 1910:432 [=M. sinuata] (non Debelius, 1996:244, top photo
=Orodoris miamirana)

Coleman, 1989:27†; Debelius, 1996:†; Masuda, 1999:114†; Okutani, 2000:791†; Wells & Bryce, 1993:135†; Willan, 1982:†; Willan & Coleman, 1984:30†; Yonow, 1994:123†

**Miamira nobilis* Bergh, 1875d:53 [=M. sinuata]

Gary McDonald, Long Marine Lab, 100 Shaffer Rd., Santa Cruz, Cal. 95060

Bergh, 1876a:412; Eliot, 1904:405; Hoffmann, 1933:†; Smith, 1884:90

Miamira sinuata(Hasselt, 1824) |*Doris*| [=Ceratosoma] (non Debelius, 1996:243
=Orodoris miamirana)

Baba & Hamatani, 1974:83; Bergh, 1905:81; Coleman, 1989:26†; Colin & Arneson, 1995:184†;
Debelius, 1996:242†; Gosliner, Behrens, & Williams, 1996:166†; Hoover, 1998:168†; Masuda,
1999:115†; Ono, 1999:102†; Suzuki, 2000:93†; Wells & Bryce, 1993:135†; Willan & Coleman,
1984:30†

Miamira sp. Debelius, 1996:†

Orodoris Bergh, 1875d:67

[=Ceratosoma Gray, 1850]

Abraham, 1877:222; Bergh, 1877:429; 1892:120(1112); Eliot, 1904:404; 1910:431; Franc, 1968:868;
Thiele, 1931:433; 1992:712; Vayssi  re, 1912:25

**Orodoris miamirana* Bergh, 1875d:67 [=Ceratosoma]

Bergh, 1877:429; Eliot, 1904:404; Marcus & Marcus, 1970:164; Marshall & Willan, 1999:79†; Ono,
1999:103†; Vayssi  re, 1912:25; Wells & Bryce, 1993:135†

Orodoris striata Eliot, 1905c for 1904:269 [=O. miamirana]

Eliot, 1910:432; Marcus & Marcus, 1970:164; Valdes & Gosliner, 1999:41

Orodoris sp. “red-speckled Orodoris” Coleman, 2001:†

Conualeviidae

Conualeviinae Collier & Farmer, 1964

Conualevia Collier & Farmer, 1964:381

McDonald, 1983:157; McDonald & Nybakken, 1980:48; Valdes, 2002c:611

Conualevia alba Collier & Farmer, 1964:383†

Behrens, 1980:56†; 1991:62†; Behrens & Hermosillo, 2005:77†; Camacho-Garcia, Gosliner, & Valdes,
2005:92†; Farmer, 1980:97; Ferreira, 1972:53; McDonald, 1983:157; McDonald & Nybakken, 1980:48†

**Conualevia marcusii* Collier & Farmer, 1964:381†

Behrens & Hermosillo, 2005:78†; Farmer, 1980:98; Marcus & Marcus, 1970b:198; Valdes, 2002c:611†

Conualevia mizuna Marcus & Marcus, 1967:167

Inudinae Marcus & Marcus, 1967:143, 182

Inuda Marcus & Marcus, 1967:181 [=Cadlina]

**Inuda luarna* Marcus & Marcus, 1967:182 [=Cadlina]

Farmer, 1980:104; Valdes & Angulo Campillo, 2000:77

Aldisidae Odhner, 1939

Franc, 1968:868; Nordsieck, 1972:59; Parker, 1982:1043; Schmekel & Portmann, 1982:73; Thompson,
1988:218; Thompson & Brown, 1984:78

Aldisa Bergh, 1878

Bergh, 1879a:348; 1892:106(1098); 1899:7; Eliot, 1910d:150; Fez Sanchez, 1974:110; Gosliner,
1996a:196; McDonald, 1983:142; McDonald & Nybakken, 1980:50; Millen & Gosliner, 1985:229 (key
to species); Nordsieck, 1972:59; Odhner, 1907:19; Pruvot-Fol, 1954b:267; Schmekel & Portmann,
1982:73; Thiele, 1931:433; 1992:711; Thompson, 1988:218; Thompson & Brown, 1984:78; Valdes,
2002c:578; Vayssi  re, 1901a:27; 1913a:322

Aldisa alabastrina (Cooper, 1862) |*Doris (Asteronotus)*|

O'Donoghue, 1926:209

Aldisa albatrossae Elwood, Valdés, & Gosliner, 2000:171†

Nakano, 2004:122†; Ono, 2004:130†

Aldisa albomarginata Millen in Millen & Gosliner, 1985:196†

Behrens, 1991:62†; 2004:39; Behrens & Hermosillo, 2005:67†; Lamb & Hanby, 2005:254

Aldisa andersoni Gosliner & Behrens, 2004:5†

Behrens, 2005:†

Aldisa banyulensis Pruvot-Fol, 1951:12

Ballesteros, 1985:17; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:55†; Garcia-Gomez, 2002:134†; García, García, & Cervera, 1986a:97; Nordsieck, 1972:59†; Ortea, 1978:109; Perrone, 1986a:29; Pruvot-Fol, 1954b:269; Schmekel & Portmann, 1982:97†; Trainito, 2003:28†; 2005:56†

Aldisa barlettai Ortea & Ballesteros, 1989:155†

Aldisa benguelae Gosliner in Millen & Gosliner, 1985:203†

Gosliner, 1987b:73†

Aldisa berghi Vayssiére, 1901a:27 [=*Doris ocelligera*]

Fez Sanchez, 1974:110; Nordsieck, 1972:59; Pruvot-Fol, 1954b:269; Vayssiére, 1913a:322

Aldisa binotata Pruvot-Fol, 1953b:68 [=*A. banyulensis*]

Millen & Gosliner, 1985:205

Aldisa cooperi Robilliard & Baba, 1972 |*Aldisa sanguinea cooperi*|

Behrens, 1991:63†; Behrens & Hermosillo, 2005:67†; Choe & Lee, 1994:362†; Goddard, 1984:145; Lamb & Hanby, 2005:257†; Millen & Gosliner, 1985:207†; Nakano, 2004:122†; Okutani, 2000:795†; Suzuki, 2000:92†

Aldisa erwinkoechleri Perrone, 2001:107

Behrens, 2005:†

Aldisa expleta Ortea, Perez, & Llera, 1981:10† [=*A. banyulensis*]

Aldisa millegrana (Alder & Hancock, 1854) |*Doris*| [=*Aporodoris*]

Aldisa nhatrangensis Risbec, 1956:14 [=*Actinocyclus verrucosus*]

Risbec, 1956a:14

Aldisa pikokai Bertsch & Johnson, 1982:208

Hoover, 1998:158†; Millen & Gosliner, 1985:209; Nakano, 2004:123†; Ono, 2004:133†; Sage, 1982:5; Yonow, Anderson, & Buttress, 2001:843†

Aldisa sanguinea (Cooper, 1863) |*Doris (Asteronotus)*| (non Farmer & Collier, 1963

=*Thordisa bimaculata*)

Baba, 1940:104; 1949:150†; Behrens, 1980:50†; 1991:63†; 2004:39; Behrens & Hermosillo, 2005:67†; Farmer, 1980:49; Ferreira & Bertsch, 1975:327; Goddard, 1984:145; Gosliner, 1996a:196; MacFarland, 1905:42; 1906:123†; 1966:169†; Marcus, 1961:16; McDonald, 1983:142; McDonald & Nybakken, 1980:50†; Millen & Gosliner, 1985:211; Nordsieck, 1972:59; Roller, 1969:280

Aldisa sanguinea cooperi Robilliard & Baba, 1972:409

Behrens, 1980:50†; McDonald, 1983:143

Aldisa smaragdina Ortea, Perez, & Llera, 1982:14† [=*A. binotata*]

Ballesteros, Barrajón, Luque, Moreno, Talavera, & Templado, 1986:49; Garcia-Gomez, 2002:137†; Luque, 1983:66; Malaquias, Cervera, Abreu, & López-González, 2001:†; Ortea, Moro, Caballer, & Bacallado, 2003:171†; Trainito, 2005:56†; Wirtz, 1998a:†; 1999:†

- Aldisa tara* Millen in Millen & Gosliner, 1985:212†
 Behrens, 1991:63†; Behrens & Hermosillo, 2005:68†; Lamb & Hanby, 2005:253
- Aldisa trimaculata* Gosliner in Millen & Gosliner, 1985:216†
- Aldisa williamsi* Elwood, Valdés, & Gosliner, 2000:174†
- **Aldisa zetlandica* (Alder & Hancock, 1854) |Doris|
 Bergh, 1879a:348; 1899:8; 1900a:5; Eliot, 1910d:105; Filatova & Zatsepin, 1948:397; Grieg, 1913a:5;
 Hoffmann, 1926:0; Lemche, 1938:17; MacGinitie, 1959:143; Millen & Gosliner, 1985:219; Nordsieck,
 1972:59; Odhner, 1907:20; 1939:30; Picton & Morrow, 1994:80†; Pruvot-Fol, 1954b:268; Thompson,
 1988:218; Thompson & Brown, 1976:124; 1984:78†; Valdes, 2002c:579; Vayssiére, 1913a:322
- Aldisa* sp. Behrens, 1980:100† [=*A. albomarginata*]
- Aldisa* sp. Bertsch & Johnson, 1981:44† [=*A. pikokai*]
- Aldisa* sp. “cakey Aldisa” Coleman, 2001:†
- Aldisa* sp. “speckled Aldisa” Coleman, 2001:†
- Aldisa* sp.1 Marshall & Willan, 1999:71†
- Aldisa* sp. Masuda, 1999:115†
- Aldisa* sp.1 Ono, 1999:115†
- Aldisa* sp.2 Ono, 1999:115†
- Aldisa* sp.1 Ono, 2004:132†
- Aldisa* sp.2 Ono, 2004:133†
- Aldisa* sp. Pruvot-Fol, 1953 [=*A. banyulensis*]
- Aldisa* sp. Yonow, 1997:†

Aporodoris Ihering, 1886

see under Discodorididae, pg. 123

Rostangidae Pruvot-Fol, 1951

Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:105; Franc, 1968:868; Hayward, Wigham, & Yonow, 1990:718; Nordsieck, 1972:59; Parker, 1982:1044; Schmekel & Portmann, 1982:73; Thompson, 1988:220; Thompson & Brown, 1984:78

Boreodoris Odhner, 1939:31
 [=Rostanga]

Franc, 1968:868; Nordsieck, 1972:59; Pruvot-Fol, 1954b:282

**Boreodoris setidens* Odhner, 1939:31
 Nordsieck, 1972:59; Pruvot-Fol, 1954b:282

Rhabdochila Fischer, 1883:521
 [=Rostanga partim.]

**Rhabdochila coccinea* (Forbes in Alder & Hancock, 1848)

Rostanga Bergh, 1879

Bergh, 1879a:353; 1881b:99; 1892:105(1097); Eliot, 1910d:149; Fez Sanchez, 1974:116; Franc,
 1968:868; Garovoy, Valdés, & Gosliner, 2001:140 (table of species); McDonald, 1983:208; McDonald
 & Nybakken, 1980:50; Muniain & Valdes, 2000:1; Nordsieck, 1972:59; Odhner, 1907:20; Pruvot-Fol,
 Gary McDonald, Long Marine Lab, 100 Shaffer Rd., Santa Cruz, Cal. 95060

- 1954b:277; Risbec, 1953:50; Schmekel & Portmann, 1982:73; Thiele, 1931:432; 1992:710; Thompson, 1975:487 (synopsis of species); 1988:220; Thompson & Brown, 1984:79; Valdés & Gosliner, 2001:141; Vayssière, 1901a:24; 1913a:321
- Rostanga alisae* Martynov, 2003:141
- Rostanga aliusrubens* Rudman & Avern, 1989:317†
- Rostanga ankyra* Valdés, 2001:294
- Rostanga anthelia* Perrone, 1991b:179†
- Rostanga arbutus* (Angas, 1864) |*Doris*| (non Abe, 1964 nor Baba, 1937f:4 nor 1949:149† =*R. orientalis* or =*R. risbeci*; non Burn, 1957:18 nor 1966a:273 nor Willan & Coleman, 1984 =*R. calamus*; non Lim & Chou, 1970 =*R. bifurcata*)
Abe, 1964:51; Allan, 1947:445; 1950:221; Burn 1965:86; 1969:82; 1989:765; Ono, 1999:111†; Orr, 1980:113; 1981:50†; Rudman & Avern, 1989:284†; Thompson, 1975:487†; Willan & Coleman, 1984:34†
- Rostanga atrata* (Kelaart, 1859) |*Doris*|
Risbec, 1953:50; Rudman & Avern, 1989:331
- Rostanga aureamala* Garovoy, Valdés, & Gosliner, 2001:135†
- Rostanga australis* Rudman & Avern, 1989:312†
Coleman, 2001:†
- Rostanga bassia* Rudman & Avern, 1989:310†
- Rostanga bifurcata* Rudman & Avern, 1989:293†
Wells & Bryce, 1993:108†
- Rostanga byga* Marcus, 1958a:22
Marcus, 1970:942; Muniain & Valdes, 2000:3; Rudman & Avern, 1989:329
- Rostanga calamus* Rudman & Avern, 1989:300†
Coleman, 2001:†
- Rostanga caryophylliedies*
- **Rostanga coccinea* (Forbes in Alder & Hancock, 1848) |*Doris*| [=*R. rubra*; =*R. rufescens*]
Bergh, 1881b:100; Fez Sanchez, 1974:117; Hoffmann, 1926:11; Løyning, 1927:249; Nobre, 1931:43; 1936:29; 1938-40:54; Odhner, 1907:20; Vayssière, 1901a:24; 1913a:321
- Rostanga dentacus* Rudman & Avern, 1989:323
Marshall & Willan, 1999:83†
- Rostanga elandsia* Garovoy, Valdés, & Gosliner, 2001:132†
- Rostanga evansi* Eliot, 1906d:144 [=*Jorunna*]
Rudman & Avern, 1989:331
- Rostanga hartleyi* Burn, 1958:11 [=*Jorunna*]
Burn, 1969:82; Rudman & Avern, 1989:332
- Rostanga lutescens* (Bergh, 1905) |*Discodoris*|
Johnson & Bertsch, 1985:406; Rudman & Avern, 1989:329
- Rostanga muscula* Abraham, 1877 |*Doris*| (non Baba, 1935a:344 nor Eliot, 1913:20 =*R. orientalis*)

Coleman, 2001:†; Eliot, 1907a:339; Gosliner, 1987b:71†; Powell, 1979:285; Rudman & Avern, 1989:305†

Rostanga orientalis Rudman & Avern, 1989:322

Baba, 1991b:44†; Nakano, 2004:141†; Okutani, 2000:793†; Suzuki, 2000:94†

Rostanga perspicillata Bergh, 1881b:104 [=*R. rubra*]

García, 1986a:78; Perrone, 1990b:25; Vayssiére, 1901a:25; 1913a:322

Rostanga phepha Garovoy, Valdés, & Gosliner, 2001:137†

Rostanga rosi (Ortea, 1977) |*Discodoris*|

Dayrat & Gosliner, 2005:203

Rostanga pulchra MacFarland, 1905:40

Behrens, 1980:70†; 1991:64†; 2004:39; 2005:†; Behrens & Hermosillo, 2005:76†; Camacho-Garcia, Gosliner, & Valdes, 2005:90†; Farmer, 1980:108; Guernsey, 1912:77; Hoffmann, 1933:†; Lamb & Hanby, 2005:258†; MacFarland, 1906:119†; 1966:165†; Marcus, 1959:35; 1961:15; Marcus & Marcus, 1969a:20; McDonald, 1983:208; McDonald & Nybakken, 1980:50†; Muniain & Valdes, 2000:2; O'Donoghue, 1922a:152; 1926:208; Rudman & Avern, 1989:330; Schrödl, 1996:22†; 2003:33†

Rostanga risbeci Baba, 1991b:47†

Nakano, 2004:142†; Okutani, 2000:793†; Ono, 2004:150†

Rostanga rubicunda (Cheeseman, 1881) |*Doris*| [=*R. muscula*]

Powell, 1979:285; Willan & Morton, 1984:85

Rostanga rubra (Risso, 1818) |*Doris*| [=*R. coccinea*]

Barletta, 1981:63; Brown & Picton, 1979:16; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:105†; García, 1986a:77; Garcia-Gomez, 2002:138†; Hayward, Wigham, & Yonow, 1990:718; Hunnam & Brown, 1975:139; Nordsieck, 1972:59†; Perrone, 1986a:29; Picton & Morrow, 1994:82†; Pruvot-Fol, 1951:11; 1954b:277; Riedl, 1970:428; 1983:335; Rudman & Avern, 1989:327; Schmekel & Portmann, 1982:95†; Thompson, 1988:220†; Thompson & Brown, 1976:126; 1984:79†; Trainito, 2003:38†; 2005:63†; Valdés & Gosliner, 2001:141†; Wirtz, 1999:†

Rostanga rubra var. *perspicillata* Bergh, 1881

Pruvot-Fol, 1954b:279

Rostanga rufescens Iredale & O'Donoghue, 1923 [=*R. coccinea*; =*R. rubra*]

Rostanga setidens (Odhner, 1939) |*Boreodoris*|

Valdés & Gosliner, 2001:145

Rostanga temarana Pruvot-Fol, 1953b:78 [=*R. rubra*]

Rostanga sp. Baba, 1990 [=*R. risbeci*]

Rostanga sp. Camacho-Garcia, Gosliner, & Valdes, 2005:90†

Rostanga sp. Coleman, 1989:21†

Rostanga sp. “spongy Rostanga” Coleman, 2001:†

Rostanga sp.1 Gosliner, 1987b:71† [=*R. elandsia*]

Rostanga sp.2 Gosliner, 1987b:72† [=*R. phepha*]

Rostanga sp.3 Gosliner, 1987b:72† [=*R. aureamala*]

Rostanga sp. Lim & Chou, 1970:102, 104 [=*R. setosa*]

Rostanga sp.1 Nakano, 2004:142†

- Rostanga* sp.2 Nakano, 2004:142†
Rostanga sp.3 Nakano, 2004:143†
Rostanga sp.4 Nakano, 2004:143†
Rostanga sp.5 Nakano, 2004:143†
Rostanga sp.6 Nakano, 2004:143†
Rostanga sp.7 Nakano, 2004:143†
Rostanga sp.8 Nakano, 2004:143†
Rostanga sp.9 Nakano, 2004:144†
Rostanga sp.1 Ono, 2004:76,150†
Rostanga sp.2 Ono, 2004:150†
Rostanga sp.A Ono, 2004:151†
Rostanga sp.B Ono, 2004:151†
Rostanga sp.C Ono, 2004:151†
Rostanga sp.D Ono, 2004:151†
Rostanga sp.E Ono, 2004:151†
Rostanga sp.F Ono, 2004:151†
Rostanga sp.1 Suzuki, 2000:94†
Rostanga sp.2 Suzuki, 2000:95†
Rostanga sp.3 Suzuki, 2000:95†

Dorididae Rafinesque, 1815

Adams & Adams, 1858:48; Bergh, 1876a:388; Burn, 1989:764; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:49; Chenu, 1859:401; Edmunds & Just, 1985:53; Fischer, 1883:520; Franc, 1968:868; Hoffmann, 1926:10; Just & Edmunds, 1985:50; Kay, 1979:457; Jeffreys, 1869:82; Jensen, 2000:436; 2000b:622; Leach, 1852:16; Nordsieck, 1972:60; Odhner, 1907:19 (key to genera); 1926:47 (synopsis of subfamilies); Parker, 1982:1044; Pelseneer, 1892a:144; Pruvot-Fol, 1954b:232; Riedl, 1970:428; Rudman, 1998:998; Sachidhanandam, Willan, & Chou, 2000:523; Satyamurti, 1952:234; Schmekel & Portmann, 1982:70; Thiele, 1926:111; 1931:430; 1992:707; Thompson, 1988:222; Thompson & Brown, 1984:80; Volodchenko, 1955:249; Wells & Bryce, 1993:93; Willan & Coleman, 1984:32; Willan & Morton, 1984:83

- Dorididae sp.A Lemche in Just & Edmunds, 1985:54†
Dorididae sp.B Lemche in Just & Edmunds, 1985:56†
Dorididae sp.1 Nakano, 2004:146†
Dorididae sp.2 Nakano, 2004:146†
Dorididae sp.3 Nakano, 2004:147†
Dorididae sp.4 Nakano, 2004:147†
Dorididae sp.5 Nakano, 2004:148†

- Dorididae sp.6 Nakano, 2004:148†
 Dorididae sp.7 Nakano, 2004:148†
 Dorididae sp.8 Nakano, 2004:148†
 Dorididae sp.1 Ono, 2004:156†
 Dorididae sp.2 Ono, 2004:156†
 Dorididae sp.3 Ono, 2004:157†
 Dorididae sp.4 Ono, 2004:157†
 Dorididae sp.5 Ono, 2004:158†
 Dorididae sp.6 Ono, 2004:158†
 Dorididae sp.7 Ono, 2004:159†
 Dorididae sp.1 Suzuki, 2000:98†
 Dorididae sp.2 Suzuki, 2000:99†

Nophodoris Valdés & Gosliner, 2001:178
 [not placed in family by Valdés & Gosliner, 2001:105]

Nophodoris armata Valdés & Gosliner, 2001:181

**Nophodoris infernalis* Valdés & Gosliner, 2001:178

Doridinae Rafinesque, 1815

Adams & Adams, 1858:48; Franc, 1968:869; Kay, 1979:458; Schmekel, 1970:195; Schmekel & Portmann, 1982:70; Thiele, 1931:434

Austrodonoris Odhner, 1926:55, 64, 68
 [=Doris]

Burn, 1968:90; Franc, 1968:869; MacFarland, 1966:171; Marcus, 1985:214 (synopsis of species); Odhner, 1934:255; Schmekel, 1968b:168; Thiele, 1931:434; 1992:713; Valdes, 2002c:542; Wägele, 1990:163 (table of species); 1993:184

Austrodonoris australis (Bergh, 1884) |*Archidoris*| [=*A. kerguelensis*]

Austrodonoris caeca Valdés, 2001:248

Austrodonoris crenulata Odhner, 1926:75 [=*A. kerguelensis*; =*Doris kerguelensis*]
 Wägele, 1990:174

Austrodonoris ellioti (Alder & Hancock, 1864) |*Doris*|
 Pruvot-Fol, 1954:16

Austrodonoris falklandica (Eliot, 1907) |*Staurodonoris*| [=*Archidoris*]
 Schrödl, 2003:49

Austrodonoris fulva (Eliot, 1907) |*Archidoris*| [=*Archidoris*]

Austrodonoris georgiensis García, Troncoso, García-Gómez, & Cervera, 1993:419 [=
Doris; =*A. kerguelensis*; =*Doris kerguelensis*]
 Troncoso, García, & García Gómez, 1997:22

Austrodoris grandis Minichev, 1972a:361 [=*A. kerguelensis*]
Wägele, 1993:184

Austrodoris granulatissima (Vayssi  re, 1917) |*Archidoris*| [=*A. kerguelensis*]
Odhner, 1934:263; Vicente & Arnaud, 1974:536; W  gele, 1990:178

Austrodoris kerguelensis (Bergh, 1884) |*Archidoris*| [=*Archidoris*]
Cattaneo-Vietti, 1991:223; Garc  a, Troncoso, Garc  a-G  mez, & Cervera, 1993:417; Schr  dl, 1996:28;
2003:48  ; Troncoso, Garcia, Backeljau, & Urgorri, 1994:114; 1996:38; Vald  s, 2001:244; W  gele,
1987a:183; 1990:165; W  gele & Schminke, 1987:  

Austrodoris laboutei Vald  s, 2001:252

Austrodoris longa Minichev, 1972 [=*A. kerguelensis*]
W  gele, 1993:184

Austrodoris macmurdensis Odhner, 1934:260 [=*A. kerguelensis*; =*Doris kerguelensis*]
Bouchet, 1977a:34; W  gele, 1990:178

Austrodoris mcmurdensis

Austrodoris michaelensi Odhner, 1926:68 [=*A. kerguelensis*; =*Doris kerguelensis*]
W  gele, 1990:178

Austrodoris mishu Marcus, 1985:219 [=*A. kerguelensis*; =*Doris kerguelensis*]
W  gele, 1990:178

Austrodoris nivium Odhner, 1934:267 (non Vicente, 1974:630 =*A. vicentei*) [=*A. kerguelensis*; =*Doris kerguelensis*]
Minichev, 1972a:361; W  gele, 1990:178

Austrodoris odhneri MacFarland, 1966:173   [=*Archidoris*; =*Doris*]

Austrodoris peculiaris (Abraham, 1877) |*Doris*|
Burn, 1962a:157; 1966a:274

Austrodoris peculiaris Burn, 1962 [=*Doris cameroni*]

**Austrodoris rubescens* (Bergh, 1898) |*Archidoris*| (non Odhner, 1926:71 =*A. kerguelensis*)
W  gele, 1990:174

Austrodoris stellata Minichev, 1972a:363 [=*A. kerguelensis*]
W  gele, 1993:184

Austrodoris tomentosa Odhner, 1934:265 [=*A. kerguelensis*; =*Doris kerguelensis*]
Vicente, 1974:629; W  gele, 1990:178

Austrodoris vicentei Marcus, 1985:217 [=*A. kerguelensis*; =*Doris kerguelensis*]
W  gele, 1990:178

Austrodoris violacea (Quoy & Gaimard, 1832) |*Doris*|
Pruvot-Fol, 1934:65  

Doridigitata Orbigny, 1839
[=*Doris*; =*Glossodoris*; =*Staurodoris*]

Barnard, 1927:176; Bouchet & Valdes, 2000:78; Steinberg, 1963:63; Valdes, 2002c:541

**Doridigitata bertheloti* Orbigny, 1839 [=*Glossodoris*]
Ortea & Bacallado, 1981:767

Doridigitata maculata O'Donoghue, 1926:206

Steinberg, 1963:63

Doridigitata sticta Iredale & O'Donoghue, 1923:229 [=Doris; =*Homoiodoris sticta* var. *lutea*]

Winckworth, 1934:10

Doridigitata verrucosa (Cuvier, 1804) |Doris|

Barnard, 1927:176

Doriorbis Kay & Young, 1969:177
[=Doris]

Valdes, 2002c:542

**Doriorbis nucleola* (Pease, 1860) |Doris| [=Siraius]

Kay, 1979:458; Kay & Young, 1969:178

Doris Linnaeus, 1758:653

Adams & Adams, 1858:51; Alder & Hancock, 1851a:fam. 1, pls. 1 & 2; Blainville, 1825:488; Bosc, 1830:108; Cantraine, 1841:52; Chenu, 1859:401; Cuvier, 1798:387; 1817:389; 1830:51; 1834:37; de Roisy, 1805:130; d'Orbigny, 1837:185; Eliot, 1910d:94, 147; Fischer, 1883:520; Fleming, 1822:467; Forbes & Hanley, 1850-1851:563; Franc, 1968:869; Gistel, 1851:171; Gistel & Bromme, 1850:563; Gmelin, 1791:3103; Gould, 1870:227; Gray, 1857:209; Hoeven, 1856:784; Jeffreys, 1869:82; Lamarck, 1819:309; Leach, 1852:17; Linnaeus, 1767:1083; MacGillivray, 1843:197; McDonald, 1983:182; McDonald & Nybakken, 1980:52; Meyer & Möbius, 1865:63; Montagu, 1815a:196; 1845c:263; Nordsieck, 1972:60; Odhner, 1926:64; Oken, 1815:282; Ortea, Perez, & Llera, 1981:18; Pruvot-Fol, 1935:234; 1954b:232; Rang, 1829:132; Risso, 1826:31; Rüppell & Leuckart, 1831:27; Sars, 1878:304; Schmekel, 1968b:168; Schmekel & Portmann, 1982:70; Thiele, 1931:434; 1992:713; Thompson, 1975:479; 1988:222; Thompson & Brown, 1984:80; Turton, 1807:119; Valdes, 2002c:540; Voigt, 1834:113

Doris acutiuscula Stimpson, 1842, Steenstrup in Moller, 1842

Bergh, 1893:412; Möller, 1842:79; 1842a:6

Doris affinis Gmelin, 1791:3106 [=Flabellina]

ICZN, 1966i:104

Doris affinis Thompson, 1840:85 [=D. bilamellata; =*Onchidoris bilamellata*; =*Onchidoris fusca*]

Thompson, 1856:272

Doris (Asteronotus) alabastrina Cooper, 1863:204 [=Aldisa]

Marcus & Marcus, 1967:186; O'Donoghue, 1926:205

Doris alba Hasselt, 1824a:238 [=Chromodoris] (non Orr, 1981 =*Noumea nivalis*)

Bergh, 1887a:309

Doris alba Hemprich [=Chromodoris pallida]

Doris albella Ehrenberg, MS [=Chromodoris pallida; =*Glossodoris xantholeuca*]

Doris albescens Schultz in Philippi, 1836:105 (Philippi, 1844) [=Chromodoris; =Chromodoris luteorosea; =Chromodoris purpurea; =Doriprismatica; =Glossodoris; =Glossodoris purpurea]

Cantraine, 1841:58; Verany, 2001:58

Doris albolimbata Rüppell & Leuckart, 1831:30 [=Dendrodoris; =*Doriopsis limbata*]

Yonow, 1989:309

- Doris albopunctata* Cooper, 1863a:58 [=Dendrodoris; =Doriopsis]
O'Donoghue, 1922c:143
- Doris albopustulosa* Pease, 1860:30 [=Chromodoris; =Glossodoris]
Pruvot-Fol, 1947:108
- Doris (?) alboranica* Bouchet, 1977a:29
- Doris amabilis* Kelaart, 1859:294 [=Chromodoris aspersa; =Chromodoris lilacina;
=Glossodoris]
Kelaart, 1883:88
- Doris amarilla* Poeppig, 1829, 1835
Schrödl, 2003:90
- Doris analampulla* Abraham, 1877:254
- Doris (Argus) angustipes* Mörch, 1863:32 [=Platydoris]
- Doris antarctica* Hedley, 1916:65 [=Austrodoris]
- Doris apiculata* Alder & Hancock, 1864:122 [=Halgerda; =Peronodoris]
Eliot, 1906b:1002; O'Donoghue, 1932:155
- Doris arborescens* Müller, 1776:229 [=Dendronotus]
Bosc, 1830:112; Fabricius, 1780:347; Gmelin, 1791:3107
- Doris arbutus* Angas, 1864:47 [=Rostanga]
Burn, 1965:86; Read, 1879:291
- Doris areolata* Alder & Hancock, 1864:119 [=Doris areoligera; =Atagema;
=Phlegmodoris; =Trippa]
Orr, 1981:53†
- Doris areolata* Stimpson, 1855:380
- Doris areolata* Stuwitz, 1836:76 [=Archidoris tuberculata]
- Doris areoligera* Abraham, 1877:206 [=Doris areolata]
- Doris argo* Linnaeus, 1767:1083 [=Platydoris] (non Bouchard-Chantereaux, 1835:136
=Archidoris tuberculata; =Doris flammea)
Blumenbach, 1807:433; Bosc, 1830:112; Cantraine, 1841:62; Cuvier, 1798:387; 1804c:449; de Roisy,
1805:136; Gmelin, 1791:3107; Hoeven, 1856:784; Lamarck, 1819:310; Oken, 1815:284; Perrier,
1954:97; Tiberi, 1880:200; Voigt, 1834:114
- Doris argo* Meckel, 1808 [=Doriopsis limbata]
- Doris argo* Pennant, 1777 [=Archidoris tuberculata] (non Dalyell, 1853:294 =D. dalyelli)
Forbes, 1840:102; Turton, 1807:133
- Doris argus* Rapp, 1827:517 [=Platydoris argo]
- Doris aripona* Kelaart, 1858 (lapsus for *D. ariponensis*)
Eliot, 1906a:667†; O'Donoghue, 1933:224
- Doris ariponensis* Kelaart, 1859b:268 [=Glossodoris]
O'Donoghue, 1933:224
- Doris aspera* Alder & Hancock, 1842:32 [=Lamellidoris; =Onchidoris; =Onchidoris
muricata]

- Alder & Hancock, 1854a:fam. 1, pl. 9†; Forbes & Hanley, 1850-1851:567; Jeffreys, 1869:87;
MacGillivray, 1843:199
- Doris aspersa* Gould, 1852 [=Chromodoris; =Glossodoris]
- Doris atrata* Kelaart, 1859:299 [=Dendrodoris fumata; =Dendrodoris nigra; =Doriopsis nigra; =Rostanga]
Kelaart, 1883:94
- Doris atrofusca* (MacGillivray, 1843) |*Tritonia*| [=Tritonia hombergi]
- Doris atromarginata* Cuvier, 1804:256 [=Casella; =Glossodoris; =Goniodoris]
Cuvier, 1817b:27; de Roisy, 1805:140; Lamarck, 1819:313; Quoy & Gaimard, 1832:251; Voigt, 1834:116
- Doris atroviridis* Kelaart, 1859:300 [=Dendrodoris nigra; =Doriopsis nigra (St.); =Doriopsis nigra var. atroviridis]
Kelaart, 1883:94
- Doris (Ctenodoris) aurantiaca* Eliot, 1913:5 [=Doriopsis granulosa; =Doriopsis pecten; =Doris granulosa; =Doris pecten]
- Doris aurata* Forbes, 1844:186
- Doris aurea* Quoy & Gaimard, 1832:265 [=Dendrodoris; =Doriopsilla; =Doriopsis]
Pruvot-Fol, 1933:401
- Doris auriculata* Linnaeus [=Tritonia]
- Doris auriculata* Müller, 1776:229 [=Facelina; =Facelina bostoniensis; =Facelina coronata; =Facelina drummondi]
Brown, 1981:335; ICZN, 1966d:91; Gmelin, 1791:3104; Lemche, 1964e:49
- Doris aurita* Gould, 1852 [=Doriopsis]
- Doris barnardii* Kelaart MS, Collingwood, 1868a:91 [=Chromodoris]
- Doris barvicensis* Johnston, 1838:55 [=Goniodoris nodosa]
Collingwood, 1861b:41; Thompson, 1840:87
- Doris beaumonti* Farran, 1904:4 [=Diaphorodoris luteocincta; =Diaphorodoris papillata; =Onchidoris luteocincta]
- Doris bellicosa* Kelaart, 1859:303
Eliot, 1906a:666†; 1906b:1004; Kelaart, 1883:99
- Doris bertheloti* (Orbigny, 1839) |*Doridigitata*| [=Staurodoris]
Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:49†; Cesari, 1990:†; Nordsieck, 1972:60; Ortea, Perez, & Llera, 1981:20†; Perrone, 1990b:24; Trainito, 2003:26†; 2005:61†; Turk, 2000:163†; Wirtz, 1999:†
- Doris bicolor* (Bergh, 1892) |*Staurodoris*| [=Siraius]
Cesari, 1990:†; Pruvot-Fol, 1954b:235; Riedl, 1970:428; 1983:335; Trainito, 2003:50†
- Doris bifida* Montagu, 1815a:198 [=Hermaea]
Montagu, 1845c:263; Thompson, 1841:480
- Doris bifida* Verrill, 1870:406 [=Acanthodoris pilosa]
Verrill, 1873:664; 1874e:370
- Doris bilamellata* Linnaeus, 1758 [=Onchidoris; =Onchidoris fusca]

- Alder & Hancock*, 1854a:fam. 1, pl. 11†; *Collingwood*, 1859:463; *Forbes & Hanley*, 1850-1851:567;
Gould, 1870:228†; *Gravenhorst*, 1831:10; *Hassall*, 1842:133; *Jeffreys*, 1869:90; 1877:337; *Johnston*,
1838:53; *Linnaeus*, 1767:1083; *MacGillivray*, 1843:198; *Thompson*, 1840:86; 1856:272; *Turton*,
1807:134
- Doris biscayensis* Fischer, 1872:6 [=*D. verrucosa*; =*Doridigitata derelicta*]
Fischer, 1874:223; Pruvot-Fol, 1954b:291
- Doris biscayensis derelicta* Fischer, 1872 [=*D. verrucosa*]
- Doris bistellata* Verrill, 1900:548 [=*Chromodoris*]
- Doris bodoensis* Gunner, 1770 [=*Aeolidia papillosa*; =*Eolis papillosa*]
- Doris bovena* Marcus, 1955:131
Marcus & Marcus, 1963:26; 1970a:60
- Doris brachyphylla* Ehrenberg, 1831
Bergh, 1877c:57
- Doris branchialis* Rathke in Müller, 1786 [=*Favorinus*; =*Favorinus albus*]
ICZN, 1966c:108
- Doris britannica* Johnston, 1838:52 [=*Archidoris*] (non Leach, 1852:19 =*Archidoris pseudoargus*; =*Archidoris tuberculata*)
- Doris brunnea* Bergh, 1875 [=*Platydoris*]
- Doris caerulea* Montagu, 1804:78 [=*Amphorina*; =*Cratena*; =*Cuthona*; =*Trinchesia*;
= *Galvina tricolor*]
ICZN, 1966f:95; Lemche, 1964g:55; Montagu, 1845:32; Turton, 1807:134
- Doris caerulea* Risso, 1818:370 [=*Doriprismatica*; =*Hypselodoris tricolor*;
= *Hypselodoris villafranca*]
Pruivot-Fol, 1936a:634
- Doris calcareae* Vérany, 1846:20 [=*Chromodoris cantrainii*; =*Chromodoris elegans*;
= *Doriprismatica*; =*Glossodoris*; =*Glossodoris gracilis*; =*Glossodoris valenciennesi*; =*Hypselodoris picta*]
Pruivot-Fol, 1954b:287; Vérany, 1846a:100
- Doris cameroni* (Allan, 1947) |*Archidoris*|
Burn, 1974a:54; 1989:765; Coleman, 2001:†; Wells & Bryce, 1993:105†
- Doris canariensis* Orbigny, 1839 [=*Platydoris*; =*Platydoris argo*]
Ortea & Bacallado, 1981:775
- Doris carbunculosa* Kelaart, 1859:301 [=*Dendrodoris tuberculosa*; =*Doriopsis tuberculosa*]
Kelaart, 1883:96
- Doris cardinalis* Gould, 1852 [=*Hexabranchus*; =*Hexabranchus flammulatus*;
= *Hexabranchus marginatus*; =*Hexabranchus sanguineus*]
- Doris carina* Abraham, 1877:209 [nom. nov. for *D. carinata* Alder & Hancock; =*Siraius nucleola*]
- Doris carinata* Alder & Hancock, 1864:122 [=*Atagema osseosa*; =*D. carina*;
= *Platydoris immonda*; =*Siraius nucleola*]
- Doris carinata* Quoy & Gaimard, 1832:254 [=*Atagema*]
Gary McDonald, Long Marine Lab, 100 Shaffer Rd., Santa Cruz, Cal. 95060

Doris carneola Angas, 1864:48 [=Dendrodoris; =Dendrodoris erubescens;
=Doriopsilla; =Doriopsis]
Burn, 1965:87

Doris castanea Kelaart, 1859:303
Alder & Hancock, 1864:120; Eliot, 1906a:667†; Kelaart, 1883:99

Doris caudalis Lamarck, 1836 [=Casella atromarginata]

Doris cerebralis Gould, 1852 [=Asteronotus; =Asteronotus cespitosus]

Doris cerisa Kelaart, 1858, 1859:296 [=Doridopsis]
Kelaart, 1883:90

Doris cervina Gmelin, 1791:3105 [=Dendronotus frondosus; =Tritonia]
Bennet & van Olivier, 1826:73; Engel, 1936a:110

Doris cespitosa Hasselt, 1824a:238 [=Asteronotus]
Bergh, 1887a:307

Doris chilensis Abraham, 1877:207 {nomen nudum}
Schrödl, 2003:90

Doris chrysoderma Angas, 1864:46
Burn, 1965:86; Thompson, 1975:479

Doris cinerosa Pease, 1871a:13
Pruvot-Fol, 1947:113

Doris clavigera Müller, 1776:229 [=Limacia; =Triopa]
Bennet & van Olivier, 1826:72; Dalyell, 1853:298; Engel, 1936a:111; ICBN, 1967a:286; Gmelin,
1791:3104; Müller, 1778:48

Doris coccinea Forbes in Alder & Hancock, 1848:fam. 1, pl. 7† (Forbes 1844 for 1843 =
nomen nudum) [=Rostanga; =Rostanga rubra; =Rostanga rufescens]
Forbes & Hanley, 1850-1851:565; Jeffreys, 1869:86; Perrier, 1954:97

Doris coccinea Montagu MSS
Leach, 1852:21

Doris coelestis (Deshayes in Frédol, 1864) |Goniodoris| [=Chromodoris; =Glossodoris
gracilis]

Doris coelestis Kelaart, 1859:293 [=Platydoris; =Platydoris scabra]
Kelaart, 1883:86

Doris coerulea Risso, 1818:370 [=Chromodoris; =Glossodoris; =Glossodoris gracilis;
=Glossodoris tricolor; =Hypselodoris tricolor; =Hypselodoris villafranca]
Risso, 1826:32

Doris collatata Abraham, 1877:255

Doris complanata Verrill, 1880:399 [=Geitodoris; =Geitodoris planata]
Verrill, 1880a:386

Doris compta Pease, 1871a:12 [=Doriopsis hepatica]
Pruvot-Fol, 1947:112, 114

Doris comta E. & H. [=Dendrodoris ornata]

Doris concentrica Savigny, 1826, 1827 [=Archidoris tuberculata]

- Doris concinna* Alder & Hancock, 1864:118 [=Discodoris; =Discodoris concinniformis]
Eliot, 1906b:1005
- Doris constantia* Kelaart, 1859:298
Eliot, 1906a:667†; Kelaart, 1883:93
- Doris coriacea* Abraham, 1877:247 [=Platydoris; Platydoris scabra]
- Doris coriacea* Martens [=Platydoris; ?=Platydoris eurychlamys; =Platydoris scabra]
- Doris cornaliae* Vérany, 1862:86 {nomen nudum}
Verany, 2001:61
- Doris cornuta* Abildgaard, 1806 [=Polycera quadrilineata]
- Doris coronata* Agassiz, 1850:191 [=Onchidoris bilamellata]
- Doris coronata* Gmelin, 1791:3105 [=Doto]
Bennet & van Olivier, 1826:74; Engel, 1936a:110; ICZN, 1964:97
- Doris corrugata* Kelaart, 1859:303
Eliot, 1906a:666; Kelaart, 1883:98
- Doris crescentica* Collingwood, 1881:126† [=Asteronotus cespitosus]
Pruvot-Fol, 1935b:114
- Doris cristata* [=Ancula]
Dalyell, 1853:297
- Doris (Dendrodoris) crucis* Oersted in Mörch, 1863:33 [=Discodoris; =Peltodoris]
- Doris cruenta* (Gray, 1850) |Asteronotus| [=Asteronotus; =Platydoris]
- Doris cruenta* Quoy & Gaimard, 1832:260 [=Actinodoris; =Platydoris arrogans]
- Doris cryptostoma* Mörch, 1863 [=Archidoris tuberculata]
O'Donoghue, 1929:729
- Doris cucullata* Abraham, 1877:253
- Doris cuprea* Ehrenberg, 1831 [=Doriopsis modesta]
Bergh, 1877c:59; Yonow, 1989:309
- Doris dalyelli* Pruvot-Fol, 1954b:289
- Doris debilis* Pease, 1871a:11 [=Dendrodoris nigra; =Doriopsis]
Pruvot-Fol, 1947:112, 114
- Doris decora* Pease, 1860:29 [=Chromodoris; =Glossodoris]
Pruvot-Fol, 1947:108
- Doris delicata* Abraham, 1877:259 [=Tyrinna nobilis]
- Doris dellechiajei* Vérany, 1862:86 {nomen nudum} [=Archidoris; =Doris tuberculata]
Verany, 2001:53
- Doris denisoni* Angas, 1864:45 [=Dendrodoris; =Doriopsis; =Doriopsis gemmacea]
Burn, 1965:86
- Doris depressa* Alder & Hancock, 1842:32 [=Lamellidoris neapolitana; =Onchidoris]
Alder & Hancock, 1851a:fam. 1, pl. 12†; Forbes & Hanley, 1850-1851:568; Jeffreys, 1869:91; Nobre,
1938-40:48

- Doris derelicta* Fischer, 1867:7 [=Doridigitata; =Doris verrucosa; =Glossodoris; =Staurodoris verrucosa]
 Bouchet & Valdes, 2000:78; Fischer, 1871:98; 1874:222; Pruvot-Fol, 1954b:293
- Doris diademata* Agassiz, 1850:191 {nomen nudum} [=Archidoris tuberculata; =Lamellidoris]
 Gould, 1870:230†
- Doris diaphana* Alder & Hancock, 1845:313 [=Lamellidoris; =Onchidoris muricata]
 Alder & Hancock, 1846:fam. 1, pl. 10†; Forbes & Hanley, 1850-1851:567; Jeffreys, 1869:89
- Doris diardi* Kelaart, 1859b:267 [=Doridopsis; =Glossodoris; =Hypselodoris infucata]
- Doris dorsalis* Gould, 1852 [=Chromodoris gloriosa; =Chromodoris scurra var.; =Durvilledoris; =Glossodoris; =Glossodoris lemniscata]
- Doris echinata* Lovén, 1846:137 [=Lamellidoris bilamellata]
- Doris echinata* O'Donoghue, 1922a:149 [=Doridigitata maculata; =Doris odonoghuei]
 Steinberg, 1963:63
- Doris echinata* Pease, 1860:27 [=Trippa]
 Pruvot-Fol, 1947:108
- Doris electrina* Pennant, 1777 [=Goniodoris nodosa; =Tritonia plebeia]
- Doris elegans* Cantraine, 1835:383 [=Chromodoris; =Chromodoris cantrainei;
 =Doriprismatica; =Glossodoris; =Glossodoris valenciennesi; =Hypselodoris;
 =Hypselodoris picta; =Hypselodoris valenciennesi]
 Cantraine, 1841:55
- Doris elegans* Quoy & Gaimard, 1832:273 [=Chromodoris; =Glossodoris; =Goniodoris]
 Pruvot-Fol, 1933:401
- Doris elegantula* Philippi, 1844 [=Chromodoris; =Doriprismatica; =Glossodoris;
 =Goniodoris; non = Diaphorodoris luteocincta vide Schmekel & Portmann,
 1982:122]
- Doris elephantiaca* Caruana, 1867:33
- Doris elfortiana* Blainville, 1816a:95 [=D. bilamellata; =Onchidoris bilamellata;
 =Onchidoris fusca]
 Iredale & O'Donoghue, 1923:219; Leach, 1852:20
- Doris elizabethina* Kelaart, 1859b:267 [=Doridopsis; =Glossodoris]
 Eliot, 1906a:666†
- Doris ellioti* Alder & Hancock, 1864:116 [=Platydoris]
 Eliot, 1906b:1003
- Doris elongata* Thompson, 1840:88 [=Chromodoris; =Goniodoris nodosa]
- Doris emarginata* (Forbes, 1840) |Goniodoris| [=Goniodoris nodosa]
- Doris eolida* Quoy & Gaimard, 1832:263 [=Echinodoris]
 Rudman, 1995:9
- Doris erythraea* Ehrenberg, 1831
 Bergh, 1877c:53; Yonow, 1989:309

Doris eubalia Fischer, 1872:10 [= *Doridigitata derelicta*; = *Doris verrucosa*; = *Staurodoris maculata*]
Eliot, 1910d:157; Fischer, 1874:225

Doris exanthemata Kelaart, 1859:300 [= *Asteronotus cespitosus*; = *Asteronotus hemprichi*]
Collingwood, 1868a:92; Eliot, 1906a:649; 1906b:1003; Kelaart, 1883:95

Doris exanthemata var. Collingwood, 1868a:92

Doris excavata Pease, 1860:26 [= *D. oreosoma*; = *Trippa osseosa*]
Pease, 1863:510; Pruvot-Fol, 1947:108

Doris excavata Stimpson, 1855a:389
Hedley, 1918:112

Doris fabrei Crosse, 1875:310 [= *Doriopsis*]
Risbec, 1953:57

Doris falklandica (Eliot, 1907) | *Staurodoris* | [= *Austrodoris*]

Doris fasciculata Forskål [= *Tritonia*]

Doris fasciculata Gmelin, 1791:3104 [= *Fiona marina*; = *Fiona pinnata*] {rejected, ICZN, 1966:85}

Doris fasciculata Müller, 1776:229
Lemche, 1964:37; 1965:9; Müller, 1778:49

Doris fidelis Kelaart, 1859:295 [= *Chromodoris*; = *Glossodoris*]
Kelaart, 1883:88

Doris fimbriata delle Chiaje, 1841 [= *Caloplocamus ramosus*; = *Euplocamus croceus*]

Doris fimbriata Rathke in Müller, 1806 [= *Cloelia*; = *Sphaerostoma hombergii*]

Doris fimbriata Vahl [= *Dendronotus frondosus*; = *Hero*]

Doris (Ctenodoris) flabellifera Cheeseman, 1881 for 1880:222 [= *Ctenodoris*; = *Doriopsis granulosa*]

Doris flammea Alder & Hancock, 1844a:330 [= *Archidoris*; = *Archidoris pseudoargus*]
Alder & Hancock, 1845b:fam. 1, pl. 4†; Forbes & Hanley, 1850-1851:564; Jeffreys, 1869:83; Pruvot-Fol, 1935:250

Doris flammulata Quoy & Gaimard, 1832:257 [= *Actinodoris*; = *Hexabranchus*; = *Hexabranchus sanguineus*]
Pruvot-Fol, 1934:75

Doris flava Montagu, 1804:79 [= *Polycera*; = *Polycera quadrilineata*]
Montagu, 1845:32; Turton, 1807:134

Doris flava Vallot, 1819:104

Doris flavipes Leuckart in Bronn, 1826, Leuckart, 1828:14 [= *Archidoris tuberculata*; = *Doris pseudoargus*]
Pruvot-Fol, 1954b:285; Verany, 2001:49

Doris flavipes var. Vérany

Doris flemingii Forbes, 1838:3 [= *Acanthodoris pilosa*; = *D. pilosa*]

- Pruvot-Fol, 1954b:284
- Doris floridella* Deshayes in Frédol, 1864, 1865
- Doris foetida* Pease, 1860:31 [= *Asteronotus cespitosus*; = *Doridopsis*]
Pruvot-Fol, 1947:108
- Doris fontainii* Orbigny, 1837:189 [= *Doriopsis*]
Hupe, 1854:76
- Doris formosa* Alder & Hancock, 1864:116 [= *Platydoris*]
Eliot, 1906b:1002
- Doris forsteri* Blainville, 1816:94
- Doris fragilis* Alder & Hancock, 1864:118 [= *Discodoris*]
- Doris frettærae* Thompson, 1980:84
- Doris frondosa* Ascanius, 1774 [*Amphitrite*]
Bosc, 1830:112; Gmelin, 1791:3107
- Doris frondosa* Müller, 1776:229 [= *Tritonia hombergii*]
- Doris fumata* Rüppell & Leuckart, 1831:29 [= *Dendrodoris*; = *Doriopsis*]
- Doris fumosa* Quoy & Gaimard, 1832:267 [= *Actinodoris*; = *Doriopsis*]
- Doris funebris* Kelaart, 1859:293 [= *Jorunna*; = *Kentroどoris*; = *Kentroどoris annuligera*;
= *Kentroどoris maculosa*]
Alder & Hancock, 1864:122; Eliot, 1906b:1004; Kelaart, 1883:86
- Doris fusca* Müller, 1776:229 (non Lovén, 1846:136 = *Acanthodoris pilosa*; non
Fabricius, 1780:344 = *D. pallida*) [= *Acanthodoris pilosa*; = *D. bilamellata*;
= *Onchidoris*; = *Onchidoris bilamellata*]
Bosc, 1830:110; Gmelin, 1791:3106; Lamarck, 1819:312; Voigt, 1834:114
- Doris fuscescens* Pease, 1871a:14 [= *Doriopsis*]
Pruvot-Fol, 1947:113
- Doris georgiensis* García, Troncoso, García-Gómez, & Cervera, 1993 [= *Austrodoris*]
Taylor, Laimon, & Valdes, 2005:73
- Doris giardi* Abric, 1904b:234
- Doris gibberosa* Stimpson, 1855:379
- Doris glabella* Bergh, 1907:54
Barnard, 1927:189
- Doris glabra* Friele & Hansen, 1876:70 [= *Cadlina laevis*; = *Cadlina repanda*]
- Doris gleniei* Kelaart, 1859:294 [= *Chromodoris*; = *Chromodoris aureopurpurea*;
= *Glossodoris*]
Eliot, 1906b:1001; Kelaart, 1883:87
- Doris gloriosa* Kelaart, 1859:291 [= *Hexabranchus*; = *Hexabranchus flammulatus*;
= *Hexabranchus marginatus*]
Eliot, 1906b:1001; Kelaart, 1883:83
- Doris gracilis* delle Chiaje, 1822, 1830, 1841 [= *Chromodoris*; = *Glossodoris*;
= *Hypselodoris tricolor*; = *Hypselodoris villafranca*]

- Doris gracilis* Rapp, 1827:522 [= *Chromodoris*; = *Doriprismatica caerulea*; = *Glossodoris*; = *Goniodoris caerulea*; = *Hypselodoris*; = *Hypselodoris villafranca*] (non Cantraine, 1841:57 = *Hypselodoris tricolor*) Voigt, 1834:117
- Doris grandiflora* Pease, 1860:30 [= *Carminodoris*] Pruvot-Fol, 1947:108
- Doris grandiflora* Rapp, 1827:520 [= *Actinocyclus*; = *Dendrodoris*; = *Dendrodoris limbata*; = *Doridopsis*; = *Doriopsis limbata*] (non Cantraine, 1841:61 = *D. ignota*) Ortea & Valdes 1994:7; †; Verany, 2001:45; Voigt, 1834:116; Willan & Burn, 1994:256
- Doris grandifloriger* Abraham, 1877:206 (nom. nov. for *D. grandiflora* Pease) [= *Carminodoris grandiflora*; = *D. grandiflora*; = *Hoplodoris grandiflora*]
- Doris granulata* Ehrenberg, 1831 [= *Discodoris*; = *Doridopsis*] Bergh, 1877c:60; Yonow, 1989:309
- Doris granulosa* Abraham, 1877:253 Eliot, 1907a:344
- Doris granulosa* (Pease, 1860) | *Doriopsis*| Behrens & Hermosillo, 2005:71†; Valdes, 2002c:554†
- Doris greefi* Vérany, 1862:86 {nomen nudum} Verany, 2001:62
- Doris grisea* Kelaart, 1859:297 [= *Doridopsis*] Kelaart, 1883:91
- Doris grisea* Stimpson, MSS Gould, 1870:232 [= *Lamellidoris*]
- Doris guttata* Risso, 1826:33 {rejected I.C.Z.N., 1995:198} [= *Dendrodoris grandiflora*; = *Discodoris*; = *Doriopsis limbata* var.; ?= *Glossodoris luteorosea*] Ortea & Valdes, 1994:7; Pruvot-Fol, 1936a:632; 1937:532; Tiberi, 1880:202; †; Verany, 2001:48; Willan & Burn, 1994:256
- Doris harmandi* Kock. [Risbec, 1956:5]
- Doris hepatica* Abraham, 1877:249 [= *Asteronotus*; = *Platydoris*] Dorgan, Valdes, & Gosliner, 2002:311
- Doris hispida* Orbigny, 1837:188 [= *Diaulula*; = *Trippa*] Hupe, 1854:76
- Doris humberti* Kelaart, 1859b:268 [= *Glossodoris*] O'Donoghue, 1933:224
- Doris ignota* Pruvot-Fol, 1954:285 (nom. nov. for *D. grandiflora*, Rapp, Cantraine, 1840)
- Doris illuminata* Gould, 1841 [= *Palio lessonii*; = *Polycera dubia*; = *Polycera lessonii*] Dekay, 1843:8
- Doris ilo* (Marcus, 1955) | *Siraius*| Valdes, 2002c:560
- Doris immaculata* Féruccac, Orbigny, Audouin, 1828, 1827 [= *Doridopsis limbata*; = *Doriopsis modesta*]
- Doris immonda* (Risbec, 1928) Camacho-Garcia, Gosliner, & Valdes, 2005:91†; Valdes, 2002c:551†

Doris imperialis Kent, 1897:151

Doris impudica Rüppell & Leuckart, 1831:33 [=Goniodoris; =Trevelyania; =Trevelyania ceylonica]

Doris incii Alder in Gray, 1850a:pl. 226, figs. 1, a, b; 1850b:44(not named as *D. incii* but, listed as Doridae Mr. Alder's MS. Drawing, from Torres Straits, Capt Ince, R. N.) [=Dictyodoris; =Sphaerodoris]
Bergh, 1878:xxviii

Doris inconspicua Alder & Hancock, 1851a:fam. 1, pl. 12† [=Onchidoris]
Forbes & Hanley, 1850-1851:569; Jeffreys, 1869:91

Doris indurata Stimpson, 1855:379

Doris inframaculata Abraham, 1877:248 [=Platydoris]
Miller, 1976:33

Doris inframaculata Ihering [=Kentrodoris]

Doris infranaevata Abraham, 1877:248 [=Platydoris argo] (Pruvot-Fol, 1954b:248 says not a synonym)
Miller, 1976:33

Doris infranaevata Ihering [=Kentrodoris inframaculata]

Doris (Platydoris) infrapicta Smith, 1884:91

Doris infucata Rüppell & Leuckart, 1831:34 [=Chromodoris cantrainii; =Chromodoris valenciennesii; =Glossodoris; ?=Glossodoris diardii; =Glossodoris runcinata; =Hypselodoris; ?=Risbecia versicolor]

Doris ingota Pruvot-Fol, 1954b:285

Doris infecta Kelaart, 1859:302 [=Atagema; =Trippa; =Trippa ornata]
Kelaart, 1883:97

Doris irrorata Bergh, 1878:xxviii {nomen nudum} (Russell, 1971 says lapsus for *D. punctata*)

Doris januarii (Bergh, 1878) |Staurodoris|

Doris (Homoiodoris) japonica (Bergh, 1882) |Homoiodoris| [=Homoeodoris]
Eliot, 1913:4

Doris javanica Hasselt, 1824a:238
Bergh, 1887a:307

Doris johnstoni Alder & Hancock, 1845b:fam. 1, pl. 5† [=Jorunna; =Jorunna tomentosa]
Collingwood, 1859:462; Fischer, 1871:100; Forbes & Hanley, 1850-1851:564; Garstang, 1939:481;
Jeffreys, 1869:85; Lévéque, 1908:235; Perrier, 1954:97; Sars, 1870:189

Doris johnstoni alba Bergh, 1881 [=Jorunna tomentosa]

Doris kalkensis Barnard, 1927:189 [=Dendrodoris]
Barnard, 1932:256

Doris kerguelensis (Bergh, 1884) |Archidoris|
Valdes, 2002c:557

Doris krebsii Mörch, 1863:34 [=Doriopsis]

- Doris krohnii* Vérany, 1846:22 [=Glossodoris]
Pruvot-Fol, 1954b:289; Vérany, 1846a:102; 2001:57
- Doris labifera* Abraham, 1877:254
- Doris lacera* Abildgaard, 1806 [=Issa; =Issena abildgaardi; =Triopa]
- Doris lacera* Cuvier, 1804:256 [=Hexabranchus; =Hexabranchus flammulatus]
Baba, 1988g:11; Cuvier, 1804c:453; 1817b:7; de Roisy, 1805:139; Lamarck, 1819:312; Oken, 1815:285; Voigt, 1834:116
- Doris lacera* Rathke in Müller, 1806 [=Colgan villosa; =Issa; =Issena abildgaardi; =Triopa]
- Doris laciniata* Cuvier auctt. [=Doriopsis lacera]
- Doris laciniosa* Philippi, 1844 [=Okenia quadricornis]
- Doris lacinulata* Forskål [=Tritonia]
- Doris lacinulata* Gmelin, 1791:3105 {rejected, ICZN, 1966:85}
Lemche, 1964:36
- Doris lacinulata* Müller, 1776:229 [=Galvina exigua]
Lemche, 1965:9
- Doris laevis* Cuvier, 1804:256 [=Acanthodoris sp. Pruvot-Fol, 1935]
Cuvier, 1817b:26; de Roisy, 1805:139; Fischer, 1870:290; Pruvot-Fol, 1935:255
- Doris laevis* Linnaeus, 1767:1083 [=Cadlina; =D. repanda]
Bosc, 1830:111; ICZN, 1967:91; Lamarck, 1819:312; Mörch, 1868:202
- Doris laevis* Müller, 1776:229 (non Gray, 1850a:pl. 214, fig. 6 =Acanthodoris pilosa)
Gmelin, 1791:3106; Voigt, 1834:115
- Doris lamellosa* Johnston, 1842 [=Lamellidoris bilamellata]
- Doris lanuginata* Abraham, 1877:255
- Doris lanuginosa* Kelaart, 1859:302
Kelaart, 1883:97
- Doris latens* Stimpson, 1855:380
- Doris leachii* Blainville, 1816 [=D. bilamellata; =Lamellidoris bilamellata; =Onchidoris fusca]
- Doris lemniscata* Quoy & Gaimard, 1832:268 [=Chromodoris; =Durvilledoris;
=Glossodoris; =Goniodoris]
Pruvot-Fol, 1933:401
- Doris leoparda* Kelaart, 1859:294 [=Trippa monsoni]
Eliot, 1906b:1007; Kelaart, 1883:87
- Doris leuckarti* delle Chiaje, 1844 [=D. pseudoargus; =D. tuberculata; =Archidoris tuberculata]
Tiberi, 1880:205
- Doris leuckartiana* delle Chiaje
Verany, 2001:51
- Doris lilacina* Gould, 1852 [=Chromodoris]

- Doris limacina* Quoy & Gaimard, 1832:252 [=Trevelyania citrina; =Trevelyania]
- Doris limbata* Cuvier, 1804:255 [=Actinocyclus; =Dendrodoris; =Doriopsis]
Cantraine, 1841:61; Cuvier, 1804c:468; 1817b:22; de Roisy, 1805:138; Lamarck, 1819:311; Verany, 2001:43; Voigt, 1834:115
- Doris lineata* Brocchi, 1819:318
- Doris lineata* Eyedoux & Souleyet, 1852:453 [=Chromodoris; =Glossodoris; =Hypselodoris]
- Doris lineolata* Hasselt, 1824a:238 [=Chromodoris; =Chromodoris striatella; =Glossodoris]
Bergh, 1887a:308
- Doris liturata* Beck in Möller 1842:78 [=D. bilamellata; =Lamellidoris bilamellata var. liturata; =Onchidoris bilamellata]
Möller, 1842a:5
- Doris lockyerana* Kelaart, 1859b:268
Eliot, 1906a:666†
- Doris longicornis* Montagu, 1808:107 [=Eolis coronata; =Facelina; =Facelina auriculata; =Facelina coronata; =Facelina drummondi]
Brown, 1981:335; Montagu, 1845a:247
- Doris longula* Abraham, 1877:253
Eliot, 1907a:345; Hutton, 1881:203
- Doris loveni* Alder & Hancock, 1862:262 [=Adalaria]
Jeffreys, 1869:88
- Doris luctuosa* Cheeseman, 1882 for 1881:213 [=Aphelodoris berghi; =Aphelodoris cheesemani]
- Doris lugubris* Gravenhorst, 1831:13 [=Dendrodoris limbata]
Pruvot-Fol, 1954b:340
- Doris lutea* Risso, 1818:369 [=D. ocelligera]
Pruvot-Fol, 1936a:633; Risso, 1826:31
- Doris luteocincta* Sars, 1870:191 [=Diaphorodoris; =Onchidoris]
- Doris luteola* Couthouy (Gould, 1852) [=Glossodoris]
Schrödl, 2003:90
- Doris luteola* Kelaart, 1859:298 [=D. sublutea; =Taringa]
Kelaart, 1883:93
- Doris luteorosea* Rapp, 1827:521 [=Chromodoris; =Doriopsis limbata; =Glossodoris; =Glossodoris iheringi]
Cantraine, 1841:59; Gravenhorst, 1831:13; Tiberi, 1880:202
- Doris lutescens* delle Chiaje, 1841 (Vérany, 1846) [=Chromodoris; Chromodoris cantrainii; =Chromodoris elegans; =Chromodoris luteorosea; =Chromodoris pallens; =Doriprismatica; =Glossodoris; =Glossodoris krohni; =Glossodoris valenciennesi]
Vérany, 1846:20; 1846a:100
- Doris mabilla* (Bergh in sched.) Abraham, 1877:249 [=Asteronotus cespitosus]

Doris maccarthyi Kelaart, 1859:292 [=Casella; =Casella atromarginata; =Chromodoris; =Glossodoris; =Glossodoris atromarginata]
Eliot, 1906b:1001; Kelaart, 1883:85

Doris macchiata Risso (could be lapsus for *D. marmorata* Risso, 1826, as I can find no other reference to this species)
Vérany, 1846:21; 1846a:101

Doris maculata Garstang, 1895:167 [=D. sticta; =Doridigitata sticta; =Homoiodoris sticta; =Staurodoris]
Brown & Picton, 1979:16; Eliot, 1910d:98†; García-Gómez, 1987:204; Hunnam & Brown, 1975:141; Ortea & Bacallado, 1981:771†; Thompson & Brown, 1976:129

Doris maculata Montagu, 1804:80 [=Doridigitata sticta; =Doto coronata; =Doto]
Montagu, 1845:32; Turton, 1807:134

Doris maculosa Cuvier, 1804:255 [=Actinodoris; =Discodoris; =Kentroodoris annuligera]
Cuvier, 1804c:466; 1817b:20; de Roisy, 1805:137; Pruvot-Fol, 1934:70; Quoy & Gaimard, 1832:249

Doris magellanica Cunningham, 1871:484
Schrödl, 2003:91

Doris magnifica Quoy & Gaimard, 1832:270 [=Chromodoris; =Chromodoris quadricolor; =Glossodoris]
Pruvot-Fol, 1933:401; 1934:72

Doris manestyerna Vérany, 1862:86 {nomen nudum}
Verany, 2001:55

Doris marginata Leuckart
Kelaart, 1883:83

Doris marginata Liénard, 1831:46 {nomen nudum}

Doris marginata Montagu, 1804:79 [=Cadlina laevis; =D. repanda]
Leach, 1852:20; Montagu, 1845:32; Turton, 1807:134; Voigt, 1834:115

Doris marginata Pease, 1860:30 [=Chromodoris; =Chromodoris trimarginata;
=Chromodoris verrieri; =Glossodoris; =Glossodoris alba]
Pruvot-Fol, 1947:108

Doris marginata Quoy & Gaimard, 1832:255 [=Hexabranchus; =Hexabranchus sanguineus]
Pruvot-Fol, 1934:75

Doris marieri (Crosse, 1872) |*Goniodoris*| [=Chromodoris]

Doris marieri Crosse, 1875:307 [=Dendrodoris nigra; =Doridopsis]
Risbec, 1953:57

Doris marina Gunnerus, 1770

Doris marinus Forskål, 1775 [=Fiona pinnata]

Doris marmorata (Bergh, 1881) |*Archidoris*|
Perrier, 1954:97

Doris marmorata Fé russac, Orbigny, Audouin, 1826

Doris marmorata Kelaart, 1858, 1859:296 [=Platydoris]

- Kelaart, 1883:90
- Doris marmorata* Risso, 1826:32
 Koutsoubas, Koukouras, & Thompson, 1993:158; Pruvot-Fol, 1936a:633; 1954b:283; Schmekel, 1968b:177; Schmekel & Portmann, 1982:73†
- Doris marmorata* Savigny, 1827 [= *Chromodoris cantrainii*; = *Chromodoris infucata*; = *Chromodoris valenciennesii*; = *Glossodoris*; = *Glossodoris gracilis*]
- Doris marmorea* Caruana, 1867:33
- Doris maura* Forbes, 1840:103 [= *Aegires punctilucens*]
 Alder & Hancock, 1846b:292
- Doris mauritiana* Quoy & Gaimard, 1832:269 [= *Actinodoris*; = *Asteronotus*; = *Asteronotus cespitosus*; = *Doridopsis*]
- Doris mera* Alder & Hancock, 1844a:330 [= *Archidoris britannica*; = *Archidoris pseudoargus*; = *Archidoris tuberculata*]
- Doris millegrana* Alder & Hancock, 1854:102 [= *Aporodoris*; = *Archidoris*; = *Discodoris*; = *Thordisa dubia*]
 Alder & Hancock, 1855:append. 2; Eliot, 1910d:17; Jeffreys, 1869:84; Thompson & Brown, 1981a:263
- Doris minima* Gmelin, 1791:3105 [= *Tritonia*]
- Doris mollipustulata* Abraham, 1877:257
- Doris montagui* Johnston, 1838:52 [= *Archidoris britannica*] {nomen nudum}
- Doris montagui* Leach, 1847:268 [= *Archidoris tuberculata*] {nomen nudum}
- Doris montagui* Leach in Gray, 1852:18 [= *Archidoris tuberculata*]
- Doris montereyensis* Cooper, 1863:204 [= *Archidoris*]
 Behrens & Hermosillo, 2005:71†; Cooper, 1863a:58; Lamb & Hanby, 2005:252
- Doris morenoi* Ortea, 1989:17†
- Doris muricata* Müller, 1776:229 [= *Onchidoris*] (non Lovén nor Sars, 1839 = *D. loveni*)
 Alder & Hancock, 1855:append. 4; Dahl, 1925:163; Gmelin, 1791:3106; Jeffreys, 1869:88; Lamarck, 1819:312; Lovén, 1841:231; 1842:360; Meyer & Möbius, 1865:73†; Sars, 1837:404; 1850:194; Thompson, 1856:273; Voigt, 1834:115
- Doris muricata* var. α Lovén, 1846:137 [= *Adalaria loveni*]
- Doris muricata* var. β Lovén, 1846:137 [= *Lamellidoris muricata*]
- Doris murea* Abraham, 1877:252 [= *Platydoris*]
 Dorgan, Valdes, & Gosliner, 2002:311
- Doris murea* Ihering, 1877 [=? *Staurodoris aspera*]
- Doris muscula* Abraham, 1877:256
- Doris nardii* Vérany, 1846:20 [= *Chromodoris cantrainii*; = *Chromodoris elegans*; = *Doriprismatica*; = *Glossodoris*; = *Glossodoris gracilis*; = *Glossodoris valenciennesii*; = *Hypselodoris*; = *Hypselodoris elegans*; = *Hypselodoris picta*]
 Pruvot-Fol, 1954b:287; Vérany, 1846a:100
- Doris natalensis* Krauss, 1848:35
 Barnard, 1927:189

- Doris neglecta* Ehrenberg MS [=*D. brachyphylla*]
- Doris nigra* Stimpson, 1855:380 [=*Dendrodoris*; =*Doriopsis*]
- Doris nigricans* Fleming, 1828 [=*Acanthodoris pilosa*; =*D. flemmingi*; =*D. pilosa*]
Johnston, 1838:55
- Doris nigricans* Otto, 1823:275 [=*Dendrodoris limbata*; =*Doriopsis limbata* var.]
Voigt, 1834:116
- Doris nigromaculata* Cockerell in Cockerell & Eliot, 1905:40 [=*Dendrodoris*]
- Doris nivalis* (Thiele, 1912) |*Archidoris*|
Hedley, 1916:65
- Doris nivea* Kelaart, 1859:296
Eliot, 1906a:667; Kelaart, 1883:89
- Doris nobilis* Lovén
Odhner, 1926a:20; 1939:33; Pruvot-Fol, 1954b:283
- Doris nobilosa* Pease [=*Sebadoris*]
- Doris nodifera* (Garrett in Sched.) Bergh, 1879 [=*Doriopsis tuberculosa*]
- Doris nodosa* Kroyer, 1847a:116 {nomen nudum}
- Doris nodosa* Montagu, 1808:107 [=*Goniodoris*]
Dalyell, 1853:296; Johnston, 1838:55; Leach, 1852:20; Lovén, 1842:363; Montagu, 1845a:247
- Doris nodulosa* Angas, 1864:48 [=*Carminodoris*; =*Doriopsis*; =*Hoplodoris*]
Burn, 1965:87
- Doris novaezelandiae* (Bergh, 1904) |*Homoiodoris*| [=*Hoplodoris*; =*Hoplodoris nodulosa*]
- Doris nubilosa* Pease, 1871a:13 [=*Archidoris*; =*Discodoris*; =*Sebadoris*]
Pruvot-Fol, 1947:113
- Doris nucleola* Pease, 1860:29 [=*Doriopsis*; =*Siraius*]
Pruvot-Fol, 1947:108
- Doris oblonga* Alder & Hancock, 1845:314 [=*Lamellidoris*; =*Onchidoris*]
Alder & Hancock, 1851a:fam. 1, pl. 16†; Forbes & Hanley, 1850-1851:568; Jeffreys, 1869:90
- Doris obsoleta* Rüppell & Leuckart, 1831:31† [=*Casella*, =*Chromodoris*; =*Glossodoris*]
- Doris obtusa* Stimpson, 1855a:389
Hedley, 1918:112
- Doris obvelata* Fabricius, 1797 [=*Anisodoris stellifera*; =*Archidoris pseudoargus*;
=*Archidoris tuberculata*]
- Doris obvelata* Müller, 1776:229 [=*Cadlina*; =*Cadlina laevis*; =*Cadlina repanda*;
=*Doris johnstoni*] (non Bouchard-Chantereaux, 1835:138 =*D. bilamellata*;
=*Onchidoris bilamellata*; non Johnston, 1838:52 =*D. johnstoni*; =*Jorunna tomentosa*)
Bosc, 1830:111; Derjugin, 1915:547; Fabricius, 1797:39; Gmelin, 1791:3106; Johnston, 1838:52;
Krause, 1892:364; 1897:94; Lamarck, 1819:311; Lovén, 1846:136; 1847:188; MacGillivray, 1843:198;
Sars, 1850:196; 1878:305; Tiberi, 1880:204; Voigt, 1834:114
- Doris ocelligera* (Bergh, 1881) |*Staurodoris*|

Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:51†; Nordsieck, 1972:60; Pruvot-Fol, 1954b:234; Schmekel, 1968b:176; Schmekel & Portmann, 1982:75†; Sordi & Majidi, 1956:239; 1956a:239; Trainito, 2003:28†; 2005:61†; Wirz-Mangold & Wyss, 1958:34

Doris oculata delle Chiaje, 1841 [=Glossodoris]

Doris odhneri (MacFarland, 1966) |*Austrodoris*|
Behrens & Hermosillo, 2005:71†; Lamb & Hanby, 2005:252

Doris odonoghuei Steinberg, 1963:63

Doris olivacea Stimpson, 1855:380

Doris olivacea Verrill, 1900:548

Doris orbignii Féruccac, 1822:xxviii [=Doto]

Doris orbignyi Adams & Adams, 1858:51 [=D. punctifera] (nom nov for *D. punctata* d'Orbigny)

Doris oreosoma Pease, 1863:510 [=Trippa osseosa]

Doris ornata Ehrenberg, 1831 [=Atagema; =Dendrodoris; =Trippa]
Yonow, 1989:309

Doris ornata Orbigny, 1837 [=Polycera quadrilineata]

Doris orsinii Vérany, 1846:20 [=Chromodoris; =Glossodoris; =Glossodoris coelestis;
=Glossodoris gracilis; =Glossodoris tricolor; =Hypselodoris villafranca]
Pruvot-Fol, 1954b:287; Vérany, 1846a:100; 2001:61

Doris osseosa Kelaart, 1859:298 [=Atagema; =Sclerodoris; =Trippa] (non Alder & Hancock, 1864:121 =Sclerodoris coriacea)
Alder & Hancock, 1864:121; Eliot, 1906b:1005; Kelaart, 1883:92

Doris pallens Rapp, 1827:522 [=Chromodoris krohni; =Chromodoris pallens;
=Chromodoris purpurea; =Glossodoris; =Goniodoris albescens]

Doris pallida Agassiz, 1850:191 [=Lamellidoris aspera; =Onchidoris muricata;
=Onchidoris pallida]
Gould, 1870:229†; Stimpson, 1853:26

Doris pallida Rüppell & Leuckart, 1831:33 [=Chromodoris; =Glossodoris]

Doris pantherina Angas, 1864:47 [=Jorunna]
Burn, 1965:87

Doris papillata (Pease) Abraham, 1877 (lapsus for *D. papillosa*) [=Siraius nucleola]

Doris papillosa Baster [=Tritonia]

Doris papillosa Gmelin, 1791:3104
Bennet & van Olivier, 1826:72; Montagu, 1815:16; 1845b:252

Doris papillosa Kelaart, 1859
Eliot, 1906a:666†; Kelaart, 1859:297; 1883:91; Pruvot-Fol, 1951a:129

Doris papillosa Müller, 1776:229 [=Aeolidia papillosa; =Eolis papillosa] (non Fabricius,
1780:345 =Coryphella salmonacea)

Doris papillosa Pease, 1860:30 [=D. tincta; =Doriorbis nucleola; =Siraius nucleola]
Pease, 1863:510; Pruvot-Fol, 1947:108

- Doris pardalis* Alder & Hancock, 1864:117 [=Discodoris]
Eliot, 1906b:1004
- Doris paretii* Vérany, 1846:22 [=Goniodoris; =Goniodoris castanea]
Vérany, 1846a:102
- Doris parthenopeia* delle Chiaje, 1841, 1843 [=Chromodoris; =Chromodoris luteorosea;
=Glossodoris]
Pruvot-Fol, 1954b:284
- Doris pasinii* Vérany, 1846:20 [=Chromodoris; =Chromodoris elegans; =Chromodoris
villafranca; =Glossodoris; =Glossodoris gracilis; =Hypselodoris villafranca]
Pruvot-Fol, 1954b:287; Vérany, 1846a:100
- Doris pecten* Collingwood, 1881:126† [=Doriopsis; =Doriopsis viridis; =Guyonia
viridis]
Pruvot-Fol, 1935b:113; Tiberi, 1880:205
- Doris peculiaris* Abraham, 1877:258
- Doris pedata* Montagu, 1815a:197 [=Coryphella; =Coryphella landsburgii; =Eolis
landsburghi]
Montagu, 1845c:263
- Doris pellucida* Risso, 1826:33 [=Cadlina clarae; =Doriopsis limbata; =Echinochila;
=Flabellina pedata]
Pruvot-Fol, 1936a:633; 1937:532
- Doris pennata* Bommé, 1773 [=Tritonia] {rejected, ICZN, 1966f:95}
Engel, 1936a:110; Gmelin, 1791:3105
- Doris pennata* Gmelin, 1791:3103 [=Cratena aurantia]
Bennet & van Olivier, 1826:74; Engel, 1936a:111; Lemche, 1965g:54
- Doris pennigera* Montagu, 1815:17 [=Thecacera]
Montagu, 1845b:252
- Doris peregrina* Gmelin, 1791:3105 [=Cratena; =Hervia; =Hervia costai; =Rizzolia]
Lemche, 1964f:51
- Doris perplexa* Bergh, 1907:53
Barnard, 1927:189
- Doris peruviana* Orbigny, 1837:188 [=Doriopsis; =Baptodoris; =Platydoris]
Schrödl, 1996:29†
- Doris petechialis* Gould, 1852 [=Chromodoris; =Glossodoris]
- Doris philippii* Weinkauff, 1873 (nom. nov for *Doris tomentosa* Philippi) [?=Jorunna
tomentosa]
Pruvot-Fol, 1954b:286; Tiberi, 1880:201
- Doris (Actinodoris) phyllophora* (Oersted in Sched.) Mörch, 1860:125
- Doris pickensi* Marcus & Marcus, 1967:184
Behrens & Hermosillo, 2005:72†; Camacho-Garcia, Gosliner, & Valdes, 2005:91†; Farmer, 1980:100;
Hermosillo-Gonzalez, 2003:24†
- Doris picta* Kelaart, 1859:303 [=Platydoris]
Eliot, 1906a:666†; Kelaart, 1883:98

Doris picta Pease, 1860:29 [=Chromodoris; =Glossodoris; =Hypselodoris peasei]
 Pruvot-Fol, 1947:108

Doris picta Schultz in Philippi, 1836:105 [=Chromodoris cantrainii; =Chromodoris elegans; =Doriprismatica elegans; =Glossodoris valenciennesi; =Hypselodoris elegans]
 Verany, 2001:64

Doris picturata Ehrenberg, 1831 [=Chromodoris]
 Bergh, 1877c:56; Rudman, 1984:129; Yonow, 1989:309

Doris picturata Mörch, 1863 |Goniodoris| [=Chromodoris morchii]

Doris pilosa Abildgaard, 1789
 Meyer & Möbius, 1865:63†; Volodchenko, 1955:250

Doris pilosa Müller, 1789 [=Acanthodoris]
 Alder & Hancock, 1851a:fam. 1, pl. 15†; Bosc, 1830:111; Collingwood, 1859:463; Fischer, 1870:290;
 1871:99; Forbes & Hanley, 1850-1851:570; Frey & Leuckart, 1847:145; Gmelin, 1791:3106; Jeffreys,
 1869:93; Johnston, 1838:54; Lamarck, 1819:312; Lovén, 1842:363; Sars, 1850:195; Sauvage, 1873:29;
 Voigt, 1834:115

Doris pilosa Pease, 1860:27 [=Thordisa setosa]
 Pruvot-Fol, 1947:108

Doris pilosa var. *stellata* (Bouchard-Chantereaux) Sauvage, 1873:30 [=Acanthodoris pilosa]

Doris pinnatifida Montagu, 1804:78 [=Doto; =Doto coronata]
 Montagu, 1845:31; Turton, 1807:134

Doris piraini Vérany, 1846 [=Chromodoris; =Chromodoris albescens; =Chromodoris luteorosea; =Chromodoris purpurea; =Glossodoris; =Glossodoris gracilis]
 Pruvot-Fol, 1954b:288

Doris pirajno Vérany, 1846:21
 Vérany, 1846a:101

Doris piraynii Vérany, 1846 [=D. piraynii]

Doris planata Alder & Hancock, 1846b:292 [=Discodoris; =D. testudinaria;
 =Geitodoris; =Platydoris] (non Schmekel & Portmann, 1982 =Discodoris stellifera)
 Alder & Hancock, 1847b:fam. 1, pl. 8†; Eliot, 1904b:180; Forbes & Hanley, 1850-1851:565

Doris planulata Stimpson, 1853:26 [=Cadlina obvelata; =Cadlina repanda]
 Gould, 1870:231†

Doris plumulata (Couthouy, MSS) Gould, 1852
 Schrödl, 2003:91

Doris porri Vérany, 1846:22
 Pruvot-Fol, 1954b:289; Vérany, 1846a:102; 2001:47; Tiberi, 1880:206

Doris praetenera Abraham, 1877:258 [=Aphelodoris varia]

Doris preciosa Kelaart, 1858 [=Chromodoris; =Glossodoris]
 Kelaart, 1883:89

Doris pretiosa Kelaart, 1859:295 (misspelling of *D. preciosa*) [=Chromodoris]

Doris prismatica Pease, 1860 [=Glossodoris]

- Pruvot-Fol, 1947:108
- Doris prismatica* var. *imperialis* Pease, 1860:32 [= *Chromodoris imperialis*; = *Doriprismatica imperialis*]
- Doris prismatica* var. *lineata* Pease, 1860:32 [= *Chromodoris peasei*; = *Doriprismatica lineata*; = *Hypselodoris lineata*; = *Hypselodoris bertschi*]
Pruvot-Fol, 1947:108
- Doris propinquata* Pease, 1860:28 [= *Chromodoris*; = *Glossodoris*; = *Hypselodoris bertschi*; = *Hypselodoris vibrata*]
Pruvot-Fol, 1947:108
- Doris proxima* Alder & Hancock, 1854:103 [= *Adalaria*]
Alder & Hancock, 1854a:fam. 1, pl. 9†; Byerley, 1854:44; Collingwood, 1859:462; Dahl, 1925:163;
Jeffreys, 1869:88; Meyer & Möbius, 1865:69†
- Doris pseudida* Bergh, 1907:52
Barnard, 1927:189
- Doris pseudoargus* Rapp, 1827:519 [= *Archidoris*; = *Archidoris tuberculata*]
Mörch, 1867:74; Valdes, 2002c:546†
- Doris pseudodoris* Bouchard-Chantereaux, 1835:137 [= *D. tuberculata*] (probably a
lapsus for *D. pseudoargus*)
- Doris pseudoscabra* Pruvot-Fol, 1934:84 (nom. nov. for *Doris scabra* (Cuvier) Quoy &
Gaimard))
- Doris pulchella* Aradas, 1847:122 [= *D. bicolor*]
- Doris pulchella* Rüppell & Leuckart, 1831:32† [= *Chromodoris*; = *Glossodoris*;
= *Risbecia*]
- Doris pulcherrima* Cantraine, 1835:383 [= *Chromodoris villafranca* var. *pulcherrima*;
= *Doriprismatica villafranca*; = *Glossodoris*; = *Glossodoris gracilis*; = *Glossodoris tricolor*; = *Hypselodoris villafranca*]
Cantraine, 1841:57
- Doris pulchra* Pease, 1861:247 [= *Glossodoris*]
Pruvot-Fol, 1947:110
- Doris punctata* Orbigny, 1839 [= *D. punctifera*; = *Peltodoris punctifera*; = *Platydoris*;
= *Platydoris argo*]
Ortea & Bacallado, 1981:771†
- Doris punctata* Quoy & Gaimard, 1832:262 [= *Actinodoris*; = *Dendrodoris rufopunctata*]
Pruvot-Fol, 1933:401
- Doris punctata* Rüppell & Leuckart, 1831:30† [= *Dendrodoris*; = *Doridopsis tigrina*;
= *Doriopsis*; = *Glossodoris*]
Yonow, 1989:309
- Doris punctatissima* Mörch, 1860:125
- Doris punctifera* Abraham, 1877:202 (nom. nov for *D. punctata* d'Orbigny, 1839 & *D. orbignyi* Adams & Adams, 1858)
- Doris punctulata* Hasselt, 1824a:239 [= *Glossodoris*]
Bergh, 1887a:309; Rudman, 1983:169

- Doris punctulifera* Bergh, 1874c:pl. 1, figs. 19-20 [=Chromodoris; =Chromodoris aspersa; =Glossodoris]
- Doris punctuolata* Orbigny, 1837:187 [=Diaulula; =Platydoris]
Hupe, 1854:75; Rochebrune, 1895b:240
- Doris punctuolata* var. *cymina* (Marcus, 1959) |Anisodoris| [=Diaulula punctuolata]
- Doris purpurea* Laurillard, 1831 [=Chromodoris; =Glossodoris; =Goniodoris]
- Doris purpurea* Risso, 1831:17 Laurillard, 1831 [=Chromodoris; =Chromodoris pallens; =Glossodoris; =Goniodoris]
Guérin-Meneville, 1831:17
- Doris pusilla* Alder & Hancock, 1845:313 [=Atalodoris; =Onchidoris]
Alder & Hancock, 1846:fam. 1, pl. 13†; Forbes & Hanley, 1850-1851:569; Jeffreys, 1869:92
- Doris pustulata* Abraham, 1877:256 [=Carminodoris pustulata; =D. nodulosa; =Hoplodoris; =Hoplodoris nodulosa; =Staurodoris; =Carminodoris]
Burn, 1966a:274
- Doris (Staurodoris) pustulata* Abraham, 1877
Allan, 1947:446; Eliot, 1910a:251
- Doris pustulosa* Cantraine, 1841:60
Pruvot-Fol, 1954b:339; Tiberi, 1880:203
- Doris pustulosa* Cuvier, 1804:256 [=Ceratosoma]
Cuvier, 1817b:27; de Roisy, 1805:140
- Doris pustulosa* (Schultz in Philippi, 1836-1844) |Diphyllidia| [=Armina]
- Doris puteolana* Macri, 1846
- Doris quadrangulata* Alder & Hancock, 1845 [=Acanthodoris subquadrata] (lapsus for D. subquadrata)
Jeffreys, 1869:93
- Doris quadrangulata* Jeffreys, 1869 [=Acanthodoris pilosa] (lapsus for D. subquadrata)
- Doris quadricolor* Rüppell & Leuckart, 1831:31† [=Chromodoris; =Chromodoris elisabethina; =Glossodoris]
- Doris quadricornis* Montagu, 1815:17 [=Idalia; =Okenia] {rejected, ICZN, 1974:13}
Lemche, 1972:196; Montagu, 1845b:252
- Doris quadrilineata* Müller, 1776:229, 1788 [=Polycera; =Polycera cornuta; =Tritonia]
Gmelin, 1791:3104; Müller, 1778:50
- Doris radiata* Gmelin, 1791:3105 [=Glaucus atlanticus]
- Doris radiata* Hasselt, 1824a:238 [=Glaucus atlanticus]
Bergh, 1887a:307
- Doris ramosa* Cantraine, 1835:383 [=Kaloplocamus; =Idalia; =Idalia crocea; =Triopa]
Cantraine, 1841:54
- Doris rappii* Cantraine, 1841:58 [=Dendrodoris limbata; =Doriopsis grandiflora; =Doriopsis setigera]
Tiberi, 1880:202

Doris raripilosa Abraham, 1877:257 [=Discodoris; ?=Hoplodoris desmoparypha]
White, 1950:100

Doris rayee Souleyet

Doris repanda Alder & Hancock, 1842:32 [=Cadlina; =Cadlina laevis; =Cadlina obvelata; =D. planulata]
Alder & Hancock, 1847b:fam. 1, pl. 6†; 1855:apappend. 3; Cooke, 1899:63; Forbes & Hanley, 1850-1851:566; Jeffreys, 1869:86; 1877:337; Meyer & Möbius, 1872:68

Doris reticulata Pease, 1860:26 [=Doridopsis]

Pruvot-Fol, 1947:108

Doris reticulata Quoy & Gaimard, 1832:272 [=Glossodoris; =Goniodoris; =Risbecia]

Doris reticulata Schultz in Philippi, 1836:105 [=Cadlina laevis; =Cadlina repanda;
?=Dendrodoris grandiflora; =D. obvelata; Doriopsilla areolata areolata]
Pruvot-Fol, 1954b:284, 340

Doris reticulosa Abraham, 1877 (lapsus for *Goniodoris reticulatus*)

Doris rissae Vérany, 1846:21

Pruvot-Fol, 1954b:288; Vérany, 1846a:101

Doris rizzae Vérany, 1846

Verany, 2001:46

Doris rocinela Leach in Gray, 1852:19 (Leach, 1847:268 is nomen nudum)

[=Acanthodoris pilosa]

Doris rocinella Leach MSS, Gray, 1847:268 {nomen nudum}

Leach, 1852:19

Doris rogersii Stimpson, 1855:380

Doris rossiteri Crosse, 1875:309 [=Doridopsis; =Doriopsis]

Doris rubicunda Cheeseman, 1881 for 1880:222 [=Rostanga muscula]

Doris rubra Kelaart, 1859:298 [=Dendrodoris; =Doriopsis; =Dendrodoris fumata]]
Kelaart, 1883:92

Doris rubra Orbigny, 1837:2 [=Rostanga; =Rostanga coccinea]

Doris rubra Risso, 1818:369 [=Platydoris argo (Pruvot-Fol, 1954b:248 says not a
synonym; =Rostanga; =Rostanga coccinea)]
Pruvot-Fol, 1936a:633; 1937:532; Risso, 1826:31; Verany, 2001:56

Doris rubrilineata Pease, 1871a:12 [=Dendrodoris nigra; =Doriopsis]

Pruvot-Fol, 1947:112

Doris rufopunctata Kelaart, 1859:297

Eliot, 1906a:667†; Kelaart, 1883:91

Doris rugosa Pease, 1860:31 [=Dendrodoris tuberculosa; =Doridopsis]

Pruvot-Fol, 1947:108

Doris rusticata Alder & Hancock, 1864:120 [=Staurodoris]

Eliot, 1906b:1005

Doris sacchii delle Chiaje, 1822 [=Hypselodoris elegans] (lapsus for *D. scacchi*)

- Doris sandiegensis* Cooper, 1862, 1863 [= *Diaulula*]
 Cooper, 1863a:58
- Doris (Actinocyclus) sandiegensis* Cooper, 1862:204 [= *Diaulula*]
 O'Donoghue, 1922c:143
- Doris sandwichensis* Eyedoux & Souleyet, 1852:451 [= *Hexabranchus*; = *Hexabranchus flammulatus*; = *Hexabranchus marginatus*; = *Hexabranchus sanguineus*; = *Hexabranchus souleyeti*]
- Doris sandwichensis* (Quoy & Gaimard, 1832) [= *Hexabranchus*]
 Gray, 1850:204, pl. 235
- Doris sanguinea* Cooper, 1862 | *Doris (Asteronotus)* | [= *Aldisa*]
 Frauenfeld, 1856:78
- Doris (Asteronotus) sanguinea* Cooper, 1863:204 [= *Aldisa*]
 Cooper, 1863a:58
- Doris sanguinea* Rüppell & Leuckart, 1831:28 [= *Hexabranchus*; = *Hexabranchus praetextus*]
- Doris scabra* Cuvier, 1804:255 [= *Platydoris*]
 Cuvier, 1804c:466; 1817b:20; de Roisy, 1805:137; Quoy & Gaimard, 1832:258
- Doris scabra* Quoy & Gaimard [= *Actinodoris*]
- Doris scabriuscula* Pease, 1860:27 [= *Trippa*]
 Pruvot-Fol, 1947:108
- Doris scacchi* delle Chiaje, 1822, 1830 [= *Chromodoris elegans*; = *Chromodoris villafranca*; = *Doriprismatica elegans*; = *Glossodoris scacchiana*; = *Glossodoris valenciennesi*; = *Hypselodoris picta*]
- Doris scacchiana* delle Chiaje, 1841 [= *Glossodoris*; = *Glossodoris valenciennesi*]
- Doris schembri* Vérany, 1846:21 [= *D. flavipes* var.; = *D. pseudoargus*]
 Pruvot-Fol, 1954b:288; Vérany, 1846a:101; 2001:50; Tiberi, 1880:206
- Doris schultziana* delle Chiaje, 1841 [= *Chromodoris cantrainii*; = *Chromodoris elegans*; = *Glossodoris gracilis*; = *Glossodoris schultzii*; = *Hypselodoris villafranca*]
- Doris schultzii* delle Chiaje, 1841 [= *Chromodoris elegans*; = *Glossodoris*; = *Glossodoris valenciennesi*; = *Hypselodoris villafranca*]
 Verany, 2001:63
- Doris scutigera* (Orbigny, 1837) | *Villiersia* | [= *D. depressa*]
 Nobre, 1931:40; 1936:28
- Doris semele* Blainville [= *D. solea*]
- Doris seposita* Fischer, 1872:8 [= *D. verrucosa*; = *Doridigitata derelicta*]
 Fischer, 1874:225; Pruvot-Fol, 1954b:292
- Doris setigera* Rapp, 1827:521 [= *Dendrodoris*; = *Dendrodoris limbata*; = *Doriopsis grandiflora*; = *Doriopsis limbata*; = *D. limbata*; = *D. rappii*]
 Voigt, 1834:116
- Doris setosa* Pease, 1860:26 [= *Thordisa*]
 Eliot, 1900:519; Pruvot-Fol, 1947:107

Doris (Acanthodoris) sibirica (Aurivillius, 1887) [=Calycidoris guentheri] (lapsus for
Doris (Adalaria) sibirica)
 Krause, 1892:364

Doris (Adalaria) sibirica Aurivillius, 1887:380 [=Calycidoris guentheri]

Doris similis Alder & Hancock, 1842:32 [=Acanthodoris pilosa; =D. pilosa]

Doris sinuata Hasselt, 1824a:239 [=Miamira]
 Bergh, 1887a:309

Doris sismondae Vérany, 1846:21 [=Dendrodoris limbata]
 Pruvot-Fol, 1954b:288; Verany, 2001:47

Doris smaragdina Gould, 1852 [=Chromodoris; =Glossodoris]

Doris solea Cuvier, 1804:255 [=Asteronotus; =Platydoris eurychlamys]

Cuvier, 1804c:465; 1817b:19; de Roisy, 1805:136; Lamarck, 1819:310; Oken, 1815:284; Voigt, 1834:115

Doris sordida Pease, 1871a:14 [=Dendrodoris nigra; =Doriopsis]
 Pruvot-Fol, 1947:113

Doris sordida Quoy & Gaimard, 1832:266 [=Actinodoris; =D. sordidata; =Discodoris fragilis; =Platydoris]
 Pruvot-Fol, 1933:401; 1934:67

Doris sordida Rüppell & Leuckart, 1831:34
 O'Donoghue, 1929:729; Pagenstecher, 1877:61; Yonow, 1989:309

Doris sparsa Alder & Hancock, 1846b:293 [=Lamellidoris neapolitana; =Onchidoris]
 Alder & Hancock, 1848:fam. 1, pl. 14†; Forbes & Hanley, 1850-1851:570; Jeffreys, 1869:92

Doris speciosa Abraham, 1877:250 [=Platydoris; =Platydoris ellioti]

Doris spinis mollibus hirsuta Baster, 1760 [=Aeolidia papillosa; =Eolis papillosa]

Doris spiraculata Gould, 1852

Doris spongiosa Kelaart, 1859:302 [=Doridopsis; =Phlegmodoris; =Trippa]
 Eliot, 1906b:1006; Kelaart, 1883:97

Doris sponsa Ehrenberg, 1831 [=Chromodoris elisabethina]
 Bergh, 1877c:54; Rudman, 1984:128; Yonow, 1989:309

Doris stellata Bomme
 Gmelin, 1791:3107; Voigt, 1834:114

Doris stellata Gmelin, 1791:3107 [=Acanthodoris; =Acanthodoris pilosa; =D. pilosa]
 Bennet & van Olivier, 1826:75; Bergh, 1893:408; Bosc, 1830:113; Engel, 1936a:112; Fischer, 1870:290; Lamarck, 1819:311; Menke, 1844a:131

Doris stellata (Gmelin, Cuvier) Philippi, 1836 [=Platydoris philippi]

Doris stellata Gmelin var. 1
 Alder, 1850:110

Doris stellata Gmelin var. 2
 Alder, 1850:110

Doris stellata Gmelin var. 3
 Alder, 1850:110

- Doris stellata* Gmelin var. 4
 Alder, 1850:111
- Doris stellata* Philippi, 1836 [=Platydoris philippi]
- Doris sticta* (Iredale & O'Donoghue, 1923) |*Doridigitata*|
 Garcia-Gomez, 2002:141†; Gavaia, Malaquias, Calado, & Urgorri, 2003:110†; Picton & Morrow, 1994:82†; Thompson, 1988:222; Thompson & Brown, 1984:82†; Turk, 2000:163†
- Doris stragulata* Abraham, 1877:251 [=Discodoris]
- Doris striata* Kelaart, 1859:302 [=Platydoris; =Platydoris picta]
 Alder & Hancock, 1864:117; Eliot, 1906b:1003; Kelaart, 1883:98
- Doris sublaevis* Thompson, 1840:87 [=Acanthodoris pilosa]
 Thompson, 1856:274
- Doris sublutea* Abraham, 1877:208 [nom. nov. for *D. luteola* Kelaart, 1858]
- Doris subquadrata* Alder & Hancock, 1845:313 [=Acanthodoris; =Acanthodoris pilosa]
 Alder & Hancock, 1851a:fam. 1, pl. 16†; Forbes & Hanley, 1850-1851:571
- Doris subtumida* Abraham, 1877:250 [=Platydoris argo (Pruvot-Fol, 1954b:248 says not a synonym)]
- Doris sumptuosa* Gould, 1852 [=Hexabranchus; =Hexabranchus marginatus]
- Doris superba* Gould, 1852 [=Hexabranchus; =Hexabranchus flammulatus]
- Doris tabulata* Abraham, 1877:249 [=Platydoris; =Platydoris scabra]
- Doris tanya* Marcus, 1971:357 [=Sclerodoris]
 Behrens & Hermosillo, 2005:72†; Camacho-Garcia, Gosliner, & Valdes, 2005:91†; McDonald & Nybakken, 1980:52†
- Doris tenella* Agassiz, 1850:191 [=Lamellidoris aspera]
 Gould, 1870:229†
- Doris tenella* Gould, 1870 [=Lamellidoris]
- Doris tenera* Costa, 1840:68 [=Chromodoris villafranca; =Glossodoris; =Glossodoris gracilis; =Hypselodoris villafranca]
- Doris tennentana* Kelaart, 1859b:268 [=Glossodoris]
- Doris testudinaria* Risso (Alder & Hancock, 1862:261) [=Archidoris stellifera;
 =Discodoris planata; =Discodoris stellifera] (non Risso, 1818 = Platydoris argo)
 Colgan, 1914:196; Eliot, 1906c:339, 1910d:99†; Verany, 2001:54
- Doris testudinaria* delle Chiaje, 1822 [?=Archidoris pseudoargus]
- Doris testudinaria* Risso, 1818:370 [=Anisodoris stellifera; ?=Geitodoris planata;
 =Platydoris argo]
 Alder & Hancock, 1862:261; Jeffreys, 1869:85; Pruvot-Fol, 1936a:631; 1937:532; 1954b:283; Risso, 1826:33; Tolmer, 1934:32
- Doris tetraquetra* (Pallas, 1788) |*Limax*| [=Tochuina; =Tritonia]
 Gmelin, 1791:3106
- Doris tigrina* Audouin, 1809; (Savigny, 1827); Féruccac, Orbigny, & Audouin, 1826
 [=Dendrodoris; =Doridopsis; =Doriopsis limbata]
 Voigt, 1834:116

- Doris tilesii* (Gray, 1850) [*Actinodoris*] [=Actinodoris; =*Doriopsis*]
- Doris tincta* Pease, 1863:510 [=Doriorbis nucleola; =Siraius nucleola]
- Doris tinctoria* Rüppell & Leuckart, 1831:32† [=Chromodoris; =Glossodoris]
- Doris tomentifera* Abraham, 1877:209 [nom. nov. for *D. tomentosa* Schultz, in Philippi, 1836]
- Doris tomentosa* Audouin, 1827
- Doris tomentosa* Cuvier, 1804:256 (non Lovén, 1846:136 =*Acanthodoris pilosa*)
[=Jorunna; =Acanthodoris pilosa; =Rostanga coccinea]
Cantraine, 1841:63; Cuvier, 1804c:470; 1817b:24; Fischer, 1870:290; 1874:226; Verany, 2001:57
- Doris tomentosa* Philippi [=*D. philippii*; =*D. tomentifera*; =*Jorunna johnstoni*]
- Doris tricolor* Cantraine, 1835:383 [=Chromodoris; =Chromodoris coerulea;
=Glossodoris; =Glossodoris gracilis; =Hypselodoris; =Mexichromis]
Cantraine, 1841:57
- Doris tricolorata* Cantraine [=Glossodoris gracilis] (lapsus for *D. tricolor*)
- Doris trifida* J. E. Gray in M. E. Gray, 1850a:pl. 214, fig. 7; 1850b:42 [=Ceratosoma cornigerum; =Ceratosoma trilobatum]
- Doris trilobata* Gray, 1850b:13 [=Ceratosoma]
- Doris tristis* Alder & Hancock, 1864:121 [=Trippa]
Eliot, 1906b:1006
- Doris tuberculata* Cuvier, 1804:255 [=Actinocyclus; =Archidoris; =Archidoris marmorata; =Archidoris pseudoargus; =Dendrodoris; =Platydoris argo] (non Alder & Hancock, 1854a:fam. 1, pl. 3†; = Archidoris pseudoargus; non Audouin in Savigny; non Abraham, 1877 nor O'Donoghue, 1926:206 nor O'Donoghue, 1927:80 = *A. montereyensis*; non Larsen, 1925:19 =*Anisodoris stellifera*)
Asbjörnsen, 1853:336; Cantraine, 1841:59; Collingwood, 1859:462; Cuvier, 1804c:469; 1817b:23; de Roisy, 1805:139; Eliot, 1910d:36; Fischer, 1870:289; Forbes & Hanley, 1850-1851:563; Garstang, 1939:481; Hancock & Embleton, 1852:208; Jeffreys, 1869:83; Johnston, 1829:416; 1838:50; Lamarck, 1819:311; MacGillivray, 1843:197; Perrier, 1954:97; Sars, 1850:195; 1878:304; Sauvage, 1873:26; Smith, 1879:183; Thompson, 1856:271; Voigt, 1834:115
- Doris tuberculata* delle Chiaje, 1841 [=Discodoris indecora; =Discodoris maculosa;
=Platydoris argo]
- Doris tuberculata* Müller, 1778:50 [=Archidoris pseudoargus]
- Doris tuberculata* Philippi, 1844 [=Anisodoris stellifera; =Discodoris planata;
=Discodoris stellifera]
- Doris tuberculata* Quoy & Gaimard, 1832 [=Actinodoris; =Dendrodoris] (lapsus for *D. tuberculosa*)
- Doris tuberculata* var. Cuvier, 1817 [=*D. argus*]
- Doris tuberculata* var. *argus* Sauvage, 1873:28
- Doris tuberculosa* Quoy & Gaimard, 1832:248 [=Dendrodoris]
Pruvot-Fol, 1933:401; Quoy & Gaimard, 1834:290

- Doris tunicata* Deshayes, 1865 (Frédol, 1864)
- Doris ulidiana* Thompson, 1845:312 [= *Lamellidoris*; = *Lamellidoris neapolitana*; = *Onchidoris*; = *Onchidoris muricata*]
Alder & Hancock, 1855:append. 5; Forbes & Hanley, 1850-1851:566; Jeffreys, 1869:89; Thompson, 1856:272
- Doris ulidia* Thompson, 1844 for 1843:250 [= *Onchidoris ulidiana*] {nomen nudum}
- Doris umbrella* Rochebrune, 1895b:239
- Doris valenciennesii* Cantraine, 1841:56 [= *Chromodoris*; = *Chromodoris cantrainii*; = *Chromodoris elegans*; = *Glossodoris*; non = *Hypselodoris elegans* vide Schmekel & Portmann, 1982:62; = *Hypselodoris picta*]
Mienis & Gat, 1982:433; Tiberi, 1880:203
- Doris varia* Abraham, 1877:209 [= *Aphelodoris*] [nom. nov. for *D. variabilis* Angas, 1864]
- Doris variabilis* Angas, 1864:44 [= *D. varia*; = *Aphelodoris varia*; = *Archidoris*]
Burn, 1965:86
- Doris variabilis* Kelaart, 1859:300 [= *Doriopsis*]
Eliot, 1906a:666; Kelaart, 1883:95
- Doris variolata* Orbigny, 1837:186 [= *Diaulula*; = *Peltodoris*; = *Platydoris*]
Hupe, 1854:74
- Doris venosa* Quoy & Gaimard, 1832:274 [= *Halgerda formosa*; ?= *Jorunna rubescens*]
Pruvot-Fol, 1934:71†
- Doris venulosa* Leuckart, 1828:15 [= *Glossodoris*; = *Glossodoris purpurea*]
Pruvot-Fol, 1954b:284
- Doris vermicelli* Gould, 1852
- Doris vermigera* Turton, 1807:133 [= *Aeolidia papillosa*; = *Eolis papillosa*]
- Doris verrucosa* (Cantraine, 1835) | *Diphyllidia* [= *Armina pustulosa*]
**Doris verrucosa* Linnaeus, 1758:653 [= *Staurodoris*]
Ballesteros, 1978:16; 1985:17; Barletta, 1981:65; Bergh, 1878a:579; Bouchet & Valdes, 2000:74; Brocchi, 1819:319; Cantraine, 1841:60; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:53†; Cuvier, 1804c:449, 467; 1817b:21; de Roisy, 1805:138; Eliot, 1910d:96; Fischer, 1867:7; Franz, 1970a:80; Garcia-Gomez, 2002:140†; Garstang, 1939:481; Gmelin, 1791:3103; Gosliner, 1987b:62†; I.C.Z.N., 2001:237; Ihering, 1907:218; 1915:142; Just & Edmunds, 1985:50†; Lamarck, 1819:311; Marcus, 1955:127; 1957:420; Marcus & Marcus, 1967b:201; Nordsieck, 1972:60†; Oken, 1815:285; Orr, 1980:114; 1981:52†; Ortea, Perez, & Llera, 1981:19; Ortea & Bacallado, 1981:771†; Perrier, 1954:97; Perrone, 1983b:133; Pruvot-Fol, 1931a:749; 1935:238; 1951:7; 1954b:232; Rapp, 1827:517; Riedl, 1983:335; Rolán & Otero-Schmitt, 1996:141†; Schmekel, 1968b:169; Schmekel & Portmann, 1982:77†; Thompson, 1988:224; Thompson & Brown, 1976:128; 1984:82†; Trainito, 2003:26†; 2005:61†; Turton, 1807:133; Valdes, 2002c:543; Verany, 2001:51; Vicente, 1967:150; Voigt, 1834:114
- Doris verrucosa* Pennant, 1777 [= *D. bilamellata*; = *Onchidoris bilamellata*]
Bouchet & Valdes, 2000:75; Dalyell, 1853:290
- Doris verrucosa* var. *bertheloti* Orbigny, 1839 | *Doris bertheloti*|
Pruvot-Fol, 1953b:65†
- Doris verrucosa mollis* Eliot, 1910d:97 [= *D. verrucosa*]

- Doris vesiculosus* Ehrenberg MS. [=Asteronotus hemprichii]
- Doris vestita* Abraham, 1877:252 [=Discodoris; ?=Diaulula punctuolata]
- Doris vibrata* Pease, 1860:28 [=Chromodoris; =Glossodoris; =Hypselodoris]
Pruvot-Fol, 1947:108
- Doris villa* Vérany, 1846:21 [=Chromodoris messinensis; =Doriprismatica;
=Glossodoris gracilis; =Glossodoris messinensis; =Hypselodoris villafranca]
Pruvot-Fol, 1954b:288; Vérany, 1846a:101; 2001:59
- Doris villafranca* delle Chiaje, 1841 [=Chromodoris calcarea; =Chromodoris cantrainii;
=Chromodoris elegans; =Glossodoris; =Glossodoris gracilis; =Glossodoris
valenciennesi; =Hypselodoris elegans]
- Doris villafranca* Risso, 1818:370 [=Chromodoris; =Doriprismatica; ?=Glossodoris
valenciennesi; =Hypselodoris]
Guérin-Meneville, 1931a:27; Pruvot-Fol, 1936a:634; Risso, 1826:32; 1831a:27; Verany, 2001:59
- Doris villafranca* (Risso) Philippi, 1844 [=Chromodoris]
- Doris villosa* Alder & Hancock, 1864:119 [=Thordisa; =Thordisa maculigera]
Eliot, 1906b:1006
- Doris villosa* Pease, 1871a:11
Pruvot-Fol, 1947:112
- Doris violacea* Quoy & Gaimard, 1832 [=Doriopsis]
Pruvot-Fol, 1933:401
- Doris viperina* Kelaart, 1859:299
Eliot, 1906a:666†; Kelaart, 1883:93
- Doris virescens* Risso, 1826:31 [=Actinocyclus limbatus; =Dendrodoris limbata =Doris
limbata]
Pruvot-Fol, 1936a:632; 1937:532; 1954b:340
- Doris vocinella* Leach, 1847 [=Acanthodoris pilosa] (lapsus for *D. rocinella*)
- Doris vulgaris* Leach, 1847; Leach in Gray, 1852:19 [=D. bilamellata; =Onchidoris
bilamellata; =Onchidoris fusca]
- Doris wellingtonensis* Abraham, 1877:259 [=Archidoris; =Doriopsis; =Doriopsis lacera]
Hutton, 1882:166
- Doris whitei* (Adams & Reeve, 1850) |*Goniodoris*| [=Chromodoris]
- Doris (Glossodoris) xantholeuca* Ehrenberg, 1831 [=Chromodoris pallida]
Bergh, 1877c:52; Rudman, 1984:127
- Doris zebra* (Heilprin, 1888) |*Chromodoris*| [=Chromodoris villafranca]
- Doris zebrina* (Alder & Hancock, 1864) |*Chromodoris*| [=Glossodoris]
- Doris zetlandica* Alder & Hancock, 1854:102 [=Aldisa]
Alder & Hancock, 1855:append. 1; Derjugin, 1915:547; Jeffreys, 1869:84; Sars, 1878:305
- Doris (Argus)* n. sp. Mörch, 1871:181
- Doris (Staurodoris)* sp. Allan, 1947:447
- Doris* sp. Barnard, 1927:213

- Doris* sp. Beaumont, 1900:848
- Doris* sp. Burn, 1966a:275
- Doris* sp. Camacho-Garcia, Gosliner, & Valdes, 2005:92†
- Doris* sp. “Coleman’s Doris” Coleman, 2001:†
- Doris* sp. “eastern Doris” Coleman, 2001:†
- Doris* sp. “Edithburg Doris” Coleman, 2001:†
- Doris* sp. “fringed Doris” Coleman, 2001:†
- Doris* sp. “pustulose Doris” Coleman, 2001:†
- Doris* sp. Cunningham, 1871:484 [=*D. magellanica*] Schrödl, 2003:91
- Doris* sp. Farran, 1905a:344
- Doris* sp. King & Fraser, 2002:116†
- Doris*. sp.1 Gosliner, 1987b:62†
- Doris* sp. Gosliner, 1987b:62†
- Doris* sp. Guernsey, 1912:78 [=*Dendrodoris albopunctata*]
- Doris* sp.(14) Haefelfinger & Kress, 1970:29
- Doris* sp.(15) Haefelfinger & Kress, 1970:29
- Doris* sp. Kent, 1893
Basedow & Hedley, 1905:147
- Doris* sp. Langerhans, 1873:174
- Doris* sp. Lundbeck, 1892 [=*Polydora dubia*]
- Doris* (s.l.) sp. MacFarland, 1966:179† [=*Diaulula sandiegensis*] Behrens, 1980:62†; Behrens & Valdés, 2001:183†; McDonald, 1983:183; McDonald & Nybakken, 1980:52†
- Doris* sp. Maplestone [=*Ceratosoma brevicaudatum*; =*Doriopsilla aurea*] Steinberg, 1961:62
- Doris* no. 16 Maplestone, 1872:52 [=*Ceratosoma brevicaudatum*] Burn, 1966c:77
- Doris* no. 19 Maplestone, 1872:53 [=*Doriopsilla aurea*] Burn, 1966c:78
- Doris* sp1. Ono, 1999:110†
- Doris* sp.2 Ono, 1999:110† [=*Sclerodoris* sp.2 Ono, 1999]
- Doris* sp. Pruvot-Fol, 1954b:280
- Doris* sp. Schrödl, 1996:28† Schrödl, 2003:45†
- Doris* sp. Trainito, 2003:50†

Percunas Marcus, 1970:945
[=*Paradoris*]

Valdes, 2002c:595

**Percunas mulciber* Marcus, 1970:945

Pupsikus Marcus & Marcus, 1970:167
[=*Thordisa*]

Valdes, 2002c:574

*

Pupsikus pinguis Marcus & Marcus, 1970:168 [=*Thordisa*]

Siraius Marcus, 1955:134
[=*Doris*]

Brodie & Willan, 1993:132 (table of species); Franc, 1968:869; Valdes, 2002c:542

Siraius bicolor (Bergh, 1884) |*Staurodoris*|

Marcus & Marcus, 1970a:60

Siraius frettterae (Thompson, 1980) |*Doris*|

**Siraius ilo* Marcus, 1955:135 [=*Doris*]

Marcus & Marcus, 1967:66; 1970a:61

Siraius kyolis Marcus & Marcus, 1967:64

Edmunds & Just, 1985:53; Redfern, 2001:175†

Siraius immonda (Risbec, 1928) |*Platydoris*|

Nakano, 2004:144†; Ono, 2004:152†

Siraius nucleola (Pease, 1860) |*Doris*|

Baba, 1993c:291†; Brodie & Willan, 1993:125; Coleman, 2001:†

Siraius sp. “pink Siraius” Coleman, 2001:†

Thorybopus Bouchet, 1977a:43

Valdés & Gosliner, 2001:176

**Thorybopus lophatus* Bouchet, 1977a:43

Valdés & Gosliner, 2001:176

Artachaeinae Odhner, 1968

Franc, 1968:869

Alloiodoris Bergh, 1904:41

Burn, 1962a:156 (synopsis of species); Cotton & Godfrey, 1933:102; Eliot, 1907a:333; Franc, 1968:869; O'Donoghue, 1924a:547; 1929a:76; Thiele, 1931:434; 1992:712; Valdés & Gosliner, 2001:162

Alloiodoris hedleyi O'Donoghue, 1924a:547

Debelius, 1996:†; Wells & Bryce, 1993:102†

Alloiodoris inhacae O'Donoghue, 1929a:76

Alloiodoris lanuginata (Abraham, 1877) |*Doris*|

Coleman, 2001:†; Eliot, 1907a:333; Enderby & Enderby, 2005:9†; Odhner, 1924:52; Powell, 1979:284; Willan & Morton, 1984:87

**Alloiodoris marmorata* Bergh, 1904:42 (non Basedow & Hedley, 1905:152; nor Burn, 1957:19; 1962a:150 =*Paradoris dubia*)

Coleman, 1989:20†; 2001:†; Cotton & Godfrey, 1933:102; Valdés & Gosliner, 2001:162; Willan & Coleman, 1984:34†

Alloiodoris nivosus Burn, 1958:12(29) [=*Discodoris dubia*; =*Paradoris dubia*]

Burn, 1962a:154; 1966a:274

Alloiodoris sp. Pruvot-Fol, 1953b:77

Artachaea Bergh, 1881:231

Bergh, 1892:101(1093); Franc, 1968:869; Thiele, 1931:439; 1992:720; Valdes, 2002c:613; White, 1950:98

Artachaea clavata Eliot, 1907:81 [=*Carminodoris*]

Eliot, 1908a:116

Artachaea intermedia Eales, 1938:107

**Artachaea rubida* Bergh, 1881:231

Artachaea verrucosa Eliot, 1908a:116

O'Donoghue, 1929:720; White, 1950:98

Artachaea sp. Gosliner, 1987b:68†

Artachaea sp. White, 1950:98

Staurodoris Bergh, 1878a:578

[=*Doridigitata*; =*Doris*]

Bergh, 1880b:36; 1884:655; 1892:101(1093); 1894:160; 1904:38; 1907:45; Bouchet & Valdes, 2000:78; Cotton & Godfrey, 1933:101; Eliot, 1906c:336; 1906e:557; 1910d:95, 147; Misuri, 1917:69; Risbec, 1928:101; 1953:38; Vayssiére, 1901a:18

Staurodoris aspera Risbec, 1928:101†

Risbec, 1953:38

Staurodoris atypica Eliot, 1906d:134

Staurodoris bicolor Bergh, 1884:655 [=*Doris*; ?= *Homoidoris sticta*; =*S. verrucosa*]
Odhner, 1914:166

Staurodoris bobretzkii Gadzikiewicz, 1907:509 [=*Doris verrucosa*]

Milachewitch, 1916:134

Staurodoris calva Eliot, 1903a:364 [=*Doris*]

Staurodoris depressa Eliot, 1903a:363 [=*Doris*]

Staurodoris falklandica Eliot, 1907a:356 [=*Austrodoris*]
Odhner, 1926:66

Staurodoris januarii Bergh, 1878a:583 [=*Doris verrucosa*; =*S. verrucosa*]
Bergh, 1880b:37

Staurodoris maculata (Garstang, 1895) |*Doris*| [=*Homoidoris sticta*]
Eliot, 1905b:241

Staurodoris ocelligera Bergh, 1881b:95 [=*Doris*; =*S. verrucosa*]

Staurodoris pecten Eliot, 1906e:557

Staurodoris pseudoverrucosa Ihoring, 1886a:233 [=Doris; =Homoiodoris sticta; =S. maculata; =S. verrucosa]

Staurodoris pustulata (Abraham, 1877) |Doris| [=Doris; =Austrodoris peculiaris; =Carminodoris nodulosa; =Hoplodoris nodulosa]

Allan, 1950:222; Basedow & Hedley, 1905:151; Burn, 1957:20; 1962a:150; Cotton & Godfrey, 1933:101

Staurodoris rusticata (Alder & Hancock, 1864) |Doris|
Eliot, 1906a:652; 1906b:1000

**Staurodoris verrucosa* (Cuvier, 1804) |Doris| [=Doridigitata derelicta; =Doris] (non Vayssi  re, 1901a:18 =Archidoris pseudoargus)

Bergh, 1878a:579; 1894:161; 1904:38; 1907:46; Cu  not, 1904:10; Eliot, 1906c:337; Farran, 1905:207; Ihoring, 1886a:230; Mazzarelli, 1903:294; Misuri, 1917:69; Nobre, 1931:42; 1936:28; 1938-40:52; O'Donoghue, 1926:202; Pruvot-Fol, 1927:45; Vayssi  re, 1896:245

Staurodoris verrucosa var. *mollis* Eliot, 1906c:338 [=Doridigitata derelicta; =Doris verrucosa]

Archidorididae Bergh, 1891:127

Barnard, 1927:174; Bergh, 1892:100(1092); 1898:500; 1905a:93; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:57; Fez Sanchez, 1974:113; Franc, 1968:869; Hayward, Wigham, & Yonow, 1990:718; MacFarland, 1906:113; Nordsieck, 1972:60; O'Donoghue, 1924a:547; 1929a:75; Parker, 1982:1044; Schmekel & Portmann, 1982:71; Thiele, 1931:434; Thompson, 1988:226; Thompson & Brown, 1984:83

Anoplodoris Fischer, 1883:521
[=Archidoris; =Doris]

O'Donoghue, 1926:206; Valdes, 2002c:541

**Anoplodoris tuberculata* (Linnaeus) |Doris|
Iredale & O'Donoghue, 1923a:228

Archidoris Bergh, 1878b:616
[=Doris]

Bergh, 1879c:162; 1880b:33; 1884:651; 1884a:84; 1892:100(1092); 1894:157; Cotton & Godfrey, 1933:100; Eliot, 1903a:360; 1910d:95, 147; Fez Sanchez, 1974:114; Franc, 1968:869; McDonald, 1983:147; McDonald & Nybakken, 1980:52; Misuri, 1917:54; O'Donoghue, 1921:154; 1929:812; Odhner, 1907:19; Pruvot-Fol, 1954b:235; Schmekel, 1968b:168; Schmekel & Portmann, 1982:71; Thiele, 1931:434; 1992:714; Thompson, 1988:226; Thompson & Brown, 1984:83; Valdes, 2002c:541; Vayssi  re, 1913a:313

Archidoris africana Eliot, 1903:361 [=A. violacea]

Archidoris australis Bergh, 1884a:89 [=Austrodoris; =Austrodoris kerguelensis; =Doris kerguelensis]

Archidoris britannica (Johnston, 1838) |Doris| [=A. pseudoargus]
Lemche, 1938:16

Archidoris britannica auctt. [=A. tuberculata]

Archidoris cameroni Allan, 1947:450 [=Doris; non =Doris chrysoderma, vide Thompson, 1975:479]

Archidoris capensis Bergh, 1907:42

- Archidoris coccinea* (Forbes in Alder & Hancock, 1848) |*Doris*| [=Rostanga]
- Archidoris flammea* (Alder & Hancock, 1844) |*Doris*| [=A. *pseudoargus*]
Garstang, 1890:440; Nordsieck, 1972:60; Pruvot-Fol, 1954b:237; Vayssi  re, 1913a:317
- Archidoris fontaini* (d'Orbigny, 1837) |*Doris*|
Schr  dl, 2003:45†; Schr  dl, et al., 2005:26†
- Archidoris fulva* Eliot, 1907a:336
- Archidoris granosa* Bergh, 1907:43 [=Doris *verrucosa*]
- Archidoris granulatissima* Vayssi  re, 1917:17 [=Austrodoris; =Austrodoris *kerguelensis*]
W  gele, 1993:184
- Archidoris hawaiiensis* Kay & Young, 1969:179
Kay, 1979:460
- Archidoris incerta* Bergh, 1898:504 [=Archidoris *fontaini*; =Doris *fontainei*]
- Archidoris incerta* var. Bergh, 1898:507
- Archidoris johnstoni* (Alder & Hancock, 1845) |*Doris*| [=Jorunna]
Garstang, 1889:177
- Archidoris kerguelensis* Bergh, 1884a:85 [=Austrodoris; =Doris]
Bergh, 1894:159; Burn, 1973:39; Merilees & Burn, 1969:137
- Archidoris kurana* Bergh, 1905a:93
- Archidoris maculata* (Garstang, 1895) |*Doris*|
Labb  , 1922a:53; Vayssi  re, 1913a:319
- Archidoris (Staurodoris) maculata* var. *lutea* Vayssi  re, 1919:57 [=Doridigitata *sticta*;
=Doris *sticta*; =Homoiodoris *sticta* var. *lutea*]
- Archidoris marmorata* Bergh, 1881b:86 [=Anisodoris; =Anisodoris *stellifera*;
=Discodoris *planata*]
Vayssi  re, 1901a:16; 1913a:314
- Archidoris marmorata* var. Bergh, 1881b:92
- Archidoris minor* Eliot, 1903a:362
Narayanan, 1968a:199
- Archidoris montereyensis* (Cooper, 1863) |*Doris*| [=Doris]
Behrens, 1980:52†; 1991:65†; 2004:40; Bergh, 1878b:624; 1879c:163; Bertsch, 1981b:†; Burn,
1968:91; Debelius, 1996:†; Farmer, 1980:50; Jaeckle, 1984:210; MacFarland, 1905:37; 1906:114†;
1966:181†; Marcus, 1961:16; McDonald, 1983:148; McDonald & Nybakken, 1980:52†; O'Donoghue,
1921:154
- Archidoris nanula* Bergh, 1904:33
Benham, 1905:316; Powell, 1979:284
- Archidoris nivalis* Thiele, 1912:221 [=Doris]
W  gele, 1990:174; 1993:185
- Archidoris nobilis* (Lov  n, in MS.) Odhner, 1907:99
Hoffmann, 1926:10; Odhner, 1907:20
- Archidoris nubilosa* (Pease, 1871) |*Doris*| [=Sebadoris]

- Kay, 1979:460; Kay & Young, 1969:180
- Archidoris nyctea* Bergh, 1900:222 [=*A. montereyensis*]
Burn, 1968:91
- Archidoris odhneri* (MacFarland, 1966) |*Austrodoris*|
Behrens, 1980:52†; 1991:65†; 2004:40; Burn, 1968:90; Debelius, 1996:†; Farmer, 1980:51; Goddard, 1984:147; McDonald, 1983:149; McDonald & Nybakken, 1980:52†
- Archidoris odonoghuei* Pruvot-Fol, 1933b:118
Pruvot-Fol, 1933a:147
- Archidoris planata* (Alder & Hancock, 1846) |*Doris*| [=*Platydoris*]
- Archidoris pseudoargus* (Rapp, 1827) |*Doris*| [=*A. tuberculata*; =*Doris*]
Brown & Picton, 1979:16; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:57†; Evertsen & Bakken, 2001a:12†; Garcia-Gomez, 2002:141; George & George, pl. 91†; Hayward, Wigham, & Yonow, 1990:718; Hunnam & Brown, 1975:141; Karlsson & Östman, 1999:†; Koutsoubas, Koukouras, & Thompson, 1993:158; McMillan, 1968:69; Perrone, 1986a:25; Picton & Morrow, 1994:84†; Rolán & Otero-Schmitt, 1996:142†; Thompson, 1988:226; Thompson & Brown, 1976:130; 1984:84†; Trainito, 2003:28†; 2005:57†; Turk, 2000:164†
- Archidoris rubescens* Bergh, 1898:51 [=*Austrodoris*; =*Austrodoris kerguelensis*;
=*Doris kerguelensis*]
- Archidoris scripta* Bergh, 1907:44
Barnard, 1927:175
- Archidoris staminea* Basedow & Hedley, 1905:151 [=*Dendrodoris*; =*Doriopsilla staminea*] (non Vayssièvre, 1912:19 =*A. vayssierea* or =*Discodoris planata*)
Burn, 1962a:150; Cotton & Godfrey, 1933:101
- Archidoris stellifera* Vayssièvre, 1903:82 [=*Archidoris testudinaria*; =*Discodoris planata*;
=*Doris testudinaria*]
Vayssièvre, 1904:123
- Archidoris sugashimae* Baba, 1998:158
Suzuki, 2000:101†
- Archidoris testudinaria* (Alder & Hancock, 1862) |*Doris*| [=*Doris*] (non Eliot, 1910
= *Anisodoris stellifera*)
Eliot, 1906c:339; Walton, 1908:239
- Archidoris testudinaria* (Risso, 1818) |*Doris*|
Vayssièvre, 1913a:315
- Archidoris tricolor* (Baba, 1938) |*Neodoris*|
Baba, 1998:155; Nakano, 2004:123†; Okutani, 2000:793†; Suzuki, 2000:101†
- **Archidoris tuberculata* (Cuvier, 1804) |*Doris*| [=*A. pseudoargus*] (non Vayssièvre, 1901a:13 =*Doris verrucosa*)
Ballesteros, 1985:18; Barletta, 1981:67; Bergh, 1878b:617; 1880b:34; 1884:651; 1894:158; 1900:221; Burn, 1968:91; Colgan, 1911:24; 1914:197; Cuénod, 1904:3; George & George, pl. 91†; Hoffmann, 1926:0; Løyning, 1927:249; Mazzarelli, 1903:293; Nobre, 1931:40; 1936:28; 1938-40:50; Nordsieck, 1972:60†; Odhner, 1907:20; 1939:34; Pruvot-Fol, 1931a:749; 1935:242; 1951:7; 1954b:235; Riedl, 1970:428; 1983:335; Swennen, 1987:30; Tchang Si, 1931a:110; Vayssièvre, 1913a:318; Volodchenko, 1955:249; Wägele & Schminke, 1987:†
- Archidoris tuberculata* var. *antarctica* Vayssièvre, 1917:16 [=*Austrodoris kerguelensis*]

- Archidoris tuberculata* var. *flammea* (Alder & Hancock, 1844) |*Doris*|
Odhner, 1926a:23
- Archidoris tuberculata* var. *marmorata* Bergh, 1881 |*Archidoris marmorata*|
Misuri, 1917:56; Schrödl, 2003:90
- Archidoris tuberculata* var. Vayssi  re, 1906a:4 [=*Doris nivalis*; =*Austrodoris kerguelenensis*]
- Archidoris varia* (Abraham, 1877) |*Doris*| [=*Aphelodoris*] (non Basedow & Hedley, 1905
= *Aphelodoris lawsae*; non Burn, 1957:20 = *Austrodoris peculiaris* or *Doris cameroni*)
Burn, 1957:20; 1962a:150; Cotton & Godfrey, 1933:100
- Archidoris vayssierea* O'Donoghue, 1929:812 (nom nov for *A. staminea* Basedow &
Hedley of Vayssiere, 1912)
White, 1951:250
- Archidoris verrucosa* (Cuvier, 1817) [the author should be Linnaeus, vide Bouchet &
Valdes, 2000:74]
Fez Sanchez, 1974:114†; Vayssi  re, 1913a:313
- Archidoris violacea* Bergh, 1904:32
Benham, 1905:315; Eliot, 1906a:653; Powell, 1979:284
- Archidoris wellingtonensis* (Abraham, 1877) |*Doris*|
Coleman, 2001:†; Debelius, 1996:†; Eliot, 1905a:236; 1907a:335; Powell, 1979:284; Willan &
Coleman, 1984:32†; Willan & Morton, 1984:84
- Archidoris* sp. Bergh, 1900:220
- Archidoris* sp. Bergh, 1904:34
- Archidoris* sp. White, 1955:182
- Atagema*** Gray, 1850b:104
Adams & Adams, 1858:60; Benham, 1905:318; Bergh, 1904:39; Chenu, 1859:405; Fischer, 1883:523;
Franc, 1968:870; Gray, 1857:209; Marcus & Marcus, 1970b:200; McDonald, 1983:150; McDonald &
Nybakken, 1980:52; Nordsieck, 1972:60; Pruvot-Fol, 1954b:237; Thiele, 1931:435; 1992:714;
Thompson, 1988:228; Thompson & Brown, 1974:236; 1984:85; Vald  s & Gosliner, 2001:111
- Atagema africana* Pruvot-Fol, 1953b:76
- Atagema alba* (O'Donoghue, 1927) |*Glossodoridiformia*|
Behrens, 1991:64†; 2004:39; Behrens & Hermosillo, 2005:68†; Bertsch & Gosliner, 1986:123;
McDonald, 1983:150; McDonald & Nybakken, 1980:52†
- Atagema boucheti* Vald  s & Gosliner, 2001:120
- Atagema browni* Thompson 1980:87
- **Atagema carinata* (Quoy & Gaimard, 1832) |*Doris*|
Benham, 1905:319; Bergh, 1904:39; Powell, 1979:284; Pruvot-Fol, 1934:63; Vald  s & Gosliner,
2001:116; Willan & Coleman, 1984:34†
- Atagema gibba* Pruvot-Fol, 1951:9
Brown & Picton, 1979:17; Gosliner, 1987b:63†; Nordsieck, 1972:60; Picton & Morrow, 1994:84†;
Pruvot-Fol, 1954b:239; Thompson, 1988:228; Thompson & Brown, 1974:233; 1976:131; 1984:85†
- Atagema inecta* (Kelaart, 1858) |*Doris*|

- Behrens, 2005:†; Nakano, 2004:124†; Ono, 2004:131†; Tonozuka 2003:110†
- Atagema ornata* (Ehrenberg, 1831) |*Doris*|
Valdés & Gosliner, 2001:112†
- Atagema osseosa* (Kelaart, 1859) |*Doris*|
Marcus & Marcus, 1970b:199
- Atagema prea* (Marcus & Marcus, 1967) |*Anisodoris*|
Edmunds & Just, 1985:53; Thompson, 1980:86
- Atagema quadrimaculata* Collier, 1963:73 [=*A. alba*]
Behrens, 1980:54†; Farmer, 1980:81
- Atagema rugosa* Pruvot-Fol, 1951:8
Gosliner, 1987b:63†; Nordsieck, 1972:60; Perrone, 1983:88; 1983b:133; 1983c:49; Pruvot-Fol, 1954b:238
- Atagema spongiosa* (Kelaart, 1858) |*Doris*|
Behrens, 2005:†; Nakano, 2004:124†; Valdés & Gosliner, 2001:116
- Atagema* sp. 1 Behrens & Hermosillo, 2005:68†
- Atagema* sp. Bouchet & Moreteau, 1975:8
- Atagema* sp. Camacho-Garcia, Gosliner, & Valdes, 2005:89†
- Atagema* sp. Cattaneo, Chemello, & Giannuzzi-Savelli, 1990 [=*Carminodoris boucheti*]
- Atagema* sp. 1 Nakano, 2004:125†
- Atagema* sp. 2 Nakano, 2004:125†
- Atagema* sp. Ono, 2004:132†
- Atagema* sp. Pruvot-Fol, 1953b:81
- Atagema* sp. Pruvot-Fol, 1954b:239
- Ctenodoris*** Eliot, 1907a:338
[=*Doriopsis*; =*Doris*]
Baba, 1937c:301; Eliot, 1910d:95; Franc, 1968:870; Thiele, 1931:434; 1992:713
- Ctenodoris aurantiaca* (Eliot, 1913) |*Doris (Ctenodoris)*| [=*Doriopsis*; =*Doriopsis granulosa*]
Baba, 1949:150†
- Ctenodoris flabellifera* (Cheeseman, 1881) |*Doris*| [=*Doriopsis granulosa*]
Eliot, 1907a:339; Powell, 1979:284
- Ctenodoris granulosa* (Pease, 1860) |*Doriopsis*| [=*Doriopsis*]
- Ctenodoris pecten* (Collingwood, 1881) |*Doris*| [=*Doriopsis*]
Bergh, 1891:132; Franc, 1968:869; Marcus & Marcus, 1967:91
- **Etidoris ladislavii* Ihoring, 1886a:234 [=*Thordisa*]
Marcus, 1955:134; 1958a:25

Glossodoridiformia O'Donoghue, 1927
[=*Atagema*]

**Glossodoridiformia alba* O'Donoghue, 1927 [=Atagema]

Guyonia Risbec, 1928:102
[=*Ctenodoris*; =*Doriopsis*; =*Doris*]

Thiele, 1931:439; 1992:720

**Guyonia flava* Risbec, 1928:103† [=*Ctenodoris aurantiaca*, =*Doriopsis granulosa*;
=*Doriopsis pecten*; =*Doris granulosa*]

Guyonia viridis (Pease, 1861) |*Doriopsis*| [=*Doriopsis*]
Risbec, 1928:105†

Peronodoris Bergh, 1904:44

[?= *Asteronotus*]

Allan, 1947:451; Eliot, 1908a:113; Franc, 1968:870; Gosliner & Valdes, 2002:60; Marcus & Marcus,
1970:165; Rudman, 1978:82; Thiele, 1931:435; 1992:715

Peronodoris apiculata (Alder & Hancock, 1864) |*Doris*|
Allan, 1947:452

**Peronodoris cancellata* Bergh, 1904:45

Peronodoris denticulata Eliot, 1908a:115

Peronodoris rehderi Marcus & Marcus, 1970:165

Peronodoris tuberculata (Eliot, 1903) |*Sclerodoris*|
Allan, 1947:453

Petelodoris Bergh, 1881:227 [=Atagema]
[=Atagema]

Bergh, 1892:102(1094); Franc, 1968:870; MacFarland, 1966:182; Thiele, 1931:435; 1992:714;
Thompson & Brown, 1974:236

Petelodoris spongicola MacFarland, 1966:183† [=Atagema alba]

**Petelodoris triphylla* Bergh, 1881:12 [=Atagema ornata]

Phlegmodoris Bergh, 1878a:593
[=Atagema; =*Trippa*]

Bergh, 1890b:168; Pruvot-Fol, 1935a:254; Risbec, 1928:87

Phlegmodoris anceps Bergh, 1890b:169

Phlegmodoris areolata (Alder & Hancock, 1864) |*Doris*|
André, 1896:401

Phlegmodoris mephitica Bergh, 1878a:594 [=Atagema spongiosa; =*Trippa spongiosa*]

Phlegmodoris paagoumenei Risbec, 1928:87†
Risbec, 1930a:273

Phlegmodoris papillosa Risbec, 1928:90†

Phlegmodoris spongiosa (Kelaart, 1859) |*Doris*|

***Trippa* Bergh, 1877b:543 [=Atagema]
[Kay, 1979:462 puts this genus in subfamily Trippinae]**

Bergh, 1877c:63; 1890a:904; 1892:106(1098); 1898:527; 1905a:128; Eliot, 1903a:361; 106a:657; 1906e:558; 1909a:83; Franc, 1968:870; Miller, 1989:242; Risbec, 1928:97; 1953:33; Satyamurti, 1952:237; Thiele, 1931:435; 1992:714

***Trippa affinis* Bergh, 1905a:131 [=T. intecta]**
Bergh, 1908:160

***Trippa albata* Burn, 1962:101**
Burn, 1966a:274; 1989:766

***Trippa areolata* (Alder & Hancock, 1864) |Doris|**
Eliot, 1900:519; 1903a:369; 1909a:86; Gohar & Soliman, 1967f:272

***Trippa echinata* (Pease, 1860) |Doris|**
Kay, 1979:462; Kay & Young, 1969:189

***Trippa erinaceus* (Crosse in Angas, 1864) |Goniodoris| [=T. intecta]**
Allan, 1947:450

***Trippa hispida* (Orbigny, 1837) |Doris| [=Diaulula]**
Bergh, 1898:527; Odhner, 1926:76

***Trippa intecta* (Kelaart, 1859) |Doris|**
Abe, 1964:52; Baba, 1936:27; 1949:151†; Coleman, 2001:†; Colin & Arneson, 1995:179†; Debelius, 1996:†; Edmunds, 1971:356; Eliot, 1909a:83; Lin, 1975:146; Lin & Tchang, 1965:12; Marcus & Marcus, 1970b:202; Marshall & Willan, 1999:85†; Okutani, 2000:795†; Ono, 1999:103†; Orr, 1980:115; 1981:50†; Risbec, 1953:35; 1956:9; 1956a:9; Suzuki, 2000:99†; Wells & Bryce, 1993:111†; Willan & Coleman, 1984:34†

***Trippa luteola* (Kelaart, 1858) |Doris| [=Taringa]**
Eliot, 1906a:658†

***Trippa mephitica* Bergh, 1878 |Phlegmodoris| [=T. spongiosa]**

***Trippa molesta* Miller, 1989:244**

***Trippa monsoni* Eliot, 1903a:371 [=Doris leoparda]**
Eliot, 1906a:660†

****Trippa ornata* Bergh, 1877b:543 [=Atagema; =T. intecta]**
Bergh, 1890a:905; 1905a:129†; Eliot, 1906a:658; 1906e:558; Risbec, 1928:97†

***Trippa osseosa* (Kelaart, 1859) |Doris|**
Kay, 1979:462; Kay & Young, 1969:190

***Trippa paagoumenei* (Risbec, 1928) |Phlegmodoris|**
Risbec, 1953:33

***Trippa papillosa* (Risbec, 1928) |Phlegmodoris|**
Risbec, 1953:35

***Trippa scabriuscula* (Pease, 1860) |Doris|**
Kay, 1979:464; Kay & Young, 1969:190

***Trippa spinosa* Risbec, 1928:99†**
Risbec, 1953:36

***Trippa spongiosa* (Kelaart, 1859) |Doris|**

Coleman, 1989:20†; 2001:†; Eliot, 1906a:660†; Gohar & Soliman, 1967f:280; Marshall & Willan, 1999:85†; Okutani, 2000:795†; Suzuki, 2000:100†; Wells & Bryce, 1993:111†; Willan & Coleman, 1984:34†

Trippa tristis (Alder & Hancock, 1864) |*Doris*|
Eliot 1906b:1006; O'Donoghue, 1932:154; Satyamurti, 1952:237

Trippa sp. "Lord Howe Trippa" Coleman, 2001:†

Geitodorididae Odhner, 1968

Franc, 1968:870; Nordsieck, 1972:60; Parker, 1982:1044

Carryodoris Vayssi  re, 1919:67
[=*Geitodoris*]

Pruvot-Fol, 1954b:280; Schmekel & Portmann, 1982:72

**Carryodoris joubini* Vayssi  re, 1919:67
Pruvot-Fol, 1954b:280

Carryodoris ohshimai (Baba, 1926) |*Geitodoris*|

Carryodoris portmanni Schmekel, 1973a:370 [=*Geitodoris*]
Schimekel & Portmann, 1982:89†

Geitodoris Bergh, 1892:103(1095)

Barnard, 1927:177; Bergh, 1894:149; 1905:66; 1907:47; Eliot, 1906d:140; 1910d:148; Marcus, 1955:149; Miller, 1996a:433; Nordsieck, 1972:61; Odhner, 1926:78; Ortea, 1990:99; Ortea & Ballesteros, 1981:339; Schr  dl, 2000:206; Thiele, 1931:435; 1992:714; Valdes, 2002c:599

Geitodoris bacalladoi Ortea, 1990:116

Geitodoris bonosi Ortea & Ballesteros, 1981:337
Ballesteros, 1982b:231; 1985:18

Geitodoris capensis Bergh, 1907:47
Barnard, 1927:177; Gosliner, 1987b:65†

**Geitodoris complanata* (Verrill, 1880) |*Doris*| [=*G. planata*]
Bergh, 1894:163

Geitodoris falklandica Odhner, 1926:83 [=*G. patagonica*]

Geitodoris heathi (MacFarland, 1905) |*Discodoris*|
Behrens, 1991:68†; 2004:41; Behrens & Hermosillo, 2005:73†; Lamb & Hanby, 2005:253

Geitodoris immunda Bergh, 1894:167

Geitodoris joubini (Vayssi  re, 1919) |*Carryodoris*|
Nordsieck, 1972:61

Geitodoris lutea Baba, 1937c:302
Abe, 1964:51, 86†; Suzuki, 2000:100†

Discodoris mavis (Marcus & Marcus, 1967) |*Discodoris*|
Camacho-Garcia, Gosliner, & Valdes, 2005:87†

Geitodoris mollina Bergh, 1905:66
Dall & Simpson, 1902 for 1900:368

Geitodoris pallida Vald  s, 2001:268

- Geitodoris patagonica* Odhner, 1926:80
 Carcelles, 1944:264; Muniain, 2001:171†; Schrödl, 2000:200; 2003:43†
- Geitodoris perfossa* Ortea, 1990
 Ortea, 1990:109; Wirtz, 1999:†
- Geitodoris planata* (Alder & Hancock, 1846) |*Doris*| [=Discodoris]
 Cervera, García, & García, 1985:198; Eliot, 1904b:180; 1905:186; 1906c:344; 1910d:17, 104; Garcia-Gomez, 2002:146†; Nordsieck, 1972:61†; Ortea, 1990:99; Rolán-Alvarez & Rolán, 1990:93; Sánchez-Tocino, Ocaña, & García, 2000:†; Trainito, 2005:62†; Valdes, 2002c:600; Wirtz, 1998a:†; 1999:†
- Geitodoris portmanni* (Schmekel, 1973) |*Carryodoris*|
 Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:89†; Perrone, 1986a:26
- Geitodoris pusae* (Marcus, 1955) |*Discodoris*|
 Ortea, 1990:106; Ortea, Luque, & Templado, 1988:243
- Geitodoris reticulata* Eliot, 1906d:140
 Martinez, Ortea, & Ballesteros, 1996:257
- Geitodoris rubens* (Vayssiére, 1919) |*Discodoris*|
- Geitodoris sticta* Miller, 1996a:435
- Geitodoris* sp. Haefelfinger & Kress, 1970:28
 Subgenus: (*Carryodoris*) Vayssiére, 1919
- Geitodoris (Carryodoris) joubini* (Vayssiére, 1919) |*Carryodoris*|
- Geitodoris (Carryodoris) portmanni* (Schmekel, 1970) |*Carryodoris*|
 Perrone, 1984:142
- Geitodoris (Carryodoris) ohshimae* Baba, 1936:29
 Subgenus: (*Geitodoris*) Bergh, 1892
 Subgenus: (*Verrillia*) Ortea & Ballesteros, 1981
- Geitodoris (Verrillia) bonosi* Ortea & Ballesteros, 1981:337
 Perrone, 1992:27†
Verrillia Ortea & Ballesteros, 1981
 [=*Geitodoris*]
 Valdes, 2002c:599

Homoeodorididae Odhner, 1926

Franc, 1968:870; Nordsieck, 1972:61; Parker, 1982:1045; Thiele, 1931:438; 1992:718

Homoeodoris Bergh, 1881:6 [*Homoiodoris*]

Bergh, 1892:100(1091); 1904:35; Eliot, 1910d:95; Nordsieck, 1972:61; Pruvot-Fol, 1954b:245; Thiele, 1931:438; 1992:718; Valdes, 2002c:615

**Homoeodoris japonica* Bergh, 1881:7
 Abe, 1964:54; Baba, 1933a:171; 1935a:347; 1949:152†; Lin & Tchang, 1965:12; Nakano, 2004:133†; Okutani, 2000:793†; Orr, 1980:114; 1981:49†; Suzuki, 2000:102†

Homoeodoris maculata (Garstang, 1895) |*Doris*| [=*H. sticta*]

Homoeodoris novzealandiae Bergh, 1904:35 [=Hoplodoris; =Hoplodoris nodulosa]
Benham, 1905:317; Powell, 1979:286

Homoeodoris sticta (Iredale & O'Donoghue, 1923) |Doridigitata|
Nordsieck, 1972:61; Pruvot-Fol, 1951:10; 1954b:246

Homoeodoris sticta var. *lutea* (Vayssi  re, 1919) | Archidoris (Staurodoris) maculata var.
lutea|
Pruvot-Fol, 1954b:247

Baptodorididae Odhner, 1926

Franc, 1968:870; Nordsieck, 1972:61; Parker, 1982:1045; Thiele, 1931:437; 1992:717

Baptodoris Bergh, 1884:671
[?=Carminodoris]

Bergh, 1888b:812; 1892:107(1099); Franc, 1968:870; Gosliner, 1991a:280 (discussion of species);
Nordsieck, 1972:61; Pruvot-Fol, 1954b:282; Risbec, 1928:111; 1953:1953:56; Schmekel & Portmann,
1982:72; Thiele, 1931:437; 1992:717; Vald  s & Gosliner, 2001:151; Vayssi  re, 1913a:323

**Baptodoris cinnabrina* Bergh, 1884:671

Ballesteros & Valdes, 1999:27; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:101†; Nordsieck,
1972:61; Perrone, 1985b:207†; 1986a:28; Pruvot-Fol, 1951:20; 1954b:282; Schmekel, 1970:200;
Schmekel & Portmann, 1982:88†; Trainito, 2003:36†; 2005:57†; Vald  s & Gosliner, 2001:152†;
Vayssi  re, 1913a:323

Baptodoris fongosa Risbec, 1928:111†

Risbec, 1953:56

Baptodoris mimetica Gosliner, 1991a:276†

Behrens, 1991:66†; 2005:†; Behrens & Hermosillo, 2005:69†

Baptodoris perezi Llera & Ortea, in Ortea, Perez, & Llera, 1981:24†

Cervera, Garc  a, Luque, & Ortea, 1986:185; Garcia-Gomez, 2002:†; Ortea, Moro, Caballer, &
Bacallado, 2003:171†; Perrone, 1986a:28; 1986b:277; 1990b:24; Wirtz, 1999:†

Baptodoris peruviana (d'Orbigny, 1837) |Doris|

Fischer & Cervera, 2005:515†

Baptodoris phinei Vald  s, 2001:299

Baptodoris tuberculata Bergh, 1888b:812

Carminodoris Bergh, 1889:818
[=Baptodoris]

Bergh, 1892:104(1096); 1905a:111; Franc, 1968:870; Risbec, 1928:109; 1930a:283; 1953:47; Thiele,
1931:437; 1992:717; Valdes, 2002c:615

Carminodoris armata Baba, 1993b:223 [=Hoplodoris]

Masuda, 1999:116†; Suzuki, 2000:97†

Carminodoris bifurcata Baba, 1993b:226† [=Hoplodoris]

Okutani, 2000:793†; Suzuki, 2000:98†

Carminodoris blandula Bergh, 1905a:111

Carminodoris boucheti Ortea, 1979:579

Ballesteros, 1985:18; Ballesteros & Ortea, 1981:35; Ortea, 1980c:53; Perrone & Doneddu, 1997:49;
Trainito, 2003:36†

- Carminodoris branneri* (MacFarland, 1909) |*Discodoris*|
- Carminodoris clavata* Eliot, 1910:419
- Carminodoris cockerelli* Risbec, 1930a:283
Risbec, 1953:49
- Carminodoris evelinae* (Marcus, 1955) |*Discodoris*|
- Carminodoris flavesrens* Risbec, 1937a:159
Risbec, 1953:47
- Carminodoris grandiflora* (Pease, 1860) |*Doris*| [=Hoplodoris]
Bertsch & Johnson, 1981:39†; Kay, 1979:461; Kay & Young, 1969:185
- **Carminodoris mauritiana* Bergh, 1889:818 [=Hoplodoris grandiflora]
- Carminodoris mortenseni* (Marcus & Marcus, 1963) |*Discodoris*|
- Carminodoris nodulosa* (Angas, 1864) |*Doris*| (non Bertsch & Johnson, 1981:39†, nor
Kay, 1979:462, nor Kay & Young, 1969:187. =Hoplodoris bifurcata)
Marshall & Willan, 1999:72†
- Carminodoris punctulifera* (Bergh, 1907) |*Thordisa*|
Risbec, 1928:109†; 1953:47
- Carminodoris pustulata* (Abraham, 1877) |*Doris*|
Jensen, 1994:131†
- Carminodoris spinobrachialis* Ortea & Martínez, 1992
Carryodoris Vayssiére, 1919
(this genus also listed under Geitodorididae)
[=Geitodoris]
- Dystyloadoris* Odhner, 1959
[?=Hoplodoris]
Franc, 1968:870; Marcus, 1976a:20
- **Dystyloadoris mortenseni* Odhner
Marcus, 1976a:20
Paradoris Bergh, 1884:686
Baba, 1986f:1; Bergh, 1892:104(1096); Dayrat 2006:126, 136; Franc, 1968:870; Miller, 1995:902;
Nordsieck, 1972:61; Pruvot-Fol, 1954b:275; Thiele, 1931:439; 1992:719; Valdes, 2002c:592;
Vayssiére, 1913a:320
- Paradoris araneosa* Valdés, 2001:281
Dayrat 2006:136
- Paradoris ceneris* Ortea, 1995:21† [=P. indecora]
- Paradoris dubia* (Bergh, 1904) |*Discodoris*|
Dayrat 2006:140; Dayrat & Gosliner, 2005:203
- Paradoris erythraeensis* (Vayssiére, 1912) |*Discodoris*|
- **Paradoris granulata* Bergh, 1884:686 [=P. indecora]
Nordsieck, 1972:61; Perrone, 1990a:368; Pruvot-Fol, 1954b:276; Vayssiére, 1913a:320

Paradoris granulata var. Bergh, 1884:691 [=*P. indecora*]

Paradoris imperfecta Valdés, 2001:285 [=*P. araneosa*]
Dayrat 2006:136

Paradoris indecora (Bergh, 1880) |*Discodoris*|

Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:91†; Dayrat 2006:171; Garcia-Gomez, 2002:†;
Ortea, 1995:6†; Valdes, 2002c:595†; Trainito, 2003:34†; 2005:63†

Paradoris inornata Ortea, 1995:26 {nomen nudum?}

Paradoris inversa Ortea, 195:14†

Paradoris leuca Miller, 1995:904 [=*P. dubia*]

Paradoris liturata (Bergh, 1905) |*Discodoris*|
Dayrat 2006:188†; Dayrat & Gosliner, 2005:203

Paradoris lopezi Hermosillo & Valdes, 2004:551†
Behrens & Hermosillo, 2005:74†; Dayrat 2006:195

Paradoris lora (Marcus, 1965) |*Discodoris*|
Dayrat 2006:197

Paradoris mollis Ortea, 1995:18† [=*P. indecora*]

Paradoris mulciber (Marcus, 1970) |*Percunas*|
Collin, et al., 2005:692†; Dayrat 2006:199; Marcus, 1976a:18

Paradoris tsurugensis Baba, 1989b:74
Baba, 1986f:2; Dayrat 2006:202; Nakano, 2004:138†; Ono, 2004:152†; Takahashi, 1969:2

Paradoris sp. A Dayrat 2006:204†

Paradoris sp. B Dayrat 2006:209†

Paradoris sp. C Dayrat 2006:216†

Discodorididae Bergh, 1891

Barnard, 1927:176; Bergh, 1899:11; 1904:47; 1905:65; 1905a:98; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:83; Dayrat & Gosliner, 2005:199; Franc, 1968:871; Hayward, Wigham, & Yonow, 1990:718; Nordsieck, 1972:61; Parker, 1982:1045; Thompson, 1988:230; Thompson & Brown, 1984:86; Vayssiére, 1913a:319

Discodorididae sp. Schrödl, 2001:183

Taringinae Odhner, 1968

Franc, 1968:871

Taringa Marcus, 1955:151

Ballesteros & Ortea, 1982:6; García-Gómez, Cervera, & García-Martin, 1993:570 (table of species);
Marcus & Marcus, 1967:91; Valdés & Gosliner, 2001:170

Taringa aivica Marcus & Marcus, 1967:89

Behrens & Hermosillo, 2005:76†; Camacho-Garcia, Gosliner, & Valdes, 2005:88†; Camacho-Garcia & Valdes, 2003:66; Hermosillo-Gonzalez, 2003:24†

Taringa aivica aivica Marcus & Marcus, 1967 |*Taringa aivica*|

Taringa aivica timia Marcus & Marcus, 1967:189 [=*T. aivica*]

Behrens, 1991:68†; 2004:41; Behrens & Henderson, 1982:197; Farmer, 1980:109; Marcus & Marcus, 1970b:203

Taringa armata Swennen, 1961a:64

Perrone, 1992a:208; Trainito, 2003:36†; 2005:63†

Taringa ascitica Ortea, Perez, & Llera, 1981:34†

Taringa bacalladoi Ortea, Perez, & Llera, 1981:42†

Ballesteros, Llera, & Ortea, 1985:253

Taringa faba Ballesteros, Llera, & Ortea, 1985:246

Ballesteros & Ortea, 1982:7

Taringa fanabensis Ortea & Martínez, 1992:95 [=*T. millegrana*]

Wirtz, 1999:†

Taringa halgerda Gosliner & Behrens, 1998:280†

Coleman, 2001:†; Tonozuka 2003:102†

Taringa luteola (Kelaart, 1858) |*Doris*|

Gosliner & Behrens, 1998:286†; Yonow, Anderson, & Buttress, 2001:848†

Taringa millegrana (Alder & Hancock, 1854) |*Doris*|

Garcia-Gomez, 2002:†; Valdés & Gosliner, 2001:171

Taringa oleica Ortea, Perez, & Llera, 1981:29†

Ballesteros, Llera, & Ortea, 1985:253

Taringa pinoi Perrone, 1985d:76

Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:103†; Perrone, 1986a:26; 1990b:24; 1992a:214

Taringa tarifaensis García-Gómez, Cervera, & García-Martin, 1993:565 [=*T. millegrana*]

**Taringa telopia* Marcus, 1955:152

Edmunds & Just, 1985:55; Valdés & Gosliner, 2001:173

Taringa telopia disa Marcus & Marcus, 1967:87

Taringa telopia telopia Marcus & Marcus, 1967

Marcus, 1976b:140

Taringa tritorquis Ortea, Perez, & Llera, 1981:38†

Taringa sp. Ballesteros, 1984b:44

Taringa sp. Behrens, 1980:102† [=*T. aivica timia*]

Taringa sp.1 Behrens, 1991:68†

Taringa sp. Camacho-Garcia, Gosliner, & Valdes, 2005:89†

Taringa sp. Wirtz, 1998a:†

Tayuva Marcus & Marcus, 1967:191

[=Discodoris]

Valdes, 2002c:565

**Tayuva ketos* Marcus & Marcus, 1967:192 [=Discodoris]

Ballesteros, Llera, & Ortea, 1985:254; Farmer, 1980:110; Ferreira & Bertsch, 1975:327

Tayuva ketos gila Marcus & Marcus, 1970a:65

Tayuva ketos juva Marcus & Marcus, 1970:166

Tayuva ketos ketos Marcus & Marcus, 1967 [*Tayuva ketos*]

Tayuva lilacina(Gould, 1852) [*Doris*

Dayrat & Gosliner, 2005:203

Tayuva maculosa (Bergh, 1884) [*Discodoris*]

Dayrat & Gosliner, 2005:203

Neodoridinae Odhner, 1968

Franc, 1968:871

Neodoris Baba, 1938:13

[=*Doris*]

Marcus, 1959:37 (key to species); Muniaín, Ortea, & Rodríguez, 1991:105; Valdes, 2002c:542

Neodoris carvi Marcus, 1959:39 (non Muniaín, Ortea, & Rodríguez, 1991:106

=*Anisodoris fontaini*; =*Archidoris fontaini*; =*Doris fontainei*)

Schrödl, 1996:26; 2000b:72

Neodoris chrysoderma (Angas, 1864) [*Doris*] [non =*Doris chrysoderma*, vide Thompson, 1975:479]

Burn, 1965:86; 1966a:274; 1989:765; Coleman, 1989:19†; 2001:†; Wells & Bryce, 1993:102†; Willan & Coleman, 1984:32†

Neodoris claurina Marcus, 1959:41

Schrödl, 1996:26; 2003:50

Neodoris erinacea Marcus, 1959:38 [=*Archidoris fontaini*; =*Doris fontainei*; =*N. carvi*]

Schrödl, 2000b:73

Neodoris subaustralis Burn, 1966e:334

**Neodoris tricolor* Baba, 1938:14 [=*Archidoris*]

Baba, 1949:150†

Discodoridinae Bergh, 1891:129

Bergh, 1892:102(1094), 105(1097) (Diaululidae); Franc, 1968:871; Kay, 1979:461; MacFarland, 1906:118; 1909:65; Schmekel, 1970:195; Schmekel & Portmann, 1982:71; Thiele, 1931:435; 1992:715

Anisodoris Bergh, 1898:508

[=*Diaulula*; =*Discodoris*]

Bergh, 1905a:96; Eliot, 1910d:95; Franc, 1968:871; MacFarland, 1966:188; McDonald, 1983:145; McDonald & Nybakken, 1980:52; Millen, 1982:2702 (synopsis of species); Nordsieck, 1972:62; Pruvot-Fol, 1954b:239; Thiele, 1931:435; 1992:715; Valdes & Muniain, 2002:345

Anisodoris flindersi Burn, 1962a:159

Anisodoris fontaini (Orbigny, 1836) [*Doris*] [=*Archidoris*]

Carcelles, 1944:264; Odhner, 1926:85; Schrödl, 1996:24†; 1997a:228; 2000b:69; 2001:183†

Anisodoris incerta (Bergh, 1898) [*Archidoris*]

Schrödl, 2000b:70

Anisodoris lentiginosa Millen, 1982:2694 [=*Peltodoris*]

Behrens, 1991:65†; 2004:40; Goddard, 1984:146; Lamb & Hanby, 2005:252†

Anisodoris marmorata (Bergh, 1881) [*Archidoris*]

Anisodoris marmorata Bergh, 1898:515 [=*A. rudberghi*; =*Diaulula variolata*; =*Peltodoris*]
Marcus, 1959:45

Anisodoris nobilis (MacFarland, 1905) |*Montereina*| [=*Peltodoris*]
Behrens, 1980:52†; 1991:66†; 2004:40; Farmer, 1980:75; Johnson, 1998:†; MacFarland, 1906:116†; 1966:188†; Marcus, 1961:17; McDonald, 1983:145; McDonald & Nybakken, 1980:52†; O'Donoghue, 1921:156

Anisodoris planata (Alder & Hancock, 1846) |*Doris*|
Riedl, 1983:337

Anisodoris prea Marcus & Marcus, 1967:70 [=*Atagema*]
Eyster, 1980:583

**Anisodoris punctuolata* (Orbigny, 1837) |*Doris*| [=*Diaulula*]
Bergh, 1898:509; Schrödl, 1996:25†; 2001:183†

Anisodoris punctuolata var. *cymina* Marcus, 1959:43 [=*Diaulula*]

Anisodoris rudberghi Marcus & Marcus, 1967:69 [=*Diaulula variolata*; =*Peltodoris marmorata*]
Schrödl, 1996:25†

Anisodoris sibogae Bergh, 1905a:96†

Anisodoris stellifera (Ihering, MS, Vayssiére, 1904) |*Archidoris*| [=*Discodoris planata*]
Cervera, García, & García, 1985:203; Marcus & Marcus, 1967:69; Nordsieck, 1972:62; Pruvot-Fol, 1951:8; 1953b:80; 1954b:240; Schmekel, 1970:196; Sordi & Majidi, 1956:239

Anisodoris tessellata Bergh, 1898:518 [=*A. fontaini*; =*Archidoris fontaini*; =*Doris fontainei*]
Marcus, 1959:48; Schrödl, 2000b:70

Anisodoris testudinaria (Alder & Hancock, 1862) |*Doris*| [=*A. stellifera*; =*Discodoris planata*]

Anisodoris testudinaria (Risso, 1818) |*Doris*| [=*A. stellifera*]

Anisodoris timorensis Bergh, 1905a:97

Anisodoris variolata (Orbigny, 1847) |*Doris*| [=*Diaulula*]
Bergh, 1898:512

Anisodoris worki Marcus & Marcus, 1967:66
Marcus & Marcus, 1970a:62; Redfern, 2001:176†

Anisodoris sp.1 Gosliner, 1987b:65†

Anisodoris sp.2 Gosliner, 1987b:65†

Aporodoris Ihering, 1886a:238
[=*Taringa*, vide Valdés & Gosliner, 2001:170; =*Thordisa*]

Bergh, 1891:132; 1905a:94; Eliot, 1910d:148; Franc, 1968:871; Marcus & Marcus, 1967:91; Nordsieck, 1972:62; Pruvot-Fol, 1954b:282; Thiele, 1992:719

Aporodoris merria Burn, 1973a:203

**Aporodoris millegrana* (Alder & Hancock, 1854) |*Doris*| [=*Discodoris*; =*Taringa*]
Eliot, 1910d:106; Nordsieck, 1972:62; Pruvot-Fol, 1954b:282; Thompson & Brown, 1976:125; 1981a:264

Aporodoris risbeci Marcus & Marcus, 1967:91

Aporodoris rubra Bergh, 1905a:94 [=*Sclerodoris japonica*]
Thiele, 1931:438

Aporodoris sp. "starry-mantled Aporodoris" Coleman, 2001:†

Diaulula Bergh, 1878a:567
[=*Discodoris*]

Barnard, 1927:178; Bergh, 1879a:343; 1880a:189 1892:105(1097); 1894:171; 1905a:118; Franc, 1968:871; Odhner, 1926:88; O'Donoghue, 1921:158; Thiele, 1931:436; 1992:715; Valdés & Gosliner, 2001:135

Diaulula aurila (Marcus & Marcus, 1976) |*Discodoris*|

Behrens & Hermosillo, 2005:69†; Camacho-Garcia, Gosliner, & Valdes, 2005:85†; Camacho-Garcia & Valdes, 2003:76

Diaulula capensis Bergh, 1907:48

Barnard, 1927:178

Diaulula cerebralis Valdés, 2001:291

Diaulula farmersi Valdes 2004a:6†

Diaulula gigantea Bergh, 1905a:119 [=*Sebadoris nubilosa*; =*Thordisa crosslandi*]

Diaulula greeleyi (MacFarland, 1909) |*Peltodoris*|

Behrens, 2004:†; Behrens & Hermosillo, 2005:69†; Camacho-Garcia, Gosliner, & Valdes, 2005:85†; Camacho-Garcia & Valdes, 2003:71; Hermosillo, 2004:109†; Valdes, 2004a:2†

Diaulula hispida (Orbigny, 1837) |*Doris*|

Marcus, 1959:50; Schrödl, 1996:27†; 2000:197; 2003:37†

Diaulula immaculata Valdés, 2001:288

Diaulula morosa Bergh, 1907:50

Barnard, 1927:178

Diaulula punctuolata (d'Orbigny, 1837) |*Doris*|

Schrödl, 2003:39†; Valdés & Gosliner, 2001:136; Valdes & Muniain, 2002:348

Diaulula rubra Bergh, 1905a:120†

**Diaulula sandiegensis* (Cooper, 1863) |*Doris*|

Baba, 1957:13; Behrens, 1980:60†; 1991:66†; 2004:40; Behrens & Hermosillo, 2005:70†; Behrens & Valdés, 2001:185†; Bergh, 1880a:190; Farmer, 1980:76; Lamb & Hanby, 2005:253; MacFarland, 1905:41; 1906:122†; 1966:190†; Marcus, 1961:18; Marcus & Marcus, 1967:189; McDonald, 1983:181; Nakano, 2004:127†; O'Donoghue, 1921:159; 1924:23; Okutani, 2000:793†; Thompson, 1976a:†; Valdés & Gosliner, 2001:136†

Diaulula sandiegensis var. *pallida* Bergh, 1894:172 [=*D. vestita*]

Diaulula sandiegensis var. Bergh, 1894:173

Diaulula variolata (d'Orbigny, 1837) |*Doris*|

Schrödl, 2003:41†

Diaulula vestita (Abraham, 1877) |*Doris*| [=*Diaulula punctuolata*]

Eliot, 1907a:355; Odhner, 1926:89; Schrödl, 1996:27

Diaulula sp.1 Behrens, 1991:67† [=*D. sandiegensis*]

Behrens, 2004:40

Diaulula sp. Camacho-Garcia, Gosliner, & Valdes, 2005:86†

Diaulula sp. Eliot, 1909a:90

***Discodoris* Bergh, 1877b:518**

Allan, 1932:88; Barnard, 1927:176; Bergh, 1880b:47; 1884:658; 1884a:92; 1888b:805; 1890a:896; 1892:102(1094); 1899:11; 1904:47; Eliot, 1903a:360; 1905a:99; 1906d:135; 1906e:552; MacFarland, 1909:66; McDonald, 1983:179; McDonald & Nybakken, 1980:50; Nordsieck, 1972:62; Pruvot-Fol, 1954:14; 1954b:270; Schmekel & Portmann, 1982:72; Thiele, 1931:436; 1992:716; Thompson, 1975:481; 1988:230; Thompson & Brown, 1984:86; Valdes, 2002c:565; Vayssi  re, 1902a:231; 1912:21; 1913a:319

Discodoris achroma Vald  s, 2001:274

Discodoris alba White, 1952:113

Discodoris aliciae Dayrat, 2005:219

Behrens & Hermosillo, 2005:70†

Discodoris amboinensis Bergh, 1890a:895

Bergh, 1904:48; Eliot, 1908a:111

Discodoris annuligera (Bergh) |*Kentrodonoris*|

Lim & Chou, 1970:104

Discodoris atromaculata (Bergh, 1880) |*Peltodoris*|

Cattaneo-Vietti, Angelini, & Bavestrello, 1993L173; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:83†; Garcia-Gomez, 2002:142†; Gavaia, Malaquias, Calado, & Urgorri, 2003:111†; Trainito, 2003:34†; 2005:58†; Turk, 2000:164†; Wirtz, 1996:169; 1998a:†; 1999:†; Wirtz & Martins, 1993:56

Discodoris aurila Marcus & Marcus, 1967:85 [=*Diaulula*]

**Discodoris boholiensis* Bergh, 1877b:519

Behrens, 2005:†; Bergh, 1890a:897; 1905a:99†; Coleman, 2001:†; Debelius, 1996:†; Dominguez, Moreira, & Troncoso, 2004:104†; Eliot, 1903a:364; Gosliner, Behrens, & Williams, 1996:†; Narayanan, 1968a:199; Ono, 2004:133,134†; Rao, 1962a:254; Tonozuka 2003:108†; Valdes, 2002c:565†; Wells & Bryce, 1993:99†; Willan & Coleman, 1984:36†

Discodoris branneri MacFarland, 1909:66

Marcus, 1955:145

Discodoris caerulescens variegata Eliot, 1903a:365

Discodoris cavernae Starm  hlner, 1955:219 [=*Paradoris indecora*]

Discodoris cebuensis Bergh, 1877b:526

Eliot, 1910:424

Discodoris coerulescens Bergh, 1888b:805

Barnard, 1927:177; Edmunds, 1971:349; Eliot, 1910b:222; Yonow & Hayward, 1991:17

Discodoris concinna (Alder & Hancock, 1864) |*Doris*| (non Gohar & Soliman, 1967, nor Lim & Chou, 1970, nor Willan & Coleman, 1984:36† =*D. fragilis*; non Gohar & Soliman, 1967 =*Trippa areolata*)

Abe, 1964:52; Baba, 1933b:276; 1949:151†; Coleman, 1989:23†; Edmunds, 1972:71; Eliot, 1906a:651; 1906e:553; 1909a:89; 1913:8; Engel & Eeken, 1962:22; Gohar & Soliman, 1967e:198; Okutani, 2000:793†; Suzuki, 2000:96†; Thompson, 1975:481; Vayssi  re, 1912:21; Wells & Bryce, 1993:99†

Discodoris concinniformis Bergh, 1888b:807 [=*D. concinna*]

Bergh, 1890a:900; 1905a:100

- Discodoris concinniformis* var. Bergh, 1888b:809
- Discodoris confusa* Ballesteros, Llera, & Ortea, 1985:236
Malaquias, Cervera, Abreu, & López-González, 2001:†; Wirtz, 1999:†
- Discodoris crawfordi* Burn, 1969:84
Coleman, 1989:22†; 2001:†; Wells & Bryce, 1993:99†; Willan & Coleman, 1984:36†
- Discodoris dubia* Bergh, 1904:50 [=Paradoris]
Burn, 1969:83; 1989:766; Coleman, 2001:†
- Discodoris dubia* var. Bergh, 1904:52
- Discodoris edwardsi* Vayssi  re, 1902a:232
Nordsieck, 1972:62; Pruvot-Fol, 1954b:273; Vayssi  re, 1913a:320
- Discodoris egena* Bergh, 1904:54 [=D. dubia; =Paradoris dubia]
- Discodoris ellioti* (Alder & Hancock, 1864) |Doris| [=Austrodoris; =Platydoris]
Bergh, 1905a:102
- Discodoris ellioti* var. Bergh, 1905a:103
- Discodoris erubescens* Bergh, 1884:662
Nordsieck, 1972:62; Pruvot-Fol, 1954b:273
- Discodoris erythraeensis* Vayssi  re, 1912:23 [=Paradoris]
Gohar & Aboul-Ela, 1957a:52
- Discodoris evelinae* Marcus, 1955:143
Bertsch, 1976a:117; Humann, 1992:241†; Marcus, 1970:944; 1976b:139; Marcus & Hughes, 1974:520;
Marcus & Marcus, 1967:75; 1969:13; Redfern, 2001:175†
- Discodoris fragilis* (Alder & Hancock, 1864) |Doris| (non Bertsch & Johnson, 1981:40†,
nor Willan & Coleman, 1984:36† =Discodoris mauritiana; non Ortea, Perez, &
Bacallado, 1981 =D. confusa)
Coleman, 2001:†; Edmunds, 1971:347; 1972:70; Eliot, 1900:517; 1906a:652; 1909a:87; 1910:422;
Gosliner, 1987b:64†; Kay, 1979:462; Kay & Young, 1969:187; Marshall & Willan, 1999:72†; Ortea &
Bacallado, 1981:773†; Orr, 1980:112; 1981:47†; Ortea, Bacallado, & Pérez, 1981:231; Pruvot-Fol,
1934:67†; Rao & Krishna Kumary, 1974:689; Tan, Pai, & Hsha, 1987:77†; Thompson, 1975:483; Wells
& Bryce, 1993:99†; White, 1948:203; Yonow & Hayward, 1991:17
- Discodoris fulva* O'Donoghue, 1924:27 [=D. heathi]
Marcus, 1961:20
- Discodoris golaia* Marcus & Marcus, 1966:179
- Discodoris heathi* MacFarland, 1905:39
Behrens, 1980:60†; Farmer, 1980:77; MacFarland, 1906:118†; 1966:192†; Marcus, 1961:19;
McDonald, 1983:180; McDonald & Nybakken, 1980:50†; O'Donoghue, 1922a:151
- Discodoris hedgpethi* Marcus, 1960b:254 [=D. evelinae]
Marcus & Marcus, 1967:75; 1970a:62
- Discodoris indecora* Bergh, 1881b:109 [=Paradoris]
Eliot, 1906d:136; Nordsieck, 1972:62; Pruvot-Fol, 1951:14; 1954b:270; Riedl, 1983:337; Schmekel &
Portmann, 1982:81†; Vayssi  re, 1913a:320
- Discodoris ketos* (Marcus & Marcus, 1967) |Tayuya|
Behrens & Hermosillo, 2005:70†; Camacho-Garcia, Gosliner, & Valdes, 2005:86†; Valdes, 2002c:569†
- Discodoris labifera* (Abraham, 1877) |Doris|
Gary McDonald, Long Marine Lab, 100 Shaffer Rd., Santa Cruz, Cal. 95060

- Farran, 1905a:335
- Discodoris lilacina* (Gould, 1852) |*Doris*| [=Tayuva]
Coleman, 2001:†; Nakano, 2004:126†; Ono, 1999:104†; 2004:135†; Suzuki, 2000:96†; Valdes & Templado, 2002:28
- Discodoris liturata* Bergh, 1905a:106 [=Paradoris]
- Discodoris liturata* var. Bergh, 1905a:107
- Discodoris lora* Marcus, 1965:273 [=Paradoris]
- Discodoris lutescens* Bergh, 1905a:107 [=Rostanga]
- Discodoris maculosa* Bergh, 1884:658 [=Tayuva]
Ballesteros, Llera, & Ortea, 1985:230; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:85†; Nordsieck, 1972:62; Pruvot-Fol, 1954b:273; Schmekel, 1970:197; Schmekel & Portmann, 1982:83; Swennen, 1961a:62; Trainito, 2003:36†; 2005:60†; Vayssi  re, 1913a:320
- Discodoris maculosa* (Cuvier, 1804) |*Doris*|
Pruvot-Fol, 1935:220
- Discodoris mauritiana* (Bergh, 1889) |*Peltodoris*|
Coleman, 2001:†; Marshall & Willan, 1999:73†; Orr, 1981:46†; Yonow & Hayward, 1991:17
- Discodoris mavis* Marcus & Marcus, 1967:187 [=Geitodoris]
Farmer, 1980:99
- Discodoris meta* Bergh, 1877b:522 [=*D. boholiensis*]
Eliot, 1906e:554
- Discodoris millegiana* (Alder & Hancock, 1854) |*Doris*|
Thompson, 1988:230; Thompson & Brown, 1981a:263; 1984:86†
- Discodoris modesta* Bergh, 1877b:534
Eliot, 1910:423
- Discodoris morpheia* Bergh, 1877b:536 [=*D. fragilis*]
Bergh, 1884a:93
- Discodoris mortensi* Marcus & Marcus, 1963:30
Bertsch, 1975:416; Marcus & Marcus, 1970a:64
- Discodoris muta* Bergh, 1877b:532
Eliot, 1906d:137
- Discodoris notha* Bergh, 1877b:530
Bergh, 1904:53
- Discodoris notiperda* Risbec, 1956:15
Risbec, 1956a:15
- Discodoris nubilosa* (Pease, 1871) |*Doris*| [=Archidoris; =Sebadoris]
Allan, 1947:455
- Discodoris opisthidia* Bergh, 1877b:528
- Discodoris pallida* Baba, 1937c:305
- Discodoris palma* Allan, 1933:448
Allan, 1947:456; 1950:222; Coleman, 2001:†; Thompson, 1975:485; Willan & Coleman, 1984:36†
- Discodoris pardalis* (Alder & Hancock, 1864) |*Doris*|

- Abe, 1964:53; Baba, 1933b:276; 1955:47†
- Discodoris pardalis* var. Eliot, 1906e:554
- Discodoris paroa* Burn, 1969:86
Coleman, 2001:†
- Discodoris patriziae* Perrone, 1991:257
- Discodoris phoca* Marcus & Marcus, 1967:78
- Discodoris planata* (Alder & Hancock, 1846) |*Doris*|
Ballesteros, 1985:20; Brown & Picton, 1979:17; Hayward, Wigham, & Yonow, 1990:718; Hunnam & Brown, 1975:141; Picton & Morrow, 1994:86†; Schmekel & Portmann, 1982:84†; Thompson, 1988:232; Thompson & Brown, 1976:132; 1984:88†
- Discodoris punctifera* (Abraham, 1877) |*Doris*|
Wirtz, 1999:†
- Discodoris purcina* Marcus & Marcus, 1967:81
- Discodoris pusae* Marcus, 1955:147 [=*Geitodoris*]
Marcus, 1970:944; Marcus & Marcus, 1967:821969a:21; 1970a:64; Thompson, 1980:88
- Discodoris raripilosa* (Abraham, 1877) |*Doris*|
- Discodoris rosi* Ortea, 1977b:11; Ortea, 1979:575 [=*Rostanga*]
Garcia-Gomez, 2002:145†; Ortea & Urgorri, 1979b:75; Rolán & Otero-Schmitt, 1996:148; Trainito, 2003:36†; 2005:60†
- Discodoris rubens* Vayssi  re, 1919:65
Ballesteros, 1985:18
- Discodoris sandiegensis* (Cooper, 1863) |*Doris (Actinocyclus)*|
McDonald, 1983:181; McDonald & Nybakken, 1980:50†
- Discodoris sauvagei* (Rochebrune, 1881) |*Peltodoris*|
Ortea, Espinosa, & Moro, 1998:109†
- Discodoris schmeltziana* (Garrett, 1875) Bergh, 1880b:47 (Bergh, 1877 is nomen nudum)
- Discodoris sibogae* Bergh, 1905a:104† [=*Platydoris*; = *Platydoris scabra*]
- Discodoris sordida* (Quoy & Gaimard, 1832) |*Doris*| [=*D. maculosa* (Cuvier)]
- Discodoris sordii* (Perrone, 1990) |*Peltodoris*|
- Discodoris spetta* Marcus & Marcus, 1966:181 [=*D. hedgpethi*]
- Discodoris stellifera* (Vayssi  re, 1904) |*Archidoris*| [=*Anisodoris planata*]
Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:87†; Garcia-Gomez, 2002:143†; Perrone, 1986a:26; 1987:316; Trainito, 2003:34†; 2005:60†
- Discodoris tema* Edmunds, 1968a:89
- Discodoris tristis* Bergh, 1899:11
- Discodoris turia* Burn, 1969:86
- Discodoris vanikoro* Pruvot-Fol, 1934:70†
- Discodoris versicolor* Bergh, 1905a:108†
- Discodoris vestita* (Abraham, 1877) |*Doris*|

- Discodoris voniheringi* MacFarland, 1909:73
Marcus, 1955:146
- Discodoris whitleyi* Allan, 1932:88 [=Jorunna funebris]
- Discodoris yaeyamensis* Baba, 1936:30
- Discodoris ylva* Marcus, 1965:275
- Discodoris zibethina* (Bergh, 1878) |Fracassa|
Valdes, 2002c:566
- Discodoris* sp. Barnard, 1927:213
- Discodoris* sp. Behrens, 1980:102†
- Discodoris* sp. Behrens, 2005:†
- Discodoris* sp.1 Behrens, 1991:67† [=Diaulula aurila]
Behrens, 2004:41
- Discodoris* sp.2 Behrens, 1991:67†
- Discodoris* sp. Bergh, 1905a:110
- Discodoris* sp. Camacho-Garcia, Gosliner, & Valdes, 2005:86†
- Discodoris* sp. Coleman, 1989:23†
- Discodoris* sp. “blistery Discodoris” Coleman, 2001:†
- Discodoris* sp. “dappled Discodoris” Coleman, 2001:†
- Discodoris* sp. “maze Discodoris” Coleman, 2001:†
- Discodoris* sp. “mildewed Discodoris” Coleman, 2001:†
- Discodoris* sp. “Milne Bay Discodoris” Coleman, 2001:†
- Discodoris* sp. “rosette Discodoris” Coleman, 2001:†
- Discodoris* sp. “spongy Discodoris” Coleman, 2001:†
- Discodoris* sp. Debelius, 1996:†
- Discodoris* sp. Eales, 1938:100
- Discodoris* sp. Eliot, 1906d:139
- Discodoris* sp.1 Gosliner, 1987b:64†
- Discodoris* sp.2 Gosliner, 1987b:64†
- Discodoris* sp. Gosliner, Behrens, & Williams, 1996:159† [=Hoplodoris estrelyado]
- Discodoris* sp.1 Hermosillo & Behrens, 2005:19†
- Discodoris* sp. Lim & Chou, 1970:99 [=D. annuligera]
- Discodoris* sp.1 Marshall & Willan, 1999:74†
- Discodoris* sp. Masuda, 1999:115†
- Discodoris* sp.1 Ono, 1999:105† [=Aldisa albatrossae; =Paradoris sp. B Dayrat]

- Discodoris* sp.2 Ono, 1999:105† [= *Platydoris*]
Discodoris sp.3 Ono, 1999:106†
Discodoris sp.4 Ono, 1999:106†
Discodoris sp.5 Ono, 1999:107† [= *Platydoris* sp.2 which is *Discodoris* sp.2 Ono 1999]
Discodoris sp.6 Ono, 1999:107†
Discodoris sp.7 Ono, 1999:108† [= *Sclerodoris*]
Discodoris sp.8 Ono, 1999:108† [= *Discodoris* sp.1 Ono, 1999]
Discodoris sp.9 Ono, 1999:109† [= *Dendrodoris* sp.2 Ono, 1999]
Discodoris sp.1 Ono, 2004:134†
Discodoris sp.2 Ono, 2004:136†
Discodoris sp. Orr, 1980:113
Discodoris sp. Orr, 1981:45†
Discodoris sp. Pruvot-Fol, 1953b:76
Discodoris sp. Pruvot-Fol, 1954:14
Discodoris sp.A Tonozuka 2003:109†
Discodoris sp.B Tonozuka 2003:109†
Discodoris sp. Valdés, 2001:271

Erythrodoris Pruvot-Fol, 1933b:133
 [= *Discodoris*]

Marcus & Marcus, 1967:166 (possibly Gruveliinae); Pruvot-Fol, 1933a:149; Valdes, 2002c:565

- Erythrodoris dollfussi* Pruvot-Fol, 1933b:133*
 Pruvot-Fol, 1933a:149

Fracassa Bergh, 1878a:599
 [= *Discodoris*]

Bergh, 1892:104(1096); Franc, 1968:871; Thiele, 1931:437; 1992:717; Valdes, 2002c:565

- Fracassa tuberculosa* Eliot, 1903a:371 [= *Orodoris miamirana*; = *Ceratosoma miamirana*]

**Fracassa zibethina* Bergh, 1878a:599 [= *Discodoris*]

Montereina MacFarland, 1905:38
 [= *Anisodoris*; = *Peltodoris*]

Valdes, 2002c:585

**Montereina nobilis* MacFarland, 1905:38 [= *Anisodoris*; = *Peltodoris*]

Nirva Bergh, 1878, 1905a:117

Franc, 1968:871; Thiele, 1931:437; 1992:717

Gary McDonald, Long Marine Lab, 100 Shaffer Rd., Santa Cruz, Cal. 95060

**Nirva brockii* Bergh, 1905a:117

Nuvuca Marcus & Marcus, 1967a:621
[=*Thordisa*]

Valdes, 2002c:574

Nuvuca lurca Marcus & Marcus, 1967a:621 [=Thordisa]

Peltodoris Bergh, 1880f:223
[=*Discodoris*]

Bergh, 1880b:41; 1889:815; 1892:107(1099); 1905a:133; Eliot, 1906d:142; Franc, 1968:871;
MacFarland, 1909:83; Marcus & Marcus, 1963:29 (synopsis of species); Misuri, 1917:62; Nordsieck,
1972:63; Pruvot-Fol, 1954b:242; Risbec, 1953:38; Schmekel & Portmann, 1982:72; Thiele, 1931:436;
1992:715; Valdes, 2002c:585; Valdes & Muniain, 2002:348; Vayssi  re, 1913a:323

Peltodoris angulata Eliot, 1903a:365

Peltodoris atramaculata Bergh, 1880f:224 [=Discodoris]

Avila, 1996:151; Ballesteros, 1984a:†; 1985:20; Barletta, 1981:69†; Bergh, 1880b:45; Erhardt &
Moosleitner, 1997:684†; George & George, pl. 92†; Haefelfinger, 1961a:331; Misuri, 1917:63;
Nordsieck, 1972:63†; Parent, Breton, & Reboux, 2001[2000]:26; Perrone, 1980:121; Pruvot-Fol,
1951:10; 1954b:243; Riedl, 1970:428; 1983:337; Schmekel, 1970:195; Schmekel & Portmann,
1982:86†; Valdes, 2002c:585†; Vayssi  re, 1913a:323; Vicente, 1963a:176; 1967:150; 1981:77;
1991a:17†; W  gele & Schminke, 1987:3†

Peltodoris aurea Eliot, 1903a:366

Orr, 1981:44†

Peltodoris crucis (Oersted in M  rch, 1863) |*Doris (Dendrodoris)*|

Bergh, 1880b:42

Peltodoris fellowsi Kay & Young, 1969:197

Bertsch & Johnson, 1981:42†; Debelius, 1996:†; Hoover, 1998:172†; Kay, 1979:466; Miller, 1995:907;
Nakano, 2004:138†

Peltodoris greeleyi MacFarland, 1909:84 [=Diaulula]

Eyster, 1980:588; Marcus, 1955:137; Marcus & Marcus, 1967:72

Peltodoris hummelincki Marcus, 1963:27

Peltodoris hummelincki igla Marcus & Marcus, 1967a:617

Marcus, 1976b:139

Peltodoris lancei Millen & Bertsch, 2000:361†

Behrens & Hermosillo, 2005:74†

Peltodoris lentiginosa (Millen, 1982) |*Anisodoris*|

Behrens & Hermosillo, 2005:74†

Peltodoris lippa Vald  s, 2001:277

Peltodoris marmorata (Bergh, 1898) |*Anisodoris*| [=Diaulula variolata]

Valdes & Muniain, 2002:349

Peltodoris mauritiana Bergh, 1889:815 [=Discodoris] (non Baba, 1935c:119, =Diaulula
sandiegensis, vide Baba, 1957:13)

Baba, 1935a:346; Edmunds, 1971:352; Eliot, 1910:420

Peltodoris mullineri Millen & Bertsch, 2000:357†

Behrens & Hermosillo, 2005:75†

- Peltodoris noumeae* Risbec, 1937a:159
 Risbec, 1953:40; 1956:8; 1956a:8
- Peltodoris nayarita* Ortea & Llera, 1981:47 [= *Diaulula greeleyi*]
 Bertsch, Angulo Campillo, & Arreola, 2000:100
- Peltodoris nobilis* (MacFarland, 1905) | *Montereina*|
 Behrens & Hermosillo, 2005:75†; Lamb & Hanby, 2005:251†; Valdes, 2002c:586†
- Peltodoris punctifera* (Abraham, 1877) | *Doris*|
 Ballesteros, Llera, & Ortea, 1985:253; Ortea & Bacallado, 1981:773†
- Peltodoris rubescens* Bergh, 1905a:134†
 Narayanan, 1971:280
- Peltodoris sauvagei* Rochebrune, 1881:263
 Ortea, Espinosa, & Moro, 1998:109†
- Peltodoris sordii* Perrone, 1990:296
- Peltodoris variolata* (Orbigny, 1837) | *Doris*| [= *Diaulula*]
 Valdes & Muniain, 2002:350
- Peltodoris* sp. Behrens, 1980:102†
- Peltodoris* sp.1 Behrens, 1991:69† [= *P. mullineri*]
 Behrens, 2004:41
- Peltodoris* sp. Eliot, 1906d:143
- Peltodoris* sp. Lance, 1983:†
- Peltodoris* sp. Perrone, 1990b:24
- Peltodoris* sp. Vicente, 1966a:111
- Phialodoris*** Bergh, 1890a:908
 [= *Peltodoris*]
- Bergh, 1892:108(1100); Franc, 1968:871; Thiele, 1931:436; 1992:715; Valdes, 2002c:585
- **Phialodoris podotria* Bergh, 1890a:908
- Sebadoris*** Marcus & Marcus, 1960:904
 Valdes, 2002c:607
- **Sebadoris crosslandi* (Eliot, 1903) | *Thordisa*| [= *Sclerodoris*; = *S. nubilosa*]
 Marcus & Marcus, 1960:905; 1970:166; Soliman, 1980:227; Wells & Bryce, 1993:96†
- Sebadoris nubilosa* (Pease, 1871) | *Doris*| (non Colin & Arneson, 1995:179† = *Discodoris fragilis*)
 Edmunds, 1971:342; Marshall & Willan, 1999:84†; Valdes, 2002c:608†
- Sebadoris* sp. cf. *nubilosa* (Pease, 1871)
 Ono, 2004:146†
- Sebadoris* sp. Debelius, 1996:†
- Sebadoris* sp. Ono, 1999:109†
- Thordisa*** Bergh, 1877b:540
- Barnard, 1927:178; Behrens & Henderson, 1982:120; Bergh, 1884:666; 1884a:106; 1890a:902;
 1892:106(1098); 1894:178; 1905a:121; Cervera & García-Gómez, 1989a:385 (table of species); Eliot,

- 1903a:360; 1906a:654; Franc, 1968:871; Marcus, 1955:143 (synopsis of species); Marcus & Marcus, 1967:91; McDonald, 1983:212; McDonald & Nybakken, 1980:50; Nordsieck, 1972:61; Pruvot-Fol, 1951:14; 1954b:252; Satyamurti, 1952:238; Schmekel & Portmann, 1982:73; Thiele, 1931:436; 1992:716; Valdes, 2002c:571
- Thordisa aculeata* Ortea & Valdes, 1995:36
- Thordisa amakusana* Baba, 1937c:304
- Thordisa annulata* Eliot, 1910a:250
- Thordisa aurea* Pruvot-Fol, 1951:17
Nordsieck, 1972:62; Pruvot-Fol, 1954b:254
- Thordisa azmanii* Cervera & García-Gómez, 1989a:383
Calado & Urgorri, 1998:99; Garcia-Gomez, 2002:†
- Thordisa bimaculata* Lance, 1966:72
Behrens, 1980:70†; 1991:69†; Behrens & Hermosillo, 2005:76†; Farmer, 1980:111; McDonald, 1983:213; McDonald & Nybakken, 1980:50†
- Thordisa burnupi* Eliot, 1910b:223
Barnard, 1927:179
- Thordisa carinata* Bergh, 1890a:903
- Thordisa caudata* Farran, 1905a:340 [= *Trippa luteola*; = *Taringa luteola*]
- Thordisa clandestina* Bergh, 1884a:106
- Thordisa crosslandi* Eliot, 1903a:368 [= *Sebadoris*; = *Sebadoris nubilosa*]
Eliot, 1906a:656; 1910:421; Satyamurti, 1952:239; Subba Rao & Surya Rao, 1980:219
- Thordisa diuda* Marcus, 1955:140
Marcus, 1970:943; Ortea & Martínez, 1990:4; Thompson, 1980:89
- Thordisa dubia* Bergh, 1894:178 [= *Aporodoris millegrana*; = *Taringa telopia*]
- Thordisa filix* Pruvot-Fol, 1951:15
Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:93†; Garcia-Gomez, 2002:†; Nordsieck, 1972:62; Pruvot-Fol, 1954b:252; Schmekel, 1970:198; Schmekel & Portmann, 1982:93†; Vicente, 1967:151
- Thordisa hilaris* Bergh, 1905a:122†
Bertsch & Johnson, 1981:41†; Kay, 1979:465; Kay & Young, 1969:195
- Thordisa hilaris* var. Risbec, 1953:55 [= *Aporodoris risbeci*]
- Thordisa ladislavii* (Ihering, 1886) | *Etidoris* |
Ihering, 1915:142
- Thordisa lurca* (Marcus & Marcus, 1967) | *Nuvuca* |
Valdes, 2002c:575
- Thordisa maculifer* Risbec, 1956:7 (lapsus for *T. maculigera*)
- **Thordisa maculigera* Bergh, 1877b:540 [= *T. villosa*]
Bergh, 1902:182
- Thordisa maculosa* Bergh, 1884, 1905a:123
- Thordisa millegrana* (Alder & Hancock, 1854) | *Doris* |

- Thordisa pallida* Bergh, 1884:667
Nordsieck, 1972:62; O'Donoghue, 1929:767; Pruvot-Fol, 1954b:255
- Thordisa parva* Baba, 1938:15
Abe, 1964:53; Baba, 1949:152†
- Thordisa pinguis* (Marcus & Marcus, 1970) |*Pupsikus*|
Valdes, 2002c:575
- Thordisa punctulifera* Bergh, 1907:50 [=Carminodoris]
Barnard, 1927:179
- Thordisa rubescens* Behrens & Henderson, 1981:120
Behrens, 1991:69†; 2004:41; Behrens & Hermosillo, 2005:77†; Bertsch, Angulo Campillo, & Arreola, 2000:100; Valdes, 2002c:575†
- Thordisa sabulosa* Burn, 1957:20
Burn, 1966a:275
- Thordisa sanguinea* Baba, 1955:47†
Abe, 1964:54, 86†; Coleman, 2001:†
- Thordisa setosa* (Pease, 1860) |*Doris*|
Kay, 1979:465; Kay & Young, 1969:196
- Thordisa souriei* Pruvot-Fol, 1953b:66
- Thordisa stellata* Eliot, 1903a:368 [=*Thordisa villosa*]
- Thordisa tristis* Bergh, 1905a:121
- Thordisa verrucosa* (Crosse in Angas, 1864)
Coleman, 2001:†
- Thordisa villosa* (Alder & Hancock, 1864) |*Doris*|
Eliot, 1903a:367; 1906a:655; Ono, 2004:155†; Satyamurti, 1952:238; Valdes, 2002c:574
- Thordisa* sp. Behrens, 1980:102† [=*T. rubescens*]
- Thordisa* sp. 1 Behrens & Hermosillo, 2005:77†
- Thordisa* sp. Camacho-Garcia, Gosliner, & Valdes, 2005:89†
- Thordisa* sp. Engel & Eeken, 1962:22
- Thordisa* sp.1 Gosliner, 1987b:66†
- Thordisa* sp.2 Gosliner, 1987b:66†
- Thordisa* sp. Marcus & Marcus, 1969a:616
- Thordisa* sp. Ono, 2004:155†
- Thordisa* sp. Orr, 1980:113
- Thordisa* sp. Paine [=*T. bimaculata*]
- Thordisa* sp. Trainito, 2003:36†
- Thordisasp.* Trainito, 2005:65†

Kentrodorididae Bergh, 1890
[=Centro dorididae]

Gary McDonald, Long Marine Lab, 100 Shaffer Rd., Santa Cruz, Cal. 95060

Bergh, 1892:108(1100); 1897:97; 1905:61; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:95; Erhardt & Moosleitner, 1997:678; Franc, 1968:871; Hayward, Wigham, & Yonow, 1990:720; MacFarland, 1906:128; Nordsieck, 1972:63; Parker, 1982:1045; Schmekel & Portmann, 1982:72; Thompson, 1988:234; Thompson & Brown, 1984:91; Vayssi  re, 1913a:324

Audura Bergh, 1878a:567

[=Jorunna]

Bergh, 1892:104(1096); Franc, 1968:871; Thiele, 1931:437; 1992:717

****Audura maima*** Bergh, 1878a:568 [=Jorunna]

Awuka Marcus, 1955:155

[=Jorunna; =Kentrodoris]

Franc, 1968:868

****Awuka spazzola*** Marcus, 1955:156 [=Jorunna]

Jorunna Bergh, 1876a:414

Bergh, 1881b:113; Behrens & Henderson, 1981:124; Bergh, 1879a:346; 1880a:195; 1884:683; 1892:109(1101); Eliot, 1910d:149; Erhardt & Moosleitner, 1997:678; Fez Sanchez, 1974:111; Franc, 1968:871; Marcus, 1976:20; Miller, 1996:1096; Nordsieck, 1972:63; Odhner, 1907:19; Pruvot-Fol, 1954b:273; Schmekel & Portmann, 1982:73; Thiele, 1931:436; 1992:716; Thompson, 1975:492; 1988:234; Thompson & Brown, 1984:91; Vald  s & Gosliner, 2001:123; Vayssi  re, 1901a:31; 1913a:325

Jorunna alisonae Marcus, 1976:39

Kay, 1979:461

Jorunna atypha Bergh, 1881b:125 [=J. tomentosa]

Miller, 1976:33; Nordsieck, 1972:63

Jorunna funebris (Kelaart, 1858) |Doris|

Allen & Steene, 1994:†; Behrens, 2005:†; Coleman, 1989:19†; 2001:†; Colin & Arneson, 1995:180†; Debelius, 1996:†; Dominguez, Moreira, & Troncoso, 2004:106; Erhardt & Moosleitner, 1997:679†; Gosliner, Behrens, & Williams, 1996:161†; Johnson & Boucher, 1983:260; Lin, 1989:11; Marshall & Willan, 1999:78†; Miller, 1976:26; Nakano, 2004:136†; Okutani, 2000:795†; Ono, 1999:112†; 2004:143†; Tan, Pai, & Hsha, 1987:77†; Tonozuka 2003:112†; Wells & Bryce, 1993:108†; Willan & Coleman, 1984:32†

Jorunna gigas (Bergh, 1876) |Kentrodoris|

Marcus, 1976:32

Jorunna hartleyi (Burn, 1958) |Rostanga| [=Rostanga]

Burn, 1962a:163

****Jorunna johnstoni*** (Alder & Hancock, 1845) |Doris| [=J. tomentosa]

Bergh, 1880a:196; 1881b:114; 1884:683; Colgan, 1914:198; Cu  not, 1904:17; Fez Sanchez, 1974:pl. 62†; Garstang, 1890:445; 1892a:49; Hoffmann, 1926:10; Nobre, 1931:41; 1936:28; 1938-40:51; Odhner, 1907:20; Vayssi  re, 1901a:31; 1913a:325

Jorunna johnstoni var. *alba* Bergh, 1881b:119 [=J. tomentosa]

Jorunna lemchei Marcus, 1976:50 [=J. tomentosa]

Just & Edmunds, 1985:52†

Jorunna luisae Marcus, 1976:45 [=J. tomentosa]

Schmekel & Portmann, 1982:92†

Jorunna maima (Bergh, 1878) |Audura|

Vald  s & Gosliner, 2001:130

- Jorunna malcolmi* Marcus, 1976:41
- Jorunna marchadi* Risbec, 1956:16
Marcus, 1976:38; Risbec, 1956a:16
- Jorunna onubensis* Cervera, García, & García, 1986a:119†
Garcia-Gomez, 2002:†; Perrone, 1990b:25; Templado, Luque, & Moreno, 1988:18; Trainito, 2005:62†;
Wirtz, 1999:†
- Jorunna pantherina* (Angas, 1864) |*Doris*|
Coleman, 1989:20†; 2001:†; Marcus, 1976:30; Miller, 1996:1097; Nakano, 2004:136†; Ono, 2004:145†; Thompson, 1975:492; Wells & Bryce, 1993:108†; Willan & Coleman, 1984:32†
- Jorunna pardus* Behrens & Henderson, 1981:125
Behrens, 1991:62†; 2004:39; Behrens & Hermosillo, 2005:73†
- Jorunna parva* (Baba, 1938) |*Thordisa*|
Coleman, 2001:†; Masuda, 1999:116†; Nakano, 2004:137†; Okutani, 2000:795†; Ono, 1999:113†;
2004:145†; Suzuki, 2000:107†
- Jorunna ramicola* Miller, 1996:1103
- Jorunna rubescens* (Bergh, 1876) |*Kentrodoris*|
Dominguez, Moreira, & Troncoso, 2004:105; Nakano, 2004:135†; Ono, 2004:143†; Tonozuka
2003:110†; Valdés & Gosliner, 2001:127
- Jorunna spazzola* (Marcus, 1955) |*Awuka*|
Edmunds & Just, 1985:55; Marcus, 1976:35; Valdés & Gosliner, 2001:131
- Jorunna tomentosa* (Cuvier, 1804) |*Doris*| (non Schmekel, 1968 =*J. luisae*)
Ballesteros, 1985:20; Barletta, 1981:71†; Brown & Picton, 1979:17; Cattaneo-Vietti, Chemello, &
Giannuzzi-Savelli, 1990:95†; Cervera, García, & García, 1986a:112; Dekker, 1989:98; Edmunds,
1971:364; Fez Sanchez, 1974:111; Garcia-Gomez, 2002:147†; Gosliner, 1987b:70†; Hayward,
Wigham, & Yonow, 1990:720; Hunnam & Brown, 1975:141; Kay & Young, 1969:184; Koutsoubas,
Koukouras, & Thompson, 1993:158; Marcus, 1976:20; Nordsieck, 1972:63; Odhner, 1939:35; Picton &
Morrow, 1994:86†; Pruvot-Fol, 1935:240; 1953b:66†; 1954b:274; Riedl, 1970:429; 1983:337;
Swennen, 1987:30; Thompson, 1988:234; Thompson & Brown, 1976:134; 1984:91†; Trainito,
2003:50†; 2005:62†; Valdés & Gosliner, 2001:124†; Wägele & Schminke, 1987:†; Young, 1967:168
- Jorunna zania* Marcus, 1976:44
Gosliner, 1987b:70†
- Jorunna* sp. Behrens, 1980:100† [=*J. pardus*]
- Jorunna* sp. 1 Behrens & Hermosillo, 2005:73†
Hermosillo & Behrens, 2005:16†
- Jorunna* sp. 1 Camacho-Garcia, Gosliner, & Valdes, 2005:87†
- Jorunna* sp. 2 Camacho-Garcia, Gosliner, & Valdes, 2005:88†
- Jorunna* sp. “black-gilled Jorunna” Coleman, 2001:†
- Jorunna* sp. “black-patched” Coleman, 2001:†
- Jorunna* sp. “Black-spot Jorunna” Coleman, 2001:†
- Jorunna* sp. “Halstead’s Jorunna” Coleman, 2001:†
- Jorunna* sp. “northern Jorunna” Coleman, 2001:†
- Jorunna* sp. “scalloped Jorunna” Coleman, 2001:†

Jorunna sp. "skeleton Jorunna" Coleman, 2001:†

Jorunna sp. "spongy Jorunna" Coleman, 2001:†

Jorunna sp. Debelius, 1996:†

Jorunna sp. Nakano, 2004:137†

Jorunna sp. Orr, 1981:54†

Jorunna sp. Orr, 1981:55†

Jorunna sp. Pruvot-Fol, 1953b:78

Marcus, 1976:35

Jorunna sp. Trainito, 2003:50†

Jorunna sp. Wells & Bryce, 1993:111†

Jorunna sp. Willan & Coleman, 1984:32†

***Kentrodoris* Bergh, 1876, 1877**

[=*Centrodoris*; =*Jorunna*]

Abraham, 1877:212; Bergh, 1876a:413; 1890a:921; 1892:109(1101); 1897:98; 1905:62; Eliot, 1903a:361; Erhardt & Moosleitner, 1997:678; Fischer, 1883:522; Franc, 1968:871; Marcus, 1976:15; O'Donoghue, 1929:816; Risbec, 1928:91; 1953:37; Thiele, 1931:436; 1992:716

Kentrodoris annuligera Bergh, 1876a:423 [=*Discodoris*; =*Jorunna funebris*; =*K.*

funebris; =*K. maculosa*]

Bergh, 1890a:922; Engel & Eeken, 1962:25

Kentrodoris funebris (Kelaart, 1859) |*Doris*| [=*Jorunna*]

Allan, 1947:454; Edmunds, 1971:366; Narayanan, 1968a:201; Risbec, 1956:17; 1956a:17

Kentrodoris gigas Bergh, 1876a:419 [=*Jorunna*]

Kentrodoris inframaculata (Ihering) { although Risbec lists Ihering as author, it is probably Abraham }

Risbec, 1928:95†; 1930a:273; 1953:38

Kentrodoris labialis Eliot, 1908a:112

Marcus, 1976:34; O'Donoghue, 1929:722, 816

Kentrodoris maculosa (Cuvier, 1804) |*Doris*| [=*Jorunna funebris*]

Bergh, 1897:98; Eliot, 1906a:649; Lin, 1975:149; Lin & Tchang, 1965:11

Kentrodoris nigra Risbec, 1928:91†

Marcus, 1976:34

Kentrodoris pseudofusca Risbec, 1928:92† [=*Platydoris ellioti*]

Marcus, 1976:34; Risbec, 1953:37

Kentrodoris rubescens Bergh, 1876a:414 [=*Jorunna*]

Allen & Steene, 1994:†; Coleman, 1989:19†; 2001:†; Debelius, 1996:†; Eliot, 1903a:374; 1910:424; Erhardt & Moosleitner, 1997:679†; Marcus, 1976:15; Masuda, 1999:116†; Ono, 1999:112†; Tan, Pai, & Hsha, 1987:77†; Willan & Coleman, 1984:32†; Yonow, 1984:221

Kentrodoris rubescens var. Bergh, 1905:62

Kentrodoris sp. Burn, 1966a:275

Marcus, 1976:39

Asteronotidae Thiele, 1931
[=Halgerdidae Odhner, 1926]

Franc, 1968:872; Parker, 1982:1046; Thiele, 1931:438; 1992:718

Aphelodoris Bergh, 1879d:107

Barnard, 1927:184; Bergh, 1892:120(1112); 1905:74; Burn, 1966e:336; Eliot, 1907a:341; Fischer, 1883:522; Franc, 1968:872; O'Donoghue, 1924a:556; Thiele, 1931:438; 1992:718; Thompson, 1975:495; Valdes, 2002c:579; Wilson, 2003:2

Aphelodoris affinis Eliot, 1907a:343

O'Donoghue, 1924a:556; Powell, 1979:287

**Aphelodoris antillensis* Bergh, 1879d:108

Collin, et al., 2005:692†; Edmunds & Just, 1985:55; Hamann, 1992:215†; Humann, 1992:239†; Marcus & Marcus, 1963:32; 1967:92; 1970a:67; Meyer, 1977:301; Quiroga, Ardila, & Bolanos, 2004:229†; Redfern, 2001:176†; Thompson, 1980:89; Valdes, 2002c:582†

Aphelodoris berghi Odhner, 1924:53 (nom. nov. for *A. luctuosa* Bergh, 1905)

Burn, 1962:102; 1966e:343; 1989:768; Coleman, 2001:†

Aphelodoris brunnea Bergh, 1907:58

Barnard, 1927:185

Aphelodoris cheesemani Eliot, 1907a:342 [=*A. luctuosa*]

Aphelodoris gigas Wilson, 2003:2

Aphelodoris greeni Burn, 1966e:342

Wilson, 2003:18

Aphelodoris juliae Burn, 1966e:341

Aphelodoris karpa Wilson, 2003:9

Aphelodoris lawsae Burn, 1966e:337

Burn, 1989:768; Coleman, 1989:24†; 2001:†; Wells & Bryce, 1993:94†; Willan & Coleman, 1984:38†

Aphelodoris luctuosa Bergh, 1905:75 [=*A. berghi*]

Enderby & Enderby, 2005:9†; Odhner, 1934:269

Aphelodoris luctuosa (Cheeseman, 1882) |*Doris*| [=*A. cheesemani*]

Coleman, 2001:†; Odhner, 1924:53; Powell, 1979:287; Willan & Coleman, 1984:38†; Willan & Morton, 1984:88

Aphelodoris pallida Bergh, 1905:78

Aphelodoris purpurea Bergh, 1905:77

Powell, 1979:287

Aphelodoris rossquicki Burn, 1966e:339

Coleman, 2001:†

Aphelodoris varia (Abraham, 1877) |*Doris*|

Burn, 1962a:150; 1965:86; 1966e:347; Coleman, 1989:23†; 2001:†; Debelius, 1996:†; Thompson, 1975:495; Willan & Coleman, 1984:38†

Aphelodoris sp. Coleman, 1989:24†

Aphelodoris sp. “north-west Aphelodoris” Coleman, 2001:†

Aphelodoris sp. “red-spotted Aphelodoris” Coleman, 2001:† [=*A. karpa*]

Aphelodoris sp. "southern Aphelodoris" Coleman, 2001:†

Aphelodoris sp. "south-west Aphelodoris" Coleman, 2001:†

Aphelodoris sp. Debelius, 1998 [=*A. gigas*]

Aphelodoris sp. Gosliner, 1987b:67†

Aphelodoris sp. Wells & Bryce, 1993:96† [=*A. gigas*]

***Asteronotus* Ehrenberg, 1831**

Adams & Adams, 1858:50; Allan, 1932:93; Bergh, 1877c:70; 1877d:4; 1878b:626; 1880b:67; 1890a:917; 1892:111(1103); 1897:102; 1905a:140; Chenu, 1859:401; Eliot, 1903a:361; Fischer, 1883:521; Franc, 1968:872; Gray, 1857:209; O'Donoghue, 1924a:550; Risbec, 1928:106; 1953:45; Satyamurti, 1952:241; Thiele, 1931:438; 1992:719; Thompson, 1975:493; Valdés & Gosliner, 2001:105

Asteronotus areolata (Alder & Hancock, 1864) |*Doris*|

Orr, 1980:114

Asteronotus bertrana Bergh, 1878b:629 [=*A. cespitosus*] (non Bergh, 1873 =*A. cespitosus*)

Bergh, 1877d:15; 1880b:67

Asteronotus boholiensis (Bergh, 1877) |*Discodoris*|

Risbec, 1930a:276; 1953:46

Asteronotus boholiensis var. Risbec, 1928:107†

Asteronotus brassica Allan, 1932:93 [=*A. cespitosus*] (non Gillett & McNeill, 1959 nor George & George, 1979:pl. 92 =*Halgerda aurantiomaculata*)

Asteronotus cerebralis (Gould, 1856) |*Doris*| [=*A. cespitosus*]

Asteronotus cespitosus (Hasselt, 1824) |*Doris*|

Baba, 1936:32; Bergh, 1890a:918; 1897:103; 1905a:141†; Bertsch & Johnson, 1981:38†; Coleman, 1989:18†; 2001:†; Colin & Arneson, 1995:180†; Debelius, 1996:†; Dominguez, Moreira, & Troncoso, 2004:110; Edmunds, 1971:361; 1972:73; Gohar & Soliman, 1967d:178; Gosliner, Behrens, & Williams, 1996:159†; Hoover, 1998:159†; Kay, 1979:461; Kay & Young, 1969:183; Lin, 1975:148; Lin & Tchang, 1965:13; Marcus & Marcus, 1970b:203; Marshall & Willan, 1999:71†; Nakano, 2004:123†; Okutani, 2000:793†; Ono, 1999:111,131†; 2004:131†; Rao, Sivadas, & Kumary, 1974:114; Thompson, 1975:493; Tonozuka 2003:110†; Valdés & Gosliner, 2001:105†; Wells & Bryce, 1993:96†; Willan & Coleman, 1984:32†; Yonow, 1990:293†

Asteronotus crescentica (Collingwood, 1881) |*Doris*| [=*A. cespitosus*]

Asteronotus cruenta Gray, 1850b:44

Asteronotus fuscus O'Donoghue, 1924a:551 [=*A. cespitosus*]

Asteronotus harmandi Rochebrune, 1882a:50

**Asteronotus hemprichi* Ehrenberg, 1831 [=*A. cespitosus*; =*Doris exanthemata*]

Bergh, 1877c:68; 1877d:5; Eales, 1938:104; Eliot, 1903a:384; 1908a:116; 1910:428; Pruvot-Fol, 1933a:147; 1933b:120†

Asteronotus hepatica (Abraham, 1877) |*Doris*|

Dorgan, Valdes, & Gosliner, 2002:311

Asteronotus mabilla Bergh, 1878b:644 [=*A. cespitosus*]

Barnard, 1927:214; Bergh, 1880b:71

Asteronotus madrasensis O'Donoghue, 1932:158 [=*A. cespitosus*]

- Eales, 1938:105; Satyamurti, 1952:241
- Asteronotus marmoratus* Bergh, 1878b:627
- Asteronotus mauritiana* (Quoy & Gaimard, 1832) |*Doris*| [=*A. cespitosus*]
Pruvot-Fol, 1934:64†
- Asteronotus mimeticus* Gosliner & Valdes, 2002:52†
- Asteronotus sanguineus* (Cooper, 1862) |*Doris (Asteronotus)*|| [=*Aldisa*]
- Asteronotus solea* (Cuvier, 1804) |*Doris*||
Pruvot-Fol, 1935:230
- Asteronotus spongiculus* Gosliner & Valdes, 2002:57†
- Asteronotus wardianus* Allan, 1932:95
- Asteronotus* sp. Colin & Arneson, 1995:180†
- Asteronotus* sp. Bergh, 1877d:163 [=*A. marmoratus*]
- Asteronotus* sp. Eales, 1938:105
- Asteronotus* sp. Labb  , 1934:12
Subgenus: (*Tumbia*) Burn, 1962a:163
- Asteronotus (Tumbia) trenberthi* Burn, 1962a:161
- Dictyodoris*** Bergh, 1880b:75
[=*Halgerda*]
- Allan, 1932:91; Bergh, 1892:111(1093); Eliot, 1906e:556; Franc, 1968:872; Thiele, 1931:438; 1992:718
- Dictyodoris aurantiomaculata* Allan, 1932:91 [=*Halgerda*]
- Dictyodoris maculata* Eliot, 1906e:556
- **Dictyodoris tessellata* Bergh, 1880b:76 [=*Halgerda*]
Eliot, 1905a:229
- Halgerda*** Bergh, 1880c:190
[Kay, 1979:464 puts this genus in subfamily Halgerdiniae]
- Bergh, 1889:822; 1892:107(1099); 1905a:124; Carlson & Hoff, 1993:16; Cotton & Godfrey, 1933:102; Edmunds, 1971:361; Eliot, 1903a:361; Erhardt & Moosleitner, 1997:675; Fahey, 2003:617; Fahey & Gosliner, 2000:473; Franc, 1968:872; Marcus & Marcus, 1970b:200; O'Donoghue, 1929:722; Rudman, 1978:83; Satyamurti, 1952:240; Thiele, 1931:438; 1992:718; Vald  s & Gosliner, 2001:1145; Vayssi  re, 1912:37
- Halgerda abyssicola* Fahey & Gosliner, 2000:479†
- Halgerda albocristata* Gosliner & Fahey, 1998:352†
Coleman, 2001:†; Marshall & Willan, 1999:77†; Nakano, 2004:127†; Ono, 1999:119†; 2004:138†;
Tonozuka 2003:114†
- Halgerda apiculata* (Alder & Hancock, 1864) |*Doris*|(non Kay & Young, 1969:192 =
Sclerodoris sp.B Rudman, 1978:86)
Eales, 1938:103; Eliot, 1906a:645; Satyamurti, 1952:240; Vayssi  re, 1912:38
- Halgerda aurantiomaculata* (Allan, 1932) |*Dictyodoris*|(non Allen & Steene, 1994:† =*H. batangas*)

Coleman, 1989:24†; 2001:†; Marshall & Willan, 1999:75†; Willan & Brodie, 1989:69; Willan & Coleman, 1984:38†

Halgerda azteca Fahey & Gosliner, 2000:482

Halgerda bacalusia Fahey & Gosliner, 1999:430†

Halgerda batangas Carlson & Hoff, 2000:157

Behrens, 2005:†; Coleman, 2001:†; Tonozuka 2003:114†

Halgerda brunneomaculata Carlson & Hoff, 1993:23

Coleman, 2001:†; Debelius, 1996:†; Fahey & Gosliner, 2000:491†; Marshall & Willan, 1999:76†; Nakano, 2004:128†; Ono, 1999:117†; 2004:138†

Halgerda brycei Fahey & Gosliner, 2001:65†

Halgerda carlsoni Rudman, 1978:69 (non Marshall & Willan, 1999:74† = *H. batangas*; non Wells & Bryce, 1993:105† = *H. brycei*)

Debelius, 1996:†; Fahey & Gosliner, 2000:493†; Gosliner, Behrens, & Williams, 1996:160†; King & Fraser, 2002:116†; Masuda, 1999:118†; Nakano, 2004:129†; Ono, 1999:117†; 2004:140†

Halgerda coriacea (Eliot, 1903) |*Sclerodoris*|

Halgerda dalanghita Fahey & Gosliner, 1999a:373†

Fahey & Gosliner, 2000:496†; Nakano, 2004:129†; Ono, 2004:139†

Halgerda diaphana Fahey & Gosliner, 1999:433†

Nakano, 2004:130†; Ono, 2004:140†

Halgerda dichromis Fahey & Golsiner, 1999a:374†

Fahey & Gosliner, 2003a:398†; King & Fraser, 2002:116†

Halgerda elegans Bergh, 1905a:124†

Gosliner & Fahey, 1998:348†; Johnson & Boucher, 1983:261; Ono, 1999:118†; 2004:138†

Halgerda elegans var. Bergh, 1905a:126†

Halgerda fibra Fahey & Gosliner, 2000:473†

**Halgerda formosa* Bergh, 1880c:191 (non Gosliner, 1987b top photo = *H. dichromis*)

Bergh, 1889:822; Coleman, 2001:†; Fahey & Gosliner, 1999a:366†; 2001:55; Gosliner, 1987b:69†; Valdés & Gosliner, 2001:146†; Yonow & Hayward, 1991:18†

Halgerda graphica Basedow & Hedley, 1905:152 (non Carlson & Hoff, 1973 = *H.*

guahan; non Kay, 1979 = *H. terramtuensis*; non Wells & Bryce, 1993:108† = *H.*

gunnessi; non Eliot, 1913:11 = *H. okinawa*)

Behrens, 2005:†; Burn, 1957:21; 1962a:150; 1989:766; Coleman, 1989:26†; 2001:†; Cotton & Godfrey, 1933:102; Fahey & Gosliner, 2001:55; 2003a:394†; Kay, 1979:464†; Kay & Young, 1969:193; Willan & Coleman, 1984:38†

Halgerda guahan Carlson & Hoff, 1993:17

Halgerda gunnessi Fahey & Gosliner, 2001:58†

Halgerda inornata Bergh, 1905a:128

Halgerda iota Yonow, 1994:123† [?= *H. willeyi*]

Debelius, 1996:†

Halgerda japonica Eliot, 1913:9 [= *Sclerodoris*]

Baba, 1933a:171; 1949:153†

Halgerda johnsonorum Carlson & Hoff, 2000:159

Halgerda malessso Carlson & Hoff, 1993:21 (non Debelius, 1996:† = *H. batangas*)
Fahey & Gosliner, 2001a:205†; Knop, 2004:†

Halgerda maricola Fahey & Gosliner, 2001:63†

Halgerda minor (Eliot, 1903) |*Sclerodoris*|
Edmunds, 1971:359

Halgerda okinawa Carlson & Hoff, 2000:154

Behrens, 2005:†; Fahey & Gosliner, 2003a:399†; Nakano, 2004:131†; Ono, 2004:141†

Halgerda onna Fahey & Gosliner, 2001a:203†
Ono, 2004:141†

Halgerda orstomi Fahey & Gosliner, 2000:485

Halgerda paliensis (Bertsch & Johnson, 1981) |*Sclerodoris*|
Fahey & Gosliner, 2001a:199†

Halgerda punctata Farran, 1905a:339 [=*H. apiculata*] (non Rudman, 1978 nor Gosliner,
1987 nor Wells & Bryce, 1993 =*H. formosa*)
Gosliner, 1987b:69†; Rudman, 1978:67; Wells & Bryce, 1993:105†

Halgerda rubicunda Baba, 1949:153† (non Orr, 1981 =*Siraius nucleola*)
Nakano, 2004:128†; Okutani, 2000:795†; Orr, 1980:113; 1981:43†; Ono, 2004:139†; Rudman, 1978:84

Halgerda rubra Bergh, 1905a:124† (non Kay & Young, 1969:194 =*Sclerodoris* sp.A
Rudman, 1978:86; =*Aldisa pikokai*, partim.) [=*Sclerodoris tuberculata*]

Halgerda stricklandi Fahey & Gosliner, 1999:426†

Halgerda terramtuensis Bertsch & Johnson, 1982:214
Coleman, 2001:†; Debelius, 1996:†; Erhardt & Moosleitner, 1997:676†; Hoover, 1998:159†; Masuda,
1999:118†; Sage, 1982:5

Halgerda tessellata (Bergh, 1880) |*Dictyodoris*|
Allen & Steene, 1994:†; Carlson & Hoff, 1993:16; Coleman, 1989:25†; 2001:†; Debelius, 1996:†;
Gosliner, Behrens, & Williams, 1996:160†; King & Fraser, 2002:116†; Marshall & Willan, 1999:77†;
Masuda, 1999:117†; Nakano, 2004:133†; Ono, 1999:118†; 2004:142†; Rudman, 1978:65; Valdés &
Gosliner, 2001:148; Wells & Bryce, 1993:105†; Willan & Coleman, 1984:38†; Yonow, Anderson, &
Buttress, 2001:844

Halgerda theobroma Fahey & Gosliner, 2001:59†

Halgerda toliara Fahey & Gosliner, 1999a:380†
King & Fraser, 2002:116†

Halgerda venosa (Quoy & Gaimard, 1832)
Pruvot-Fol, 1934:†

Halgerda wasinensis Eliot, 1903a:373
Behrens, 2005:†; Gosliner, 1987b:68†; King & Fraser, 2002:116†; Ono, 1999:120†; Rudman, 1978:60

Halgerda willeyi Eliot, 1903a:372
Beesley, Ross, & Wells, 1998:pl. 35†; Behrens, 2005:†; Coleman, 1989:25†; 2001:†; Debelius, 1996:†;
Dominguez, Moreira, & Troncoso, 2004:109; Eales, 1938:100; Erhardt & Moosleitner, 1997:677†;
Fahey & Gosliner, 2003a:402†; Gosliner, Behrens, & Williams, 1996:160†; Marshall & Willan,
1999:78†; Nakano, 2004:130†; Ono, 1999:119†; 2004:142†; Rudman, 1978:64; Suzuki, 2000:103†;
Vayssière, 1912:40; Yonow, 1990:293†; Yonow, Anderson, & Buttress, 2001:845

- Halgerda xishaensis* Lin, 1975:148
- Halgerda* sp. Bertsch & Johnson, 1981:47†
- Halgerda* sp. Coleman, 1989:25† [=*H. formosa*]
- Halgerda* sp. Coleman, 1989:26† [=*H. theobroma*]
- Halgerda* sp. "Coleman's halgerda" Coleman, 2001:†
- Halgerda* sp. "GBR halgerda" Coleman, 2001:†
- Halgerda* sp. Colin & Arneson, 1995:180† [=*H. batangas*]
- Halgerda* sp. Debelius, 1996:†
- Halgerda* sp. Erhardt & Moosleitner, 1997:675, 676†
- Halgerda* sp. Gosliner, Behrens, & Williams, 1996:160† [=*H. okinawa*]
- Halgerda* sp. Hertz, 1978:99 [=*Sclerodoris tanya*]
- Halgerda* sp. Masuda, 1999:117† (top photo)
- Halgerda* sp. Masuda, 1999:117† (second photo)
- Halgerda* sp. Masuda, 1999:118† (top photo)
- Halgerda* sp. Masuda, 1999:118† (bottom photo)
- Halgerda* sp.1 Ono, 1999:116,120† [=*H. cf. carlsoni*]
- Halgerda* sp.2 Ono, 1999:121† [=*H. diaphana*]
- Halgerda* sp. Orr, 1980:113
- Halgerda* sp.1 Suzuki, 2000:103†
- Halgerda* sp.2 Suzuki, 2000:104†
- Halgerda* sp.3 Suzuki, 2000:104†
- Halgerda* sp.4 Suzuki, 2000:105†
- Halgerda* sp.1 Tan, Pai, & Hsha, 1987:78† [=*H. batangas*]
- Halgerda* sp.2 Tan, Pai, & Hsha, 1987:78†
- Halgerda* sp.3 Tan, Pai, & Hsha, 1987:78†
- Halgerda* sp.4 Tan, Pai, & Hsha, 1987:78†
- Halgerda* sp.A Tonozuka 2003:115†
- Halgerda* sp. Turk, 2000:170†
- Halgerda* sp. Wells & Bryce, 1993:105† [=*H. theobroma*]
- Halgerda* sp. (117) Willan & Coleman, 1984:38† [=*H. batangas*]
- Halgerda* sp. (120) Willan & Coleman, 1984:38†
- Subgenus: (*Dictyodoris*) Bergh, 1880b:75
- Halgerda (Dictyodoris) aurantiomaculata* (Allan, 1932) |*Dictyodoris*|

Halgerda (Dictyodoris) incii (Gray, 1850) |*Doris*|

Halgerda (Dictyodoris) maculata (Eliot, 1906) |*Dictyodoris*|

Halgerda (Dictyodoris) tessellata (Bergh, 1880) |*Dictyodoris*|

Sclerodoris Eliot, 1903a:361

Edmunds, 1971:361; Franc, 1968:872; Marcus & Marcus, 1970b:200; McDonald, 1983:209; Perrone, 1985a:25; Rudman, 1978:84; Thompson & Brown, 1974:236; Valdés & Gosliner, 2001:166

Sclerodoris apiculata (Alder & Hancock, 1864) |*Doris*|

Gosliner, 1987b:67†; Marshall & Willan, 1999:83†; Nakano, 2004:146†; Rudman, 1978:79

Sclerodoris coriacea Eliot, 1903a:383 [=*Halgerda*]

Gosliner, 1987b:67†; Rudman, 1978:76

Sclerodoris minor Eliot, 1903a:382 [=*Halgerda*; =*S. tuberculata*]

Sclerodoris osseosa (Kelaart, 1859) |*Doris*| [=*Atagema*; =*Trippa*]

Eliot, 1903a:380; 1910:420

Sclerodoris paliensis Bertsch & Johnson, 1982:212

Hoover, 1998:160†; Sage, 1982:5

Sclerodoris rubra Eliot, 1903a:382 [=*Halgerda*; =*S. tuberculata*]

Sclerodoris tanya (Marcus, 1971) |*Doris*|

Behrens, 1980:62†; 1991:64†; 2004:39; Bertsch, 1981:217; 1984:208†; McDonald, 1983:209

Sclerodoris tarka Burn, 1969:88

Burn, 1989:767

Sclerodoris trenberthi (Burn) |*Asteronotus (Tumbia)*|

Burn, 1989:767; Coleman, 2001:†

**Sclerodoris tuberculata* Eliot, 1903a:381 [=*Halgerda*; =*Peronodoris*]

Ono, 2004:152†; Orr, 1980:113; Perrone, 1985a:25; 1985c:63; 1990b:24; Rudman, 1978:70; Valdés & Gosliner, 2001:166†

Sclerodoris virgulata Valdés, 2001:296

Sclerodoris sp. Bertsch & Johnson, 1981:45† [=*S. paliensis*; =*Halgerda paliensis*]

Sclerodoris sp. Bryce, 1994:†

Sclerodoris sp. “knob-ridged Sclerodoris” Coleman, 2001:†

Sclerodoris sp. “patchwork Sclerodoris” Coleman, 2001:†

Sclerodoris sp. “scalloped Sclerodoris” Coleman, 2001:†

Sclerodoris sp. “scribbled Sclerodoris” Coleman, 2001:†

Sclerodoris sp. “warty Sclerodoris” Coleman, 2001:†

Sclerodoris sp. Debelius, 1996:†

Sclerodoris sp. Gosliner, 1987b:68† [=*Halgerda dalanghita*]

Sclerodoris sp. Kay, 1979:464

Sclerodoris sp. Kay, 1979:465† [=*Aldisa pikokai*, partim.]

Sclerodoris sp.1 Marshall & Willan, 1999:84†

- Sclerodoris* sp.1 Nakano, 2004:145†
Sclerodoris sp.2 Nakano, 2004:147†
Sclerodoris sp.3 Nakano, 2004:147†
Sclerodoris sp.1 Ono, 2004:153†
Sclerodoris sp.2 Ono, 2004:153†
Sclerodoris sp.3 Ono, 2004:154†
Sclerodoris sp. Orr, 1981:42†
Sclerodoris sp. Wells & Bryce, 1993:96†

Platydorididae Bergh, 1891

Barnard, 1927:179; Bergh, 1899:14; 1905a:135; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:97; Fez Sanchez, 1974:112; Franc, 1968:872; Nordsieck, 1972:63; O'Donoghue, 1924a:550; Parker, 1982:1046; Pruvot-Fol, 1954b:247; Vayssi  re, 1913a:325

Platydorididae sp. Bergh, 1891
 Schr  dl, 2001:184

Platydorididae sp. Ono, 1999:114†

Platydoridinae Bergh, 1891:135 [=Arginae]

Bergh, Bergh, 1892:109(1101); 1897:102; 1898:520; Franc, 1968:872; Kay, 1979:460; MacFarland, 1906:128; Schmekel & Portmann, 1982:72; Thiele, 1992:719

Argus Bohadsch, 1761 [=Platydoris] {invalid, ICZN, 1944:39}

Abraham, 1877:199; Engel, 1934:533; Hemming & Dos Passos, 1954:281; ICZN, 1956:323; O'Donoghue, 1929:722; 1932:156; Thiele, 1931:439; 1992:720

**Argus argus* Bohadsch, 1761 {invalid, ICZN, 1944:39} [=Platydoris argo]
 Odhner, 1932:35

Argus cruentus (Quoy & Gaimard, 1832) |Doris|
 Baba, 1936:35

Argus esakii Baba, 1936:36 [=Platydoris]

Argus indicus O'Donoghue, 1932:156 [?=Sebadoris nubilosa; = Thordisa crosslandi]
 Dorgan, Valdes, & Gosliner, 2002:312

Argus laminea (Risbec, 1928) |Platydoris|
 Lin, 1975:147; Lin & Tchang, 1965:12

Argus punctatella (Bergh, 1898) |Platydoris| [=Baptodoris peruviana; =Platydoris]

Argus speciosus (Abraham, 1877) |Doris|
 Baba, 1949:153†; Lin, 1975:147; Lin & Tchang, 1965:12

Argus tabulatus (Abraham, 1877) |Doris|
 Baba, 1936:33; 1949:154†; Lin, 1975:147; Lin & Tchang, 1965:12

***Gargamella* Bergh, 1894:175**

Franc, 1968:872; Garovoy, Valdes, & Gosliner, 1999:252; Gosliner, 1991a:280; Odhner, 1926:91; Schrödl, 1997b:89 (table of species); Thiele, 1931:439; 1992:720; Valdés & Gosliner, 2001:155

Gargamella bovina Garovoy, Valdes, & Gosliner, 1999:249†

Gargamella gravastella Garovoy, Valdes, & Gosliner, 1999:245†

**Gargamella immaculata* Bergh, 1894:175

Marcus, 1959:53; Odhner, 1926:92; Schrödl, 1996:23†; 1997b:81; 2003:35†; Valdés & Gosliner, 2001:156

Gargamella latior Odhner, 1926:93 [=*G. immaculata*]

Marcus, 1959:55

Gargamella novozelandica Eliot, 1907a:341

Miller, 1996:1098; Powell, 1979:287

Gargamella wareni Valdés & Gosliner, 2001:159

Gargamella sp.1 Gosliner, 1987b:70†

Gargamella sp.2 Gosliner, 1987b:71†

***Platydoris* Bergh, 1877b:495**

Allan, 1932:89; Barnard, 1927:179; Bergh, 1880b:57; 1884:678; 1884a:98; 1888b:801; 1890a:911; 1892:109(1101); 1899:15; 1905a:135; Dorgan, Valdes, & Gosliner, 2002:272; Eliot, 1903a:361; 1906e:555; 1910:425; Fez Sanchez, 1974:112; McDonald, 1983:204; Nordsieck, 1972:63; Odhner, 1907:19; Pruvot-Fol, 1935:233; 1954b:248; Risbec, 1953:27 (key to New Caledonia species); Schmekel & Portmann, 1982:72; Valdés & Gosliner, 2001:131; Vayssiére, 1913a:326; White, 1950:93

Platydoris angustipes (Mörch, 1863) |*Doris (Argus)*|

Bergh, 1877b:503; Dorgan, Valdes, & Gosliner, 2002:282; Humann, 1992:243†; Marcus, 1957:422; Marcus & Marcus, 1967:93; 1970a:67

Platydoris angustipes var. *alaleta* Bergh, 1877b:505

Platydoris annulata Dorgan, Valdes, & Gosliner, 2002:304

Platydoris argo (Linnaeus, 1767) |*Doris*|

Ballesteros, 1985:20; Barletta, 1981:73; Bergh, 1877b:497; 1884:678; 1899:15; 1905a:135; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:97†; Cesari, 1990:†; Dorgan, Valdes, & Gosliner, 2002:272; Erhardt & Moosleitner, 1997:685†; Fez Sanchez, 1974:112; Garcia-Gomez, 2002:148†; García, García-Gómez, & Medel-Soteras, 1988:70; Luque, 1983:67; Malaquias, Cervera, Abreu, & López-González, 2001:†; Nobre, 1931:42; 1936:29; 1938-40:53; Nordsieck, 1972:63†; Ortea, Perez, & Llera, 1981:22; Perrone, 1986a:28; Pruvot-Fol, 1954b:248; Risbec, 1956:6; 1956a:6; Schmekel & Portmann, 1982:90†; Trainito, 2003:36†; 2005:64†; Turk, 2000:164†; Valdés & Gosliner, 2001:132; Vayssiére, 1913a:326; 1919:69; Wirtz, 1996:170; Wirtz, 1998a:†; Wirtz & Martins, 1993:56

Platydoris arrogans Bergh, 1877b:513 [=*P. cruenta*] (non Bergh, 1890 =*P. cruenta*)

Bergh, 1890a:912; Eliot, 1900:517

Platydoris arrogans var. *Bergh*, 1880b:58

Platydoris brunnea Bergh, 1877c:74 {nomen nudum}

Platydoris caelestis (Kelaart, 1858) |*Doris*| [=*P. scabra*]

Platydoris canariensis (Orbigny, 1839) |*Doris*| [=*P. argo*]

Platydoris capricornensis Allan, 1932:91

Dorgan, Valdes, & Gosliner, 2002:296

Platydoris carinata Risbec, 1928:85†

Dorgan, Valdes, & Gosliner, 2002:312; Risbec, 1953:31

Platydoris carolynae Mulliner & Sphon, 1974:209

Boyko & Sage, 1996:10; Camacho-Garcia, Gosliner, & Valdes, 2005:90†; Debelius, 1996:†; Dorgan, Valdes, & Gosliner, 2002:298

Platydoris cinereobranchiata Dorgan, Valdes, & Gosliner, 2002:306

Platydoris coriacea (Abraham, 1877) |*Doris*| [=*P. scabra*]

Platydoris cruenta (Quoy & Gaimard, 1832) |*Doris*|

Bergh, 1905a:136†; Boone, 1938:298; Burn, 1970:51; Coleman, 1989:21†; 2001:†; Colin & Arneson, 1995:180†; Debelius, 1996:†; Dominguez, Moreira, & Troncoso, 2004:108†; Dorgan, Valdes, & Gosliner, 2002:280; Eliot, 1913:17; Gosliner, 1987b:73†; Johnson & Boucher, 1983:259; Marshall & Willan, 1999:80†; Nakano, 2004:139†; Okutani, 2000:793†; Ono, 2004:148†; Pruvot-Fol, 1934:66; Risbec, 1928:75†; 1953:28; Wells & Bryce, 1993:99†; Willan & Coleman, 1984:36†

Platydoris dura Pruvot-Fol, 1951:18 [=*P. argo*]

Nordsieck, 1972:63; Pruvot-Fol, 1954b:251

Platydoris ellioti (Alder & Hancock, 1864) |*Doris*|

Dorgan, Valdes, & Gosliner, 2002:284; Eliot, 1903a:377; 1906a:647; White, 1950:96

Platydoris esakii (Baba, 1936) |*Argus*|

Dorgan, Valdes, & Gosliner, 2002:296

Platydoris eurychlamys Bergh, 1877b:510 [=*P. scabra*]

Bergh, 1884a:101; 1888b:802; 1890a:914; 1905a:137; Eliot, 1903a:374; 1906e:555

Platydoris eurychlamys var. Bergh, 1880b:61

Platydoris flammulata Bergh, 1905a:138† [=*P. formosa*]

Platydoris formosa (Alder & Hancock, 1866) |*Doris*|

Bertsch & Johnson, 1981:36†; Coleman, 2001:†; Debelius, 1996:†; Dorgan, Valdes, & Gosliner, 2002:286; Hoover, 1998:175†; Kay, 1979:460; Kay & Young, 1969:181; Marshall & Willan, 1999:81†; Ono, 1999:113†; 2004:146†; Thorsson, 1992:3; Tonozuka 2003:113†; Wells & Bryce, 1993:102†; White, 1950:93

Platydoris formosa var. Eliot, 1903a:376

Eliot, 1906a:646

Platydoris galbanus Burn, 1958:13

Coleman, 2001:†; Dorgan, Valdes, & Gosliner, 2002:298; Miller, 1995:907

Platydoris gonja Edmunds, 1970

Platydoris herdmani Farran, 1905a:337

Dorgan, Valdes, & Gosliner, 2002:290; Eliot, 1910:428

Platydoris immonda Risbec, 1928:84† [=*Doris*; =*Siraius*; =*Siraius nucleola*]

Camacho-Garcia, Gosliner, & Valdes, 2005:91†; Dorgan, Valdes, & Gosliner, 2002:312; Risbec, 1953:30

Platydoris incerta Eliot, 1903a:378

Dorgan, Valdes, & Gosliner, 2002:290; Eliot, 1908a:111

Platydoris inframaculata (Abraham, 1877) |*Doris*|

Dorgan, Valdes, & Gosliner, 2002:288; Farran, 1905a:336

Platydoris infrapicta (Smith, 1884) |*Doris* (*Platydoris*)|

- Platydoris inornata* Dorgan, Valdes, & Gosliner, 2002:299
- Platydoris iredalei* Allan, 1932:89 [=*P. scabra*]
- Platydoris laminea* Risbec, 1928:86†
Risbec, 1953:31; White, 1950:96
- Platydoris macfarlandi* Hanna, 1951:1
Behrens, 1980:68; 1985b:179†; 1991:70†; 2004:42; Behrens & Henderson, 1983:365; Behrens & Hermosillo, 2005:75†; Bertsch, Angulo Campillo, & Arreola, 2000:101; Dorgan, Valdes, & Gosliner, 2002:296; Farmer, 1994:48; McDonald, 1983:204; McDonald & Nybakken, 1980:66
- Platydoris maculata* Bouchet, 1977a:37 [=*P. cinnabrina*]
Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:99†; Dorgan, Valdes, & Gosliner, 2002:312
- Platydoris marmorata* Bergh, 1877c:74 {nomen nudum} [=*Asteronotus*]
- Platydoris noumeae* Risbec, 1928:80† [=*P. scabra*]
Risbec, 1930a:271; 1953:28; Vicente, 1966a:108
- Platydoris ocellata* Dorgan, Valdes, & Gosliner, 2002:300
- Platydoris papillata* Eliot, 1903a:379 [=*Hoplodoris desmoparypha*]
Dorgan, Valdes, & Gosliner, 2002:312; Eliot, 1906a:648
- Platydoris peruviana* (d'Orbigny, 1837) |*Doris*| [=*Baptodoris*]
Schrödl, 2003:34†
- Platydoris philippii* Bergh, 1877b:507 [=*P. argo*]
Nordsieck, 1972:63; Pruvot-Fol, 1954b:251; Vayssièvre, 1913a:326
- Platydoris planata* (Alder & Hancock, 1846) |*Doris*| [=*Discodoris*; =*Geitodoris*]
Fez Sanchez, 1974:113; Garstang, 1890:445; Hoffmann, 1926:11; Nobre, 1931:43; 1936:29; 1938-40:53; Odhner, 1907:20; Vayssièvre, 1913a:327
- Platydoris pulchra* Eliot, 1903a:377
Dorgan, Valdes, & Gosliner, 2002:290; Narayanan, 1971:281
- Platydoris punctatella* Bergh, 1898:521 [=*Baptodoris peruviana*; =*Platydoris peruviana*]
Dorgan, Valdes, & Gosliner, 2002:311; Schrödl, 1996:23†
- Platydoris radiata*
Coleman, 2001:†
- Platydoris rolani* Dorgan, Valdes, & Gosliner, 2002:308
- Platydoris rubra* White, 1952:118 [=*P. angustipes*]
- Platydoris sabulosa* Dorgan, Valdes, & Gosliner, 2002:305
- Platydoris sanguinea* Bergh, 1905a:139†
Dorgan, Valdes, & Gosliner, 2002:293; Nakano, 2004:141†; Ono, 2004:147†
- Platydoris scabra* (Cuvier, 1804) |*Doris*|
Barnard, 1927:180; Coleman, 1989:22†; 2001:†; Colin & Arneson, 1995:180†; Debelius, 1996:†; Dominguez, Moreira, & Troncoso, 2004:107†; Dorgan, Valdes, & Gosliner, 2002:275; Edmunds, 1971:354; 1972:73; Eliot, 1900:517; 1903a:375; 1906a:646; 1906e:555; Gosliner, Behrens, & Williams, 1996:161†; Johnson & Boucher, 1983:260; Marcus & Marcus, 1960:907; 1970:167; 1970b:204; Marshall & Willan, 1999:81†; Ono, 2004:148†; Pruvot-Fol, 1934:67; 1935:234; Soliman, 1978:153; Wells & Bryce, 1993:102†; White, 1950:98; Willan & Coleman, 1984:36†; Yonow, 1984:221; 1990:294†

Platydoris sibogae (Bergh, 1905) |*Discodoris*| [=*P. scabra*]
Chou, 1977:18

Platydoris speciosa (Abraham, 1877) |*Doris*|
Coleman, 2001:†; Eliot, 1913:13; Farran, 1905a:337; Masuda, 1999:116†; Nakano, 2004:139†; Okutani, 2000:793†; Suzuki, 2000:105†; White, 1950:93

Platydoris spinulosa Farran, 1905a:338 [=*Sclerodoris tuberculata*]
Dorgan, Valdes, & Gosliner, 2002:312

Platydoris spongilla Risbec, 1928:82†
Dorgan, Valdes, & Gosliner, 2002:312; Risbec, 1930a:271; 1953:30

Platydoris stomascuta Bouchet, 1977a:35 [=*Baptodoris*]
Dorgan, Valdes, & Gosliner, 2002:312

Platydoris striata (Kelaart, 1859) |*Doris*|
Eliot, 1906a:647; 1913:18; White, 1950:95

Platydoris tabulata (Abraham, 1877) |*Doris*| [=*P. scabra*]
Abe, 1964:55; Dorgan, Valdes, & Gosliner, 2002:288; Eliot, 1910:427; 1913:15; Nakano, 2004:140†; Narayanan, 1968:378; Okutani, 2000:793†; Ono, 2004:147†; Suzuki, 2000:106†; White, 1950:96

Platydoris testudinaria (Risso) |*Doris*| [=*Archidoris stellifera*]

Platydoris townsendi Eliot, 1905f:253 [=*Jorunna funebris*]
Dorgan, Valdes, & Gosliner, 2002:295

Platydoris variegata Bergh, 1880b:63
Dorgan, Valdes, & Gosliner, 2002:311

Platydoris vicina Bergh, 1880b:62 [=*P. scabra*]

Platydoris sp. Bouchet, 1977a:42

Platydoris sp. Coleman, 1989:22†

Platydoris sp. “Coleman’s Platydoris” Coleman, 2001:†

Platydoris sp. “four-spot Platydoris” Coleman, 2001:†

Platydoris sp. “patchwork Platydoris” Coleman, 2001:†

Platydoris sp. “star Platydoris” Coleman, 2001:†

Platydoris sp. Colin & Arneson, 1995:180†

Platydoris sp. Eliot, 1906e:555

Platydoris sp.1 Fujita, 1892d:10

Platydoris sp.2 Fujita, 1892d:12

Platydoris sp. Fujita, 1892d:12

Platydoris sp. Fujita, 1894 [=*Argus speciosa*]

Platydoris sp. Gosliner, 1987b:73†

Platydoris sp. Haefelfinger & Kress, 1970:27

Platydoris sp. Kay & Young, 1969:182

Platydoris sp.1 Marshall & Willan, 1999:82†

Platydoris sp.2 Marshall & Willan, 1999:82†

Platydoris sp.1 Nakano, 2004:148†

Platydoris sp.2 Nakano, 2004:148†

Platydoris sp. Orr, 1981:48†

Platydoris sp.1 Ono, 2004:148†

Platydoris sp.2 Ono, 2004:149†

Platydoris sp.3 Ono, 2004:149†

Platydoris sp.4 Ono, 2004:149†

Platydoris sp. Trainito, 2003:50†

Platydoris sp. Willan & Coleman, 1984:36†

Platydoris sp. Yonow, 1994:125†

Hoplodoridinae Odhner, 1968

Franc, 1968:872

Hoplodoris Bergh, 1880b:51

Bergh, 1892:104(1096); 1905a:113; Fahey & Gosliner, 2003:169; Gosliner & Behrens, 1998:284 (table of species); Miller, 1991:294; Thiele, 1931:439; 1992:719; Thompson, 1975:491; Valdes, 2002c:591; White, 1950:100

Hoplodoris armata (Baba, 1993) |*Carminodoris*|

Nakano, 2004:134†

Hoplodoris bifurcata (Baba, 1993) |*Carminodoris*|

Fahey & Gosliner, 2003:185†; Nakano, 2004:135†; Ono, 2004:143†

Hoplodoris boucheti (Ortea, 1979) |*Carminodoris*|

Trainito, 2005:57†

Hoplodoris bramale Fahey & Gosliner, 2003:198†

Behrens & Hermosillo, 2005:72†; Camacho-Garcia, Gosliner, & Valdes, 2005:87†; Hermosillo, 2004:109†

**Hoplodoris desmoparypha* Bergh, 1880b:51 [=*Hoplodoris grandiflora*; =*Platydoris papillata*]

Bergh, 1905a:113; Narayanan, 1968a:202; White, 1950:100

Hoplodoris estrelyado Gosliner & Behrens, 1998:280†

Behrens, 2005:†; Coleman, 2001:†; Fahey & Gosliner, 2003:191; Nakano, 2004:134†; Ono, 2004:144†; Tonozuka 2003:113†; Yonow, Anderson, & Buttress, 2001:846†

Hoplodoris flammea Fahey & Gosliner, 2003:194†

Hoplodoris grandiflora (Pease, 1860) |*Doris*|

Fahey & Gosliner, 2003:170†; Nakano, 2004:135†; Ono, 2004:144†

Hoplodoris nodulosa (Angas, 1864) |*Doris*| [=*Carminodoris*] (non Debelius, 1996:† =*H. estrelyado*)

Burn, 1989:767; Coleman, 2001:†; Fahey & Gosliner, 2003:190†; Thompson, 1975:491; Wells & Bryce, 1993:102†; Willan & Coleman, 1984:32†

Hoplodoris novaezelandiae (Bergh, 1904) |*Homiodoris*|

Miller, 1991:295; Valdes, 2002c:592

Hoplodoris sp. "Mullaway Hoplodoris" Coleman, 2001:†

Hoplodoris sp. "western Hoplodoris" Coleman, 2001:†

Hoplodoris sp. Ono, 1999:114† [=*H. grandiflora*]

Xenodoris Odhner in Franc, 1968:872 {nomen nudum}

Valdes, 2002c:615

Xenodoris sordida (Rüppell & Leuckart, 1831) |*Doris*|

Porodoridoidea Odhner, 1968:254

[=Inferobranchia, partim.; =Hypobranchiata Schweig.; =Phyllidiodea Rafinesque, 1815;
=Polybranchiata Féruccac partim.; =Porodoridacea Odhner, 1968; =Porostomata Bergh,
1892; =Phyllidiodea]

Bergh, Bergh, 1892:121(1113); 1905a:168; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:115;
Franc, 1968:872; Nordsieck, 1972:64; Parker, 1982:1046; Pruvot-Fol, 1956a:57; 1954b:327

white porostome Behrens, 1980:100† [=*Dendrodoris azinea*]

Phyllidiidae Rafinesque, 1815:142

[=Inferobranches Cuvier; =Dipleurobranchia Gray, =Bifaribranches Latr.]

Adams & Adams, 1858:45; Bergh, 1869a:492; 1873b:65; 1876a:377; 1892:131(1123); 1892a:10;
1897:109; 1889:857; 1905a:180; Brunckhorst, 1993:9, 24 (key to genera, table of genera); Burn,
1989:771; Cantraine, 1841:63; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:115; Chenu,
1859:399; Eliot, 1905c:279; 1906e:560; Erhardt & Moosleitner, 1997:686; Fahrner & Beck, 2000:189
(key to Indo-Pacific species); Fahrner & Schrödl, 2000b:472 (key to Red Sea species); Fischer,
1883:529; Forbes & Hanley, 1852-1853:290; Franc, 1968:873; Jensen, 2000:436; 2000b:622; Kay,
1979:477; MacFarland, 1906:132; Nordsieck, 1972:64; Parker, 1982:1046; Pelseneer, 1892a:144;
Pruvot-Fol, 1954b:327; 1956a:55; 1957a:104; Risbec, 1928:54; 1953:12; Rudman, 1998:1000;
Sachidhanandam, Willan, & Chou, 2000:526; Thiele, 1926:112; 1931:440; 1992:721; Vayssiére,
1913a:363; Wägele, 1985:63; Wells & Bryce, 1993:144; Willan & Coleman, 1984:42; Willan, Valdes,
& Brunckhorst, 1998:500; Yonow, 1988:141 (key to Red Sea species)

Phyllidiidae sp.1 Suzuki, 2000:117†

Ceratophyllidia Eliot, 1903:250

[=*Phyllidiopsis*]

Brunckhorst, 1993:20

**Ceratophyllidia africana* Eliot, 1903:250

Brunckhorst, 1993:75†; Gosliner, 1987b:91†; Gosliner & Behrens, 1988:305; Gosliner, Behrens, &
Williams, 1996:168†; Valdes & Gosliner 1999a:326

Ceratophyllidia grisea Eliot, 1910:436 [=*C. africana*]

Ceratophyllidia molaensis (Meyer, 1977) |*Phyllidiopsis*|

Valdes & Ortea, 1994:51

Ceratophyllidia papilligera (Bergh, 1890) |*Phyllidiopsis*|

Espinosa & Ortea, 2001:51†; Valdes & Gosliner 1999a:320; Valdes & Ortea, 1994:51; 1996:6; Yasman
2006:†

Ceratophyllidia sp.1 Brunckhorst, 1993:76†

Ceratophyllidia sp.2 Brunckhorst, 1993:76†

Ceratophyllidia sp.1 cf. *africana* Eliot, 1903
Nakano, 2004:196†; Ono, 2004:205†

Ceratophyllidia sp. 2 Ono, 2004:205†

Ceratophyllidia sp.1 Suzuki, 2000:117†

Fryeria Gray, 1853:221

[=*Reyfria*] {on official list, ICZN, 1992:76}

Adams & Adams, 1858:46; Bergh, 1869a:514; 1876:662; 1876a:379; 1889:859; 1892:137(1129);
1892a:15; 1897:112; Brunckhorst, 1993:13; Brunckhorst & Rudman, 1990:289; Brunckhorst, Rudman,
& Willan, 1989:161; Burn, 1990:288; Chenu, 1859:399; Eliot, 1906e:563; Franc, 1968:873; Gray,
1857:216; Holthuis, 1990:288; Pruvot-Fol, 1957a:114; Risbec, 1953:13; Thiele, 1931:440; Vayssi  re,
1912:87

Fryeria annulata (Gray, 1853) |*Phyllidia*| [=*F. ruppelli*]

Fryeria bayi Bouchet, 1983:66

Brunckhorst, 1993:44†; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:117†

Fryeria guamensis Brunckhorst, 1993:46†
Tachikawa, 1997:4†

Fryeria haegeli Fahrner & Beck, 2000:192†

Fryeria larryi Brunckhorst, 1993:47†

Fryeria marindica (Yonow & Hayward, 1991) |*Phyllidia*|

Brunckhorst, 1993:45†; Tonozuka 2003:121†; Yonow, 1996:509; Yonow, Anderson, & Buttress,
2001:860

Fryeria menindie Brunckhorst, 1993:47† [=*F. picta*]

Behrens, 2005:†; Masuda, 1999:122†; Nakano, 2004:196†; Okutani, 2000:797†; Ono, 1999:130†;
2004:206†; Suzuki, 2000:116†; Tachikawa, 1997:3†; Tonozuka 2003:121†; Yasman 2006:†

Fryeria picta (Pruvot-Fol, 1957) |*Phyllidia*|

Behrens, 2005:†; Choe & Lee, 1997:38; Coleman, 2001:†; Fahrner & Beck, 2000:†; Marshall & Willan,
1999:120†

Fryeria pustulosa (Cuvier, 1804) |*Phyllidia*| [=*Phyllidiella pustulosa*]

Fryeria pustulosa Gray, 1853:221 [=*F. ruppellii*; =*Reyfria ruppellii*] {rejected, ICZN,
1992:76} (non Risbec, 1929:45 =*F. marindica*; =*F. menindie*; =*Phyllidia varicosa*)
Brunckhorst & Rudman, 1990:289; Burn, 1990:288; Holthuis, 1990:288; Risbec, 1929:45; 1953:13;
Vayssi  re, 1912:87; Vicente, 1966a:115

Fryeria pustulosa (Cuvier) (R  ppell & Leuckart, 1831:36) |*Phyllidia*| [=*F. ruppellii*]

**Fryeria ruppellii* Bergh, 1869a:514 [=*F. pustulosa*; =*Reyfria*] {type species, ICZN,
1992:76} (non Eliot, 1906e:563, nor Baba & Hamatani, 1975:178, nor Pruvot-Fol,
1957a:114 =*F. picta*; non Bergh, 1889:862 nor Eliot, 1903 nor Edmunds, 1972:84
=*F. marindica*; non Marcus, 1965:279 =*F. guamensis*; non Baba, 1965 nor Baba &
Hamatani, 1975:178 nor Burn, 1975 nor Coleman, 1981 nor Gosliner & Behrens,
1990 nor Pruvot-Fol, 1957a:114 nor Tan, Pai, & Hsha, 1987:75† nor Willan &
Coleman, 1984:42† =*F. menindie*)

Bergh, 1869a:514; 1876:663; Brunckhorst, 1993:43†; Brunckhorst & Rudman, 1990:289; Brunckhorst, Rudman, & Willan, 1989:161; Burn, 1990:288; Colin & Arneson, 1995:186†; Debelius, 1996:†; Holthuis, 1990:288; ICZN, 1992:76; Kay, 1979:477; Lin, 1989:6; Yonow, 1996:507

Fryeria variabilis Collingwood, 1881:137† [=Phyllidia; =Phyllidiella nigra; =Phyllidiella pustulosa]

Pruvot-Fol, 1935b:123; Risbec, 1953:13

Fryeria sp. Karuso, 1987 [=F. guamensis]

Fryeria sp. aff. *marindica* (Yonow & Hayward, 1991)

Ono, 2004:206†

Phyllidia Cuvier, 1797:105

Adams & Adams, 1858:45; Aradas, 1847:120; Bergh, 1869a:499; 1876:661; 1876a:379; 1892:135(1127); 1892a:14; 1897:111; 1889:858; 1905a:180; Blainville, 1825:490; Bosc, 1830:97; Brunckhorst, 1993:10; Brunckhorst & Willan, 1988:213; Chenu, 1859:399; Cuvier, 1798:388; 1817:393; 1830:57; 1834:41; de Roissy, 1805:154; Eliot, 1906e:562; Erhardt & Moosleitner, 1997:6786; Fischer, 1883:530; Fleming, 1822:476; Franc, 1968:873; Gistel, 1851:171; Gistel & Bromme, 1850:562; Gosliner & Behrens, 1988:312; Gray, 1857:216; Hoeven, 1856:785; Kelaart, 1883:108; Lamarck, 1819:314; Nordsieck, 1972:64; O'Donoghue, 1929:732; Pruvot-Fol, 1954b:328; Rang, 1829:136; Risbec, 1928:57; Rüppell & Leuckart, 1831:35; Schmekel & Portmann, 1982:139; Thiele, 1931:440; 1992:721; Valdés, 2001a:334; Vayssiére, 1912:83; Voigt, 1834:127

Phyllidia alia Yonow, 1984:224 [=P. coelestis]

Phyllidia albonigra Quoy & Gaimard, 1832:291 [=Phyllidiella pustulosa]

Pruvot-Fol, 1934:63; Pruvot-Fol, 1956a:66; Quoy & Gaimard, 1834:291

Phyllidia alyta Yonow, 1996:500

Willan, Valdes, & Brunckhorst, 1998:502

Phyllidia annulata Gray, 1853:220 [=P. arabica; P. varicosa; =Phyllidiella]

Bergh, 1869a:509

Phyllidia annulata var. 1 Gray, 1853:220

Phyllidia annulata var. 2 Gray, 1853:220

Phyllidia arabica Ehrenberg, 1831 [=P. varicosa] (non Yonow & Hayward, 1991:figs. 11a & b =P. alyta)

Bergh, 1869a:434, 504; Erhardt & Moosleitner, 1997:686†; Pruvot-Fol, 1956a:67; Willan, Valdes, & Brunckhorst, 1998:502; Yonow, 1986:1403; 1988:143†; Yonow, 1997:†; Yonow, 1996:495; Yonow & Hayward, 1991:18†

Phyllidia aurata Pruvot-Fol, 1953:408 [=P. flava]

Brunckhorst & Willan, 1988:206; Nordsieck, 1972:64; Pruvot-Fol, 1956a:70; Wägele, 1985:77

Phyllidia babai Brunckhorst, 1993:41†

Coleman, 2001:†; Colin & Arneson, 1995:186†; Debelius, 1996:†; Fahrner & Beck, 2000:†; Gosliner, Behrens, & Williams, 1996:168†; Marshall & Willan, 1999:121†; Masuda, 1999:119†; Nakano, 2004:199†; Ono, 1999:122†; 2004:206†; Suzuki, 2000:113†; Tonozuka 2003:115†

Phyllidia baccata Pruvot-Fol, 1957a:111 [=P. ocellata; =P. multituberculata]

Phyllidia bataviae Pruvot-Fol, 1957a:107 [=Phyllidiella nigra]

Phyllidia borbonica Cuvier [=P. varicosa] {nomen nudum, vide Willan, Valdes, & Brunckhorst, 1998:502}

Willan, Valdes, & Brunckhorst, 1998:502

- Phyllidia bourgini* Risbec, 1928:57† [=P. (*P.*) *variabilis*; =*Phyllidiella rosans*]
 Pruvot-Fol, 1956a:68; George & George, pl. 92†; Risbec, 1953:12; Vicente, 1966a:105
- Phyllidia carlsonhoffi* Brunckhorst, 1993:38†
 Coleman, 2001:†; Colin & Arneson, 1995:186†; Nakano, 2004:199†; Ono, 2004:210†
- Phyllidia catena* Pruvot-Fol, 1956a:70 [=*Phyllidiella zeylanica*]
 Pruvot-Fol, 1957:103
- Phyllidia ceylonica* (Kelaart, 1858, 1876) |*Phyllidia zeylanica*| [=P. *arabica*; =P. *varicosa*; =P. *zeylanica*; =*Phyllidiella zeylanica*]
 Bergh, 1869a:509
- Phyllidia coelestis* Bergh, 1905a:182† [=P. *varicosa*]
 Allen & Steene, 1994:†; Brunckhorst, 1989a:36; 1993:30†; Coleman, 1989:49†; 2001:†; Debelius, 1996:†; Erhardt & Moosleitner, 1997:688†; Fahrner & Beck, 2000:†; Gosliner, Behrens, & Williams, 1996:168†; Hoffmann, 1933:†; Lin, 1975:149; Marshall & Willan, 1999:121†; Masuda, 1999:119†; Nakano, 2004:200†; Okutani, 2000:795†; Ono, 1999:122†; 2004:207†; Suzuki, 2000:113†; Tonozuka 2003:116†; Wells & Bryce, 1993:146†; Yonow, Anderson, & Buttress, 2001:862
- Phyllidia dautzenbergi* Vayssi  re, 1912:85 [=*Phyllidiopsis*] (Vayssi  re, 1911 =nomen nudum)
 Heller & Thompson, 1983:341; Pruvot-Fol, 1956a:68; Yonow, 1986:1405; 1988:143†
- Phyllidia depressa* Aradas, 1847:121
 Brunckhorst & Willan, 1988:214
- Phyllidia elegans* Bergh, 1869a:439, 506 (non Edmunds, 1972:82 =P. *coelestis*)
 Allan, 1957:5; Bergh, 1876a:381; Brunckhorst, 1993:33†; Coleman, 1989:48†; 2001:†; Colin & Arneson, 1995:186†; Debelius, 1996:†; Eliot, 1906e:562; 1907:87; Erhardt & Moosleitner, 1997:689†; Fahrner & Beck, 2000:†; Gosliner, Behrens, & Williams, 1996:168†; Marshall & Willan, 1999:122†; Masuda, 1999:119†; Nakano, 2004:197†; Ono, 1999:123†; 2004:207†; Pruvot-Fol, 1956a:65; Tan, Pai, & Hsha, 1987:76†; Tonozuka 2003:116†; Wells & Bryce, 1993:146†; Yasman 2006:†
- Phyllidia empelia* Yonow, 1984:223 [=*Phyllidiella stsrata*; =*Phyllidiella zeylanica*]
 (not =*Phyllidiella zeylanica* vide Yonow, Anderson, & Buttress, 2001:866)
- Phyllidia exquisita* Brunckhorst, 1993:38†
 Cobb & Willan, 2005:64†; Debelius, 1996:†; Marshall & Willan, 1999:122†; Nakano, 2004:197†; Ono, 1999:124†; 2004:208,211†
- Phyllidia fasciolata* Bergh, 1869a:507 [=P. *arabica*; =P. *varicosa*]
 Pruvot-Fol, 1956a:63
- Phyllidia flava* Aradas, 1847:121
 Brunckhorst, 1993:34†; Brunckhorst & Willan, 1988:210, 214†; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:115†; Ortea, Moro, Bacallado, & Herrera, 2001:†; Trainito, 2003:38†; 2005:65†; Turk, 2000:165†
- Phyllidia gemmata* (Pruvot-Fol, 1957) |*Phyllidiopsis*| [=*Phyllidiopsis*]
- Phyllidia goslineri* Brunckhorst, 1993:42†
 Willan & Bertsch, 1997:2†
- Phyllidia honloni* Risbec, 1956:22 [=P. *varicosa*] (non Lin, 1983, nor Lim & Chou, 1970b:134 =P. *arabica*; non Wells, Bryce, Clark, & Hansen, 1990 =*Phyllidiella zeylanica*)
 Risbec, 1956a:22

- Phyllidia japonica* Baba, 1937:310 [=*P. ocellata*] (non Lim & Chou, 1970:134 =*P. ocellata*)
Yonow, 1996:493
- Phyllidia koehleri* Perrone, 2000:90†
- Phyllidia loricata* Bergh, 1873b:72 [=*Phyllidiopsis*] (non Bergh, 1905a:182 =*P. scottjohnsoni*)
Coleman, 1989:47†; Pruvot-Fol, 1956a:68
- Phyllidia madangensis* Brunckhorst, 1993:39†
Colin & Arneson, 1995:186†; Masuda, 1999:120†
- Phyllidia marindica* (Yonow & Hayward, 1991) |*Reyfria*|
Valdes & Gosliner 1999a:318
- Phyllidia meandrina* Pruvot-Fol, 1957a:113 [=*Phyllidiella*; =*Phyllidiella annulata*] (non Yonow & Hayward, 1991:21† =*Phyllidiella zeylanica*)
Erhardt & Moosleitner, 1997:689†
- Phyllidia mediocris* Yonow & Hayward, 1991:20† [=*Phyllidiella rosans*; =*Phyllidiella striata*] (not =*Phyllidiella rosans* vide Yonow, Anderson, & Buttress, 2001:864)
- Phyllidia melanocera* Yonow, 1986:1406 [=*Phyllidiella pustulosa*]
Yonow, 1988:145†
- Phyllidia monacha* Yonow, 1986:1407 [=*Phyllidiopsis dautzenbergi*]
Yonow, 1988:145†
- Phyllidia multifaria* Yonow, 1986:1408 [=*P. elegans*]
Yonow, 1988:146†, 149
- Phyllidia multituberculata* Boettger, 1918:129 [=*P. ocellata*]
O'Donoghue, 1932:164; Yonow, 1996:487; Yonow, Anderson, & Buttress, 2001:862; Yonow & Hayward, 1991:21†
- Phyllidia nigra* Hasselt, 1824a:244 [=*Phyllidiella*]
Bergh, 1887a:313; Pruvot-Fol, 1956a:67
- Phyllidia nigra* Pease, 1868:80 [=*Phyllidiella rosans*]
Kay, 1979:477; Pruvot-Fol, 1947:111
- Phyllidia nobilis* Bergh, 1869a:485 [=*Phyllidiella pustulosa*] (non Edmunds, 1972 partim. =*P. meandrina*; non Edmunds, 1972 partim. nor Eliot, 1904 =*Phyllidiella zeylanica*; non Farran, 1905a:345 =*P. coelestis*; non Kenny, 1970 =*Phyllidiella nigra*; non Lim & Chou, 1970 =*Phyllidiopsis pipeki*; non Tan, Pai, & Hsha, 1987:76† =*Phyllidiopsis fissuratus*)
Burn, 1989:771; Coleman, 1989:47†; Edmunds, 1972:79; Eliot, 1905c:282†; Lin, 1975:149; Pruvot-Fol, 1956a:66; 1957:102; Risbec, 1928:58†; 1956:25; Willan & Coleman, 1984:42†; Yonow & Hayward, 1991:21
- Phyllidia nobilis rotunda* Eliot, 1905 for 1904 [=*P. rotunda*]
- Phyllidia ocellata* Cuvier, 1804d:269 [=*P. arabica*; =*P. varicosa*] (non Baba & Hamatani, 1975:176 nor Willan & Coleman, 1984:42† =*P. japonica*; non Edmunds, 1972:77 =*P. multituberculata*)
Allen & Steene, 1994:†; Behrens, 2005:†; Bergh, 1869a:508; Brunckhorst, 1993:35†; Choe & Lee, 1997:38†; Coleman, 1989:47†; 2001:†; Colin & Arneson, 1995:186†; Cuvier, 1804b:277; 1817e:4; Debelius, 1996:†; Erhardt & Moosleitner, 1997:690†; Fahrner & Beck, 2000:†; George & George, pl.

92†; Gosliner, Behrens, & Williams, 1996:169†; Johnson, 1998:†; King & Fraser, 2002:126; Lamarck, 1819:316; Lin, 1989:6; Marshall & Willan, 1999:123†; Masuda, 1999:120†; Nakano, 2004:198†; Okutani, 2000:795†; Ono, 1999:124,131†; 2004:208†; Pruvot-Fol, 1956a:62; Suzuki, 2000:112†; Tachikawa, 1997:2†; Tavares, 1998:†; Tonozuka 2003:117†; Velling, 2004:†; Wells & Bryce, 1993:146†; Yasman 2006:†; Yonow, 1996:485

Phyllidia ocellata undula Yonow, 1986:1411 [=*P. ocellata*; =*P. undula*]
Yonow, 1988:146†

Phyllidia orstomi Valdés, 2001a:336†

Phyllidia papillosa Aradas, 1847:120 [=*P. flava*]
Brunckhorst & Willan, 1988:213

Phyllidia picta Pruvot-Fol, 1957a:110 [=*Fryeria*; =*P. coelestis*] (non Burn, 1975 =*P. coelestis*)

Phyllidia polkadotsa Brunckhorst, 1993:42†
Coleman, 2001:†; Nakano, 2004:201†; Ono, 2004:209†

Phyllidia pulitzeri Pruvot-Fol, 1962:566 [=*P. flava*]

Barletta, 1974:1; 1974a:25†; 1981:75; Brunckhorst & Willan, 1988:206; Hoover, 1998:174†; Macri, 1986:3; Perrone, 1983b:135; Schmekel & Portmann, 1982:139†; Wägele, 1985:65; Wägele & Schminke, 1987:†

**Phyllidia pustulosa* Cuvier, 1804d:268 [=*Fryeria ruppellii*; =*Phyllidiella*] (non Allen & Steene, 1994:† =*Phyllidiella nigra*; non Baba, 1936:40 nor Lin, 1986 nor Lin & Si, 1965 nor Lin, Zhang, & Ma, 1986 =*Phyllidiella nigra*; non Rüppell & Leuckart, 1831:36 =*Reyfria ruppellii*)

Baba, 1949:156†; Baba & Hamatani, 1975:175; Bergh, 1869a:455; 1876a:382; Bertsch & Johnson, 1981:76†; Brunckhorst, 1989:†; Colin & Arneson, 1995:188†; Cuvier, 1804b:277; 1817e:3; Erhardt & Moosleitner, 1997:691†; Gray, 1853:221; Heller & Thompson, 1983:342; Johnson & Boucher, 1983:282; Lamarck, 1819:316; Lin, 1975:149; Orr, 1980:115; Pruvot-Fol, 1956a:61; 1957:102; 1957a:108; Risbec, 1956:24; 1956a:24; Tan, Pai, & Hsha, 1987:75†; Tonozuka 2003:117†; Yonow, 1986:1413; 1988:147†

Phyllidia quadrilineata Bergh, 1905 |*Phyllidia varicosa quadrilineata*| [=*P. varicosa*]
Yonow, 1990:297

Phyllidia quinquelleata Blainville, 1816 [=*P. varicosa*]

Phyllidia rolandiae Pruvot-Fol, 1951:37 [=*P. flava*]

Brunckhorst & Willan, 1988:206; Nordsieck, 1972:64; Pruvot-Fol, 1954b:328; 1956a:69; Wägele, 1985:77

Phyllidia rosans Bergh, 1873b:67 [=*Phyllidiella*]

Phyllidia rotunda (Eliot, 1904) |*Phyllidia nobilis rotunda*| [=*Phyllidiella pustulosa*] (non Lim & Chou, 1970 =*P. pustulosa*)

Phyllidia schupporum Fahrner & Schrödl, 2000a:55†

Phyllidia scottjohnsoni Brunckhorst, 1993:43†

Nakano, 2004:199†; Ono, 2004:210†; Tachikawa, 1997:3†; Valdés, 2001a:334

Phyllidia serenei Risbec, 1956:24 [=*Phyllidiella nigra*]
Risbec, 1956a:24

Phyllidia seriata Pruvot-Fol, 1957a:109 [=*Phyllidiella zeylanica*]

Phyllidia sinaiensis Yonow, 1988:147 [=*Phyllidiopsis*]

Phyllidia spectabilis Collingwood, 1881:136† [=Phyllidiella nobilis; =Phyllidiella pustulosa]
Pruvot-Fol, 1935b:123

Phyllidia sudanensis Heller & Thompson, 1983:342 [=Phyllidiella annulata]
Yonow, 1986:1415; 1988:148

Phyllidia trilineata Blainville, 1825 [=Phyllidiopsis striata]

Phyllidia trilineata Cuvier, 1804d:268 [=P. varicosa] (non Gray, 1857 nor Quoy & Gaimard, 1832 =P. sp. Yonow, 1986)
Cuvier, 1804b:277; Hoeven, 1856:785; Oken, 1815:286; Quoy & Gaimard, 1832:292; Rüppell & Leuckart, 1831:36; Willan, Valdes, & Brunckhorst, 1998:502

Phyllidia trilineata Quoy & Gaimard, 1824 [=P. arabica]

Phyllidia tuberculata Baba, 1930b:117 [=P. japonica; =P. ocellata]

Phyllidia tuberculata Risbec, 1928:59† [=Phyllidiopsis cardinalis]
Risbec, 1953:12

Phyllidia tula Marcus & Marcus, 1970 |*Phyllidia* (*Phyllidiella*)|
Brunckhorst, 1989:†; 1993:29†; Coleman, 2001:†; Colin & Arneson, 1995:188†; Debelius, 1996:†

Phyllidia undula Yonow, 1990:297
Yonow, 1996:490

Phyllidia variabilis (Collingwood, 1881) |*Fryeria*| [=Phyllidiella pustulosa] (non Risbec, 1956:24; 1956a:24 partim. =*Fryeria picta*)
Risbec, 1956:24; 1956a:24

Phyllidia varians (Collingwood, 1885)[=P. (*Phyllidiella*) variabilis; =*Phyllidiella pustulosa*] (lapsus for *P. variabilis*)
Pruvot-Fol, 1956a:68

Phyllidia varicosa Lamarck, 1801 (non Baba & Hamatani, 1975:174, nor Brunckhorst, 1993:fig 23, nor Edmunds, 1971:388, nor 1972:75, nor Lim & Chou, 1970:135, nor Pruvot-Fol, 1956a:61, nor Rao, Sivadas, & Kumary, 1974:119, nor Soliman, 1986b:225, nor Wu & Romig, 1982:149, nor Yonow, 1984:227 =P. arabica; non Gosliner, 1987b:90† =P. coelestis; non Heller & Thompson, 1983:339 =P. multifaria; non Eliot 1908a:120 =P. sp. Yonow, 1986; non Risbec, 1929:49 =*Phyllidiella zeylanica*; non White, 1951:252 =*Reyfria ruppelii*)
Allen & Steene, 1994:†; Behrens, 2005:†; Bergh, 1869a:360, 499; 1876a:380; 1880b:8; 1890a:972; 1897:112; 1905a:180; Bertsch & Johnson, 1981:74†; Brunckhorst, 1993:26†; Coleman, 1989:46†; 2001:†; Colin & Arneson, 1995:188†; Cuvier, 1804d:268; 1817e:3; Debelius, 1996:†; Eliot, 1905c:281; 1906e:562; 1910:435; Fahrner & Schrödl, 2000:165; Farran, 1905a:345; George & George, pl. 92†; Gosliner, Behrens, & Williams, 1996:169†; Hoover, 1998:173†; Johnson, 1998:†; Kay, 1979:478†; Kerstitch, 1988:†; King & Fraser, 2002:126; Lamarck, 1819:315; Lin, 1989:17; Marshall & Willan, 1999:124†; Masuda, 1999:119†; Nakano, 2004:200†; Okutani, 2000:795†; Ono, 1999:123†; 2004:209,243†; Orr, 1980:115; 1981:59†; Pruvot-Fol, 1957:102; 1957a:105; Soliman 1986b:255; Suzuki, 2000:112†; Tachikawa, 1997:2†; Tan, Pai, & Hsha, 1987:75†; Tavares, 1998:†; Tonozuka 2003:118†; Valdes & Gosliner 1999a:318; Vayssiére, 1912:84; Willan & Coleman, 1984:42†; Willan, Valdes, & Brunckhorst, 1998:501; Yasman 2006:†; Yonow, 1986:1415; 1988:148; Yonow, Anderson, & Buttress, 2001:863

Phyllidia (*P.*) *varicosa* (Lamarck, 1801) |*Phyllidia*| (non Baba, 1936:42 =P. arabica)
Lin, 1975:149; Lin & Tchang, 1965:14; Marcus & Marcus, 1960:911

- Phyllidia varicosa* var. Bergh, 1905a:181
- Phyllidia varicosa* var. *quadrilineata* Bergh, 1905a:181 [=*P. quadrilineata*; =*P. varicosa*; =*Phyllidiopsis*] (non Yonow, 1986:1415; 1988:148 =*Phyllidiopsis fissuratus*)
- Phyllidia verrucosa* Hasselt, 1824a:244 [=*Phyllidiella*; =*Phyllidiella pustulosa*] Bergh, 1887a:313
- Phyllidia willani* Brunckhorst, 1993:40:†
Coleman, 2001:†; Ono, 1999:57,125†; 2004:210†
- Phyllidia xishaensis* Lin, 1983:153 [=*Phyllidiopsis*; =*Phyllidiopsis striata*]
- Phyllidia zebrina* Baba, 1976b:5
Brunckhorst, 1993:37†; Nakano, 2004:200†
- Phyllidia zeylanica* Kelaart, 1859a:494 [=*Phyllidiella*]
Eliot, 1906a:674†; Kelaart, 1883:108; Narayanan, 1968a:205; Pruvot-Fol, 1956a:67; Rao, Sivadas, & Kumary, 1974:121; Yonow & Hayward, 1991:23†
- Phyllidia* sp. Allen & Steene, 1994:†
- Phyllidia* sp. Behrens, 1980:100†
- Phyllidia* sp. "yellow-black" Bertsch & Johnson, 1981:76†
- Phyllidia* sp. "blue-black" Bertsch & Johnson, 1981:77† [=*Phyllidiopsis sphingis*]
- Phyllidia* sp. Brunckhorst, 1989:† [=*Phyllidiopsis shireenae*]
- Phyllidia* sp. "Olympic phyllidia" Coleman, 1989:48† [=*Phyllidiella pustulosa*]
- Phyllidia* sp. "abstract phyllidia" Coleman, 1989:49† [=*Reticulidium fungia*]
- Phyllidia* sp. "decorated phyllidia" Coleman, 1989:49† [=*Reticulidium halgerda*]
- Phyllidia* sp. Colin & Arneson, 1995:188†
- Phyllidia* sp. Erhardt & Moosleitner, 1997:687†
- Phyllidia* sp.1 Gosliner, 1987b:90† [=*Phyllidiella zeylanica*]
- Phyllidia* sp.2 Gosliner, 1987b:91†
- Phyllidia* sp. Gosliner & Behrens, 1990:pl. 9G [=*P. madangensis*]
- Phyllidia* sp. Gosliner & Behrens, 1990:pl. 9H [=*P. willani*]
- Phyllidia* sp. Johnson, 1989 [=*Phyllidiopsis sphingis*]
- Phyllidia* sp. Lin, 1989:17
- Phyllidia* sp. Ono, 2004:211†
- Phyllidia* sp. Orr, 1980:115
- Phyllidia* sp. Orr, 1981:60† [=*Phyllidiella pustulosa*]
- Phyllidia* sp. Perrone, 1983a:177 [=*P. flava*]
- Phyllidia* sp.1 Tan, Pai, & Hsha, 1987:76† [=*Reticulidium fungia*]
- Phyllidia* sp. . Tan, Pai, & Hsha, 1987:76† [=*P. willani*]

Phyllidia sp.3 Tan, Pai, & Hsha, 1987:76† [=*Phyllidiopsis cardinalis*]

Phyllidia sp. Yonow, 1986:1415 [=*P. varicosa*]

Phyllidia sp. Yonow, 1988:149 [=*P. varicosa*]

Subgenus: (*Ceratophyllidia*)

Thiele, 1931:440; 1992:721

Phyllidia (*Ceratophyllidia*) *africana* (Eliot, 1903) |*Ceratophyllidia*|

Subgenus: (*Phyllidia*) Cuvier, 1798

Thiele, 1992:721

Phyllidia (*Phyllidia*) *tula* Marcus & Marcus, 1970:172

Phyllidia (*Phyllidia*) *varicosa* Lamarck, 1801 |*Phyllidia*|

Marcus & Marcus, 1970b:208

Subgenus: (*Phyllidiella*) Bergh, 1869, 1875

Fischer, 1883:530; Thiele, 1931:440; 1992:721

Phyllidia (*Phyllidiella*) *annulata* Gray, 1853 |*Phyllidia*|

Marcus & Marcus, 1970:172

Phyllidia (*Phyllidiella*) *japonica* Baba, 1937 |*Phyllidia*|

Baba, 1949:157†

Phyllidia (*Phyllidiella*) *nobilis* Bergh, 1869 |*Phyllidia*|

Baba, 1936:40; Bergh, 1876:661; Risbec, 1953:12; 1956a:25

Phyllidia (*Phyllidiella*) *pustulosa* Cuvier, 1804 |*Phyllidia*|

Eliot, 1905c:283; Lin & Tchang, 1965:15

Phyllidia (*Phyllidiella*) *rosans* Bergh, 1873 |*Phyllidia*| [=*P. nigra*]

Phyllidia (*Phyllidiella*) *soria* Marcus & Marcus, 1970:174 [=*Phyllidiella rosans*]

Phyllidia (*Phyllidiella*) *variabilis* (Collingwood, 1881) |*Fryeria*|

Marcus & Marcus, 1970:173

Phyllidia (*Phyllidiella*) *zeylanica* Kelaart, 1858 |*Phyllidia*|

Burn, 1970a:37

Subgenus: (*Phyllidiopsis*) Bergh, 1875

Fischer, 1883:530; Thiele, 1931:440; 1992:721

**Phyllidia* (*Phyllidiopsis*) *cardinalis* (Bergh, 1875) |*Phyllidiopsis*|

Phyllidiella Bergh, 1869a:510

[=*Phyllidia*]

Bergh, 1869a:510; 1876a:379; 1892:136(1128); 1892a:15; 1897:111; 1889:859; 1905a:183; Pruvot-Fol, 1935a:254

Phyllidiella albonigra (Quoy & Gaimard) |*Phyllidia*| [=*P. pustulosa*]

Bergh, 1869a:512

Phyllidiella annulata (Gray, 1853) |*Phyllidia*|

Brunckhorst, 1993:54†; Edmunds & Preece, 1996:416; Tachikawa, 1997:5†

Phyllidiella cooraburrama Brunckhorst, 1993:59†

Choe & Lee, 1997:41†; Coleman, 2001:†

- Phyllidiella granulatus* Brunckhorst, 1993:59†
 Masuda, 1999:120†; Nakano, 2004:202†; Ono, 1999:126†; 2004:212†; Tachikawa, 1997:5†
- Phyllidiella hageni* Fahrner & Beck, 2000:194†
- Phyllidiella lizae* Brunckhorst, 1993:61†
 Coleman, 2001:†; Marshall & Willan, 1999:124†; Yasman 2006:†
- Phyllidiella meandrina* (Pruvot-Fol, 1957)
 Yonow, Anderson, & Buttress, 2001:863
- Phyllidiella molaensis* (Meyer, 1977) |*Phyllidiopsis*|
 Valdes & Ortea, 1996:1
- Phyllidiella nigra* (Hasselt, 1824) |*Phyllidia*|
 Brunckhorst, 1993:55†; Coleman, 2001:†; Fahrner & Beck, 2000:†; Marshall & Willan, 1999:125†;
 Ono, 2004:213†; Wells & Bryce, 1993:146†
- Phyllidiella nobilis* Bergh, 1869a:512 |*Phyllidia*| [=*Phyllidia*; =*Phyllidiella pustulosa*]
 (non Bergh, 1889:860 =*P. meandrina*)
 Bergh, 1876a:383; 1890a:973; 1905a:184
- Phyllidiella nobilis* var. Bergh, 1902:194
- Phyllidiella nobilis* var. Bergh, 1905a:184
- **Phyllidiella pustulosa* (Cuvier, 1804) |*Phyllidia*| [=*Phyllidia*] (non Bergh, 1869a:510 nor
 1902 nor 1905 =*Phyllidiella nigra*; non Eales, 1938:110; =*Reyfria ruppellii*; non
 Rüppell & Leuckart, 1831 =*Fryeria ruppellii*])
 Beesley, Ross, & Wells, 1998:pl. 35†; Behrens, 2005:†; Bergh, 1890a:973; 1905a:183; Brunckhorst,
 1993:48†; Choe & Lee, 1997:39†; Coleman, 2001:†; Debelius, 1996:†; Edmunds & Preece, 1996:416;
 Fahrner & Beck, 2000:†; Gosliner, Behrens, & Williams, 1996:169†; Hoover, 1998:174†; Marshall &
 Willan, 1999:125†; Masuda, 1999:121†; Nakano, 2004:201†; Okutani, 2000:795†; Ono, 1999:125†;
 2004:212†; Suzuki, 2000:114†; Tachikawa, 1997:4†; Valdés, 2001a:339; Valdes & Gosliner 1999a:318;
 Wells & Bryce, 1993:144†; Yasman 2006:†
- Phyllidiella rosans* (Bergh, 1873) |*Phyllidia*|
 Brunckhorst, 1993:56†; Coleman, 2001:†; Debelius, 1996:†; Hoover, 1998:174†; Suzuki, 2000:114†;
 Yonow, Anderson, & Buttress, 2001:864
- Phyllidiella rudmani* Brunckhorst, 1993:62† (non Ono, 1999:126† =*P. granulatus*)
 Coleman, 2001:†; Debelius, 1996:†; Fahrner & Beck, 2000:†; Marshall & Willan, 1999:126†; Masuda,
 1999:120†; Tonozuka 2003:118†; Yasman 2006:†; Yonow, 1996:504
- Phyllidiella spectabilis* (Collingwood, 1881) |*Phyllidia*| [=*P. nobilis*; =*P. nobilis* var.]
- Phyllidiella striata*(Bergh, 1889) |*Phyllidiopsis*|
 Yonow, Anderson, & Buttress, 2001:866
- Phyllidiella verrucosa* (Hasselt 1824) |*Phyllidia*|
 Bergh, 1887a:319
- Phyllidiella zeylanica* (Kelaart, 1859) |*Phyllidia*|
 Brunckhorst, 1993:57†; Coleman, 2001:†; Debelius, 1996:†; Fahrner & Beck, 2000:†; King & Fraser,
 2002:128; Wells & Bryce, 1993:144†; Yasman 2006:†; Yonow, 1996:502; Yonow, Anderson, &
 Buttress, 2001:868
- Phyllidiella* sp. Colin & Arneson, 1995:188†

- Phyllidiopsis* Bergh, 1875c:670**
- Bergh, 1889:859; 1890b:175; 1892:137(1129); 1892a:16; 1897:112; Brunckhorst, 1993:18; Eliot, 1906e:563; Gosliner & Behrens, 1988:312; Marcus & Marcus, 1962:478; Pruvot-Fol, 1954b:329; 1957a:115; Valdés, 2001b:485 (table of species); Vayssiére, 1902a:237; 1913a:364
- Phyllidiopsis annae* Brunckhorst, 1993:71†
Debelius, 1996:†; Fahrner & Beck, 2000:†; Nakano, 2004:202†; Ono, 1999:127†; 2004:213†; Suzuki, 2000:116†; Tonozuka 2003:119†
- Phyllidiopsis anomala* Valdés, 2001a:344†
- Phyllidiopsis bayi* (Bouchet, 1983) |*Fryeria*|
Garcia-Gomez, 2002:149†; Valdes & Gosliner 1999a:319
- Phyllidiopsis berghi* Vayssiére, 1902a:237
Bouchet, 1977a:48; Nordsieck, 1972:64; Pruvot-Fol, 1954b:329; Valdes & Gosliner 1999a:319; Valdes & Ortea, 1994:51; 1996:3; Vayssiére, 1913a:364
- Phyllidiopsis blanca* Gosliner & Behrens, 1988:309
Behrens, 1991:73†; Behrens & Hermosillo, 2005:89†; Valdes & Gosliner 1999a:320
- Phyllidiopsis boucheti* Valdes & Ortea, 1996:5
- Phyllidiopsis brunckhorsti* Valdés, 2001a:342†
- Phyllidiopsis burni* Brunckhorst, 1993:74†
Coleman, 2001:†; Fahrner & Beck, 2000:†; Marshall & Willan, 1999:127†; Okutani, 2000:795†
- **Phyllidiopsis cardinalis* Bergh, 1876:670
Brunckhorst, 1993:63†; Coleman, 2001:†; Eliot, 1905c:284; Gosliner & Behrens, 1988:308; †; Masuda, 1999:121†; Nakano, 2004:203†; Ono, 1999:128†; 2004:214†; Pruvot-Fol, 1957a:118; Suzuki, 2000:115†; Tachikawa, 1997:5†; Valdes & Gosliner 1999a:319; Yonow, Anderson, & Buttress, 2001:869
- Phyllidiopsis carinata* Eliot, 1910:435 [=*P. ocellata*]
- Phyllidiopsis circularis* Valdés, 2001a:361
- Phyllidiopsis crucifera* Valdés, 2001a:354
- Phyllidiopsis dautzenbergi* (Vayssiére, 1912) |*Phyllidia*|
Brunckhorst, 1993:64†; Debelius, 1996:†; Erhardt & Moosleitner, 1997:689†
- Phyllidiopsis fissurata* Brunckhorst, 1993:74†
Coleman, 2001:†; Debelius, 1996:†; Marshall & Willan, 1999:127†; †; Masuda, 1999:121†; Nakano, 2004:203†; Ono, 1999:129†; 2004:214†
- Phyllidiopsis futunai* Valdés, 2001a:352
- Phyllidiopsis gemmata* Pruvot-Fol, 1957a:121
Brunckhorst, 1993:65†
- Phyllidiopsis gynenopla* Bouchet, 1977a:50 [=*P. berghi*]
Valdes & Ortea, 1994:51
- Phyllidiopsis holothuriana* Valdés, 2001a:348†
- Phyllidiopsis krempfi* Pruvot-Fol, 1957a:120 (non Brunckhorst, 1993:66† = *P. sp* Yonow, Anderson, & Buttress, 2001)
Debelius, 1996:†; Ono, 2004:215†; Suzuki, 2000:115†; Tachikawa, 1997:6†; Tonozuka 2003:119†; Yasman 2006:†

- Phyllidiopsis loricata* (Bergh, 1873) |*Phyllidia*|
 Brunckhorst, 1993:68†; Coleman, 2001:†
- Phyllidiopsis lozoueti* Valdés, 2001a:356
- Phyllidiopsis molaensis* Meyer, 1977:305 [=Ceratophyllidia; =Phyllidiella]
- Phyllidiopsis macrotuberculata* Valdés, 2001a:336
- Phyllidiopsis neocalledonica* Valdés, 2001a:364
- Phyllidiopsis papilligera* Bergh, 1890b:176 [=Ceratophyllidia]
 Humann, 1992:243†; Marcus & Marcus, 1962:475; 1967:99; Thompson, 1980:93
- Phyllidiopsis phiphiensis* Brunckhorst, 1993:70†
 Debelius, 1996:†
- Phyllidiopsis pipeki* Brunckhorst, 1993:73†
 Behrens, 2005:†; Coleman, 2001:†; Debelius, 1996:†; Fahrner & Beck, 2000:†; Marshall & Willan, 1999:128†; Nakano, 2004:204†; Ono, 1999:130†; 2004:213†
- Phyllidiopsis quadrilineata* (Bergh, 1905) |*Phyllidia*|
 Valdés, 2001a:341
- Phyllidiopsis richeri* Valdés, 2001a:358
- Phyllidiopsis shireenae* Brunckhorst, 1990a:577
 Allen & Steene, 1994:†; Behrens, 2005:†; Brunckhorst, 1993:66†; Coleman, 2001:†; Colin & Arneson, 1995:188†; Debelius, 1996:†; Fahrner & Beck, 2000:†; †; Masuda, 1999:121†; Ono, 2004:216†; Tonozuka 2003:120†; Yasman 2006:†
- Phyllidiopsis sinaiensis* (Yonow, 1988) |*Phyllidia*|
 Brunckhorst, 1993:68; Fahrner & Schrödl, 2000b:468
- Phyllidiopsis sphingis* Brunckhorst, 1993:72†
 Coleman, 2001:†; Gosliner, Behrens, & Williams, 1996:169†; Hoover, 1998:175†; †; Masuda, 1999:122†; Nakano, 2004:204†; Okutani, 2000:797†; Ono, 1999:129†; 2004:215†; Tachikawa, 1997:6†
- Phyllidiopsis striata* Bergh, 1889:866 (Bergh, 1888 =nomen nudum) |*Phyllidiella*| (non Edmunds, 1972:83 =*Phyllidiella rosans*; non Brunckhorst, 1993:69†, nor Wells & Bryce, 1993:146† =*P. xishaensis*)
 Coleman, 1989:48†; 2001:†; Debelius, 1996:†; Eliot, 1906e:563; Fahrner & Beck, 2000:†; Masuda, 1999:122†; Nakano, 2004:202†; Ono, 1999:128†; 2004:215†; Tachikawa, 1997:6†; Tonozuka 2003:120†
- Phyllidiopsis trilineata* Blainville [=*P. striata*]
- Phyllidiopsis tuberculata* (Risbec, 1927) |*Phyllidia*|
 Pruvot-Fol, 1957a:120
- Phyllidiopsis vanuatuensis* Valdés, 2001a:362
- Phyllidiopsis xishaensis* (Lin, 1983) |*Phyllidia*|
 Yonow, Anderson, & Buttress, 2001:870
- Phyllidiopsis* sp. Brunckhorst, 1989:† [=Reticulidium fungia]
- Phyllidiopsis* sp. Debelius, 1996:270, bottom right photo [=*Phyllidia koehleri*]
- Phyllidiopsis* sp. Erhardt & Moosleitner, 1997:693†
- Phyllidiopsis* sp. Wells & Bryce, 1993:146†

Phyllidiopsis sp. Yonow, Anderson, & Buttress, 2001:870

Reticulidia Brunckhorst, 1990:567

Brunckhorst, 1993:22; Valdes & Behrens, 2002:3

Reticulidia fungia Brunckhorst & Gosliner in Brunckhorst, 1993:78†

Behrens, 2005:†; Coleman, 2001:†; Colin & Arneson, 1995:184†; Debelius, 1996:†; Fahrner & Beck, 2000:†; Masuda, 1999:123†; Ono, 1999:131†; 2004:216†; Tonozuka 2003:122†; Valdes & Behrens, 2002:3†

Reticulidia gofasi Valdes & Ortea, 1996:7

Valdes & Gosliner 1999a:326

**Reticulidia halgerda* Brunckhorst & Burn in Brunckhorst, 1990:570 (non Debelius, 1996:† =*R. suzanneae*)

Behrens, 2005:†; Brunckhorst, 1993:77†; Coleman, 2001:†; Fahrner & Beck, 2000:†; Gosliner, Behrens, & Williams, 1996:170†; Marshall & Willan, 1999:128†; Masuda, 1999:122†; Tonozuka 2003:122†; Valdes & Behrens, 2002:3†; Valdes & Gosliner 1999a:326; Yasman 2006:†

Reticulidia suzanneae Valdes & Behrens, 2002:5†

Behrens, 2005:†

Reticulidia sp. Brunckhorst, 1990 [=*R. fungia*]

Reyfria Yonow, 1986:1418

[=*Fryeria*] {rejected, ICZN, 1992:76}

Reyfria bayi (Bouchet, 1983) [*Fryeria*]

García-Gómez, 1987:205

Reyfria hennesi

Erhardt & Moosleitner, 1997:694†

Reyfria marindica Yonow & Hayward, 1991:23† [=*Fryeria*; = *Phyllidia*]

Reyfria ruppelli (Bergh, 1869) [*Fryeria*] [=*Fryeria rueppelii*] (non Wells, Bryce, Clark, & Hansen, 1990 =*Fryeria marindica*)

Erhardt & Moosleitner, 1997:694†; Yonow, 1986:1418; 1988:149

Reyfria sp. Allen & Steene, 1994:†

Dendrodorididae O'Donoghue, 1924; Pruvot-Fol, 1935

[=Doridopsidae Alder & Hancock; Doriopsidae Bergh, 1876a]

Barnard, 1927:186; Bergh, 1876a:384; 1884a:117; 1892:122(1114); 1892a:1; 1889:842; 1905a:169; Brodie 2004a:44; Burn, 1962a:165; 1989:768; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:119; Edmunds & Just, 1985:58; Eliot, 1906e:559; Erhardt & Moosleitner, 1997:664; Fez Sanchez, 1974:121; 1985:58; Fischer, 1883:519; Franc, 1968:873; Jensen, 2000:436; 2000b:623; Kay, 1979:473; Nordsieck, 1972:64; O'Donoghue, 1924a:560; 1929a:78; Parker, 1982:1047; Pelseneer, 1892a:144; Pruvot-Fol, 1953b:84; 1954b:329; Risbec, 1953:18; Rudman, 1998:1000; Sachidhanandam, Willan, & Chou, 2000:522; Schmekel, 1970:203; Schmekel & Portmann, 1982:135; Thiele, 1926:112; 1931:440; 1992:720; Vayssiére, 1913a:359; Wells & Bryce, 1993:138; White, 1955:183; Willan & Coleman, 1984:40; Willan & Morton, 1984:95

Cryptodoris ?Ostergaard, 1950

[=Dendrodoris; =Doridopsis]

Valdes, 2002c:616

Cryptodoris sp. Ostergaard, 1950:109 [=*Dendrodoris nigra*; =*Doridopsis macfarlandi*]

Gary McDonald, Long Marine Lab, 100 Shaffer Rd., Santa Cruz, Cal. 95060

Dendrodoris Ehrenberg, 1831

Allan, 1932:96; Barnard, 1927:186; Bergh, 1877c:63; Brodie, 2001:101; Brodie 2004a:44; Burn, 1962a:165 (synopsis of species); Franc, 1968:873; Gray, 1857:209; MacFarland, 1966:193; McDonald, 1983:169; McDonald & Nybakken, 1980:52; Nordsieck, 1972:64; O'Donoghue, 1924a:561; 1929:825; Pruvot-Fol, 1930b:291; 1954b:330; Risbec, 1953:18 (key to New Caledonia species); Satyamurti, 1952:242; Schmekel & Portmann, 1982:135; Steinberg, 1961:58; Thiele, 1931:440; 1992:721; Thompson, 1975:500; Valdes, Ortea, Avila, & Ballesteros, 1996:2

Dendrodoris albobrunnea Allan, 1933:448

Brodie, 2001:†; Camacho-Garcia, Gosliner, & Valdes, 2005:79†; Coleman, 2001:†; Debelius, 1996:†; Hoover, 1998:170†; Marshall & Willan, 1999:118†; Ono, 1999:133†; 2004:204†; Tonozuka 2003:123†; Valdes & Gosliner 1999a:330; Wells & Bryce, 1993:141†; Willan & Coleman, 1984:40†

Dendrodoris albolimbata (Rüppell & Leuckart, 1828) |*Doris*|
O'Donoghue, 1929:730*Dendrodoris albopunctata* (Cooper, 1863) |*Doris*| [=*Doriopsilla*]
MacFarland, 1966:196†; McDonald, 1983:169; McDonald & Nybakken, 1980:52†*Dendrodoris albopurpura* Burn, 1957:22
Burn, 1989:769; Ono, 2004:200†; Wells & Bryce, 1993:138†*Dendrodoris angolensis* Valdes & Ortea in Valdes, Ortea, Avila, & Ballesteros, 1996:20†*Dendrodoris arborescens* (Collingwood, 1881) |*Doridopsis*|
Hirano, 1992:39; Masuda, 1999:123†; Okutani, 2000:797†; Suzuki, 2000:107†*Dendrodoris arenosa* Risbec, 1930*Dendrodoris atromaculata* (Alder & Hancock, 1864) |*Doridopsis*|
Brodie 2004:1*Dendrodoris atropos* Bergh, 1879 |*Doridopsis*| [=*D. krebsii*]
Collier & Farmer, 1965:389†; Marcus, 1957:443*Dendrodoris aurea* (Quoy & Gaimard, 1832) |*Doris*|
Burn, 1957:21; 1966c:78; Pruvot-Fol, 1934:59†; Wells & Bryce, 1993:138†*Dendrodoris australiensis* (Abraham, 1877) |*Doridopsis*| [=*D. nigra*]*Dendrodoris azineae* Behrens & Valdés, 2004:409†
Behrens, 2005:†; Behrens & Hermosillo, 2005:86†*Dendrodoris behrensi* Millen & Bertsch, 2005:195†
Behrens & Hermosillo, 2005:86†*Dendrodoris brodieae* Valdés, 2001:304*Dendrodoris caesia* (Bergh, 1907) |*Doridopsis*|
Barnard, 1927:187; Gosliner, 1987b:88†*Dendrodoris callosa* (Bergh, 1907) |*Doridopsis*|
Barnard, 1927:187*Dendrodoris capensis* (Bergh, 1907) |*Doriopsilla*|
Barnard, 1927:187*Dendrodoris carbunculosa* (Kelaart, 1858) |*Doris*| [=*Dendrodoris tuberculosa*]
Nakano, 2004:192†; Ono, 2004:200†; Suzuki, 2000:111†; Tonozuka 2003:125†*Dendrodoris carneola* (Angas, 1864) |*Doris*|
Burn, 1957:21; Wells & Bryce, 1993:138†

- Dendrodoris citrina* (Cheeseman, 1881) |*Doridopsis*|
 Coleman, 2001:†; Enderby & Enderby, 2005:10†; Powell, 1979:287; Willan & Coleman, 1984:40†;
 Willan & Morton, 1984:97
- Dendrodoris clavulata* (Alder & Hancock, 1864) |*Doridopsis*|
 Risbec, 1953:24
- Dendrodoris communis* (Risbec, 1928) |*Doridopsis*| [=*D. erubescens*]
- Dendrodoris coronata* Kay & Young, 1969:218
 Coleman, 2001:†; Johnson & Boucher, 1983:276; Kay, 1979:473; Nakano, 2004:193†; Ono, 1999:135†;
 2004:201†; Valdes & Gosliner 1999a:330
- Dendrodoris cuprea* Ehrenberg, 1831 [=*Doriopsis modesta*]
 Engel & Eeken, 1962:27
- Dendrodoris davisi* Allan, 1933:447 [=*D. miniata*]
 Burn, 1957:23
- Dendrodoris denisoni* (Angas, 1864) |*Doris*|
 Abe, 1964:56; Allan, 1947:457; 1950:222; Behrens, 2005:†; Burn, 1965:86; Choe & Lee, 1994:363†;
 Coleman, 1989:45†; 2001:†; Debelius, 1996:†; Gosliner, 1987b:88†; Gosliner, Behrens, & Williams,
 1996:167†; Hirano, 1992:38; King & Fraser, 2002:126; Marcus & Marcus, 1970:170; Masuda,
 1999:124†; Nakano, 2004:193†; Okutani, 2000:797†; Ono, 1999:134†; 2004:201†; Orr, 1980:112;
 1981:40†; Suzuki, 2000:109†; Tan, Pai, & Hsha, 1987:76†; Thompson, 1975:500; Tonozuka
 2003:123†; Valdes & Gosliner 1999a:330; Wells & Bryce, 1993:141†; Willan & Coleman, 1984:40†
- Dendrodoris elongata* Baba, 1936 |*Dendrodoris (Dendrodoris)*|
 Baba, 1949:1994:23†; Coleman, 1989:45†; 2001:†; Johnson & Boucher, 1983:276; Ono, 1999:132†;
 2004:202†; Risbec, 1956:25; Risbec, 1956a:25; Willan & Coleman, 1984:40†
- Dendrodoris (Dendrodoris) elongata* Baba, 1936:39
 Baba, 1949:156†
- Dendrodoris (Doridopsis) elongata* Baba, 1936 |*Dendrodoris (Dendrodoris)*|
 Risbec, 1953:24
- Dendrodoris erubescens* (Bergh, 1905) |*Doriopsis*| (non Marcus & Burch, 1965:250 =*D. nigra*;
 non Risbec, 1956:26; 1956a:26 =*Dendrodoris fumata*)
 Risbec, 1953:22
- Dendrodoris fossetti* (Risbec, 1928) |*Doridopsis*|
 Risbec, 1953:20
- Dendrodoris fulva* (MacFarland, 1905) |*Doriopsis*| [=*Doriopsilla albopunctata*]
 Behrens, 1980:58†; 1991:70†; 2004:42; MacFarland, 1966:194†; Marcus, 1961:30
- Dendrodoris fumata* (Rüppell & Leuckart, 1828) |*Doris*|
 Behrens & Hermosillo, 2005:87†; Brodie, Willan, & Collins, 1997:413†; Camacho-Garcia, Gosliner, &
 Valdes, 2005:79†; Coleman, 2001:†; Gohar & Soliman, 1967:32; Marshall & Willan, 1999:118†;
 Nakano, 2004:194†; Ono, 1999:134†; 2004:204†; Valdes & Gosliner 1999a:327; Wells & Bryce,
 1993:138†
- Dendrodoris fumosa* (Quoy & Gaimard, 1832) |*Doris*|
 Pruvot-Fol, 1934:62†
- Dendrodoris gemmacea* (Alder & Hancock, 1864) |*Doridopsis*| [=*D. denisoni*]
 Willan & Morton, 1984:98
- Dendrodoris (Dendrodoris) gemmacea* (Alder & Hancock, 1864) |*Doridopsis*| [=*D. denisoni*]

- Baba, 1949:155†; Lin & Tchang, 1965:14
- Dendrodoris (Dendrodoris) goani* Rao & Kumary, 1973:243
- Dendrodoris grandiflora* (Pease, 1860) |*Doris*| [=Carminodoris; =Hoplodoris]
- Dendrodoris grandiflora* (Rapp, 1827) |*Doris*| {conserved, I.C.Z.N., 1995:198}
- Ballesteros, 1982b:231; 1985:21; Barletta, 1981:77†; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:119†; Garcia-Gomez, 2002:151†; Nordsieck, 1972:65†; O'Donoghue, 1929:771; Ortea & Valdes, 1994:7; Pruvot-Fol, 1954b:332; Riedl, 1983:337; Rolán & Otero-Schmitt, 1996:151; Schmekel, 1970:203; Schmekel & Portmann, 1982:136†; Swennen, 1961a:66; Trainito, 2003:38†; 2005:54†; Turk, 2000:165†; Valdes & Gosliner 1999a:327; Valdes, Ortea, Avila, & Ballesteros, 1996:9†; Willan & Burn, 1994:256
- Dendrodoris guineana* Valdes & Ortea in Valdes, Ortea, Avila, & Ballesteros, 1996:23†
- Dendrodoris gunnamatta* Allan, 1932:97 [=*D. denisoni*]
Coleman, 2001:†
- Dendrodoris guttata* (Odhner, 1917) |*Doridopsis*|
Allan, 1947:458; Baba, 1933a:173; 1949:156†; Behrens, 2005:†; Brodie, 2001:†; Coleman, 1989:44†; 2001:†; Nakano, 2004:194†; Okutani, 2000:797†; Ono, 2004:204†; Orr, 1980:112; 1981:38†; Suzuki, 2000:110†; Tonozuka 2003:124†; Willan & Coleman, 1984:40†
- Dendrodoris herytra* Valdes & Ortea in Valdes, Ortea, Avila, & Ballesteros, 1996:25†
Garcia-Gomez, 2002:†; Gavaia, Malaquias, Calado, & Urgorri, 2003:112†; Ortea, Moro, Bacallado, & Herrera, 2001:†; Wirtz, 1998a:†; 1999:†
- Dendrodoris inornata* (Abraham, 1876) |*Doridopsis*|
Garcia-Gomez, 2002:152; Ortea & Ballesteros, 1982a:1; Pruvot-Fol, 1954b:339
- Dendrodoris jousseaumei* (Vayssi  re, 1912) |*Doriopsis*|
O'Donoghue, 1929:826
- Dendrodoris kalkensis* (Barnard, 1927) |*Doris*| [=*D. caesia*]
Barnard, 1932:256
- Dendrodoris kranjiensis* Lim & Chou, 1970:104
- Dendrodoris krebsii* (M  rnoch, 1863) |*Doris (Rhacodoris)*| [=*D. fumata*]
Behrens, 1991:71†; 2004:42; Collin, et al., 2005:692†; Edmunds & Just, 1985:58; Farmer, 1980:64; Marcus, 1976b:140; Marcus & Hughes, 1974:520; Humann, 1992:241†; Marcus, 1975:893; Marcus & Marcus, 1963:35; 1967:95, 203; 1967b:209; 1970a:74; Redfern, 2001:176†; Thompson, 1980:91; Valdes, Ortea, Avila, & Ballesteros, 1996:12†
- Dendrodoris languida* Pruvot-Fol, 1951:44 [=*D. limbata*]
Nordsieck, 1972:65; Pruvot-Fol, 1954b:334
- Dendrodoris leptopus* Ehrenberg, 1831
- Dendrodoris limbata* (Cuvier, 1804) |*Doris*|
Ballesteros, 1978:19; 1982b:232; 1985:21; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:121†; Cesari, 1990:†; Garcia-Gomez, 2002:150†; George & George, pl. 92†; Luque, 1983:67; Nordsieck, 1972:64; Perrone, 1983b:135; Pruvot-Fol, 1951:42; 1954b:331; Riedl, 1970:429; 1983:337; Schmekel & Portmann, 1982:137†; Trainito, 2003:38†; 2005:55†; Turk, 2000:165†; Valdes & Gosliner 1999a:327; Valdes, Ortea, Avila, & Ballesteros, 1996:5†; Vicente, 1967:155; 1981:79; White, 1955:183
- Dendrodoris longula* Pruvot-Fol, 1951:46 [=*D. grandiflora*]
Nordsieck, 1972:65; Pruvot-Fol, 1953b:88; 1954b:335
- **Dendrodoris lugubris* Ehrenberg, 1831 [=*Doriopsis albolimbata*; =*Doriopsis limbata*]
Bergh, 1877c:58; O'Donoghue, 1929:730

Dendrodoris maculata (Risbec, 1928) |*Doridopsis*|

Risbec, 1953:24

Dendrodoris magnai Ortea & Espinosa, 2001:52†

Dendrodoris mammosa (Abraham, 1877) |*Doridopsis*|

O'Donoghue, 1924a:562

Dendrodoris mariei Crosse, 1875:307

Risbec, 1953:24

Dendrodoris maugeana Burn, 1962:104

Brodie 2005:37

Dendrodoris melaena Allan, 1932:98 [=*D. nigra*]

Burn, 1965:87

Dendrodoris miniata (Alder & Hancock, 1864) |*Doridopsis*|

Orr, 1980:112; 1981:36†; Thompson, 1975:502

Dendrodoris (Doriopsilla) miniata (Alder & Hancock, 1864) |*Doridopsis*|

Baba, 1933b:277; 1949:156†

Dendrodoris minima Pruvot-Fol, 1951:47 [=*Doriopsilla pelseneeri*]

Nordsieck, 1972:65; Pruvot-Fol, 1954b:336

Dendrodoris montrouzieri (Crosse, 1875) |*Doris*| [=*D. nigra*]

Risbec, 1953:20; 1956:27; 1956a:27

Dendrodoris morulifer Allan, 1932:99 |*Dendrodoris*| [=*D. tuberculata*]

Dendrodoris murina (Risbec, 1928) |*Doridopsis*|

Risbec, 1953:19

Dendrodoris nigra (Stimpson, 1855) |*Doris*| (non Burn, 1957:22; 1966e:349; 1989:796; nor Orr, 1981:37†; nor Willan & Coleman, 1984:40†; nor Wells & Bryce, 1993:141† species 182 =*Dendrodoris fumata*; non Valdes, Ortea, Avila, & Ballesteros, 1996:12 =*Dendrodoris fumata*)

Allan, 1947:458; Barnard, 1927:188; Bertsch & Johnson, 1981:72†; Brodie, Willan, & Collins, 1997:408†; Burn, 1962a:166; 1966a:275; 1969:92; Coleman, 2001:†; Debelius, 1996:†; Edmunds, 1971:383; 1972:75; Engel & Eeken, 1962:27; Gosliner, 1987b:87†; Hirano, 1992:39; Hoover, 1998:170†; Kay, 1979:473; Marcus & Burch, 1965:250; Marcus & Marcus, 1970b:206; Marshall & Willan, 1999:119†; Nakano, 2004:195†; Narayanan, 1968a:203; O'Donoghue, 1924a:561; 1929:827; 1929a:79; 1932:163; Okutani, 2000:797†; Ono, 1999:132†; 2004:202†; Orr, 1980:112; Pruvot-Fol, 1947:113; Risbec, 1953:20; Satyamurti, 1952:243; Suzuki, 2000:108†; Thompson, 1975:504; Tonozuka 2003:124†; Valdes & Gosliner 1999a:328; Valdes, Ortea, Avila, & Ballesteros, 1996:12†; Wägele, Brodie, & Klussmann-Kolb, 1999:79; Wells & Bryce, 1993:141, species 183†; Willan & Morton, 1984:96; Yonow, 1990:294†; Yonow & Hayward, 1991:26; Young, 1967:168

Dendrodoris (Dendrodoris) nigra (Stimpson, 1855) |*Doris*|

Abe, 1964:55; Baba, 1933a:172; 1935a:348; 1936:37; 1949:154†; Lin, 1975:148; Lin & Tchang, 1965:13

Dendrodoris nigra var. Risbec, 1953:180

Dendrodoris nigromaculata (Cockerell in Cockerell & Eliot, 1905) |*Doridopsis*|

Behrens, 1980:58†; 1991:71†; 2004:42; Bertsch & Rosas, 1984:10; McDonald, 1983:170; McDonald & Nybakken, 1980:52†

Dendrodoris nigropunctata (Vayssi  re, 1912) |*Doriopsis*|

O'Donoghue, 1929:828; Yonow, 1997:†

- Dendrodoris orbicularis* Valdés, 2001:302
- Dendrodoris ornata* Ehrenberg, 1831
O'Donoghue, 1929:731
- Dendrodoris pantherina* (Angas, 1864) |*Doris*| [=Jorunna]
- Dendrodoris peruviana* (d'Orbigny, 1837) |*Doris*| [=Baptodoris; =Platydoris]
- Dendrodoris pseudorubra* Pruvot-Fol, 1951:44 [=D. grandiflora]
Nordsieck, 1972:65; Pruvot-Fol, 1954b:333
- Dendrodoris punctata* (Rüppell & Leuckart, 1828) |*Doris*|
O'Donoghue, 1929:731
- Dendrodoris punctatella* Pruvot-Fol, 1933:401
- Dendrodoris pustulosa* (Alder & Hancock, 1864) |*Doridopsis*| [=D. tuberculosa]
Engel & Eeken, 1962:27
- Dendrodoris racemosa* Pruvot-Fol, 1951:44 [=Doriopsilla pelseneeri]
Nordsieck, 1972:65; Ortea & Urgorri, 1979b:73; Pruvot-Fol, 1954b:335
- Dendrodoris rainfordi* Allan, 1932:100
Coleman, 2001:†
- Dendrodoris rosea* (Vayssiére, 1912) |*Doriopsis*|
- Dendrodoris rubra* (Kelaart, 1858) |*Doris*| [=Dendrodoris fumata]
Edmunds, 1971:386; Hirano, 1992:37; Marcus & Marcus, 1970b:206; O'Donoghue, 1932:163; Okutani, 2000:797†; Orr, 1980:112; 1981:39†; Satyamurti, 1952:242; Suzuki, 2000:110†; White, 1951:250
- Dendrodoris (Dendrodoris) rubra* (Kelaart, 1858) |*Doris*|
Abe, 1964:56
- Dendrodoris rubra* var. *fusca* Alder & Hancock, 1864 |*Doridopsis fusca*|
- Dendrodoris rubra nigromaculata* (Eliot, 1913) |*Doridopsis*|
Baba, 1933a:173; 1949:155†
- Dendrodoris rufopunctata* Pruvot-Fol, 1934:60
- Dendrodoris rugosa* (Pease, 1860) |*Doris*| [=D. tuberculata]
- Dendrodoris sadoensis* Baba, 1993a:25
- Dendrodoris senegalensis* Bouchet, 1975:124
Garcia & Troncoso, 2003:164†; Garcia, Troncoso, & Dominguez, 2001:53; Valdes, Ortea, Avila, & Ballesteros, 1996:16†
- Dendrodoris singaporesis* Lim & Chou, 1970:104 [=D. atromaculata]
- Dendrodoris staminea* (Basedow & Hedley, 1905) |*Archidoris*| [=Doriopsilla]
Burn, 1957:22
- Dendrodoris stohleri* Millen & Bertsch, 2005:190†
Behrens & Hermosillo, 2005:87†
- Dendrodoris subpellucida* (Abraham, 1877) |*Doridopsis*| [=Dendrodoris krebsii]
Thompson, 1976a:†
- Dendrodoris temarana* Pruvot-Fol, 1953b:87† [=D. grandiflora]
- Dendrodoris tuberculosa* (Quoy & Gaimard, 1832) |*Doris*|
Gary McDonald, Long Marine Lab, 100 Shaffer Rd., Santa Cruz, Cal. 95060

Baba, 1949:154; Behrens, 2005:†; Bertsch & Johnson, 1981:73†; Chou & Yok, 1993:101; Coleman, 1989:45†; 2001:†; Colin & Arneson, 1995:184†; Debelius, 1996:†; Dominguez, Moreira, & Troncoso, 2004:111†; Edmunds & Preece, 1996:413; Gosliner, Behrens, & Williams, 1996:167†; Lin & Tchang, 1965:13; Hirano, 1992:38; Hoover, 1998:171†; Kay, 1979:473; Kay & Young, 1969:219; Marshall & Willan, 1999:120†; Nakano, 2004:192†; Okutani, 2000:797†; Ono, 1999:133†; 2004:203†; Pruvot-Fol, 1934:59; Risbec, 1956:27; 1956a:27; Suzuki, 2000:108†; Valdes & Gosliner 1999a:328; Wells & Bryce, 1993:141†; Willan & Coleman, 1984:40†; Yonow, Anderson, & Buttress, 2001:859†

Dendrodoris tuberculosa (Quoy & Gaimard) var.

Baba, 1936:38; 1988f:17

Dendrodoris vadisi Burn, 1962a:166 {nom. nov. for *D. davisi*}

Burn, 1966a:275

Dendrodoris vidua (Bergh, 1878) [*Doriopsis*] [=*D. nigromaculata*]

Dendrodoris warta Marcus & Gallagher, 1976:353

Eyster, 1980:590; Valdes & Gosliner 1999a:332; Valdes, Ortea, Avila, & Ballesteros, 1996:18†

Dendrodoris sp. Behrens, 1980:100† [=*D. behrensi*]

Dendrodoris sp.1 Behrens, 1991:71† [=*Doriopsilla gemela*]

Behrens, 2004:42

Dendrodoris sp.2 Behrens, 1991:72† [=*D. azineae*]

Behrens, 2004:42

Dendrodoris sp.3 Behrens, 1991:72† [=*D. behrensi*]

Behrens, 2004:42

Dendrodoris sp.2 Behrens, 2004:43 [=*D. azineae*]

Dendrodoris sp. Berstch, 1991:18 [=*D. stohleri*]

Dendrodoris sp. “brown-speckled Dendrodoris” Coleman, 2001:†

Dendrodoris sp. “globed Dendrodoris” Coleman, 2001:†

Dendrodoris sp. “pustulose Dendrodoris” Coleman, 2001:†

Dendrodoris sp. “snakey Dendrodoris” Coleman, 2001:†

Dendrodoris sp. Garcia Gomez, 1984 [=*Dendrodoris herytra*]

Dendrodoris sp.1 Gosliner, 1987b:88†

Dendrodoris sp.2 Gosliner, 1987b:89†

Dendrodoris sp. Haefelfinger & Kress, 1970:29

Dendrodoris sp. Lee & Brophy, 1969:220 [=*D. behrensi*]

Dendrodoris sp.1 Lim & Chou, 1970:96 [=*D. kranjiensis*]

Dendrodoris sp.2 Lim & Chou, 1970:96 [=*D. atromaculata*]

Dendrodoris sp.A McDonald & Nybakken, 1980:54†
McDonald, 1983:171

Dendrodoris sp.B McDonald & Nybakken, 1980:54† [=*D. behrensi*]
McDonald, 1983:171

Dendrodoris sp. Ono, 1999:135†

- Dendrodoris* sp.1 Pruvot-Fol, 1951:47
- Dendrodoris* sp.2 Pruvot-Fol, 1951:48
- Dendrodoris* sp.1 Tan, Pai, & Hsha, 1987:76†
- Dendrodoris* sp.2 Tan, Pai, & Hsha, 1987:77†
- Dendrodoris* sp. White, 1955:183 [=*D. grandiflora*]
- Dendrodoris* sp. Valdés, 2001:306
- Dendrodoris* sp. Yonow & Hayward, 1991:26
- Doridopsis*** Alder & Hancock, 1864:124
[=*Dendrodoris*]
- Abraham, 1877:240; Eliot, 1905c:272; 1906:366; Fischer, 1883:520; O'Donoghue, 1922c:142; Risbec, 1953:41; Satyamurti, 1952:242; Simroth, 1895b:167
- Doridopsis arborescens* Collingwood, 1881:134† [=*Dendrodoris fumata*; =*Dendrodoris nigra*]
Pruvot-Fol, 1935b:122
- Doridopsis arenosa* Risbec, 1930 [=*Dendrodoris clavulata*; =*Dendrodoris fumata*; =*Dendrodoris denisoni*]
- Doridopsis atromaculata* Alder & Hancock, 1864:129 [=*Dendrodoris*]
Eliot, 1906a:662
- Doridopsis aurita* Gould, 1852
- Doridopsis australiensis* Abraham, 1877:263 [=*Dendrodoris nigra*]
- Doridopsis citrina* Cheeseman, 1881 for 1880:223
Eliot, 1907a:348
- Doridopsis clavulata* Alder & Hancock, 1864:127 [=*Dendrodoris*; =*Dendrodoris denisoni*]
Eliot, 1905c:278; 1906a:663
- Doridopsis communis* Risbec, 1928:67† [=*Dendrodoris fumata*]
- Doridopsis communis nigra* Risbec, 1928:69† [=*Dendrodoris fumata*]
- Doridopsis communis rosea* Risbec, 1928:68† [=*Dendrodoris fumata*]
- Doridopsis denisoni* (Angas, 1864) |*Doris*| [=*Dendrodoris*]
Eliot, 1905c:277; 1906a:662
- Doridopsis fabrei* Crosse, 1875:310
- Doridopsis foedata* Abraham, 1877:264
- Doridopsis fossetti* Risbec, 1928:64†
- Doridopsis fulva* (MacFarland, 1905) |*Doriopsis*|
MacFarland, 1906:130†
- Doridopsis fumea* Abraham, 1877:264
- Doridopsis fusca* Alder & Hancock, 1864:126

- **Doridopsis gemmacea* Alder & Hancock, 1864:126 [=*D. denisoni*]
Eliot, 1907:91; Powell, 1979:287
- Doridopsis grandiflora* (Rapp, 1827) |*Doris*|
Eliot, 1906d:147
- Doridopsis grisea* (Kelaart, 1858) |*Doris*|
Eliot, 1906a:663
- Doridopsis guttata* Odhner, 1917 {conserved, I. C. Z> N>, 1995:198} [=*Dendrodoris*]
- Doridopsis herpetica* (Bergh, 1879) |*Doriopsis*|
Eliot, 1900:520
- Doridopsis indacus* Tapparone-Canefri, 1874:218 [=*Dendrodoris nigra*]
- Doridopsis inornata* Abraham, 1877:265 [=*Dendrodoris*; =*Dendrodoris limbata*]
- Doridopsis limbata* (Cuvier, 1817) |*Doris*|
Tchang Si, 1931a:116
- Doridopsis macfarlandi* Ostergaard, 1955:128 [=*Dendrodoris nigra*]
- Doridopsis maculata* Risbec, 1928:69†
- Doridopsis mammosa* Abraham, 1877:266 [=*Dendrodoris denisoni*]
Cheeseman, 1882:214; Eliot, 1907a:347
- Doridopsis mariei* (Crosse, 1872) |*Goniodoris*| [=*Glossodoris*; =*Mexichromis*]
Risbec, 1928:71†
- Doridopsis miniata* Alder & Hancock, 1864:130 [=*Dendrodoris*]
Eliot, 1905f:254
- Doridopsis mollis* Risbec, 1928:65† [=*Dendrodoris nigra*]
Risbec, 1930a:266
- Doridopsis montrouzieri* (Crosse, 1875) |*Doris*| [=*Dendrodoris nigra*]
Risbec, 1928:63†
- Doridopsis murina* Risbec, 1928:62†
- Doridopsis nebulosa* (Pease, 1860) |*Hexabranchus*| [=*Dendrodoris nigra*]
- Doridopsis nigra* (Stimpson, 1855) |*Doris*| [=*Dendrodoris*]
Alder & Hancock, 1864:128; Eliot, 1905c:275; 1905f:256; 1908a:119; 1913:33; Kay & Young, 1969:219; Powell, 1979:287
- Doridopsis nigromaculata* (Cockerell & Eliot, 1905) |*Doris*| [=*Dendrodoris*]
O'Donoghue, 1922c:143
- Doridopsis obscura* Abraham, 1877:263 [=*Dendrodoris limbata*]
- Doridopsis parva* Abraham, 1877:267
- Doridopsis pecten* (Collingwood, 1881) |*Doris*|
Risbec, 1953:42
- Doridopsis pudibunda* (Bergh, 1876) |*Doriopsis*| [=*Dendrodoris*]
Eliot, 1905c:274
- Doridopsis punctata* Alder & Hancock, 1864:129
- Doridopsis pustulosa* Alder & Hancock, 1864:128 [=*Dendrodoris tuberculosa*]
Gary McDonald, Long Marine Lab, 100 Shaffer Rd., Santa Cruz, Cal. 95060

Doridopsis reticulata Cockerell & Eliot, 1905:41 [=Dendrodoris albopunctata;
=Doriopsilla albopunctata]
O'Donoghue, 1922c:143; Steinberg, 1961:58

Doridopsis rossiteri Crosse, 1875:309

Doridopsis rubra (Kelaart, 1858) |Doris| [=Dendrodoris; =Dendrodoris fumata]
Alder & Hancock, 1864:126; Collingwood, 1881:135; Eliot, 1905c:279; 1905f:255; 1908a:118;
1909a:95; Hoover, 1998:171†; Pruvot-Fol, 1935b:122

Doridopsis rubra var. *nigromaculata* Eliot, 1913:32

Doridopsis rugosa (Pease, 1860) |Doris| [=Dendrodoris tuberculosa]

Doridopsis spiculata (Bergh, 1876) |Doriopsis|
Eliot, 1905c:274

Doridopsis subpellucida Abraham, 1877:265 [=Dendrodoris krebsi]

Doridopsis tuberculosa (Quoy & Gaimard, 1832) |Doris| [=Dendrodoris]
Alder & Hancock, 1864:126; Eliot, 1905c:273

Doridopsis tuberculosa var. Eliot, 1906a:661

Doridopsis variata Abraham, 1877:267

Doridopsis vidua Bergh, 1878 |Doriopsis| [=Dendrodoris nigromaculata]
Cockerell & Eliot, 1905:40' O'Donoghue, 1922c:143

Doridopsis viridis (Pease, 1861) |Doriopsis|
Pruvot-Fol, 1947:110; Risbec, 1953:44

Doridopsis sp. Eliot, 1908a:120

Doridopsis sp. Eliot, 1910:435

Doridopsis sp. Risbec, 1931a:89

***Doriopsilla* Bergh, 1880e:20**
[=Dendrodoris]

Avila, Ballesteros, & Ortea, 1992:29 (table of Atlantic & Mediterranean species); Ballesteros & Ortea, 1980:25; Barnard, 1927:188; Bergh, 1892:131(1123); 1892a:10; 1896:454; 1902:192; 1905a:179; Brodie, 2001:101; 2004a:44; Burn, 1962a:167; Edmunds, 1968a:94; Eliot, 1906:366; 1906a:663; Fez Sanchez, 1974:123; Franc, 1968:873; Nordsieck, 1972:64; O'Donoghue, 1922c:143; Pruvot-Fol, 1951:38; 1953b:89; 1954b:336; Steinberg, 1961:58; Thiele, 1931:440; Valdes & Ortea, 1997:241; Vayssiére, 1901a:50; 1902a:234; 1913a:361

Doriopsilla albolineata Edmunds, 1968a:93 [=Doriopsilla areolata albolineata;
=?Dendrodoris miniata]
Valdes & Ortea, 1994a:107

Doriopsilla albopunctata (Cooper, 1863) |Doris| [=Dendrodoris]
Behrens, 1980:60†; 1991:72†; 2005:†; Behrens & Hermosillo, 2005:87†; Farmer, 1980:65; Gatewood, 1985:†; Gosliner, Schaefer, & Millen, 1999:202; Kerstitch, 1988:†; Lamb & Hanby, 2005:253; Marcus & Marcus, 1967:204; Steinberg, 1961:58; Valdes & Gosliner 1999a:336

Doriopsilla areolata Bergh, 1880e:22 [=Dendrodoris miniata]

Ballesteros & Ortea, 1980:32; Coleman, 2001:†; Eliot, 1906d:148; Fez Sanchez, 1974:124; Garcia-Gomez, 2002:153†; Gosliner, Schaefer, & Millen, 1999:209; Luque, 1983:68; Marcus & Marcus, 1962:472; 1966:181; Nobre, 1931:38; 1936:27; 1938-40:40; Nordsieck, 1972:64; Ortea, Moro, Caballer, & Bacallado, 2003:171†; Perrone, 1986a:30; Pruvot-Fol, 1951:39; 1953a:411; 1953b:90†; 1954b:336;

Rolán & Otero-Schmitt, 1996:150†; Trainito, 2005:56†; Valdes & Gosliner 1999a:336; Valdes & Ortea, 1994a:107, 1997:241; Vayssiére, 1901a:50; 1902a:235; 1913a:362; 1919:83; White, 1955:184

Doriopsilla areolata albolineata Edmunds, 1968

Valdes & Ortea, 1997:248

Doriopsilla areolata areolata Bergh, 1880 |*Doriopsilla*|

Trainito, 2003:38†; Valdes & Ortea, 1997:243

Doriopsilla areolata nigrolineata Meyer, 1977 |*Doriopsilla nigrolineata*|

Valdes & Ortea, 1997:249

Doriopsilla aurea (Quoy & Gaimard, 1832) |*Doris*|

Burn, 1966a:275; 1966e:350

Doriopsilla australis (Angas, 1864) |*Actinodoris*| [=*Dendrodoris nigra*]

Doriopsilla capensis Bergh, 1907:64

Barnard, 1927:188; Valdes & Gosliner 1999a:336

Doriopsilla carneola (Angas, 1864) |*Doris*|

Burn, 1965:87; 1966a:276; 1966e:350; 1969:95; 1989:769; Coleman, 1989:46†; 2001:†; Debelius, 1996:†

Doriopsilla ciminoi Avila, Ballesteros, & Ortea, 1992:24 [=*D. areolata areolata*]

Valdes & Ortea, 1994a:107

Doriopsilla clavisa Allan, 1933 [=*D. miniata*] (probably lapsus for *D. davisii*)

Doriopsilla debruini Perrone, 2001a:62

Doriopsilla spinosai Valdes & Ortea, 1998:389†

Doriopae Ballesteros & Ortea, 1980:26 [=*D. areolata areolata*]

Ballesteros, 1982b:231; 1985:20; Valdes & Ortea, 1994a:107

Doriopsilla fedalae Pruvot-Fol, 1953b:92† [=*D. miniata*; [=*D. areolata areolata*]]

Garcia-Gomez, 2002:†; Valdes & Ortea, 1994a:108

Doriopsilla fulva (MacFarland, 1905) |*Doriopsis*| [=*D. albopunctata*; =*Dendrodoris albopunctata*]

Doriopsilla gemela Gosliner, Schaefer, & Millen, 1999:205

Behrens, 2005:†; Behrens & Hermosillo, 2005:88†; Goddard, 2005:205; Valdes & Gosliner 1999a:340

Doriopsilla granulosa (Pease, 1860) |*Doriopsis*| [=*Doriopsis*]

Doriopsilla janaina Marcus & Marcus, 1967:96, 205

Behrens, 2005:†; Behrens & Hermosillo, 2005:88†; Camacho-Garcia, Gosliner, & Valdes, 2005:79†; Debelius, 1996:†; Farmer, 1980:66; Gosliner, 1991b:289; Gosliner, Schaefer, & Millen, 1999:209; Valdes & Gosliner 1999a:338

Doriopsilla laevis Bergh, 1905a:179

Doriopsilla leia Marcus, 1961a:144 [=*D. pharpa*]

Doriopsilla miniata (Alder & Hancock, 1864) |*Doridopsis*| [=*Dendrodoris*]

Brodie, 2001:†; Coleman, 1989:46†; 2001:†; Eliot, 1906a:665; Gosliner, 1987b:89†; Hirano, 1992:39; Narayanan, 1968a:203; Masuda, 1999:124†; Nakano, 2004:195†; Okutani, 2000:797†; Suzuki, 2000:111†; Willan & Coleman, 1984:40†

Doriopsilla miniata var. Narayanan, 1968a:203

- Doriopsilla nigrolineata* Meyer, 1977:304 [=Doriopsilla areolata nigrolineata]
- Doriopsilla nigromaculata* (Cockerell in Cockerell & Eliot, 1905) |*Doridopsis*| [=Dendrodoris]
Behrens & Hermosillo, 2005:88†
- Doriopsilla pallida* Bergh, 1902:193
- Doriopsilla pecten*(Collingwood, 1881) |*Doris*| [=Doriopsis]
- Doriopsilla peculiaris* (Abraham, 1877) |*Doris*|
Burn, 1989:770; Coleman, 2001:†
- Doriopsilla pelseneeri* Oliveira, 1895:12
Ballesteros & Ortea, 1980:34; Calado, 2004:129; Eliot, 1906d:148; Fez Sanchez, 1974:124; Garcia-Gomez, 2002:†; Nobre, 1896:102; 1931:39; 1936:27; 1938-40:47; Nordsieck, 1972:64; Pruvot-Fol, 1954b:338; Valdes & Gosliner 1999a:336; Valdes & Ortea, 1994a:107; 1997:249
- Doriopsilla pharpa* Marcus, 1961a:146
Marcus & Marcus, 1967b:209; Valdes & Gosliner 1999a:338; Valdes & Ortea, 1997:251
- Doriopsilla pusilla* Pruvot-Fol, 1951:41 [=D. areolata areolata]
Ballesteros, 1985:20; Ballesteros & Ortea, 1980:30; Perrone, 1990b:26; Pruvot-Fol, 1954b:339; Valdes & Ortea, 1994a:107
- Doriopsilla rarispinosa* Pruvot-Fol, 1951:40 [=D. areolata areolata]
Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:123†; Nordsieck, 1972:64; Perrone, 1986:97; 1986a:30; Pruvot-Fol, 1954b:338
- Doriopsilla reticulata* (Cockerell & Eliot, 1905) |*Doridopsis*| [=Dendrodoris albopunctata]
- Doriopsilla rowena* Marcus & Marcus, 1967:205
Camacho-Garcia, Gosliner, & Valdes, 2005:80†; Farmer, 1980:67; Gosliner, Schaefer, & Millen, 1999:209; Valdes & Gosliner 1999a:338
- Doriopsilla spaldingi* Valdes & Behrens, 1998:307†
Behrens, 2004:22†; 2005:†; Behrens & Hermosillo, 2005:89†; Valdes & Gosliner 1999a:340
- Doriopsilla staminea* (Basedow & Hedley, 1905) |*Archidoris*|
Burn, 1962a:167; 1966a:276; 1969:92
- Doriopsilla* sp. “ridged Doriopsilla” Coleman, 2001:†
- Doriopsilla* sp. “white-speckled Doriopsilla” Coleman, 2001:†
- Doriopsilla* sp.1 Gosliner, 1987b:89† [=Mandelia mirocornata]
- Doriopsilla* sp.2 Gosliner, 1987b:90† [=D. capensis]
- Doriopsilla* sp. Satyamurti, 1952:244
- Doriopsilla* sp. White, 1951:250
- Doriopsis* Pease, 1860:32 Alder & Hancock, 1864, 1865
[=Dendrodoris; =Doridopsis; =Doris]
- Allan, 1947:448; Bergh, 1875d:82; 1876a:385; 1879g:21; 1880b:9; 1880c:180; 1880e:1; 1884:694; 1884a:117; 1889:842; 1890a:963; 1892:126(1118); 1905a:169; Cotton & Godfrey, 1933:106; Fez Sanchez, 1974:121; Ihering, 1880:39; O'Donoghue, 1922c:142; Pease, 1871:299; Pruvot-Fol, 1930b:291; 1931:308; Valdes, 2002c:542; Vayssi  re, 1912:75; 1913a:360

- Doriopsis affinis* Bergh, 1875d:93
- Doriopsis albopunctata* (Cooper, 1863) |*Doris*| [=Dendrodoris]
- Doriopsis amoena* Bergh, 1905a:174
- Doriopsis apicalis* Bergh, 1890a:970
Eliot, 1906e:560
- Doriopsis apicalis* var. Bergh, 1890a:971
- Doriopsis* n. sp. aff. *atromaculata* (Alder & Hancock) Haas, 1920:140
- Doriopsis atropos* Bergh, 1879h:49 [=Dendrodoris krebsii]
- Doriopsis aurantiaca* (Eliot, 1913) |*Doris (Ctenodoris)*| [=Doriopsis granulosa]
Abe, 1964:52; Baba & Hamatani, 1961:63; Lin & Tchang, 1965:9
- Doriopsis aurea* (Quoy & Gaimard, 1832) |*Doris*| [=Doriopsilla]
Basedow & Hedley, 1905:157; Burn, 1962a:168; Cotton & Godfrey, 1933:107; Farran, 1905a:344
- Doriopsis bataviensis* Bergh, 1890a:968
- Doriopsis brockii* Bergh, 1890a:967
- Doriopsis caesia* Bergh, 1907:62 [=Dendrodoris]
- Doriopsis callosa* Bergh, 1907:61 [=Dendrodoris]
- Doriopsis capensis* Bergh, 1907:60 [=Dendrodoris]
- Doriopsis carneola* (Angas, 1864) |*Doris*| [=Doriopsilla]
Basedow & Hedley, 1905:157; Burn, 1962a:169; Cotton & Godfrey, 1933:107
- Doriopsis clavulata* (Alder & Hancock, 1864) |*Doridopsis*| [=D. nicobarica]
- Doriopsis debilis* (Pease, 1871) |*Doris*|
Bergh, 1880b:10
- Doriopsis denisoni* (Angas, 1864) |*Doris*| [=Dendrodoris]
Bergh, 1884:694
- Doriopsis erubescens* Bergh, 1905a:173† [=Dendrodoris; =Dendrodoris fumata]
- Doriopsis flabellifera* (Cheeseman, 1881) |*Doris*|
Willan & Coleman, 1984:34† Willan & Morton, 1984:85
- Doriopsis flaccida* Bergh, 1905a:175
- Doriopsis flava* (Risbec, 1928) |*Guyonia*| [=Doriopsis granulosa]
Allan, 1947:448
- Doriopsis fulva* MacFarland, 1905:45 [=Dendrodoris; =Dendrodoris albopunctata]
Guernsey, 1912:77; MacFarland, 1906:130
- Doriopsis gibbulosa* Bergh, 1879g:27
- Doriopsis grandiflora* (Rapp, 1827) |*Doris*| [=Dendrodoris]
Bergh, 1880e:14; Fez Sanchez, 1974:123; Ihering, 1880:48; Nobre, 1931:37; 1936:27; 1938-40:45;
Vayssi  re, 1913a:361
- **Doriopsis granulosa* Pease, 1860:32 [=Doris]

- Edmunds, 1971:341; Kay, 1979:458; Kay & Young, 1969:174; Marshall & Willan, 1999:74†; Nakano, 2004:125†; Okutani, 2000:793†; Ono, 1999:136†; 2004:136†; Orr, 1981:56†; Pruvot-Fol, 1947:109; Willan & Coleman, 1984:34†
- Doriopsis grisea* Bergh, 1880b:11
- Doriopsis herpetica* Bergh, 1879g:40 [=*D. compta*]
- Doriopsis inornata* (Abraham, 1877) |*Doridopsis*| [=*D. limbata*]
- Doriopsis jousseaumei* Vayssi  re, 1912:79 [=*Dendrodoris*]
- Doriopsis krebsi* (M  rch, 1863) |*Doris (Rhacodoris)*| [=*Dendrodoris*]
Bergh, 1875d:87
- Doriopsis krebsi* var. *pallida* Bergh, 1879h:44 [=*Dendrodoris krebsi*]
- Doriopsis limbata* (Cuvier, 1804) |*Doris*| [=*Dendrodoris*]
Bergh, 1879g:41; 1880e:2; 1892b:16; Fez Sanchez, 1974:122†; Ihering, 1880:40; Nobre, 1931:37; 1936:26; 1938-40:45; Odhner, 1932:39; Vayssi  re, 1901a:44; 1913a:361
- Doriopsis maculigera* Bergh, 1876a:387
Bergh, 1879g:34
- Doriopsis modesta* Bergh, 1876a:386 [=*Dendrodoris cuprea*]
Bergh, 1879g:31
- Doriopsis modesta* var. Bergh, 1879g:32
- Doriopsis nebulosa* (Pease, 1860) |*Hexabranchus*| [=*Dendrodoris nigra*]
Bergh, 1879g:23; 1884a:122
- Doriopsis nicobarica* Bergh, 1875, 1879
- Doriopsis nigra* (Stimpson, 1855) |*Doris*| [=*Dendrodoris*]
Bergh, 1905:83; 1905a:169; Vayssi  re, 1912:80
- Doriopsis nigra* var. Bergh, 1905a:169†
- Doriopsis nigra* var. *atroviridis* (Kelaart, 1858) |*Doris*|
Bergh, 1890a:964
- Doriopsis nigra* var. *brunnea* Bergh, 1890a:966 [=*Dendrodoris nigra*]
- Doriopsis nigra* var. *caerulea* Bergh, 1880c:181 [=*Dendrodoris nigra*]
- Doriopsis nigra* var. *luteopunctata* Bergh, 1905a:170†
- Doriopsis nigra* var. *nigerrima* Bergh, 1889:842 [=*Dendrodoris nigra*]
Bergh, 1890a:963; 1902:191; Eliot, 1906e:560
- Doriopsis nigra* (Stimpson) var. a Alder & Hancock, 1864:128
- Doriopsis nigra* (Stimpson) var. b Alder & Hancock, 1864:129 [=*D. nigra* var. *atroviridis*; =*Doris atroviridis*]
- Doriopsis nigra* (Stimpson) var. c Alder & Hancock, 1864:129 [=*D. nigra* var. *brunnea*]
- Doriopsis nigropunctata* Vayssi  re, 1912:77 |*Doriopsis*| [=*Dendrodoris*]
- Doriopsis obscura* (Abraham, 1877) |*Doridopsis*| [=*Dendrodoris limbata*]
- Doriopsis pantherina* (Angas, 1864) |*Doris*| [=*Jorunna*]

- Doriopsis pecten* (Collingwood, 1881) |*Doris*| [=Ctenodoris aurantiaca]
Bertsch & Johnson, 1981:34†; Coleman, 2001:†; Debelius, 1996:†; Gosliner, 1987b:63†; Johnson, 1981c:14; Kay, 1979:458†; Kay & Young, 1969:175; Marshall & Willan, 1999:75†; Nakano, 2004:126†; Ono, 1999:136†; 2004:135†; Young, 1967:161
- Doriopsis pellucida* Bergh, 1876a:386
Bergh, 1879g:32
- Doriopsis peruviana* (Orbigny, 1837) |*Doris*| [=Doris; =Baptodoris; =Platydoris]
- Doriopsis pudibunda* Bergh, 1876a:387 [=Dendrodoris]
Bergh, 1879g:33; 1889:844
- Doriopsis punctata* (Rüppell & Leuckart, 1828) |*Doris*| [=Dendrodoris]
Vayssiére, 1912:75
- Doriopsis punctatella* Bergh, 1905:87
- Doriopsis reticulata* (Cockerell in Cockerell & Eliot, 1905) |*Doridopsis*| [=Dendrodoris albopunctata; =Doriopsilla albopunctata]
- Doriopsis rosea* Vayssiére, 1912:82 [=Dendrodoris; =Dendrodoris fumata]
- Doriopsis rubra* (Kelaart, 1859) |*Doris*| [=Dendrodoris; =Dendrodoris fumata]
Bergh, 1902:190
- Doriopsis scabra* Pease, 1871:300 [=D. granulosa; =Doris granulosa]
Pruvot-Fol, 1947:112
- Doriopsis semperi* Bergh, 1876a:386
Bergh, 1879g:29
- Doriopsis setigera* (Rapp, 1827) |*Doris*| [=D. grandiflora]
- Doriopsis spiculata* Bergh, 1876a:387
Bergh, 1879g:37
- Doriopsis tristis* Bergh, 1875d:91
Bergh, 1876a:385
- Doriopsis tuberculosa* (Quoy & Gaimard, 1832) |*Doris*|
Bergh, 1879g:38; 1905a:172
- Doriopsis tuberculosa* var. Bergh, 1889:845
- Doriopsis vidua* Bergh, 1879g:35 [=Dendrodoris nigromaculata]
- Doriopsis virescens* (Risso, 1826) |*Doris*| [=D. limbata]
- Doriopsis viridis* Pease, 1861:244
Allan, 1947:449; Baba & Hamatani, 1961:65; Lin & Tchang, 1965:9; Pease, 1871:301; Pruvot-Fol, 1947:112; Young, 1967:160
- Doriopsis weberi* Bergh, 1905a:175
- Doriopsis weberi* var. *nigra* Bergh, 1905a:176
- Doriopsis* sp. Bergh, 1905:85
- Doriopsis* sp. (1) Bergh, 1905a:177
- Doriopsis* sp. (2) Bergh, 1905a:177

Doriopsis sp. (3) Bergh, 1905a:177

Doriopsis sp. Bergh, 1907:63
Barnard, 1927:187

Doriopsis sp. Eliot, 1908
O'Donoghue, 1929:731

Doriopsis sp. I Pruvot-Fol, 1927:42

Doriopsis sp. II Pruvot-Fol, 1927:42

Hanstellodoris Pease, 1871:300
[=*Dendrodoris*; =*Doriopsis*]

Valdes, 2002c:542

Rhacodoris Mörch, 1863:34
[=*Dendrodoris*; =*Doriopsis*]

Valdes, 2002c:561

Rhacodoris laciniata (Cuvier)

Rhacodoris krebsii Mörch, 1863 [=Dendrodoris]

Mandeliidae Valdes & Gosliner 1999a:341

Mandelia Valdes & Gosliner 1999a:341

Mandelia mirocornata Valdes & Gosliner 1999a:341

Dendronotacea Odhner, 1934:285

[=Aiolobranchiata Adams & Adams, 1853 partim.; =Ceratonota Lankester;
=Cladobranchia Willan & Morton, 1984 partim.; =Dendrobranches Vayssiére,
=Dendronotoidea; =Dendronotina Odhner, 1934; 1888; =Polybranchiata Féruccac,
1822:xxviii partim.; =Tritonioidea Pelseneer]

Burn, 1989:776 (key to families); Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:125; Franc, 1968:873; Jensen, 2000:439; 2000b:625; Jensen & Clark, 1986:454; Nordsieck, 1972:65; Odhner, 1936:1073 (synopsis of families); 1939:42; Parker, 1982:1047; Rudman, 1998a:1001; Schmekel & Portmann, 1982:141 (key to European families)†; Thompson, 1972:64; 1976a:30; 1988:106; Thompson & Brown, 1984:9 (key to British species); Vayssiére, 1913a:249; Wells & Bryce, 1993:167; Willan & Coleman, 1984:50; Willan & Morton, 1984:61

Tritoniidae Lamarck 1809 or Children, 1823

[=Duvaucellidae; Diceres Blainville; Seribranches Lat.]

Adams & Adams, 1858:62; Barnard, 1927:198; Bergh, 1881:20; 1884:698; 1884a:43; 1888b:797; 1890:71; 1892:74(992); 1898:536; 1900a:19; 1904:24; Bouchet & Rocroi, 2001:176; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:137; Eliot, 1905d:535; 1906e:542; 1907b:3; Fez Sanchez, 1974:64; Fischer, 1883:534; Franc, 1968:873; Gould, 1870:234; Haefelfinger, 1963:61; Hayward, Wigham, & Yonow, 1990:708; Jeffreys, 1869:67; Jensen, 2000:439; 2000b:625; Jensen & Clark, 1986:454; Just & Edmunds, 1985:10; Kay, 1979:479; MacFarland, 1966:206; Marcus, 1983:183 (key to genera); Nordsieck, 1972:65; Odhner, 1922:9; 1926:31; 1926a:13; 1934:285 (key to genera); 1936:1075

(synopsis of genera); 1963a:51 (key to genera); Parker, 1982:1047; Pelseneer, 1892a:142; Pruvot-Fol, 1954b:346; Risbec, 1953:114; Rudman, 1998a:1002; Sachidhanandam, Willan, & Chou, 2000:528; Satyamurti, 1952:233; Schmekel, 1970:172; Thiele, 1926:112; 1931:420; 1992:693; Thompson, 1988:106; Thompson & Brown, 1984:10; Vayssi  re, 1913a:250; Volodchenko, 1955:248; Wells & Bryce, 1993:167; White, 1955:180; Willan & Morton, 1984:63

Tritoniidae sp.1 Nakano, 2004:209†
 Tritoniidae sp.2 Nakano, 2004:209†
 Tritoniidae sp.3 Nakano, 2004:209†
 Tritoniidae sp.4 Nakano, 2004:209†
 Tritoniidae sp.5 Nakano, 2004:209†
 Tritoniidae sp.6 Nakano, 2004:209†
 Tritoniidae sp.7 Nakano, 2004:210†
 Tritoniidae sp.8 Nakano, 2004:210†
 Tritoniidae sp.1 Ono, 2004:219†
 Tritoniidae sp.2 Ono, 2004:219†
 Tritoniidae sp.3 Ono, 2004:220†
 Tritoniidae sp.4 Ono, 2004:220†
 Tritoniidae sp.5 Ono, 2004:221†

Candiella Gray, 1850b:106

[=*Duvaucelia*; =*Tritonia*] (non Eliot, 1910 =*Candellista*)

Bergh, 1890:74; 1900a:19; Marcus, 1983:209; Marcus & Marcus, 1967:209; Vayssi  re, 1901a:99; 1913a:251

Candiella australis Bergh, 1898:536 [=*Duvaucelia (Microlophus) poirieri*; =*Tritonia*; =*Tritonia challengeriana*; =*Tritonia* sp. 1 Schr  dl, 2003 partim.]

Candiella dubia Bergh, 1888b:797

Candiella gracilis (Risso, 1828) |*Duvaucelia*|
 Vayssi  re, 1913a:254

Candiella ingolfiana Bergh, 1900a:19

Candiella moesta (Bergh, 1884) |*Tritonia (Candiella)*| [=*Tritonia gracilis*; =*T. manicata*]
 Nobre, 1938-40:65; Vayssi  re, 1901a:100; 1913a:254

**Candiella plebeia* (Johnston, 1828) |*Tritonia*| [=*Tritonia*]
 Nobre, 1938-40:64; Vayssi  re, 1913a:254

Candiella villafranca Vayssi  re, 1901a:101 [=*Tritonia gracilis*; =*T. manicata*]
 Starm  hlner, 1955:224; Vayssi  re, 1913a:254

Candellista Iredale & O'Donoghue, 1923:230

Marcus, 1983:209; Nordsieck, 1972:66; Pruvot-Fol, 1954b:350; Thiele, 1931:421

**Candellista alba* (Alder & Hancock, 1854) |*Tritonia*| [=*Tritonia*]
 Nordsieck, 1972:66

Cloelia Lov  n, 1841:235

see under Heroidae, pg. 200

Duvaucelia (Leach) Risso, 1826:38
 [=*Tritonia*]

Fez Sanchez, 1974:65; MacFarland, 1966:207; Marcus, 1983:209; Marcus & Marcus, 1967:209; Nordsieck, 1972:66; Odhner, 1926:34 (key to species); 1936:1078; Pruvot-Fol, 1954b:350; Thiele, 1992:693; Thompson & Brown, 1984:11

- Duvaucelia challengeriana* (Bergh, 1884) |*Tritonia*| (non Odhner, 1926:36 =*Tritonia antarctica*)
- Duvaucelia cincta* (Pruvot-Fol, 1937) |*Tritonia*|
Nordsieck, 1972:66
- Duvaucelia exsulans* (Bergh, 1894) |*Tritonia*| [=*Tritonia*; =*Tritonia diomedea*]
Baba, 1937c:310; MacFarland, 1966:226†
- Duvaucelia festiva* (Stearns, 1873) |*Lateribranchiae*a| [=*Tritonia*]
MacFarland, 1966:218†
- Duvaucelia giberti* MacFarland, 1966:235 [=*Tritonia*; =*Tritonia diomedea*]
- **Duvaucelia gracilis* Risso, 1826:38 [=*Tritonia*; =*Tritonia manicata*]
Nordsieck, 1972:66; Pruvot-Fol, 1936a:636
- Duvaucelia griegi* (Odhner, 1922) |*Tritonia*| [=*Tritonia*]
Odhner, 1926a:15
- Duvaucelia hombergi* (Cuvier, 1803) |*Tritonia*| [=*Tritonia*]
Løyning, 1927:248; Odhner, 1926a:14
- Duvaucelia irrorata* (Bergh, 1905) |*Tritonia*| (non Baba, 1933 =*Marioniopsis babai*)
Baba, 1933b:273
- Duvaucelia lineata* (Alder & Hancock, 1848) |*Tritonia*|
Nordsieck, 1972:66
- Duvaucelia manicata* (Deshayes, 1853) |*Tritonia*|
Ballesteros, 1985:21; Ortea, 1977:237
- Duvaucelia modesta* Bergh (probably lapsus for *Tritonia moesta*)
Fez Sanchez, 1974:66
- Duvaucelia odhneri* Tardy, 1963:2 [=*Tritonia*; =*Tritonia nilsodhneri*]
Ortea & Ugorri, 1981:55
- Duvaucelia plebeia* (Johnston, 1828) |*Tritonia*| [=*Tritonia*]
Fez Sanchez, 1974:66; Odhner, 1939:45
- Duvaucelia poirieri* (Rochebrune & Mabille, 1891) [=*Tritonia challengeriana*]
- Duvaucelia reticulata* (Bergh, 1881) |*Tritonia*| [=*Tritonia festiva*]
- Duvaucelia septemtrionalis* Baba, 1937e:391 [=*Tritonia diomedea*]
- Duvaucelia striata* (Haefelfinger, 1963) |*Tritonia*|
Ballesteros, 1985:21
- Duvaucelia tetraquetra* (Pallas, 1788) |*Limax*| [=*Tochuina*]
MacFarland, 1966:208
- Duvaucelia undulata* (O'Donoghue, 1824) |*Sphaerostoma*| [=*Tritonia festiva*]
- Duvaucelia villafranca* (Vayssi  re, 1901) |*Candiella*|
Nordsieck, 1972:66†; Riedl, 1970:429
- Duvaucelia vorax* Odhner, 1926:37 [=*Tritonia*]
Subgenus: (*Candellista*) Iredale & O'Donoghue, 1923
Thiele, 1992:694

Subgenus: (*Duvaucelia*) Risso, 1826

Thiele, 1992:694

Duvaucelia (Duvaucelia) insulae Baba, 1955:50† [=Tritonia]

Duvaucelia (Duvaucelia) undulata muroranica Baba, 1940:104 [=Tritonia festiva]

Subgenus: (*Microlophus*) Rochebrune & Mabille, 1889:11

Thiele, 1992:694

Duvaucelia (Microlophus) poirieri Rochebrune & Mabille, 1891 [*Microlophus*] (non Odhner, 1926 =*Tritonia australis*) [=Tritonia challengeriana]

Odhner, 1926:38

Subgenus: (*Sphaerostoma*) MacGillivray, 1843:335

Thiele, 1992:694

Lateribranchiae Stearns, 1873:77

[=Tritonia]

Lateribranchiae festiva Stearns, 1873:77 [=Tritonia]

Sterns, 1873a:209; Steinberg, 1961:61

Liriope Gistl, 1847

(non Lesson, 1837) [=Tritonia]

Gistel, 1851:171; Gistel & Bromme, 1850:563; Lemche, 1961:285

Marionia Vayssi  re, 1877a:300

Barnard, 1927:198; Bergh, 1883a:305; 1884:737; 1884a:48; 1890:75; 1890a:890; 1892:77(1069); 1894:152; 1905a:206; Eliot, 1904a:93; Fez Sanchez, 1974:67; Fischer, 1883:534; Jensen, 1994:131 (table of species); Lemche, 1936:1080; Marcus, 1983:199; Misuri, 1917:20; Nordsieck, 1972:66; Pruvot-Fol, 1937:70; Pruvot-Fol, 1954b:351; Satyamurti, 1952:233; Schmekel & Portmann, 1982:142; Thiele, 1931:422; 1992:695; Thompson, 1972:64; Vayssi  re, 1877:367; 1879:2; 1901a:102; 1902a:242; 1913a:254

Marionia affinis Bergh, 1883a:317 [=M. blainvillea; =M. quadrilatera]

Bergh, 1884:746

Marionia albotuberculata Eliot, 1904a:97 [=Marioniopsis]

Marionia arborescens Bergh, 1890a:891 [=Marioniopsis cyanobranchiata] (non Bergh, 1904:28 =M. semperi)

Barnard, 1927:198; Eliot, 1904a:95; 1906e:543; 1910b:222

Marionia bathycarolinensis Smith & Gosliner, 2005:67†

**Marionia berghi* Vayssi  re, 1879:2 [=M. blainvillea]

Marionia blainvillea (Risso, 1818) |Tritonia|

Ballesteros, 1984a:†; Barletta, 1981:79; Barletta & Melone, 1976:220†; Bergh, 1883a:322; 1884:750; Calado & Urgorri, 1998:99; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:143†; Coleman, 2001:†; Demir, 1954:574; Fez Sanchez, 1974:67; Garcia-Gomez, 2002:159†; Mazzarelli, 1903:293; Nobre, 1936:25; 1938-40:65; Nordsieck, 1972:66; Ortea, Moro, Caballer, & Bacallado, 2003:171†; Parent, Breton, & Reboux, 2001[2000]:28; Pruvot-Fol, 1937:71; 1954b:352†; Riedl, 1983:321; Schmekel & Portmann, 1982:148†; Trainito, 2003:40†; 2005:70†; Vayssi  re, 1901a:103; 1902a:243; 1913a:255; W  gele & Schminke, 1987:†; Wirtz, 1998a:†; 1999:†

Marionia cabindae White, 1955:180

Marionia chloanthes Bergh, 1902:196

Marionia cucullata (Gould, 1852) |*Tritonia*| (non Vicente & Arnaud, 1974:539 =*Tritonia antarctica* or *Tritonia challengeriana*)

Carcelles, 1944:263; Marcus, 1983:199; Marcus & Marcus, 1967:104; 1969a:26; Odhner, 1926:40; 1934:294; Schrödl, 2003:73

Marionia cyanobranchiata (Rüppell & Leuckart, 1828) |*Tritonia*|
Coleman, 2001:†; Eliot, 1908a:120; 1910:418

Marionia decaphylla (Cantraine, 1835) |*Tritonia*| [=*M. tethydea*]

Marionia distincta Bergh, 1905a:206† [=*Marioniopsis laevis*]
Gosliner, Behrens, & Williams, 1996:173†

Marionia echinomuriceae Jensen, 1994:126†

Marionia glama (Rüppell & Leuckart, 1828) |*Tritonia*| [=*M. elegans*]
Yonow, 2000:108†

Marionia granularis Odhner, 1936:1090

Marionia hawaiiensis (Pease, 1860) |*Tritonia*|
Nakano, 2004:206†

Marionia laevis Eliot, 1904a:94 [=*Marioniopsis*]

Marionia occidentalis Bergh, 1884:754 [=*M. cucullata* (Gould)]
Bergh, 1884a:49; 1894:152

Marionia olivacea Baba, 1937g:117
Baba, 1949:166†; Nakano, 2004:206†

Marionia pambanensis O'Donoghue, 1932:152
Satyamurti, 1952:233

Marionia pellucida Eliot, 1904a:94

Marionia pusa Marcus & Marcus, 1968a:1336

Marionia pustulosa Odhner, 1936:1088
Coleman, 2001:†; Thompson, 1972:64

Marionia pustulosa odhneri Baba, 1937c:313

Marionia pustulosa pustulosa Odhner, 1936

Marionia quadrilatera (Schultz) [=*M. tethydea*]
Bergh, 1883a:306; 1884:737; Mazzarelli, 1903:293; Misuri, 1917:21; Nobre, 1931:35

Marionia ramosa Eliot, 1904a:96

Marionia rubra (Rüppell & Leuckart, 1828) |*Tritonia*|
Debelius, 1996:†

Marionia semperi Jensen, 1994:129

Marionia tedi Marcus, 1983:200
Valdes 2006:41†

Marionia tessellata Bergh, 1905a:207

Marionia tethydea (delle Chiaje, 1828, 1841) |*Tritonia*| [=*M. blainvillea*]

- Bergh, 1883a:319; 1884:748; Nordsieck, 1972:66†; Pruvot-Fol, 1937:72; 1954b:352†; Schmekel, 1970:174
- Marionia thethydea* (delle Chiaje, 1828) |*Tritonia*|
- Marionia vanira* Marcus & Marcus, 1966:183
- Marionia viridescens* Eliot, 1904a:98 [=*Marioniopsis*]
- Marionia* sp. Beesley, Ross, & Wells, 1998:pl. 36†
- Marionia* sp. Behrens, 2005:†
- Marionia* sp. 1 Behrens & Hermosillo, 2005:90†
- Marionia* sp. 2 Behrens & Hermosillo, 2005:90†
- Marionia* sp. Camacho-Garcia, Gosliner, & Valdes, 2005:95†
- Marionia* sp. “camouflage Marionia” Coleman, 2001:†
- Marionia* sp. “Philippine Marionia” Coleman, 2001:†
- Marionia* sp. “tufted Marionia” Coleman, 2001:†
- Marionia* sp. Debelius, 1996:†
- Marionia* sp. Eliot, 1904a:99
- Marionia* sp.1 Gosliner, 1987b:108† [=*M. glama*]
- Marionia* sp.2 Gosliner, 1987b:109†
- Marionia* sp. Gosliner, Behrens, & Williams, 1996:174†
- Marionia* sp 1 Hermosillo & Behrens, 2005:19†
- Marionia* sp 2 Hermosillo & Behrens, 2005:19†
- Marionia* sp. Pruvot-Fol, 1937:73
- Marionia* sp. Pruvot-Fol, 1954b:†
- Marionia* sp. Wells & Bryce, 1993:168†
- Marioniopsis* Odhner, 1934:286**
- Avila, Kelman, Kashman, & Benayahu, 1999:1435 (table of species); Odhner, 1936:1080
- Marioniopsis albotuberculata* (Eliot, 1904) |*Marionia*|
Odhner, 1936:1087
- Marioniopsis babai* Odhner, 1936:1087
Baba, 1937c:315
- **Marioniopsis cyanobranchiata* (Rüppell & Leuckart, 1831) |*Tritonia*|
Debelius, 1996:†; Gosliner, 1987b:109†; Yonow, 2000:100†
- Marioniopsis dakini* (O'Donoghue, 1924) |*Sphaerostoma*|
Debelius, 1996:†; Wells & Bryce, 1993:168†
- Marioniopsis fulvicola* Avila, Kelman, Kashman, & Benayahu, 1999:1435
- Marioniopsis laevis* (Eliot, 1904) |*Marionia*|
Odhner, 1936:1087; Yonow, 2000:102†

- Marioniopsis platyctenea* Willan, 1988:49
 Bryce, 1994:†; Debelius, 1996:†; Wells & Bryce, 1993:168†
- Marioniopsis rubra* (Rüppell & Leuckart, 1828) |*Tritonia*|
 Odhner, 1936:1087; Yonow, 2000:103†
- Marioniopsis viridescens* (Eliot, 1904) |*Marionia*|
 Odhner, 1936:1087; Yonow, 2000:104†
- Marioniopsis* sp. "mosaic marioniopsis" Coleman, 1989:59†
- Marioniopsis* sp. Debelius, 1996:†
- Microlophus*** Rochebrune & Mabille, 1889:11
 [=Myrella; =Tritonia] (non Dumeril & Bibron, 1837)
- Thiele, 1931:421
- Microlophus poirieri* Mabille & Rochebrune, 1889:11 [=Tritonia challengeriana]
 Schrödl, 1996:34
- Myrella*** Odhner, 1963 (nom nov. for *Microlophus*)
 Marcus & Marcus, 1967:101, 1969a:26
- **Myrella poirieri* (Rochebrune & Mabille, 1889) |*Microlophus*| [=Tritonia challengeriana]
- Necromantes*** Gistl, 1847
 {rejected, ICZN, 1963:272} [=Tritonia]
- Lemche, 1961:285
- Nemocephala*** Costa, 1867a:137
 [=Candiella; =Tritonia]
- **Nemocephala marmorata* Costa, 1867a:137 [=Tritonia gracilis; =Tritonia manicata]
 Pruvot-Fol, 1937:532
- Paratritonia*** Baba, 1949:166
- **Paratritonia lutea* Baba, 1949:166†
 Burn, 1962:105; 1966a:278; Coleman, 2001:†; Masuda, 1999:125†; Suzuki, 2000:123†
- Sphaerostoma*** MacGillivray, 1843:335
 [=Tritonia]
- Barnard, 1927:199; Lemche, 1961:285; O'Donoghue, 1924:2; 1924a:542; Thiele, 1931:421;
 Winckworth, 1933:337
- Sphaerostoma aurantiacum* Barnard, 1927:199 [=Tritonia plebeia]
- Sphaerostoma citrina* Kroyer, 1847a:116 {nomen nudum}
- Sphaerostoma dakini* O'Donoghue, 1924a:543 [=Marioniopsis]
- Sphaerostoma diomedea* (Bergh, 1894) |*Tritonia*| [=Tritonia]
- Sphaerostoma exsulans* (Bergh, 1894) |*Tritonia*| [=Tritonia; =Tritonia diomedea]
- Sphaerostoma festiva* (Stearns, 1873) |*Lateribranchiae*a| [=Tritonia]
- Sphaerostoma flemingi* Powell, 1937a:120

Sphaerostoma incerta (Bergh, 1904) |*Tritonia*|

Powell, 1937a:120

Sphaerostoma indecorum (Bergh, 1907) |*Tritonia*|

Barnard, 1927:200

**Sphaerostoma jamesonii* MacGillivray, 1843:336 [=*Tritonia hombergii*]

Sphaerostoma pallidum (Stimpson, 1855) |*Tritonia*|

Barnard, 1927:199

Sphaerostoma tetraquetra (Pallas, 1788) |*Limax*| [=*Tochuina*]

Sphaerostoma undulata O'Donoghue, 1924:2 [=*Tritonia festiva*]

Marcus, 1961:31

Tochuina Odhner, 1963:51

McDonald, 1983:213; McDonald & Nybakken, 1980:54

**Tochuina tetraquetra* (Pallas, 1788) |*Limax*|

Behrens, 1980:78†; 1991:73†; 2005:†; Behrens & Hermosillo, 2005:90†; Farmer, 1980:165; Lamb & Hanby, 2005:262†; McDonald, 1983:213; McDonald & Nybakken, 1980:54†; Thompson, 1971:334

Tritonia Cuvier, 1798:387

[non Lamarck, =*Euphorurus* or =*Triopa*; non Meigen, 1802]

Adams & Adams, 1858:63; Alder & Hancock, 1855:fam. 2, pl. 1; Bergh, 1879c:151; 1884:705; 1884a:44; 1890:74; 1905a:203; 1907:82; Blainville, 1825:487; Bosc, 1830:103; Cantraine, 1841:51; Chenu, 1859:406; Cuvier, 1804:254; 1805:434; 1817:391; 1830:52; 1834:38; de Roisy, 1805:141; Eliot, 1907b:3; 1910d:145; Fez Sanchez, 1974:65; Fischer, 1883:534; Fleming, 1822:469; Forbes & Hanley, 1850-1851:582; Gistel, 1851:171; Gosliner, 1996a:204; Gosliner & Ghiselin, 1987:434 (table of Atlantic species); Gray, 1857:217; Hoeven, 1856:782; ICZN, 1963:272; Iredale, 1918:29; Jeffreys, 1869:67; Johnston, 1838a:114; Jutting & Engel, 1936:38; Lamarck, 1819:303; Larsen, 1925:12; Leach, 1852:24; Lemche, 1961:285; MacGillivray, 1843:195; McDonald, 1983:219; McDonald & Nybakken, 1980:54; Nordsieck, 1972:65; O'Donoghue, 1921:150; 1922a:146; Oken, 1815:279; Pruvot-Fol, 1931:314; 1954b:346; Risso, 1826:34; Schmekel & Portmann, 1982:142; Thompson, 1988:107; Thompson & Brown, 1984:11; Vayssiére, 1913a:251; Voigt, 1834:118; Winckworth, 1933:337

Tritonia acuminata Costa, 1840:69 [=*Marionia*; =*Marionia blainvillea*]

Tritonia affinis (Lamarck, 1819) |*Eolis*|

Bosc, 1830:108

Tritonia alba Alder & Hancock, 1854:104 [=*Candellista*; =*T. hombergi*]

Alder, 1850:113; Alder & Hancock, 1855:append, 16; Eliot, 1906c:335; 1910d:93; Jeffreys, 1869:68; Larsen, 1925:16; Pruvot-Fol, 1954b:350

Tritonia antarctica Eliot, 1905d:text figs. 11-14

Tritonia antarctica Pfeffer in Martens & Pfeffer, 1886:112 [=*Tritonia challengeriana*]

Troncoso, García, & García Gómez, 1997:28

Tritonia appendiculata Eliot, 1905d:526 [=*T. challengeriana*; *T. challengeriana* var.; =*T. antarctica*]

Eliot, 1909b:18; Wägele, 1995:41

Tritonia arborescens Cuvier, 1805:435 [=*Dendronotus*]

Cuvier, 1817c:28; de Roissy, 1805:147; Hoeven, 1856:782; Johnston, 1838a:115; Lamarck, 1819:304; Lovén, 1842:360; MacGillivray, 1843:70, 195; Menke, 1844a:132; Middendorff, 1849:513; Voigt, 1834:119

- Tritonia arborescens* (Müller, 1776) |*Tritonia* [=*Dendronotus frondosus*]
- Tritonia ascanii* Sars, 1837:402 [=*Dendronotus frondosus*]
Möller, 1842:78; 1842a:5
- Tritonia atrofusca* MacGillivray, 1843:346 [=*T. hombergii*]
- Tritonia auriculata* Linnaeus |*Doris*|
Bosc, 1830:106
- Tritonia australis* (Bergh, 1898) |*Candiella* [=*Tritonia challengeriana*]
Marcus, 1983:185; Schrödl, 1996:34†; Wägele, 1995:43
- Tritonia bayeri* Marcus & Marcus, 1967 |*Tritonia (Candiella)*||
Marcus, 1983:187
- Tritonia bayeri misa* Marcus & Marcus, 1967b |*Tritonia (Candiella)*||
Marcus, 1983:187
- Tritonia blainvillea* Risso, 1818:371 [=*Marionia*; =*T. decaphylla*]
Pruvot-Fol, 1936a:635; Risso, 1826:35; Tiberi, 1880:218
- Tritonia bollandi* Smith & Gosliner, 2003:256†
Ono, 2004:218†
- Tritonia cervina* (Gmelin, 1791) |*Doris* [=*Dendronotus arborescens*; =*Dendronotus frondosus*]
Dalyell, 1853:282; de Roissy, 1805:147
- Tritonia challengeriana* Bergh, 1884a:45 (non Eliot, 1907b:4 =*T. antarctica*)
Ballesteros & Avila 2006:†; Bergh, 1884:727; Eliot, 1907a:354; Marcus, 1983:185; Minichev, 1972a:370; Schrödl, 1996:35†; 1996a:53; 2003:67†; Schrödl, et al., 2005:31†; Wägele, 1995:41
- Tritonia challengeriana* var. [=*T. appendiculata*]
- Tritonia cincta* Pruvot-Fol, 1937:68 [=*Tritoniopsis*]
Barletta & Melone, 1976:219†; Pruvot-Fol, 1954b:351†; 1963:566; Schmekel, 1970:172
- Tritonia clavigera* Muller, 1776 |*Doris*|
Bosc, 1830:104; de Roissy, 1805:147
- Tritonia conifera* Dalyell, 1853:289 [=*Doto fragilis*; =*T. hombergi*]
- Tritonia coronata* (Gmelin)
Bosc, 1830:107; de Roissy, 1805:147; Lamarck, 1819:305; Voigt, 1834:119
- Tritonia costae* Vérany, 1846:23 [=*Marionia*; =*Marionia blainvillea*]
Vérany, 1846a:103
- Tritonia cucullata* Gould, 1852 [=*Marionia occidentalis*]
- Tritonia cucullata* (Couthouy) Gould, 1852 [=*Marionia*; =*Marionia occidentalis*]
- Tritonia cyanobranchiata* Rüppell & Leuckart, 1831:16†
Voigt, 1834:119
- Tritonia dantarti* Ballesteros & Avila 2006:130†
- Tritonia decaphylla* Cantraine, 1835:384 [=*Marionia blainvillea*]
Cantraine, 1841:51
- Tritonia diomedea* Bergh, 1894:146

Behrens, 1980:80†; 1991:73†; 2004:43; 2005:†; Behrens & Hermosillo, 2005:91†; Bertsch & Kerstitch, 1984:267; Gosliner, 1996a:205; Kuramochi, Ogawa, & Naganuma, 2002: 1; Lamb & Hanby, 2005:261†; Marcus, 1961:33; McDonald, 1983:219; McDonald & Nybakken, 1980:54†; Nakano, 2004:207†; O'Donoghue, 1921:151; Thompson, 1971:335; Thompson, 1976:†; Volodchenko, 1955:249

Tritonia divaricata Dalyell, 1853:288 [=Doto pinnatifida; =T. hombergi]

Tritonia elegans Audouin in Savigny, 1826 [=Marionia; =Tritoniopsis]
Nakano, 2004:210†; Voigt, 1834:118

Tritonia eriosi Marcus, 1983:187 [=T. odhneri]
Muniain & Ortea, 1994:165

Tritonia exsulans Bergh, 1894:150 [=T. diomedea]
Farmer, 1980:162; Marcus, 1961:32; O'Donoghue, 1921:152; Thompson, 1971:336

Tritonia fasciculata (Forskål) |Doris|
Bosc, 1830:105

Tritonia felina Alder & Hancock, 1842:33 [=Dendronotus frondosus]

Tritonia festiva (Stearns, 1873) |Lateribranchiaeae|
Baba, 1969:132; Behrens, 1980:80†; 1991:74†; 2004:43; 2005:†; Behrens & Hermosillo, 2005:91†;
Choe & Lee, 1994:364†; Debelius, 1996:†; Farmer, 1980:163; Gosliner, 1996a:204; Jaekle, 1984:210;
Lamb & Hanby, 2005:261†; Marcus, 1961:31; McDonald, 1983:221; McDonald & Nybakken,
1980:54†; Nakano, 2004:207†; Okutani, 2000:797†; Suzuki, 2000:122†; Thompson, 1971:337; Walls,
1982:328†

Tritonia fimbriata (Muller, 1776) |Doris|
Voigt, 1834:120

Tritonia flemingi (Powell, 1937) |Sphaerostoma|
Coleman, 2001:†; Powell, 1979:288; Willan & Morton, 1984:64

Tritonia frondosa (Ascanius, 1774)
de Roissy, 1805:147

Tritonia gibbosa Risso, 1818:371 [=Ancula; =Marionia blainvillea; =Marionia quadrilatera; =T. decaphylla]
Pruvot-Fol, 1936a:636; 1937:532; Risso, 1826:35

Tritonia gigantea Bergh, 1904:26 [=Tochuina tetraqueta]

Tritonia gilberti (MacFarland, 1966) |Duvaucelia| [=T. diomedea]

Tritonia glama Rüppell & Leuckart, 1831:16† [=Marionia; =Marionia elegans;
=Tritoniopsis elegans]

Tritonia glauca (Rüppell & Leuckart, 1831 for 1828) [lapsus for T. glama] [=Marionia elegans; =T. elegans]
Voigt, 1834:119

Tritonia gracilis (Risso, 1818) |Duvaucelia| [=Marionia blainvillea; =T. manicata]
George & George, pl. 89†; Pruvot-Fol, 1937:67; 1953b:62†; 1954b:350†

Tritonia griegi Odhner, 1922:6
Nordsieck, 1972:66; Odhner, 1939:44; Pruvot-Fol, 1954b:348

Tritonia hamnerorum Gosliner & Ghiselin, 1988:428
Redfern, 2001:176†

Tritonia hawaiensis Pease, 1860:33 [=Marioniopsis viridescens; =Marionia]

Bertsch & Johnson, 1981:84†; Johnson, 1978:6; Kay, 1979:479; Pruvot-Fol, 1947:109

**Tritonia hombergi* Cuvier, 1803:480

Alder & Hancock, 1855:fam. 2, pl. 2†; Asbjörnsen, 1853:337; Bergh, 1884:705; Brown & Picton, 1979:3; Colgan, 1914:195; Cuvier, 1804:255; 1817a:4; 1817c:27; Dalyell, 1853:271; Dekker, 1989:101; de Roisy, 1805:146; Evertsen & Bakken, 2001a:12†; Fez Sanchez, 1974:65; Forbes & Hanley, 1850-1851:582; Garcia-Gomez, 2002:156†; Grieg, 1913a:4; 1914:12; Hayward, Wigham, & Yonow, 1990:708; Hoffmann, 1926:9; Hunnam & Brown, 1975:136; ICZN, 1963:272; Jeffreys, 1869:67; Johnston, 1838a:114; Lamarck, 1819:304; Larsen, 1925:12; Leach, 1852:24; Lovén, 1842:363; McMillan, 1968:69; Nordsieck, 1972:65; Odhner, 1907:17; 1939:44; Picton & Morrow, 1994:28†; Pruvot-Fol, 1937:65; 1954b:348; Rolán & Otero-Schmitt, 1996:153; Rolán, Rolán-Alvarez, & Ortea, 1991:113; Sauvage, 1873:32; Swennen, 1987:36; Tchang Si, 1931a:107; Thompson, 1961b:1; 1976:†; 1976a:†; 1988:108; Thompson & Brown, 1976:58; 1984:11†; Vayssiére, 1901a:96; 1913a:251; Voigt, 1834:118; Walton, 1908:238

Tritonia hombergi var. *alba* (Alder & Hancock, 1854) |*T. alba*|

Hoffmann, 1926:9; Odhner, 1907:17

Tritonia incerta Bergh, 1904:24

Benham, 1905:314; Coleman, 2001:†; Enderby & Enderby, 2005:5†; Powell, 1979:287; Willan & Coleman, 1984:50†; Willan & Morton, 1984:64

Tritonia indecora Bergh, 1907:85, Vayssiére, 1912 [=Sphaerostoma]

Tritonia ingolfiana Bergh, 1899 |*Candiella*|

Odhner, 1907:18

Tritonia insulae (Baba, 1955) |*Duvaucelia*|

Nakano, 2004:208†

Tritonia irrorata Bergh, 1905a:205 [=Duvaucelia]

Tritonia lacinulata (Forskål) |*Doris*|

Bosc, 1830:106

Tritonia lactea Thompson, 1840:88 [=Dendronotus; =Dendronotus frondosus]

Thompson, 1856:276

Tritonia lineata Alder & Hancock, 1848a:191 [=Duvaucelia]

Alder & Hancock, 1851a:fam. 2, pl. 4†; Brown & Picton, 1979:3; Forbes & Hanley, 1850-1851:582; Hayward, Wigham, & Yonow, 1990:708; Hoffmann, 1926:9; Hunnam & Brown, 1975:137; Jeffreys, 1869:68; Odhner, 1907:18; Picton & Morrow, 1994:28†; Pruvot-Fol, 1954b:351; Schmekel & Portmann, 1982:142; Thompson, 1976a:†; 1988:110†; Thompson & Brown, 1976:62; 1984:12†; Trainito, 2003:40†; 2005:69†

Tritonia maculata Gray, 1847:268 {nomen nudum}

Tritonia manicata Deshayes, 1839-1853 [=Duvaucelia gracilis]

Brown, 1978a:305; Brown & Picton, 1979:3; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:137†; Garcia-Gomez, 2002:157†; Haefelfinger, 1963:62; Luque, 1983:61; Parent, Breton, & Reboux, 2001[2000]:26; Perrone, 1986a:23; Picton & Morrow, 1994:30†; Pruvot-Fol, 1937:532; Riedl, 1983:321; Schmekel, 1970:174; Schmekel & Portmann, 1982:143†; Templado, Luque, & Moreno, 1988:18; Thompson, 1988:112; Thompson & Brown, 1984:14†; Trainito, 2003:40†; 2005:69†

Tritonia meyeri Vérany, 1852, 1862:87 [=Marionia blainvillea]

Tritonia minima (Gmelin) |*Doris*|

Bosc, 1830:106

Tritonia moesta Bergh, 1884 [=T. manicata] |*Tritonia* (*Candiella*)|

- Nobre, 1931:34; 1936:24; Swennen, 1961a:66
- Tritonia moesta pallescens* Eliot, 1906d:133
- Tritonia myrakeenae* Bertsch & Mozqueira Osuna, 1986:47
Behrens, 1991:74†; 2004:44; Behrens & Hermosillo, 2005:91†; Camacho-Garcia, Gosliner, & Valdes, 2005:95†; Angullo-Campillo, 2005:48
- Tritonia nigromaculata* Roginskaya, 1984a:99
- Tritonia nilsodhneri* Marcus, 1983:187
Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:139†; Coleman, 2001:†; Debelius, 1996:†; Garcia-Gomez, 2002:158†; Gosliner, 1987b:107†; Hayward, Wigham, & Yonow, 1990:708; Just & Edmunds, 1985:10†; Parent, Breton, & Reboux, 2001[2000]:27; Picton & Morrow, 1994:30†; Thompson, 1988:114†; Thompson & Brown, 1984:15†; Trainito, 2005:70†; Yonow, 1997:†
- Tritonia odhneri* (Tardy, 1963) |*Duvaucelia*| [=*T. nilsodhneri*]
|Brown & Hunnam, 1976:41; Brown & Picton, 1979:4; Thompson, 1976a:†; Thompson & Brown, 1976:62
- Tritonia odhneri* Marcus, 1959 |*Tritonia*(*Tritonia*)|
Schrödl, 1996:35†; 2003:69†
- Tritonia olivacea* Bergh, 1905a:204†
- Tritonia pallida* Stimpson, 1855a:388 [=*Sphaerostoma*]
Bergh, 1907:83; Eliot, 1905d:528; 1909b:20
- Tritonia palmeri* Cooper, 1863:207
Cockerell, 1903:117; Cockerell & Eliot, 1905:33; Marcus, 1961:32
- Tritonia papillosa* (Linnaeus, 1761) |*Limax*| [=*Aeolidia*]
Bosc, 1830:105
- Tritonia pennata* (Linnaeus) Bommé |*Doris*|
Bosc, 1830:107
- Tritonia peregrina* (Lamarck, 1819) |*Eolis*|
Bosc, 1830:107
- Tritonia pickensi* Marcus & Marcus, 1967:207
Behrens, 2004:22†; Behrens & Hermosillo, 2005:92†; Bertsch & Gosliner, 1984:138†; Camacho-Garcia, Gosliner, & Valdes, 2005:96†; Farmer, 1980:164
- Tritonia pinnatifida* Johnston, 1835:61 [=*Doto fragilis*]
- Tritonia pinnatifida* (Montagu, 1804) |*Tritonia*| [=*Doto*; =*Doto coronata*; =*Doto fragilis*]
Dalyell, 1853:285
- Tritonia plebeia* Johnston, 1828:77 [=*Duvaucelia*]
Alder & Hancock, 1847b:fam. 2, pl. 3†; Brøgger, 1873:; Brown & Picton, 1979:3; Colgan, 1914:195; Forbes & Hanley, 1850-1851:582; Garstang, 1889:184; Hayward, Wigham, & Yonow, 1990:709; Herdman, 1890:46; Herdman & Clubb, 1889:227; Hoffmann, 1926:9; Hunnam & Brown, 1975:137; Jeffreys, 1869:68; Johnston, 1838a:115; Jutting & Engel, 1936:40; Larsen, 1925:14; Lovén, 1842:363; MacGillivray, 1843:70, 196; Nobre, 1931:35; 1936:24; Nordsieck, 1972:65; Odhner, 1907:18; Pelseneer, 1923a:71; Picton & Morrow, 1994:32†; Pruvot-Fol, 1954b:348; Swennen, 1987:36; Thompson, 1988:116; Thompson & Brown, 1976:60; 1984:16†; Walton, 1908:238
- Tritonia plebeia* var. Grieg, 1897:26 [=*T. griegi*]
- Tritonia plumosa* (Fleming, 1822) |*Eolida*| [=*Facelina longicornis*]

- Tritonia poirieri* Mabille & Rochebrune, 1891 |*Microlophus*| [=*Tritonia challengeriana*]
Wägele, 1995:44
- Tritonia primorjensis* Minichev, 1971:282 [=*T. diomedea*]
- Tritonia psoloides* Aurivillius, 1887:381
Odhner, 1907:18
- Tritonia pulchella* Alder & Hancock, 1842:33 [=*Dendronotus*; =*Dendronotus frondosus*]
- Tritonia pulchra* Johnston, 1828:78 [=*Duvaucelia plebeia*; =*T. plebeia*]
- Tritonia punctata* Dalyell, 1853:287 [=*Doto coronata*]
- Tritonia pustulosa* Deshayes, 1853:58, pl. 90, figs. 3-4 [=*T. hombergi*]
- Tritonia quadrilatera* Schultz in Philippi, 1836:103 [=*Marionia*; =*Marionia blainvillea*;
=*T. decaphylla*]
- Tritonia quadrilineata* (Muller, 1776) |*Doris*|
Bosc, 1830:105
- Tritonia ramosa* Bosc, 1801
Bosc, 1830:104
- Tritonia reticulata* Bergh, 1881:33 [=*T. festiva*]
Bergh, 1884:727
- Tritonia reynoldsi* Couthouy, 1838:74 [=*Dendronotus frondosus*]
Dekay 1843:8†
- Tritonia rubiginosa* Reeve, 1846
- Tritonia rubra* Rüppell & Leuckart, 1831:15† [=*Marioniopsis*]
Voigt, 1834:119
- Tritonia septemtrionalis* (Baba, 1937) |*Duvaucelia*|
Roginskaya, 1984:31
- Tritonia striata* Haefelfinger, 1963:69
Barletta & Melone, 1976:219; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:141†; Moreno & Templado, 1998:54; Parent, Breton, & Reboux, 2001[2000]:27; Perrone, 1986a:24; Schmekel, 1970:174; Schmekel & Portmann, 1982:146; Trainito, 2003:40†; 2005:70†
- Tritonia tethydea* delle Chiaje, 1822, 1828, 1829 [=*Marionia*; =*Marionia blainvillea*;
=*Marioni quadrilatera*]
Cantraine, 1841:52; Tiberi, 1880:220
- Tritonia tetraquetra* (Pallas, 1788) |*Limax*| [=*Tochuina*]
Bergh, 1879c:154; 1884:726; O'Donoghue, 1922a:147
- Tritonia undulata* (O'Donoghue, 1924) |*Sphaerostoma*| [=*T. festiva*]
- Tritonia velata* Oersted, 1844 [=*Hero formosa*]
- Tritonia villafranca* (Vayssiére, 1901) |*Candiella*| [=*T. manicata*]
Haefelfinger, 1963:67; Odhner, 1914:164; Pruvot-Fol, 1937:66; 1954b:350†; Riedl, 1983:321; Vicente, 1963a:177; 1967:155
- Tritonia vorax* (Odhner, 1926) |*Duvaucelia*|
Schrödl, 1996:36; 1996a:53; 2003:70†; Wägele, 1995:23
- Tritonia (Tritonidoxa) wellsi* Marcus, 1961a:146
Gary McDonald, Long Marine Lab, 100 Shaffer Rd., Santa Cruz, Cal. 95060

- Marcus & Marcus, 1967:99
- Tritonia* sp. Behrens, 1980:102†
- Tritonia* sp. Behrens, 2005:†
- Tritonia* sp. 1 Behrens & Hermosillo, 2005:92†
- Tritonia* sp. Bryce, 1994:†
- Tritonia* sp. Burn, 1966a:278
- Tritonia* sp. 1 Camacho-Garcia, Gosliner, & Valdes, 2005:96†
- Tritonia* sp. 2 Camacho-Garcia, Gosliner, & Valdes, 2005:96†
- Tritonia* sp. "southern gorgonian Tritonia" Coleman, 1989:58†
- Tritonia* sp. "northern gorgonian Tritonia" Coleman, 1989:59†
- Tritonia* sp. "Carijoa Tritonia" Coleman, 2001:†
- Tritonia* sp. "Coleman's Tritonia" Coleman, 2001:†
- Tritonia* sp. "gorgonian Tritonia" Coleman, 2001:†
- Tritonia* sp. "latticed Tritonia" Coleman, 2001:†
- Tritonia* sp. "leather coral Tritonia" Coleman, 2001:†
- Tritonia* sp. "patchwork Tritonia" Coleman, 2001:†
- Tritonia* sp Debelius, 1996:†
- Tritonia* sp. Drebding, et al., 2001 [= *Tritonia challengeriana*]
- Tritonia* sp. Eliot, 1901 [= *Tochuina tetraquetra*]
O'Donoghue, 1926:205
- Tritonia* sp. Frey & Leuckart, 1847:143
- Tritonia* sp.1 Gosliner, 1987b:108†
- Tritonia* sp.2 Gosliner, 1987b:108†
- Tritonia* sp. Gosliner, Behrens, & Williams, 1996:174†
- Tritonia* sp. Haefelfinger & Kress, 1970:30
- Tritonia* sp. Lamb & Hanby, 2005:261†
- Tritonia* sp. Lemche in Just & Edmunds, 1985:12†
- Tritonia* sp.1 Marshall & Willan, 1999:129†
- Tritonia* sp.2 Marshall & Willan, 1999:130†
- Tritonia* sp.3 Marshall & Willan, 1999:130†
- Tritonia* sp. Masuda, 1999:125†
- Tritonia* sp. Nakano, 2004:208†
- Tritonia* sp. Ono, 2004:220†
- Tritonia* sp. Pruvot-Fol, 1937:73

Tritonia sp.1 Schrödl, 2003:71†

Tritonia sp.A Tonozuka 2003:129†

Tritonia sp. Wells & Bryce, 1993:168†

Subgenus: (*Candiella*) Gray, 1850b:106

Bergh, 1892:77(1069); Fischer, 1883:534

Tritonia (*Candiella*) *australis* Bergh, 1898 |*Candiella*|

Marcus, 1959:63; Marcus & Marcus, 1969a:26

Tritonia (*Candiella*) *bayeri* Marcus & Marcus, 1967:101

Tritonia (*Candiella*) *bayeri misa* Marcus & Marcus, 1967b:211

Tritonia (*Candiella*) *episcopalis* Bouchet, 1977a:55

Tritonia (*Candiella*) *lineata* Alder & Hancock, 1848 |*Tritonia*|

Bergh, 1884:732

Tritonia (*Candiella*) *manicata* (Deshayes, 1853) |*Tritonia*|

Tritonia (*Candiella*) *moesta* Bergh, 1884:734 [=*T. manicata*]

Tritonia (*Candiella*) *pickensi* Marcus & Marcus, 1967:207

Tritonia (*Candiella*) *plebeia* Johnston, 1828 |*Tritonia*|

Bergh, 1884:728; Grieg, 1913:91

Subgenus: (*Tritonia*)

Bergh, 1884a:44; 1892:76(1068)

Tritonia (*Tritonia*) *challengeriana* Bergh, 1884 |*Tritonia*|

Tritonia (*Tritonia*) *cucullata* Gould, 1851 |*Tritonia*|

Tritonia (*Tritonia*) *hawaiensis* Pease, 1860 |*Tritonia*|

Tritonia (*Tritonia*) *hombergi* Cuvier, 1803 |*Tritonia*|

Tritonia (*Tritonia*) *odhneri* Marcus, 1959:66 |*Duvaucelia*|

Tritonia (*Tritonia*) *pallida* Stimpson, 1855 |*Tritonia*|

Tritonia (*Tritonia*) *palmeri* Cooper, 1862 |*Tritonia*|

Tritonia (*Tritonia*) *reticulata* Bergh, 1882 |*Tritonia*|

Tritonia (*Tritonia*) *rubra* Rüppell & Leuckart, 1831 |*Tritonia*|

Tritonia (*Tritonia*) *tetraqueta* (Pallas, 1788) |*Limax*|

Subgenus: (*Tritonidoxa*) Bergh, 1907:86

Tritonia (*Tritonidoxa*) *griegi* Odhner, 1922 |*Tritonia*|

Bouchet, 1977a:53

***Tritonidoxa* Bergh, 1907:86**

Barnard, 1927:200; Marcus, 1983:198; Marcus & Marcus, 1967:209; Thiele, 1931:421

**Tritonidoxa capensis* Bergh, 1907:87

Barnard, 1927:200; Bergh, 1906:pl. 31

Gary McDonald, Long Marine Lab., 100 Shaffer Rd., Santa Cruz, Cal. 95060

Tritonidoxa wellsi Marcus, 1961 |*Tritonia (Tritonidoxa)*|

Marcus, 1983:198

Tritoniella Eliot, 1907b:5

Marcus, 1983:198; Odhner, 1934:287; 1936:1078 (key to species); Thiele, 1992:693

**Tritoniella belli* Eliot, 1907b:6

Cattaneo-Vietti, 1991:223; Minichev, 1972a:368; Odhner, 1934:290; Schrödl, 2003:91†; Troncoso, García, & García Gómez, 1997:27; Vicente & Arnaud, 1974:537; Wägele, 1989b:235

Tritoniella sinuata Eliot, 1907b:10 [=*T. belli*] (non Odhner, 1926:40 = *T. belli*)

Marcus, 1983:199; Odhner, 1934:292; Vicente & Arnaud, 1974:537

Tritoniopsilla Pruvot-Fol, 1933b:108

[=*Tritoniopsis*]

Mattox, 1955:12; Odhner, 1936:1079 (key to species)

Tritoniopsilla alba Baba, 1949:165† [=*Tritoniopsis*; =*Tritoniopsis elegans*]

Coleman, 1989:59†; Debelius, 1996:†; Ono, 1999:143†; Tavares, 1998:†; Tonozuka 2003:128†; Willan & Coleman, 1984:50†

**Tritoniopsilla brucei* (Eliot, 1905) |*Tritoniopsis*|

Tritoniopsilla elegans (Audouin, 1826) |*Tritonia*| [=*Tritoniopsis*]

Engel & Eeken, 1962:30; Pruvot-Fol, 1933a:145

Tritoniopsilla tetraquetra (Pallas, 1788) |*Limax*| [=*Tochuina*]

Tritoniopsilla sp. Debelius, 1996:†

Tritoniopsis Eliot, 1905d:530

(non Carpenter, 1863) [=*Tritoniopsilla*]

Eliot, 1909b:22; Marcus, 1983:196; Mattox, 1955:12; Schmekel & Portmann, 1982:142; Thiele, 1931:421; Vayssiére, 1912:89

Tritoniopsis alba (Baba, 1949) |*Tritoniopsilla*|

Burn, 1970:52; Coleman, 2001:†; Marshall & Willan, 1999:130†

Tritoniopsis aurantia Mattox, 1955:8 [=*Tochuina tetraquetra*]

Marcus, 1961:32

**Tritoniopsis brucei* Eliot, 1905d:530

Eliot, 1909b:22; Marcus, 1983:196

Tritoniopsis cincta (Pruvot-Fol, 1945) |*Tritonia*|

Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:145†; Schmekel & Portmann, 1982:149†; Templado, Luque, & Moreno, 1988:18; Trainito, 2003:40†; 2005:70†

Tritoniopsis elegans (Audouin in Savigny, 1826) |*Tritonia*|

Baba, 1961b:396; Coleman, 2001:†; Knop, 2004a:†; Masuda, 1999:125†; Okutani, 2000:797†; Ono, 1999:141,143†; 2004:218†; Suzuki, 2000:122†

Tritoniopsis frydis Marcus & Marcus, 1970a:75

Behrens, 2005:†; Clark, 1984:95; Jensen & Clark, 1986:454; Humann, 1992:247†; Marcus, 1983:196; Redfern, 2001:177†

Tritoniopsis gigantea (Bergh, 1904) |*Tritonia*| [=*Tochuina tetraquetra*]

Tritoniopsis gravieri Vayssiére, 1912:91

White, 1951:241

Tritoniopsis tetraquetra (Pallas, 1788) [*Limax*] [=Tochuina]

Tritoniopsis sp. White, 1951:242

Marianinidae ?Odhner, 1968

Burn, 1989:778; Franc, 1968:874; Parker, 1982:1048; Rudman, 1998a:1003

Aranucus Odhner, 1936:1091
[=*Marianina*]

**Aranucus bifidus* Odhner, 1936:1091 [=Marianina rosea]

Carlson & Hoff, 1973a:172

Diplopelycia Mörch, 1872

Diplopelycia trigonura Mörch

Carus 1889-1893:218 says it is probably a fragment of a medusa

Mariana Pruvot-Fol, 1930a:229
[=*Marianina*]

Pruvot-Fol, 1931:309; Risbec, 1953:114; Thiele, 1992:695

**Mariana rosea* Pruvot-Fol, 1930a:229

Burn, 1974:305; Risbec, 1953:114

Marianina Pruvot-Fol, 1930

Pruvot-Fol, 1931:309

**Marianina rosea* (Pruvot-Fol, 1930) [=Mariania]

Burn, 1989:778; Coleman, 1989:60†; 2001:†; Gosliner, 1987b:107†; Marshall & Willan, 1999:129†;
Nakano, 2004:212†; Ono, 2004:222†; Willan & Coleman, 1984:50†

Lomanotidae Bergh, 1890:49

Bergh, 1892:51(1043); Franc, 1968:874; Hayward, Wigham, & Yonow, 1990:709; Nordsieck, 1972:66;
Odhner, 1936:1094; Parker, 1982:1048; Pruvot-Fol, 1954b:363; Rudman, 1998a:1007; Schmekel,
1970:181; Schmekel & Portmann, 1982:152; Thiele, 1926:113; 1931:448; 1992:733; Thompson,
1988:118; Thompson & Brown, 1984:17; Vayssiére, 1913a:261

Eumenis Alder & Hancock, 1845:311
(non Hubner, 1818) [=Lomanotus]

Eumenis flavidus Alder & Hancock, 1846b:293 [=Lomanotus; =Lomanotus marmoratus]
Alder & Hancock, 1848:fam. 3

**Eumenis marmorata* Alder & Hancock, 1845:311 [=Lomanotus; =Lomanotus genei]
Alder & Hancock, 1847b:fam. 3, pl. 1a†

Lomanotus Vérany, 1844:303

Adams & Adams, 1858:66; Alder & Hancock, 1855:append. 18; Bergh, 1879:553; 1882:66; 1890:50;
1892:52(1044); Chenu, 1859:408; Clark & Goetzfried, 1976:476 (synopsis of species); Colgan,
1908a:205; 1980b:392; Eliot, 1906c:348; 1910d:112, 162; Fischer, 1883:535; Forbes & Hanley, 1850-
1851:585; García-Gómez, López-González, & García, 1990:2299 (table of species); Gray, 1857:220;
Jeffreys, 1869:64; Nordsieck, 1972:66; Odhner, 1936:1095 (key to species); Pruvot-Fol, 1954b:364;
Schemekel & Portmann, 1982:152; Thiele, 1931:448; 1992:734; Thompson, 1988:118; Thompson &
Brown, 1984:17; Vayssiére, 1913a:264; Vérany, 1846:22; 1846a:102; 1849:593; 1850:89

Lomanotus barlettae García-Gómez, López-González, & García, 1990:2299

- Garcia-Gomez, 2002:†
- Lomanotus berghii* Graeffe, 1902:20
- Lomanotus eisigi* Trinchese, 1883:92 [=*L. genei*; =*L. marmoratus*; =*L. portlandicus*] Mazzarelli, 1903:290; Vayssi  re, 1913a:264
- Lomanotus flavidus* (Alder & Hancock, 1846) [*Eumenis*] [=*L. genei*] Alder & Hancock, 1854a:fam. 3, pl. 41†; Eliot, 1906c:353; Forbes & Hanley, 1850-1851:586; Jeffreys, 1869:65; Vayssi  re, 1913a:265
- **Lomanotus genei* V  rany, 1846:22 [=*L. marmoratus*; =*L. portlandicus*] Bergh, 1879:555; 1882:66; Brown & Picton, 1979:4; Eliot, 1906c:350; 1910d:115†; Gamble, 1892:379; Garstang, 1890:425; Grieg, 1913a:7; Hayward, Wigham, & Yonow, 1990:709; Nordsieck, 1972:67†; Picton & Morrow, 1994:32†; Pruvot-Fol, 1951:51; 1954b:364; Riedl, 1970:429; Schmekel, 1970:181; Schmekel & Portmann, 1982:152; Thompson, 1988:118; Thompson & Brown, 1984:18†; Vayssi  re, 1901a:87; 1913a:264; V  rany, 1846a:102; 1849:593; 1850:89; Walton, 1908:236
- Lomanotus hancocki* Norman, 1877:518 [=*L. genei*; =*L. marmoratus*; =*L. portlandicus*] Norman, 1890:80
- Lomanotus marmoratus* (Alder & Hancock, 1845) [*Eumenis*] [=*L. genei*] Barletta, 1981:81; Beaumont, 1900:846; Brown & Picton, 1979:4; Colgan, 1914:190; Eliot, 1906c:351; 1910d:116; Farran, 1904:6; Forbes & Hanley, 1850-1851:585; Gray, 1850a:pl. 221, fig. 1; 1850b:106; Hayward, Wigham, & Yonow, 1990:709; Jeffreys, 1869:64; McMillan, 1968:70; Picton & Morrow, 1994:34†; Riedl, 1983:321; Thompson, 1976a:†; 1988:120†; Thompson & Brown, 1976:64; 1984:20†; Urgorri & Besteiro, 1986:95; Vayssi  re, 1913a:264
- Lomanotus phiops* Marcus, 1957:447 Redfern, 2001:179†
- Lomanotus portlandicus* Thompson, 1859:67; 1859a:50 [=*L. genei*; =*L. marmoratus*] Beaumont, 1900:842; Farran, 1904:6; 1909:10; Jeffreys, 1869:65
- Lomanotus stauberi* Clark & Goetzfried, 1976:474 [=*L. vermiformis*] Gosliner & Bertsch, 1985:397
- Lomanotus varians* Garstang, 1889:185 [=*L. genei*; =*L. marmoratus*; =*L. portlandicus*]
- Lomanotus vermiformis* Eliot, 1908a:88 Behrens, 1991:80†; 2005:†; Behrens & Hermosillo, 2005:99†; Camacho-Garcia, Gosliner, & Valdes, 2005:92†; Coleman, 2001:†; Collin, et al., 2005:693†; Marshall & Willan, 1999:133†; Pruvot-Fol, 1933a:149; 1933b:141; Willan, 1988:41
- Lomanotous* sp. 1 Behrens & Hermosillo, 2005:100†
- Lomanotous* sp. 2 Behrens & Hermosillo, 2005:100†
- Lomanotus* sp. “Arabian Lomanotus” Coleman, 2001:†
- Lomanotus* sp. “disguised Lomanotus” Coleman, 2001:†
- Lomanotus* sp. “south Pacific Lomanotus” Coleman, 2001:†
- Lomanotus* sp.1 Hermosillo & Behrens, 2005:19†
- Lomanotus* sp. Nakano, 2004:220†
- Lomanotus* sp. Norman, 1860:7243

Scyllaeidae Alder & Hancock, ?1864, Bergh, 1892

Barnard, 1927:209; Bergh, 1890:59; 1892:62(1054); Burn, 1989:777; Eliot, 1910d:163; Fez Sanchez, 1974:67; Fischer, 1883:536; Franc, 1968:875; Jeffreys, 1869:66; Jensen & Clark, 1986:454; Nordsieck, 1972:67; Odhner, 1936:1096 (key to species); Parker, 1982:1048; Pelseneer, 1892a:142; Pruvot-Fol, 1954b:365; Risbec, 1953:113; Rudman, 1998a:1004; Sachidhanandam, Willan, & Chou, 2000:529; Thiele, 1926:113; 1931:445; 1992:729; Thompson, 1988:126; Thompson & Brown, 1981:437; 1984:24; Vayssi  re, 1913a:257; Wells & Bryce, 1993:173

Crosslandia Eliot, 1902:64

Thiele, 1931:445; 1992:729; Thompson & Brown, 1981:444

Crosslandia daedali Poorman & Mulliner, 1981:96

Behrens, 2004:23†; Behrens & Hermosillo, 2005:98†; Bertsch, Angulo Campillo, & Arreola, 2000:101; Camacho-Garcia, Gosliner, & Valdes, 2005:94†; Hermosillo-Gonzalez, 2003:24†

Crosslandia fusca Eliot, 1902 |*Crosslandia viridis fusca*| [=C. viridis]

Eliot, 1908a:90

Crosslandia orientalis Thiele, 1925:287 [=C. viridis]

***Crosslandia viridis** Eliot, 1902:64†

Baba, 1937c:324; Burn, 1989:778; Coleman, 2001:†; Masuda, 1999:125†; Nakano, 2004:216†; Odhner, 1936:1098; O'Donoghue, 1929:717; Ono, 1999:144†; 2004:225†; Suzuki, 2000:125†; Thompson & Brown, 1981:441; Wells & Bryce, 1993:174†

Crosslandia viridis fusca Eliot, 1902

Nerea Lesson, 1829, 1831
[=Scyllaea]

Adams & Adams, 1858:66; Chenu, 1859:408; Fischer, 1883:536

***Nerea punctata** Lesson, 1829, 1831 [=Scyllaea pelagica]

Notobryon Odhner, 1936:1099

Thompson & Brown, 1981:442

Notobryon bijecurum Baba, 1937i:166

Baba, 1949:169†; Nakano, 2004:217†

Notobryon clavigerum Baba, 1937i:168

Baba, 1949:170†; Nakano, 2004:218†; Okutani, 2000:799†; Suzuki, 2000:124†

***Notobryon wardi** Odhner, 1936:1099

Abe, 1964:58; Baba, 1937c:321; 1949:169†; Behrens & Hermosillo, 2005:99†; Choe & Lee, 1994:365†; Debelius, 1996:†; Gosliner, 1987b:105†; Hermosillo, 2004:110†; Nakano, 2004:217†; Suzuki, 2000:124†; Thompson & Brown, 1981:438

Notobryon sp. Camacho-Garcia, Gosliner, & Valdes, 2005:95†

Scyllaea Linnaeus, 1758:656

Adams & Adams, 1858:65; Alder & Hancock, 1848:fam. 2, pl. 5; 1864:136; Barnard, 1927:210; Bergh, 1875a:315; 1880c:166; 1884a:31; 1892:64(1056); 1892b:8; 1894:145; 1905a:216; Blainville, 1825:487; Bosc, 1830:99; Chenu, 1859:407; Cotton & Godfrey, 1933:98; Cuvier, 1798:388; 1805:416; 1817:392; 1830:54; 1834:38; de Roissy, 1805:155; Eliot, 1910d:163; Fez Sanchez, 1974:68; Fischer, 1883:536; Fleming, 1822:471; Forbes & Hanley, 1850-1851:584; Gmelin, 1791:3147; Gray, 1857:218; Hoeven, 1856:782; Jeffreys, 1869:66; Lamarck, 1819:305; Nordsieck, 1972:67; Odhner, 1936:1098 (key to species); Oken, 1815:279; Pruvot-Fol, 1954b:365; Rang, 1829:130; Thiele, 1931:445; 1992:729; Thompson, 1988:126; Thompson & Brown, 1981:442; 1984:24; Vayssi  re, 1902a:245; 1913a:258; Voigt, 1834:121

- Scyllaea bicolor* Bergh, 1880c:167 [=*S. pelagica*]
 Eliot, 1913:34
- Scyllaea dracaena* Kelaart, 1858 [=*S. pelagica*]
 Kelaart, 1859a:489; 1883:102; O'Donoghue, 1933:224
- Scyllaea edwardsi* Verrill, 1878:211 [=*S. pelagica*; =*S. pelagica marginata*]
- Scyllaea elegantula* Bergh, 1875a:342 [=*S. pelagica*]
- Scyllaea fulva* A. Adams in Adams & Adams, 1854:65
- Scyllaea fulva* Quoy & Gaimard, 1824 [=*S. pelagica*]
- Scyllaea ghomfodensis* Forskål, 1775:103 [=*S. pelagica*] (non Quoy & Gaimard,
 1832:276 =*S. pelagica* var. *orientalis*)
 Gmelin, 1791:3147; Quoy & Gaimard, 1834:290
- Scyllaea grayae* Adams & Reeve, 1850:67 [=*S. pelagica*; =*S. pelagica* var. *marginata*]
- Scyllaea grayae* var. *ghomfodensis* (Forskål)
- Scyllaea hookeri* Gray, 1850a:pl. 203, fig. 5; 1850b:106 [=*S. pelagica*]
- Scyllaea lamyi* Vayssiére, 1917:19 [=*S. pelagica*]
- Scyllaea margaritacea* Bosc, 1801, 1802 [=*Glaucus atlanticus*]
 Bosc, 1830:101; de Roissy, 1805:157
- Scyllaea marginata* (Bergh) |*Scyllaea pelagica* var. *marginata*| [=*S. pelagica*]
- Scyllaea marmorata* Alder & Hancock, 1864:136 [=*S. pelagica*]
 Eliot, 1906a:675, 1909a:81
- Scyllaea nacree* Bosc, 1802
- Scyllaea orientalis* Bergh |*Scyllaea pelagica* var. *orientalis*| [=*S. pelagica*]
- **Scyllaea pelagica* Linnaeus, 1758:656 (non Bouchard-Chantereaux, 1835:134
 =*Dendronotus arborescens*)
 Abe, 1964:58, 87†; Alder & Hancock, 1855:append. 17; Baba, 1936h:247; 1937h:247; 1949:168†;
 Barletta, 1981:83; Barnard, 1927:210; Basedow & Hedley, 1905:148; Bergh, 1871:1288; 1875a:319;
 1884a:33; 1892b:9; 1894:145; 1905a:216; Blumenbach, 1807:438; Burn, 1989:778; Coleman, 2001:†;
 Collingwood, 1881:137†; Cotton & Godfrey, 1933:98; Cuvier, 1805:421; 1817c:6; Debelius, 1996:†;
 Eliot, 1905d:532; 1909b:24; Farran, 1905a:333; Fez Sanchez, 1974:68; Forbes & Hanley, 1850-
 1851:584; Gmelin, 1791:3147; Hoeven, 1856:782; Ihering, 1907:218; Jeffreys, 1869:66; Jensen &
 Clark, 1986:454; Lamarck, 1819:306; Lovén, 1847:189; Humann, 1992:245†; Marcus & Marcus,
 1963:36; 1967b:212; Nakano, 2004:216†; Nobre, 1938-40:66; Nordsieck, 1972:67†; Okutani,
 2000:799†; Ono, 2004:226†; Perrone, 1983b:131; Picton & Morrow, 1994:34†; Pruvot-Fol, 1935b:124;
 1954b:367; Redfern, 2001:179†; Risbec, 1928:220†; 1953:113; 1956:30; 1956a:30; Simroth, 1911:30;
 Suzuki, 2000:123†; Thompson, 1988:126; Thompson & Brown, 1976:70; 1981:441; 1984:24†; Trainito,
 2005:68†; Vayssiére, 1901a:92; 1902a:246; 1913a:258; Verrill, 1901:34; Voigt, 1834:121; Wells &
 Bryce, 1993:173†; Yonow, Anderson, & Buttress, 2001:871
- Scyllaea pelagica* var. *ghomfodensis* (Forskål, 1775)|*Scyllaea ghomfodensis*|
 Bergh, 1875a:336
- Scyllaea pelagica* var. *marginata* Bergh, 1871:1292
 Bergh, 1875a:334
- Scyllaea pelagica* var. *orientalis* Bergh, 1875a:339 [=*S. marmorata*]
 Eales, 1938:117

- Scyllaea pelagica* var. *sinensis* Bergh, 1875a:338 [=*S. pelagica*]
Scyllaea punctata Bouchard-Chantereaux, 1835:135 [=*Doto coronata*]
Scyllaea punctata (Lesson, 1831) |*Nerea*|
Scyllaea quoyi Gray, 1850a:pl. 206, fig. 6; 1850b:106 [=*S. pelagica*]
Scyllaea viridis Alder & Hancock, 1864:136 [=*S. pelagica*]
Thiele, 1925:286
Scyllaea sp. Nakano, 2004:217†
Scyllaea sp. Suzuki, 2000:130†

Zoopterygius Osbeck, 1757

- Zoopterygius pelagicus* Osbeck, 1757 [=*Scyllaea pelagica*]

Hancockiidae MacFarland, 1923:90

Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:131; Franc, 1968:875; MacFarland, 1966:243; Nordsieck, 1972:67; Odhner, 1936:1103; Parker, 1982:1048; Pruvot-Fol, 1954b:359; Rudman, 1998a:1003; Satyamurti, 1952:247; Schmekel, 1970:176; Schmekel & Portmann, 1982:153; Thompson, 1988:122; Thompson & Brown, 1984:20; Wells & Bryce, 1993:171

Govia Trinchesse, 1885:179
[=*Hancockia*]

Bergh, 1890:53; Trinchesse, 1886:183

- **Govia rubra* Trinchesse, 1885:180 [=*Hancockia*; =*Hancockia eudactylota*; =*Hancockia uncinata*]
Gamble, 1891:193; 1892:383; Mazzarelli, 1903:289; Trinchesse, 1886:183

- Govia viridis* Trinchesse, 1885:180 [=*Hancockia*; =*Hancockia rubra*; =*Hancockia uncinata*]
Gamble, 1892:383; Trinchesse, 1886:183

Hancockia Gosse, 1877:316

Eliot, 1906c:353; 1910d:118, 163; MacFarland, 1923:90; 1966:243; McDonald, 1983:189; McDonald & Nybakken, 1980:54; Nordsieck, 1972:67; Odhner, 1936:1105 (key to species); Pruvot-Fol, 1954b:359; Satyamurti, 1952:247; Schmekel & Portmann, 1982:154; Thiele, 1931:448; 1992:734; Thompson, 1972:67; 1988:122; Thompson & Brown, 1984:21

- Hancockia burni* Thompson, 1972:68
Coleman, 2001:†; Debelius, 1996:†; Ono, 2004:228†; Wells & Bryce, 1993:171†

Hancockia californica MacFarland, 1923:66

Angullo-Campillo, 2005:48; Behrens, 1980:78†; 1991:74†; 2004:44; Behrens & Hermosillo, 2005:96†; Camacho-Garcia, Gosliner, & Valdes, 2005:94†; Farmer, 1980:134; Hermosillo-Gonzalez, 2003:24†; MacFarland, 1966:246†; Marcus, 1961:33; McDonald, 1983:189; McDonald & Nybakken, 1980:54†; Odhner, 1936:1105

- Hancockia dactylota* Gosse; Bergh, 1888 [=*Govia rubra*] (lapsus for *H. eudactylota*)

- **Hancockia eudactylota* Gosse, 1877:316 [=*H. uncinata*]
Eliot, 1906c:354; 1910d:118; 1912:770†; Gamble, 1891:193; 1892:381; Odhner, 1914:166

- Hancockia papillata* (O'Donoghue, 1932) |*Idulidana*|
Odhner, 1936:1105; Satyamurti, 1952:247

Hancockia ryrca Marcus, 1957:451

Marcus, 1958:56; Marcus & Hughes, 1974:521; Marcus & Marcus, 1963:37; Redfern, 2001:177†

Hancockia schoeferti Schrödl, 1999a:247†

Schrödl, 2003:65†

Hancockia uncinata (Hesse, 1872) [*Doto*]

Ballesteros, 1985:21; Barletta, 1981:85; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:131†; Garcia-Gomez, 2002:†; Garstang, 1893:110; Gavaia, Malaquias, Calado, & Urgorri, 2003:113†; George & George, pl. 89†; Nordsieck, 1972:67; Nunn, 1990:341; Odhner, 1936:1105; Ortea & Urgorri, 1979:79; Picton & Morrow, 1994:36†; Ortea, Moro, Bacallado, & Herrera, 2001:†; Pruvot-Fol, 1951:51; 1954b:360; Riedl, 1970:430; 1983:323; Rostron & Picton, 1982:491; Schmekel, 1970:177; Schmekel & Portmann, 1982:154†; Seaward, 1988:79; Thompson, 1988:122; Thompson & Brown, 1976:68; 1984:21†; Trainito, 2003:40†; 2005:67†; Vicente, 1967:156

Hancockia sp. Nakano, 2004:218†

Hancockia sp.1 Schrödl, 1996:33† [= *Hancockia schoeferti*]

Iduliana O'Donoghue, 1932:146
[= *Hancockia*]

Thiele, 1992:735

Iduliana papillata O'Donoghue, 1932:146 [= *Hancockia*]

Dendronotidae Alder & Hancock, 1864

Bergh, 1890:53; 1900a:26; 1904:15; Eliot, 1910d:160; Fez Sanchez, 1974:63; Fischer, 1883:535; Franc, 1968:875; Hayward, Wigham, & Yonow, 1990:709; Jeffreys, 1869:62; Jensen, 2000:439; Just & Edmunds, 1985:14; Nordsieck, 1972:67; Odhner, 1936:1105; Parker, 1982:1049; Pelseneer, 1892a:142; Pruvot-Fol, 1954b:354; Roginskaya, 1987d:171; Sars, 1878:314; Schmekel, 1970:180; Thiele, 1926:113; 1931:444; 1992:727; Thompson, 1988:124; Thompson & Brown, 1984:21; Vayssièvre, 1913a:256; Volodchenko, 1955:247

Amphitrite Ascanius, 1774
(non Möller, 1771) [= *Dendronotus*]

**Amphitrite frondosa* Ascanius, 1774 [= *Dendronotus*]

Amphitritidea Kroyer, 1847
[= *Dendronotus*]

Amphitritidea fabricii (Beck) Kroyer, 1847 [= *Dendronotus frondosus*]

Campaspe Bergh, 1863:3
[= *Dendronotus*]

Bergh, 1887:20; 1890:56; 1892:58(1060); Eliot, 1910d:162; Fischer, 1883:535; Odhner, 1907:18

Campaspe major Bergh, 1886:20 [= *Dendronotus dalli*; = *Dendronotus frondosus*]
Eliot, 1910d:162; Odhner, 1907:18

**Campaspe pusilla* Bergh, 1863:4 [= *Dendronotus frondosus*]
Eliot, 1910d:162; Odhner, 1907:18

Dendronotus Alder & Hancock, 1845

Adams & Adams, 1858:65; Alder & Hancock, 1845a:644; 1846:fam. 3, pl. 2; Bergh, 1879c:145; 1890:56; 1892:59(1051); 1894:137; 1892:56(1048); 1900a:26; 1904:15; Chenu, 1859:407; Eliot, 1910d:161; Fischer, 1883:535; Forbes & Hanley, 1850-1851:586; Gosliner, 1996a:202; Gould,

1870:234; Gray, 1857:219; Jeffreys, 1869:62; MacFarland, 1966:254; McDonald, 1983:171; McDonald & Nybakken, 1980:54; Meyer & Möbius, 1865:43; Nordsieck, 1972:67; Odhner, 1907:18; 1936:1108 (key to species); O'Donoghue, 1921:183; Pruvot-Fol, 1954b:354; Robilliard, 1970:440; Roginskaya, 1987d:171; Sars, 1878:314; Thiele, 1931:444; 1992:728; Thompson, 1988:124; Thompson & Brown, 1984:22; Vayssi  re, 1913:5; 1913a:256

Dendronotus albopunctatus Robilliard, 1972:422

Behrens, 1980:72†; 1991:75†; Behrens & Hermosillo, 2005:93†; Lamb & Hanby, 2005:264†

Dendronotus albus MacFarland, 1966:275†

Behrens, 1980:72†; 1991:75†; 2005:†; Behrens & Hermosillo, 2005:93†; Lamb & Hanby, 2005:263†; McDonald, 1983:172; McDonald & Nybakken, 1980:54†; Robilliard, 1970:467†

**Dendronotus arborescens* (M  ller, 1776) |*Doris*| [=*D. frondosus*]

Bergh, 1887:26; 1894:137; 1899:7; 1900a:30; Derjugin, 1915:546; Eliot, 1910d:1661; Filatova & Zatsepin, 1948:399; Fischer, 1874:229; Forbes & Hanley, 1850-1851:586; Garstang, 1889:185; Gould, 1870:234†; H  gg, 1905:102; Herdman, 1890:46; 1890c:46; Herdman & Clubb, 1889:228; Hoffmann, 1926:9; Jeffreys, 1869:62; Knipowitsch, 1902:388; Krause, 1885:295; 1892:368; 1897:97; Lov  n, 1847:189; Meyer & M  bius, 1865:43†; O'Donoghue, 1921:184; Sars, 1878:314; Tchang Si, 1934:87; Verrill, 1873:665; Volodchenko, 1955:248; Walton, 1908:237

Dendronotus arborescens var. *aurantiaca* Friele, 1879:284 [=*D. frondosus*]

Dendronotus comteti Valdes & Bouchet, 1998a:320

Dendronotus dalli Bergh, 1879c:150

Behrens, 1980:74†; 1991:75†; Behrens & Hermosillo, 2005:93†; Bergh, 1894:139; 1900:241; 1904:18; Farmer, 1980:69; Knipowitsch, 1902:388; Krause, 1882:368; Lamb & Hanby, 2005:263†; MacFarland, 1966:255; O'Donoghue, 1921:186; Robilliard, 1970:452†; Roginskaya, 1987d:175; Vayssi  re, 1913:10; Volodchenko, 1955:248

Dendronotus diversicolor Robilliard, 1970:470†

Behrens, 1980:74†; 1991:76†; Behrens & Hermosillo, 2005:94†; Lamb & Hanby, 2005:263†; McDonald, 1983:172; McDonald & Nybakken, 1980:56†

Dendronotus elegans Verrill, 1880a:385 [=*D. dalli*; =*D. frondosus elegans*]

Dendronotus felina (Alder & Hancock) |*Tritonia*| [=*D. frondosus*]

Dendronotus frondosus (Ascanius, 1774) |*Amphitrite*|

Abe, 1964:57, 87†; Alder & Hancock, 1845b:fam. 3, pl. 3†; Baba, 1993:29†; Behrens, 1980:74†; 1991:76†; Behrens & Hermosillo, 2005:94†; Brown & Picton, 1979:5; Colgan, 1914:194; Dahl, 1925:163; Dekker, 1989:101; Evertsen & Bakken, 2001a:12†; Farmer, 1980:70; Fez Sanchez, 1974:64; Lamb & Hanby, 2005:263†; Gosliner, 1996a:202; Hayward, Wigham, & Yonow, 1990:709; Jutting & Engel, 1936:54; Larsen, 1925:38; Lemche, 1938:13; 1941a:15; L  yning, 1927:248; MacFarland, 1966:256; MacGinitie, 1959:144; Marcus & Marcus, 1961:34; 1969a:27; McDonald, 1983:173; McDonald & Nybakken, 1980:56†; Meyer, 1970:142; Nakano, 2004:213†; Nordsieck, 1972:67†; Odhner, 1907:18; 1926a:17; 1939:45; Picton & Morrow, 1994:36†; Pruvot-Fol, 1954b:355; Robilliard, 1962:93; 1970:441†; 1975:44; Roginskaya, 1987d:173; Swennen, 1987:37; Thompson, 1976a:†; 1988:124; Thompson & Brown, 1976:66; 1984:22†; Vayssi  re, 1913:7; 1913a:257

Dendronotus frondosus var. *dalli* Bergh, 1879 (non Zenkevitch, 1963 =*D. dalli*)

Odhner, 1907:19

Dendronotus giganteus O'Donoghue, 1921:187 [=*D. iris*]

MacFarland, 1966:255

Dendronotus gracilis Baba, 1949:167†

Nakano, 2004:212†; Robilliard, 1970:461

Dendronotus iris Cooper, 1863a:59

- Behrens, 1980:74†; 1991:76†; 2004:44; 2005:†; Behrens & Hermosillo, 2005:94†; Debelius, 1996:†; Erhardt & Moosleitner, 1997:696†; Farmer, 1980:71; Lamb & Hanby, 2005:262†; MacFarland, 1966:257; Marcus, 1961:36; McDonald, 1983:176; McDonald & Nybakken, 1980:56†; Robilliard, 1970:446†; Thompson, Thompson, 1976:†; 1976a:†
- Dendronotus junior* Mörch, 1875 [=*D. frondosus*]
- Dendronotus lacteus* Thompson, 1840 |*Tritonia*| [=*D. frondosus*] (non Becher, 1886:14 nor Eliot, 1910d:112 =*D. dalli*)
Nordsieck, 1972:68; Pruvot-Fol, 1954b:356; Thollesson, 1998:191 (non=*Dendronotus frondosus*)
- Dendronotus luteolus* Lafont, 1871:267 [=*D. frondosus*]
Eliot, 1910d:161; Fischer, 1872:14; 1874:230
- Dendronotus nanus* Marcus & Marcus, 1967:210
Farmer, 1980:72; Robilliard, 1972:428
- Dendronotus pulchellus* (Alder & Hancock) |*Tritonia*| [=*D. frondosus*]
- Dendronotus purpureus* Bergh, 1879c:145 [=*D. frondosus*]
Bergh, 1904:15; MacFarland, 1966:254
- Dendronotus purpureus* var. *aurantiaca* Friele, 1879 [=*D. frondosus*]
- Dendronotus reynoldsi* Mörch, 1857 [=*D. frondosus*]
- Dendronotus robustus* Verrill, 1870:405
Bergh, 1894:141; 1900a:26; Derjugin, 1915:546; Eliot, 1910d:161; Filatova & Zatsepin, 1948:400; Hoffmann, 1926:0; Krause, 1897:97; Lemche, 1938:14; 1941a:18; Nordsieck, 1972:68; Odhner, 1907:19; Pruvot-Fol, 1954b:356; Robilliard, 1970:450; 1972:430; Roginskaya, 1980:80; 1987d:172; Verrill, 1879a:197
- Dendronotus rufus* O'Donoghue, 1921:190
Behrens, 1980:76†; 1991:77†; Behrens & Hermosillo, 2005:95†; Farmer, 1980:73; Lamb & Hanby, 2005:262†; O'Donoghue, 1922:125; Robilliard, 1970:456†
- Dendronotus stellifer* Adams & Reeve in Adams, 1848 [=*Bornella*]
Rudman, 1984a:103
- Dendronotus subramosus* MacFarland, 1966:265†
Behrens, 1980:76†; 1991:77†; Behrens & Hermosillo, 2005:95†; Farmer, 1980:74; Lamb & Hanby, 2005:264†; McDonald, 1983:177; McDonald & Nybakken, 1980:56†; Robilliard, 1970:462
- Dendronotus tenellus* Adams & Reeve in Adams, 1848 [=*Bornella*] {nomen nudum}
Rudman, 1984a:103
- Dendronotus velifer* Sars, 1878:315 [=*D. lacteus*; =*D. robustus*]
- Dendronotus venustus* MacFarland, 1966:271† [=*D. frondosus*]
- Dendronotus* sp. Behrens, 1980:102†
- Dendronotus* sp. Behrens, 2004:23†
- Dendronotus* sp.1 Behrens, 1991:77†
Behrens, 2004:44; Behrens & Hermosillo, 2005:95†
- Dendronotus* sp. George & George, pl. 89†
- Dendronotus* sp. Gould, 1852
O'Donoghue, 1926:223
- Dendronotus* sp. Lamb & Hanby, 2005:264†

Dendronotus sp.A Lemche in Just & Edmunds, 1985:14†

Dendronotus sp.B Lemche in Just & Edmunds, 1985:16†

Dendronotus sp.C Lemche in Just & Edmunds, 1985:18†

Dendronotus sp. MacGinitie, 1959:145

Dendronotus sp.1 Schrödl, 1996:33

Schrödl, 2003:67†

Bornellidae Fischer, 1883:536

Baba, 1932:376 (key to genera); Bergh, 1890:56; 1892:59(1051); Jensen, 2000:440; 2000b:625; Odhner, 1936:1109; Parker, 1982:1049; Risbec, 1953:112; Rudman, 1998a:1002; Sachidhanandam, Willan, & Chou, 2000:527; Satyamurti, 1952:246; Thiele, 1926:113; 1931:444; 1992:728

Bornella (Gray, 1850b:107) Adams & Reeve, 1850:66

Adams & Adams, 1858:67; Alder & Hancock, 1864:139; Bergh, 1874b:288; 1874c:95; 1884a:34; 1890a:884; 1892:61(1053); 1902:198; 1905a:217; Chenu, 1859:408; Crosse, 1875:322; Eliot, 1904a:100; Fischer, 1883:536; Franc, 1968:876; Gray, 1857:220; Odhner, 1936:1111 (key to species); Simroth, 1895b:167; Rudman, 1984a:103; Thiele, 1931:445; 1992:728; Vayssiére, 1912:95

**Bornella adamsi* Gray, 1850:pl. 196, fig. 6; 1850b:107 [=*B. digitata*; =*B. stellifer*]

Adams & Reeve, 1850:67; Allan, 1950:224; Bertsch & Johnson, 1981:85†; Johnson & Boucher, 1983:283; Willan & Coleman, 1984:50†

Bornella anguilla Johnson, 1984:17

Allen & Steene, 1994:†; Coleman, 1989:60†; 2001:†; Colin & Arneson, 1995:190†; Debelius, 1996:†; Gosliner, 1987b:105†; Gosliner, Behrens, & Williams, 1996:173†; Hoover, 1998:177†; King & Fraser, 2002:128; Marshall & Willan, 1999:131†; Masuda, 1999:124†; Nakano, 2004:211†; Okutani, 2000:799†; Ono, 1999:142†; 2004:222†; Tonozuka 2003:128†; Wells & Bryce, 1993:171†; Yonow & Hayward, 1991:7†

Bornella arborescens Pease, 1871:302 [=*B. adamsi*; =*B. digitata*; =*B. stellifer*]

Bergh, 1874c:96; 1890a:886; Eliot, 1904a:102; Pruvot-Fol, 1947:112

Bornella calcarata Mörch, 1863:36

Bergh, 1874b:289; Humann, 1992:245†; Marcus, 1958a:28; 1976b:141; Marcus & Marcus, 1967:105; Nijssen-Meyer, 1965:146; Thompson, 1977a:†; 1980:74; Walls, 1982:329†

Bornella caledonica Crosse, 1875:318 [=*B. adamsi*; =*B. digitata*; =*B. stellifer*]

Risbec, 1928:216†

Bornella digitata Adams & Reeve, 1850:67 [=*B. adamsi*; =*B. stellifer*] (non ; Vayssiére, 1912:96, =*B. stellifer*)

Alder & Hancock, 1864:140; Baba, 1933a:175; 1949:168†; Bergh, 1874b:301; 1902:199; 1905a:217†; Eliot, 1904a:101; 1905f:238; 1906a:674; 1909:140; Lin & Tchang, 1965:16; Narayanan, 1968a:210; Orr, 1980:117; 1981:61†; Risbec, 1953:112; Satyamurti, 1952:246; Smith, 1884:92; Suzuki, 2000:130†

Bornella digitata var. Bergh, 1905a:219

Bornella excepta Bergh, 1884a:36

Bergh, 1902:202; 1905a:220; Eliot, 1904a:102

Bornella hancockana Kelaart, 1859b:269 [=*B. adamsi*; =*B. digitata*; =*B. stellifer*]

Eliot, 1900:521

Bornella hermanni Angas, 1864:61 [=*B. adamsi*; =*B. digitata*; =*B. stellifer*]

Burn, 1965:89

Bornella irvingi Edmunds & Preece, 1996:417

Bornella japonica Baba, 1949:168†

Abe, 1964:57; Lin & Tchang, 1965:16; Okutani, 2000:799

Bornella marmorata Collingwood, 1881:138 [=B. adamsi; =B. digitata; =B. stellifer]

Pruvot-Fol, 1935b:124

Bornella sarape Bertsch, 1980:34

Behrens & Hermosillo, 2005:92†

Bornella semperi Crosse, 1875a:324 [=B. adamsi; =B. digitata; =B. stellifer]

Baba & Hamatani, 1985:257; Crosse, 1875:324

Bornella simplex Eliot, 1904a:103 [=B. adamsii]

**Bornella stellifer* (Adams & Reeve in Adams, 1848) |Dendronotus|

Coleman, 1989:60†; 2001:†; Debelius, 1996:†; Dominguez, Moreira, & Troncoso, 2004:111†; Jensen, 1998:254; Marshall & Willan, 1999:132†; Masuda, 1999:124†; Nakano, 2004:211†; Ono, 1999:142†; 2004:221†; Rudman, 1984a:103; Wells & Bryce, 1993:171†; Yonow, 2000:108†

Bornella tenellus (Adams & Reeve in Adams, 1848) [=B. stellifer] {nomen nudum}

Rudman, 1984a:103

Bornella sp. “GBR Bornella” Coleman, 2001:†

Bornella sp. “Lord Howe Bornella” Coleman, 2001:†

Bornella sp. “Rowland’s Bornella” Coleman, 2001:†

Bornella sp. Preece, 1995 [=Bornella irvingi]

Bornella sp.1 Tan, Pai, & Hsha, 1987:82†

Bornella sp.2 Tan, Pai, & Hsha, 1987:82†

Bornella sp. Willan & Coleman, 1984:50†

Bornellopsis O'Donoghue, 1929:829
[=Doto]

Thiele, 1931:445; 1992:729

**Bornellopsis kabretiana* O'Donoghue, 1929:829 [=Doto]

Pseudobornella Baba, 1932:369

Thiele, 1992:729

**Pseudobornella orientalis* Baba, 1932:370

Baba, 1933b:278; Nakano, 2004:212†; Nakano, 2004:211†; Odhner, 1936:1112; Okutani, 2000:799†

Pseudobornella sp.

Ono, 2004:222†

Tethyidae Fischer, 1883:533

[=Fimbriidae; =Melibidae Ihering, 1876:145; =Tethidae Alder & Hancock, ?1864;
=Tethydidae; =Tethymelibidae Bergh, 1892]

Barnard, 1927:207; Bergh, 1890:44; 1890a:881; 1892:47(1039); 1904:11; 1905a:239; Burn, 1989:779; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:133; Erhardt & Moosleitner, 1997:695; Fez Sanchez, 1974:69; Franc, 1968:876; ICZN, 1981:174; Kay, 1979:479; Nordsieck, 1972:68; Odhner, 1936:1112 (key to genera); O'Donoghue, 1929:715; Parker, 1982:1049; Pelseneer, 1892a:142; Pruvot-

Fol, 1954b:356; Risbec, 1953:114; Rudman, 1998a:1005; Sachidhanandam, Willan, & Chou, 2000:528; Schmekel, 1970:178; Schmekel & Portmann, 1982:156; Thiele, 1926:113; 1931:447; Thompson & Crampton, 1984:113; Vayssi  re, 1913a:258; Wells & Bryce, 1993:174

Tethiyid Erhardt & Moosleitner, 1997:695†

Chioraera Gould, 1852
[=*Melibe*]

Adams & Adams, 1858:71; Agersborg, 1921a:50; 1923:509; Chenu, 1859:414; MacFarland, 1966:280; Pruvot-Fol, 1931:310; 1932a:329

Chioraera dalli Heath, 1918:147 [=*Melibe leonina*]
Agersborg, 1923a:86; O'Donoghue, 1922c:148

**Chioraera leonina* Gould, 1852 [=*Melibe*]
Cooper, 1863a:60; Fewkes, 1889:141; MacFarland, 1966:280†; O'Donoghue, 1921:192; 1922c:148

Fimbria Bohadsch, 1761
{invalid, ICZN, 1944:39} [=*Tethys*]

Engel, 1934:532; Odhner, 1936:1115 (key to species); Pruvot-Fol, 1954b:356

Fimbria fimbria Bohadsch, 1761 {invalid, ICZN, 1944:39} [=*Tethys leporina*]
Ballesteros, 1985:22; Edmunds, 1972:86; Marcus & Marcus, 1966:186; 1968a:1339; Pruvot-Fol, 1951:52; 1954b:358; Riedl, 1970:429; Schmekel, 1907:178; Swennen, 1961a:70; White, 1955:179

Fimbria fimbria var. *dominicensis* Pruvot-Fol, 1954b:359

Fimbria occidentalis Odhner, 1936:1115

Fimbria somensis Hayami, 1961:120 (although listed in Zoo. Rec. under nudibranchs,
this is a fossil pelecypod)

Jacunia Philippi, 1867:233
[=*Melibe*]

Thiele, 1992:732

**Jacunia papillosa* Philippi, 1867:233 [=*Melibe*; =*Melibe pilosa*]

Melibaea Rang, Forbes, 1838:4, 59
{rejected, ICZN, 1964:97} (*Meliboea*) [=*Melibe*]

Lemche, 1962:157

Melibaea arbuscula Agassiz, 1850:191 [=*Doto coronata*]
Odhner, 1936:1121

Melibaea australis Angas, 1864:62 [=*Melibe*]
Burn, 1965:89

Melibaea coronata (Gmelin, 1791) |*Doto*| [=*Doto*]
Johnston, 1838a:117

Melibaea fragilis Forbes, 1838:4 [=*Doto*; =*Dotona*]
ICZN, 1964:97

Melibaea lonchocera Martens, 1879:739

Melibaea minuta Forbes, 1844:186

Melibaea ornata Alder & Hancock, 1842:34 [=Doto coronata]

Melibaea pinnatifida (Johnston, 1835) |Tritonia| [=Doto fragilis]

Melibaea viridis Kelaart, 1858 [=Melibe fimbriata]

Kelaart, 1859a:488; 1883:102

Melibe Rang, 1829:129

Adams & Adams, 1858:64; Alder & Hancock, 1864:137; Bergh, 1875b:362; 1880c:160; 1884b:143; 1888:688; 1890:48; 1892:50(1042); 1902:205; 1904:11; 1905a:239; 1907:95; Chenu, 1859:407; Fischer, 1883:533; Gosliner, 1987a:408 (comparison of species); Gray, 1857:222; McDonald, 1983:193; McDonald & Nybakken, 1980:56; Odhner, 1936:1115 (key to species); O'Donoghue, 1929:802; Pruvot-Fol, 1931:310; 1932a:329; Risbec, 1953:114; Thiele, 1931:447; 1992:732; Thompson, 1972:75

Melibe australis (Angas, 1864) |Melibaea|

Allan, 1947:459; Behrens, 2005:†; Bergh, 1905a:239; Bryce, 1994:†; Burn, 1957:23; 1966a:278; 1989:779; Coleman, 1989:61†; 2001:†; Debelius, 1996:†; Gosliner & Smith, 2003:303; Thompson, 1972:75; Wells & Bryce, 1993:174†; Willan & Coleman, 1984:50†

Melibe bucephala Bergh, 1902:205

Debelius, 1996:†; Eliot, 1908a:94; Engel & Eeken, 1962:29; Gosliner & Smith, 2003:303; O'Donoghue, 1929:803; Yonow, 2000:111†

Melibe capucina Bergh, 1875b:364

Gosliner & Smith, 2003:324

Melibe dalli (Heath, 1917) |Chioraera| [=M. leonina]

Melibe digitata Gosliner & Smith, 2003:305†

Melibe engeli Risbec, 1937a:160

Gosliner & Smith, 2003:307; Ono, 2004:227†; Risbec, 1953:116

Melibe fimbriata Alder & Hancock, 1864:138

Behrens, 2005:†; Bergh, 1888b:793; Carriglio, Fanelli, & Rubino, 2004:1067; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:135†; Coleman, 2001:†; Colin & Arneson, 1995:190†; Debelius, 1996:†; Eliot, 1902:68; Farran, 1905a:332; Gosliner, Behrens, & Williams, 1996:173†; Perrone, 1990b:23; Thompson & Crampton, 1984:113; Trainito, 2003:40†

Melibe japonica Eliot, 1913:34

Baba, 1933a:175; 1949:171; Nakano, 2004:219†; Ono, 2004:226†

Melibe leonina (Gould, 1853) |Chioraera|

Agersborg, 1919:269; 1921:222; 1923:508; 1923a:86; Behrens, 1980:78†; 1991:79†; 2005:†; Behrens & Hermosillo, 2005:99†; Debelius, 1996:†; Farmer, 1980:160; Gosliner, 1987a:400; Gosliner & Smith, 2003:310; Lamb & Hanby, 2005:264†; McDonald, 1983:193; McDonald & Nybakken, 1980:56†

Melibe liltvedi Gosliner, 1987a:402

Gosliner & Smith, 2003:310

Melibe maugeana Burn, 1960:70

Burn, 1966a:279

Melibe megaceras Gosliner, 1987a:404

Gosliner & Smith, 2003:311

Melibe minuta Gosliner & Smith, 2003:312

Ono, 2004:228†

Melibe mirifica (Allan, 1932) |Propemelibe|

Allen & Steene, 1994:†; Behrens, 2005:†; Burn, 1970:52; Coleman, 1989:61†; 2001:†; Debelius, 1996:†; Wells & Bryce, 1993:174†; Willan & Coleman, 1984:50†

Melibe ocellata Bergh, 1888:689

Bergh, 1890a:882; Gosliner & Smith, 2003:324

Melibe papillosa (Philippi, 1867) |*Jacunia*|

Abe, 1964:59; Baba, 1933a:177; 1949:170†; Bergh, 1884b:145; 1905a:240; Eliot, 1913:37; Gosliner & Smith, 2003:315; Masuda, 1999:126†; Nakano, 2004:219†; Okutani, 2000:799†; Ono, 2004:228†; Risbec, 1953:114; Suzuki, 2000:129†; Tapparone-Canevari, 1874:219

Melibe pellucida Bergh, 1904:11 [=*M. leonina*]

O'Donoghue, 1922c:148

Melibe pellucida Burn, 1957:24 [=*M. maugeana*]

Burn, 1960:70

Melibe pilosa Pease, 1860:34

Baba, 1933a:176; Bertsch & Johnson, 1981:82†; Coleman, 2001:†; Debelius, 1996:†; Edmunds & Thompson, 1972:228; Eliot, 1907:89; Gosliner, 1987a:406; Gosliner & Smith, 2003:316; Hoover, 1998:176†; Kay, 1979:479; Ostergaard, 1955:135; Pruvot-Fol, 1947:109

Melibe rangi Bergh, 1875b:370

Eliot, 1909:141; Gosliner & Smith, 2003:324

**Melibe rosea* Rang, 1829:130

Barnard, 1927:207; Bergh, 1907:96; Gosliner, 1987a:407; 1987b:105†; Gosliner & Smith, 2003:318; Thompson & Crampton, 1984:118

Melibe tuberculata Gosliner & Smith, 2003:319†

Melibe vexillifera Bergh, 1880c:162 [=*M. pilosa*]

Abe, 1964:59; Baba, 1949:170†; Eliot, 1913:37

Melibe viridis (Kelaart, 1858) |*Melibaea*|

Gosliner & Smith, 2003:321; Mastrototaro, Panetta, & d'Onghia, 2004:251; Nakano, 2004:220†; Tonozuka 2003:131†; Trainito, 2005:69†

Melibe sp. Beesley, Ross, & Wells, 1998:pl. 36†

Melibe sp. "horrid Melibe" Coleman, 2001:†

Melibe sp. Gosliner, 1987b:106†

Melibe sp. Moosleitner, 1986:20

Melibe sp. Risbec, 1930a:290

Phoenicurum Rudolphi, 1819:573
(non Forster, 1817) [=*Tethys*]

**Phoenicurum varium* Rudolphi, 1819:573

Propemelibe Allan, 1932b:314
[=*Melibe*]

Thiele, 1992:733

**Propemelibe mirifica* Allan, 1932b:315 [=*Melibe*]

Tethys Linnaeus, 1767:1089
[*Thetis*] (non Linnaeus, 1758:653, suppressed, ICZN, 1954:241)

Adams & Adams, 1858:64; Bergh, 1875b:345; 1882:67; 1890:48; 1892:50(1042); Cantraine, 1841:49; Chenu, 1859:407; Cuvier, 1798:386; 1808a:257; 1817:391; 1817d:1; de Roissy, 1805:153; Engel,

1936:221; Fez Sanchez, 1974:69; Fischer, 1883:533; Fleming, 1822:470; Gistel, 1851:171; Gistel & Bromme, 1850:563; Gray, 1857:219; Hoeven, 1856:783; Lamarck, 1819:307; Macrì, 1816:183; Nordsieck, 1972:68; O'Donoghue, 1929:758; Oken, 1815:280; Pilsbry, 1895:347; Pruvot-Fol, 1931:310; Risso, 1826:35; Schmekel & Portmann, 1982:156; Thiele, 1931:447; 1992:732; Vayssièvre, 1901a:82; 1913a:259; Voigt, 1834:120

Tethys cornigera Macrì, 1825 for 1816:164 [=*T. leporina*]

**Tethys fimbria* Linnaeus, 1767:1089

Boone, 1933:206; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:133†; ICZN, 1954:242; Lamarck, 1819:308; Lovén, 1842:363; Nordsieck, 1972:68†; Riedl, 1983:323; Schmekel & Portmann, 1982:156†; Tchang Si, 1931a:108; Thompson, 1976a:†; Trainito, 2003:40†; 2005:35, 68†; Turk, 2000:165†; Vayssièvre, 1901a:82; 1913a:260; Velling, 2004:†; Vicente, 1967:155; Voigt, 1834:120

Tethys fimbria var. *dominiquensis* Pruvot-Fol, 1954 | *Fimbria*|

Nordsieck, 1972:68

Tethys fimbriata Bruguière, 1791 [=*Fimbria fimbria*]

Hartmann, 1880:9

Tethys leporina Linnaeus, 1767:1089 [=*T. fimbria*] (Linnaeus, 1758:653, suppressed, ICZN, 1954:241)

Barletta, 1981:87; Bergh, 1875b:348; 1877e:335; 1882:68; Blumenbach, 1807:436; Brocchi, 1819:320; Cantraine, 1841:50; Cuvier, 1808a:260; Fez Sanchez, 1974:69; George & George, pl. 89†; Hoeven, 1856:783; Ihering, 1907:219; Lamarck, 1819:308; Mazzarelli, 1903:291; Misuri, 1917:12; Nobre, 1931:36; 1936:25; 1938-40:63; Risbec, 1931a:88; Risso, 1826:35; Tiberi, 1880:220; White, 1952:113

Tethys leporina var. Bergh, 1890:156 [=*Fimbria occidentalis*]

Tethys limacina Linnaeus, 1758:653 (suppressed, ICZN, 1954:241)

Tethys parthenopeia Macrì, 1825 for 1816:168 [=*T. leporina*]

Tethys polyphylla Macrì, 1825 for 1816:169 [=*T. leporina*]

Tethys punctata Cuvier

Thethys (lapsus for *Tethys*)

Blainville, 1825:488; Cuvier, 1830:53; 1834:38; Rang, 1829:129

Vertumnus Otto, 1823

[this is a parasite found on *Tethys*, not a Nudibranch?]

Krohn, 1842:418; Filippi, 1867:233

Dotidae Gray, 1853

[=Dotidae Jeffreys, 1896, rejected, ICZN, 1964:98; =Dotonidae H. & A. Adams, rejected, ICZN, 1964:98; =Iduliidae]

Baba, 1971a:73; Bergh, 1879:574; 1888b:794; 1890:50; 1892:52(1044); 1904:13; 1905a:221; Burn, 1989:779; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:127; Chenu, 1859:409; Edmunds & Just, 1985:59; Eliot, 1906e:567; 1910d:166; Fez Sanchez, 1974:93; Fischer, 1883:541; Franc, 1968:877; Hayward, Wigham, & Yonow, 1990:709; Jeffreys, 1869:59; Jensen, 2000:440; 2000b:625; Just & Edmunds, 1985:20; Lemche, 1962:158; Nordsieck, 1972:68; Odhner, 1936:1117; 1963:138; Parker, 1982:1049; Pelseneer, 1892a:145; Pruvot-Fol, 1954b:402; Risbec, 1953:164; Rudman, 1998a:1004; Schmekel, 1970:182; Schmekel & Kress, 1977:468; Schmekel & Portmann, 1982:158; Thiele, 1926:113; 1992:734; Thompson, 1988:128; Thompson & Brown, 1984:26; Vayssièvre, 1913a:307

Caecinella Bergh, 1870:12

[=*Doto*]

Bergh, 1890:53; 1892:55(1047); Fischer, 1883:542

**Caecinella luctuosa* Bergh, 1870:12

Dota Gray, 1840:148
 {rejected, ICZN, 1964:97}

Lemche, 1962:158

Dotilla Bergh, 1879:574
 (non Stimpson, 1858) {rejected, ICZN, 1964:97} [=*Iduliella*]

Bergh, 1890:52; 1892:55(1047); Fischer, 1883:542; Lemche, 1962:157

Dotilla floridicola (Simroth, 1888) |*Doto*| [=*D. pygmaea*]

**Dotilla pygmaea* (Bergh, 1871)

Doto Oken, 1815:278
 (non Hesse, 1872 =*Hancockia*; non Oken, 1807)

Adams & Adams, 1858:69; Alder & Hancock, 1846:fam. 3, pl. 4; Bergh, 1863:11; 1871:1275; 1879:575; 1890:51; 1892:54(1046); 1904:13; 1905a:221; Chenu, 1859:409; Eliot, 1906c:356; 1907b:19; 1910d:166; Fez Sanchez, 1974:94; Fischer, 1883:541; Forbes & Hanley, 1850-1851:587; Gould, 1870:236; Gray, 1857:222; Hoeven, 1856:782; ICZN, 1964:97; Jeffreys, 1869:60; Lemche, 1962:156; 1967:692; MacFarland, 1966:287; Marcus, 1961:41; McDonald, 1983:183; McDonald & Nybakken, 1980:58; Nordsieck, 1972:68; Odhner, 1922:35; 1934:300; 1936:1119 (key to species); 1963:138; O'Donoghue, 1921:204; Ortea, 2001a:42 (key to Caribbean species); Pruvot-Fol, 1931:314; 1954b:403; Sars, 1878:317; Schmekel & Kress, 1977:468; Schmekel & Portmann, 1982:158; Swennen, 1987:37; Thompson, 1972:73; 1988:128 (key to British species); Thompson, Cattaneo, & Wong, 1990:394; Thompson & Brown, 1984:27, 28 (table of British species); Trinchese, 1881:89; 1881a:89; Vayssiére, 1888d:99; 1913a:308

Doto acuta Schmekel & Kress, 1977:468
 Marín & Ros, 1990:212; Schmekel & Portmann, 1982:159†

Doto africana Eliot, 1905c:285

Doto albida Baba, 1955 |*Doto* (*Doto*)|
 Suzuki, 2000:127†

Doto amyra Marcus, 1961:38

Behrens, 1980:76†; 1991:78†; 2004:44; Behrens & Hermosillo, 2005:96†; Goddard, 1984:149; 1996:53; Lamb & Hanby, 2005:265†; Marcus & Marcus, 1967:214; McDonald, 1983:183; McDonald & Nybakken, 1980:58†

Doto annuligera Bergh, 1905a:221

Doto antarctica Eliot, 1907b:19 [=*D. fragilis*]
 Odhner, 1934:302

Doto apiculata Odhner, 1936:1122

Doto arbuscula (Agassiz) |*Meliboea*| {nomen nudum}
 Pruvot-Fol, 1954b:407

Doto armoricana Hesse, 1872:347 [=*D. coronata*; ?=*D. cuspidata*; =*D. pinnatifida*]
 Hesse, 1873:316; Pruvot-Fol, 1931a:752; Pruvot-Fol, 1954b:408

Doto arteoi Ortea, 1978a:389
 Ortea, 1979a:26

Doto aurea Trinchese, 1881:92† [=*D. aurita*; =*D. cuspidata*; =*D. rosea*]
 Gary McDonald, Long Marine Lab, 100 Shaffer Rd., Santa Cruz, Cal. 95060

- Pruvot-Fol, 1954b:407; Trinchese, 1881a:92; Vayssi  re, 1913a:311
- Doto aurita* Hesse, 1872:348 [=*D. aurea*; =*D. coronata*; =*D. rosea*]
Hesse, 1873:316; Pruvot-Fol, 1931a:752
- Doto australis* (Angas, 1864) |*Melibaea*| [=*Melibe*]
Pruvot-Fol, 1954b:407
- Doto awapa* Ortea, 2001a:21
- Doto bella* Baba, 1938:132
Coleman, 2001:†; Nakano, 2004:214†; Suzuki, 2000:126†; Tonozuka 2003:129†
- Doto cabecar* Ortea, 2001a:34
Ortea & Caballer, 2003:108
- Doto caramella* Marcus, 1957:458
Collin, et al., 2005:693†; Marcus & Marcus, 1967:106; Ortea, 2001a:4; Redfern, 2001:177†
- Doto caramella wildei* Marcus & Marcus, 1970a:77
Ortea, 2001a:4
- Doto cervicenigra* Ortea & Bouchet, 1989:265†
Perrone, 1990b:23; Trainito, 2005:67†
- Doto chica* Marcus & Marcus, 1960a:167
Marcus, 1972a:299; Marcus & Marcus, 1963:39; Ortea, 2001a:5, 12†; Redfern, 2001:177†
- Doto cindyneutes* Bouchet, 1977a:57
- Doto cinerea* Trinchese, 1881:92† [=*D. rosea*] (non Eliot, 1906d:153 vide Schmekel & Portmann, 1982:167)
Eliot, 1910d:124; Just & Edmunds, 1985:42†; Marcus & Hughes, 1974:521; Marcus & Marcus, 1963:38; Ortea, 2001a:3; Redfern, 2001:178†; Thompson & Brown, 1976:72; Trinchese, 1881a:92; Vayssi  re, 1888d:102; 1913a:309
- Doto cinerea* var. *nigromaculata* Eliot, 1906 [=*D. nigromaculata*]
- Doto columbiana* O'Donoghue, 1921:204
Behrens, 1980:76†; 1991:78†; Behrens & Hermosillo, 2005:96†; Just & Edmunds, 1985:40†; Lamb & Hanby, 2005:265†; Lambert, 1976:298; MacFarland, 1966:288; Marcus, 1961:36; McDonald, 1983:184; McDonald & Nybakken, 1980:58†
- Doto confluens* Hesse, 1872:348 [=*D. coronata*]
Hesse, 1873:318; Jensen & Knudsen, 1995:32; Pruvot-Fol, 1931a:752; 1954b:408
- Doto cornaliae* Trinchese, 1881:91†
Nordsieck, 1972:69; Pruvot-Fol, 1954b:407; Trinchese, 1881a:91; Vayssi  re, 1913a:310
- **Doto coronata* (Gmelin, 1791) |*Doris*| (non Bergh, 1878 nor Costa, 1867:30 = *D. rosea*;
non Trinchese, 1881:90 vide Schmekel & Portmann, 1982:160)
Abric, 1904a:6; Alder & Hancock, 1846:fam. 3, pl. 6†; Ballesteros, 1985:22; Bergh, 1879:577; Brown & Picton, 1979:7; Colgan, 1914:192; Dahl, 1925:163; Dekker, 1989:101; Demir, 1954:575; Derjugin, 1915:549; Fez Sanchez, 1974:95; Forbes & Hanley, 1850-1851:587; Garcia-Gomez, 2002:161†; Gomoiu, 1961:1248; Gosliner, 1987b:106†; Gould, 1870:236†; Hayward, Wigham, & Yonow, 1990:710; Herdman, 1890:51; Herdman & Clubb, 1889:231; 1890:137; 1892a:137; Hoeven, 1856:782; Hoffmann, 1926:21; Hunnam & Brown, 1975:137; ICZN, 1976:694; Jeffreys, 1869:61; Kress, 1968:243; Larsen, 1925:43; Lemche, 1938:15; L  yning, 1927:261; McMillan, 1968:70; Meyer, 1970:142; Milachewitch, 1916:133; Nobre, 1931:33; 1936:23; 1938-40:75; Nordsieck, 1972:69†; Odhner, 1907:35; Picton, 1978a:73; Picton & Morrow, 1994:38†; Pruvot-Fol, 1927:43; 1954b:406; Riedl, 1970:430; 1983:323; Rol  n & Otero-Schmitt, 1996:151; Sars, 1850:194; 1878:317; Sauvage,

- 1873:34; Schmekel, 1970:183; Schmekel & Kress, 1977:472; Schmekel & Portmann, 1982:160; Swennen, 1987:38; Thompson, 1988:130; Thompson & Brown, 1976:74; 1984:27†; Thompson, Cattaneo, & Wong, 1990:394; Trainito, 2003:38†; 2005:67†; Trinchese, 1881:90†; 1881a:90; Vayssi  re, 1888d:99; 1913a:308; Verrill, 1873:665; Vicente, 1967:159
- Doto costae* Trinchese, 1881:91† [=*D. coronata*; =*D. cuspidata*; ?= *D. fragilis*] Nordsieck, 1972:69; Pruvot-Fol, 1954b:407; Trinchese, 1881a:91
- Doto crassicornis* Sars, 1870:191 [=*D. fragilis*] Hoffmann, 1926:22; Just & Edmunds, 1985:20†; Nordsieck, 1972:69; Odhner, 1907:35; 1922:34; Pruvot-Fol, 1954b:405; Vayssi  re, 1913a:311
- Doto curere* Ortea, 2001a:17
- Doto cuspidata* Alder & Hancock, 1862:264 Brown & Picton, 1979:6; Eliot, 1910d:123; Hayward, Wigham, & Yonow, 1990:710; Jeffreys, 1869:61; Just & Edmunds, 1985:22†; Nordsieck, 1972:68; Odhner, 1926a:29; Picton & Morrow, 1994:40†; Pruvot-Fol, 1954b:403; Schmekel & Kress, 1977:476; Thompson, 1988:132; Thompson & Brown, 1976:73; 1984:30†
- Doto divae* Marcus & Marcus, 1960a:165 Edmunds & Just, 1985:59; Marcus & Hughes, 1974:523; Ortea, 2001a:4
- Doto doerga* Marcus & Marcus, 1963:39 [=*Doto pygmaea*] Schmekel, 1968a:1; 1970:184; Schmekel & Portmann, 1982:162†
- Doto duao* Ortea, 2001a:28†
- Doto dunnei* Lemche, 1976:703 Brown & Picton, 1979:8; Garcia-Gomez, 2002:166†; Hayward, Wigham, & Yonow, 1990:710; Just & Edmunds, 1985:24†; Ortea & Urgorri, 1978:75†; Picton & Morrow, 1994:40†; Thompson, 1988:134; Thompson & Brown, 1984:30†
- Doto eireana* Lemche, 1976:699 Brown & Picton, 1979:8; Hayward, Wigham, & Yonow, 1990:710; Just & Edmunds, 1985:34†; Ortea & Urgorri, 1978:75†; Picton & Morrow, 1994:42†; Thompson, 1988:136; Thompson & Brown, 1984:31†
- Doto ensifer* M  rorch, 1860:125
- Doto escatillari* Ortea, Moro, & Espinosa, 1997:131† Ortea, 2001a:30†
- Doto floridicola* Simroth, 1888:219 [=*Dotilla pygmaea*] Ballesteros, 1985:22; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:127†; Garcia-Gomez, 2002:†; Nordsieck, 1972:68; Ortea, Caballer, & Moro, 2003a:182; Pruvot-Fol, 1954b:405; Schmekel & Kress, 1977:478; Schmekel & Portmann, 1982:164†; Thompson, Cattaneo, & Wong, 1990:396; Wirtz, 1998a:†
- Doto fluctifraga* Ortea & Perez, 1982:79 Ortea, Moro, Bacallado, & Herrera, 2001:†
- Doto forbesii* Deshayes, 1853:57, pl. 89, figs. 4a-d [=*D. coronata*] Pruvot-Fol, 1954b:408
- Doto formosa* Verrill, 1875a:41
- Doto fragaria* Ortea & Bouchet, 1989:262† Perrone, 1990b:23
- Doto fragilis* (Forbes, 1838) |*Melibaea*| (?non Bergh, 1888 vide Schmekel & Portmann, 1982:167)

Abric, 1904a:6; Alder & Hancock, 1851a:fam. 3, pl. 5†; Barletta, 1981:89; Bergh, 1888:695; Brown & Picton, 1979:5; Colgan, 1914:193; Daly, 2000:†; Dekker, 1989:101; Fez Sanchez, 1974:96; Forbes & Hanley, 1850-1851:588; George & George, pl. 89†; Grieg, 1913a:8; Hallez, 1890:286; Hayward, Wigham, & Yonow, 1990:710; Hoffmann, 1926:22; Hunnam & Brown, 1975:137; Jeffreys, 1869:61; Kress, 1968:246; Larsen, 1925:45; Lemche, 1938:16; Nordsieck, 1972:68; Odhner, 1907:35; Ortea & Urgorri, 1978:73†; Picton, 1978a:74; Picton & Morrow, 1994:42†; Pruvot-Fol, 1954b:404; Schmekel & Kress, 1977:480; Swennen, 1987:38; Thompson, 1988:138†; Thompson & Brown, 1976:78; 1984:31†; Vayssi  re, 1913a:311; Walls, 1982:329†

Doto fragilis umia Marcus & Marcus, 1969a:27 [=*D. chica*]

Doto furva Garc  a-G  mez & Ortea, 1983:9

Calado, 2002:104; Cervera, Templado, Garcia-Gomez, 2002:103†; Garc  a-G  mez, Ballesteros, Ortea, Garc  a, Ros, & Luque, 1988:†; Garc  a-G  mez, L  pez de la Cuadra, & Balbuena Marcilla, 1988:174

Doto ganda Marcus, 1961:39 [=*D. amyra*]

Doto "gustafsoni" Lemche

Jensen & Knudsen, 1995:32

Doto hydrallmaniae Morrow, Thorpe, & Picton, 1992:57

Picton & Morrow, 1994:44†

Doto hystrix Picton & Brown, 1981:262

Picton & Morrow, 1994:44†; Thompson, 1988:140; Thompson & Brown, 1984:32†

Doto indica Bergh, 1888b:795

Eliot, 1906e:568

Doto iugula Ortea, 2001a:26

Doto japonica Odhner, 1936:1121

Nakano, 2004:214†; Suzuki, 2000:125†

Doto kekoldi Ortea, 2001a:18

Doto koenneckeri Lemche, 1976:702

Ballesteros, 1984b:44; 1985:22; Brown & Picton, 1979:6; Just & Edmunds, 1985:26†; Ortea & Urgorri, 1978:74†; Picton & Morrow, 1994:46†; Rol  n & Otero-Schmitt, 1996:152†; Thompson, 1988:142; Trainito, 2005:67†

Doto kya Marcus, 1961:39

Behrens, 1980:78†; 1991:78†; Behrens & Hermosillo, 2005:97†; Edmunds & Just, 1985:59; Lamb & Hanby, 2005:265†; McDonald, 1983:184; McDonald & Nybakken, 1980:58†; Ortea, 2001a:8

Doto lancei Marcus & Marcus, 1967:214

Behrens, 1991:79†; 2004:45; Behrens & Hermosillo, 2005:97†; Camacho-Garcia, Gosliner, & Valdes, 2005:93†; Farmer, 1980:112

Doto lemchei Ortea & Urgorri, 1978:77

Brown & Picton, 1979:8; Hayward, Wigham, & Yonow, 1990:710; Ortea, 1979a:26; Picton, & Brown, 1981:261; Picton & Morrow, 1994:46†; Thompson, 1988:144; Thompson & Brown, 1984:33†; Thompson, Cattaneo, & Wong, 1990:396

Doto leopardina Vicente, 1967:160

Doto maculata (Montagu, 1804) |*Doris*|

Brown & Picton, 1979:7; Just & Edmunds, 1985:28†; Lemche, 1976:696; Picton & Morrow, 1994:48†; Pruvot-Fol, 1954b:408; Thompson, 1988:146; Thompson & Brown, 1984:34†; Urgorri & Besteiro, 1986:96

Doto millbayana Lemche, 1976:701

- Brown & Picton, 1979:7; Gavaia, Malaquias, Calado, & Urgorri, 2003:114†; Hayward, Wigham, & Yonow, 1990:712; Ortea & Urgorri, 1978:76†; Picton & Morrow, 1994:48†; Thompson, 1988:148; Thompson & Brown, 1984:34†
- Doto minuta* (Forbes, 1844) |*Melibaea*| {nomen nudum}
Pruvot-Fol, 1954b:407
- Doto moravesa* Ortea in Ortea, Moro, & Espinosa, 1997:129†
- Doto nigromaculata* Eliot, 1906 | *Doto cinerea* var. *nigromaculata*|
- Doto oblicua* Ortea & Urgorri, 1978:78
Ortea, 1979a:28
- Doto obscura* Eliot, 1906d:152
- Doto ocellata* Simroth, 1895 (lapsus for *D. ocellifera*)
Pruvot-Fol, 1954b:408
- Doto ocellifera* Simroth, 1895b:168 [=Costasiella, a Sacoglossan]
- Doto onusta* Hesse, 1872:348 [=*D. floridicola*; =*D. pinnatifida*]
Hesse, 1873:319; Just & Edmunds, 1985:30†; Picton & Morrow, 1994:134†; Pruvot-Fol, 1931a:753; 1954b:408
- Doto orcha* Yonow, 2000:110†
- Doto ornata* Hesse (lapsus for *D. onusta*)
Pruvot-Fol, 1931a:753
- Doto ornata* Alder & Hancock, 1842 |*Melibaea*| [=*D. coronata*; =*D. splendida*]
- Doto ostentus* Burn, 1958:16
Beesley, Ross, & Wells, 1998:pl. 36†; Burn, 1966a:279; 1970:53; 1989:780; Coleman, 2001:†
- Doto papillifera* Eliot, 1906 | *Doto pinnatifida* var. *papillifera*|
Nordsieck, 1972:68
- Doto paulinae* Trinchese, 1881:93†
Ballesteros, 1985:25; Nordsieck, 1972:69; Pruvot-Fol, 1954b:407; Schmekel & Kress, 1977:482; Schmekel & Portmann, 1982:166; Trinchese, 1881a:93; Vayssiére, 1913a:309; Vicente, 1967:159
- Doto pinnatifida* (Montagu, 1804) |*Doris*| [=*D. splendida*] (non Schmekel, 1968 =*D. acuta*)
Alder & Hancock, 1855:fam. 3, pl. 45†; Brown & Picton, 1979:5; Eliot, 1910d:124; Farran, 1904:5; Fischer, 1872:18; Garcia-Gomez, 2002:163†; Gosliner, 1987b:106†; Hunnam & Brown, 1975:138; Hayward, Wigham, & Yonow, 1990:712; Jeffreys, 1869:60; Just & Edmunds, 1985:32†; Kress, 1968:246; Nordsieck, 1972:69; Ortea, 1978:111; Ortea & Urgorri, 1978:73†; Picton & Morrow, 1994:50†; Pruvot-Fol, 1954b:405; Schmekel & Kress, 1977:485; Thompson, 1976a:†; 1988:150†; Thompson & Brown, 1976:76; 1984:35†; Tolmer, 1934:33; Vayssiére, 1913a:310; Yonow, 1997:†
- Doto pinnatifida* var. *papillifera* Eliot, 1906c:356
- Doto pinnigera* Hesse, 1872:347 [=*D. coronata*; =*D. fragilis*]
Hesse, 1873:315; Pruvot-Fol, 1931a:752; 1954b:408
- Doto pita* Marcus, 1955:169
Baba, 1971a:76; Burn, 1989:779; Coleman, 2001:†; Edmunds & Just, 1985:59; Marcus, 1957:455; Marcus & Marcus, 1960a:164; Nakano, 2004:213†; Ono, 2004:225†; Ortea, 2001a:4; Ortea, Moro, Espinosa, & Bacallado, 1999:75†; Powell, 1979:288; Redfern, 2001:178†; Suzuki, 2000:127†; Willan & Morton, 1984:65

- Doto pontica* Swennen, 1961a:68
 Thompson, Cattaneo, & Wong, 1990:398
- Doto proranao* Ortea, 2001a:23
- Doto pumigera* Hesse [=*D. coronata*] (lapsus for *D. pinnigera*)
- Doto pygmaea* Bergh, 1871:1277
 Ortea, 2001a:3; Ortea, Moro, & Espinosa, 1997:126†
- Doto racemosa* Risbec, 1928:269†
 Coleman, 2001:†; Marshall & Willan, 1999:133†; Nakano, 2004:215†; Risbec, 1953:164
- Doto rosacea* Baba, 1949 [*Doto (Doto)*]
 Coleman, 2001:†; Masuda, 1999:126†; Suzuki, 2000:126†; Tonozuka 2003:130†
- Doto rosea* Trinchese, 1881:92
 Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:29†; Fez Sanchez, 1974:96; García-Gómez, 1987:206; 2002:165†; Gosliner, 1987b:107†; Nobre, 1931:34; 1936:24; 1938-40:76; Nordsieck, 1972:69; Pruvot-Fol, 1954b:406; Schmekel & Kress, 1977:489; Schmekel & Portmann, 1982:167†; Thompson, Cattaneo, & Wong, 1990:398; Trinchese, 1881a:92; Vayssiére, 1913a:310
- Doto sabuli* Ortea, 2001a:9
- Doto sarsiae* Morrow, Thorpe, & Picton, 1992:57
 Picton & Morrow, 1994:50†
- Doto sotilloi* Ortea, Moro, & Espinosa, 1997:132†
- Doto splendida* Trinchese, 1881:93† [=*D. coronata*; =*D. pinnatifida*]
 Pruvot-Fol, 1954b:407; Trinchese, 1881a:93; Vayssiére, 1913a:309
- Doto styligera* Hesse, 1872:348 [=*D. coronata*; =*D. paulinae*]
 Hesse, 1873:317; Pruvot-Fol, 1931a:752; 1954b:408
- Doto susanae* Fez, 1962:109 [?=*D. floridicola*]
 Fez Sanchez, 1974:133†
- Doto tuberculata* Lemche, 1976:697
 Brown & Picton, 1979:6; Hayward, Wigham, & Yonow, 1990:712; Ortea & Urgorri, 1978:77†; Picton & Morrow, 1994:52†; Thompson, 1988:152; Thompson & Brown, 1984:35†
- Doto uncinata* Hesse, 1872:347 [=*Hancockia*; =*D. coronata*]
 Garstang, 1893:110; Hesse, 1873:313; Pruvot-Fol, 1931a:753
- Doto unguis* Ortea & Rodriguez, 1989:113
- Doto ussi* Ortea, 1982a:1
 Behrens, 2005:†; Coleman, 2001:†; Gosliner, Behrens, & Williams, 1996:173†
- Doto uva* Marcus, 1955:167 (non Humann, 1992:244 =*D. chica*)
 Humann, 1992:245†; Marcus, 1957:455; 1959:69; Marcus & Marcus, 1960a:164; Ortea, 2001a:3; Thompson, 1980:75; Schrödl, 1996:34†; 2003:64†; Schrödl, et al., 2005:31†
- Doto varaderoensis* Ortea, 2001a:37†
- Doto varians* MacFarland, 1966:289† [=*D. kya*]
- Doto verdicioi* Ortea & Urgorri, 1978:79
 Calado & Urgorri, 1998:99; Ortea, 1979a:27
- Doto wara* Marcus, 1961:40 [=*D. amyra*]
 Farmer, 1980:113

- Doto yongei* Thompson, 1972:73
Doto form A Goddard, 1996:54
Doto form B Goddard, 1996:54
Doto sp. 1 Behrens, 1991:79†
Doto sp. Behrens, 2005:†
Doto sp. 1 Behrens & Hermosillo, 2005:97†
Doto sp. 2 Behrens & Hermosillo, 2005:98†
Doto sp. 3 Behrens & Hermosillo, 2005:98†
Doto sp. Bergh, 1904:13 [=*D. apiculata*]
Doto sp. Burn, 1966a:279
Doto sp. 1 Camacho-Garcia, Gosliner, & Valdes, 2005:93†
Doto sp. 2 Camacho-Garcia, Gosliner, & Valdes, 2005:93†
Doto sp. 3 Camacho-Garcia, Gosliner, & Valdes, 2005:94†
Doto sp. "beautiful doto" Coleman, 1989:61†
Doto sp. "Coleman's doto" Coleman, 2001:†
Doto sp. "Coleman's doto" Coleman, 2001:†
Doto sp. "orange-backed doto" Coleman, 2001:†
Doto sp. "red-backed doto" Coleman, 2001:†
Doto sp. "winged doto" Coleman, 2001:†
Doto sp. Debelius, 1996:†
Doto sp. Farran, 1905a:332
Doto sp. I Garcia-Gomez, 2002:†
Doto sp. II Garcia-Gomez, 2002:†
Doto sp. III Garcia-Gomez, 2002:†
Doto sp. IV Garcia-Gomez, 2002:†
Doto sp. Haefelfinger & Kress, 1970:31
Doto sp.1 Hermosillo, 2004:110
Doto sp.1 Hermosillo & Behrens, 2005:19†
Doto sp.2 Hermosillo & Behrens, 2005:20†
Doto sp.3 Hermosillo & Behrens, 2005:20†
Doto sp. Lambert, 1976:298
Doto sp.A Lemche in Just & Edmunds, 1985:34†
Doto sp.B Lemche in Just & Edmunds, 1985:36†

- Doto* sp.C Lemche in Just & Edmunds, 1985:38†
Doto sp.D Lemche in Just & Edmunds, 1985:40†
Doto sp.E Lemche in Just & Edmunds, 1985:42†
Doto sp.1 cf. *rosacea* Baba, 1949
 Nakano, 2004:214†
Doto sp.2 cf. *pacifica* Baba, 1949
 Nakano, 2004:215†
Doto sp. 3 Nakano, 2004:215†
Doto sp. 4 Nakano, 2004:216†
Doto sp.1 Ono, 1999:144†
Doto sp.2 Ono, 1999:144†
Doto sp.3 Ono, 1999:145†
Doto sp.4 Ono, 1999:145†
Doto sp.5 Ono, 1999:146†
Doto sp.6 Ono, 1999:146†
Doto sp.7 Ono, 1999:147†
Doto sp.1 aff. *rosacea* Baba, 1949
 Ono, 2004:223†
Doto sp. 2 Ono, 2004:223†
Doto sp. 3 cf. *japonica* Odhner, 1936
 Ono, 2004:223†
Doto sp. 4 Ono, 2004:226†
Doto sp.A Picton & Morrow, 1994:134† [= *D. floridicola*]
Doto sp.1 Pruvot-Fol, 1933b:144
 Pruvot-Fol, 1933a:149
Doto sp.2 Pruvot-Fol, 1933b:145
 Pruvot-Fol, 1933a:149
Doto sp (*coronata* var.?) Pruvot-Fol, 1953
 Lemche, 1976:697
Doto sp.1 Schrödl, 1996:34 [= *Doto uva*]
Doto sp.1 Suzuki, 2000:128†
Doto sp.A. Templado, 1982:75
Doto sp. Thiele, 1912:225
Doto sp.A Tonozuka 2003:130†
Doto sp. Trainito, 2003:38†
Doto sp. 1 Trainito, 2005:66†

Doto sp. 2 Trainito, 2005:66†

Doto sp. Willan & Coleman, 1984:50†

Doto sp.A Wirtz, 1999:†

Doto sp.B Wirtz, 1999:†

Subgenus: (*Doto*)

Doto (Doto) albida Baba, 1955:50†

Doto (Doto) bella Baba, 1938 [*Doto*]

Abe, 1964:60; Baba, 1949:172†; 1971a:75

Doto (Doto) fragilis nippensis Baba, 1971c:153

Doto (Doto) japonica Odhner, 1936:1121

Abe, 1964:60; Baba, 1949:171†; Okutani, 2000:799†

Doto (Doto) purpurea Baba, 1949:172†

Doto (Doto) rosacea Baba, 1949:172†

Okutani, 2000:799†

Subgenus: (*Gellina*) Gray, 1850

Fischer, 1883:542

Doto (Gellina) pacifica Baba, 1949:173†

Dotona Iredale, 1918:30

(non Carter, 1880)

[=*Doto*] {rejected, ICZN, 1964:97; *Dotona* Rafinesque, 1815:141 nomen nudum, rejected, ICZN, 1964:97}

Lemche, 1962:157

**Dotona fragilis* (Forbes, 1838) [*Melibaea*]

Gellina Gray, 1850b:106

Adams & Adams, 1858:70; Bergh, 1890:52; 1892:55(1047); Chenu, 1859:409; Gray, 1857:221; Nordsieck, 1972:68; Pruvot-Fol, 1954b:402

**Gellina affinis* (Orbigny, 1837) [*Tergipes*]

Nordsieck, 1972:68; Pruvot-Fol, 1954b:402

Heromorpha Bergh, 1873a:610

[=*Doto*]

Bergh, 1890:53; 1892:56(1048); Fischer, 1883:542

**Heromorpha antillensis* Bergh, 1873a:611

Idulia Leach, 1852:25

[=*Doto*]

Thiele, 1931:449; 1992:735

Idulia cinerea Trinchese [*Doto*] [==*Doto*]

Barnard, 1927:208

Idulia columbiana (O'Donoghue, 1921) [*Doto*] [==*Doto*]

Idulia coronata (Gmelin, 1790) |*Doris*| [=Doto]

Jutting & Engel, 1936:57; Starmühlner, 1955:227

Idulia formosa Verrill, 1875 |Doto|

**Idulia maculata* (Montagu, 1804) |*Doris*|

Filatova & Zatsepin, 1948:400; Leach, 1852:26

Idulia pinnatifida var. Labbé, 1932:445

Idulia splendida (Trinchese, 1882) |*Doto*| [=Doto]

Barnard, 1927:209; O'Donoghue, 1929:753

Iduliella Thiele, 1931:449

Boss & Bieler, 1991:30; Thiele, 1992:735

**Iduliella pygmaea* (Bergh, 1871) |Doto|

Mieseja Marcus, 1961a:148

**Mieseja evelinae* (Marcus, 1957) |*Embletonia*|

Marcus, 1961a:148

Phylliroidae Féruccac, 1821

[=Psilosomata Blainville, 1825]

André, 1906:71; Bergh, 1873:210; 1884a:3; 1890:62; 1892:65(1057); Fedele, 1941b:1; Fischer, 1883:537; Franc, 1968:877; Lalli & Gilmer, 1989:215; Nordsieck, 1972:69; Odhner, 1936:1122; Parker, 1982:1049; Pelseneer, 1892a:142; Pruvot-Fol, 1946:172; 1954b:368; Rudman, 1998a:1006; Sachidhanandam, Willan, & Chou, 2000:528; Schmekel, 1970:179; Schmekel & Portmann, 1982:169; Thiele, 1926:113; 1931:445; 1992:730; Vayssiére, 1913a:260; Vessichelli, 1906:129

Acura H. & A. Adams, 1855:98

[=*Phylliroe*]

Bergh, 1873:241; 1884a:7; Bertolini, 1935:66; Fedele, 1941b:1; Fischer, 1883:537; Vessichelli, 1906:131

Acura lanceolata (Bergh, 1873) |*Phylliroe*|

Bergh, 1884a:8; Bertolini, 1935:66

**Acura pelagica* H. & A. Adams, 1858:98 [=*Phylliroe lichensteini*]

Bergh, 1873:242; 1884a:7; Bertolini, 1935:66

Bonnevia Pruvot-Fol, 1931:308 (nom nov. for *Dactylopus*)

[=*Nectophyllirrhoe*]

Strand, 1932:134; Thiele, 1992:731

Boopsis Pierantoni, 1923:94

[=*Cephalopyge*]

Bertolini, 1935:67

**Boopsis mediterranea* Pierantoni, 1923:94 [=*Cephalopyge*; =*Cephalopyge trematoides*]

Bertolini, 1935:67; Palombi, 1939:65; Pruvot-Fol, 1929a:467

Boopsis trematoides (Chun, 1889) |*Phyllirhoe*|

Bertolini, 1935:68; Pierantoni, 1923:94

Cephalopyge Hanel, 1905:451

Dakin & Colefax, 1937:266; Fedele, 1941b:1; Nordsieck, 1972:69; Odhner, 1936:1125 (key to species); Pruvot-Fol, 1946:173; Pruvot-Fol, 1954b:370; Ralph, 1944:25; Sentz-Braconnot & Carré, 1966:32; Steinberg, 1956:185; Thiele, 1931:446; 1992:730

Cephalopyge arabica Stubbings, 1937 [=*C. trematoides*]

Cephalopyge mediterranea (Pierantoni, 1923) |*Boopsis*| [=*C. trematoides*]
Nordsieck, 1972:69; Pruvot-Fol, 1954b:370

Cephalopyge michaelsarsi (Bonnevie, 1921) |*Dactylopus*| [=*C. trematoides*]
Nordsieck, 1972:69

Cephalopyge orientalis Baba, 1933:157 [=*C. trematoides*]

Cephalopyge picteti (André, 1906) |*Ctilopsis*| [=*C. trematoides*]

**Cephalopyge trematoides* (Chun, 1889) |*Phyllirhoe*|

Fernandez Alamo, 1996:357; 1997:77; Hanel, 1905:451; Lalli & Gilmer, 1989:221; Odhner, 1932:46; Okutani, 2000:801; Palombi, 1939:65; Steinberg, 1956:186; Tokioka, 1963:373

Subgenus: (*Cephalopyge*) Hanel, 1905:451

Thiele, 1992:730

Subgenus: (*Ctilopsis*) André, 1906

Thiele, 1992:730

Ctilopsis André, 1906:72

[=*Cephalopyge*]

Bertolini, 1935:69; Dakin & Colefax, 1936:455; 1937:266; Fedele, 1941b:1; Pruvot-Fol, 1946:175; Vessichelli, 1906:131

**Ctilopsis picteti* André, 1906:72 [=*Cephalopyge*; =*Cephalopyge trematoides*]
Bertolini, 1935:69; Vessichelli, 1906:131

Ctilopsis (Phylliroe) trematoides (Chun, 1889)[=*Boopsis*]
Vessichelli, 1906:131

Ctilopsis sp. Dakin & Colefax, 1936:457

Dactylopus Bonnevie, 1921:146

(non Gill, 1859; non Claus, 1862) [=*Bonnevia*; =*Cephalopyge*]

Bonnevie, 1946:8; Pruvot-Fol, 1931:308

**Dactylopus michaelsarsi* Bonnevie, 1921:145 [=*Cephalopyge*; =*Cephalopyge trematoides*]
Bonnevie, 1946:4, 8

Eurydice Eschscholtz, 1825:737

[=*Phylliroe*]

**Eurydice lichtensteini* Eschscholtz, 1825:737 [=*Phylliroe*; =*Phylliroe atlantica*]

Nectophylliroe Hoffmann, 1922:304 {nom. nov. for *Dactylopus*}
[=*Cephalopyge*; =*Cephalopyge trematoides*]

Bonnevie, 1946:4; Pruvot-Fol, 1946:173; Strand, 1932:134; Thiele, 1931:447; 1992:731

**Nectophylliroe michaelsarsi* (Bonnevie, 1921) |*Dactylopus*|

Phyllirine Menke, 1844:73
[=*Phylliroe*]

Phylliroe Périon & Lesueur, 1810:65
[=*Phyllirhoe*]

Bergh, 1884a:4; 1892:67(1059); 1905a:215; Blainville, 1825:484; Cantraine, 1841:44; d'Orbigny, 1836:180; Eschscholtz, 1825:736; Eyedoux & Souleyet, 1852:399; Fedele, 1941b:1; Fischer, 1883:537; Hoeven, 1856:779; Lalli & Gilmer, 1989:215; Leuckart, 1851:139; Nordsieck, 1972:69; Pruvot-Fol, 1946:172; 1954b:368; Ralph, 1944:25; Schmekel & Portmann, 1982:169; Thiele, 1931:446; 1992:730; Vayssiére, 1913a:261; Vessichelli, 1906:130

Phylliroe amboinensis Quoy & Gaimard, 1832 [=*P. atlantica*; =*P. lichtensteini*]

Bergh, 1873:236; Bertolini, 1935:65; Pruvot-Fol, 1934:79

Phylliroe amboinensis var. Bergh, 1873:239

Phylliroe atlantica Bergh, 1871:1302 [=*P. lichtensteini*]

Bergh, 1873:212; 1884a:5; 1899:6; 1900:239; 1905a:215; Bertolini, 1935:64; Bonnevie, 1946:3; Nordsieck, 1972:69; Odhner, 1932:44; Pruvot-Fol, 1954b:369; Vessichelli, 1906:130; Wirtz, 1998a:†

Phylliroe bucephala (Eyedoux & Souleyet) [=*P. atlantica*; =*P. lichtensteini*]

**Phylliroe bucephala* Périon & Lesueur, 1810:69 (non Eyedoux & Souleyet, 1852 =*P. atlantica*; =*P. lichtensteini*)

André, 1896:403; Angulo-Campillo, 2005:†; Ankel, 1952a:91; Barletta, 1981:91; Bergh, 1873:231; Bertolini, 1935:63; Cantraine, 1841:45; Eyedoux & Souleyet, 1852:415; Fernandez Alamo, 1996:357; 1997:77; Gasca, & Suarez Morales, 1994:109; George & George, pl. 89†; Lalli & Gilmer, 1989:215; MacDonald, 1855:457; 1856:362; Martin & Brinckmann, 1963:206; Müller & Gegenbaur, 1854:355; Nakano, 2004:220†; Nordsieck, 1972:69; Okutani, 2000:801†; Powell, 1937a:119; 1949:288; Pruvot-Fol, 1954b:369; Rees, 1953:219; Riedl, 1970:431; 1983:323; Risso, 1826:28; Schmekel, 1970:179; Schmekel & Portmann, 1982:169†; Schrödl, 1996:36†; ; 2003:73; Thiele, 1925:287; Vayssiére, 1901a:95; 1913a:261; Vessichelli, 1906:130

Phylliroe lanceolata Bergh, 1873:241 [=*Acura*]

Odhner, 1936:1126

Phylliroe lichensteinii (Eschscholtz, 1825) |*Eurydice*| [=*P. atlantica*]

Eschscholtz, 1831:17

Phylliroe punctulatum Quoy & Gaimard, 1832 [=*P. bucephala*]

Bertolini, 1935:66; Pruvot-Fol, 1934:79

Phylliroe rosea Orbigny, 1836:183 [=*P. atlantica*; =*P. lichensteini*]

Bertolini, 1935:66

Phylliroe rubra Quoy & Gaimard, 1832 [=*P. atlantica*]

Phylliroe sanzoi Sparta, 1925:251 [=*P. atlantica*; =*P. bucephala*]

Phylliroe trematoides Chun, 1889 [=*Cephalopyge*]

Subgenus: (*Acura*) Adams & Adams, 1855:98

Thiele, 1992:730

Subgenus: (*Phylliroe*) Périon & Lesueur, 1810:65

Thiele, 1992:730

Arminacea Odhner, 1934:271

[=Arminina Odhner, 1934; =Arminoidea; =Bifaribranches Latr.; =Cladobranchia partim.; =Dipleurobranchia Gray; =Inferobranchiata Blainville, 1814 or Cuvier, 1817]

Burn, 1989:774 (key to families); Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:147; Franc, 1968:877; Griffiths, 1985:273; Jensen, 2000:437; 2000b:624; Nordsieck, 1972:70; Odhner, 1939:47; Schmekel, 1970:185; Schmekel & Portmann, 1982:172; Thompson, 1976a:46; 1988:236; Thompson & Brown, 1984:94; Vayssi  re, 1913a:244; Wells & Bryce, 1993:162; Willan, 1998a:1007; Willan & Morton, 1984:66

Superfamily: **Euarminoidea** Odhner in Franc, 1968:877

[=Arminoidea Pruvot-Fol, 1927; =Euarminiacea]

Franc, 1968:877; Parker, 1982:1050

Heterodorididae Fischer, 1883:528

[Atthilidae Bergh, 1900a:22]

Franc, 1968:878; Nordsieck, 1972:70; Parker, 1982:1050; Thompson & Brown, 1984:94

Arctoleura Odhner in Franc, 1968:878 {nomen nudum}

Atthila Bergh, 1900a:23

[=Dermatobranchus; =Heterodoris; non =Heterodoris vide Griffiths, 1985:279]

**Atthila ingolfiana* Bergh, 1900a:23 [non =*Heterodoris robusta* vide Griffiths, 1985:270]
Griffiths, 1985:278; Odhner, 1907:18

Heterodoris Verrill & Emerton, 1882a:548

[=Dermatobranchus]

Fischer, 1883:528; Griffiths, 1985:276 (table); Kolb & Wagele, 1998:56; Nordsieck, 1972:70; Thiele, 1931:441; 1992:722

Heterodoris antipodes Willan, 1981:325

Miller & Willan, 1986:386

Heterodoris ingolfiana (Bergh) |*Atthila*| [=Doridoxa]

Heterodoris robusta Verrill & Emerton, 1882a:549 (non Derjugin, 1929)

=*Dermatobranchus walteri*)

Bouchet, 1977a:58; Nordsieck, 1972:70; Odhner, 1926a:4

Heterodoris walteri (Krause, 1892) |*Pleuroleura*| [=Dermatobranchus; non =*H. robusta* vide Roginskaya, 1969]

Doridomorphidae ?Odhner in Franc, 1968:878

[=Doridoeididae]

Franc, 1968:878; Jensen, 2000:437; 2000b:624; Parker, 1982:1050; Thiele, 1926:112; 1992:724

Doridoeides Eliot & Evans, 1908:288

[=Doridomorpha]

**Doridoeides gardineri* Eliot & Evans, 1908:280 [=Doridomorpha]

Eliot, 1910:413; Thiele, 1992:725

Doridomorpha Eliot, 1906e:544
 (non Audouin & Milne-Edwards, 1832) [=Doridoides]

**Doridomorpha gardineri* Eliot, 1906e:544 [=Doridoeides]

Coleman, 2001:†; Griffiths, 1985:276 (table); Marcus & Marcus, 1960:913; Ono, 2004:233†; Rudman, 1982b:183

Arminidae Pruvot-Fol, 1927:46
 [=Pleurophyllididae]

Adams & Adams, 1858:44; Barnard, 1927:211; Bergh, 1863a:7; 1874a:247; 1890:65; 1892:68(1060), 73(1065) (Pleuroleuridae); Burn, 1989:775; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:149; Chenu, 1859:399; Eliot, 1906e:564; 1910d:160; Fischer, 1883:530; Franc, 1968:878; Gosliner, 1996a:205; Jensen, 1997:160; 2000:437; 2000b:624; Just & Edmunds, 1985:86; Kay, 1979:480; Kolb & Wagele, 1998:53; Marcus & Marcus, 1966:187; Misuri, 1917:29; Nordsieck, 1972:70; O'Donoghue, 1932:149; Parker, 1982:1050; Pelseneer, 1892a:145; Pruvot-Fol, 1937:56; 1954b:341; Sachidanandam, Willan, & Chou, 2000:529; Satyamurti, 1952:244; Thiele, 1926:112; 1931:441; 1992:722; Thompson, 1988:236; Thompson & Brown, 1984:94; Vayssiére, 1913a:244; Wells & Bryce, 1993:164; Willan & Coleman, 1984:48; Willan, 1998a:1007; Willan & Morton, 1984:66

Armina Rafinesque, 1814:30

Fez Sanchez, 1974:61; Jensen, 1997:161; Kolb & Wagele, 1998:54; MacFarland, 1966:197; Marcus & Marcus, 1966:188; McDonald, 1983:149; McDonald & Nybakken, 1980:58†; Pruvot-Fol, 1954b:342; 1955:462; Schmekel & Portmann, 1982:172; Thiele, 1931:442; 1992:723; Thompson, 1988:236; Thompson & Brown, 1984:95; Thompson, Cattaneo, & Wong, 1990:400

Armina abbotti Thompson, Cattaneo, & Wong, 1990 [=A. muelleri]

Armina adami White, 1955:188

Marcus & Marcus, 1966:193; 1968a:1339

Armina aoteana Miller & Willan, 1986:378

Armina babai (Tchang, 1934) |Linguella|

Jensen, 1997:181; Nakano, 2004:222†

Armina ballesterosi Ortea, 1989:25

Armina bayeri Marcus & Marcus, 1966:189

Armina californica (Cooper, 1863) |Pleurophyllidia|

Behrens, 1980:80†; 1991:80†; 2004:45; 2005:†; Behrens & Hermosillo, 2005:100†; Camacho-Garcia, Gosliner, & Valdes, 2005:97†; Debelius, 1996:†; Gosliner, 1996a:205; Jaeckle, 1984:211; Lamb & Hanby, 2005:265†; Lance, 1983:†; MacFarland, 1966:198†; Marcus, 1961:41; McDonald, 1983:149; McDonald & Nybakken, 1980:58†; Pruvot-Fol, 1955:462; Steinberg, 1963:64; Thompson, 1976:†; 1976a:†; Walls, 1982:328†

Armina capensis (Bergh, 1907) |Pleurophyllidia|

Marcus & Marcus, 1966:192; O'Donoghue, 1929a:67

Armina cara Marcus, 1971:362

Armina carneola Lim & Chou, 1970b:135

Armina columbiana O'Donoghue, 1924:11 [=A. californica]

Marcus, 1961:43; Steinberg, 1963:64

Armina comata (Bergh, 1880) |Pleurophyllidia|

Baba, 1935a:351; Jensen, 1997:176; Lin, 1981:183; Okutani, 2000:801†

- Armina convolvula* Lance, 1962b:51
- Armina cordellensis* Gosliner & Behrens, 1996:348
Behrens, 2004:24
- Armina cuvieri* (Orbigny, 1837) |*Diphyllidia*|
Schrödl, 1996:36†; 2003:61
- Armina cygnea* (Bergh, 1876) |*Pleurophyllidia*|
Behrens, 2005:†; Burn, 1989:775; Coleman, 1989:56†; 2001:†; Debelius, 1996:†; Pruvot-Fol, 1955:467;
Wells & Bryce, 1993:164†
- Armina digueti* Pruvot-Fol, 1955:464 [=*A. californica*]
- Armina elongata* Ardila & Valdes, 2004:136
- Armina euchroa* (Bergh, 1907) |*Pleurophyllidia*|
Marcus & Marcus, 1966:192
- Armina formosa* (Kelaart, 1858) |*Diphyllidia*|
Edmunds, 1972:87
- Armina gilchristi* White, 1955:187
Gosliner, 1987b:109†; Marcus & Marcus, 1966:192
- Armina grisea* O'Donoghue, 1929a:72
Marcus & Marcus, 1966:193
- Armina henneguyi* (Labbé, 1922) |*Pleurophyllidia*|
Marcus & Marcus, 1966:193; Nordsieck, 1972:70; Pruvot-Fol, 1954b:345
- Armina japonica* (Eliot, 1913) |*Pleurophyllidia*|
Baba, 1935a:349; 1949:162†; Debelius, 1996:†; Lin, 1981:187; Masuda, 1999:126†; Nakano,
2004:223†; Okutani, 2000:801†; Orr, 1981:74†; Suzuki, 2000:133†
- Armina joia* Marcus & Marcus, 1966:195
- Armina juliana* Ardila & Diaz, 2002:25
Ardila & Valdes, 2004:131
- Armina liouvillei* Pruvot-Fol, 1953b:63
Marcus & Marcus, 1966:193
- Armina loveni* (Bergh, 1866) |*Pleurophyllidia*|
Ardila & Diaz, 2002:28; Brown & Picton, 1979:18; Just & Edmunds, 1985:86†; Kolb, 1998:375;
Marcus & Marcus, 1966:192; Nordsieck, 1972:70; Odhner, 1939:49; Ortea, Moro, Bacallado, &
Herrera, 2001:†; Picton & Morrow, 1994:88†; Pruvot-Fol, 1954b:345; Thompson, 1988:236; Thompson
& Brown, 1976:136; 1984:96†
- Armina maculata* Rafinesque, 1814:30 [=*Armina pustulosa*; =*Pleurophyllidia pustulosa*]
Ballesteros, 1981:27; 1983:59; 1985:25; García & García-Gómez, 1990:83†; Garcia-Gomez, 2002:169;
Kolb, 1998:364; Marcus & Marcus, 1966:192; Nordsieck, 1972:70; Parent, Breton, & Reboux,
2001[2000]:29; Pruvot-Fol, 1927:76; 1937:64; 1954b:342; Riedl, 1983:324; Schmekel & Portmann,
1982:173; Thompson, Cattaneo, & Wong, 1990:400 Trainito, 2005:70†; Wirtz, 2005:78
- Armina magna* Baba, 1955:48†
Lin, 1981:185; Masuda, 1999:126†; Nakano, 2004:222†; Suzuki, 2000:132†
- Armina major* Baba, 1949 |*Armina* (*Armina*)|
Masuda, 1999:127†; Nakano, 2004:224†; Suzuki, 2000:132†
- Armina microdonta* (Bergh, 1907) |*Pleurophyllidia*|

- Marcus & Marcus, 1966:192; White, 1955:188
- Armina muelleri* (Ihering, 1886) |*Pleurophyllidia*|
Ardila & Diaz, 2002:28; Ardila & Valdes, 2004:133; Marcus & Marcus, 1960a:170; 1966:192
- Armina natalensis* (Bergh, 1866) |*Pleurophyllidia*|
Marcus & Marcus, 1966:192
- Armina neapolitana* (delle Chiaje, 1824) |*Pleurophyllidia*|
Kolb, 1998:356; Koutsoubas, Koukouras, & Thompson, 1993:158; Marcus & Marcus, 1966:192;
Nordsieck, 1972:70; Pruvot-Fol, 1937:59; 1954b:344†; Schmekel & Portmann, 1982:174†
- Armina papillata* Baba, 1933a:174
Baba, 1955:48†; Jensen, 1997:162; Lin, 1981:184; Nakano, 2004:223†
- Armina punctulata* Lin, 1990 |*Armina (Linguella)*|
Jensen, 1997:172
- Armina pustulosa* Bergh |*Pleurophyllidia pustulosa* (Schultz in Philippi, 1836)|
Fez Sanchez, 1974:62
- Armina pustulosa* (Schultz in Philippi, 1836) |*Diphyllidia*|
White, 1955:185
- Armina pustulosa* var. *denticulata* White, 1955:186
- Armina semperi* (Bergh, 1860) |*Pleurophyllidia*|
Baba, 1955:47†; Eales, 1938:113; Lin, 1981:186; Lin & Tchang, 1965:15; Masuda, 1999:127†; Nakano, 2004:223†; Nijssen-Meyer, 1965:147; Okutani, 2000:801†; Risbec, 1956a:28; Suzuki, 2000:133†
- Armina semperi* var. *erythraea* Pruvot-Fol, 1933b:111†
Pruvot-Fol, 1933a:146
- Armina serrata* O'Donoghue, 1929a:70
Marcus & Marcus, 1966:193
- Armina taeniolata* (Bergh, 1860) |*Pleurophyllidia*| (non Baba, 1937c:318 =*A. magna*)
Eales, 1938:116; Risbec, 1956:28; 1956a:28
- **Armina tigrina* Rafinesque, 1814:30
Abbott, 1954:83; Ardila & Diaz, 2002:28; Barletta, 1981:93; Barletta & Melone, 1976:219; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:149†; Eyster, 1980:591; Kolb, 1998:377; Marcus & Marcus, 1966:191; Nordsieck, 1972:70†; Perrone, 1986a:31; Pruvot-Fol, 1937:57; 1954b:344†; Riedl, 1983:325; Thompson, Cattaneo, & Wong, 1990:402; Trainito, 2003:40†; 2005:71†; White, 1955:184
- Armina tricuspidata* Thompson, Cattaneo, & Wong, 1990:404
- Armina undulata* (Meckel, 1823) |*Pleurophyllidia*|
Fez Sanchez, 1974:61
- Armina undulata* Stammer, 1816 [=*A. tigrina*]
- Armina vancouverensis* (Bergh, 1876) |*Pleurophyllidia*| [=*A. californica*]
Steinberg, 1963:64
- Armina variolosa* (Bergh, 1904) |*Linguella*|
Coleman, , 1989:57†; 2001:†; Jensen, 1997:166; Okutani, 2000:801†
- Armina wattla* Marcus & Marcus, 1967b:213 [=*A. muelleri*]
- Armina xandra* Marcus & Marcus, 1966
- Armina* sp. Allen & Steene, 1994:†

Armina sp. Beesley, Ross, & Wells, 1998:pl. 35†

Armina sp. Behrens, 2005:†

Armina sp. "Indian Armina" Coleman, 2001:†

Armina sp. Colin & Arneson, 1995:190†

Armina sp. Debelius, 1996:†

Armina sp. Garcia-Gomez, 2002:170

Armina sp. Haefelfinger & Kress, 1970:30

Armina sp. Lin, 1989:15

Armina sp. Masuda, 1999:127†

Armina sp. Narayanan, 1968a:209

Armina sp. Nakano, 2004:225†

Armina sp. Ono, 2004:230†

Armina sp.1 Suzuki, 2000:134†

Armina sp. Tan, Pai, & Hsha, 1987:82†

Armina sp.A Tonozuka, 2003:133†

Armina sp.A var. 1 Tonozuka, 2003:133†

Armina sp.A var. 2 Tonozuka, 2003:133†

Armina sp.A var. 3 Tonozuka, 2003:133†

Armina sp. Willan & Coleman, 1984:48†

Subgenus: (*Armina*) Rafinesque, 1814:30

Thiele, 1992:724

Armina (*Armina*) *appendiculata* Baba, 1949:163†

Lin, 1981:188

Armina (*Armina*) *bilamella* Ling Lin, 1981:190, 202

Armina (*Armina*) *longicauda* Lin, 1981:189, 201

Armina (*Armina*) *major* Baba, 1949:162†

Lin, 1981:185

Armina (*Armina*) *paucifoliata* Baba, 1955:49†

Armina (*Armina*) *sinensis* Lin, 1981:191, 202

Subgenus: (*Camarga*) Bergh, 1866:68

Thiele, 1992:724

Subgenus: (*Linguella*) Blainville, 1823

Fischer, 1883:531; Thiele, 1992:724

Armina (*Linguella*) *babai* (Tchang, 1934) |*Linguella*|

Baba, 1949:163†; Kazmi & Tirmizi, 1997:52†; Lin, 1981:192; Lin & Tchang, 1965:15

Armina (*Linguella*) *cinerea* Farran, 1905 |*Linguella*|

- Narayanan, 1968a:209
- Armina (Linguella) punctulata* Lin, 1990:434
- Armina (Linguella) punctilopsis* Lin, 1992:182
Kazmi & Tirmizi, 1997:56†
- Armina (Linguella) punctilucens* (Bergh, 1874) |*Linguella*|
Lin, 1981:192; Lin & Tchang, 1965:15
- Armina (Linguella) variolosa* (Bergh, 1904) |*Linguella*|
Baba, 1955:49†; Lin, 1981:192; Lin & Tchang, 1965:15
- Camarga*** Bergh, 1866:68 (Bergh, 1863:9(490) is nomen nudum)
[=*Histiomena*]
- Bergh, 1866a:333; 1890:70; 1892:72(1064); Eliot, 1906a:676; Miller & Willan, 1986:382; Thiele, 1931:442
- **Camarga marginata* (Oersted in Mörch, 1860) |*Pleurophyllidia*|
Bergh, 1866:70; 1866a:333
- Dermatobranchus*** Hasselt, 1824a:242
[=*Pleuroleura*]
- Fischer, 1883:532; Kolb & Wagele, 1998:56; O'Donoghue, 1929:718; Pruvot-Fol, 1954b:346; Thiele, 1931:441; 1992:722
- Dermatobranchus albopunctulatus* Baba, 1949 |*Dermatobranchus (Pleuroleura)*|
Masuda, 1999:129†; Nakano, 2004:224†; Suzuki, 2000:137†
- Dermatobranchus albus* (Eliot, 1904) |*Pleuroleura*|
Edmunds & Thompson, 1972:229; Nakano, 2004:226†; Ono, 2004:231†; Yonow, Anderson, & Buttress, 2001:872†
- Dermatobranchus fortunata* (Bergh, 1888) |*Pleuroleura*|
Coleman, 2001:†; Johnson & Boucher, 1983:282; Marshall & Willan, 1999:134†; Nakano, 2004:225†; Ono, 2004:230†
- Dermatobranchus glaber* (Eliot, 1908) |*Pleuroleura*|
- Dermatobranchus gonatophorus* Hasselt, 1824a:243 [=*Pleuroleura*]
Behrens, 2005:†; Bergh, 1874a:277; 1887a:313; Coleman, 2001:†; Debelius, 1996:†; Gosliner, Behrens, & Williams, 1996:174†; Nakano, 2004:226†; Ono, 2004:230†
- Dermatobranchus nigropunctatus* Baba, 1949 |*Dermatobranchus (Dermatobranchopsis)*|
Marshall & Willan, 1999:134†; Masuda, 1999:127†; Nakano, 2004:230†; Suzuki, 2000:136†
- Dermatobranchus ornatus* (Bergh, 1874) |*Pleuroleura*|
Behrens, 2005:†; Coleman, 1989:57†; 2001:†; Debelius, 1996:†; Masuda, 1999:129†; Nakano, 2004:227†; Ono, 2004:233†; Suzuki, 2000:136†; Wells & Bryce, 1993:164†; Willan & Coleman, 1984:48†
- Dermatobranchus otome* Baba, 1992a:242†
Masuda, 1999:128†; Nakano, 2004:227†; Okutani, 2000:801†
- Dermatobranchus primus* Baba, 1976 |*Dermatobranchus (Dermatobranchus)*|
Coleman, 2001:†; Nakano, 2004:225†; Suzuki, 2000:137†
- Dermatobranchus pulcherrimus* Miller & Willan, 1986:384
- Dermatobranchus pustulosus* Hasselt, 1824a:243
Bergh, 1874a:277; 1887a:312

- Dermatobranchus rubida* (Gould, 1852) |*Diphyllidia*|
Kay, 1979:480†
- Dermatobranchus semistriatus* Baba, 1949 |*Dermatobranchus (Dermatobranchus)*|
Masuda, 1999:128†; Nakano, 2004:228†; Okutani, 2000:801†; Suzuki, 2000:135†
- Dermatobranchus striatellus* Baba, 1949 |*Dermatobranchus (Dermatobranchus)*|
Masuda, 1999:128†; Nakano, 2004:228†; Okutani, 2000:801†; Suzuki, 2000:135†
- **Dermatobranchus striatus* Hasselt, 1824a:243 [=*Pleuroleura*]
Baba, 1937c:316; 1992a:239†; Bergh, 1874a:277; 1887a:311; Eales, 1938:111; Ono, 2004:233†
- Dermatobranchus tongshanensis* Lin, 1981 |*Dermatobranchus (Pleuroleura)*
tongshanensis |
Jensen, 2000a:175
- Dermatobranchus walteri* Krause, 1892 |*Pleuroleura*| (non =*Heterodoris robusta*, vide
Roginskaya, 1969)
Roginskaya, 1969:1320
- Dermatobranchus* sp. Behrens, 2005:†
- Dermatobranchus* sp. Bertsch & Johnson, 1981:87†
- Dermatobranchus* sp. "coastal dermatobranchus" Coleman, 2001:†
- Dermatobranchus* sp. "collared dermatobranchus" Coleman, 2001:†
- Dermatobranchus* sp. "dwarf dermatobranchus" Coleman, 2001:†
- Dermatobranchus* sp. "fine-lined dermatobranchus" Coleman, 1989:57†
Coleman, 2001:†
- Dermatobranchus* sp. "grey dermatobranchus" Coleman, 2001:†
- Dermatobranchus* sp. "okinawa dermatobranchus" Coleman, 2001:†
- Dermatobranchus* sp. "speckled dermatobranchus" Coleman, 2001:†
- Dermatobranchus* sp. "spot-edged dermatobranchus" Coleman, 2001:†
- Dermatobranchus* sp. "warty dermatobranchus" Coleman, 2001:†
- Dermatobranchus* sp. Debelius, 1996:†
- Dermatobranchus* sp.1 Gosliner, 1987b:110†
- Dermatobranchus* sp.2 Gosliner, 1987b:110†
- Dermatobranchus* sp.3 Gosliner, 1987b:110†
- Dermatobranchus* sp.4 Gosliner, 1987b:111†
- Dermatobranchus* sp. Masuda, 1999:128†
- Dermatobranchus* sp.1 cf. *pulcherrimus* Miller & Wilan, 1986
Nakano, 2004:228†
- Dermatobranchus* sp.2 Nakano, 2004:229†
- Dermatobranchus* sp.3 Nakano, 2004:229†
- Dermatobranchus* sp.4 Nakano, 2004:230†

- Dermatobranchus* sp.1. Ono, 1999:149†
Dermatobranchus sp.2. Ono, 1999:149†
Dermatobranchus sp.3 Ono, 1999:150†
Dermatobranchus sp.1 Ono, 2004:231†
Dermatobranchus sp.2 Ono, 2004:232†
Dermatobranchus sp.1 Suzuki, 2000:138†
Dermatobranchus sp.2 Suzuki, 2000:138†
Dermatobranchus sp.A Tonozuka, 2003:134†
Dermatobranchus sp.B Tonozuka, 2003:134†
Dermatobranchus sp. Yonow, Anderson, & Buttress, 2001:873

Subgenus: (*Dermatobranchopsis*) Baba, 1949:157
[=*Pleuroleura*]

- Dermatobranchus* (*Dermatobranchopsis*) *multidentatus* Baba, 1949:161†
Dermatobranchus (*Dermatobranchopsis*) *nigropunctatus* Baba, 1949:160†
Dermatobranchus (*Dermatobranchopsis*) *ornatus* (Bergh, 1874) |*Pleuroleura*|
Baba, 1949:159†
Dermatobranchus (*Dermatobranchopsis*) *sagamianus* Baba, 1949:161†
Subgenus: (*Dermatobranchus*)
Baba, 1949:157
Dermatobranchus (*Dermatobranchus*) *albopunctulatus* Baba, 1976 |*Dermatobranchus*
(*Pleuroleura*)|
Dermatobranchus (*Dermatobranchus*) *marginatus* Lin, 1981:192, 203
Dermatobranchus (*Dermatobranchus*) *primus* Baba, 1976:8
Dermatobranchus (*Dermatobranchus*) *semistriatus* Baba, 1949:159†
Baba, 1976:7; Narayanan, 1968a:207
Dermatobranchus (*Dermatobranchus*) *striatellus* Baba, 1949:158†
Baba, 1976:7
Dermatobranchus (*Dermatobranchus*) *striatus* Hasselt, 1824 |*Dermatobranchus*|
Abe, 1964:56; Baba, 1949:157†; 1976:4; Marcus & Marcus, 1970b:210
Dermatobranchus (*Dermatobranchus*) *substriatus* Baba, 1949:158†
Subgenus: (*Pleuroleura*)
Dermatobranchus (*Pleuroleura*) *albopunctulatus* Baba, 1976:11
Dermatobranchus (*Pleuroleura*) *multistriatus* Lin, 1981:196, 204

Dermatobranchus (Pleuroleura) nigropunctatus Baba, 1949 |*Dermatobranchus (Dermatobranchopsis)*|
Baba, 1976:10; Okutani, 2000:801†

Dermatobranchus (Pleuroleura) ornatus (Bergh, 1874) |*Pleuroleura*|
Baba, 1976:9; Lin, 1981:192; Okutani, 2000:801†

Dermatobranchus (Pleuroleura) tongshanensis Lin, 1981:194, 203

Diphyllidia Cuvier, 1817:395
[=Armina]

Cantraine, 1841:63; Cuvier, 1830:57; 1834:41; d'Orbigny, 1837:198; Eyedoux & Souleyet, 1852:455;
Fleming, 1822:477; Forbes & Hanley, 1852-1853:290; Gray, 1857:217; Kelaart, 1883:109; Lovén,
1844:50; 1845:153; Rang, 1829:1136; Voigt, 1834:128

**Diphyllidia brugmansii* Cuvier, 1830:57 {nomen nudum}

Diphyllidia cuvieri Orbigny, 1837:199 [=Armina]

Diphyllidia formosa Kelaart, 1858 [=Pleurophyllidia]
Kelaart, 1859a:494; 1883:109

Diphyllidia lineata Otto, 1820:121 [=Armina tigrina; =Pleurophyllidia;
=Pleurophyllidia undulata] (non Lovén, 1844:50 +Pleurophyllidia loveni)
Asbjörnsen, 1853:339; Cantraine, 1841:63; Fischer, 1871:103; Krauss, 1848:35; Lovén, 1844:50;
1845:153; 1847:189; Meckel, 1823:197

Diphyllidia marmorata Kelaart, 1859b:269 [=Pleurophyllidia]

Diphyllidia ocellata Deshayes, 1830, 1838 [=Armina maculata; =Pleurophyllidia;
=Pleurophyllidia pustulosa]

Diphyllidia pustulosa Schultz in Philippi, 1836:106 [=Armina maculata;
=Pleurophyllidia]
Fischer, 1871:103; 1874:233; Vérany, 1846:20; 1846a:100

Diphyllidia pustulosa var. Philippi, 1844 [=Pleurophyllidia verrucosa]

Diphyllidia rubida Gould, 1852

Diphyllidia verrucosa Cantraine, 1835:385 [=Armina maculata; =Pleurophyllidia]
Cantraine, 1841:64; Vérany, 1846:20; 1846a:100

Histiomena Mörch, 1860:124
[=Camarga]

Kolb & Wagele, 1998:54; Marcus & Marcus, 1966:189

Histiomena convolvula (Lance, 1962) |Armina|
Behrens & Hermosillo, 2005:100†; Bertsch & Kerstitch, 1984:267; Camacho-Garcia, Gosliner, &
Valdes, 2005:97†; Farmer, 1980:52; Kerstitch, 1988:†

**Histiomena marginata* (Oersted in Mörch, 1860) |Pleurophyllidia|

Linguella Blainville, 1823; Féruccac, 1822:xxix
[=Armina]

Bergh, 1874a:266; 1880c:176; 1890:70; 1892:72(1064); 1904:20; Blainville, 1825:491; Eliot,
1906a:676; Kolb & Wagele, 1998:54; Marcus & Marcus, 1966:188; Miller & Willan, 1986:382; Thiele,
1931:442; Vayssiére, 1913a:249

- Linguella babai* Tchang-Si, 1934:100
- Linguella cinerea* Farran, 1905a:334 [=Diphyllidia marmorata]
Eliot, 1906a:680
- **Linguella elforti* Blainville, 1825 [=L. quadrilateralis, =Sancara quadrilateralis]
O'Donoghue, 1929:760; Pruvot-Fol, 1937:65
- Linguella fallax* Bergh, 1880c:177
Eliot, 1906a:684
- Linguella iaira* (Bergh, 1865) |*Sancara*|
Bergh, 1874a:268
- Linguella punctilucens* Bergh, 1874a:268
Tchang Si, 1934:120
- Linguella quadrilateralis* (Bergh, 1860) |*Sancara*|
Bergh, 1874a:266; Eliot, 1910a:247; Vayssi  re, 1913a:249
- Linguella sarassinica* Bergh, 1890c:10
Eliot, 1905f:240; 1906a:683
- Linguella variolosa* Bergh, 1904:21 [=Armina]
Eliot, 1906a:681; 1913:40
- Linguella variolosa* var. *striata* Eliot
- Pleuroleura* Bergh, 1874a:277
[=Dermatobranchus]
- Bergh, 1874a:277; 1888a:353; Eliot, 1890:71; 1906e:566
- Pleuroleura alba* Eliot, 1904a:104 [=Dermatobranchus]
- Pleuroleura fortunata* Bergh, 1888a:353 [=Dermatobranchus]
- Pleuroleura glabra* Eliot, 1908a:88
- Pleuroleura gonatophora* (Hasselt, 1824) |*Dermatobranchus*|
Bergh, 1887a:318; 1888a:361
- **Pleuroleura ornata* Bergh, 1874a:278 [=Dermatobranchus]
Bergh, 1888a:353
- Pleuroleura pallida* Bergh, 1905a:212
- Pleuroleura picteti* Andr  , 1896:402
- Pleuroleura pustulosa* (Hasselt, 1824) |*Dermatobranchus*|
Bergh, 1887a:314; 1888a:357
- Pleuroleura striata* (Hasselt, 1824) |*Dermatobranchus*| [=Dermatobranchus]
Bergh, 1888a:362; 1905a:209  ; Eliot, 1906e:566; 1913:41
- Pleuroleura striata* var. Bergh, 1905a:210
- Pleuroleura suluensis* Bergh, 1905a:212
- Pleuroleura walteri* Krausse, 1892:366 [=Dermatobranchus]
Derjugin, 1915:549; 1929:11; H  gg, 1905:107; Knipowitsch, 1902:388; Odhner, 1907:35

***Pleurophyllidia* Meckel, 1816**
 [=Armina]

Adams & Adams, 1858:44; Bergh, 1860:326; 1866:15; 1874a:248; 1876:5; 1880c:172; 1890:69; 1892:71(1063); 1894:154; 1904:19; 1905a:213; Chenu, 1859:399; Cotton & Godfrey, 1933:99; Eliot, 1906a:676; 1906e:564; 1910d:160; Fischer, 1883:531; Hoeven, 1856:785; Meckel, 1826:13; Miller & Willan, 1986:382; Misuri, 1917:30; O'Donoghue, 1921:178; Thiele, 1931:442; Vayssi  re, 1901a:117; 1913a:245

Pleurophyllidia berghi Thiele, 1925:284

Pleurophyllidia brugmansii (Cuvier, 1830) |*Diphyllidia*|

Pleurophyllidia californica Cooper, 1863:203 [=Armina]

Bergh, 1890c:3; 1894:154; 1904:19

Pleurophyllidia capensis Bergh, 1907:99 [=Armina]

Pleurophyllidia ceylanica Bergh, 1890c:8

Pleurophyllidia chuni Thiele, 1925:285

Pleurophyllidia comta Bergh, 1880c:173 [=Armina]

Pleurophyllidia cuvierii (Orbigny, 1837) |*Diphyllidia*| [=Armina]

Andr  , 1896:402

Pleurophyllidia cuvieri Meckel, 1823 [=Armina tigrina; =*P. undulata*]

Pleurophyllidia cygnea Bergh, 1876:9

Basedow & Hedley, 1905:149; Cotton & Godfrey, 1933:99

Pleurophyllidia dellechiaje V  rany, 1862:87 {nomen nudum}

Pleurophyllidia euchroa Bergh, 1907:102

Pleurophyllidia formosa (Kelaart, 1858) |*Diphyllidia*|

Bergh, 1866:52; 1869:229; Eliot, 1906a:679  ; Farran, 1905a:333

Pleurophyllidia gilchristi Bergh, 1907:101 [=Armina]

Pleurophyllidia gracilis Bergh, 1874a:250

Eliot, 1906e:565

Pleurophyllidia henneguyi Labb  , 1922:51 [=Armina loveni]

Pleurophyllidia horati Eliot, 1903 |*Pleurophyllidiella*|

Pleurophyllidia japonica Eliot, 1913:37 [=Armina]

Pleurophyllidia lineata (Otto, 1820) |*Diphyllidia*|

Hoeven, 1856:785

Pleurophyllidia lineata V  rany [=P. undulata]

Pleurophyllidia lineolata delle Chiaje, 1841 [=Armina; =Armina neapolitana]

Pleurophyllidia loveni Bergh, 1860:328 {nomen nudum} [=Armina]

Bergh, 1866:29; 1866a:280; 1879f:77; Dons, 1934:183; Eliot, 1906c:347; 1910d:111  ; Grieg, 1913:90; Hoffmann, 1926:22; Odhner, 1907:35; Sars, 1870:186; Vayssi  re, 1913a:248

Pleurophyllidia lugubris Bergh, 1874a:255

Pleurophyllidia marmorata (Kelaart, 1859) |*Diphyllidia*|

- Bergh, 1866:58
- Pleurophyllidia marginata* Oersted, Bergh, 1857:208 {nomen nudum}
- Pleurophyllidia marginata* (Oersted in Sched.) Mörch, 1860:124 [=Camarga]
Bergh, 1860:330
- Pleurophyllidia microdonta* Bergh, 1907:103
- Pleurophyllidia mulleri* Ihering, 1886a:223
Ihering, 1915:143; Marcus & Marcus, 1967:108
- Pleurophyllidia napolitana* delle Chiaje, 1824
- Pleurophyllidia natalensis* Bergh, 1866:34
Bergh, 1866a:318
- Pleurophyllidia neapolitana* delle Chiaje, 1824 [=Armina; =Diphyllidia lineata; =P. lineata; =P. undulata]
- Pleurophyllidia ocellata* (Deshayes, 1830) |Diphyllidia| [=Armina maculata; =P. pustulosa]
(non Bergh, 1866:57, =Armina maculata Rafinesque, 1814)
- Pleurophyllidia pallida* Bergh, 1874a:262
- Pleurophyllidia paucidenta* O'Donoghue, 1932:149
- Pleurophyllidia petersi* Bergh, 1860:329
Bergh, 1866:46; 1866a:292
- Pleurophyllidia pustulosa* (Schultz in Philippi, 1836) |Diphyllidia| [=Armina maculata]
Bergh, 1860:329; 1866:53; 1866a:321; Cuénnot, 1915:30; Nobre, 1931:37; 1936:26; 1938-40:62;
Vayssière, 1913a:249
- Pleurophyllidia quadrilateralis* Bergh, 1857b:208 [=Linguella; =Sancara]
Bergh, 1860:330
- Pleurophyllidia rosea* Bergh, 1905a:213†
- Pleurophyllidia rubida* Gould, 1856
Bergh, 1866:51
- Pleurophyllidia semperi* Bergh, 1860:329
Bergh, 1866:37; 1866a:285; 1874a:249; Eliot, 1905f:238
- Pleurophyllidia similis* Eliot, 1913:39
- Pleurophyllidia simoniana* Thiele, 1925:285
- Pleurophyllidia stenidia* Bergh, 1905a:214†
- Pleurophyllidia taeniolata* (Peters) Bergh, 1860:328 [=Armina]
Bergh, 1866:42; 1866a:306; Eliot, 1905f:239; 1906a:679
- **Pleurophyllidia undulata* Meckel, 1823:197 [=Armina tigrina]
Bergh, 1860:328; 1866:16; 1866a:208; Labbé, 1922a:49; Mazzarelli, 1903:292; Misuri, 1917:30; Nobre, 1931:36; 1936:26; 1938-40:61; Vayssière, 1901a:117; 1913a:248
- Pleurophyllidia undulata* Stammer, 1816 [=Armina tigrina]
Cuénnot, 1915:22
- Pleurophyllidia vancouverensis* Bergh, 1876:5 [=Armina californica]

Pleurophyllidia vasconica Cuénnot, 1915 for 1914:25 [=Armina neapolitana]

Pleurophyllidia verrucosa (Cantraine, 1835) |Diphyllidia| [=Armina maculata; =P. pustulosa]
Bergh, 1866:58

Pleurophylliella Eliot, 1903:251

Eliot, 1906a:676; Kolb & Wagele, 1998:56; Satyamurti, 1952:245; Thiele, 1992:723

**Pleurophylliella horatii* Eliot, 1903:251

Pleurophylliella paucidentata O'Donoghue, 1932:149

Satyamurti, 1952:245

Pleurophylliopsis Tchang-Si, 1934a:149

Kolb & Wagele, 1998:56

**Pleurophylliopsis amoyensis* Tchang-Si, 1934a:149

Lin, 1981:197

Pleurophylliopsis orientalis Lin, 1981:197, 204

Pleurophylliopsis tsingtaoensis Lin, 1981:198, 205

Sancara Bergh, 1861 for 1860:330

[=Linguella]

Bergh, 1863a:9; 1866:59; 1866a:344; Miller & Willan, 1986:382

Sancara iaira Bergh, 1865:178, 193 [=Linguella]

Bergh, 1866:64; 1866a:356

**Sancara quadrilateralis* Bergh, 1861 for 1860:330 [=Linguella]

Bergh, 1863a:10; 1865:193; 1866:60; 1866a:344

Lemindidae Griffiths, 1985:270

Leminda Griffiths, 1985:270

Leminda millecra Griffiths, 1985:270

Gosliner, 1987b:111†

Superfamily: Metarminoidea Odhner, 1968:878

Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:151; Franc, 1968:878; Thompson & Brown, 1984:96

Tribe: Pachygnatha

Franc, 1968:879; Parker, 1982:1051

Madrellidae Vayssi  re, 1909:636

Burn, 1989:775; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:153; Franc, 1968:879; Jensen, 2000:437; 2000b:624; Nordsieck, 1972:70; Parker, 1982:1051; Pruvot-Fol, 1954b:376; Risbec, 1928:225; 1953:120; Thiele, 1931:451; 1992:737; Vayssi  re, 1913a:265; Wells & Bryce, 1993:166†; Willan, 1998a:1009; Willan & Coleman, 1984:48

Eliotia Vayssi  re, 1909:636

Nordsieck, 1972:71; Pruvot-Fol, 1954b:378; Thiele, 1931:451; Vayssi  re, 1910:97; 1913a:267

Eliotia souleyeti Vayssi  re, 1909:636

Nordsieck, 1972:71; Pruvot-Fol, 1954b:378; Thiele, 1992:738; Vayssi  re, 1910:98; 1913a:267

Madrella Alder & Hancock, 1864:141

Bergh, 1890:42; 1892:45(1037); Fischer, 1883:538; Nordsieck, 1972:70; Thiele, 1931:451; Thompson, Cattaneo, & Wong, 1990:407; Pruvot-Fol, 1954b:376; Thiele, 1992:737; Vayssi  re, 1903:88; 1913a:266

Madrella aurantiaca Vayssi  re, 1903a:89 [=*M. sanguinea*]

Barletta, 1981:95; Barletta & Melone, 1976:222; Nordsieck, 1972:71; Pruvot-Fol, 1954b:376; Trainito, 2005:71†; Vayssi  re, 1913a:266; 1920a:162; 1930

**Madrella ferruginosa* Alder & Hancock, 1864:142 [=*M. sanguinea*]

Coleman, 1989:58†; 2001:†; Eliot, 1902:71†; 1905c:269; 1906e:569; Nakano, 2004:231†; Odhner, 1917:63; Ono, 2004:234†; Risbec, 1928:226†; 1953:120; Willan & Coleman, 1984:48†

Madrella gloriosa Baba, 1949:164† [=*M. sanguinea*]

Nakano, 2004:232†; Suzuki, 2000:139†

Madrella granularis Baba, 1949:165† [=*M. sanguinea*]*Madrella sanguinea* (Angas, 1864) |Janus|

Baba, 1935b:181; 1949:164†; Burn, 1957:23; 1966a:277; 1989:776; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:153†; Coleman, 2001:†; Debelius, 1996:†; Masuda, 1999:129†; Rudman & Avern, 1988:†; Suzuki, 2000:139†; Thompson, 1976:†; Thompson, Cattaneo, & Wong, 1990:407; Wells & Bryce, 1993:166†

Dironidae Eliot, 1910:69

Franc, 1968:879; MacFarland, 1912:516; Parker, 1982:1051; Thiele, 1926:113; 1931:444; 1992:727; Volodchenko, 1955:251

Dirona MacFarland in Cockerell & Eliot, 1905:45

MacFarland, 1912:516; 1966:295; McDonald, 1983:177; McDonald & Nybakken, 1980:58; O'Donoghue, 1921:181; Thiele, 1992:727

Dirona akkeshiensis Baba, 1957:13*Dirona albolineata* MacFarland, 1912:518†

Behrens, 1980:82†; 1991:80†; 2005:†; Behrens & Hermosillo, 2005:101†; Debelius, 1996:†; Farmer, 1980:78; George & George, pl. 92†; Lamb & Hanby, 2005:266†; Lance, 1983:†; Lee & Foster, 1985:445; MacFarland, 1966:298†; Marcus, 1961:46; McDonald, 1983:178; McDonald & Nybakken, 1980:58†; O'Donoghue, 1921:181; Thompson, Thompson, 1976:†; 1976a:†; Volodchenko, 1955:251; Walls, 1982:325†; (non Baba, 1935c:120 =*D. akkeshiensis*, vide Baba, 1957:13)

Dirona aurantia Hurst, 1966:9† [=*D. pellucida*]

Behrens, 1980:82†; 1991:81†; 2004:45; 2005:†; Farmer, 1980:79; Hurst, 1967:356; Robilliard & Barr, 1978:153; Thompson, 1976:†

Dirona pellucida Volodchenko, 1941:56, 65

Behrens & Hermosillo, 2005:102†; Lamb & Hanby, 2005:266†; Martynov, 1997:238; Nakano, 2004:222, 231†

**Dirona picta* MacFarland in Cockerell & Eliot, 1905:46

Behrens, 1980:82†; 1991:81†; 2004:45; 2005:†; Behrens & Hermosillo, 2005:102†; Farmer, 1980:80; MacFarland, 1912:517†; 1966:296†; Marcus, 1961:44; Marcus & Marcus, 1967:216; McDonald, 1983:178; McDonald & Nybakken, 1980:58†; Volodchenko, 1955:252

Dirona sp. MacGinitie & MacGinitie, 1949:178 [=*D. albolineata*]

Zephyrinidae

[=Janidae Bergh; =Janolidae Pruvot-Fol, 1954; =Proctonotidae Alder & Hancock, ?1864 or Bergh, 1892; =Venilinae]

Adams & Adams, 1858:67; Barnard, 1927:206; Bergh, 1892:44(1036); 1904:7; Burn, 1989:776; Burn & Miller, 1969:28; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:155; Chenu, 1859:408; Edmunds & Just, 1985:61; Eliot, 1910d:164; Fez Sanchez, 1974:106; Fischer, 1883:538; Franc, 1968:879; Gosliner, 1981a:26; Hayward, Wigham, & Yonow, 1990:720; Jeffreys, 1869:57; Jensen, 2000:437; 2000b:624; Miller & Willan, 1986:386; Nordsieck, 1972:71; Parker, 1982:1052; Pelseneer, 1892a:145; Pruvot-Fol, 1951:52; 1954b:371; Willan, 1998a:1009; Schmekel, 1970:186; Schmekel & Portmann, 1982:176; Thiele, 1926:113; 1992:733; Thompson, 1988:238; Thompson & Brown, 1984:97; Vayssiére, 1913a:268; Willan & Coleman, 1984:48; Willan & Morton, 1984:67

Antiopa Alder & Hancock, 1848a:190
(non Meigen, 1800) [=Janolus]

Alder & Hancock, 1851a:fam. 3, pl. 43; Forbes & Hanley, 1850-1851:608; Hoyle, 1902:214; Jeffreys, 1869:58

Antiopa cristata (delle Chiaje, 1841) |*Eolis*| [=Janolus; =Janus]

Alder & Hancock, 1854a:fam. 3, pl. 44†; Colgan, 1914:188; Hoffmann, 1926:21; Jeffreys, 1869:58; Nobre, 1931:33; 1936:23; 1938-40:74; Odhner, 1907:34

Antiopa hyalina Alder & Hancock, 1854:105 [=Janolus]

Alder & Hancock, 1854a:fam. 3, pl. 44†; 1855:append. 38; Byerley, 1854:46; Jeffreys, 1869:59

Antiopa spinolae (Vérany, 1846) |*Janus*| [=Janolus cristatus]

Hancock, 1851:25

**Antiopa splendida* Alder & Hancock, 1848a:190 [=A. cristata]

Forbes & Hanley, 1850-1851:609; 1852-1853:287

Antiopa sp. Sauvage, 1873:36

Antiopella Hoyle, 1902:214
[=Janolus]

Eliot, 1910d:164; McDonald, 1983:146; McDonald & Nybakken, 1980:58; Nordsieck, 1972:71; Pruvot-Fol, 1954b:374

Antiopella aureocincta MacFarland, 1966:303† [=Antiopella barbarensis; =Janolus barbarensis]

Steinberg, 1963:66

Antiopella barbarensis (Cooper, 1863) |*Aeolis*|

Behrens, 1980:80†; Farmer, 1980:166; Lance, 1969:†; 1983:†; McDonald, 1983:146; McDonald & Nybakken, 1980:58†; Steinberg, 1963:65

Antiopella cristata (delle Chiaje, 1841) |*Eolis*| [=Janolus]

Barletta, 1981:97; Barletta & Melone, 1976:221; Brown & Picton, 1979:18; Danrigal & Huyghens, 1981: †; Eliot, 1906c:373; Farran, 1909:9; Hunnam & Brown, 1975:151; Jutting & Engel, 1936:56; Nordsieck, 1972:71; Pruvot-Fol, 1954b:375; Riedl, 1983:325; Schmekel, 1970:187; Thompson & Brown, 1976:138; Vicente, 1967:156; 1991a:19†

Antiopella fusca (O'Donoghue, 1924) |*Janolus*|

Pruvot-Fol, 1954b:375; Steinberg, 1963:65

Antiopella hyalina (Alder & Hancock, 1854) |*Antiopa*| [=Janolus]

Brown & Picton, 1979:18; Thompson & Brown, 1976:140

Antiopella indica Eliot, 1909:143 [=Janolus]

Gary McDonald, Long Marine Lab, 100 Shaffer Rd., Santa Cruz, Cal. 95060

Antiopella mucloc Marcus, 1958a:37 [=*Janolus*]

Marcus, 1958:57

Antiopella novozelandiae Eliot, 1907a:331 [=*Janolus*]

Antiopella praeclarus Bouchet, 1975:127 [=*Janolus*]

Antiopella sp. Bertsch & Johnson, 1981:86†

Antiopella sp. Burn, 1966a:277

Antiopella sp. “lined Antiopella” Coleman, 2001:†

Bonisa Gosliner, 1981a:17

**Bonisa nakaza* Gosliner, 1981a:19†

Gosliner, 1987b:112†

Caldukia Burn & Miller, 1969:23

**Caldukia affinis* (Burn, 1958) |*Proctonotus*|

Burn & Miller, 1969:24; 1989:776; Coleman, 2001:†

Caldukia albolineata Miller, 1970:279

Miller & Willan, 1986:405; Powell, 1979:288

Caldukia rubiginosa Miller, 1970:284

Coleman, 2001:†; Miller & Willan, 1986:406; Powell, 1979:288; Willan & Morton, 1984:68

Galeojanolus Miller, 1971:491

Miller & Willan, 1986:405; Willan & Morton, 1984:68

Galeojanolus ionnae Miller, 1971:492

Coleman, 2001:†; Miller & Willan, 1986:405; Powell, 1979:288

Janolus Bergh, 1884a:18

Barnard, 1927:207; Bergh, 1890:42; 1892:44(1036); 1904:7; Eliot, 1910d:165; Fez Sanchez, 1974:107; Miller & Willan, 1986:388; Nordsieck, 1972:71; O'Donoghue, 1924:14; Pruvot-Fol, 1954b:374; Schmekel & Portmann, 1982:176; Thiele, 1931:448; 1992:733; Thompson, 1988:238; Thompson & Brown, 1984:97; Vayssi  re, 1913a:269

**Janolus australis* Bergh, 1884a:19

Janolus barbarensis (Cooper, 1863) |*Aeolis*| [=*Antiopella*]

Behrens, 1991:81†; 2004:45; 2005:†; Behrens & Hermosillo, 2005:102†; Camacho-Garcia, Gosliner, & Valdes, 2005:97†; Debelius, 1996:†; Gosliner, 1982a:219; O'Donoghue, 1922c:141

Janolus canuncta

Debelius, 1996:†

Janolus capensis Bergh, 1907:90

Barnard, 1927:207; Gosliner, 1981a:2†; 1987b:111†; King & Fraser, 2002:128

Janolus carinata

Debelius, 1996:†

Janolus chilensis Fischer, Cervera, & Ortea, 1997:234

Schr  dl, 2003:62

Janolus coeruleopictus Cockerell in Cockerell & Eliot, 1905:48 [=*J. barbarensis*]

O'Donoghue, 1922c:141; Steinberg, 1963:66

Janolus comis Marcus, 1955:170

- Marcus, 1958:32; Marcus & Marcus, 1960a:176; Redfern, 2001:179†
- Janolus costacubaensis* Espinosa & Ortea, 2000:80
Espinosa & Ortea, 2001:†
- Janolus cristatus* (delle Chiaje, 1841) |*Eolis*|
Ballesteros, 1984a:†; 1985:25; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:155†; Dekker, 1989:101; Garcia-Gomez, 2002:171†; Hayward, Wigham, & Yonow, 1990:720; Marín & Ros, 1990:214; McMillan, 1968:70; Mienis & Gat, 1992a:6; Perrone, 1986a:31; Picton & Morrow, 1994:88†; Schmekel & Portmann, 1982:177†; Swennen, 1987:39; Templado, Talavera, & Murillo, 1987:94; Thompson, 1988:238†; Thompson & Brown, 1984:97†; Trainito, 2003:42†; 2005:72†; Turk, 2000:165†; Wirtz, 1999:†
- Janolus eximius* Miller & Willan, 1986:402
- vstoi* Ortea & Llera, 1988:33
Ortea, Moro, Bacallado, & Herrera, 2001:†; Ortea, Moro, Caballer, & Bacallado, 2003:172†
- Janolus flagellatus* Eliot, 1906c:374 [=*J. cristatus*]
Vayssiére, 1913a:270
- Janolus fuscus* O'Donoghue, 1924:16
Behrens, 1991:82†; 2004:45; Behrens & Hermosillo, 2005:103†; Gosliner, 1982a:222; Lamb & Hanby, 2005:266†; Nakano, 2004:232†
- Janolus hyalinus* (Alder & Hancock, 1854) |*Antiopa*| [=*Antiopella*]
Bergh, 1904:8; Burn, 1958:14; Eliot, 1906c:374; 1910d:122†; Farran, 1909:9; Fez Sanchez, 1974:107; Miller & Willan, 1986:394; Nordsieck, 1972:71; Ortea, 1978:114; Picton & Morrow, 1994:90†; Pruvot-Fol, 1954b:374; Riedl, 1983:325; Schmekel, 1970:186; Schmekel & Portmann, 1982:179; Thompson, 1988:240; Thompson & Brown, 1984:98†; Trainito, 2005:72†; Vayssiére, 1913a:269
- Janolus hyalinus* var. Labbé, 1932:444
- Janolus ignis* Miller & Willan, 1986:397
Debelius, 1996:†
- Janolus indicus* (Eliot, 1909) |*Antiopella*|
Baba, 1986a:182 Nakano, 2004:233†
- Janolus longidentatus* Gosliner, 1981a:9†
Gosliner, 1987b:112†; Snyman 1989:1
- Janolus mirabilis* Baba & Abe, 1970:65
Coleman, 2001:†; Marshall & Willan, 1999:135†; Nakano, 2004:230†; Ono, 1999:148†; 2004:234†;
- Janolus mokohinua* Miller & Willan, 1986:400
Coleman, 2001:†
- Janolus novozealandicus* (Eliot, 1907) |*Antiopella*|
Enderby & Enderby, 2005:8†; Miller & Willan, 1986:389; Powell, 1979:288; Willan & Coleman, 1984:48†; Willan & Morton, 1984:67
- Janolus praecincta* (Bouchet, 1975) |*Antiopella*|
- Janolus rebeccaiae* Schrödl, 1996b:294
Schrödl, 2003:63†
- Janolus spinolae* (Vérany, 1846) |*Janus*| [=*J. cristatus*]
- Janolus toyamensis* Baba & Abe, 1970:63
Baba, 1986a:183; Nakano, 2004:233†; Ono, 1999:147†; 2004:235†

- Janolus* sp. Behrens, 1980:104†
- Janolus* sp.1 Behrens, 1991:82†
Behrens & Hermosillo, 2005:103†
- Janolus* sp. Behrens, 2004:24†
- Janolus* sp. Behrens, 2005:†
- Janolus* sp. 1 Behrens & Hermosillo, 2005:103†
- Janolus* sp. Burn, 1966a:278
- Janolus* sp. Camacho-Garcia, Gosliner, & Valdes, 2005:97†
- Janolus* sp. "orange janolus" Coleman, 1989:58†
- Janolus* sp. "Coleman's janolus" Coleman, 2001:†
- Janolus* sp. "extraordinary janolus" Coleman, 2001:†
- Janolus* sp. "exquisite janolus" Coleman, 2001:†
- Janolus* sp. "purple-tipped janolus" Coleman, 2001:†
- Janolus* sp. "ringed janolus" Coleman, 2001:†
- Janolus* sp. Debelius, 1996:†
- Janolus* sp. Edmunds & Just, 1985:61 [=*J. costacubensis*]
- Janolus* sp Gosliner, Behrens, & Williams, 1996:174†
- Janolus* sp. Lamb & Hanby, 2005:267†
- Janolus* sp. Masuda, 1999:129†
- Janolus* sp.1 Nakano, 2004:234†
- Janolus* sp.2 Nakano, 2004:234†
- Janolus* sp.3 Nakano, 2004:234†
- Janolus* sp.4 Nakano, 2004:234†
- Janolus* sp. Ono, 1999:141,148†
- Janolus* sp.1 Ono, 2004:236†
- Janolus* sp.2 Ono, 2004:236†
- Janolus* sp.3 Ono, 2004:237†
- Janolus* sp.4 Ono, 2004:237†
- Janolus* sp.5 Ono, 2004:238†
- Janolus* sp. Picton & Morrow, 1994:135†
- Janolus* sp.1 Schrödl, 1996:36† [=*Janolus rebecca*]
- Janolus* sp. Takahashi, 1967:3
- Janolus* sp.A Tonozuka 2003:132†
- Janolus* sp.A var. 1Tonozuka 2003:132†

Janus Vérany, 1844:302

(non Stephens, 1835) [=Antiopella; =Janolus]

Adams & Adams, 1858:68; Bergh, 1873a:597; 1882:64; 1890:41; 1892:44(1036); Blanchard, 1849:76; Chenu, 1859:409; Costa, 1867:32; Eyedoux & Souleyet, 1852:435; Fez Sanchez, 1974:106; Fischer, 1883:538; Gray, 1857:221; Trinchese, 1881:75; 1881a:75; Vayssiére, 1888d:29; 1913a:268; Vérany, 1845:121; 1846:24; 1846a:104

Janus cristatus (delle Chiaje, 1841) |Eolis| [=Janolus]

Bergh, 1873a:598; 1882:65; Costa, 1867:33; Fez Sanchez, 1974:106†; Mazzarelli, 1903:286; Misuri, 1917:37; Tchang Si, 1931a:120; Tiberi, 1880:224; Trinchese, 1881:77†; 1881a:77; Vayssiére, 1888d:29; 1913a:268

Janus sanguineus Angas, 1864:63 [=Madrella]

Burn, 1965:89

****Janus spinolae*** Vérany, 1846a:104 [=Antiopa cristata; =Antiopella cristata; =J. cristatus; =Janolus cristatus]

Blanchard, 1849:77; Vérany, 1845:121; 1846:24

Pinufius Marcus & Marcus, 1960:913

[Willan, 1998a:1010 places this genus in the family Pinufiidae (see Jensen 2000:437)]

****Pinufius rebus*** Marcus & Marcus, 1960:914

Ono, 2004:238†; Rudman, 1981:387; 1982b:189

Proctonotus Alder, 1844:407 (nom. nov. for *Venilia*)

[=Venilia; =Zephyrina]

Adams & Adams, 1858:68; Alder & Hancock, 1851a:genus 18; Bergh, 1890:42; 1892:45(1037); Eliot, 1910d:165; Fischer, 1883:538; Forbes & Hanley, 1850-1851:607; Gray, 1857:220; Hoeven, 1856:780; Jeffreys, 1869:57; Kelaart, 1883:106; Thompson, 1988:242; Thompson & Brown, 1984:100; Vayssiére, 1913a:268

Proctonotus affinis Burn, 1958:15 [=Caldukia]

Burn, 1966a:278

Proctonotus delicatae Caruana, 1867:31****Proctonotus mucroniferus*** (Alder & Hancock, 1844) |Venilia| [=Zephyrina; =Zephyrina pilosa]

Alder & Hancock, 1846:fam. 3, pl. 42†; Colgan, 1914:189; Farran, 1904:9; Forbes & Hanley, 1850-1851:608; Jeffreys, 1869:57; Picton & Morrow, 1994:90†; Thompson, 1988:242; Thompson & Brown, 1976:142; 1984:100†; Vayssiére, 1913a:268

Proctonotus orientalis Kelaart, 1858 [=Phyllobranchus rubicundus, a sacoglossan]

Kelaart, 1859a:492; 1883:106

Venilia Alder & Hancock, 1844:161

(non Godart, 1829; non Stephens, 1835) [=Proctonotus; =Zephyrina]

Alder, 1844:407; Alder & Hancock, 1844d:190; Chenu, 1859:408

****Venilia mucronifera*** Alder & Hancock, 1844:163 [=Proctonotus; =Zephyrina; =Zephyrina pilosa]***Zephyrina*** Quatrefages, 1844d:130

[=Proctonotus; =Venilia]

Fez Sanchez, 1974:108; Nordsieck, 1972:71; Pruvot-Fol, 1954b:372; Thiele, 1931:448; 1992:733

Zephyrina lesiana (MacGillivray, 1843) |*Aeolis*|
Nordsieck, 1972:71

Zephyrina mucronifera (Alder & Hancock, 1844) |*Venilia*| [=*Proctonotus*]
Fez Sanchez, 1974:108

**Zephyrina pilosa* Quatrefages, 1844d:130 [=*Proctonotus*; =*Proctonotus mucroniferus*;
=*Z. mucronifera*]
Nordsieck, 1972:71; Pruvot-Fol, 1954b:373

Tribe: **Leptognatha**

Franc, 1968:880; Parker, 1982:1052

Goniaeolididae Odhner, 1907

Franc, 1968:880; Nordsieck, 1972:71; Odhner, 1922:10; Parker, 1982:1052; Thiele, 1926:112;
1931:450; 1992:737

Goniaeolis Sars, 1861:244
(non Bergh, 1887:13 =*Chlamylla*)

Bergh, 1890:35; 1892:37(1029); 1900a:35; Fischer, 1883:540; Nordsieck, 1972:71; Odhner, 1922:18;
1939:49; Sars, 1872:39; Thiele, 1931:450; 1992:737

Goniaeolis atypica Bergh, 1900a:37 [=*Chlamylla atypica*]

Goniaeolis intermedia Bergh, 1900a:36 [=*Chlamylla borealis*]

Goniaeolis lobata Odhner, 1907:18, 97 [=*G. typica*]
Hoffmann, 1926:9

**Goniaeolis typica* Sars, 1861:244

Bergh, 1887:13; 1900a:36; Nordsieck, 1972:71; Odhner, 1922:11; Sars, 1872:37

Charcotiidae Odhner, 1926

Franc, 1968:880; Jensen, 2000:437; 2000b:624; Parker, 1982:1052; Wägele, 1991:359; Willan,
1998a:1008

Charcotia Vayssièvre, 1906a:27

Griffiths, 1985:276 (table); Thiele, 1931:450; 1992:737; Vayssièvre, 1906b:148

**Charcotia granulosa* Vayssièvre, 1906a:28
Vayssièvre, 1906b:148; Wägele, Barnes, & Bullough, 1995:197

Pseudotritonia Thiele, 1912:224

Boss & Bieler, 1991:50; Griffiths, 1985:276 (table); Odhner, 1944:11; Thiele, 1931:450; 1992:736;
Wägele, 1991:385

Pseudotritonia gracilidens Odhner, 1944:5

Cattaneo-Vietti, 1991:224; Wägele, 1991:369; Wägele, Bullough, & Barnes, 1995:209

**Pseudotritonia quadrangularis* Thiele, 1912:224
Wägele, 1991:361

Telarma Odhner, 1934:272

Griffiths, 1985:276 (table); Wägele, 1991:385

**Telarma antarctica* Odhner, 1934:272 [=*Pseudotritonia*]
Vicente & Arnaud, 1974:537; Wägele, 1991:375

Heroidae Bergh, 1892:45(1037)

Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:151; Eliot, 1910d:164; Franc, 1968:880; Nordsieck, 1972:72; Parker, 1982:1052; Schmekel & Portmann, 1982:181; Thiele, 1926:113; 1992:741; Thompson, 1988:244; Thompson & Brown, 1984:100; Vayssi  re, 1913a:306

Cloelia Lov  n, 1841 for 1839:235 [=*Hero*; =*Tritonia*] (non Fitzinger, 1833)

Adams & Adams, 1858:79; Chenu, 1859:414; Lov  n, 1842:363; 1844:49; 1845:152

**Cloelia formosa* Lov  n, 1841 for 1839:235 [=*Hero*]
Lov  n, 1842:363; 1844:49; 1845:152

Cloelia fimbriata (Muller, 1806) |*Doris*|
Lov  n, 1841:235; 1842:363

Cloelia mediterranea Costa, 1866 [=*Hero blanchardi* vide Vayssi  re, 1888d:89]
(possibly *Tenellia mediterranea* Costa 1866 for 1863:76)
Carus, 1889-1893:216

Cloelia nigrovittata (Costa, 1866) |*Embletonia*|
Tiberi, 1880:240

Cloelia trilineata Sars, 1850:194 [=*Hero formosa*]

Cloelia viridis (Costa, 1866) |*Embletonia*|
Tiberi, 1880:240

Hero (Lov  n) Alder & Hancock, 1855:xx

Bergh, 1874b:309; 1888:698; 1890:42; 1892:45(1037); Eliot, 1905b:239; 1910d:120, 164; Fischer, 1883:535; Gray, 1857:221; Jeffreys, 1869:63; Nordsieck, 1972:72; Odhner, 1907:27; Pruvot-Fol, 1954b:361; Sars, 1878:316; Schmekel & Portmann, 1982:181; Thiele, 1931:453; 1992:742; Thompson, 1988:244; Thompson & Brown, 1984:100; Vayssi  re, 1888a:197; 1888b:136; 1888d:88; 1913a:307

Hero blanchardi Vayssi  re, 1888d:89

Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:151†; Nordsieck, 1972:72; Pruvot-Fol, 1951:50; 1954b:363; Schmekel & Portmann, 1982:181†; Trainito, 2005:71†; Vayssi  re, 1888d:89; 1929; Vicente, 1967:156

Hero fimbriata (Vahl, 1806) [=*H. formosa*; =*Tritonia hombergi*]

**Hero formosa* (Lov  n, 1841) |*Cloelia*|
Bergh, 1874b:310; 1888:699; Brown & Picton, 1979:18; Eliot, 1910d:120†; Grieg, 1897:31; Herdman, 1881:29; 1889b:237; Hoffmann, 1926:21; Jeffreys, 1869:63; Larsen, 1925:42; Nordsieck, 1972:72; Odhner, 1907:34; Picton & Morrow, 1994:92†; Pruvot-Fol, 1954b:361; Sars, 1870:193; 1878:316; Thompson, 1988:144; Thompson & Brown, 1976:144; 1984:100†; Vayssi  re, 1913a:307

Hero formosa var. *arborescens* Eliot, 1905b:239 [=*H. formosa*]
Eliot, 1910d:121; Nordsieck, 1972:72

Hero mediterranea (Costa, 1866) |*Cloelia*|
Eliot, 1905b:239

Hero sp. Bergh, 1874b:313

Aeolidacea Odhner, 1934:278

[=*Aeolidina* Odhner, 1934; =*Aeolidoidea*; =*Cerabbranchia*, partim.; =*Cirrobranches* Vayssi  re, 1888 partim.; =*Cladobranchia* partim.; =*Cladohepatica* Bergh, 1892]

Barnard, 1927:200; Bergh, 1892:7(999); 1905a:203; Burn, 1989:780; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:157; Franc, 1968:880; Grossu, 1986:441; Jensen, 2000:440; 2000b:625; Jensen & Clark, 1986:454; Kay, 1979:480; Miller, 1971a:312; Nordsieck, 1972:72; Odhner, 1907:26 (key to genera); 1939:50; Parker, 1982:1052; Roginskaya, 1987d:177; Rudman, 1998b:1011; Schmekel & Portmann, 1982:183; Thiele, 1931:441; 1992:722; Thompson, 1976a:†47 1988:246; Thompson & Brown, 1984:103; Vayssi  re, 1913a:244; Wells & Bryce, 1993:150; Willan & Morton, 1984:69

- Aeolid sp.1 Hermosillo, 2004:111
Aeolidacea sp. Masuda, 1999:132†
Aeolidacea sp. Masuda, 1999:133†
Aeolidina sp. 1 Nakano, 2004:267†
Aeolidina sp.2 Nakano, 2004:272†
Aeolidina sp.3 Nakano, 2004:284†
Aeolidina sp.4 Nakano, 2004:284†
Aeolidina sp.5 Nakano, 2004:284†
Aeolidina sp.6 Nakano, 2004:284†
Aeolidina sp.7 Nakano, 2004:284†
Aeolidina sp.8 Nakano, 2004:284†
Aeolidina sp.9 Nakano, 2004:285†
Aeolidina sp.10 Nakano, 2004:285†
Aeolidina sp.11 Nakano, 2004:285†
Aeolidina sp.12 Nakano, 2004:285†
Aeolidina sp.13 Nakano, 2004:285†
Aeolidina sp.14 Nakano, 2004:285†
Aeolidina sp.15 Nakano, 2004:286†
Aeolidina sp.16 Nakano, 2004:286†
Aeolidina sp.17 Nakano, 2004:286†
Aeolidina sp.18 Nakano, 2004:286†
Aeolidina sp.19 Nakano, 2004:286†
Aeolidina sp.20 Nakano, 2004:286†
Aeolidina sp.21 Nakano, 2004:287†
Aeolidina sp.22 Nakano, 2004:287†
Aeolidina sp.23 Nakano, 2004:287†
Aeolidina sp.24 Nakano, 2004:287†
Aeolidina sp.25 Nakano, 2004:287†
Aeolidina sp.26 Nakano, 2004:288†

- Aeolidina sp.27 Nakano, 2004:288†
Aeolidina sp.28 Nakano, 2004:288†
Aeolidina sp.29 Nakano, 2004:288†
Aeolidina sp.30 Nakano, 2004:288†
Aeolidina sp.31 Nakano, 2004:288†
Aeolidacea sp.1 Ono, 1999:170†
Aeolidacea sp.2 Ono, 1999:170†
Aeolidacea sp.3 Ono, 1999:171†
Aeolidacea sp.4 Ono, 1999:171†
Aeolidacea sp.5 Ono, 1999:172†
Aeolidacea sp.6 Ono, 1999:172†
Aeolidacea sp.7 Ono, 1999:173†
Aeolidacea sp.8 Ono, 1999:173†
Aeolidacea sp.9 Ono, 1999:174†
Aeolidacea sp.10 Ono, 1999:174†
Aeolidacea sp.11 Ono, 1999:175†
Aeolidacea sp.12 Ono, 1999:175†
Aeolidacea sp.13 Ono, 1999:176†
Aeolidacea sp.14 Ono, 1999:176†
Aeolidina sp.1 Ono, 2004:286†
Aeolidina sp.2 Ono, 2004:287†
Aeolidina sp.3 Ono, 2004:287†
Aeolidina sp.4 Ono, 2004:287†
Aeolidina sp.5 Ono, 2004:288†
Aeolidina sp.6 Ono, 2004:288†
Aeolidina sp.7 Ono, 2004:288†
Aeolidacea sp.A Suzuki, 2000:165†
Aeolidacea sp.B Suzuki, 2000:165†
Aeolidacea sp.C Suzuki, 2000:165†
Aeolidacea sp.D Suzuki, 2000:166†
Aeolidacea sp.E Suzuki, 2000:166†
Aeolidacea sp.F Suzuki, 2000:166†
Aeolidacea sp.G Suzuki, 2000:166:†

- Aeolidacea sp.H Suzuki, 2000:167:†
 Aeolidacea sp.I Suzuki, 2000:167†
 Aeolidacea sp.J Suzuki, 2000:167†
 Aeolidacea sp.K Suzuki, 2000:167†
 Aeolidacea sp.L Suzuki, 2000:168†
 Aeolidacea sp.M Suzuki, 2000:168†
 Aeolidacea sp.N Suzuki, 2000:168†
 Eolid 162 Trainito, 2003:50†
 Eolid 163 Trainito, 2003:50†
 Eolidino non identificato (179) Trainito, 2005:90†
 Eolidino non identificato (180) Trainito, 2005:90†
 Unidentified aeolid Lamb & Hanby, 2005:271†

Superfamily: **Proteolidoidea** Odhner, 1968

Franc, 1968:881

Notaeolidiidae Odhner, 1926

Franc, 1968:881; Thiele, 1926:113; 1992:736

Notaeolidia Eliot, 1905d:520

Eliot, 1907b:20; 1909b:12; Odhner, 1944:11; Parker, 1982:1053; Thiele, 1931:449; 1992:736;
 Vayssi  re, 1906a:10; W  gele, 1990a:309

Notaeolidia alutacea Minichev, 1972a:370 [=*N. depressa*]

W  gele, 1990a:329

Notaeolidia depressa Eliot, 1907b:20

W  gele, 1990a:315

Notaeolidia flava Minichev, 1972a:372 [=*N. depressa*]

W  gele, 1990a:329

Notaeolidia gigas Eliot, 1905d:520

Eliot, 1909b:12; Troncoso, Garcia, Backeljau, & Urgorri, 1994:114; 1996:35; Vayssi  re, 1906a:11;
 W  gele, 1990a:325; W  gele, Bullough, & Barnes, 1995:210

Notaeolidia purpurea Eliot, 1905d:524 [=*N. gigas*]

Eliot, 1909b:16; W  gele, 1990a:328

Notaeolidia robsoni Odhner, 1934:278 [=*N. depressa*]

Vicente & Arnaud, 1974:541; W  gele, 1990a:328

Notaeolidia rufopicta Thiele, 1912:224 [=*N. depressa*]

W  gele, 1990a:328

Notaeolidia schmekelae W  gele, 1990a:310

Notaeolidia subgigas Odhner, 1944:14 [=*N. depressa*] (non W  gele, 1988 =*N. gigas*)

W  gele, 1990a:329

Superfamily: **Eueolidoidea** Odhner, 1968
 Franc, 1968:881; Grossu, 1986:441

Tribe: **Pleuroprocta** Odhner, 1939
 Franc, 1968:881; Parker, 1982:1053

Coryphellidae Bergh, 1889

Bergh, 1892:35(1027); 1900a:30; 1904:6; Burn, 1962:106; Fez Sanchez, 1974:98; Franc, 1968:881; ICZN, 1966i:104; Nordsieck, 1972:72; Parker, 1982:1053; Pruvot-Fol, 1954b:421; Roginskaya, 1987d:184; Vayssi  re, 1913a:289; Volodchenko, 1955:250

Chlamylla Bergh, 1886:9 1887

Bergh, 1890:36; 1892:37(1029); Hirano, 1997:83; Odhner, 1907:27; Roginskaya, 1987d:185; Thiele, 1931:452; 1992:740

Chlamylla atypica (Bergh, 1889) |*Goniaeolis*| [=*C. borealis*]
 Hirano, 1997:84†; Odhner, 1907:33; Roginskaya, 1987d:186

**Chlamylla borealis* Bergh, 1886:10
 Lemche, 1941a:25; Odhner, 1907:33

Chlamylla intermedia (Bergh, 1900) |*Gonieolis*| (non Odhner, 1907:86 =*C. borealis*)
 L  yning, 1932:16; Odhner, 1907:33

Chlamylla stimpsoni (Verrill, 1880) |*Coryphella*|
 Roginskaya, 1987d:187

Chlamylla typica (Bergh, 1886) |*Gonieolis*|
 Gurjanowa, 1927:34; Odhner, 1907:33; Roginskaya, 1987d:185; 1997a:94

Chlamylla sp.1 Behrens, 1991:82† [=?*Flabellina intermedia*]
 Behrens, 2004:45

Coryphella Gray, 1850b:109

Adams & Adams, 1858:75; Bergh, 1868:226; 1875:633; 1879:563; 1879c:133; 1885:51; 1890:35; 1892:35(1027); 1900a:31; 1904:6; Chenu, 1859:412; Eliot, 1906c:358; 1910d:168; Fez Sanchez, 1974:98; Fischer, 1883:539; Gray, 1857:224; ICZN, 1966i:104; L  yning, 1922:23, 91; MacFarland, 1966:313; McDonald, 1983:159; McDonald & Nybakken, 1980:60; Miller, 1971a:314; Nordsieck, 1972:72; Odhner, 1907:27; 1939:54; Pruvot-Fol, 1954b:421; Risbec, 1928:265; 1953:143; Roginskaya, 1987d:188; Sars, 1878:319; Schmekel & Portmann, 1982:184; Swennen, 1987:39; Thiele, 1931:452; 1992:739; Thompson, 1988:247 (key to British species); Thompson & Brown, 1984:108; Trinchese, 1881:97; 1881a:97; Vayssi  re, 1888d:73; 1913a:289

Coryphella abei Baba, 1987h:147

Coryphella albomarginata Miller, 1971a:315† [=*Flabellina*]
 Powell, 1979:289

Coryphella alderi Adams, 1861:140

Coryphella argenteolineata (Costa, 1863) |*Aeolis*| [=*C. lineata*; = *Flabellina lineata*]
 Bergh, 1875:638

Coryphella athadona Bergh, 1875:635 [=*Flabellina*]
 Abe, 1964:61; Baba, 1935a:352; 1935c:123; 1940:107; 1987g:151; Marcus, 1961:48; Okutani, 2000:803†; Volodchenko, 1955:251

Coryphella barentsi Derjugin, 1924a:85 [=*Chlamylla atypica*; =*Flabellina incognita*]

- Coryphella barentsi* Vayssi  re, 1913:2 [=Flabellina; =Chlamylla stimpsoni]
- Coryphella beaumonti* Eliot, 1906c:361 [=Cumanotus]
ICZN, 1966c:108
- Coryphella berghi* Vayssi  re, 1888:128 [=Flabellina]
- Coryphella borealis* (Bergh, 1886) |Chlamylla|
- Coryphella borealis* Odhner, 1922:31 [=Coryphella bostoniensis; =Flabellina] (non Lemche, 1936:141 =C. verrucosa)
Filatova & Zatsepin, 1948:401; Gurjanowa, 1927:26; Lemche, 1936:141; Odhner, 1939:57
- Coryphella bostoniensis* (Couthouy, 1839) |Eolis| (non Bergh, 1864 =C. gracilis)
Bergh, 1860:323; 1868:240; 1879:563; Lemche, 1936:138; Odhner, 1907:32; Swennen, 1987:41
- Coryphella browni* Picton, 1980:15 [=Flabellina]
Brown & Picton, 1979:19; Daly, 2000:†; Hayward, Wigham, & Yonow, 1990:724; Picton & Morrow, 1994:92†; Thompson, 1988:248; Thompson & Brown, 1984:109†
- Coryphella californica* Bergh, 1904:6 [=Flabellina]
Marcus, 1961:48
- Coryphella capensis* Thiele, 1925:287 [=Flabellina]
- Coryphella cooperi* Cockerell, 1901:85 [=Flabellina]
Behrens, 1980:86†; Farmer, 1967:342; Marcus, 1961:48; McDonald, 1983:159; McDonald & Nybakken, 1980:60†
- Coryphella cynara* Marcus & Marcus, 1967:220 [=Flabellina]
Farmer, 1980:121; Hermosillo-Gonzalez, 2003:26†
- Coryphella derjugini* Thiele, 1928:612 [=Chlamylla atypica] (nom. nov. for *C. barentsi* Derjugin)
- Coryphella diversa* (Couthouy, 1839) |Eolis| (non Bergh, 1885:52 =C. verrucosa)
- Coryphella dushia* Marcus & Marcus, 1963:41 [=Flabellina]
Ortea, Caballer, & Moro, 2004:84†
- Coryphella falklandica* Eliot, 1907a:354 [=Flabellina]
Odhner, 1944:19; Marcus, 1959:71; Odhner, 1926:26
- Coryphella fisheri* MacFarland, 1966:318† [=C. trilineata]
- Coryphella frigida* Grieg, 1907:538 [=C. gracilis; =Flabellina]
- Coryphella fusca* O'Donoghue, 1921:195 [=C. trophina; =Flabellina]
Marcus, 1961:48; Roginskaya, 1964a:1717; 1969a:1614; 1986:17
- Coryphella gracilis* (Alder & Hancock, 1844) |Eolis| [=C. rufibranchialis; =Flabellina]
(non Farran, 1909:7, nor Lemche 1938 =C. verrucosa)
Bergh, 1875:635; Brown & Picton, 1979:19; Colgan, 1914:186; Dekker, 1989:101; Eliot, 1906c:359;
Farran, 1909:7; Garstang, 1890:440; Hayward, Wigham, & Yonow, 1990:724; Hoffmann, 1926:20;
Kuzirian, 1979:241; Lemche, 1936:138; 1938:26; Nordsieck, 1972:73; Odhner, 1907:32; Picton,
1978:88; Picton & Morrow, 1994:94†; Pruvot-Fol, 1954b:424; Roginskaya, 1987d:189; Swennen,
1987:40; Thompson, 1988:250; Thompson & Brown, 1984:109†
- Coryphella gracilis* var. *bostoniensis* Lemche, 1936:141 [=C. verrucosa]
Lemche, 1938:26
- Coryphella gymnota* (Couthouy, 1838) |Eolis|

- Verrill, 1873:667
- Coryphella incognita* Derjugin, 1926 |*Coryphella stimpsoni incognita*|
- Coryphella iodinea* (Cooper, 1863) |*Aeolis (Phidiana)*| [=Flabellina]
Farmer, 1980:122; Marcus & Marcus, 1967:218; McDonald, 1983:159; McDonald & Nybakken, 1980:60†
- Coryphella islandica* Odhner, 1937:253 [=Flabellina]
Lemche, 1938:24; Nordsieck, 1972:73
- Coryphella japonica* Volodchenko, 1941:57, 65 [=C. athadona; =Flabellina]
- Coryphella landsburgii* Alder & Hancock, 1848 |*Eolis*| [=C. pedata] (non Trinchese, 1881 =C. pellucida partim.)
Bergh, 1887:8; Colgan, 1914:186; Eliot, 1906c:361; Farran, 1909:8; Garstang, 1889:192; Herdman & Clubb, 1890:142; 1892a:142; Hoffmann, 1926:20; Løyning, 1922:35, 91; Mazzarelli, 1903:288; Nobre, 1931:30; 1936:22; 1938-40:70; Odhner, 1907:32; Trinchese, 1881:98†; 1881a:98; Vayssiére, 1888d:76; 1913a:290
- Coryphella lineata* (Lovén, 1844, 1846) |*Eolis*| [=Flabellina] (non Johansen, 1902:387 =C. gracilis)
Ballesteros, 1982b:232; 1985:25; Barletta, 1981:99; Brown & Hunnam, 1976:45; Brown & Picton, 1979:19; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:167†; Farran, 1909:7; Fez Sanchez, 1974:98†; Hoffmann, 1926:20; Krause, 1897:99; Løyning, 1922:32, 91; 1927:260; Nordsieck, 1972:72; Odhner, 1907:32; 1939:59; Perrone, 1986a:34; Picton & Morrow, 1994:94†; Pruvot-Fol, 1954b:421; Riedl, 1970:432; 1983:325; Roginskaya, 1962:95; Schmekel, 1970:141; Schmekel & Portmann, 1982:185†; Swennen, 1987:40; Thompson, 1976a:†; 1988:252†; Thompson & Brown, 1976:146†; 1984:111†; Tiberi, 1880:234; Trinchese, 1881:99†; 1881a:99; Vayssiére, 1888d:73; 1913a:290; Vicente, 1963a:178; 1967:161; Walton, 1908:233
- Coryphella lineata* var. Labbé, 1932:446
- Coryphella longicaudata* O'Donoghue, 1922a:156 [=?=C. ornata; =Flabellina]
Marcus, 1961:48
- Coryphella macleayi* (Angas, 1864) |*Eolis*| [=Spurilla]
- Coryphella mananensis* (Stimpson, 1853) |*Eolis*| (non Verrill, 1882 = C. nobilis)
- Coryphella nobilis* Verrill, 1880a:388 [=Flabellina]
Kuzirian, 1977a:230; Lemche, 1941a:28; Roginskaya, 1987d:192
- Coryphella orientalis* Volodchenko, 1941:57, 66 [=Flabellina]
Marcus, 1961:48; Volodchenko, 1955:251
- Coryphella ornata* Risbec, 1928:266† [=Flabellina; =Flabellina bicolor; =Flabellina rubrolineata] (non Baba, 1936:44 =Flabellina alisonae)
Risbec, 1953:143
- Coryphella ornata* var. *violacea* Risbec, 1928:267† [=Flabellina rubrolineata; =Flabellina violacea]
- Coryphella pallida* Verrill, 1900:547
- Coryphella parva* Hadfield, 1963a:371 [=Flabellina]
- Coryphella parvula* (Pease, 1860) |*Aeolis*|
Bergh, 1881b:80
- Coryphella pedata* (Montagu, 1815) |*Doris*| [=Flabellina] (non Odhner, 1939:61)

Ballesteros, 1984b:46; 1985:25; Barletta & Melone, 1976:230; Brown & Picton, 1979:20; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:169†; Fez Sanchez, 1974:100†; George & George, pl. 92†; Hayward, Wigham, & Yonow, 1990:724; Hunnam & Brown, 1975:154; Luque, 1983:69; Nordsieck, 1972:72†; O'Donoghue, 1929:751; Perrone, 1986a:34; Picton, 1978:88; Pruvot-Fol, 1954b:421; Riedl, 1983:325; Schmekel, 1970:140; Schmekel & Portmann, 1982:187†; Thompson, 1976a:†; 1988:254; Thompson & Brown, 1976:145; 1984:112†; Vicente, 1963a:178; 1967:161; 1981:79; Wägele & Schminke, 1987:†

Coryphella pellucida (Alder & Hancock, 1843) |*Eolis*| [=*C. rufibranchialis*; =*Flabellina*] Brown & Picton, 1979:20; Hayward, Wigham, & Yonow, 1990:724; Hoffmann, 1926:20; Kuzirian, 1979:244; Løyning, 1922:38, 92; 1927:261; Nordsieck, 1972:73; Odhner, 1907:31; 1939:60; Picton, 1978:88; Pruvot-Fol, 1954b:424; Russell, 1935a:65; Thompson, 1988:256; Thompson & Brown, 1984:113†; Vayssiére, 1913a:291

Coryphella peregrina (Gmelin, 1791) |*Doris*| [=*Rizzolia*]

Coryphella pilata (Gould, 1870) |*Aeolis*| [=*Facelina*]

Coryphella piunca Marcus, 1961:47 [=*C. trilineata*] Steinberg, 1963:66

Coryphella peonica (Burn, 1957) |*Hervia*| [=*Flabellina*] Burn, 1969:96

Coryphella polaris Volodchenko, 1946:323 [=*Chlamylla typica*; =*Flabellina*]

Coryphella pricei MacFarland, 1966:313† [=*Flabellina*]

Behrens, 1980:86†; Farmer, 1980:23; Lambert, 1976:295; McDonald, 1983:161

Coryphella robusta Trinchese, 1874d:523 [=*Coryphella verrucosa*; =*Flabellina*]

Coryphella rubrolineata (O'Donoghue, 1929) |*Coryphellina*| [=*Flabellina*] Okutani, 2000:803†

**Coryphella rufibranchialis* (Johnston, 1832) |*Eolis*| [=*C. verrucosa*; =*Flabellina verrucosa*] (non Gray, 1850b:109 =*C. verrucosa*; non Johansen, 1902 =*C. gracilis*; non Lemche, 1929 nor Odhner, 1926a:27 = *C. nobilis*; non Walton, 1908:234 =*C. browni*)

Derjugin, 1915:548; Eliot, 1906c:358; Filatova & Zatsepina, 1948:401; Herdman & Clubb, 1890:140; 1892a:140; Hoffmann, 1926:19; Løyning, 1922:24, 91; 1927:259; Nordsieck, 1972:72†; Odhner, 1907:31; 1929:7; Sars, 1878:319; Volodchenko, 1955:250

Coryphella rufibranchialis chocolata Balch, 1909 [=*C. verrucosa*] Morse, 1969:38

Coryphella rufibranchialis var. *chocolata* Balch, 1909:35

Coryphella rufibranchialis var. *clavigera* Odhner, 1929:10

Coryphella rufibranchialis mananensis (Stimpson, 1854) |*Eolis mananensis*| Morse, 1969:38

Coryphella rutila Verrill, 1879:314 [=*C. pellucida*] Verrill, 1882a:552

Coryphella sabulicola Cowen & Laur, 1978:292 [=*C. iodinea*] Behrens, 1980:86†; Farmer, 1980:124

Coryphella salmonacea (Couthouy, 1838) |*Eolis*| [=*Flabellina*] (non Holm, 1886 = *C. nobilis* partim.; non Kuzirian, 1979 =*Chlamylla stimpsoni* partim.; non Sars, 1878 =*C. gracilis* or *C. borealis*)

Bergh, 1860:322; 1868:227; 1887:7; 1900a:33; Eliot, 1910d:128; Grieg, 1907:515; Hägg, 1905:106; Krause, 1897:98; Kuzirian, 1979:247; Lemche, 1938:25; MacGinitie, 1959:145; Marcus, 1961:48; Nordsieck, 1972:73; Odhner, 1907:32; 1937:257; Sars, 1878:319; Vayssiére, 1913a:291; Walton, 1908:235

Coryphella salmonacea var. Bergh, 1900a:34

Coryphella sarsi Friese, 1902:12 [=*C. nobilis*] (non Lemche, 1935 nor Lemche, 1938:25 = *C. nobilis*)

Derjugin, 1915:548; Eliot, 1910d:168; Filatova & Zatsepina, 1948:401; Hägg, 1905:107; Odhner, 1907:32; 1929:4; 1939:56

Coryphella scacchiana (Philippi, 1844) |*Eolis*|

Bergh, 1860:323; 1868:237; Nordsieck, 1972:73; O'Donoghue, 1929:751; Vayssiére, 1913a:293

Coryphella semidecora (Pease, 1860) |*Aeolis*| [=*Facelinella*]

Coryphella smaragdina (Alder & Hancock, 1851) |*Eolis*| [=*C. gracilis*; =*C. rufibranchialis*]

Pruvot-Fol, 1954b:424; Sumner, 1895:336; Vayssiére, 1913a:291

Coryphella stellata (Stimpson, 1853) |*Eolis*|

Meyer, 1970:144

Coryphella stimpsoni Verrill, 1880a:388 [=*C. salmonacea*; =*Chlamylla*]

Bergh, 1885:52; Derjugin, 1915:549; Filatova & Zatsepina, 1948:401; Grieg, 1907:515; Krause, 1892:369; Morse, 1971:84; Odhner, 1907:33; Roginskaya, 1978:169

Coryphella stimpsoni var. *incognita* Derjugin & Gurjanowa, 1926:23, 26 [=*Chlamylla atypica*; =*C. barentsi*; =*Flabellina incognita*]

Coryphella stimpsoni laevidens Knipowitsch, 1902:391 [=*C. salmonacea*; =*Chlamylla stimpsoni*]

Odhner, 1907:33

Coryphella subrosacea (Eschscholtz, 1831) |*Cavolina*|

O'Donoghue, 1922c:136

Coryphella trilineata O'Donoghue, 1921:197 [=*Flabellina*]

Behrens, 1980:88†; Farmer, 1980:125; Goddard, 1984:150; 1984a:220†; Marcus, 1961:48; McDonald, 1983:161; McDonald & Nybakken, 1980:60†; Steinberg, 1963:66

Coryphella trophina (Bergh, 1894) |*Himatina*| [=*Flabellina*]

Marcus, 1961:48; Roginskaya, 1990b:156

Coryphella verrucosa (Sars, 1829) |*Eolidia*| [=*Flabellina*] (non Odhner, 1907 =*C. gracilis*; non Odhner, 1926 = *C. nobilis*)

Brown & Picton, 1979:20; Hayward, Wigham, & Yonow, 1990:726; Hoffmann, 1926:20; Lemche, 1941:27; 1941a:28; Kuzirian, 1979:251; Løyning, 1922:28, 91; Marcus, 1961:48; McMillan, 1968:70; Nordsieck, 1972:72; Odhner, 1907:33; 1922:33; 1939:58; Picton, 1978:88; Picton & Morrow, 1994:96†; Pruvot-Fol, 1954b:423; Roginskaya, 1987d:190; Sars, 1878:320; Thompson, 1988:258; Thompson & Brown, 1976:148; 1984:114†; Vayssiére, 1913a:291

Coryphella verrucosa rufibranchialis (Johnston, 1832) |*Eolis rufibranchialis*| [=*C. verrucosa*]

Behrens, 1980:88†; Morse, 1969:37; Thompson & Brown, 1976:148

Coryphella verrucosa smaragdina (Alder & Hancock, 1851) |*Eolis smaragdina*| [=*C. gracilis*]

Thompson & Brown, 1976:148

- Coryphella verrucosa verrucosa* (Sars, 1829) [*Eolidia*] (non Thompson & Brown, 1976:148 =*C. browni*)
- Coryphella verta* Marcus, 1970a:211 [=*Flabellina*]
- Coryphella violacea* Risbec, 1953 [=*Flabellina*; =*Flabellina rubrolineata*] Gosliner, 1980:41
- Coryphella* sp. Bardarson, 1920:110 [=*C. gracilis* var. *bostoniensis*]
- Coryphella* sp. (153) Behrens, 1980:104†
- Coryphella* sp. (155) Behrens, 1980:104† [=*Hermosita sangria*]
- Coryphella* sp. Bergh, 1879c:134 [=*C. fusca*; =*C. trophina*] Roginskaya, 1986:17
- Coryphella* sp. Bergh, 1900a:32
- Coryphella* sp. (anonyma) Bergh, 1900a:31 [=*C. gracilis*; =*C. gracilis* var. *bostoniensis*; =*C. nobilis* partim.; =*C. salmonacea*; =*C. sarsi*; =*C. verrucosa*] Lemche, 1936:141
- Coryphella* sp. Burn, 1966a:279
- Coryphella* sp. Coleman, 1981 [=*Flabellina rubrolineata*]
- Coryphella* sp. Fez Sanchez, 1974:135†
- Coryphella* sp. García, 1982a García, 1983:44
- Coryphella* sp. Grieg, 1913:93
- Coryphella* sp.15 Krause, 1897:99
- Coryphella* sp.16 Krause, 1897:100
- Coryphella* sp.17 Krause, 1897:100
- Coryphella* sp. Lundbeck, 1893 [=*C. gracilis* var. *bostoniensis*]
- Coryphella* sp.A McDonald & Nybakken, 1980:60†
- Coryphella* sp. McDonald, 1983:162
- Coryphella* sp. Orr, 1981:73†
- Coryphella* sp. Picton, 1978:88
- Subgenus: (*Coryphellopsis*) Pruvot-Fol, 1954
Nordsieck, 1972:73

Goniaeolis Sars, 1859

see under *Goniaeolididae*

- Himatina*** Thiele, 1931:453 {nom. nov. for *Himatella*} [=*Coryphella*]

Boss & Bieler, 1991:29; Thiele, 1992:741

- **Himatina trophina* (Bergh, 1891) [*Himatella*] [=*Coryphella*] Roginskaya, 1986:17

Himatella Bergh, 1890:36; 1891, 1892
(non Zittel, 1879) [=Coryphella; =Himatina]

Bergh, 1892:37(1029); 1894:134

**Himatella trophina* Bergh, 1894:134 [=Coryphella; =Flabellina]
Roginskaya, 1986:17; 1990b:48

Himatella sp. Pruvot-Fol, 1933a:150

Rioselleolis Ortea, 1977b:12; Ortea, 1979d:132
[=Babakina]

Rioselleolis anadoni Ortea, 1979d:132 [=Babakina]
Gosliner, 1990:321; Ortea, 1977b:12

Paracoryphellidae Miller, 1971

Paracoryphella Miller, 1971a:315

Paracoryphella islandica (Odhner, 1937) |Coryphella| [=Flabellina]
Miller, 1971a:315

Nossidae Odhner, 1968

Franc, 1968:882; Nordsieck, 1972:73; Parker, 1982:1054

Coryphellina O'Donoghue, 1929:797
[=Coryphella; =Nossis]

Burn, 1962:106; Thiele, 1992:739

Coryphellina peonica (Burn, 1957) |Hervia|
Burn, 1962:107; 1966a:279

Coryphellina peonica aurantia Burn, 1962:109

**Coryphellina rubrolineata* O'Donoghue, 1929:798 [=Flabellina; =Nossis] (non Marcus & Marcus, 1961:224; 1970b:210 =Flabellina marcusorum)
Abe, 1964:61; Baba, 1955:51†; Burn, 1962:107

Coryphellina sp. Gosliner, 1987b:114† [=Flabellina delicata]

Eocoryphella Odhner in Franc 1968:882 {nomen nudum}

Hespereolis Odhner 1968:882

Hespereolis rutila (Verrill, 1879) |Coryphella|
Odhner in Franc, 1968:882

Nossis Bergh, 1902:210

Burn, 1964:11; Nordsieck, 1972:73; Thiele, 1931:453; 1992:741

**Nossis indica* Bergh, 1902:210

Nossis rubrolineata (O'Donoghue, 1929) |Coryphellina|
Nordsieck, 1972:73

Nossis westralis Burn, 1964:11
Coleman, 1989:50†; 2001:†

Flabellinidae Bergh in Carus, 1889

Bergh, 1892:41(1033); 1900:236; 1905a:235; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:159; Edmunds & Just, 1983:185; Erhardt & Moosleitner, 1997:698; Fez Sanchez, 1974:101; Franc, 1968:882; Jensen, 2000:441; 2000b:626; Just & Edmunds, 1985:88; Miller, 1971a:313; Parker, 1982:1054; Pruvot-Fol, 1954b:413; Rudman, 1998b:1011; Sachidhanandam, Willan, & Chou, 2000:532; Satyamurti, 1952:248; Schmekel, 1970:137; Schmekel & Portmann, 1982:183; Thiele, 1931:451; 1992:738; Thompson, 1988:246; Thompson & Brown, 1984:108; Vayssi  re, 1913a:293; Wells & Bryce, 1993:151; Willan & Coleman, 1984:42; Willan & Morton, 1984:71

Calmella Eliot, 1906, 1910

Edmunds, 1970:39; Fez Sanchez, 1974:104; Nordsieck, 1972:74; Pruvot-Fol, 1954b:414; Schmekel & Portmann, 1982:185; Thiele, 1931:451; 1992:738; Vayssi  re, 1913a:295

Calmella bandeli Marcus, 1976b:143

**Calmella cavolinii* (V  rany, 1846) |*Eolidia*|

Ballesteros, 1978:21; 1985:26; Barletta & Melone, 1976:228; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:165†; Fez Sanchez, 1974:105†; Nordsieck, 1972:74; Perrone, 1986a:33; Pruvot-Fol, 1948b:273; 1951:62; 1953b:51†; 1954b:415; Riedl, 1970:431; 1983:326; Schmekel, 1970:1434; Schmekel & Portmann, 1982:193†; Thompson, 1976a:†; Trainito, 2003:48†; Vayssi  re, 1913a:295; Vicente, 1967:160

Calmella digitata (Costa, 1866) |*Aeolis*| [=*C. cavolinii*]

Calmella sphaerifera Schmekel, 1965a:452 [=*Piseinotucus*]

Schmekel, 1970:143

Costaea Tiberi, 1880:231 [=*Flabellina*]

Costaea affinis (Gmelin, 1791) |*Doris*| [=*Flabellina*]

Tiberi, 1880:231

Costaea digitata (Costa, 1866) |*Aeolis*| [=*Calma cavolinii*]

Flabellina Voigt, 1834:124

(non Cuvier, 1830; non Forbes & Hanley, 1851; non Gregorio, 1930; non Levinsen, 1902, non Orbigny, 1839)

Adams & Adams, 1858:73; Bergh, 1870:16; 1875:647, 1879c:135; 1885:48; 1890:39; 1892:41(1033); 1905a:237; Chenu, 1859:412; Cuvier, 1830:55; 1834:40; Fez Sanchez, 1974:103; Fischer, 1883:539; Gosliner & Griffiths, 1981:110; Gray, 1857:223; ICZN, 1966i:104; Lemche, 1964j:120; Nordsieck, 1972:73; Pruvot-Fol, 1954b:413; Risbec, 1928:258; Schmekel & Portmann, 1982:184; Thiele, 1931:451; 1992:738; Vayssi  re, 1888d:79; 1913a:294

Flabellina abei (Baba, 1987) |*Coryphella*|

**Flabellina affinis* (Gmelin, 1791) |*Doris*|

Ballesteros, 1982b:232; 1984a:†; 1985:26; Barletta, 1981:101†; Barletta & Melone, 1976:226; Bergh, 1875:649; 1885:49; Calado & Urgorri, 1998:100; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:159†; Erhardt & Moosleitner, 1997:700†; Fez Sanchez, 1974:103†; Garc  a-G  mez, 1986:38; 2002:172†; George & George, pl. 93†; Hirano & Thompson, 1990:†; Luque, 1983:69; Mazzarelli, 1903:288; Mienis & Gat, 1981a:416; Nordsieck, 1972:73†; O'Donoghue, 1929:749; Ortea & Espinosa, 1998:136; Parent, Breton, & Reboux, 2001[2000]:30 Parent, Breton, & Reboux, 2001[2000]:21; Perrone, 1986a:31; Pruvot-Fol, 1954b:413; Riedl, 1970:431; 1983:326; Schmekel, 1970:138; 1973b:325; Schmekel & Portmann, 1982:189†; Schulze & Wagele, 1998:195; Trainito, 2003:48†; 2005:78†; Trinchese, 1887:227; 1887a:88; Turk, 2000:165†; Vayssi  re, 1888d:80; 1913a:294; 1928; Vicente, 1963a:178; 1967:160; 1981:79; 1991:9†; Voigt, 1834:124; W  gele & Schminke, 1987:†

- Flabellina albomarginata* (Miller, 1971) |*Coryphella*|
 Willan & Coleman, 1984:42† Willan & Morton, 1984:71
- Flabellina alisonae* Gosliner, 1980:40 [=*F. bicolor*]
 Bertsch & Johnson, 1981:88†; Johnson & Boucher, 1983:283
- Flabellina alternata* Ortea & Espinosa, 1998:145†
- Flabellina amabilis* Hirano & Kuzirian, 1991:48
 Behrens & Hermosillo, 2005:104†
- Flabellina annulata* (Quoy & Gaimard, 1832) |*Eolidia*|
 Gosliner, 1980:39
- Flabellina annuligera* (Bergh, 1900) |*Samla*|
- Flabellina arveloi* Ortea & Espinosa, 1998:140†
- Flabellina athadona* (Bergh, 1875) |*Coryphella*|
 Nakano, 2004:234†
- Flabellina babai* Schmekel, 1973b:316
 Barletta & Melone, 1976:228†; Calado, Ortea, & Caballer, 2005:666†; Calado & Urgorri, 1998:100;
 Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:163†; García-Gómez, 1986:39; 2002:175†;
 Schmekel & Portmann, 1982:191†; Trainito, 2003:46, 52†; 2005:76†
- Flabellina baetica* García-Gómez, 1984:61
 Cervera, Templado, García-Gómez, Ballesteros, Ortea, García, Ros, & Luque, 1988:†; García-Gómez,
 1986:42; 2002:177†; Perrone, 1990b:25
- Flabellina berghi* (Vayssièvre, 1888) |*Coryphella*|
- Flabellina bertschi* Gosliner & Kuzirian, 1990:2†
 Behrens, 2004:25†; Behrens & Hermosillo, 2005:105†; Camacho-Garcia, Gosliner, & Valdes,
 2005:100†; Gosliner, 1994c:171
- Flabellina bicolor* (Kelaart, 1858) |*Eolis*|
 Coleman, 2001:†; Debelius, 1996:†; Gosliner & Willan, 1991:97†; Hoover, 1998:178†; Marshall &
 Willan, 1999:135†; Masuda, 1999:130†; Nakano, 2004:237†; Ono, 1999:152†; 2004:240†; Suzuki,
 2000:143†; Tonozuka, 2003:137†; Wells & Bryce, 1993:152†; Yonow, 2000:112†; Yonow, Anderson,
 & Buttress, 2001:874
- Flabellina bilas* Gosliner & Willan, 1991:109†
 Coleman, 2001:†; Debelius, 1996:†; Gosliner, Behrens, & Williams, 1996:175†; Tonozuka, 2003:137†
- Flabellina borealis* (Odhner, 1922) |*Coryphella*|
 Just & Edmunds, 1985:88†
- Flabellina bulbosa* Ortea & Espinosa, 1998:146
- Flabellina capensis* (Thiele, 1925) |*Coryphella*|
 Gosliner, 1987b:113†; Gosliner & Griffiths, 1981:115†
- Flabellina circinnata* Costa, 1866 {nomen nudum}
- Flabellina cooperi* (Cockerell, 1901) |*Coryphella*|
 Behrens, 1991:83†; Behrens & Hermosillo, 2005:105†
- Flabellina crassicornis* (Eschscholtz, 1831) |*Cavolina*| [=Hermisenda; =Phidiana]
- Flabellina cynara* (Marcus & Marcus, 1967) |*Coryphella*|

Behrens & Hermosillo, 2005:105†; Bertsch & Kerstitch, 1984:269; Camacho-Garcia, Gosliner, & Valdes, 2005:99†; Hermosillo, 2004:110†

Flabellina delicata Gosliner & Willan, 1991:124†
Ono, 2004:240†

Flabellina engeli Marcus & Marcus, 1968:139
Calado, Ortea, & Caballer, 2005:666†; Edmunds & Just, 1983:185; Marcus, 1976b:142

Flabellina evelinae Edmunds, 1989:154

Flabellina exoptata Gosliner & Willan, 1991:118†
Behrens, 2005:†; Coleman, 2001:†; Colin & Arneson, 1995:190†; Debelius, 1996:†; Gosliner, Behrens, & Williams, 1996:175†; Marshall & Willan, 1999:137†; Masuda, 1999:130†; Nakano, 2004:236†; Ono, 1999:151,152†; 2004:241†; Tonozuka, 2003:136†; Wells & Bryce, 1993:152†

Flabellina falklandica (Eliot, 1907) |*Coryphella*|
Schrödl, 1996:37†; 2003:74†

Flabellina flabellina (Vérany, 1846) |*Eolidia*| [=*F. affinis*]

Flabellina funeka Gosliner & Griffiths, 1981:106†
Gosliner, 1987b:112†; Ortea & Espinosa, 1998:144

Flabellina fusca (O'Donoghue, 1921) |*Coryphella*| [=*F. trophina*]
Behrens, 1991:83†; 2004:46

Flabellina hamanni Gosliner, 1994c:179†

Flabellina histrix Otto, 1823 |*Eolidia*|
Tiberi, 1880:232

Flabellina ianthina Angas, 1864:66 [=*Pteraeolidia*]
Allan, 1950:224; 1957:6; Burn, 1965:89

Flabellina ilidioi Calado, Ortea, & Caballer, 2005:665†

Flabellina inornata Costa, 1866 for 1863:72 [=*Eolidina*; =*Spurilla neapolitana*]

Flabellina insolita García-Gómez & Cervera, 1989:411
Garcia-Gomez, 2002:†; Ortea & Espinosa, 1998:145

Flabellina iodinea (Cooper, 1863) |*Aeolis (Phidiana)*| [=*Coryphella*; =*Flabellinopsis*]
Behrens, 1991:83†; 2004:46; 2005:†; Behrens & Hermosillo, 2005:106†; Bergh, 1879c:135; Debelius, 1996:†; Erhardt & Moosleitner, 1997:699†; Gosliner, 1991b:295; Lamb & Hanby, 2005:268†; O'Donoghue, 1922c:138

Flabellina ischitana Hirano & Thompson, 1990:347†
Cattaneo-Vietti, Cervera, Lopez Gonzalez, & Garcia Gomez, 1994:123; Cervera, Lopez-Gonzalez, & Garcia-Gomez, 1998:289; Chemello, & Giannuzzi-Savelli, 1990:161†; Garcia-Gomez, 2002:†; Ortea & Espinosa, 1998:144; Parent, 1994:211; Trainito, 2003:48†; 2005:78†; Turk, 2000:165†

Flabellina islandia (Odhner, 1937) |*Coryphella*|
Behrens, 2004:25†; Behrens & Hermosillo, 2005:106†; Lamb & Hanby, 2005:269†

Flabellina japonica (Volodchenko, 1937) |*Coryphella*|
Behrens & Hermosillo, 2005:106†; Lamb & Hanby, 2005:268†

Flabellina lineata (Loven, 1846) |*Aeolis*|
Evertsen & Bakken, 2001b:18†; Garcia-Gomez, 2002:174†; Trainito, 2003:46†; 2005:80†

Flabellina llerae Ortea, 1989:29†
Calado, Ortea, & Caballer, 2005:666†; Ortea & Espinosa, 1998:138†
Gary McDonald, Long Marine Lab, 100 Shaffer Rd., Santa Cruz, Cal. 95060

Flabellina longicauda (O'Donoghue, 1922) |*Coryphella*|

Flabellina macassarana Bergh, 1905a:237† (non Coleman, 1989:50† =*F. exoptata*)
Gosliner, Behrens, & Williams, 1996:175†; Lin, 1989:12; Masuda, 1999:130†; Schmekel, 1973b:327

Flabellina marcusorum Gosliner & Kuzirian, 1990

Behrens & Hermosillo, 2005:107†; Camacho-Garcia, Gosliner, & Valdes, 2005:99†; Ortea & Espinosa, 1998:140†

Flabellina marcusorum Gosliner & Kuzirian, 1990:4†

Behrens, 1991:84†; 2004:46; Gosliner, 1994c:172

Flabellina neapolitana (delle Chiaje, 1841) |*Eolis*| [=Spurilla]

Costa, 1866 for 1863:71

Flabellina newcombi Angas, 1864:68 [=*Facelina*; =*Hervia*]

Burn, 1965:90

Flabellina nobilis (Verrill, 1880) |*Coryphella*|

Just & Edmunds, 1985:90†

Flabellina opalescens (Cooper, 1863) |*Aeolis* (*Flabellina*)| [=Hermisenda crassicornis]

Cooper, 1863a:60

Flabellina ornata Angas, 1864:67 [=*Austraeolis*; =*Hervia*] (non Orr, 1980 =*F. bicolor*)

Allan, 1950:224†; Burn, 1965:90; Okutani, 2000:803†; Orr, 1980:115; 1981:72†; Schmekel, 1973b:326; Willan & Coleman, 1984:42†

Flabellina ornata (Risbec, 1928) |*Coryphella*| [=*F. bicolor*] (non Abe, 1964:66; nor

Baba, 1955:52† =*Flabellina alisonae*)

Flabellina pedata (Montagu, 1815) |*Doris*|

Daly, 2000:†; Evertsen & Bakken, 2001b:19†; Garcia-Gomez, 2002:173†; Picton & Morrow, 1994:96†; Schulze, 1998:57; Trainito, 2003:48†; 2005:78†; Turk, 2000:169†; Wirtz, 1998a:†

Flabellina pellucida (Alder & Hancock, 1843) |*Eolis*|

Picton & Morrow, 1994:98†

Flabellina peonica (Burn, 1957) |*Hervia*|

Coleman, 2001:†

Flabellina pricei (MacFarland, 1966) |*Coryphella*|

Behrens, 1991:84†; Behrens & Hermosillo, 2005:107†; Lamb & Hanby, 2005:268†

Flabellina riwo Gosliner & Willan, 1991:105†

Nakano, 2004:237†; Ono, 2004:241†; Tonozuka, 2003:140†

Flabellina rubrolineata (O'Donoghue, 1929) |*Coryphellina*| (non Tonozuka, 2003:138

upper figure, =*Trinchesia sibogae*)

Allen & Steene, 1994:†; Beesley, Ross, & Wells, 1998:pl. 37†; Behrens, 2005:†; Coleman, 1989:50†; 2001:†; Debelius, 1996:†; Erhardt & Moosleitner, 1997:701†; Gosliner, Behrens, & Williams, 1996:175†; Gosliner & Willan, 1991:114†; Lin, 1989:12; Marshall & Willan, 1999:137†; Masuda, 1999:130†; Mienis & Gat, 1986:683; Nakano, 2004:238†; Ono, 2004:243†; Suzuki, 2000:142†; Tan, Pai, & Hsha, 1987:81†; Tonozuka, 2003:138†; Trainito, 2003:46†; 2005:80†; Wells & Bryce, 1993:151†; Willan & Coleman, 1984:42†; Yonow, 2000:112†

Flabellina rubropurpurata Gosliner & Willan, 1991:112†

Nakano, 2004:238†; Ono, 2004:241†

Flabellina salmonacea (Couthouy, 1838) |*Eolis*| (non Behrens, 1991:84 † =*F. japonica*)

Behrens, 1991:84†; 2004:46; Just & Edmunds, 1985:92†

Flabellina scolopendrella Risbec, 1928:259† [=Pteraeolidia ianthina; =Pteraeolidia semperi]

Flabellina semperi Bergh, 1870:18 [=Pteraeolidia; =Pteraeolidia ianthina]

Flabellina stohleri Bertsch & Ferreira, 1974:347† [=F. telja]

Bertsch, 1984c:†

Flabellina telja Marcus & Marcus, 1967:223 [=F. bertschi partim.] (non Ferreira & Bertsch, 1972:414 nor Kerstitch, 1989 =F. marcusorum)

Behrens & Hermosillo, 2005:107†; Camacho-Garcia, Gosliner, & Valdes, 2005:98†; Farmer, 1980:127; Gosliner, 1994c:172; Kerstitch, 1988:†; Schmekel, 1973b:326

Flabellina trilineata (O'Donoghue, 1921) |*Coryphella*|

Behrens, 1991:85†; 2005:†; Behrens & Hermosillo, 2005:108†; Lamb & Hanby, 2005:268†

Flabellina trophina (Bergh, 1894) |*Himatella*|

Behrens & Hermosillo, 2005:108†; Lamb & Hanby, 2005:267†

Flabellina vansyoci Gosliner, 1994c:176†

Behrens & Hermosillo, 2005:108†; Bertsch, Angulo Campillo, & Arreola, 2000:101; Camacho-Garcia, Gosliner, & Valdes, 2005:100†

Flabellina verrilli

Frick, 2005:1314

Flabellina verrucicornis Costa, 1867 for 1864:35 [=Berghia; =Berghia coerulescens; =Eolidina caerulescens]

Flabellina verrucosa (Sars, 1829) |*Eolidia*|

Behrens, 1991:85†; Behrens & Hermosillo, 2005:108†; Eriksson, Nygren, & Sundberg, 2006:71†; Just & Edmunds, 1985:94, 96†; Lamb & Hanby, 2005:267†; Nakano, 2004:239†

Flabellina versicolor (Costa, 1866 for 1863) |*Favorinus*|

Flabellina sp.1 Behrens, 1991:85†

Behrens, 2004:46

Flabellina sp.2 Behrens, 1991:86† [=F. vansyoci]

Behrens, 2004:47

Flabellina sp.3 Behrens, 1991:86† [=F. amabilis]

Behrens, 2004:47

Flabellina sp. Behrens, 2005:†

Flabellina sp.1 Behrens & Hermosillo, 2005:109†

Flabellina sp.2 Behrens & Hermosillo, 2005:109†

Flabellina sp. Camacho-Garcia, Gosliner, & Valdes, 2005:100†

Flabellina sp. Coleman, 1989:51†

Flabellina sp. "Coleman' flabellina" Coleman, 2001:†

Flabellina sp. "crazed flabellina" Coleman, 2001:†

Flabellina sp. "orange-tipped flabellina" Coleman, 2001:†

Flabellina sp. Debelius, 1996:† [=Pteraeolidia ianthina]

Flabellina sp. Erhardt & Moosleitner, 1997:701†

- Flabellina* sp. Gatewood, 1985:†
- Flabellina* sp.1 Gosliner, 1987b:113†
- Flabellina* sp.2 Gosliner, 1987b:113†
- Flabellina* sp.3 Gosliner, 1987b:114† [=*F. rubropurpurata*]
- Flabellina* sp. Kay, 1979:483 [=*F. alisonae*]
- Flabellina* sp.1 Lamb & Hanby, 2005:269†
- Flabellina* sp.A Lemche in Just & Edmunds, 1985:98† [?= *F. gracilis*]
- Flabellina* sp.1 Marshall & Willan, 1999:138†
- Flabellina* sp. Masuda, 1999:131† (top photo)
- Flabellina* sp. Masuda, 1999:131† (second photo)
- Flabellina* sp. Masuda, 1999:131† (third photo)
- Flabellina* sp. Masuda, 1999:131† (bottom photo)
- Flabellina* sp.1 Nakano, 2004:239†
- Flabellina* sp.2 Nakano, 2004:240†
- Flabellina* sp.1 Ono, 1999:153†
- Flabellina* sp.2 Ono, 1999:153,159†
- Flabellina* sp.3 Ono, 1999:154†
- Flabellina* sp.4 Ono, 1999:154†
- Flabellina* sp.5 Ono, 1999:155†
- Flabellina* sp.6 Ono, 1999:155† [= *Trinchesia sibogae*]
- Flabellina* sp.1 Ono, 2004:242†
- Flabellina* sp.2 Ono, 2004:242†
- Flabellina* sp.3 Ono, 2004:242†
- Flabellina* sp.4 Ono, 2004:244†
- Flabellina* sp. A Redfern, 2001:179†
- Flabellina* sp. B Redfern, 2001:180†
- Flabellina* sp.1 Schrödl, 1996:37†
Schrödl, 2003:75†
- Flabellina* sp.2 Schrödl, 1996:37†
Schrödl, 2003:75†
- Flabellina* sp.1 Suzuki, 2000:143†
- Flabellina* sp.2 Suzuki, 2000:144†
- Flabellina* sp.3 Suzuki, 2000:144† [= *Trinchesia sibogae*]
- Flabellina* sp. Tan, Pai, & Hsha, 1987:82†

Flabellina sp. Wells & Bryce, 1993:152†

Flabellinopsis MacFarland, 1966:308

Flabellinopsis iodinea (Cooper, 1863) |*Aeolis (Phidiana)*| [=Coryphella; =*Flabellina*] Behrens, 1980:92†; Lance, 1969†; 1983:†; MacFarland, 1966:308†

Flabellinopsis sp. Johnson, 1998:† [=Coryphella iodinea]

Microchlamylla Martynov 1999:21 {nomen nudum}

Pacificoryphella Martynov 1999:21 {nomen nudum}

Samla Bergh, 1900:237
[=*Flabellina*]

Thiele, 1931:453; 1992:741

**Samla annuligera* Bergh, 1900:237 [=*Flabellina*; =*Flabellina bicolor*; =*S. bicolor*] Kay, 1979:483; Schmekel, 1973b:326

Samla bicolor (Kelaart, 1858) |*Eolis*| [=*Flabellina*]
Eliot, 1906a:685†

Trifoliella Martynov, 1999:21 {nomen nudum}

Tularia Burn, 1966f:26
(Willan & Morton, 1984:78 place this in Tergipedidae)

Miller, 1971a:321

**Tularia bractea* Burn, 1962f:26
Coleman, 2001:†; Miller, 1971a:321†; Powell, 1979:289; Willan & Morton, 1984:78

Protaeolidiellidae Odhner, 1968
[=Aeolidiidae]

Franc, 1968:882; Parker, 1982:1054; Rudman, 1990:505

Protaeolidiella Baba, 1955:53

**Protaeolidiella atra* Baba, 1955:53†
Abe, 1964:73, 89†; Baba, 1992:29†; Choe & Lee, 1994:367†; Coleman, 2001:†; Masuda, 1999:136†; Nakano, 2004:251†; Okutani, 2000:809†; Ono, 1999:168†; 2004:255†; Rudman, 1990:506; Suzuki, 2000:160†

Protaeolidiella juliae (Burn, 1966) |*Pleurolidia*|

Baba, 1992:31†; Coleman, 2001:†; Marshall & Willan, 1999:154†; Ono, 1999:169†; Suzuki, 2000:160†; Willan, 2001:31

Pleuroliidiidae Burn, 196:216
[=Aeolidiidae]

Parker, 1982:1054; Rudman, 1990:506; Willan & Coleman, 1984:42

Pleurolidia Burn, 1966:22

**Pleurolidia juliae* Burn, 1966:22 [= *Protaeolidiella*; = *Protaeolidiella atra*]
 Burn, 1975b:106; Coleman, 1989:51†; Rudman, 1990:505; Willan & Coleman, 1984:42†

Caloriidae Odhner, 1968

Franc, 1968:882; Nordsieck, 1972:74

Caloria Trinches, 1888:291

Bergh, 1890:39; 1892:41(1033); Engel, 1925:72; Fez Sanchez, 1974:87; Marcus, 1958a:58; Nordsieck, 1972:74; Pruvot-Fol, 1951:60; 1954b:396; Schmekel & Portmann, 1982:200; Thiele, 1931:459; 1992:749; Thompson, 1988:322; Thompson & Brown, 1984:153; Vayssi  re, 1913a:274

Caloria australis Risbec, 1937a:162

Burn & Narayanan, 1970:85; Risbec, 1953:156

Caloria elegans (Alder & Hancock, 1845) | *Eolis* |

Ballesteros, 1985:33; Brown, 1981:335; Brown & Picton, 1979:21; Calado & Urgorri, 1998:100; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:207†; Garcia-Gomez, 2002:182†; Picton, 1979:125; Picton & Morrow, 1994:126†; Riedl, 1983:327; Schmekel & Portmann, 1982:214†; Thompson, 1988:322; Thompson & Brown, 1984:153†; Trainito, 2003:46†; 2005:81†; Wirtz, 1998a:†; 1999:†

Caloria guenanti (Risbec, 1928) | *Aeolidia* |

Burn & Narayanan, 1970:85; Risbec, 1953:155

Caloria indica (Bergh, 1896) | *Learchis* | [= *Phidiana*]

Gosliner, 1987b:122†; Gosliner, Behrens, & Williams, 1996:176†; Hoover, 1998:177†; Ono, 1999:162†; Yonow, 1994:126†

**Caloria maculata* Trinches, 1888:291 [= *C. elegans*] (non Pruvot-Fol, 1951; non Vayssi  re, 1913 = *Hervia costai*)

Ballesteros, 1982b:232; Barletta, 1981:103; Fez Sanchez, 1974:87†; George & George, pl. 92†; Haefelfinger, 1960a:234; Nordsieck, 1972:74; Pruvot-Fol, 1948b:273; 1954b:397; Schmekel, 1970:150; Vayssi  re, 1913a:274

Caloria maculata auctt. [= *Cratena peregrina*; = *Hervia costai*]*Caloria militaris* (Alder & Hancock, 1864) | *Eolis* | [= *Phidiana*]

Bertsch & Johnson, 1981:95†; Burn & Narayanan, 1970:84; Gosliner, 1980:53; Kay, 1979:484†; Okutani, 2000:807†; Rao & Krishna Kumari, 1973a:32

Caloria occidentalis Engel, 1925:73 [= *Dondice*]

Marcus, 1958a:61

Caloria poica (Marcus & Marcus, 1960) | *Learchis* |

Burn & Narayanan, 1970:85

Caloria sp.1 Gosliner, 1987b:122†*Caloria* sp.2 Gosliner, 1987b:123†*Caloria* sp.3 Gosliner, 1987b:123†*Caloria* sp. Nakano, 2004:260†*Caloria* sp. Ono, 2004:257†*Caloria* sp. White, 1955:191

Tribe: *Acleioprocta* Odhner, 1939
 Franc, 1968:882; Parker, 1982:1054

Eubranchidae Odhner, 1934

Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:173; Edmunds, 1969a:461; Edmunds & Just, 1983:187; Edmunds & Kress, 1969:905; Franc, 1968:882; Hayward, Wigham, & Yonow, 1990:721; ICZN, 1966b:88; Jensen, 2000:441; 2000b:626; Just & Edmunds, 1985:100; Miller, 1971a:325; Nordsieck, 1972:74; Parker, 1982:1054; Pruvot-Fol, 1954b:416; Roginskaya, 1987d:180; Rudman, 1998b:1012; Schmekel, 1970:159; Schmekel & Portmann, 1982:237; Thompson, 1988:286; Thompson & Brown, 1984:129; Willan & Morton, 1984:79

Cumanotinae Odhner, 1968

[Thompson, 1988:310 places this at family level)]

Franc, 1968:882; Thompson, 1988:310; Thompson & Brown, 1984:143

Cumanotus Odhner, 1907:26, 29

Eliot, 1908:313; 1910d:125, 169; ICZN, 1966c:108; Lemche, 1964c:125; McDonald, 1983:163; McDonald & Nybakken, 1980:60; Nordsieck, 1972:74; Odhner, 1910:82; Picton & Morrow, 1994:114†; Pruvot-Fol, 1954b:424; Thiele, 1931:453; Thompson, 1988:310; Thompson & Brown, 1984:143

Cumanotus beaumonti (Eliot, 1906) |*Coryphella*|

Behrens, 1980:88†; Eliot, 1908:314; 1910d:125†; Farmer, 1980:126; McDonald, 1983:163; McDonald & Nybakken, 1980:60†; Nordsieck, 1972:74; Odhner, 1910:82; Picton, 1991:219; Pruvot-Fol, 1954b:424; Thompson, 1976a:†; Thompson & Brown, 1976:172; 1984:144†

Cumanotus cuenoti Pruvot-Fol, 1948a:97

Nordsieck, 1972:74; Pruvot-Fol, 1954b:425; Tardy & Gantes, 1980:199

Cumanotus fernaldi Thompson & Brown, 1984:146

Behrens, 1991:87†; Behrens & Hermosillo, 2005:110†

**Cumanotus laticeps* Odhner, 1907:29, 101 [=*C. beaumonti*]

Odhner, 1910:82

Cumanotus sp. Behrens, 1980:104†

Cumanotus sp.1 Behrens & Hermosillo, 2005:110†

Cumanotus sp. Sphon & Lance, 1968:78 [=*C. beaumonti*]

Egalvininae Odhner, 1968

Franc, 1968:883

Egalvina Odhner, 1929 for 1927:11

[=*Eubranchus*]

Lemche, 1964b:43; Nordsieck, 1972:74; Odhner, 1939:63; Thiele, 1931:452; 1992:740

Egalvina rupium (Möller, 1842) |*Tergipes*|

Nordsieck, 1972:75

**Egalvina viridula* (Bergh, 1873) |*Galvina*| [=*Eubranchus tricolor*]

Nordsieck, 1972:74; Odhner, 1929:11

Vegalvina Odhner in Franc, 1968:883 {nomen nudum}

Eubranchinae Odhner, 1934

***Aenigmastyletus* Martynov, 1998:767**

Aenigmastyletus alexeii Martynov, 1998:767
Martynov, 2005:151

Amphorina Quatrefages, 1844d:145
[=*Eubranchus*; =*Galvina*]

Bergh, 1882:54; 1885:37; 1890:34; 1892:34(1026); Chenu, 1859:411; Eliot, 1910d:129, 172; Fez Sanchez, 1974:86; Fischer, 1883:540; Lemche, 1964b:43; Løyning, 1922:56, 93; Martynov, 1998:774; Odhner, 1907:27; Trinchese, 1879a:50; Vayssi  re, 1888d:54; 1913a:275

**Amphorina alberti* Quatrefages, 1844d:146 [=*Eubranchus farrani*; *Eubranchus tricolor*; =*Galvina farrani*] (non Bergh, 1882:55 nor Trinchese, 1877 nor Vayssi  re, 1888d:55 =*Trinchesia foliata*; =*Trinchesia genovae*)
Bergh, 1900a:41; Heppell, 1964a:413; ICZN, 1966b:87; Lemche, 1964b:43; Marcus, 1958a:49; Odhner, 1907:30; Vayssi  re, 1913a:276

Amphorina alberti var. *leopardina* Vayssi  re, 1888d:60 [=*Trinchesia leopardina*]
Vayssi  re, 1913a:276

Amphorina aurantiaca (Alder & Hancock, 1851) |*Eolis*| [=*Cratena aurantia*; =*Cuthona gymnota*; =*Trinchesia aurantia*]
Colgan, 1914:182; Eliot, 1906c:367; Løyning, 1922:57, 93; Walton, 1908:230

Amphorina aurantiaca var. *pallida* Loman, 1893:36

Amphorina caerulea (Montagu, 1804) |*Doris*| [=*Cartriona*, =*Cratena*; =*Cuthona*, =*Trinchesia*]
Beaumont, 1900:837; Bergh, 1882:57; Eliot, 1910d:129†; Fez Sanchez, 1974:86†; Heincke, 1897:249; Hoffmann, 1926:18; Nobre, 1931:29; 1936:21; 1938-40:69; Vayssi  re, 1888d:60; 1913a:277

Amphorina columbiana O'Donoghue, 1922:160 [=*Cartriona*; =*Cuthona*]

Amphorina glottensis (Alder & Hancock, 1846) |*Eolis*| [=*Cratena*]
Farran, 1909:6

Amphorina leopardina Vayssi  re, 1888 |*Amphorina alberti* var. *leopardina*|
[=*Trinchesia*]

Amphorina molios (Herdman, 1881) |*Eolis*| [=*A. caerulea*; =*Cratena*; =*Cuthona coerulea*]
Bergh, 1885:37; Norman, 1890:85

Amphorina olivacea (Alder & Hancock, 1842) |*Eolis*| [=*Cratena foliata*; =*Cuthona foliata*; *Trinchesia foliata*]
Eliot, 1906c:368; Løyning, 1922:61, 94

Amphorina pallida Eliot, 1906d:155

Amphorina viridis (Forbes, 1840) |*Montagua*| [=*Cratena*; =*Cuthona*]

Amphorina sp. Eliot, 1913:43 [=*Cuthona columbiana*]

***Annularhina* Rao, 1968:57**

**Annularhina mandapamensis* Rao, 1968:57 [=*Eubranchus*]

***Capellinia* Trinchese, 1873:201**
[=*Eubranchus*]

Bergh, 1890:33; 1892:33(1025); Martynov, 1998:775; Nordsieck, 1972:75; Odhner, 1907:27; Pruvot-Fol, 1954b:420; Rao, 1968:54; Thiele, 1931:452; 1992:740; Vayssi  re, 1913a:303

Capellinia capellinii (Trinchese, 1879) |*Tergipes*| [=*C. exigua*; =*Eubranchus doriae*]
Vayssi  re, 1913a:306

Capellinia conicla Marcus, 1958a:41
Marcus & Marcus, 1960a:176

**Capellinia doriae* Trinchese, 1873:201 [=*Eubranchus*]
Vayssi  re, 1913a:305; 1929

Capellinia exigua (Alder & Hancock, 1848) |*Eolis*|
Nordsieck, 1972:75†; Pruvot-Fol, 1954b:420

Capellinia fuscannulata Rao, 1968:54
Rao, 1968b:6

Capellinia fustifera (Lov  n, 1846) |*Tergipes*|
Hoffmann, 1926:19; Odhner, 1907:30

Capellinia rustya Marcus, 1961:49 [=*Eubranchus*]
Farmer, 1980:114

Capellinia sp. Burn, 1966a:280

Eubranchopsis Baba, 1949:173
[=*Eubranchus*]

Rao, 1968:55

Eubranchopsis indicus Rao, 1968:55
Rao, 1968b:6

**Eubranchopsis virginalis* Baba, 1949:173†
Abe, 1964:62

Eubranchus Forbes, 1838:5

Baba, 1960c:299; 1964:286; Burn, 1964:13; Edmunds & Kress, 1969:880; Fez Sanchez, 1974:102; ICBN, 1966b:87; Lemche, 1936:142; 1964b:40; L  yning, 1927:256; MacFarland, 1966:323; McDonald, 1983:185; McDonald & Nybakken, 1980:60; Miller, 1971a:326; Nordsieck, 1972:75; Odhner, 1934:282; 1939:63; O'Donoghue, 1926a:127; Pruvot-Fol, 1948:35; 1951:65; 1954b:416; Rao, 1968:51; Roginskaya, 1987d:180; Satyamurti, 1952:248; Schmekel & Portmann, 1982:237; Swennen, 1987:43; Thiele, 1931:452; 1992:740; Thompson, 1988:286; Thompson & Brown, 1984:130

Eubranchus adarensis Odhner, 1934:283
Vicente & Arnaud, 1974:541

Eubranchus agrius Marcus, 1959:72
Miller, 1971a:327†; Powell, 1979:289; Schr  dl, 1996:38; 2003:76; Willan & Morton, 1984:79

Eubranchus andreapolis (McIntosh, 1855) |*Eolis*|
Nordsieck, 1972:75; Pruvot-Fol, 1954b:418

Eubranchus arnaudi Vicente, 1974:632

Eubranchus arci Ortea, 1980:170

Eubranchus cingulatus (Alder & Hancock, 1847) |*Eolis*|
Brown & Picton, 1979:25; Edmunds & Kress, 1969:896; Garcia-Gomez, 2002:†; Hayward, Wigham, & Yonow, 1990:721; Just & Edmunds, 1985:100†; Nordsieck, 1972:75; Ortea, 1978:115; Pruvot-Fol,

- 1954b:418; Rolán & Otero-Schmitt, 1996:154; Schmekel & Portmann, 1982:237†; Thompson, 1988:288; Thompson & Brown, 1976:166; 1984:130†; Wilson & Picton, 1983:70
- Eubranchus conicus* (Marcus, 1958) |*Capellinia*|
Edmunds & Just, 1983:187; Marcus & Hughes, 1974:523; Redfern, 2001:180†
- Eubranchus convenientis* Ortea & Caballer, 2002:81†
- Eubranchus correai* Ortea, Moro, & Caballer, in Ortea Caballer, & Moro, 2002a:104†
- Eubranchus cucullus* Behrens, 1985d:175
Behrens & Hermosillo, 2005:110†; Hermosillo, 2004:110†
- Eubranchus doriae* (Trinchese, 1874) |*Capellinia*| (non Edmunds & Kress, 1969:903 =*E. cingulatus*)
Edmunds & Kress, 1969:903; Gavaia, Malaquias, Calado, & Urgorri, 2003:115†; Just & Edmunds, 1985:102†; Picton & Morrow, 1994:114†; Thompson, 1988:290; Thompson & Brown, 1984:132†; Trainito, 2005:76†; Wilson & Picton, 1983:70
- Eubranchus echizenicus* Baba, 1975d:70
Nakano, 2004:241†
- Eubranchus eibesfeldti* Ortea, Caballer, & Bacallado, 2003:104
- Eubranchus exiguus* (Alder & Hancock, 1848) |*Eolis*| [=*Capellinia*]
Ballesteros, 1985:27; Brown & Picton, 1979:26; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:173†; Dekker, 1989:103; Edmunds & Kress, 1969:899; Engel, 1936a:113; Fez Sanchez, 1974:103; Garcia-Gomez, 2002:191; Hayward, Wigham, & Yonow, 1990:721; Hunnam & Brown, 1975:154; Jensen & Knudsen, 1995:35; Just & Edmunds, 1985:104†; Jutting & Engel, 1936:60; Picton & Morrow, 1994:116†; Riedl, 1983:330; Roginskaya, 1962:97; 1987d:181; Schmekel, 1970:160; Schmekel & Portmann, 1982:239†; Swennen, 1987:44; Thompson, 1988:292; Thompson & Brown, 1976:170; 1984:132†; Trainito, 2003:44†; 2005:75†
- Eubranchus falklandicus* (Eliot, 1907) |*Galvina*|
Schrödl, 2003:76
- Eubranchus farrani* (Alder & Hancock, 1844) |*Eolis*| [=*E. tricolor*]
Ballesteros, 1984b:46; 1985:27; Barletta, 1981:105; Brown & Picton, 1979:24; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:175†; Edmunds, 1969:†; Edmunds & Kress, 1969:889; Fontes, Tempera, & Wirtz, 2001:85; Garcia-Gomez, 2002:†; Hayward, Wigham, & Yonow, 1990:721; Heppell, 1964a:413; Hunnam & Brown, 1975:156; Just & Edmunds, 1985:106, 108†; O'Donoghue, 1929:749; Picton & Morrow, 1994:116†; Riedl, 1983:330; Schmekel, 1970:159; Schmekel & Portmann, 1982:241†; Thompson, 1988:294; Thompson & Brown, 1976:166; 1984:134†; Trainito, 2003:44†; 2005:75†; Turk, 2000:165†; Walls, 1982:324†
- Eubranchus fiduciae* Ortea, Moro, & Espinosa, 1999:154† [=*Cuthona*]
- Eubranchus flavus* (Trinchese, 1879) |*Galvina*|
O'Donoghue, 1929:750
- Eubranchus fuegiensis* Odhner, 1926:28
Schrödl, 1996a:53; 2003:77
- Eubranchus fustifera* (Lovén, 1846) |*Tergipes*|
O'Donoghue, 1929:750
- Eubranchus horii* Baba, 1960c:300
Abe, 1964:62, 87†; Baba, 1975b:77; Okutani, 2000:803†
- Eubranchus inabai* Baba, 1964:285

Beesley, Ross, & Wells, 1998:pl. 36†; Coleman, 2001:†; Nakano, 2004:241†; Okutani, 2000:803†;
Suzuki, 2000:145†

Eubranchus leopoldoi Caballer, Ortea, & Espinosa, 2001:55†
Ortea & Caballer, 2002:81†

Eubranchus linensis García-Gómez, Cervera, & García, 1990:585†
Calado & Urgorri, 1998:101; Garcia-Gomez, 2002:†

Eubranchus mandapamensis (Rao, 1960) [*Annulorhina*]
Behrens & Hermosillo, 2005:111†

Eubranchus mannarensis Rao, 1968:51
Rao, 1968b:6

Eubranchus mimeticus Baba, 1975d:71
Nakano, 2004:242†

Eubranchus misakiensis Baba, 1960c:300 [= *Leostyletus*]
Baba, 1971b:63; Behrens, 1980:90†; 1981a:214; 1991:87†; Behrens & Hermosillo, 2005:111†; Farmer,
1980:115; McDonald, 1983:185; McDonald & Nybakken, 1980:60†; Nakano, 2004:240†; Okutani,
2000:803†; Suzuki, 2000:145†

Eubranchus montraveli Risbec, 1937a:161
Risbec, 1953:139

Eubranchus nanus Labbé, 1932:447

Eubranchus occidentalis MacFarland, 1966:323† [= *E. rustyus*]

Eubranchus odhneri (Derjugin & Gurjanova, 1926) [*Galvina*]
Roginskaya, 1987d:183

Eubranchus olivaceus (O'Donoghue, 1922) [*Galvina*] [= *E. rupium*]
Behrens, 1980:90†; 1991:87†; 2004:47; Goddard, 1984:150; McDonald, 1983:185; McDonald &
Nybakken, 1980:60†; Meyer, 1970:147

Eubranchus "oceanus" Lemche
Jensen & Knudsen, 1995:35

Eubranchus pallidus (Alder & Hancock, 1842) [*Eolis*] [= *Galvina picta*] (non Jaeckel,
1952 = *Tenellia adspersa*)

Brown & Picton, 1979:24; Dekker, 1989:103; Edmunds & Kress, 1969:893; Hayward, Wigham, &
Yonow, 1990:721; Lemche, 1938:29; Nordsieck, 1972:75†p Odhner, 1939:66; Picton & Morrow,
1994:118†; Swennen, 1949:70; 1987:43; Thompson, 1988:296†; Thompson & Brown, 1976:168;
1984:134†; Urgorri & Besteiro, 1986:97

Eubranchus prietoi Llera & Ortea, 1981:266†
García-Gómez, 1987:206; 2002:192†

Eubranchus productus (Farran, 1905) [*Galvina*]
O'Donoghue, 1932:145; Satyamurti, 1952:249

Eubranchus robertianae (McIntosh, 1865) [*Eolis*]
Nordsieck, 1972:75; Pruvot-Fol, 1954b:419

Eubranchus rubeolus Burn, 1964:13
Burn, 1966a:279; Miller, 1971a:331†; Powell, 1979:289

Eubranchus rubropunctatus Edmunds, 1969a:455
Coleman, 2001:†; Marshall & Willan, 1999:138†; Nakano, 2004:243†

Eubranchus rupium (Möller, 1842) |*Tergipes*| [=Egalvina]

Behrens & Hermosillo, 2005:111†; Edmunds & Kress, 1969:904; Dekker, 1989:103; Just & Edmunds, 1985:110†; Swennen, 1987:44

Eubranchus rustyus (Marcus, 1961) |*Capellinia*|

Behrens, 1980:90†; 1991:88†; Behrens & Hermosillo, 2005:112†; Goddard, 1984:150; Just & Edmunds, 1985:116†; Lamb & Hanby, 2005:269†; McDonald, 1983:186; McDonald & Nybakken, 1980:62†

Eubranchus sanjuanensis Roller, 1972:419

Behrens, 1980:90†; 1991:88†; Behrens & Hermosillo, 2005:112†; Just & Edmunds, 1985:112†

Eubranchus steinbecki Behrens, 1987:86

Behrens, 1991:88†; 2004:47

Eubranchus tanzanensis Edmunds, 1969a:451*Eubranchus telesforoi* Ortea, Caballer, & Bacallado in Ortea, Caballer, Moro, & Bacallado, 2002:92†*Eubranchus toledanoi* Ortea & Caballer, 2002:85†**Eubranchus tricolor* Forbes, 1838:5 [=Eolis; =Eubranchus] (non Roginskaya, 1962:97 =*E. odhneri*)

Brown & Picton, 1979:26; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:177†; Edmunds & Kress, 1969:880; Evertsen & Bakken, 2001b:19†; Fez Sanchez, 1974:102; Hayward, Wigham, & Yonow, 1990:722; Heppell, 1964a:413; Hunnam & Brown, 1975:156; ICZN, 1966b:87; Just & Edmunds, 1985:114†; Lemche, 1964b:43; McMillan, 1968:70; Nordsieck, 1972:75†; Picton & Morrow, 1994:118†; Pruvot-Fol, 1951:66; 1954b:416; Rivest & Harris, 1976:145; Thompson, 1976a:†; 1988:298†; Thompson & Brown, 1976:164; 1984:135†; Trainito, 2003:44†; 2005:76†; Turk, 2000:165†

Eubranchus tricolor var. *exigua* (Alder & Hancock, 1848) |*Eolis*|

Løyning, 1927:258

Eubranchus tricolor var. *farrani* (Alder & Hancock, 1844) |*Eolis*|

Løyning, 1927:257

Eubranchus tricolor var. *flavescens* (Friile & Hansen, 1876) |*Eolis*|

Løyning, 1927:258

Eubranchus tricolor var. *pallida* (Alder & Hancock, 1842) |*Eolis*|

Løyning, 1927:257; Nordsieck, 1972:75

Eubranchus tricolor var. *picta* (Alder & Hancock, 1847) |*Eolis*|

Løyning, 1927:257

Eubranchus tricolor tricolor Forbes, 1838 |*Eubranchus tricolor*|

Rendall, 1957:178

Eubranchus vascoi Ortea, Caballer, & Moro in Ortea, Caballer, Moro, & Bacallado, 2002:95†*Eubranchus virginialis* (Baba, 1949) |*Eubranchopsis*|

Baba, 1971d:39; Nakano, 2004:242†; Okutani, 2000:803†; Ono, 2004:244†

Eubranchus vittatus (Alder & Hancock, 1842) |*Eolis*|

Ballesteros, 1985:27; Brown & Picton, 1979:25; Edmunds & Kress, 1969:898; Nordsieck, 1972:75; Picton & Morrow, 1994:120†; Pruvot-Fol, 1954b:417; Thompson, 1988:300; Thompson & Brown, 1976:168; 1984:137†

Eubranchus sp. Behrens, 1980:104†

- Eubranchus* sp.1 Behrens, 1991:89†
Eubranchus sp. Brown & Picton, 1979:25
Eubranchus sp. Bryce, 1994:†
Eubranchus sp. 1 Behrens & Hermosillo, 2005:113†
Eubranchus sp. 2 Behrens & Hermosillo, 2005:113†
Eubranchus sp. 3 Behrens & Hermosillo, 2005:113†
Eubranchus sp. 1 Camacho-Garcia, Gosliner, & Valdes, 2005:101†
Eubranchus sp. 2 Camacho-Garcia, Gosliner, & Valdes, 2005:101†
Eubranchus sp. 3 Camacho-Garcia, Gosliner, & Valdes, 2005:101†
Eubranchus sp. 4 Camacho-Garcia, Gosliner, & Valdes, 2005:102†
Eubranchus sp. “Coleman’s Eubranchus” Coleman, 2001:†
Eubranchus sp. “micro Eubranchus” Coleman, 2001:†
Eubranchus sp. “starry Eubranchus” Coleman, 2001:†
Eubranchus sp. “tapered Eubranchus” Coleman, 2001:†
Eubranchus sp. Debelius, 1996:†
Eubranchus sp. Edmunds, 1969a:454
Eubranchus sp. Garcia-Gomez, 2002:†
Eubranchus sp.1 Gosliner, 1987b:114†
Eubranchus sp.2 Gosliner, 1987b:115†
Eubranchus sp.3 Gosliner, 1987b:115†
Eubranchus sp.1 Hermosillo, 2004:110
Eubranchus sp.1 Hermosillo & Behrens, 2005:20†
Eubranchus sp.A Lemche in Just & Edmunds, 1985:116†
Eubranchus sp.B Lemche in Just & Edmunds, 1985:118†
Eubranchus sp.C Lemche in Just & Edmunds, 1985:120†
Eubranchus sp.1 Marshall & Willan, 1999:139†
Eubranchus sp.2 Marshall & Willan, 1999:139†
Eubranchus sp.3 Marshall & Willan, 1999:140†
Eubranchus sp. Moore, 1961:35
Eubranchus sp.1 Nakano, 2004:243†
Eubranchus sp.2 Nakano, 2004:243†
Eubranchus sp.3 Nakano, 2004:244†
Eubranchus sp.4 Nakano, 2004:244†

- Eubranchus* sp.5 Nakano, 2004:244†
- Eubranchus* sp.6 cf. *leopoldoi*
Nakano, 2004:244†
- Eubranchus* sp.7 Nakano, 2004:244†
- Eubranchus* sp.8 Nakano, 2004:244†
- Eubranchus* sp.9 Nakano, 2004:245†
- Eubranchus* sp.10 Nakano, 2004:245†
- Eubranchus* sp.11 Nakano, 2004:245†
- Eubranchus* sp.12 Nakano, 2004:245†
- Eubranchus* sp.1 Ono, 1999:159†
- Eubranchus* sp.2 Ono, 1999:160†
- Eubranchus* sp.3 Ono, 1999:160†
- Eubranchus* sp.4 Ono, 1999:161†
- Eubranchus* sp.5 Ono, 1999:161†
- Eubranchus* sp.1 Ono, 2004:244†
- Eubranchus* sp.2 Ono, 2004:243,245†
- Eubranchus* sp.3 Ono, 2004:245†
- Eubranchus* sp.4 Ono, 2004:246†
- Eubranchus* sp.5 Ono, 2004:246†
- Eubranchus* sp.6 Ono, 2004:247†
- Eubranchus* sp.7 Ono, 2004:247†
- Eubranchus* sp. Ortea, Moro, Bacallado, & Herrera, 2001:122 [=*E. leopoldoi*]
- Eubranchus* sp.A Picton & Morrow, 1994:120†
- Eubranchus* sp.B Picton & Morrow, 1994:120†
- Eubranchus* sp.C Picton & Morrow, 1994:136†
- Eubranchus* sp.1 Schrödl, 1996:38†
Schrödl, 2003:77†
- Eubranchus* sp.2 Schrödl, 1996:38†
Schrödl, 2003:78†
- Eubranchus* sp.1 Suzuki, 2000:146†
- Eubranchus* sp.2 Suzuki, 2000:146†
- Eubranchus* sp.3 Suzuki, 2000:147†
- Eubranchus* sp. Trainito, 2005:76†
- Eubranchus* sp. Vicente & Arnaud, 1974:541

Eubranchus sp. Wells & Bryce, 1993:154†

Galvina Alder & Hancock, 1855:xxii
[=*Eubranchus*]

Bergh, 1868:218; 1873a:620; 1877a:830; 1882:42; 1890:34; 1892:34(1026); 1904:5; 1900a:42; Eliot, 1910d:169; Gray, 1857:226; Lemche, 1964b:43; Løyning, 1922:41, 92; Odhner, 1907:27; Trinchesse, 1879a:50; Vayssi  re, 1903:84; 1913a:295

Galvina adelaidae (Thompson, 1859) |*Eolis*| [=*G. farrani*]

Galvina adspersa (Nordmann, 1844) |*Tergipes*| [=*Tenellia*]

Galvina andreapolis (McIntosh, 1865) |*Eolis*| [=*G. farrani*]

Galvina cingulata (Alder & Hancock, 1847) |*Eolis*| [=*Eubranchus*; =*Eubranchus tricolor*]

Garstang, 1889:195; 1890:439; Hoffmann, 1926:19; Odhner, 1907:31; Vayssi  re, 1913a:296; Walton, 1908:231

Galvina columbiana (O'Donoghue, 1922) |*Amphorina*| [=*Cuthona*]

Galvina exigua (Alder & Hancock, 1848) |*Eolis*| [=*Eubranchus*]

Bergh, 1877a:833; 1904:5; Colgan, 1914:182; Garstang, 1890:436; Hoffmann, 1926:19; Løyning, 1922:47; Odhner, 1907:31; Tchang Si, 1931a:125; Vayssi  re, 1913a:296; Verrill, 1882a:553

Galvina falklandica Eliot, 1907a:353 [=*Eubranchus*]

Galvina farrani (Alder & Hancock, 1844) |*Eolis*| [=*Eubranchus*; =*Eubranchus tricolor*]

Beaumont, 1900:839; Bergh, 1887:4; Colgan, 1914:183; Farran, 1904:8; 1909:7; Odhner, 1907:30; Vayssi  re, 1903:84; 1913a:297

Galvina flava Trinchesse, 1879:81, pl. 29 [=*Eubranchus farrani*; =*Eubranchus tricolor*]

Bergh, 1882:44; Vayssi  re, 1913a:298

Galvina flavescens (Friele & Hansen, 1876) |*Eolis*| [=*Eubranchus pallidus*]

Eliot, 1910d:170; Odhner, 1907:31

Galvina fustifera (Lov  n, 1846) |*Tergipes*|

Eliot, 1910d:170

Galvina odhneri Derjugin & Gurjanowa, 1926:25 [=*Eubranchus*]

Galvina olivacea O'Donoghue, 1922a:158 [=*Eubranchus*]

Galvina pallida (Alder & Hancock, 1842) |*Eolis*| [=*Eubranchus*; =*Eubranchus tricolor*; =*G. picta*]

Galvina picta (Alder & Hancock, 1847) |*Eolis*| [=*Eubranchus pallidus*; =*Eubranchus tricolor*] (non Trinchesse, 1877/79 =*Eubranchus farrani*)

Beaumont, 1900:839; Bergh, 1882:49; Colgan, 1914:185; Hoffmann, 1926:19; Løyning, 1922:44, 92; Odhner, 1907:30; Vayssi  re, 1913a:297

Galvina picta var. *pallida* Bergh, 1882:52

Løyning, 1922:47, 92

Galvina producta Farran, 1905a:331 [=*Eubranchus*]

Galvina robertianae (Thompson, 1865) |*Eolis*| [=*G. farrani*]

Galvina rupium (M  ller, 1842) |*Tergipes*| [=*Eubranchus*]

Bergh, 1860:320; 1868:220; Eliot, 1910d:170; Odhner, 1907:31

**Galvina tricolor* (Forbes, 1838) |*Eubranchus*|

Colgan, 1914:183; Garstang, 1890:437; Hoffmann, 1926:19; Odhner, 1907:31; Vayssi  re, 1913a:298;
Walton, 1908:232

Galvina violacea (Alder & Hancock, 1844) |*Eolis*| [=*Eubranchus tricolor*]

Galvina viridula Bergh, 1873a:622 [=*Eubranchus tricolor*]

Lemche, 1964b:43

Galvina vittata (Alder & Hancock, 1842) |*Eolis*| [=*Eubranchus*; =*Eubranchus tricolor*]
Farran, 1904:8

Galvina sp. Bergh, 1899 [=*Egalvina viridula*]

Galvina sp. (anonyma) Bergh, 1900a:42 [=*Eubranchus tricolor*]

Galvina sp. Grieg, 1913a:10

Galvinella Eliot, 1907b:26
[*Gabruella*]

Thiele, 1931:452; 1992:740

**Galvinella antarctica* Eliot, 1907b:26

Galvinella glacialis Thiele, 1912:223

Indobranchus Rao, 1968a:27
{nomen nudum} [=*Annulorhina*]

Rao, 1968b:6

Indobranchus mandapamensis Rao, 1968b:6 {nomen nudum}

Leostyletus Martynov, 1998:770

Leostyletus misakiensis (Baba, 1960) |*Eubranchus*|
Martynov, 2005:151

Leostyletus pseudomisakiensis Martynov, 1998:770
Martynov, 2005:151

Nudibranchus Martynov, 1998:765

Nudibranchus agrius (Marcus, 1959) |*Eubranchus*| [=*Eubranchus*]

Nudibranchus exiguum (Alder & Hancock, 1848) |*Eolis*|
Martynov, 1998:765

Nudibranchus rupium (Moller, 1842) |*Tergipes*|
Martynov, 1998:766

Produnga Martynov, 1998:767

Produnga rubropunctata (Edmunds, 1969) |*Eubranchus*|
Martynov, 1998:767

Pseudovermidae Thiele, 1931

Fize, 1961:255 (key to species); 1964:742 (synopsis of species); Franc, 1968:884; Marcus & Marcus, 1955:232 (key to species); Nordsieck, 1972:75; Parker, 1982:1055; Poizat & Salvini-Plawen, 1986:157; Schmekel & Portmann, 1982:266; Swedmark, 1971:44 (key to species); Thiele, 1931:453; 1992:742; Thompson, 1988:306; Thompson & Brown, 1984:141; Willan & Morton, 1984:80

Pseudovermis Periaslavzeff, 1891:267

Nordsieck, 1972:75; Schmekel & Portmann, 1982:266; Thiele, 1931:454; 1992:742; Thompson, 1988:306; Thompson & Brown, 1984:141

Pseudovermis artabrensis Ugorri, Cobo, & Besteiro, 1991:189

Rolán & Otero-Schmitt, 1996:154

Pseudovermis axi Marcus & Marcus, 1955:236

Salvini-Plawen & Sterrer, 1968:70; Schmekel & Portmann, 1982:266

Pseudovermis boadeni Salvini-Plawen & Sterrer, 1968:74

Picton & Morrow, 1994:112†; Riedl, 1983:326; Thompson, 1988:306; Thompson & Brown, 1976:174; 1984:141†

Pseudovermis chinensis Hughes, 1991:427

Pseudovermis hancocki Challis, 1969:157

Powell, 1979:290; Willan & Morton, 1984:80

Pseudovermis indicus Salvini-Plawen & Chandrasekhara Rao, 1973:237

Pseudovermis japonicus Hamatani & Nunomura, 1973:69

Okutani, 2000:803

Pseudovermis kowalevskyi Salvini-Plawen & Sterrer, 1968:72

Pseudovermis mortoni Challis, 1969:155

Pseudovermis papillifera Kowalevsky, 1901:19

Nordsieck, 1972:76; Riedl, 1970:432; 1983:326; Salvini-Plawen & Sterrer, 1968:71

Pseudovermis paradoxus Periaslavzeff, 1888, 1891:267; Kowalevsky, 1901

Kowalevsky, 1900:10; 1901:1; Milachewitch, 1916:135; Nordsieck, 1972:76; Salvini-Plawen & Sterrer, 1968:73

Pseudovermis salamandrops Marcus, 1953:110

Salvini-Plawen & Sterrer, 1968:70

Pseudovermis schulzi Marcus & Marcus, 1955:235 (non Boaden, 1961:512 =*P. boadeni*)

Riedl, 1970:433; 1983:326; Salvini-Plawen & Sterrer, 1968:73

Pseudovermis setensis Fize, 1961:254

Fize, 1964:742

Pseudovermis soleatus Salvini-Plawen & Chandrasekhara Rao, 1973:235

Pseudovermis thompsoni Salvini-Plawen, 1991:180

Pseudovermis sp Salvini-Plawen & Sterrer, 1968:76

Cuthonidae Odhner, 1934

[Tergipedidae Vayssi  re, 1888 or Thiele, 1931; Trinchesiidae Nordsieck, 1972]

Baba & Abe, 1964a:11; Baba & Hamatani, 1963b:341; Bouchet & Rocroi, 2001:172; Brown, 1980:228; Burn, 1962:109; 1963:12; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:179; Edmunds & Just,

1983:187; Franc, 1968:884; Grossu, 1986:441; Hayward, Wigham, & Yonow, 1990:726; Heppell, 1964:411; ICZN, 1966:85; Jensen, 2000:442; 2000b:626 (as Tergipedidae); Just & Edmunds, 1985:112; Kay, 1979:483; Macnae, 1954:3; Miller, 1979:198; Nordsieck, 1972:76; Parker, 1982:1055; Pruvot-Fol, 1954b:379; Roginskaya, 1987d:193; Rudman, 1998b:1016; Sachidhanandam, Willan, & Chou, 2000:532 (as Tergipedidae); Satyamurti, 1952:249 (as Tergipedidae); Schmekel, 1970:161; Schmekel & Portmann, 1982:243; Swennen, 1987:45; Thiele, 1992:743; Thompson, 1988:260; Thompson & Brown, 1984:104, 115; Wells & Bryce, 1993:162; Willan & Morton, 1984:77; Williams & Gosliner, 1979:211

Tergipedidae sp.1 Schrödl, 2003:82†

Tergipedidae sp.1 Schrödl, et al., 2005:31†

Precuthoninae Odhner, 1968

Franc, 1968:885; Nordsieck, 1972:76

Cuthonella Bergh, 1884a:23

Bergh, 1890:31; 1892:30(1022); ICZN, 1966c:108; Lemche, 1964c:125; Martynov, 2000:5; Millen, 1986:1360; Nordsieck, 1972:76; Odhner, 1907:29; Risbec, 1953:130; Thiele, 1931:455; 1992:745

**Cuthonella abyssicola* Bergh, 1884a:24 [=Cuthona]

Grieg, 1913a:11; ICZN, 1966c:108; Nordsieck, 1972:76; Odhner, 1907:29

Cuthonella amoena (Risbec, 1928) |Aeolidia|

Risbec, 1953:130

Cuthonella antarctica Eliot, 1907b:23

Cuthonella berghi Friele, 1902:11 [=Cuthona abyssicola]

Hoffmann, 1926:17; Odhner, 1907:29

Cuthonella elenae Martynov, 2000:5

Cuthonella ferruginea Friele, 1902:10 [=Cuthona abyssicola]

Odhner, 1907:29

Cuthonella modesta Eliot, 1907b:25

Cuthonella norvegica Odhner, 1929:13 [=Cuthona]

Cuthonella paradoxa Eliot, 1907b:24

Cuthonella soboli Martynov, 1992:18

Precuthona Odhner, 1929:16

ICZN, 1966c:108; Lemche, 1964c:125; McDonald, 1983:207; McDonald & Nybakken, 1980:62; Nordsieck, 1972:76; Odhner, 1939:67; Roginskaya, 1987d:195; Thiele, 1931:455; 1992:745

Precuthona chrysanthema Roginskaya, 1987d:195

Precuthona divae Marcus, 1961:50 [=Cuthona nana]

Behrens, 1980:94†; Farmer, 1980:57; McDonald, 1983:207; McDonald & Nybakken, 1980:62†

Precuthona hirsuta (Bergh, 1861) |Montagua|

Lemche, 1941a:30

**Precuthona peachi* (Alder & Hancock, 1848) |Eolis| [=Cuthona nana] (non Lemche, 1938 =P. hirsuta)

Brown, 1978:87; Nordsieck, 1972:76; Odhner, 1929:16; 1939:70; Thompson, 1976a:†; Thompson & Brown, 1976:176

Cuthoninae Odhner, 1934

Baba & Abe, 1964a:11; Franc, 1968:885; Nordsieck, 1972:76, 80

Amphorina auctt.
(non Quatrefages) [=Cuthona]

Catriona Winckworth, 1941:148
[=Cuthona]

Baba & Abe, 1964a:9; Burn, 1962:111; 1963:13; Edmunds, 1968:207; Gosliner & Griffiths, 1981:134; Macnae, 1954:3; 1954a:52; Marcus, 1970a:213; Miller, 1977:202; 2004:1190; Nordsieck, 1972:76; Schmekel, 1968c:438; Schmekel & Portmann, 1982:244

Catriona alpha (Baba & Hamatani, 1963) |Cuthona| [=C. columbiana; =Cuthona columbiana]

Farmer, 1980:56; Roller, 1969a:421

Catriona albocrusta (MacFarland, 1966) |Cratena| [=Trinchesia]

**Catriona aurantia* (Alder & Hancock, 1842) |Eolis| [=C. gymnotis; =Trinchesia]
Hunnam & Brown, 1975:156; Marcus, 1958a:49; Nordsieck, 1972:77; Thompson & Brown, 1976:182

Catriona aurantia var. *pallida* (Loman, 1893) |Amphorina|

Marcus, 1958a:49

Catriona beta Baba & Abe, 1964a:10

Catriona bicolor (Bergh, 1904) |Cuthona|

Marcus, 1958a:49

Catriona casha Gosliner & Griffiths, 1981:130†

Gosliner, 1987b:119†

Catriona cavanca (Bergh, 1898) |Cratena| [=Cuthona; =Phidiana lottini]

Catriona coerulea (Montagu, 1804) |Doris|

Marcus, 1955:173; Perrone, 1986a:33

Catriona columbiana (O'Donoghue, 1922) |Amphorina| [=Cuthona]

Behrens, 1980:84†; 1991:89†; Behrens & Hermosillo, 2005:124†; Goddard, 1984:148; Gosliner, 1987b:119†; Gosliner & Griffiths, 1981:129†; Lamb & Hanby, 2005:269†; Marcus, 1958a:49

Catriona genovae (O'Donoghue, 1929) |Cratena| (nom. nov. for *Amphorina alberti*)

Catriona gymnotis (Couthouy, 1838) |Eolis| [=Cuthona]

Behrens, 1980:84†; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:183†; Garcia-Gomez, 2002:193; Picton & Morrow, 1994:108†; Schmekel & Portmann, 1982:259†

Catriona lagunae (O'Donoghue, 1926) |Hervia| [=Cuthona; =Trinchesia]

Steinberg, 1963:66

Catriona lonca Marcus, 1965:279

Catriona maua Marcus & Marcus, 1960a:177

Edmunds, 1964:2; Edmunds & Just, 1983:192; Marcus & Marcus, 1963:43; 1970a:79; Ortea, Caballer, & Moro, 2002b:†; Redfern, 2001:184†; Schmekel, 1968c:451; Schmekel & Portmann, 1982:260; Thompson, 1980:97

Catriona oba Marcus, 1970a:214

Catriona obtusalis (Alder & Hancock, 1842) |Eolis|

Marcus, 1958a:51

Catriona ornata (Baba, 1937) |Cuthona (Hervia)|

- Abe, 1964:63
- Catriona perca* Marcus, 1958a:45 [=Cuthona; =Trinchesia]
Edmunds, 1964:4; Marcus, 1970a:213
- Catriona pinnifera* (Baba, 1949) |Cratena|
Abe, 1964:64
- Catriona puellula* (Baba, 1955) |Cratena|
Abe, 1964:64
- Catriona pupillae* Baba, 1961:368
Abe, 1964:65, 88†
- Catriona purpureoanulata* Baba, 1961:370 [=Cuthona]
Abe, 1964:65, 88†; Orr, 1980:116; 1981:70†
- Catriona rickettsi* Behrens, 1984:66
Behrens, 1984a:179†; 1991:89†; 2004:47; Behrens & Hermosillo, 2005:124†; Miller, 2004:1187
- Catriona ronga* Marcus, 1961:52 [=C. lagunae; =Cuthona lagunae]
Steinberg, 1963:66
- Catriona signifera* Baba, 1961:369
- Catriona speciosa* Macnae, 1954:4 [=Cuthona]
- Catriona susa* Marcus & Marcus, 1960:916
- Catriona tema* Edmunds, 1968:203
Ortea, Caballer, & Moro, 2002b:†135†
- Catriona tina* Marcus, 1957:459
Edmunds, 1964:6; Marcus & Marcus, 1960a:177
- Catriona urquisa* Marcus, 1965:279
- Catriona valentini* (Eliot, 1907) |Cratena| [=Tergipes]
- Catriona viridiana* Burn, 1962:111
- Catriona* sp. Gosliner, 1987b:120†
- Catriona* sp. Ono, 2004:286†

Subgenus: (*Eurycatriona*) Burn, 1963:13

- Catriona* (*Eurycatriona*) *catachroma* Burn, 1963:15
- Catriona* (*Eurycatriona*) *viridiana* Burn, 1962 |Cratona|
Burn, 1963:17

Cratena auctt.
(non Bergh) [=Cuthona]

Winckworth, 1941:146

Cratenopsis Lemche, 1936:131

Nordsieck, 1972:81

- Cratenopsis amoena* (Alder & Hancock, 1845) |Eolis| [=Cuthona]
Nordsieck, 1972:81

Cratenopsis concinna (Alder & Hancock, 1843) |*Eolis*| [=Cuthona]

Nordsieck, 1972:81

**Cratenopsis plumosus* Lemche, 1936:132

Nordsieck, 1972:81

Cratenopsis pustulata (Alder & Hancock, 1854) |*Eolis*| [=Cuthona]

Nordsieck, 1972:81

Cuthona Alder & Hancock, 1855:xxii

Baba & Abe, 1964a:9; Bergh, 1890:30; 1892:30(1022); 1904:3; Brown, 1980:229; Burn, 1962:110; Cervera, García-Gómez, & López-González, 1992:334 (table of Mediterranean & Mauretanian species); Eliot, 1910d:173; Gosliner, 1996a:207; Gosliner & Griffiths, 1981:134; Gray, 1857:225; ICZN, 1966:84; Lemche, 1964:38; MacFarland, 1966:326; Marcus, 1959:78 (synopsis of species); McDonald, 1983:164; McDonald & Nybakken, 1980:62; Miller, 1977:200; 2004:1190; Nordsieck, 1972:76; Odhner, 1907:26; 1939:67; 1944:21; Pruvot-Fol, 1954b:386; Risbec, 1953:128; Roginskaya, 1987d:197; Sars, 1878:321; Schmekel & Portmann, 1982:243; Thiele, 1931:455; 1992:744; Thompson, 1988:262; Thompson & Brown, 1984:115; Vayssiére, 1913a:277

Cuthona abronia (MacFarland, 1966) |*Cratena*|

Behrens, 1991:90†; Behrens & Hermosillo, 2005:125†; McDonald, 1983:164; McDonald & Nybakken, 1980:62†

Cuthona abyssicola (Bergh, 1884) |*Cuthonella*|

Millen, 1986:1358

Cuthona acinosa (Risbec, 1928) |*Aeolidia*|

Coleman, 2001:†; Marshall & Willan, 1999:140†; Risbec, 1953:128

Cuthona adyarensis Rao, 1952:229

Cuthona akibai Baba, 1984:125

Nakano, 2004:273†

Cuthona albocrusta (MacFarland, 1966) |*Cratena*|

Angullo-Campillo, 2005:48; Behrens, 1991:90†; 2004:48; Behrens & Hermosillo, 2005:125†; Bertsch, Angulo Campillo, & Arreola, 2000:102; McDonald, 1983:165; McDonald & Nybakken, 1980:62†

Cuthona albopunctata (Schmekel, 1968) |*Trinchesia*|

Schmekel & Portmann, 1982:246†

Cuthona alpha Baba & Hamatani, 1963b:340 [=Catriona; =Catriona columbiana; =Trinchesia]

Abe, 1966:8; Lance, 1966:79; Miller, 1977:207

Cuthona amoena (Alder & Hancock, 1845) |*Eolis*| [=Trinchesia]

Ballesteros, 1985:28; Brown, 1980:247†; Brown & Picton, 1979:7; Dekker, 1985a:71; 1989:104; Garcia-Gomez, 2002:195; Hayward, Wigham, & Yonow, 1990:726; Picton & Morrow, 1994:98†; Rolán & Otero-Schmitt, 1996:157; Swennen, 1987:47; Thompson, 1988:264; Thompson & Brown, 1984:117†; Vayssiére, 1913a:281

Cuthona annandalei Eliot, 1910a:248

Cuthona anulata (Baba, 1949) |*Cratena*|

Coleman, 2001:†; Gosliner, 1987b:117†; Nakano, 2004:273†; Suzuki, 2000:149†

Cuthona antarctica (Pfeffer, 1884) |*Aeolis*|

Odhner, 1926:28

Cuthona aurantiaca (Alder & Hancock, 1842) |*Eolis*| [=Amphorina; =Catriona gymnotata; =C. gymnotata; =Cratena]

- Hoffmann, 1926:16; Odhner, 1907:28; 1929:19; Sars, 1878:321; Vayssi  re, 1913a:281
- Cuthona barbadiana* Edmunds & Just, 1983:192
Redfern, 2001:184†
- Cuthona beta* (Baba & Hamatani, 1964) |*Cratonia*| [=Trinchesia]
Abe, 1966:8; Miller, 1977:203; Nakano, 2004:273†
- Cuthona bicolor* Bergh, 1904:3
Baba, 1933b:279, 1935a:353
- Cuthona bractea* Burn, 1962:110 [=Tularia]
- Cuthona caerulea* (Montagu, 1804) |*Doris*|
Ballesteros, 1985:28; Brown, 1980:243†; Brown & Picton, 1979:27; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:179†; Garcia-Gomez, 2002:193†; Hayward, Wigham, & Yonow, 1990:726; Moro, Ortea, Bacallado, Valdes, & Perez-Sanchez, 1995:68†; Parent, Breton, & Reboux, 2001[2000]:31; Picton & Morrow, 1994:100†; Riedl, 1983:329; Schmekel & Portmann, 1982:248†; Thompson, 1988:266†; Thompson & Brown, 1984:120†; Trainito, 2003:48†; 2005:88†
- Cuthona catachroma* (Burn, 1963) |*Cratonia (Eurycratonia)*|
Coleman, 2001:†
- Cuthona cavanca* (Bergh, 1898) |*Cratena*| [=Phidiana lottini]
Schr  dl, 1996:39
- Cuthona claviformis* Vicente in Vicente & Arnaud, 1974:539
- Cuthona cocoachroma* Williams & Gosliner, 1979:204†
Behrens, 1991:90†; 2004:48; Behrens & Hermosillo, 2005:125†; McDonald, 1983:165
- Cuthona columbiana* (O'Donoghue, 1922) |*Amphorina*|
McDonald, 1983:166; McDonald & Nybakken, 1980:62†; Miller, 2004:1187; Nakano, 2004:274†
- Cuthona concinna* (Alder & Hancock, 1843) [=Trinchesia]
Behrens, 1991:91†; Behrens & Hermosillo, 2005:126†; Brown, 1980:249†; Brown & Picton, 1979:28; Dekker, 1989:104; Hayward, Wigham, & Yonow, 1990:726; Lamb & Hanby, 2005:270†; Meyer, 1970:146; O'Donoghue, 1922a:162; Picton & Morrow, 1994:100†; Roginskaya, 1962:100; 1987d:200; Swennen, 1949:69; 1987:48; Thompson, 1988:268; Thompson & Brown, 1984:121†; Vayssi  re, 1913a:280
- Cuthona crinita* Minichev, 1972a:378
- Cuthona diminutiva* Gosliner, 1980:47
- Cuthona distans* Odhner, 1922:28
- Cuthona divae* (Marcus, 1961) |*Precuthona*| [=Precuthona]
Behrens, 1991:91†; Behrens & Hermosillo, 2005:126†; Bertsch, 1987a:†; Lamb & Hanby, 2005:270†; Nakano, 2004:274†
- Cuthona diversicolor* (Baba, 1975) |*Trinchesia*|
Ono, 2004:278†; Nakano, 2004:274†; Suzuki, 2000:150†
- Cuthona elioti* Odhner, 1944:22 (nom. nov. for *Cuthonella antarctica*)
- Cuthona fidicinae* (Ortea, Moro, & Espinosa, 1999) |*Eubranchus*|
Ortea, Caballer, & Moro, 2002a:103
- Cuthona flavovulta* (MacFarland, 1966) |*Cratena*|
Behrens, 1991:91†; 2004:48; Behrens & Hermosillo, 2005:126†; McDonald, 1983:167; McDonald & Nybakken, 1980:62†

Cuthona foliata (Forbes & Goodsir, 1839) |*Eolidida*|

Brown, 1980:239†; Brown & Picton, 1979:26; Calado, 2002:105; Garcia-Gomez, 2002:194; Hayward, Wigham, & Yonow, 1990:728; Picton & Morrow, 1994:102†; Rolán & Otero-Schmitt, 1996:157; Swennen, 1987:46; Thompson, 1988:270; Thompson & Brown, 1984:121†

Cuthona foliata genovae (O'Donoghue, 1929) |*Cratena genovae*|

Schmekel & Portmann, 1982:250†

Cuthona fulgens (MacFarland, 1966) |*Cratena*|

Behrens, 1991:92†; 2004:48; Behrens & Hermosillo, 2005:127†; Gosliner & Millen, 1984:186; McDonald, 1983:167; McDonald & Nybakken, 1980:62†

Cuthona futairo Baba, 1963:109

Abe, 1964:63

Cuthona genovae (O'Donoghue, 1926) |*Cratena*|

Ballesteros, 1985:29; Garcia-Gomez, 2002:196†; Moro, Ortea, Bacallado, Valdes, & Perez-Sanchez, 1995:67; Nunn & Minchin, 1994:416; Picton & Morrow, 1994:102†; Picton & Wilson, 1984:349; Riedl, 1983:329; Schmekel & Portmann, 1982:250†; Thompson, 1988:272; Thompson & Brown, 1984:122†; Trainito, 2003:48†; 2005:5, 89†

Cuthona georgiana (Pfeffer, 1886) |*Aeolis*|

Cattaneo-Vietti, 1991:224; Marcus, 1959:75; Odhner, 1926:27; 1944:31; Schrödl, 1996:39; 2003:78

Cuthona georgiana longipapillata Minichev, 1972a:375*Cuthona germaini* Risbec, 1937a:161

Risbec, 1953:128

Cuthona glottensis (Alder & Hancock, 1846) |*Eolis*| (lapsus for *glorensis*)

Vayssiére, 1913a:282

Cuthona granosa (Schmekel, 1966) |*Trinchesia*|

Riedl, 1983:329; Schmekel & Portmann, 1982:253†

Cuthona gymnota (Couthouy, 1838) |*Eolis*|

Brown, 1980:244†; Brown & Picton, 1979:28; Dekker, 1989:104; Evertsen & Bakken, 2001b:19†; Hayward, Wigham, & Yonow, 1990:728; Swennen, 1987:47; Thompson, 1988:274; Thompson & Brown, 1984:123†

Cuthona hamanni Behrens, 1987:82

Behrens, 1991:92†; 2005:†; Behrens & Hermosillo, 2005:127†; Debelius, 1996:†

Cuthona henrici Eliot, 1916:377*Cuthona herrerai* Ortea, Moro, & Caballer, 2002c:118†*Cuthona hiemalis* Roginskaya, 1987d:197*Cuthona hirsuta* (Bergh, 1860) |*Montagua*| [=Precuthona]*Cuthona ilonae* (Schmekel, 1968) |*Trinchesia*|

Schmekel & Portmann, 1982:254†; Urgorri & Besteiro, 1986:97

Cuthona inornata (Alder & Hancock, 1845) |*Eolis*| [=Eolidina]

Eliot, 1910d:131†

Cuthona iris Edmunds & Just, 1983:189

Espinosa, Ortea, & Gonzalez:2003:161; Ortea, Caballer, & Moro, 2001:57†

Cuthona kanga (Edmunds, 1970) |*Trinchesia*|

Debelius, 1996:†; Gosliner, 1987b:116†; Masuda, 1999:132†; Wells & Bryce, 1993:162†

Cuthona kuiteri Rudman, 1981a:423

Coleman, 2001:†

Cuthona lagunae (O'Donoghue, 1926) |*Hervia*|

Angulo-Campillo, 2005:48; Behrens, 1991:92†; 2004:48; Behrens & Hermosillo, 2005:127†; Bertsch, Angulo Campillo, & Arreola, 2000:102; McDonald, 1983:168; McDonald & Nybakken, 1980:62†

Cuthona lizae Angulo Campillo & Valdes, 2003:179

Angulo-Campillo, 2005:†; Behrens & Hermosillo, 2005:128†

Cuthona longi Behrens, 1985:418

Behrens, 1985a:156†; Behrens & Hermosillo, 2005:128†

Cuthona longicauda (Heincke, 1897) |*Cratena*|

Eliot, 1910d:173

Cuthona marisalbi Roginskaya, 1963a:258

Roginskaya, 1987d:199

Cuthona mimetica Pruvot-Fol, 1930a:230

Risbec, 1953:128

Cuthona minostriata (Schmekel, 1968) |*Trinchesia*|

Schmekel & Portmann, 1982:256†; Trainito, 2005:89†

**Cuthona nana* (Alder & Hancock, 1842) |*Eolis*|

Brown, 1978:87; 1980:233†; Brown & Picton, 1979:26; Dekker, 1989:104; Filatova & Zatsepina, 1948:400; Gurjanowa, 1927:26; Hayward, Wigham, & Yonow, 1990:728; Herdman & Clubb, 1889:234; Hoffmann, 1926:16; ICZN, 1966:84; Just & Edmunds, 1985:122†; Nordsieck, 1972:76; Odhner, 1907:28; Picton & Morrow, 1994:104†; Pruvot-Fol, 1954b:386; Swennen, 1987:45; Thompson, 1988:262†; Thompson & Brown, 1976:178; 1984:116†; Vayssiére, 1913a:279; Walton, 1908:230

Cuthona northumbrica (Alder & Hancock, 1844) |*Eolis*| [=*Diaphoreolis*]

Eliot, 1910d:131; Vayssiére, 1913a:281

Cuthona norvegica (Odhner, 1929) |*Cuthonella*|

Millen, 1986:1359

Cuthona ocellata (Schmekel, 1966) |*Trinchesia*|

Ballesteros, 1985:29; 1986:5; Calado & Urgorri, 1998:101; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:181†; Garcia-Gomez, 2002:†; Perrone, 1986a:33; Riedl, 1983:329; Schmekel & Portmann, 1982:257†; Trainito, 2003:48†; 2005:88†

Cuthona odhneri Marcus, 1959:76

Schrödl, 1996:40; 2003:79

Cuthona olivacea (Alder & Hancock, 1842) |*Eolis*| [=*C. foliata*]

Vayssiére, 1913a:282

Cuthona olrikki (Mörch, 1857) |*Eolis*|

Lemche, 1938:29

Cuthona ornata Baba, 1937 |*Cuthona (Hervia)*| [=*Catriona*]

Gosliner, 1987b:116†; Marshall & Willan, 1999:141†; Nakano, 2004:276†; Okutani, 2000:805†; Suzuki, 2000:150†

Cuthona peachi (Alder & Hancock, 1848) |*Eolis*| [=*Cuthona nana*; =*Precuthona*]

Beaumont, 1900:834; Hoffmann, 1926:16; Odhner, 1907:28; Pruvot-Fol, 1954b:386; Vayssiére, 1913a:280

Cuthona perca (Marcus, 1958) |*Catriona*|

Behrens, 1984:65; 1991:93†; 2004:48; Behrens & Hermosillo, 2005:128†; Gosliner, 1980:43; Gosliner & Millen, 1984:186; Kay, 1979:483; Miller, 2004:1190; Perrone, 1995:28

Cuthona phoenix Gosliner, 1981:200

Behrens, 1991:93†; 2004:48; Behrens & Hermosillo, 2005:129†; Camacho-Garcia, Gosliner, & Valdes, 2005:103†

Cuthona pinnifera (Baba, 1949) |*Cratena*|

Gosliner, 1980:45; Kay, 1979:484; Nakano, 2004:275†; Okutani, 2000:805

Cuthona poritophages Rudman, 1979:340

Cuthona puellula (Baba, 1955) |*Cratena*|

Nakano, 2004:277†

Cuthona pumilio Bergh, 1871:1281

Cuthona punicea Millen, 1986:1356

Behrens, 1991:93†; Behrens & Hermosillo, 2005:129†; Lamb & Hanby, 2005:270†

Cuthona pupillae (Baba, 1961) |*Catriona*|

Nakano, 2004:276†; Okutani, 2000:805

Cuthona purpureoanulata (Baba, 1961) |*Catriona*|

Nakano, 2004:278†; Ono, 2004:279†

Cuthona pusilla (Bergh, 1898) |*Cratena*|

Schrödl, 1996:40; 2003:79

Cuthona pustulata (Alder & Hancock, 1854) |*Eolis*| (non Roginskaya, 1962:98 =*C. hiemalis*)

Behrens, 1991:94†; 2004:48; Behrens & Hermosillo, 2005:129†; Brown, 1980:237†; Brown & Picton, 1979:28; Goddard, 2000b:9C8-4; Gosliner & Millen, 1984:183; Just & Edmunds, 1985:124†; Lamb & Hanby, 2005:270†; Odhner, 1929:20; 1939:72; Picton & Morrow, 1994:104†; Thompson, 1988:276; Thompson & Brown, 1984:124†

Cuthona reflexa Miller 1977:216 [=*C. perca*; =*Trinchesia*]

Cuthona rolleri Behrens & Gosliner, 1988a:262

Behrens, 1991:94†; 2004:48; Behrens & Hermosillo, 2005:130†; Gosliner, 1996a:207

Cuthona rosea MacFarland, 1966:326† [=*Precuthona divae*]

Cuthona rubescens Picton & Brown, 1978:345

Brown, 1980:248†; Brown & Picton, 1979:27; Hayward, Wigham, & Yonow, 1990:728; Just & Edmunds, 1985:126†; Picton & Morrow, 1994:106†; Thompson, 1988:278; Thompson & Brown, 1984:125†

Cuthona schraderi (Pfeffer in Martens & Pfeffer, 1886) |*Aeolis*|

Odhner, 1926:27; 1944:25

Cuthona schraderi var. *bouvetensis* Odhner, 1944:27

Cuthona scintillans Miller, 1977:211 [=*Trinchesia*]

Coleman, 2001:†; Willan & Morton, 1984:77

Cuthona sibogae (Bergh, 1905) |*Hervia*|

Beesley, Ross, & Wells, 1998:pl. 36†; Behrens, 2005:†; Coleman, 2001:†; Colin & Arneson, 1995:190†; Gosliner, Behrens, & Williams, 1996:176†; Marshall & Willan, 1999:141†; Nakano, 2004:277†; Ono, 2004:278†; Tierney & Tierney, 2000†

Cuthona signifera (Baba, 1961) |*Catriona*|

- Okutani, 2000:805
- Cuthona speciosa* (Macnae, 1954) |*Catriona*|
Gosliner, 1987b:116†; Gosliner & Griffiths, 1981:139†
- Cuthona stimpsoni* (Verrill, 1880) |*Coryphella*| [=*Chlamylla*; =*Coryphella*]
- Cuthona stipata* (Alder & Hancock, 1843) |*Eolis*| [=*C. viridis*; =*Cratena*]
Vayssi  re, 1913a:280
- Cuthona thelmae* (Burn, 1964) |*Toorna*|
Coleman, 2001:†
- Cuthona thompsoni* Garc  a, L  pez-Gonz  lez, & Garc  a-G  mez, 1991:217
Garcia-Gomez, 2002:†
- Cuthona tina* (Marcus, 1957) |*Catriona*| (non Ortea, Caballer, & Moro, 2001a:pl. 3, fig. F
= *Cuthona iris*)
Edmunds & Just, 1983:188; Redfern, 2001:184†
- Cuthona tristis* (Kelaart, 1858) |*Eolis*|
Eliot, 1909a:80
- Cuthona valentini* (Eliot, 1907) |*Cratena*|
Schr  dl, 2003:80†
- Cuthona virens* (MacFarland, 1966) |*Cratena*|
Behrens, 1991:94†; Behrens & Hermosillo, 2005:130†; McDonald, 1983:168; McDonald & Nybakken, 1980:64†; Thompson, 1988:280
- Cuthona viridiana* (Burn, 1962) |*Catriona*|
Coleman, 2001:†
- Cuthona viridis* (Forbes, 1840) |*Montagua*|
Behrens, 1991:95†; 2004:49; Behrens & Hermosillo, 2005:130†; Brown, 1980: 241†; Brown & Picton, 1979:27; Hayward, Wigham, & Yonow, 1990:728; Just & Edmunds, 1985:126†; Lamb & Hanby, 2005:271†; Millen, 1989:64; Picton & Morrow, 1994:106†; Thompson & Brown, 1984:126†;
Vayssi  re, 1913a:282
- Cuthona willani* Cervera, Garc  a-G  mez, & L  pez-Gonz  lez, 1992:330
Garcia-Gomez, 2002:†; Moro, Ortea, Bacallado, Valdes, & Perez-Sanchez, 1995:68†; Ortea, Caballer, & Moro, 2002a:102
- Cuthona yamasui* Hamatani, 1993:127
Nakano, 2004:278†; Okutani, 2000:805†; Tonozuka, 2003:141†
- Cuthona zelandica* Odhner, 1924:54
Powell, 1979:290
- Cuthona* (*Cuthona*) sp. Baba, 1935c:124 [=*Cuthonella soboli*]
- Cuthona* sp.1 Angullo-Campillo, 2005:†
- Cuthona* sp.2 Angullo-Campillo, 2005:†
- Cuthona* sp.1 Behrens, 1991:95†
- Cuthona* sp. Behrens, 2004:25
- Cuthona* sp. Behrens, 2005:†
- Cuthona* sp. 1 Behrens & Hermosillo, 2005:131†

- Cuthona* sp. 2 Behrens & Hermosillo, 2005:131†
Cuthona sp. 3 Behrens & Hermosillo, 2005:131†
Cuthona sp. 4 Behrens & Hermosillo, 2005:132†
Cuthona sp. 5 Behrens & Hermosillo, 2005:132†
Cuthona sp. 1 Camacho-Garcia, Gosliner, & Valdes, 2005:103†
Cuthona sp. 2 Camacho-Garcia, Gosliner, & Valdes, 2005:103†
Cuthona sp. 3 Camacho-Garcia, Gosliner, & Valdes, 2005:104†
Cuthona sp. 4 Camacho-Garcia, Gosliner, & Valdes, 2005:104†
Cuthona sp. 5 Camacho-Garcia, Gosliner, & Valdes, 2005:104†
Cuthona sp. 6 Camacho-Garcia, Gosliner, & Valdes, 2005:105†
Cuthona sp. 7 Camacho-Garcia, Gosliner, & Valdes, 2005:105†
Cuthona sp. 8 Camacho-Garcia, Gosliner, & Valdes, 2005:105†
Cuthona sp. 9 Camacho-Garcia, Gosliner, & Valdes, 2005:106†
Cuthona sp. “Arabian Cuthona” Coleman, 2001:†
Cuthona sp. “blue/green Cuthona” Coleman, 2001:†
Cuthona sp. “blue-flash Cuthona” Coleman, 2001:†
Cuthona sp. “blue-headed Cuthona” Coleman, 2001:†
Cuthona sp. “Coleman’s Cuthona” Coleman, 2001:†
Cuthona sp. “Lord Howe Cuthona” Coleman, 2001:†
Cuthona sp. “multicoloured Cuthona” Coleman, 2001:†
Cuthona sp. “pretty Cuthona” Coleman, 2001:†
Cuthona sp. “seagrass Cuthona” Coleman, 2001:†
Cuthona sp. “southern Cuthona” Coleman, 2001:†
Cuthona sp. “yellow-spotted Cuthona” Coleman, 2001:†
Cuthona sp. Edmunds, 1970:32
Cuthona sp. Edmunds & Just, 1983:189
Cuthona sp.1 Gosliner, 1987b:117†
Cuthona sp.2 Gosliner, 1987b:117†
Cuthona sp.3 Gosliner, 1987b:118† [=C. sibogae; =Trinchesia sibogae]
Cuthona sp.4 Gosliner, 1987b:118†
Cuthona sp.5 Gosliner, 1987b:118†
Cuthona sp. Gosliner, Behrens, & Williams, 1996:246†
Cuthona sp. Guernsey, 1912:78 [=C. concinna]
O'Donoghue, 1926:231; Steinberg, 1961:62

- Cuthona* sp.1 Hermosillo, 2004:111
- Cuthona* sp.1 *Cuthona* sp.1
- Cuthona* sp. King & Fraser, 2002:128
- Cuthona* sp.A Lemche in Just & Edmunds, 1985:128† [?=*Montagua hirsuta*]
- Cuthona* sp. McDonald, 1983:169 [=*C. perca*]
- Cuthona* sp.1 Marshall & Willan, 1999:141†
- Cuthona* sp.2 Marshall & Willan, 1999:142†
- Cuthona* sp.3 Marshall & Willan, 1999:142†
- Cuthona* sp.4 Marshall & Willan, 1999:143†
- Cuthona* sp.5 Marshall & Willan, 1999:143†
- Cuthona* sp.6 Marshall & Willan, 1999:144†
- Cuthona* sp.A McDonald & Nybakken, 1980 [=*C. perca*]
McDonald & Nybakken, 1980:64†
- Cuthona* sp.1 cf. *pinnifera*
Nakano, 2004:275†
- Cuthona* sp.2 cf. *punicea* Millen, 1986
Nakano, 2004:277†
- Cuthona* sp.3 Nakano, 2004:279†
- Cuthona* sp.4 Nakano, 2004:279†
- Cuthona* sp.5 Nakano, 2004:279†
- Cuthona* sp.6 Nakano, 2004:280†
- Cuthona* sp.7 Nakano, 2004:280†
- Cuthona* sp.8 Nakano, 2004:281†
- Cuthona* sp.9 Nakano, 2004:281†
- Cuthona* sp.10 Nakano, 2004:281†
- Cuthona* sp.11 Nakano, 2004:281†
- Cuthona* sp.12 Nakano, 2004:281†
- Cuthona* sp.13 Nakano, 2004:281†
- Cuthona* sp.14 Nakano, 2004:282†
- Cuthona* sp.15 Nakano, 2004:282†
- Cuthona* sp.16 Nakano, 2004:282†
- Cuthona* sp.17 Nakano, 2004:282†
- Cuthona* sp.18 Nakano, 2004:282†
- Cuthona* sp.19 Nakano, 2004:282†

- Cuthona* sp.1 Ono, 1999:157†
Cuthona sp.2 Ono, 1999:157†
Cuthona sp.3 Ono, 1999:158†
Cuthona sp.4 Ono, 1999:158†
Cuthona sp.1 Ono, 2004:279†
Cuthona sp.2 Ono, 2004:279†
Cuthona sp.3 Ono, 2004:280†
Cuthona sp.4 Ono, 2004:280†
Cuthona sp.5 cf. *speciosa* Ono, 2004:280†
Cuthona sp.6 Ono, 2004:281†
Cuthona sp.7 Ono, 2004:281†
Cuthona sp.8 Ono, 2004:282†
Cuthona sp.9 Ono, 2004:282†
Cuthona sp.10 Ono, 2004:282†
Cuthona sp.11 Ono, 2004:283†
Cuthona sp.12 Ono, 2004:283†
Cuthona sp.13 Ono, 2004:283†
Cuthona sp.14 Ono, 2004:284†
Cuthona sp.15 Ono, 2004:284†
Cuthona sp. Ortea, Moro, Bacallado, & Herrera, 2001:122 [= *Catriona maua*]
Cuthona sp. A Redfern, 2001:184† [= *Eubranchus leopoldoi*]
Cuthona sp. B Redfern, 2001:185†
Cuthona sp. C Redfern, 2001:185†
Cuthona sp. Roginskaya, 1964 [= *Cuthonella soboli*]
Cuthona sp.1 Schrödl, 1996:40†
 Schrödl, 2003:81†
Cuthona sp.2 Schrödl, 1996:40†
 Schrödl, 2003:81†
- Subgenus: (*Cuthonella*) Bergh, 1884
 Martynov, 1992:23
- Subgenus: (*Fiocuthona*) Martynov, 1992:23
- Subgenus: (*Hervia*)
- Cuthona (Hervia) ceylonica* (Farran, 1905) |*Hervia*| [= *Sakuraeolis enosimensis*]
 Baba, 1935a:354
- Cuthona (Hervia) emurai* Baba, 1937c:329 [= *Hermisenda crassicornis*; = *Shinanoeolis*]

- Willan, 1987:80
- Cuthona (Hervia) enosimensis* (Baba, 1930) |*Hervia*|
Baba, 1937c:329
- Cuthona (Hervia) inconspicua* Baba, 1938:18 [=Dondice; =Setoeolis]
- Cuthona (Hervia) japonica* Baba, 1937c:329 [=Sakuraeolis modesta]
ICZN, 1966g:98; Lemche, 1964h:57
- Cuthona (Hervia) lineata* (Eliot, 1904) |*Hervia*| [=Rizzolia]
Baba, 1938:17
- Cuthona (Hervia) ornata* Baba, 1937:331 [=Catriona]
- Cuthona (Hervia) osyoro* Baba, 1940:108
- Cuthona (Hervia) quadrilineata* (Baba, 1930) |*Hervia*| [=Facelinella]
Baba, 1935a:356
- Subgenus: (*Narraeolidia*) Burn, 1961c:134
- Cuthona (Narraeolidia) paucicirra* Minichev, 1972a:377
- Diaphoreolis*** Iredale & O'Donoghue, 1923:202
[*Diaphoraeolis*] {rejected, ICZN, 1966f:95}
- Heppell, 1965:10; Nordsieck, 1972:76; Pruvot-Fol, 1954b:444; Thiele, 1931:455; 1992:744
- **Diaphoreolis northumbrica* (Alder & Hancock, 1844) |*Eolis*| [=Cuthona viridis]
Nordsieck, 1972:76; Pruvot-Fol, 1954b:444
- Diplocera*** Blanchard, 1848:187
[=Embletonia; =Tenellia] (non Herrmannsen, 1852) {rejected, ICZN, 1966j:106}
- Vérany, 1853:385; 1862:88
- **Diplocera veranyi* Blanchard, 1848:187 {rejected, ICZN, 1966j:106}
Vérany, 1853:385
- Eurycatrina*** Winckworth, 1941; Burn, 1963
[=Catriona]
- Burn, 1963:15; 1964a:410
- **Eurycatrina viridis* (Forbes, 1840) |*Montagua*|
- Guyvalvoria*** Vayssiére, 1906a:5
Thiele, 1931:455; 1992:744; Vayssiére, 1906b:147
- **Guyvalvoria francaisi* Vayssiére, 1906a:6
Vayssiére, 1906b:147
- Indocratena*** Odhner, 1940:7
- **Indocratena annulata* (Eliot, 1910) |*Pteraeolidia*|
- Montagua*** Fleming, 1822:470
(non Leach, 1814; non Spence-Bate, 1856) [=Catriona; =Cavolina; =Cratena;
=Trinchesia] {rejected, ICZN, 1966d:91}
- Adams & Adams, 1858:74; Lemche, 1964e:49
- Montagua annulata* (Quoy & Gaimard, 1832) |*Eolidia*| [=Cerberilla]
- Gary McDonald, Long Marine Lab, 100 Shaffer Rd., Santa Cruz, Cal. 95060

Montaguca caerulea (Montagu, 1804) |*Doris*| [=Cuthona]

Montaguca corfei Hutton, 1881:203
Powell, 1979:290

Montaguca gouldii Verrill, 1873:667 [=Catriona gymnota; =Cratena gymnota; =Cuthona aurantia; =Cuthona gymnota]

Montaguca gymnota (Couthouy, 1838) |*Eolis*| [=Coryphella]

Montaguca hirsuta Bergh, 1860:320 [=Cratena; =Cuthona nana; =Precuthona]

**Montaguca longicornis* (Montagu, 1808) |*Doris*|

Montaguca pilata (Gould, 1870) |*Aeolis*| [=Cratena]
Verrill, 1873:666

Montaguca scacchiana (Philippi, 1844) |*Eolis*| [=Coryphella]

Montaguca vermicifera (Smith, 1860) |*Aeolis*| Verrill, 1873:666
Verrill, 1874e:372

Montaguca viridis Forbes, 1840:106 [=Cratena; =Cuthona; =Eolis; =Trinchesia]

Montaguca sp. Verrill, 1873:666

Narraeolidia Burn, 1961c:134
[=Cuthona]

**Narraeolidia colmani* Burn, 1961c:134

Njurja Marcus & Marcus, 1960:920
[=Cuthona]

Njurja australis (Risbec, 1937) |*Caloria*|

**Njurja netsica* Marcus & Marcus, 1960:920

Phestilla Bergh, 1874c:92
Bergh, 1890:32; 1892:32(1024); 1905a:232; Risbec, 1953:138; Rudman, 1981:387; Thiele, 1931:456;
1992:745

Phestilla hakunamatata Ortea, Caballer, & Espinosa, 2003:137† [=Hermosita]
Hermosillo, 2004:110

Phestilla lugubris (Bergh, 1870) |*Cratena*|

Behrens, 2005:†; Behrens & Hermosillo, 2005:132†; Camacho-Garcia, Gosliner, & Valdes, 2005:102†;
Coleman, 2001:†; Debelius, 1996:†; Johnson & Boucher, 1983:284; Marshall & Willan, 1999:144†;
Nakano, 2004:280†; Ono, 1999:156†; 2004:295†; Rudman, 1981:375; 1982b:186; Rudman & Avern,
1988:†; Yonow, 2000:122†

**Phestilla melanobrachia* Bergh, 1874c:92

Allen & Steene, 1994:†; Baba, 1984:241; Beesley, Ross, & Wells, 1998:pl. 36†; Behrens, 2005:†;
Behrens & Hermosillo, 2005:133†; Bertsch & Johnson, 1981:93†; Coleman, 1989:56†; 2001:†;
Debelius, 1996:†; Gosliner, 1980:49; 1987b:120†; Gosliner, Behrens, & Williams, 1996:176†; Harris,
1968:193; Hoover, 1998:180†; Kay, 1979:483†; Marshall & Willan, 1999:145†; Masuda, 1999:132†;
Nakano, 2004:283†; Okutani, 2000:805†; Ono, 1999:151,156†; 2004:285†; Orr, 1981:63†; Rudman,
1981:384; Suzuki, 2000:149†; Tonozuka, 2003:140†; Willan & Coleman, 1984:46†; Yonow,
1994:126†; 2000:122†; Yonow, Anderson, & Buttress, 2001:875

Phestilla minor Rudman, 1981:381

Cobb & Willan, 2005:65†

Phestilla panamica Rudman, 1982a:466

Phestilla poindimiei (Risbec, 1928) [*Aeolidia*] [=Phyllodesmium]

Risbec, 1953:138

Phestilla sibogae Bergh, 1905a:232 [=P. lugubris]

Bertsch & Johnson, 1981:91†; Gosliner, 1980:49; Kay, 1979:484; Orr, 1980:116

Phestilla sp. Behrens, 2005:†

Phestilla sp.1 Marshall & Willan, 1999:145†

Phestilla sp. Orr, 1981:64†

Piseinotecus Marcus, 1955:176

[placed in the family Piseinotecidae Edmunds, 1970 by some authors, vide Schmekel & Portmann, 1982:194]

Edmunds, 1970:39; Ortea, Quero, Rodríguez, & Valdés, 1993:223 (key to species); Schmekel, 1980:22 (synopsis of species); Schmekel & Portmann, 1982:194

**Piseinotecus divae* Marcus, 1955:177

Piseinotecus evelinae Schmekel, 1980:22 [=P. gabinierei]

Schmekel, 1981:282

Piseinotecus gabinierei (Vicente, 1975) [*Facelina*]

Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:171†; Schmekel & Portmann, 1982:194†; Templado, Luque, & Moreno, 1988:20; Trainito, 2003:48†; 2005:87†

Piseinotecus gaditanus Cervera, García, & García, 1986:216†

Garcia-Gomez, 2002:†; Ortea, Moro, Caballer, & Bacallado, 2003:173; Ortea, Quero, Rodríguez, & Valdés, 1993:221; Perrone, 1990b:25; Trainito, 2005:87†

Piseinotecus gonja Edmunds, 1970:35

Piseinotecus kima Edmunds, 1970:36

Piseinotecus sphaeriferus (Schmekel, 1965) [*Calmella*]

Ortea, Moro, Caballer, & Bacallado, 2003:172†; Schmekel & Portmann, 1982:195†

Selva Edmunds, 1964:7

[=Cuthona]

**Selva rubra* Edmunds, 1964:8

Subcuthona Baba, 1949:176

[=Cuthona]

Baba, 1962:242; Gosliner, 1981:204

**Subcuthona pallida* Baba, 1949:176†

Abe, 1964:66; Baba, 1962:241

Tenellia Costa, 1866 for 1863:76

[=Embletonia]

McDonald, 1983:211; McDonald & Nybakken, 1980:64; Nordsieck, 1972:77; Pruvot-Fol, 1954b:412; Schmekel & Portmann, 1982:244; Thompson, 1988:284; Thompson & Brown, 1984:128

Tenellia adspersa (Nordmann, 1845) |*Tergipes*|

Antsulevich & Starobogatov, 1991:71; Behrens, 1991:95†; Behrens & Hermosillo, 2005:133†; Brown, 1980:251†; Dekker, 1989:105; Evertsen, Bakken, & Green, 2004:362; Hayward, Wigham, & Yonow, 1990:728; ICZN, 1977:33; Jaeckle, 1983:94; McDonald, 1983:211; McDonald & Nybakken, 1980:64†; Picton & Morrow, 1994:108†; Roginskaya, 1970:167; 1974:138; Swennen, 1987:49; Thompson, 1988:284; Thompson & Brown, 1984:128†; Urgorri & Besteiro, 1986:98

**Tenellia mediterranea* Costa, 1866 for 1863:76 [=*T. adspersa*; =*T. pallida*; =*T. ventilabrum*]

Roginskaya, 1974:138

Tenellia pallida (Alder & Hancock, 1854) |*Embletonia*| [=*T. adspersa*; =*T. ventilabrum*]

Behrens, 1980:96†; Eyster, 1980:591; Marcus, 1972:314; Marcus & Marcus, 1960a:180; Okutani, 2000:805; Schmekel & Portmann, 1982:262†; Steinberg, 1963:65; Thompson & Brown, 1976:180

Tenellia ventilabrum (Dalyell, 1853) |*Eolis*| [=*T. adspersa*; =*T. pallida*]

Nordsieck, 1972:77; Pruvot-Fol, 1954b:413; Schmekel, 1970:169; Sordi & Majidi, 1956:242

Tenellia sp. Steinberg, 1960 [=*T. adspersa*; =*T. pallida*]***Toorna*** Burn, 1964:18
[=*Cuthona*]

Schmekel, 1968c:439

**Toorna thelmae* Burn, 1964:20

Burn, 1966a:169

Trinchesia Ihering, 1879
[=*Amphorina*; =*Cuthona*]

Burn, 1964:16; 1964a:410; Heppell, 1965:10; ICZN, 1966f:95; Lemche, 1965g:55; Martynov, 2002:47; Nordsieck, 1972:80; Pruvot-Fol, 1951:64; 1954b:380; Roginskaya, 1987d:194; Schmekel, 1968c:438

Trinchesia abronia (MacFarland, 1966) |*Cratena*| [=*Cuthona*]

Behrens, 1980:96†; Farmer, 1980:58

Trinchesia albocrusta (MacFarland, 1966) |*Cratena*| [=*Cuthona*]

Behrens, 1980:96†; Farmer, 1980:59

Trinchesia albopunctata Schmekel, 1968c:439 [=*Cuthona*]*Trinchesia alpha* (Baba & Hamatani, 1963) |*Cuthona*|

Miller, 2004:1184

Trinchesia amoena (Alder & Hancock, 1845) |*Eolis*| [=*Cuthona*]

Pruvot-Fol, 1953b:52†; 1954b:384; Sordi & Majidi, 1956:241; Thompson & Brown, 1976:188

Trinchesia aurantia (Alder & Hancock, 1842) |*Eolis*| [=*Catriona*; =*Catriona gymnota*; =*Cuthona gymnota*]

McMillan, 1968:71; Pruvot-Fol, 1954b:383

Trinchesia aurantia var. *pallida* Loman, 1893:36*Trinchesia aurantiaca* (Alder & Hancock, 1851) |*Eolis*| [=*Cuthona gymnota*]*Trinchesia beta* (Baba & Abe, 1964) |*Cuthona*|

Miller, 2004:1184

Trinchesia boma Edmunds, 1970:25

- **Trinchesia caerulea* (Montagu, 1804) |*Doris*| [=Catriona; =Cuthona] (non Lemche, 1964 nor Miller, 1958 =*Cuthona viridis*)
 Barletta, 1981:114; Bürgin-Wyss, 1961:461; Nordsieck, 1972:80†; Pruvot-Fol, 1953b:†; 1954b:381; Thompson, 1976a:†; Thompson & Brown, 1976:186; Vicente, 1963a:177; 1967:156; Walls, 1982:320†
- Trinchesia catachroma* Burn, 1963 |*Catriona (Eurycatrina)*||
 Burn, 1966a:280
- Trinchesia cocoachroma* (Williams & Gosliner, 1979) |*Cuthona*||
 Behrens, 1980:96†
- Trinchesia colmani* Burn, 1961 |*Narraeolidia*||
- Trinchesia concinna* (Alder & Hancock, 1843) |*Eolis*| [=Cuthona]
 Behrens, 1980:98†; Pruvot-Fol, 1954b:385; Thompson & Brown, 1976:190
- Trinchesia divanica* Martynov, 2002:50
- Trinchesia diversicolor* Baba, 1975a:251
- Trinchesia flavovulta* (MacFarland, 1966) |*Cratena*| [=Cuthona]
 Behrens, 1980:98†; Farmer, 1980:60
- Trinchesia foliata* (Forbes & Goodsir, 1839) |*Eolida*| [=Cuthona] (non Pruvot-Fol, 1951
 =*T. genovae*)
 Bouchet, 1977:238; Nordsieck, 1972:80†; Pruvot-Fol, 1954b:381; Riedl, 1970:431; Sordi & Majidi, 1956:241; Swennen, 1961a:70; Thompson & Brown, 1976:192; Vicente, 1963a:177; 1967:157
- Trinchesia fulgens* (MacFarland, 1966) |*Cratena*| [=Cuthona]
 Behrens, 1980:98†; Farmer, 1980:61
- Trinchesia genovae* (O'Donoghue, 1929) |*Cratena*| [=Cuthona]
 Bouchet, 1977:235
- Trinchesia glottensis* (Alder & Hancock, 1846) |*Eolis*| [=Cuthona caerulea]
 Nordsieck, 1972:80
- Trinchesia granosa* Schmekel, 1966:14 [=Cuthona]
 Schonenberger, 1969:236
- Trinchesia kanga* Edmunds, 1970:20
- Trinchesia lagunae* (O'Donoghue, 1926) |*Hervia*| [=Cuthona]
 Behrens, 1980:98†; Farmer, 1980:62
- Trinchesia lenkae* Martynov, 2002:48
- Trinchesia leopardina* (Vayssi  re, 1888) |*Amphorina alberti leopardina*||
 Nordsieck, 1972:81; Pruvot-Fol, 1954b:383
- Trinchesia macquariensis* Burn, 1973:42
- Trinchesia (Trinchesia) miniostriata* Schmekel, 1968c:444 [=Cuthona]
- Trinchesia momella* Edmunds, 1970:29
- Trinchesia ocellata* Schmekel, 1966:20 [=Cuthona]
- Trinchesia olivacea* (Alder & Hancock, 1842) |*Eolis*| [=*T. foliata*]
- Trinchesia ornata* (Baba, 1937) |*Cuthona (Hervia)*||
 Edmunds, 1970:23; Orr, 1980:116

- Trinchesia perca* (Marcus, 1958) |*Catriona*| [=Cuthona]
Marcus & Hughes, 1974:523
- Trinchesia pinnifera* (Baba, 1949) |*Cratena*| [=Cuthona]
- Trinchesia pupillae* (Baba, 1961) |*Catriona*|
Edmunds, 1970:15
- Trinchesia pustulata* (Alder & Hancock, 1854) |*Eolis*| [=Cuthona]
Pruvot-Fol, 1954b:385
- Trinchesia reflexa* (Miller, 1977) |*Cuthona*|
Miller, 2004:1189
- Trinchesia rubrata* Edmunds, 1970:28
- Trinchesia rutila* (MacFarland, 1966) |*Cratena*| [=*T. lagunae*]
- Trinchesia scintillans* (Miller, 1977) |*Cuthona*|
Miller, 2004:1188
- Trinchesia sibogae* (Bergh, 1905) |*Hervia*|
Miller & Willan, 2005:69†
- Trinchesia sororum* Burn, 1964:17
Burn, 1966a:280
- Trinchesia stipata* (Alder & Hancock, 1843) |*Eolis*| [=Cuthona viridis]
Nordsieck, 1972:81; Pruvot-Fol, 1954b:385
- Trinchesia taita* Edmunds, 1970:18
- Trinchesia virens* (MacFarland, 1966) |*Cratena*|
Behrens, 1980:98†; Farmer, 1980:63; Long, 1969:9
- Trinchesia viridiana* (Burn, 1962) |*Catriona*|
Burn, 1964:17; 1966a:280
- Trinchesia viridis* (Forbes, 1840) |*Montaguia*| [=Cuthona]
McMillan, 1968:71; Nordsieck, 1972:80; Pruvot-Fol, 1954b:385; Roginskaya, 1987d:194; Thompson & Brown, 1976:190
- Trinchesia* sp. Behrens, 1980:104†
- Trinchesia* sp. Brown & Hunnam, 1976:41
- Trinchesia* sp. Edmunds, 1970:27
- Trinchesia* sp. McDonald, 1983 [=Cuthona perca]
- Trinchesia* sp. Orr, 1981:71†
- Trinchesia* sp. Steinberg, 1960:49
Subgenus (*Toorna*) Burn, 1964:18
- Trinchesia* (*Toorna*) *ilonae* Schmekel, 1968c:447 [=Cuthona]
Xenocratena Odhner, 1940:1
[=Cuthona]
- **Xenocratena suecica* Odhner, 1940:1 [=Cuthona]

Tergipedinae Bergh, 1889

Baba & Abe, 1964a:12; Bergh, 1892:32(1024); 1900a:40; 1904:5; 1905a:234; Burn, 1962:112; 1964:14; Franc, 1968:885; Grossu, 1986:442; Hayward, Wigham, & Yonow, 1990:720; ICZN, 1966:85; Miller, 1977:200; Nordsieck, 1972:77; Pruvot-Fol, 1954b:378, 410; Schmekel, 1970:167; Thiele, 1931:454; Vayssi  re, 1913a:302

Dunga Eliot, 1902:63 [=Eubranchus]

Thiele, 1931:454; 1992:744

**Dunga nodulosa* Eliot, 1902:63

Edmunds, 1969a:458

Embletonia Alder & Hancock, 1851a:Genus 14

(Schmekel & Portmann, 1982:264 & Thompson, 1988:308 place this genus in the family Embletoniidae Schmekel, 1970 (see also Jensen, 2000:442); Miller & Willan, 1991:1 place this genus in the suborder Dendronotacea)

Bergh, 1885:33; 1890:33; 1892:33(1025); Burn, 1966f:27; Costa, 1866:74; Eliot, 1910d:171; Fez Sanchez, 1974:89; Fischer, 1883:538; Forbes & Hanley, 1850-1851:606; Gosliner & Griffiths, 1981:146; Gray, 1857:226; Grossu, 1986:442; ICZN, 1966j:106; Jeffreys, 1869:36; Lemche, 1964k:123; L  yning, 1922:64, 94; Meyer & M  bius, 1865:13; Miller & Willan, 1991:1; Nordsieck, 1972:77; Odhner, 1907:27; Poizat & Salvini-Plawen, 1986:157; Pruvot-Fol, 1954b:410; Risbec, 1953:139; Schmekel & Portmann, 1982:264; Thiele, 1931:454; 1992:743; Thompson, 1988:308; Thompson & Brown, 1984:142; Vayssi  re, 1913a:283

Embletonia evelinae Marcus, 1957:466 [=Mieseia]

Embletonia faurei Labb  , 1923a:8 [=E. pulchra; =E. pulchra faurei]

Pruvot-Fol, 1954b:410; Schmekel, 1970:171

Embletonia funerea Costa, 1867 for 1864:36

Embletonia fuscata Gould, 1870:251† [=E. pallida]

Chambers, 1934:609

Embletonia gracile Risbec, 1928:271† (non Baba, 1959 =E. gracilis paucipapillata)

Baba, 1959:41; Behrens & Hermosillo, 2005:124†; Bertsch & Johnson, 1981:94†; Gosliner, 1980:51; Miller & Willan, 1991:2; Ono, 1999:159†; Risbec, 1953:139; Yonow, 2000:122†

Embletonia gracilis Risbec, 1928 [E. gracile]

Burn, 1966f:27; Gosliner, 1987b:115†; Gosliner & Griffiths, 1981:142; Nakano, 2004:272†; Ono, 2004:277†

Embletonia gracilis paucipapillata Baba & Hamatani, 1963:399 [=E. gracile]

Gosliner, 1980:51; Hughes, 1991:428

Embletonia grayi Kent, 1869:109 [=E. pallida; =Tenellia adspersa; =Tenellia ventilabrum]

Embletonia hyalina (Alder & Hancock) Sanford, 1861:153 [=E. pallida]

Embletonia lanceolata Gould, 1870:252 |*Embletonia fuscata lanceolata*| [=E. pallida]

Embletonia mariae Meyer & M  bius, 1865:13†

Lafont, 1871-1872:266

Embletonia mediterranea (Costa, 1866) |*Tenellia*| [=Tenellia adspersa; =Tenellia pallida]

Vannucci & Hosoe, 1953:105; Vayssi  re, 1913a:284

Gary McDonald, Long Marine Lab, 100 Shaffer Rd., Santa Cruz, Cal. 95060

Embletonia minima (Forbes & Goodsir, 1839) |*Eolidia*| [=*E. pygmaea*]

Embletonia minuta (Forbes & Goodsir, 1869) [=*E. pygmaea*] {lapsus for *E. minima*}

Alder & Hancock, 1855:append. 35; Cooke, 1899:60; Eliot, 1910d:171; Forbes & Hanley, 1850-1851:607

Embletonia nigrovittata Costa, 1866 for 1863:75

Embletonia pallida Alder & Hancock, 1854:105 [=*Tenellia adspersa*; =*Tenellia pallida*]

Alder & Hancock, 1855:append. 36; Bergh, 1885:34; Byerley, 1854:45; Colgan, 1914:181; Coomans & Coninck, 1962:1; Eliot, 1910d:128†; Hensche, 1866:105; Hoffmann, 1926:18; Jutting & Engel, 1936:62; Løyning, 1922:65, 94; Marcus & Marcus, 1955:238; Meyer & Möbius, 1865:17†; Naville, 1925:812; 1926:252; Odhner, 1907:30; Roginskaya, 1974:138; Sanford, 1861:152; Suckow, 1972:193; Vayssi  re, 1913a:284

Embletonia pallida var. *grayi* Saville Kent, Norman, 1890:84 [=*E. grayi*]

Embletonia paucipapillata Baba & Hamatani, 1963 |*Embletonia gracilis paucipapillata*| Okutani, 2000:805

**Embletonia pulchra* (Alder & Hancock, 1844) |*Pterochilus pulcher*| (non Pruvot-Fol, 1954b:410 nor Vicente, 1967:159 nor Thompson & Brown, 1976:179 nor Poizat, 1978:13 =*E. pulchra faurei*)

Alder & Hancock, 1851a:fam. 3, pl. 38†; Brown & Picton, 1979:29; Fez Sanchez, 1974:89; Forbes & Hanley, 1850-1851:607; Garcia-Gomez, 2002:†; Gomoio, 1961:1249; Grossu, 1986:443; Hayward, Wigham, & Yonow, 1990:720; Hoffmann, 1926:18; Hughes, 1991:428; Jeffreys, 1869:36; Løyning, 1927:254; Marcus & Marcus, 1958:92; McMillan, 1941b:17; 1968:70; Milachewitch, 1916:131; Nobre, 1931:30; 1936:21; 1938-40:70; Nordsieck, 1972:77†; Odhner, 1907:30; 1939:75; Picton & Morrow, 1994:38†; Poizat, 1981:5; 1987a:304; 1990:†; 1991:†; Riedl, 1970:431; 1983:329; Starm  hlner, 1955:226; Thompson, 1988:308; Thompson & Brown, 1984:142†; Trainito, 2005:89†; Vayssi  re, 1913a:284

Embletonia pulchra faurei (Labbe, 1923) |*E. faurei*|

Ballesteros, 1985:30; Schmekel & Portmann, 1982:264†

Embletonia pygmaea Iredale & O'Donoghue, 1923:207

Embletonia remigata Gould, 1870:252† [=*E. pallida*]

Embletonia viridis Costa, 1866 for 1863:75

Embletonia sp. Farran, 1904:7

Embletonia sp. Hamond, 1972:287

Embletonia sp. Steinberg, 1960:49 [=*Tenellia adspersa*]

Embletoniella Baba, 1967:192
[=Embletonia]

Gosliner & Griffiths, 1981:148; Miller & Willan, 1991:2

Embletoniella gracilis (Risbec, 1928) |*Embletonia*|
Baba, 1967:192

Embletoniella paucipapillata (Baba & Hamatani, 1963) |*Embletonia gracilis paucipapillata*| [=*E. gracile*]

Ennoia Bergh, 1896a:392

Bergh, 1905a:234; Thiele, 1931:454; 1992:743

**Ennoia briareus* Bergh, 1896a:393 [=*Phyllodesmium*]

Gary McDonald, Long Marine Lab, 100 Shaffer Rd., Santa Cruz, Cal. 95060

Ennoia longicirrha Bergh, 1905a:234 [=Phylloidesmium]

Myja Bergh, 1896a:389

Thiele, 1931:454; 1992:744

**Myja longicornis* Bergh, 1896a:389

Psiloceros Menke, 1844b:149

[=Tergipes; =Triopa]

**Psiloceros claviger* Menke, 1844b:149 [=Tergipes despectus]

Engel, 1936a:111

Pterochilus Alder & Hancock, 1844a:329

(non Klug, Weber, & Mohr, 1805) [=Cloelia; =Embletonia] {rejected, ICZN, 1966j:106}

Lemche, 1964k:123

**Pterochilus pulcher* Alder & Hancock, 1844a:329 [=Embletonia pulchra]

ICZN, 1966j:106

Pterochilus viridis Kelaart, 1858

Kelaart, 1859a:492; 1883:107

Tergipes Cuvier, 1805:433

(non Fleming, 1828)

Adams & Adams, 1858:76; Anonymous, 1966:170; Bergh, 1879:569; 1890:32; 1892:32(1024); Blainville, 1825:485; Brown, 1980:250; Chenu, 1859:412; Cuvier, 1817:394; 1830:56; 1834:40; Eliot, 1910d:170; Eyedoux & Souleyet, 1852:443; Fischer, 1883:540; Fleming, 1822:468; Gray, 1857:226; Grossu, 1986:444; Heppell, 1964:411; Hoeven, 1856:781; ICZN, 1966:84; Lemche, 1964:35; Nordsieck, 1972:77; Odhner, 1907:26; Pruvot-Fol, 1954b:378; Rang, 1829:128; Sars, 1878:322; Schmekel & Portmann, 1982:243; Thiele, 1931:454; 1992:743; Thompson, 1988:282; Thompson & Brown, 1984:127; Trinchese, 1879a:50; Vayssiére, 1888d:93; 1913a:303; Vérany, 1846:23; 1846a:103; Voigt, 1834:125

Tergipes adspersus Nordmann, 1845 [=Tenellia; =Tenellia pallida]

Gomoiu, 1961:1251; Milachewitch, 1916:132

Tergipes affinis Orbigny, 1837:4 [=Gellina]

Tergipes antarcticus Pelseneer, 1903:15

Tergipes brochi Risso, 1818:373 {suppressed & rejected, ICZN, 1966:84}

Anonymous, 1966:170; Heppell, 1964:412; Pruvot-Fol, 1936a:637

Tergipes bullifer Lovén, 1846:139

Eliot, 1910d:171

Tergipes capellinii Trinchese, 1877-79:75, pls. 26-27 [=Capellinia; =Eubranchus cingulatus; =Eubranchus doriae]

Tergipes claviger (Menke, 1844) |*Psiloceros*| [=T. despectus]

Eliot, 1910d:170

Tergipes coronata (Gmelin, 1791) |*Doris*| [=Doto]

Lovén, 1842:359; Menke, 1844a:132; Orbigny, 1837:3; Vérany, 1846:23; 1846a:103

Tergipes despectus (Johnston, 1835) |*Eolidia*| (non Alder & Hancock, 1855 =*Tergipes tergipes*)

Bergh, 1879:571; Colgan, 1914:180; Garstang, 1889:195; Hoffmann, 1926:18; Jutting & Engel, 1936:63; Lemche, 1938:29; Løyning, 1927:256; Marcus, 1957:462; McMillan, 1968:71; Nordsieck, 1972:77†; Odhner, 1907:30; Pruvot-Fol, 1951:62; 1954b:378; Schmekel, 1970:168; Vayssi  re, 1913a:303; Verrill, 1873:667; 1880a:391

Tergipes dicquemari Risso, 1818:373 { suppressed & Rejected, ICZN, 1966:84 }

Anonymous, 1966:170; Heppell, 1964:412; Pruvot-Fol, 1936a:637

Tergipes doriae Trinchese, 1877:71, pl. 24-25 [= *Eubranchus doriae*; = *Eubranchus exiguum*]

Vayssi  re, 1888d:93

Tergipes edwardsii Nordmann, 1844

Brandt & Baer, 1844:269; Gomoiu, 1961:1251; Milachewitch, 1916:132; Nordmann, 1845:4; 1846:110

Tergipes fustifer Lov  n, 1846:139 [= *Capellinia exigua*; = *Galvina*]

Tergipes lacinulatus Blainville, 1824 [= *Tergipes tergipes*]

Tergipes lacinulatus (Gmelin, 1791) | *Doris* | [= *Eolis exigua*; *Eubranchus exiguum*; = *Galvina exiguum*] (non Loven, 1846 = *Galvina exigua*)

Sars, 1850:194; 1878:322; Voigt, 1834:125

Tergipes lacinulatus Schultze, 1849:270 [= *Tenellia adspersa*]

Hoeven, 1856:781; Roginskaya, 1974:138

Tergipes lamarckii Deshayes, 1841-1844

Tergipes pauculas Burn, 1962:113 [= *Cratena serrata*]

Burn, 1966a:280; 1966f:30

Tergipes psilocerus "van der Hoeven, 1855, Maitland, 1854" [= *T. despectus*]

Engel, 1936a:111; Hoeven, 1856:781

Tergipes pulcher Johnston, 1834:490 [= *Euphurus claviger*; = *Limacia clavigera*; = *Triopa claviger*]

Tergipes rupium M  ller, 1842:78 [= *Eubranchus*; = *Galvina*]

M  ller, 1842a:5

**Tergipes tergipes* (Forsk  l, 1775) | *Limax*|

Ballesteros, 1985:27; Brown, 1980:250†; Brown & Picton, 1979:29; Dekker, 1989:104; Gosliner, 1987b:119†; Grossu, 1986:444; Hayward, Wigham, & Yonow, 1990:728; Hunnam & Brown, 1975:156; ICZN, 1966:84; Meyer, 1970:146; Ortea & Urgorri, 1981:56; Picton & Morrow, 1994:110†; Riedl, 1983:329; Schmekel & Portmann, 1982:244; Swennen, 1987:49; Thompson, 1988:282; Thompson & Brown, 1976:184; Thompson & Brown, 1984:127†

Tergipes tilesii Blainville, 1824, 1825

Tergipes valentini (Eliot, 1907) | *Cratena* | [= *Cuthona*]

Schr  dl, 1996:38†

Tergipes sp. Behrens, 1980:104†

Tergipes sp. Edmunds, 1970:33

Zatteria Eliot, 1902:62

Thiele, 1931:456; 1992:746

**Zatteria browni* Eliot, 1902:62†

Fionidae Alder & Hancock, 1855

Bergh, 1892:42(1034); 1898:560; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:185; Eliot, 1910d:165; Fischer, 1883:540; Franc, 1968:885; Jeffreys, 1869:34; Jensen, 2000:442; 2000b:626; Lalli & Gilmer, 1989:229; Nordsieck, 1972:77; Parker, 1982:1055; Pelseneer, 1892a:146; Pruvot-Fol, 1954b:438; Rudman, 1998b:1017; Schmekel, 1970:169; Schmekel & Portmann, 1982:268; Thiele, 1926:113; 1931:456; 1992:746; Thompson, 1988:304; Thompson & Brown, 1984:139; Vayssi  re, 1913a:282; Willan & Coleman, 1984:44; Willan & Morton, 1984:81

Dolicheolis Finlay, 1927:441
[=*Fiona*]

**Dolicheolis longicauda* (Quoy & Gaimard, 1832) [=Fiona pinnata]

Fiona Alder & Hancock in Forbes & Hanley, 1851

Adams & Adams, 1858:77; Alder & Hancock, 1855:fam. 3, pl. 38a; Bergh, 1857a:275; 1859:5; 1873a:605;; 1879c:142; 1884a:8; 1890:40; 1892:43(1035); 1892b:6; 1894:130; Eliot, 1910d:166; Fischer, 1883:540; Gray, 1857:227; Jeffreys, 1869:35; McDonald, 1983:187; McDonald & Nybakken, 1980:64; Nordsieck, 1972:77; Odhner, 1907:27; Pruvot-Fol, 1954b:438; Schmekel & Portmann, 1982:268; Thiele, 1931:456; 1992:746; Thompson, 1988:304; Thompson & Brown, 1984:139; Vayssi  re, 1913a:283

Fiona alba (Hasselt, 1824) |*Eolidia*| [=F. pinnata]

Fiona atlantica Bergh, 1857 [=F. pinnata]

Bergh, 1857a:279; 1859:9; 1871:1287

Fiona lepadivora (Graffe)

Fiona longicauda (Quoy & Gaimard, 1832) |*Eolidia*| [=F. pinnata]

Bergh, 1859:16

Fiona marina (Forsk  l, 1775) |*Limax*| [=F. pinnata]

Bergh, 1877a:823; 1879c:142; 1884a:9; 1892b:6; 1898:560; 1899:3; 1900:239; Eliot, 1913:44; Mazzarelli, 1903:289; O'Donoghue, 1922c:146; Odhner, 1907:34; Pruvot-Fol, 1927:45; Tchang Si, 1931a:122; Vayssi  re, 1913a:283; White, 1955:189

Fiona marina var. *pacifica* Bergh, 1879 [=Fiona pinnata]

Bergh, 1894:130

**Fiona nobilis* (Alder & Hancock in Forbes & Hanley, 1851) |*Oithona*| [=F. pinnata]

Alder & Hancock, 1855:fam. 3, pl. 38a†; Bergh, 1857a:278; 1859:8; Jeffreys, 1869:35; Verrill, 1882a:551

Fiona pinnata (Eschscholtz, 1831) |*Eolidia*|

Baba, 1949:176†; Barletta, 1981:108; Behrens, 1980:92†; 1991:96†; 2004:49; 2005:†; Behrens & Hermosillo, 2005:133†; Bergh, 1857a:283; 1859:16; 1873a:606; 1873b:87; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:185†; Coleman, 1989:56†; 2001:†; Eliot, 1905c:285; Farmer, 1980:120; George & George, pl. 93†; Gosliner, 1987b:120†; Lalli & Gilmer, 1989:229; Lamb & Hanby, 2005:271†; MacFarland, 1966:355; Marcus, 1961:50; Marcus & Marcus, 1967:109; McDonald, 1983:187; McDonald & Nybakken, 1980:64†; Moro, Ortea, Bacallado, Valdes, & Perez-Sanchez, 1995:pl. 2; Nakano, 2004:283†; Nordsieck, 1972:77†; Okutani, 2000:805†; Ono, 2004:286†; Picton & Morrow, 1994:112†; Powell, 1979:289; Pruvot-Fol, 1954b:438; Riedl, 1983:330; Rudman, 1986b:†; Schmekel, 1970:169; Schmekel & Portmann, 1982:268; Schr  dl, 1996:40; 2003:82; Suzuki, 2000:151†; Thompson, 1988:304; Thompson & Brown, 1976:193; 1984:139†; Trainito, 2003:48†; 2005:80†; Vicente, 1967:162; Willan & Coleman, 1984:44†; Willan & Morton, 1984:81; Wirtz, 1998a:†

Hymenaeolis Costa, 1866 for 1863:64, 80
[=*Fiona*]

Costa, 1867:28

**Hymenaeolis elegantissima* Costa, 1867 for 1864:29 [=*Fiona marina*; =*Fiona pinnata*]
Costa, 1866 for 1863:80

Oithona Alder & Hancock, 1851:291
(non Baird, 1843) [=*Fiona*]

Forbes & Hanley, 1850-1851:589

**Oithona nobilis* Alder & Hancock, 1851:291 [=*Fiona*; =*Fiona pinnata*]
Alder & Hancock, 1852a:74; Chenu, 1859:413; Forbes & Hanley, 1850-1851:589

Calmidae Iredale & O'Donoghue, 1923

Franc, 1968:885; Nordsieck, 1972:78; Parker, 1982:1056; Pruvot-Fol, 1954b:440; Schmekel & Portmann, 1982:270; Thiele, 1926:114; 1931:457; 1992:746; Thompson, 1988:302; Thompson & Brown, 1984:138

Calma Alder & Hancock, 1855:XV, XXI

Bergh, 1875:643; 1882:61; 1890:40; 1892:42(1034); Eliot, 1906c:369; 1910d:133, 175; Gray, 1857:223; ICZN, 1966h:102; Lemche, 1964i:118; Nordsieck, 1972:78; Pruvot-Fol, 1954b:441; Schmekel & Portmann, 1982:270; Thiele, 1931:457; 1992:747; Thompson, 1988:302; Thompson & Brown, 1984:138; Vayssi  re, 1888d:84; 1913a:302

Calma albicans (Friele & Hansen, 1876) |*Eolis*| [=*C. glaucooides*]

Calma cavolinii (V  rany, 1846) |*Eolidia*| [=*Calmella*]

Bergh, 1875:644; 1882:62; Demir, 1954:577; Trinchese, 1874e:90; Vayssi  re, 1888d:85

Calma digitata (Costa, 1866) |*Aeolis*|

Trinchese, 1874e:90

**Calma glaucooides* (Alder & Hancock, 1854) |*Eolis*|

Barletta, 1981:111; Behrens, 2005:†; Brown & Picton, 1979:29; Calado & Urgorri, 2002:312; Danrigal & Huyghens, 1981: †; Eliot, 1906c:371; 1910d:134, 175; Evans, 1922:439; Moro, Ortea, Bacallado, Valdes, & Perez-Sanchez, 1995:68; Nordsieck, 1972:78; Odhner, 1939:76; Picton & Morrow, 1994:110†; Pruvot-Fol, 1954b:441; Schmekel & Portmann, 1982:270; Thompson, 1988:302†; Thompson & Brown, 1976:194; 1984:138†; Trainito, 2003:42†; 2005:75†; Vayssi  re, 1913a:302; Vicente, 1967:162

Calma gobioophaga Calado & Urgorri, 2002:314

Forestia Trinchese, 1881b:121
[=*Calma*]

Bergh, 1890:33; 1892:33(1025); Odhner, 1907:26

Forestia albicans (Friele & Hansen, 1876) |*Eolis*|

Odhner, 1907:30

**Forestia mirabilis* Trinchese, 1881b:121 [=*Calma glaucooides*]

Trinchese, 1889:89; 1889a:85

Tribe: **Cleioprocta** Odhner, 1939

Franc, 1968:885; Parker, 1982:1056

Phidianidae Odhner, 1968

Franc, 1968:886; Nordsieck, 1972:78

Moridilla Bergh, 1888:680

Bergh, 1890:37; 1890a:878; 1892:38(1030); Marcus, 1958a:58; Thiele, 1931:457; 1992:748

****Moridilla brockii*** Bergh, 1888:681

Bergh, 1890a:878; Coleman, 2001:†; Debelius, 1996:†; Gosliner, 1987b:122†; Marshall & Willan, 1999:148†; Nakano, 2004:268†; Ono, 1999:165†; 2004:264†; Rao, 1965:61; Tonozuka, 2003:143†; Wells & Bryce, 1993:157†; Yonow, 1994:126†

Moridilla kristensenii Marcus & Marcus, 1963, 1964 [=Palisa]

Marcus & Marcus, 1963:44; 1970a:80; Redfern, 2001:182†

Moridilla sp. Behrens, 2005:†***Phidiana*** Gray, 1850b:108

Adams & Adams, 1858:76; Bergh, 1867:98; 1868a:133; 1873a:613; 1879:559; 1890:37; 1892:39(1031); Chenu, 1859:413; Eliot, 1906e:568; Erhardt & Moosleitner, 1997:703; Gray, 1857:224; Marcus & Marcus, 1967:109; McDonald, 1983:199; McDonald & Nybakken, 1980:64; Miller, 1974:40; Risbec, 1953:146; Thiele, 1931:458; 1992:748

Phidiana adiunta Ortea, Caballer, & Moro, 2004:86†***Phidiana alderiana*** (Deshayes in Fredol, 1865) |Eolis|***Phidiana anulifera*** (Baba, 1949) |Facelinella|

Nakano, 2004:263†

Phidiana attenuata (Couthouy in Gould, 1852) |Eolis| [=Phidiana lottini]

Schrödl, 1996:41

Phidiana bourailli (Risbec, 1928) |Aeolidia|

Coleman, 2001:†; Johnson & Boucher, 1983:285; Marshall & Willan, 1999:149†; Nakano, 2004:263†; Ono, 2004:265†; Rudman, 1980a:146†

Phidiana brevicauda Engel, 1925:67 [=P. lynceus]***Phidiana brocki*** (Bergh, 1888) |Moridilla|

Beesley, Ross, & Wells, 1998:pl. 36†

Phidiana caeruleascens Gray, 1850:pl. 194, fig. 4; 1850b:108***Phidiana caeruleascens*** Laurillard, Trinchese, 1875 [=Berghia]

Trinchese, 1874e:92

Phidiana crassicornis (Eschscholtz, 1831) |Cavolina|

Farmer, 1980:116; McDonald, 1983:199; McDonald & Nybakken, 1980:64†; Roginskaya, 1986a:9

Phidiana exigua Bergh, 1898:559 [=P. lottini; =P. inca]***Phidiana hartleyi*** (Burn, 1962) |Facelina|

Coleman, 2001:†

Phidiana hiltoni (O'Donoghue, 1927) |Facelina|

Behrens, 1991:98†; 2004:49; 2005:†; Behrens & Hermosillo, 2005:123†; Debelius, 1996:†; Farmer, 1980:117; McDonald, 1983:202; McDonald & Nybakken, 1980:64†

Phidiana inca (Orbigny, 1837) |Eolidia (Cavolina)| [=Phidiana lottini]

Bergh, 1860:322; 1867:100; 1898:549; Debelius, 1996:†; Engel, 1925:64; Godoy & Brand, 1997:43; Marcus, 1959:79; Ortea, Caballer, & Moro, 2004:†

Phidiana indica (Bergh, 1896) |Learchis|

Coleman, 1989:53†; 2001:†; Marshall & Willan, 1999:149†; Masuda, 1999:133†; Nakano, 2004:263†; Ono, 2004:266†; Rudman, 1980a:144†; Tan, Pai, & Hsha, 1987:81†; Tonozuka, 2003:144†; Willan & Coleman, 1984:46†

Phidiana iodinea (Cooper, 1863) |*Aeolis (Phidiana)*| [=Coryphella]

Phidiana lascrucensis Bertsch & Ferreira, 1974:348†

Behrens & Hermosillo, 2005:123†; Camacho-Garcia, Gosliner, & Valdes, 2005:108†; Farmer, 1980:118

Phidiana longicauda (Quoy & Gaimard, 1832) |*Eolidia*|

Hutton, 1881:203

Phidiana longicirrha Eliot, 1906d:156 [=Pruvotfolia]

Phidiana lottini (Lesson, 1831) |*Eolidia*|

Schrödl, 2001, 184; 2003:83†; Schrödl, et al., 2005:31†

Phidiana lynceus Bergh, 1867

Bergh, 1868a:133; Edmunds, 1964:16; Edmunds & Just, 1983:194; Engels, 1925:64; Gosliner, 1991b:297; Humann, 1992:229†; Marcus & Hughes, 1974:525; Marcus & Marcus, 1962:479; 1963:45; 1967:111; 1970a:82; Redfern, 2001:182†; Thompson, 1977a:†; 1980:93

Phidiana lynceus var. Bergh, 1873a:615

Phidiana mariadelmarae Garcia & Troncoso, 1999:191

Phidiana militaris (Alder & Hancock, 1864) |*Eolis*| [=Caloria] (non Miller, 1974:43† nor Powell, 1979 =*P. milleri*)

Coleman, 2001:†; Debelius, 1996:†; Lin, 1989:13; Powell, 1979:290; Rudman, 1980a:140†

Phidiana milleri Rudman, 1980a:143

Willan & Coleman, 1984:46†; Willan & Morton, 1984:74

Phidiana morroensis (Roller, 1972) |*Emarcusia*|

Farmer, 1980:119; McDonald, 1983:203; McDonald & Nybakken, 1980:64†

Phidiana natans (d'Orbigny, 1837) |*Cavolina*| [=Fiona pinnata]

Phidiana newcombi (Angas, 1864) |*Flabellina*|

Coleman, 2001:†

Phidiana nigra MacFarland, 1966:366† [=*P. hiltoni*; =*P. pugnax*]

Phidiana obscura (Risbec, 1928) |*Aeolidia*|

Risbec, 1953:146

Phidiana patagonica (Orbigny, 1837) |*Eolidia (Cavolina)*| (non Forcelli, 2000:130 lower photograph only =*Berghia rissodominguezi*)

Marcus & Marcus, 1967:109; Schrödl, 1996:42†; 2003:85

Phidiana pegasus Willan, 1987a:409

Enderby & Enderby, 2005:8†

Phidiana pugnax Lance, 1962:157† [=*P. hiltoni*]

Behrens, 1980:94†

Phidiana riosi Garcia & Troncoso, 2003:160†

Phidiana salaamica Rudman, 1980a:148†

Phidiana selencae Bergh, 1879:560 [=*P. lynceus*]

Engel, 1925:64; Marcus, 1955:178; 1957:467

- Phidiana stearnsi* (Cockerell, 1901) [*Facelina*]
 McDonald, 1983:203; McDonald & Nybakken, 1980:66†; Nelson, 1986:240
- Phidiana tenuis* Eliot, 1905c for 1904:287 [=?*Phyllodesmium poindimiei*]
- Phidiana unilineata* (Alder & Hancock, 1864) [*Eolis*]
 Eliot, 1906a:685; 1906e:569
- Phidiana* sp. Bertsch, 1971 & Bertsch & Smith, 1973 & Williams & Gosliner, 1971 [=*P. lascrucensis*]
- Phidiana* sp. “unique Phidiana” Coleman, 2001:†
- Phidiana* sp. Debelius, 1996:†
- Phidiana* sp. Erhardt & Moosleitner, 1997:703†
- Phidiana* sp. Garcia, Troncoso, & Dominguez, 2001:54
- Phidiana* sp. Lance, 1961:68 [=*P. hiltoni*; =*P. pugnax*]
- Phidiana* sp. Ono, 2004:266†

Phidianella Odhner

- Rolandia*** Pruvot-Fol, 1951:58
 [=*Phidiana*]

- Nordsieck, 1972:78; Pruvot-Fol, 1954b:396
- Rolandia dollfusae* Pruvot-Fol, 1953b:58 [=*Pruvotfolia longicirrha*]
- **Rolandia hispanica* Pruvot-Fol, 1951:58 [=*Pruvotfolia pselliotes*]
 Pruvot-Fol, 1954b:396

Facelinidae Odhner, 1939; Bergh in Carus, 1889 or Thiele, 1931

Bergh, 1892:39(1031); Burn, 1962:114; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:197; Edmunds, 1968:211; 1970:45; Edmunds & Just, 1983:193; Fez Sanchez, 1974:79; Franc, 1968:886; García-Gómez & Cervera, 1990:739 (table of genera); Hayward, Wigham, & Yonow, 1990:722; Just & Edmunds, 1985:130; Kay, 1979:484; Macnae, 1954:7; Millen & Hamann, 1992:211 Nordsieck, 1972:78; Pruvot-Fol, 1954b:386; Risso-Dominguez, 1962:141; Schmekel, 1966a:44 (synopsis of genera); 1970:149; Schmekel & Portmann, 1982:197; Thiele, 1931:458; 1992:748; Thompson, 1988:312; Thompson & Brown, 1984:104, 146; Vayssiére, 1913a:270

Facelinidae sp.1 Hermosillo & Behrens, 2005:20†

Facelinidae sp. Masuda, 1999:135†

Facelinidae sp.1 Suzuki, 2000:154†

- Acanthopsole*** Trinchese, 1874a:76
 [=*Facelina*]

Bergh, 1882:26; Marcus, 1958a:56; Nordsieck, 1972:79; Trinchese, 1874:68; 1877b:154; 1879a:51; Vayssiére, 1888d:33; 1913a:271

Acanthopsole albida Bergh, 1882:27 [=*A. rubrovittata*; =*Facelina*]
 Marcus, 1958a:58; Nordsieck, 1972:79

Acanthopsole conspersa Tiberi

Vayssiére, 1913a:273

Acanthopsole coronata (Forbes & Goodsir, 1839) |*Eolida*| [=*Facelina auriculata*]
 Abric, 1904a:6; Loman, 1893:35; Vayssi  re, 1888d:37; 1913a:272

Acanthopsole drummondi (Thompson, 1840) |*Eolis*| [=*Facelina*]
 Vayssi  re, 1913a:273

Acanthopsole dubia (Pruvot-Fol, 1948) |*Facelina*|
 Nordsieck, 1972:79

Acanthopsole lugubris Bergh, 1882:34 [=*Facelina*]
 Vayssi  re, 1913a:274

Acanthopsole moesta (Bergh, 1885) |*Facelina*| [=*Facelina lugubris*]

Acanthopsole pselliotes Labb  , 1923a:7 [=*Facelina*]
 Labb  , 1923:266; 1932:450; Nordsieck, 1972:79

Acanthopsole quatrefagesi Vayssi  re, 1888d:42 [=*Facelina*; =*Caloria elegans*;
 =*Facelina drummondi*]
 Nordsieck, 1972:79

**Acanthopsole rubrovittata* (Costa, 1866) |*Aeolis*| [=*Facelina*]
 Ballesteros, 1982b:232; Nordsieck, 1972:79; Trinchese, 1874:68; 1874a:76; Vayssi  re, 1888d:33;
 1913a:272; 1928

Acanthopsole schwobi Labb  , 1923a:8 [=*Facelina*]
 Labb  , 1923:266; 1932:450; Nordsieck, 1972:79

Acanthopsole vicina Bergh, 1882:29 [=*Facelina*]
 Nordsieck, 1972:79

Algarvia Garc  a-G  mez & Cervera, 1990:734

**Algarvia alba* Garc  a-G  mez & Cervera, 1990:734

Anetarca Gosliner, 1991a:284

**Anetarca armata* Gosliner, 1991a:284†
 Behrens, 1991:96†; 2004:49; 2005:†; Behrens & Hermosillo, 2005:117†

Anetarca brasiliiana Garcia & Troncoso, 2004:139

Antonietta Schmekel, 1966a:39

Schmekel & Portmann, 1982:200

Antonietta janthina Baba & Hamatani, 1977:9
 Masuda, 1999:133†; Nakano, 2004:255†; Okutani, 2000:805; Suzuki, 2000:152†

**Antonietta luteorufa* Schmekel, 1966a:39
 Schmekel & Portmann, 1982:219†

Babaina Roller, 1972:418
 (non Odhner, 1968) [=*Babakina*]

Farmer, 1980:53; Roller, 1973:118

**Babaina festiva* Roller, 1972:418 [=*Babakina*]

Babakina Roller, 1973:118

McDonald, 1983:151; McDonald & Nybakken, 1980:66; Miller, 1974:37; Roller, 1972:418

Babakina anadoni (Ortea, 1979) |*Rioselleolis*|
 Garcia-Gomez, 2002:†; Rol  n, Rol  n-Alvarez, & Ortea, 1991:115

Gary McDonald, Long Marine Lab, 100 Shaffer Rd., Santa Cruz, Cal. 95060

Babakina caprinsulensis Miller, 1974:37†

Coleman, 2001:†; Gosliner, 1990:321; Morley, 1987:2; Powell, 1979:290; Willan & Morton, 1984:75

**Babakina festiva* (Roller, 1972) |*Babaina*|

Behrens, 1980:84†; 1991:86†; 2004:47; 2005:†; Behrens & Hermosillo, 2005:118†; Gosliner, 1990:321; McDonald, 1983:151; McDonald & Nybakken, 1980:66†; Nakano, 2004:253†; Padula & Absalao, 2005:99†; Redfern, 2001:181†; Roller, 1972:418

Babakina sp. Nakano, 2004:254†

Babakina sp. cf. *festvia* (Roller, 1972)

Ono, 2004:257†

Emarcusia Roller, 1972:420

[=*Phidiana*]

**Emarcusia morroensis* Roller, 1972:420 [=*Phidiana*]

Behrens, 1980:88†; 1991:96†; Behrens & Hermosillo, 2005:119†

Facelina Alder & Hancock, 1855:XXII

Ballesteros, Ortea, Vallve, & Martinez, 1993:128 (key to Iberian species); Bergh, 1868:209; 1874:399; 1876b:752; 1877a:824; 1885:41; 1890:38; 1892:40(1032); Burn, 1962:114; Eliot, 1910d:171; Fez Sanchez, 1974:80; Fischer, 1883:539; Fisher, 1936:73; Gray, 1857:223; ICZN, 1966d:91; Lemche, 1964e:49; Løyning, 1922:51, 93; Macnae, 1954:10; 1954a:52; Marcus, 1958a:56; Nordsieck, 1972:78; Odhner, 1907:27; 1939:77; Pruvot-Fol, 1954b:387; Thiele, 1931:458; 1992:748; Thompson, 1988:314; Thompson & Brown, 1984:146; Trinchese, 1877b:154; 1881:31; 1881a:31; Vayssiére, 1888d:45; 1913a:270

Facelina agari Smallwood, 1910:141

Facelina albida (Bergh, 1882) |*Acanthopsole*| [=*Acanthopsole*]

Pruvot-Fol, 1954b:393; Vicente, 1967:157

Facelina annulata Macnae, 1954:14

Facelina annulicornis (Chamisso & Eysenhardt, 1821) |*Eolidia*|

Ballesteros, 1985:30; Brown, 1981:334; Brown & Picton, 1979:21; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:197†; Garcia-Gomez, 2002:180†; Hayward, Wigham, & Yonow, 1990:722; Hunnam & Brown, 1975:152; Picton & Morrow, 1994:122†; Thompson, 1976a:†; 1988:314; Thompson & Brown, 1976:154; 1984:147†; Trainito, 2003:44†; 2005:84†; Wirtz, 1999:†

Facelina auriculata (Müller, 1776) |*Doris*|

Eliot, 1910d:172; McMillan, 1968:71; Odhner, 1907:34; 1939:80; Picton & Morrow, 1994:122†; Riedl, 1983:327; Thompson & Brown, 1976:151

Facelina auriculata coronata (Forbes & Goodsir, 1839) |*Eolida coronata*|

Thompson, 1976:†; 1976a:†; Thompson & Brown, 1976:151

Facelina auriculata curta (Alder & Hancock, 1843) |*Eolis curta*|

Thompson & Brown, 1976:151

Facelina bilineata Hirano in Hirano & Ito, 1998:791†

Nakano, 2004:257†; Okutani, 2000:807†; Suzuki, 2000:151†

Facelina bostoniensis (Couthouy, 1838, 1839) |*Eolis*|

Bergh, 1885:44; Brown, 1981:335; Brown & Picton, 1979:21; Dekker, 1989:103; Evertsen & Bakken, 2001b:19†; Garcia-Gomez, 2002:†; Hayward, Wigham, & Yonow, 1990:722; Just & Edmunds, 1985:130†; Meyer, 1970:143; Picton & Morrow, 1994:124†; Thompson, 1988:316†; Thompson & Brown, 1984:148†; Trainito, 2003:44†; 2005:85†; Verrill, 1880a:389; Yonow, 1997:†

Facelina bourailli (Risbec, 1928) |*Aeolidia*| [=*Phidiana*]

Gary McDonald, Long Marine Lab, 100 Shaffer Rd., Santa Cruz, Cal. 95060

- Risbec, 1953:147
- Facelina coenda* Marcus, 1958a:52
- **Facelina coronata* (Forbes & Goodsir, 1839) |*Eolida*| [=*F. auriculata*; =*F. longicornis*] (non Cattanei-Vietti, Chemello, & Giannuzzi-Savelli, 1990:pl. 13, fig. 4, = *Godiva quadricolor*)
 Ballesteros, 1984b:48; 1985:30; Bergh, 1877a:825; Brown, 1981:335; Brown & Picton, 1979:20; Cuénot, 1906:103; Edmunds, 1969:†; Evertsen & Bakken 2001b:19†; 2003:19; Garcia-Gomez, 2002:181†; Garstang, 1890:441; Hayward, Wigham, & Yonow, 1990:722; Herdman & Clubb, 1889:233; Hoffmann, 1926:21; Hunnam & Brown, 1975:152; Jutting & Engel, 1936:68; Marcus, 1958a:57; Moro, Ortea, Bacallado, Valdes, & Perez-Sanchez, 1995:65; Nobre, 1931:31; 1936:22; 1938-40:72; Nordsieck, 1972:78; Odhner, 1907:34; Pruvot-Fol, 1954b:387; Rolán & Otero-Schmitt, 1996:155; Thompson, 1988:318†; Thompson & Brown, 1984:150†; Trainito, 2003:44†; 2005:84†; Trinchese, 1881:42; 1881a:42
- Facelina crassicornis* (Eschscholtz) |*Cavolina*| [=*Hermisenda*; =*Phidiana*]
- Facelina curta* (Alder & Hancock, 1843) |*Eolis*| [=*F. bostoniensis*]
 Hunnam & Brown, 1975:154
- Facelina cyanella* (Couthouy in Gould, 1852) |*Eolis*|
 Schrödl, 1996:43; 2003:89
- Facelina drummondi* (Alder & Hancock, 1844) |*Eolis*| [=*F. auriculata*]
 Abric, 1904a:6; Ballesteros, 1984b:48; 1985:30; Beaumont, 1900:841; Bergh, 1860:321; 1868:210; 1874:400; 1876b:756; 1882:25; Colgan, 1914:187; Eliot, 1906d:157; Hoffmann, 1926:21; Jutting & Engel, 1936:69; Pruvot-Fol, 1953b:57†; Riedl, 1970:433; Schmekel, 1970:151; Trinchese, 1881:41†; 1881a:41; Vicente, 1963a:177; 1967:157; 1981:79; Walton, 1908:236
- Facelina drummondi* (Thompson, 1844) [=*F. bostoniensis*]
 Løyning, 1922:52, 93; Nobre, 1931:31; 1936:22, 1938-40:71; Nordsieck, 1972:78†; Odhner, 1907:34; Pruvot-Fol, 1954b:388
- Facelina dubia* Pruvot-Fol, 1948a:99 [=*Acanthopsole*]
 Ballesteros, Ortea, Vallve, & Martinez, 1993:123; Just & Edmunds, 1985:132†; Picton & Brown, 1981:265; Picton & Morrow, 1994:124†; Pruvot-Fol, 1954b:391; Schonenberger & Schonenberger, 1961:293; Thompson, 1988:320; Thompson & Brown, 1984:151†; Trainito, 2003:44†; 2005:85†
- Facelina elegans* (Alder & Hancock, 1845) |*Eolis*| [=*Caloria*]
- Facelina faurei* Barnard, 1927:205 [=*Pruvotfolia pselliotes*]
 Macnae, 1954:15
- Facelina faurei* var. *quadridenticulata* White, 1955:190
- Facelina fragilis* (Risbec, 1928) |*Aeolidia*|
 Risbec, 1953:147
- Facelina fusca* Schmekel, 1966 |*Facelina (Acanthopsole)*|
 Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:203†; Schmekel, 1970:152; Trainito, 2003:44†; 2005:84†
- Facelina gabinierei* Vicente, 1975:67 [=*Piseinotecus*]
 Vicente, 1991:19†
- Facelina gigas* (Costa, 1866) |*Aeolis*| [=*F. drummondi*]
 Bergh, 1876b:753
- Facelina goslingii* Verrill, 1901:34

- Facelina hartleyi* Burn, 1962:116
 Burn, 1966a:281
- Facelina hiltoni* O'Donoghue, 1927 [= *Phidiana*]
- Facelina janii* (Vérany, 1846) | *Eolidia* | [= *F. drummondi*]
 Bergh, 1874:404
- Facelina lineata* Eliot, 1905c:288†
- Facelina longicornis* (Montagu, 1808) | *Doris* | [= *F. auriculata*]
- Facelina lugubris* (Bergh, 1882) | *Acanthopsole* |
 Nordsieck, 1972:79; Pruvot-Fol, 1954b:393
- Facelina marioni* Vayssi  re, 1888:126 [= *Facelinopsis*]
 Vayssi  re, 1888d:49; 1913a:271
- Facelina militaris* (Alder & Hancock, 1864) | *Eolis* | [= *F. rubrovittata*]
- Facelina moesta* Bergh, 1885:46
 Pruvot-Fol, 1954b:394
- Facelina neapolitana* (delle Chiaje, 1841) | *Eolis* | [= *Spurilla*]
 Bergh, 1860:321
- Facelina newcombi* (Angas, 1864) | *Flabellina* |
 Burn, 1962:114; 1966a:281
- Facelina olivacea* Macnae, 1954:11
 Gosliner, 1987b:121†
- Facelina panizzae* (V  rany, 1846) | *Eolidia* | [= *F. drummondi*]
 Bergh, 1874:407
- Facelina pilata* (Gould, 1870) | *Eolis* | [= *Cratena*]
 Verrill, 1880a:389
- Facelina pselliotes* (Labb  , 1923) | *Acanthopsole* |
 Pruvot-Fol, 1954b:393
- Facelina punctata* (Alder & Hancock, 1845) | *Eolis* |
 Barletta & Melone, 1976:223; Fez Sanchez, 1974:81†; Garstang, 1889:192; Mazzarelli, 1903:287;
 Nobre, 1931:32; 1936:22; 1938-40:73; Nordsieck, 1972:78†; Pruvot-Fol, 1954b:388; Riedl, 1983:327;
 Schmekel, 1970:151; Trinchese, 1881:38†; 1881a:38; Vayssi  re, 1888d:45; 1913a:271; 1929; Vicente,
 1967:157
- Facelina punctata* var. Labb  , 1932:448
- Facelina quadrilineata* (Baba, 1930) | *Hervia* |
 Hirano & Ito, 1998:791†; Nakano, 2004:257†
- Facelina quatrefagesi* (Vayssi  re, 1888) | *Acanthopsole* |
 Pruvot-Fol, 1954b:390
- Facelina rhodopos* Yonow, 2000:113†
 Nakano, 2004:256†; Ono, 2004:261†
- Facelina rubrovittata* (Costa, 1866) | *Eolis* |
 Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:205†; Garcia-Gomez, 2002:†; Luque, 1983:69;
 Pruvot-Fol, 1954b:392; Riedl, 1983:327; Sordi & Majidi, 1956:242; Trainito, 2003:44†; 2005:86†
- Facelina rutila* Pruvot-Fol, 1951:57

- Nordsieck, 1972:79; Pruvot-Fol, 1954b:390
- Facelina sargassicola* Bergh, 1871
- Facelina sargassicola* (Kroyer) [=Spurilla]
Bergh, 1860:322
- Facelina schvobi* (Labbé, 1923) |*Acanthopsole*|
Ballesteros, Ortea, Valve, & Martinez, 1993:125; Pruvot-Fol, 1954b:394
- Facelina semidecora* (Pease, 1860) |*Aeolis*|
Hirano & Ito, 1998:797
- Facelina stearnsi* Cockerell, 1901:86 [=*Phidiana*]
Behrens, 1980:92†; 1991:97†; 2004:49
- Facelina variegata* Oliveira, 1895:19
Fez Sanchez, 1974:82; Nobre, 1896:99; 1931:32; 1936:23; 1938-40:73; Nordsieck, 1972:78; Pruvot-Fol, 1954b:393
- Facelina veranyana* Bergh, 1874:401 [=*Dondice*; =*Hervia peregrina*; =*Rizzolia peregrina*]
Marcus, 1958a:61
- Facelina vicina* (Bergh, 1882) |*Acanthopsole*|
O'Donoghue, 1929:746; Pruvot-Fol, 1954b:393
- Facelina vicina* var. Bergh, 1885:42
- Facelina zhejiangensis* Lin & You, 1990:161
- Facelina* sp. 1 Behrens & Hermosillo, 2005:119†
- Facelina* sp. 2 Behrens & Hermosillo, 2005:120†
- Facelina* sp. Burn, 1966a:281
- Facelina* sp. 1 Camacho-Garcia, Gosliner, & Valdes, 2005:108†
- Facelina* sp. 2 Camacho-Garcia, Gosliner, & Valdes, 2005:108†
- Facelina* sp. Edmunds, 1970:39 [=*Phidiana bourailli*]
- Facelina* sp. Eliot, 1907a:331
- Facelina* sp. Gosliner, 1987b:121†
- Facelina* sp. 1 Hermosillo, 2004:110
- Facelina* sp. Humann, 1992:233†
- Facelina* sp. 1 Marshall & Willan, 1999:147†
- Facelina* sp. Nakano, 2004:258†
- Facelina* sp. Ono, 2004:261†
- Facelina* sp. Pruvot-Fol, 1927:43
- Subgenus: (*Acanthopsole*) Trinchesi, 1874
Fez Sanchez, 1974:82; Schmekel & Portmann, 1982:198
- Facelina (Acanthopsole) coronata* (Forbes & Goodsir, 1839) |*Eolida*|
Fez Sanchez, 1974:85†

- Facelina (Acanthopsole) drummondi* Thompson, 1840 |*Eolis*|
Fez Sanchez, 1974:83†
- Facelina (Acanthopsole) fusca* Schmekel, 1966a:31
Schimekel & Portmann, 1982:209†
- Facelina (Acanthopsole) lugubris* (Bergh, 1882) |*Acanthopsole*|
- Facelina (Acanthopsole) moesta* Bergh, 1885 [=*F. lugubris*] |*Facelina*|
- Facelina (Acanthopsole) quatrefagesi* (Vayssi  re, 1888) |*Acanthopsole*| [=*F. drummondi*]
- Facelina (Acanthopsole) rubrovittata* (Costa, 1866) |*Aeolis*|
Ballesteros, 1985:32; Nordsieck, 1972:79†; Schmekel, 1870:153; Schmekel & Portmann, 1982:211†
- Facelina (Acanthopsole) vicina* (Bergh, 1882) |*Acanthopsole*| [=*F. rubrovittata*]
Subgenus: (*Facelina*) Alder & Hancock, 1855
Schimekel & Portmann, 1982:198
- Facelina (Facelina) auriculata* (M  ller, 1776) |*Doris*|
Schimekel & Portmann, 1982:203†
- Facelina (Facelina) dubia* Pruvot-Fol, 1948 |*Facelina*|
Schimekel & Portmann, 1982:205†
- Facelina (Facelina) punctata* (Alder & Hancock, 1845) |*Eolis*|
Schimekel & Portmann, 1982:207†
Facelinella Baba, 1949:181
[=*Facelina*; =*Phidiana*]
Hirano & Ito, 1998:791
- Facelinella anulifera* Baba, 1949:182† [=*F. semidecora*; =*Facelina semidecora*;
=*Phidiana*]
- **Facelinella marioni* (Vayssi  re, 1888) |*Facelina*| [=*Facelinopsis*]
Pruvot-Fol, 1951:57
- **Facelinella quadrilineata* (Baba, 1930) |*Hervia*| [=*Facelina*]
Abe, 1964:71; Baba, 1949:181†; 1965:410
- Facelinella semidecora* (Pease, 1860) |*Aeolis*| [=*Facelina*]
Bertsch & Johnson, 1981:95†; Gosliner, 1980:51; Kay, 1979:486
- Facelinella* sp. Morton & Miller, 1973 [=*Phidiana milleri*]
Facelinopsis Pruvot-Fol, 1954b:394
[=*Phidiana*]
Nordsieck, 1972:79; Schmekel & Portmann, 1982:200
- **Facelinopsis marioni* (Vayssi  re, 1888) |*Facelina*|
Ballesteros, 1985:32; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:211†; Garcia-Gomez,
2002:183†; Nordsieck, 1972:79†; Pruvot-Fol, 1954b:394; Schmekel & Portmann, 1982:216; Trainito,
2003:46†; 2005:86†; Vicente, 1967:157
Hermisenda Bergh, 1879:573
Bergh, 1879c:137; 1890:37; 1892:38(1030); MacFarland, 1966:358; Marcus, 1958a:58; Thiele,
1931:458; 1992:748
- Hermisenda crassicornis* (Eschscholtz, 1831) |*Cavolina*| [=*Phidiana*]
Gary McDonald, Long Marine Lab, 100 Shaffer Rd., Santa Cruz, Cal. 95060

Behrens, 1980:92†; 1991:97†; 2005:†; Behrens & Hermosillo, 2005:121†; Choe & Lee, 1994:365†; Debelius, 1996:†; Erhardt & Moosleitner, 1997:703†; George & George, pl. 92†; Johnson, 1998:†; Lamb & Hanby, 2005:267†; Lance, 1983:†; MacFarland, 1966:358†; Marcus, 1961:53; Marcus & Marcus, 1967:226; Masuda, 1999:133†; Nakano, 2004:260†; O'Donoghue, 1922:125; 1922b:76; 1922c:135; Okutani, 2000:807†; Suzuki, 2000:152†

**Hermisenda opalescens* (Cooper, 1863) [*Eolis*] [=*H. crassicornis*]

Bergh, 1874:409; 1879:573; 1879c:138; Cockerell, 1901a:122; Cockerell & Eliot, 1905:50; Guernsey, 1912:78; O'Donoghue, 1921:201

Hervia Bergh in Mörcb, 1871

[=Facelina]

Barnard, 1927:202; Bergh, 1888:676; 1890:32; 1890a:876; 1892:31(1023); 1905a:231; Macnae, 1954a:52; Nordsieck, 1972:79; Odhner, 1907:29; Pruvot-Fol, 1951:63; 1954b:398; Risbec, 1953:134; Satyamurti, 1952:249; Thiele, 1931:455; 1992:745; Vayssiére, 1888d:51; 1913a:274

Hervia affinis Baba, 1949:179† [=Cratena]

Hervia amari Vicente, 1962:261 [=Facelina (*Acanthopsole*) rubrovittata]

Vicente, 1967:158

Hervia berghii Vayssiére, 1888d:52 [=Facelina rubrovittata]

Vayssiére, 1913a:275

Hervia ceylonica Eliot, 1913 [=Sakuraeolis enosimensis]

Hervia ceylonica Farran, 1905a:331 [=Dondice]

Baba, 1949:178†; Eliot, 1913:42; Marcus, 1958a:61; Narayanan, 1968a:210; O'Donoghue, 1932:145; Satyamurti, 1952:250; Willan, 1987:80

Hervia corsei (Hutton, 1881) [*Eolis*]

Hervia costai Haefelfinger, 1961:209 [=Cratena peregrina]

Ballesteros, 1978:19; 1984a:†; Barletta, 1981:112; Barletta & Melone, 1976:225†; George & George, pl. 93†; Riedl, 1970:433; Thompson, 1976a:†; Vicente, 1963a:178; 1967:158; 1981:79; 1991:9†

Hervia dangeri (Risbec, 1953) [*Aeolidia*] [=Caloria militaris; =Learchis indica]

Risbec, 1953:136

Hervia ducrosi (Risbec, 1928) [*Aeolidia*]

Risbec, 1953:135

Hervia emurai (Baba, 1938) [*Cuthona (Hervia)*] [=Hermisenda crassicornis]

Hervia enosimensis Baba, 1930b:118 [=Sakuraeolis]

Hervia japonica (Baba, 1937) [*Cuthona (Hervia)*] [=Dondice modesta; =Sakuraeolis modesta]

Baba, 1949:178†

Hervia lagunae O'Donoghue, 1926 [=Cuthona]

Steinberg, 1963:66

Hervia lineata Eliot, 1905c:286† [=Cratena; =Rizzolia]

Baba, 1949:177†

Hervia militaris (Alder & Hancock, 1864) [*Eolis*] [=Caloria; =Phidiana]

Eliot 1096b:1007; Farran 1905a:331; Narayanan, 1968a:211; O'Donoghue, 1932:143; Satyamurti, 1952:250

**Hervia modesta* Bergh, 1871 [=Facelina coronata; =H. peregrina]

- Bergh, 1879:410; Mörch, 1871:183; Odhner, 1907:29
- Hervia modesta* Bergh, 1885 [= *Facelina coronata*]
Hoffmann, 1926:17
- Hervia newcombi* (Angas, 1864) | *Flabellina*|
Burn, 1957:25
- Hervia ornata* (Angas, 1864) | *Flabellina*| [= *Austraeolis*]
Burn, 1957:24
- Hervia peregrina* (Gmelin, 1789) | *Doris*|
Nordsieck, 1972:80; Pruvot-Fol, 1948b:273; 1954b:398; Riedl, 1970:433; Sordi & Majidi, 1956:242
- Hervia peonica* Burn, 1957:25 [= *Coryphella*; = *Flabellina*]
- Hervia quadricolor* Barnard, 1927:203 [= *Godiva*]
ICZN, 1966:98; Lemche, 1964h:57
- Hervia quadrilineata* Baba, 1930b:119 [= *Facelinella*]
- Hervia rosea* Bergh, 1888:677 [= *Caloria*]
Bergh, 1890a:877; Burn & Narayanan, 1970:85; Eliot, 1913:42; Willan, 1987:80
- Hervia serrata* Baba, 1949:179† [= *Cratena*; = *Phyllodesmium*]
- Hervia sibogae* Bergh, 1905a:231† [= *Cuthona*; = *Trinchesia*]
- Hervia trunca* (Risbec, 1928) | *Aeolidia*| [= *Rizzolia lineata*]
Risbec, 1953:135
- Hervia violacea* Pruvot-Fol, 1953b:50
- Hervia* sp. Guernsey, 1912:78 [= *H. lagunae*; = *Cuthona lagunae*]
O'Donoghue, 1926:232; Steinberg, 1961:62; 1963:66
- Learchis*** Bergh, 1896a:385
[= *Facelina*]
- Baba, 1969c:401; Burn, 1966:24; Edmunds & Just, 1983:195 (synopsis of species); Marcus, 1958a:58;
Marcus & Marcus, 1960a:182; Thiele, 1931:458; 1992:749
- Learchis dangeri* (Risbec, 1928) | *Aeolidia*|
Baba, 1969c:400
- Learchis evelinae* Edmunds & Just, 1983:195
- Learchis howensis* Burn, 1966:25 [= *Caloria militaris*; = *L. indica*; = *Phidiana indica*]
Baba, 1969c:400
- Learchis indica* Bergh, 1896a:386 [= *Caloria militaris*; = *Phidiana*]
Baba, 1969c:400
- Learchis poica* Marcus & Marcus, 1960a:183 [= *Caloria*]
Edmunds, 1964:18; 1968:208; Edmunds & Just, 1983:194; Eyster, 1980:591; Humann, 1992:231†;
Marcus & Marcus, 1963:44; 1970a:79; Redfern, 2001:182†; Thompson, 1977a:†; 1980:94; Walls,
1982:325†
- Liopsole*** Odhner in Franc, 1968:886 {nomen nudum}
- Palisa*** Edmunds, 1964
[= *Phidiana*]

Palisa kristensi (Marcus & Marcus, 1963)

Edmunds & Just, 1983:197

**Palisa papillata* Edmunds, 1964:12

Palisa sp. Burn, 1966a:281

Palisa sp. "ghostly Palisa" Coleman, 2001:†

Pauleo Millen & Hamann, 1992:205

Pauleo jubatus Millen & Hamann, 1992:206

Pruvotfolia Tardy, 1969:327

[=*Phidiana*]

Pruvotfolia longicirrha (Eliot, 1906) |*Phidiana*|

Ortea, & Moro, 1997:108

Pruvotfolia pselliotes (Labbé, 1923) |*Acanthopsole*|

Garcia-Gomez, 2002:185†; Gosliner, 1987b:121†; Moro, Ortea, Bacallado, Valdes, & Perez-Sanchez, 1995:65; Ortea & Urgorri, 1981a:150; Sánchez-Tocino, Ocaña, & García, 2000:†; Tardy, 1969:327; Trainito, 2005:87†

Pruvotfolia rochebruni Ortea, Moro, & Caballer, 2002:201†

Cratenidae Bergh, 1890

Beaumont, 1900:834; Bergh, 1892:29(1021); 1898:545; 1904:3; 1905a:229; Eliot, 1906c:363; Franc, 1968:886

Amanda Macnae, 1954:32

**Amanda armata* Macnae, 1954:32

Gosliner, 1987b:125†

Cavolina Bruguière, 1791

(*Cavolinia*) [=Cratena; =Montagua; =Trinchesia] [non Abildgaard, 1791] {rejected, IZN, 1969:28}

Blainville, 1825:486; Cantraine, 1841:47; Chenu, 1859:412; Cuvier, 1830:55; 1834:40; Deshayes, 1830:115; d'Orbigny, 1837:190; Gray, 1857:225; Heppell, 1964b:414; Lemche, 1964d:45; Rang, 1829:128; Voigt, 1834:124

Cavolina amoena (Alder & Hancock, 1845) |*Eolis*| [=Cuthona]

Cavolina annulicornis (Chamisso & Eysenhardt, 1821) |*Eolidia*|

Voigt, 1834:124

Cavolina aurantiaca (Alder & Hancock, 1851) |*Eolis*| [=Cuthona gymnota]

Beaumont, 1900:836

Cavolina caerulea (Montagu, 1804) |*Doris*| [=Cuthona]

Cavolina crassicornis Eschscholtz, 1831:15 [=Hermisenda]

O'Donoghue, 1922b:74; 1922c:133

Cavolina farrani (Alder & Hancock, 1844) |*Eolis*| [=Eubranchus]

Garstang, 1889:193

Cavolina glottensis (Alder & Hancock, 1846) |*Eolis*| [=Cuthona caerulea]

- Cavolina inca* Orbigny, 1837:193 [=Phidiana]
- Cavolina longicornis* (Montagu, 1808) |Doris|
Voigt, 1834:124
- Cavolina lottini* Orbigny, 1837 [=Phidiana]
- Cavolina natans* Orbigny, 1837:195 [=Fiona pinnata]
- Cavolina northumbrica* (Alder & Hancock, 1844) |Eolis| [=Cuthona viridis]
- Cavolina olivacea* (Alder & Hancock, 1842) |Eolis| [=Cuthona foliata; =Trinchesia foliata]
- Cavolina patagonica* Orbigny, 1837:192 [=Phidiana]
- Cavolina peregrina* (Lamarck, 1819) |Eolis|
Cantraine, 1841:48; Voigt, 1834:124
- Cavolina rubra* Cantraine, 1835:384 [=Eolidina]
Cantraine, 1841:48
- Cavolina salmonacea* (Couthouy, 1838) |Eolis|
Dekay 1843:11†
- Cavolina subrosacea* Eschscholtz, 1831:15 [=Flabellina]
O'Donoghue, 1922c:135
- Cavolina viridis* (Forbes, 1840) |Montagua| [=Cuthona]
- Cratena*** Bergh, 1864
[=Cratena; =Trinchesia]
- Barnard, 1927:204; Bergh, 1868:213; 1870:2; 1885:27; 1890:31; 1892:30(1022); 1892b:3; 1898:545; 1905a:230; Burn, 1962:118; 1964a:410; Edmunds, 1870:52; Fischer, 1883:540; Heppell, 1964c:415; ICZN, 1966e:93; Lemche, 1964f:50; Macnae, 1954:28; 1954a:52; Odhner, 1907:26; 1939:67; O'Donoghue, 1926a:128; Risbec, 1953:132; Schmekel & Portmann, 1982:200; Thiele, 1931:456; 1992:745; Winckworth, 1941:146
- Cratena abronia* MacFarland, 1966:347† [=Cuthona; =Trinchesia]
- Cratena affinis* (Baba, 1949) |Hervia|
Abe, 1964:68; Coleman, 2001:†; Marshall & Willan, 1999:146†; Nakano, 2004:254†; Ono, 2004:258†
- Cratena albocrusta* MacFarland, 1966:340† [=Cuthona; =Trinchesia]
- Cratena amoena* (Alder & Hancock, 1845) |Eolis| [=Cuthona; =Cuthona rubescens] (non Walton, 1908:231 =Cuthona rubescens)
Colgan, 1914:179; Eliot, 1906c:368
- Cratena angulata* (Alder & Hancock, 1844) |Eolis|
Hoffmann, 1926:17; Marcus, 1958a:49; Odhner, 1907:29
- Cratena anulata* Baba, 1949:175† [=Catriona]
- Cratena arenicola* (Forbes MS; Alder & Hancock, 1847) |Eolis|
Marcus, 1958a:49
- Cratena aurantia* (Alder & Hancock, 1842) |Eolis| [=Catriona gymnota; =Cuthona gymnota; =Trinchesia gymnota]
Jutting & Engel, 1936:66; Løyning, 1927:252; Odhner, 1939:74

Cratena aurantiaca (Alder & Hancock, 1851) |*Eolis*| [=Cuthona gymnota]

Cratena bicolor (Bergh, 1904) |*Cuthona*|
Baba, 1949:174

Cratena branchialis (Rathke in Müller, 1806) |*Doris*| [=Favorinus]

Cratena bylgia Bergh, 1870:4

Cratena caerulea (Montagu, 1804) |*Doris*| [=Catriona; =Cuthona]

Cratena capensis Barnard, 1927:204
Gosliner, 1987b:125†; Macnae, 1954:29; Marcus, 1958a:49

Cratena cavanca Bergh, 1898:545 [=Cuthona] [=Phidiana lottini]

Cratena coerulea (Montagu, 1804) |*Doris*|
Hoffmann, 1933:†

Cratena columbiana (O'Donoghue, 1922) |*Amphorina*| [=Cuthona]

Cratena concinna (Alder & Hancock, 1843) |*Eolis*| [=Cuthona]
Herdman & Club, 1890:144; 1892a:144; Hoffmann, 1926:17; Odhner, 1907:29

Cratena cornuta (Risbec, 1928) |*Aeolidia*|
Risbec, 1953:132

Cratena couchii (Cocks, 1852) |*Eolis*| [=Cuthona]

Cratena cucullata Bergh, 1905a:230 [=Cuthona tristis]

Cratena diffusa (Risbec, 1928) |*Aeolidia*|
Risbec, 1953:133

Cratena exigua (Risbec, 1928) |*Aeolidia*|
Risbec, 1953:134

Cratena exigua Thiele, 1912:251 [=Cuthona georgiana]
Thiele, 1925:288

Cratena flavovulta MacFarland, 1966:336† [=Cuthona; =Trinchesia]

Cratena foliata (Forbes & Goodsir, 1839) |*Eolida*| [=Cuthona]
Odhner, 1939:74; Swennen, 1949:71

Cratena fructuosa Bergh, 1892b:4

Cratena fulgens MacFarland, 1966:337† [=Cuthona; =Trinchesia]

Cratena genovae O'Donoghue, 1929 [=Cuthona]

Cratena glottensis (Alder & Hancock, 1846) |*Eolis*| [=Cuthona caerulea]

Cratena grisea (Risbec, 1928) |*Aeolidia*|
Risbec, 1953:133

Cratena gymnota (Couthouy, 1838) |*Eolis*| [=Catriona; =Cuthona]
Bergh, 1885:31; Verrill, 1880a:390

Cratena hirsuta (Bergh, 1860) |*Montagua*| [=Precuthona]
Bergh, 1868:215; Odhner, 1907:29

Cratena kaoruae Marcus, 1957:472 [=C. pilata]
Marcus & Marcus, 1960b:257; 1967:114

Cratena lineata (Eliot, 1904) |*Hervia*| [=Rizzolia]

Abe, 1964:67; Coleman, 2001:†; Debelius, 1996:†; Edmunds, 1970:48; Marshall & Willan, 1999:146†; Nakano, 2004:256†; Okutani, 2000:807†; Ono, 1999:162†; 2004:258†; Suzuki, 2000:153†; Willan & Coleman, 1984:46†

Cratena longibursa Bergh, 1870:8

Cratena longicauda Heincke, 1897:249 [=Cuthona pustulata; =Fiona pinnata]
Hoffmann, 1926:17

Cratena lugubris Bergh, 1870:9 [=Phestilla]

Cratena macphersonae Burn, 1962:118 [=Phyllodesmium]

Cratena nana (Alder & Hancock, 1842) |*Eolis*| [=Cuthona]

Cratena nigricolora Baba, 1955:52† [=Catriona]

Cratena northumbrica (Alder & Hancock, 1844) |*Eolis*| [=Diaphoreolis]

Cratena olivacea (Alder & Hancock, 1842) |*Eolis*| [=Amphorina; =Catriona; =Cuthona;
=Trinchesia; =Cuthona foliata]
Hoffmann, 1926:16; Odhner, 1907:28

Cratena olrikki (Mörch, 1857) |*Aeolis*| [=Cuthona viridis] (non Posselt & Jensen,
1898:245 =Coryphella salmonacea)

Bergh, 1868:216; Gurjanowa, 1927:35; Lemche, 1941:29; Odhner, 1907:29

Cratena ornata (Baba, 1937) |*Cuthona (Hervia)*| [=Cuthona]
Baba, 1955:51†

Cratena paradoxa (Quatrefages, 1843) |*Eolidina*| [=Eolidina angulata]

Cratena peachii (Alder & Hancock, 1848) |*Eolis*| [=Cuthona]

**Cratena peregrina* (Gmelin, 1791) |*Doris*|

Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:209†; Garcia-Gomez, 2002:184†; Moro, Ortea, Bacallado, Valdes, & Perez-Sanchez, 1995:64†; Parent, Breton, & Reboux, 2001[2000]:30; Riedl, 1983:326; Schmekel, 1970:145; Schmekel & Portmann, 1982:212†; Trainito, 2003:46†; 205:82†; Turk, 2000:165†; Wägele & Schminke, 1987:†

Cratena peregrina Bergh, 1864
Ballesteros, 1985:32

Cratena phylloda Marcus & Marcus, 1960:922

Cratena pilata (Gould, 1870) |*Aeolis*|

Bergh, 1885:29; Eyster, 1980:592; Franz, 1968a:264; Jensen & Clark, 1986:455; Just & Edmunds, 1985:134†; Marcus, 1972:314

Cratena pinnifera Baba, 1949:175† [=Catriona; =Cuthona]

Cratena piutaensis Ortea, Caballer, & Espinosa, 2003:130†

Cratena plicata (Hutton, 1882) |*Aeolis*| [=Fiona pinnata]

Cratena puellula Baba, 1955:52† [=Catriona]

Cratena pusilla Bergh, 1898:547 [=Cuthona]

Cratena pustulata (Alder & Hancock, 1854) |*Eolis*| [=Cuthona]

Cratena rubra Volodchenko, 1941:58, 67

- Cratena rutila* MacFarland, 1966:332† [=C. lagunae; =Cuthona lagunae]
- Cratena scintilla* Ortea & Moro, 1999:153†
Ortea, Caballer, & Moro, 2002:195
- Cratena serrata* (Baba, 1949) |Hervia| [=Phyllodesmium]
Abe, 1964:68; Burn, 1962:119; 1966a:281
- Cratena simba* Edmunds, 1970:50
Coleman, 2001:†; Gosliner, 1987b:126†; Marshall & Willan, 1999:147†; Nakano, 2004:257†; Ono, 2004:260†
- Cratena spadix* MacFarland, 1966:351† [=Catriona; =Catriona alpha; =Cuthona alpha;
=Catriona columbiana; =Cuthona columbiana]
- Cratena stipata* (Alder & Hancock, 1843) |Eolis| [=Cuthona viridis]
- Cratena valentini* Eliot, 1907a:353† [=Cuthona; =Tergipes]
- Cratena venusta* Baba, 1949:174† [=Catriona]
- Cratena veronicae* Verrill, 1880a:389
- Cratena virens* MacFarland, 1966:344† [=Cuthona; =Trinchesia]
- Cratena viridis* (Forbes, 1840) |Montagua| [=Cuthona]
Colgan, 1914:179; Garstang, 1890:435; Herdman & Clubb, 1890:144; 1892a:144; Hoffmann, 1926:7;
Løyning, 1927:253; Odhner, 1907:29; 1939:72; Roginskaya, 1962:103
- Cratena viridis glottensis* Alder & Hancock, 1902 [Conch. Soc. List.]
- Cratena vittata* (Alder & Hancock, 1842) |Eolis| [=Eubranchus]
- Cratena yatsui* Baba, 1930b:121 [=Herviella]
- Cratena* sp. Eliot, 1907b:25
- Cratena* sp.1 Gosliner, 1987b:126†
- Cratena* sp.2 Gosliner, 1987b:126†
- Cratena* sp.3 Gosliner, 1987b:127†
- Cratena* sp.4 Gosliner, 1987b:127†
- Cratena* sp. cf. *affinis*
Nakano, 2004:255†
- Cratena* sp.1 Ono, 2004:259†
- Cratena* sp.2 Ono, 2004:259†
- Cratena* sp. Posselt, 1895:91 [=C. olriki]
- Cratena* sp. Posselt & Jensen, 1898 [=C. olriki]
- Cratena* sp. Simroth, 1895b:170 [=Fiona pinnata]
- Cratena* sp.1 Suzuki, 2000:153†
- Cratena* sp.2 Suzuki, 2000:154†

Cteneolis Odhner in Franc 1968:886 {nomen nudum}***Dondice*** Marcus, 1958

Nordsieck, 1972:80; Risso-Dominguez, 1964a:223

Dondice banyulensis Portmann & Sandmeier, 1960:159 [=Godiva]

Ballesteros, 1984a:†; Barletta & Melone, 1976:224; Calado & Urgorri, 1998:100; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:215†; Garcia-Gomez, 2002:185†; Nordsieck, 1972:80†; Parent, Breton, & Reboux, 2001[2000]:30; Trainito, 2003:46†; 2005:83†; Turk, 2000:165†; Vicente, 1963a:178; 1967:158; Willan, 1987:82

Dondice ceylonica (Eliot) [=Sakuraeolis enosimensis]***Dondice ceylonica*** (Farran, 1905) |*Hervia*|

Abe, 1964:69

Dondice emurai (Baba, 1937) |*Cuthona (Hervia)*| [=Hermissenda crassicornis]

Abe, 1964:70, 89†

Dondice inconspicua (Baba, 1938) |*Cuthona (Hervia)*|

Abe, 1964:69, 88†

Dondice modesta (Bergh, 1880) |*Rizzolia*| [=Sakuraeolis]

Abe, 1964:70

Dondice nicolae Vicente, 1967:159 [=D. banyulensis]****Dondice occidentalis*** (Engel, 1925) |*Caloria*|

Clark, 1984:95; Collin, et al., 2005:693†; Edmunds, 1964:27; Eyster, 1980:593; Humann, 1992:231†; Marcus, 1958a:62; Marcus & Marcus, 1960a:186; Ortea, Moro, Bacallado, & Herrera, 2001:†; Redfern, 2001:183†; Thompson, 1980:96

Dondice parquerensis Brandon & Cutress, 1985:139***Dondice*** sp. 1 Behrens & Hermosillo, 2005:118†***Echinopsole*** Macnae, 1954:25

Burn, 1962:124

Echinopsole breviceratae Burn, 1962:124

Burn, 1966a:282; 1989:783

****Echinopsole fulvus*** Macnae, 1954:26***Echinopsole*** sp. Haefelfinger & Kress, 1970:31***Facalana*** Bergh, 1888b:784

Bergh, 1890:39; 1892:41(1033); Risbec, 1953:152; Thiele, 1931:458; 1992:749

Facalana lamyi Risbec, 1937a:162

Risbec, 1953:152

****Facalana pallida*** Bergh, 1888b:785***Godiva*** Macnae, 1954:20

ICZN, 1966g:98; Lemche, 1964h:57; Schmekel & Portmann, 1982:200; Willan, 1987:80

Godiva australis (Bergh, 1884) |*Rizzolia*| [=Rizzolia]***Godiva banyulensis*** (Portmann & Sandmeier, 1960) |*Dondice*|

Ballesteros, 1985:32; García & García, 1984:49; Marín & Ros, 1990:214; Schmekel & Portmann, 1982:217

Godiva ceylonica (Eliot) [=*Sakuraeolis enosimensis*]

**Godiva quadricolor* (Barnard, 1927) [*Hervia*]

Cobb & Furuhashi, 2005:7†; Debelius, 1996:†; Gosliner, 1980:55; 1987b:124†; Macnae, 1954:23; Wells & Bryce, 1993:162†; Willan, 1987:72†; 2004:31†

Godiva rachelae Rudman, 1980a:154† (=*G. quadricolor*)

Godiva rubrolineata Edmunds, 1964:23

Eyster, 1980:593; Marcus & Marcus, 1967:112; 1970a:82; Willan, 1987:82

Godiva sp. Bryce, 1994:†

Godiva sp. "Milne Bay Godiva" Coleman, 2001:†

Godiva sp. Nakano, 2004:254†

Godiva sp. Ono, 1999:61,164†

Godiva sp. Ono, 2004:263†

Godeiva sp.A Tonozuka, 2003:143†

Godiva sp. Wells & Bryce, 1993:157†

Nanuca Marcus, 1957:474

**Nanuca sebastiani* Marcus, 1957:474

Edmunds & Just, 1983:199; Marcus & Marcus, 1963:49; 1970a:85; Ortea, Martínez, & Villani, 1994:131†; Redfern, 2001:183†

Rizzolia Trinchese, 1877b:147

[=*Cratena*; =*Hervia*] {rejected, ICZN, 1966e:93}

Bergh, 1880c:156; 1882:37; 1884a:27; 1890:37; 1892:39(1031); Burn, 1964a:410; Fez Sanchez, 1974:92; Heppell, 1964c:415; Lemche, 1964f:51; Macnae, 1954a:52; Thiele, 1931:459; 1992:749; Trinchese, 1880a:767; Vayssiére, 1913a:287

Rizzolia australis Bergh, 1884a:27 [=*Austraeolis ornata*]

Willan, 1987:80

Rizzolia lineata (Eliot, 1904) [*Hervia*] [=*Cratena*]

Baba, 1964a:289

Rizzolia modesta Bergh, 1880c:156 [=*Cuthona japonica*; =*Dondice modesta*; =*Sakuraeolis*]

Eliot, 1905a:230; Marcus, 1958a:61; Willan, 1987:80

Rizzolia peregrina (Gmelin, 1791) [*Doris*] [=*Cratena*; =*Hervia*]

Bergh, 1882:37; Fez Sanchez, 1974:92†; Mazzarelli, 1903:287; Trinchese, 1877b:147; 1880a:767; Vayssiére, 1913a:288

Favorinidae Bergh, 1890

Bergh, 1892:38(1030); 1898:548; Burn, 1962:116; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:213; Edmunds, 1968:211; 1970:45; Fez Sanchez, 1974:90; Franc, 1968:886; Hayward, Wigham, & Yonow, 1990:722; Jensen & Clark, 1986:454; Macnae, 1954:8; Marcus, 1958a:59; Nordsieck, 1972:81; Pruvot-Fol, 1954b:400; Schmekel, 1970:144; Thiele, 1931:457; 1992:747; Thompson, 1988:324; Thompson & Brown, 1984:104, 154; Vayssiére, 1913a:284

Armanada Macnae, 1954***Austraeolis*** Burn, 1962:120

Burn, 1966f:30

Austraeolis benthicola Burn, 1966***Austraeolis catina*** Marcus & Marcus, 1967:112

Marcus & Marcus, 1970a:83

Austraeolis cacaotica (Stimpson, 1855) |*Aeolis*|
Coleman, 1989:53†***Austraeolis fucia*** Burn, 1962:122 [=*Facelina hartleyi*]

Burn, 1966a:282; 1966f:30

****Austraeolis ornata*** (Angas, 1864) |*Flabellina*|Burn, 1962:121; 1966a:281; 1966f:31; 1975:62; 1989:782; Coleman, 2001:†; Debelius, 1996:†; Wells
& Bryce, 1993:157†; Willan & Coleman, 1984:46†***Austraeolis stearnsi*** (Cockerell, 1901) |*Facelina*|

Behrens & Hermosillo, 2005:119†

Austraeolis westralis Burn, 1966

Willan, 1982:†

Babaiella Risso-Dominguez, 1964a:227
[*Babiella*] [=*Phyllodesmium*]****Babaiella serrata*** (Baba, 1949) |*Hervia*| [=*Phyllodesmium*]

Burn, 1966f:30; Risso-Dominguez, 1964a:227

Bajaeolis Gosliner & Behrens, 1986:106***Bajaeolis bertschi*** Gosliner & Behrens, 1986:106†

Behrens & Hermosillo, 2005:118†; Bertsch, 1987a:†; Camacho-Garcia, Gosliner, & Valdes, 2005:106†

Dicata Schmekel, 1967:264

Schmekel & Portmann, 1982:200; Thompson, 1988:328; Thompson & Brown, 1984:156

****Dicata odhneri*** Schmekel, 1967:264

Calado & Urgorri, 1998:100; Garcia-Gomez, 2002:†; Moreno & Templado, 1998:55†; Picton & Brown, 1981:268; Picton & Morrow, 1994:128†; Schmekel, 1970:146; Schmekel & Portmann, 1982:221†; Thompson, 1988:328; Thompson & Brown, 1984:156†; Trainito, 2003:46†; 2005:81†

Dondice Marcus, 1954

see under Cratenidae, page 248

Echinopsole Macnae, 1954

see under Cratenidae, page 248

Favorinus Gray, 1850b:109

Adams & Adams, 1858:75; Bergh, 1875:640; 1879:565; 1890:36; 1892:38(1030); Burn, 1962:117; Chenu, 1859:412; Costa, 1866:72; Eliot, 1910d:172; Fez Sanchez, 1974:90; Fischer, 1883:540; Garcia & Troncoso, 2001a:58 (table of species); Gray, 1857:224; ICZN, 1966c:108; Lemche, 1964c:125; Løyning, 1922:79, 95; Macnae, 1954:17; Nordsieck, 1972:81; Odhner, 1909:27; 1939:77; Ortea, 1982:46 (synopsis of species); Schmekel & Portmann, 1982:198; Thiele, 1931:457; 1992:747; Thompson, 1988:324; Thompson & Brown, 1984:154; Trinchese, 1881:67; 1881a:67; Vayssi  re, 1888d:65; 1913a:285; Willan, 1983:71

Favorinus albidus Iredale & O'Donoghue, 1923:205 [=*F. branchialis*]

- O'Donoghue, 1929:744
- **Favorinus albus* (Alder & Hancock, 1844) [*Eolis*] [=*F. branchialis*]
 Bergh, 1877a:823; 1882:41; Colgan, 1911:24; Garstang, 1890:440; Hoffmann, 1926:20; Labbé, 1930:594; 1932:449; Løyning, 1922:81, 95; 1927:253; Mazzarelli, 1903:287; Odhner, 1907:33; Swennen, 1949:72; Tchang Si, 1931a:124; Trinchese, 1881:69†; 1881a:69; Vayssiére, 1888d:66; 1903:83; 1913a:285; 1919:85
- Favorinus albus croisicensis* Labbé, 1931
- Favorinus argenticornutus* Rao, 1967:41
 Rao, 1968:7; 1970:1009
- Favorinus auritulus* Marcus, 1955:181 [=*F. branchialis*]
 Bergh, 1879:566; Clark, 1984:95; Edmunds, 1964:19; Edmunds & Just, 1983:200; Edmunds & Marcus, 1977:200; Humann, 1992:229†; Jensen & Clark, 1986:454; Marcus & Hughes, 1974:527; Marcus & Marcus, 1963:50; Odhner, 1939:81; Redfern, 2001:182†; Schmekel, 1970:146; Thompson, 1980:96
- Favorinus blianus* Lemche & Thompson, 1974:190
 Brown & Picton, 1979:22; Gavaia, Malaquias, Calado, & Urgorri, 2003:115†; Hayward, Wigham, & Yonow, 1990:722; Hunnam & Brown, 1975:152; Just & Edmunds, 1985:136†; Ortea & Urgorri, 1981:58; Picton & Morrow, 1994:126†; Thompson, 1976a:†; 1988:324†; Thompson & Brown, 1976:156; 1984:154†
- Favorinus branchialis* (Rathke in Müller, 1806) [*Doris*]
 Ballesteros, 1985:34; Barletta, 1981:116†; Barletta & Melone, 1976:225; Brown & Picton, 1979:22; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:213†; Danrigal & Huyghens, 1981:†; Edmunds & Marcus, 1977:200; Eliot, 1910d:172; Fez Sanchez, 1974:90†; Garcia-Gomez, 2002:178†; Hayward, Wigham, & Yonow, 1990:722; Hoffmann, 1926:20; Marcus & Marcus, 1970a:83; McMillan, 1968:71; Nordsieck, 1972:81†; Odhner, 1907:33; Perrone, 1983b:137; Picton & Morrow, 1994:128†; Pruvot-Fol, 1953b:50; 1954b:400; Riedl, 1970:433; 1983:326; Rolán & Otero-Schmitt, 1996:156†; Schmekel & Portmann, 1982:200†; Sordi & Majidi, 1956:242; Thompson, 1988:326†; Thompson & Brown, 1976:158; 1984:155†; Trainito, 2003:46†; 2005:83†; Vicente, 1967:158; 1981:79
- Favorinus branchialis carneus* (Alder & Hancock, 1854) [*Eolis carneae*]
 Marcus & Marcus, 1963:49
- Favorinus carneus* (Alder & Hancock, 1854) [*Eolis*] [=*F. branchialis*]
 Eliot, 1906d:158; 1910d:172; McMillan, 1968:71
- Favorinus elenaleixae* Garcia & Troncoso, 2001a:55
 Angulo-Campillo, 2005:†; Behrens & Hermosillo, 2005:120†; Camacho-Garcia, Gosliner, & Valdes, 2005:107†; Garcia & Troncoso, 2001:150
- Favorinus ghanensis* Edmunds, 1968a:95
 Gosliner, 1987b:124†; Moro, Ortea, Bacallado, Valdes, & Perez-Sanchez, 1995:65†
- Favorinus gouaroii* (Risbec, 1928) [*Aeolidia*] [=*F. japonicus*]
 Risbec, 1953:145
- Favorinus horridus* Macnae, 1954:19 [=*Dondice*; =*Phyllodesmium*; =*Phyllodesmium serratum*]
 Marcus, 1958a:61; Willan, 1987:82
- Favorinus horridus brevitentaculatus* Engel & Eeken, 1962:28 [=*Phyllodesmium hyalinum*]
- Favorinus japonicus* Baba, 1949:177†
 Abe, 1964:67; Baba & Hamatani, 1964:157; Bertsch & Johnson, 1981:97†; Coleman, 2001:†; Gosliner, 1980:57; 1987b:123†; Hoover, 1998:178†; Johnson & Boucher, 1983:283; Kay, 1979:486†; Nakano, 2004:259†; Okutani, 2000:809; Ono, 1999:163†; 2004:262†; Rudman, 1980a:153†; Suzuki, 2000:158†

Favorinus joubini (Risbec, 1928) |*Aeolidia*|
Risbec, 1953:144

Favorinus mirabilis Baba, 1955:53†
Marcus & Marcus, 1970b:211; Nakano, 2004:258†; Ono, 2004:263†

Favorinus pacificus Baba, 1937c:333

Favorinus pannuceus Burn, 1962:117

Favorinus perfoliatus Baba, 1949:177†
Masuda, 1999:134†; Nakano, 2004:259†; Suzuki, 2000:157†

Favorinus tsuruganus Baba & Abe, 1964:163

Abe, 1966:9; Baba & Abe, 1975:119; Coleman, 2001:†; Masuda, 1999:134†; Nakano, 2004:258†; Ono, 2004:263†; Suzuki, 2000:158†; Tonozuka, 2003:142†; Willan, 1983:72; Willan & Coleman, 1984:46†

Favorinus versicolor Costa, 1866 for 1863:73 [=*F. branchialis*]
Bergh, 1875:641; 1882:38; 1885:39; Trinchesa, 1881:70†; 1881a:70

Favorinus violaceus (Risbec, 1928) |*Aeolidia*|
Risbec, 1953:145

Favorinus vitreus Ortea, 1982:45

Favorinus sp. Behrens, 2005:†

Favorinus sp. 1 Behrens & Hermosillo, 2005:120†

Favorinus sp. “Coleman’s Favorinus” Coleman, 2001:†

Favorinus sp. “modular Favorinus” Coleman, 2001:†

Favorinus sp. “purple-tipped Favorinus” Coleman, 2001:†

Favorinus sp. Ono, 1999:164†

Favorinus sp. Ono, 2004:262†

Globiferina Risbec, 1937a:163
Risbec, 1953:157

Globiferina noumeae Risbec, 1937a:163
Risbec, 1953:157

Godiva Macnae, 1954

see under Cratenidae, page 248

Hermosita Gosliner & Behrens, 1986:101

Hermosita hakunamatata (Ortea, Caballer, & Espinosa, 2003) |*Phestilla*|
Behrens & Hermosillo, 2005:122†; Camacho-Garcia, Gosliner, & Valdes, 2005:106†

Hermosita sangria Gosliner & Behrens, 1986:101†
Behrens, 1991:97†; 2004:49; 2005:†; Behrens & Hermosillo, 2005:122†

Jason Miller, 1974:48

Jason mirabilis Miller, 1974:49†
Behrens, 2005:†; Coleman, 2001:†; Debelius, 1996:†; Enderby & Enderby, 2005:5†; Powell, 1979:290;
Willan & Coleman, 1984:46†; Willan & Morton, 1984:75

Matharena Bergh, 1871
[=*Favorinus*]

Bergh, 1874:412; Mörch, 1871:183

Matharena oxyacantha Bergh, 1871 [=*Favorinus albus*; =*Favorinus branchialis*]
Bergh, 1874:412

Noumeaella Risbec, 1937a:163

Risbec, 1953:158

Noumeaella africana Edmunds, 1970:43

Noumeaella curiosa Risbec, 1937a:163
Risbec, 1953:158

Noumeaella isa Marcus & Marcus, 1970b:212

Noumeaella rehderi Marcus, 1965:282

Camacho-Garcia, Gosliner, & Valdes, 2005:107†; Gosliner, 1980:59; Kay, 1979:486

Noumeaella rubrofasciata Gosliner, 1991a:281†

Behrens, 1991:98†; 2004:49; Behrens & Hermosillo, 2005:122†; Camacho-Garcia, Gosliner, & Valdes, 2005:107†

Sakuraeolis Baba in Baba & Hamatani, 1965:104

Hirano, 1999:191

**Sakuraeolis enosimensis* (Baba, 1930) |*Hervia*|

Baba & Hamatani, 1965:104; Behrens, 1982a:359; 1991:98†; Behrens, 2005:†; Behrens & Hermosillo, 2005:123†; Masuda, 1999:135†; Nakano, 2004:269†; Okutani, 2000:807†; Suzuki, 2000:155†

Sakuraeolis gerberina Hirano, 1999:191†

Nakano, 2004:269†; Okutani, 2000:807†; Suzuki, 2000:156†

Sakuraeolis gujaratica Rudman, 1980a:160†

Sakuraeolis kirembosa Rudman, 1980a:166†

Sakuraeolis modesta (Bergh, 1880) |*Rizzolia*|

Choe & Lee, 1994:366†

Sakuraeolis nungunoides Rudman, 1980a:164†

Sakuraeolis sakuracea Hirano, 1999:195†

Nakano, 2004:270†; Suzuki, 2000:156†

Sakuraeolis sp. Masuda, 1999:135† (top photo)

Sakuraeolis sp. Masuda, 1999:135† (second photo)

Sakuraeolis sp. Tonozuka, 2003:142†

Setoeolis Baba in Baba & Hamatani, 1965:108

Setoeolis australis (Bergh, 1884) |*Rizzolia*|

**Setoeolis inconspicua* (Baba, 1938) |*Cuthona* (*Hervia*)|
Nakano, 2004:270†

Setoeolis rubrolineata (Edmunds, 1964) |*Godiva*|

Shinanoeolis Baba in Baba & Hamatani, 1965:109

**Shinanoeolis emurai* (Baba, 1937)

Myrrhinidae Bergh, 1905a:226

Franc, 1968:887; Parker, 1982:1057; Thiele, 1926:113; 1931:461; 1992:753

Myrrhine Bergh, 1905a:226

[=*Phyllodesmium*]

Thiele, 1931:461; 1992:753

**Myrrhine longicirra* Bergh, 1905a:227† [= *Phyllodesmium*]

Phyllodesmium Ehrenberg, 1831

Avila, Ballesteros, Slattery, Starmer, & Paul, 1998:157 (comparative table of species); Bergh, 1890:30; 1892:29(1021); 1905:59; Burghardt & Wägele, 2004:3; Risso-Dominguez, 1964a:227; Rudman, 1981b:259; Thiele, 1931:459; 1992:749

Phyllodesmium briareum (Bergh, 1896) |*Ennoia*|

Allen & Steene, 1994:†; Coleman, 2001:†; Colin & Arneson, 1995:190†; Debelius, 1996:†; Gosliner, Behrens, & Williams, 1996:177†; Nakano, 2004:264†; Ono, 2004:268†; Rudman, 1991:181; Tonozuka, 2003:144†; Velling, 2004:†

Phyllodesmium colemani Rudman, 1991:187

Coleman, 2001:†; Ono, 2004:268†

Phyllodesmium crypticum Rudman, 1981b:232

Behrens, 2005:†; Coleman, 1989:54†; 2001:†; Nakano, 2004:264†; Ono, 2004:268†; Rudman, 1991:194

Phyllodesmium fastuosum Ehrenberg, 1831

Phyllodesmium guamensis Avila, Ballesteros, Slattery, Starmer, & Paul, 1998:148.

Phyllodesmium horridus (Macnae, 1954) |*Favorinus*| (non Rudman, 1981b = *P. serratum*)
Rudman, 1981b:221; 1991:168; Willan & Coleman, 1984:48†

**Phyllodesmium hyalinum* Ehrenberg, 1831

Baba, 1933b:280; Bergh, 1860:4; 1905:60; Eliot, 1905c:289; Gosliner, 1987b:125†; Marshall & Willan, 1999:150†; Rudman, 1981b:229; 1991:193; Tonozuka, 2003:145†; Yonow, 2000:120†

Phyllodesmium iriomotense Baba, 1991:115†

Coleman, 2001:†; Ono, 2004:269†; Tonozuka, 2003:146†

Phyllodesmium jakobsenae Burghardt & Wägele, 2004:4

Behrens, 2005:†

Phyllodesmium kabiranum Baba, 1991:113†

Behrens, 2005:†; Coleman, 2001:†; Debelius, 1996:†; Gosliner, Behrens, & Williams, 1996:177†; Ono, 2004:269†; Tierney & Tierney, 2000†; Tonozuka, 2003:149†

Phyllodesmium longicirra (Bergh, 1905) |*Ennoia*|

Allen & Steene, 1994:†; Coleman, 2001:†; Colin & Arneson, 1995:190†; Gosliner, Behrens, & Williams, 1996:177†; Masuda, 1999:134†; Okutani, 2000:809†; Rudman, 1981b:242

Phyllodesmium longicirrum (Bergh, 1905) |*Ennoia*|

Behrens, 2005:†; Debelius, 1996:†; Ono, 1999:165,169†; 2004:269†; Rudman, 1991:195; Tonozuka, 2003:148†

Phyllodesmium macphersonae (Burn, 1962) |*Cratena*|

Baba, 1991:118; Burn, 1989:781; Coleman, 2001:†; Marshall & Willan, 1999:151†; Nakano, 2004:265†; Ono, 2004:267†; Rudman, 1981b:239; 1991:194

Phyllodesmium magnum Rudman, 1991:190

Coleman, 2001:†; Debelius, 1996:†; Gosliner, Behrens, & Williams, 1996:177†; Nakano, 2004:265†; Ono, 2004:270†; Tavares, 1998:†; Wells & Bryce, 1993:160†; Yonow, 2000:121†

Phyllodesmium opalescens Rudman, 1991:177

Phyllodesmium orientale Baba, 1991:109†

Phyllodesmium parangatum Ortiz & Gosliner, 2003:162†

Phyllodesmium pecten Rudman, 1981b:237

Phyllodesmium poindimiei (Risbec, 1928) [*Aeolidia*]

Coleman, 2001:†; Debelius, 1996:†; Marshall & Willan, 1999:151†; Nakano, 2004:266†; Ono, 2004:271†; Rudman, 1981b:224; 1991:175; Wells & Bryce, 1993:160†

Phyllodesmium serratum (Baba, 1949) [*Hervia*] (non Gosliner, 1987 =*P. horridum*)

Baba, 1991a:101; Burn, 1989:782; Coleman, 2001:†; Debelius, 1996:†; Gosliner, 1987b:124†; Masuda, 1999:134†; Nakano, 2004:266†; Okutani, 2000:809†; Rudman, 1991:170; Suzuki, 2000:159†; Wells & Bryce, 1993:157†

Phyllodesmium xeniae Gohar & Aboul-Ela, 1957:133 [=*P. hyalinum*]

Phyllodesmium sp. Behrens, 2005:†

Phyllodesmium sp. Coleman, 1988 [=*P. colemani*]

Phyllodesmium sp. "modular phyllodesmium" Coleman, 1989:54†

Phyllodesmium sp. Coleman's phyllodesmium" Coleman, 1989:54†

Phyllodesmium sp. "long-tailed phyllodesmium" Coleman, 1989:55†

Phyllodesmium sp. "southern phyllodesmium" Coleman, 1989:55†

Phyllodesmium sp. "Lord Howe phyllodesmium" Coleman, 1989:55†

Phyllodesmium sp. "magic phyllodesmium" Coleman, 2001:†

Phyllodesmium sp. "Neville's phyllodesmium" Coleman, 2001:†

Phyllodesmium sp. "sea fan phyllodesmium" Coleman, 2001:†

Phyllodesmium sp. "sea whip phyllodesmium" Coleman, 2001:†

Phyllodesmium sp. "south Pacific phyllodesmium" Coleman, 2001:†

Phyllodesmium sp. "upright phyllodesmium" Coleman, 2001:†

Phyllodesmium sp. Humann, 1992:231†

Phyllodesmium sp. King & Fraser, 2002:128

Phyllodesmium sp. Lin, 1989:13

Phyllodesmium sp.1 Nakano, 2004:267†

Phyllodesmium sp.2 Nakano, 2004:267†

Phyllodesmium sp.1 Ono, 2004:267,270†

Phyllodesmium sp.2 Ono, 2004:267,270†

- Phyllodesmium* sp.3 Ono, 2004:271†
Phyllodesmium sp.4 Ono, 2004:272†
Phyllodesmium sp. Orr, 1980:116
Phyllodesmium sp. Orr, 1981:69†
Phyllodesmium sp. Rudman, 1986b:†
Phyllodesmium sp.A Tonozuka, 2003:146†
Phyllodesmium sp.B Tonozuka, 2003:147†
Phyllodesmium sp.C Tonozuka, 2003:147†
Phyllodesmium sp. Wells & Bryce, 1993:160†
Phyllodesmium sp. White, 1951:253 [=P *hyalinum*]
Phyllodesmium sp. Willan & Coleman, 1984:48†
- Phyllodesmopsis*** Risso-Dominguez, 1964a:227
[=*Phyllodesmium*]

**Phyllodesmopsis horridus* (Macnae, 1954) [*Favorinus*]
Risso-Dominguez, 1964a:227

Glaucidae Oken, 1815

Adams & Adams, 1858:70; Bergh, 1892:43(1035); 1905a:238; Burn, 1989:781; Edmunds & Just, 1983:200; Fez Sanchez, 1974:97; Fischer, 1883:541; Franc, 1968:887; Jensen, 2000:441; 2000b:626; Jensen & Clark, 1986:455; Kay, 1979:487; Lalli & Gilmer, 1989:224; Macnae, 1954:39; Miller, 1974:32; Nordsieck, 1972:82; Parker, 1982:1056; Pelseneer, 1892a:145; Pruvot-Fol, 1954b:436; Rudman, 1998b:1013; Sachidhanandam, Willan, & Chou, 2000:532; Thiele, 1926:113; 1931:460; 1992:752; Vayssi re, 1913a:288; Wells & Bryce, 1993:156†; Willan & Coleman, 1984:46; Willan & Morton, 1984:74

- Glaucid sp. Redfern, 2001:183†
Glaucidae sp. 1 Nakano, 2004:271†
Glaucidae sp. 2 Nakano, 2004:271†
Glaucidae sp. 3 Nakano, 2004:271†
Glaucidae sp. 4 Nakano, 2004:272†
Glaucidae sp.1 Ono, 2004:273†
Glaucidae sp.2 Ono, 2004:273†
Glaucidae sp.3 Ono, 2004:274†
Glaucidae sp.4 Ono, 2004:274†
Glaucidae sp.5 Ono, 2004:274†
Glaucidae sp.6 Ono, 2004:275†
Glaucidae sp.7 Ono, 2004:275†
Glaucidae sp.8 Ono, 2004:276†

Glaucidae sp.9 Ono, 2004:276†

Glaucidae sp.10 Ono, 2004:276†

Glaucidae sp. Tierney & Tierney, 2000†

Dadone Gistl, 1847, 1848
[=*Glaucus*]

Gistel, 1851:171

Eucharis Péron & Lesueur, 1807
[=*Fiona*; =*Glaucus*]

**Eucharis boscii* Péron & Lesueur, 1807

Filurus DeKay, 1843:11
[=*Glaucus*]

**Filurus dubius* DeKay, 1843:11

Glaucilla Bergh, 1860, 1868:295
[=*Glaucus*]

Bergh, 1890:41; 1892:44(1036); 1894:132; Fischer, 1883:541; Nordsieck, 1972:82; Thompson & MacFarlane, 1967:107

Glaucilla briareus (Reinhardt), Bergh, 1860:325 [=*Glaucus atlanticus*]

Bergh, 1868:300; Bergh, 1884a:18

Glaucilla distichoicus (Orbigny, 1837) |*Glaucus*| [=*G. briareus*]

Glaucilla draco (Eschscholtz, 1831) |*Glaucus*| [=*G. briareus*]

Glaucilla marginata (Rhdt.) Bergh, 1860:325 [=*Glaucus*]

Angullo-Campillo, 2005:48; Bergh, 1868:296; 1894:132; Coleman, 1989:53†; 2001:†; Lalli & Gilmer, 1989:224; Nordsieck, 1972:82†; Thompson & Bennett, 1970:195; Walls, 1982:324†

Glaucus Gmelin, 1791

[Forster, 1777 is nomen dubium]

Adams & Adams, 1858:71; Alder & Hancock, 1864:42; Barnard, 1927:206; Bergh, 1868:243; 1884a:10; 1890:41; 1892:43(1035); 1905a:238; Blainville, 1825:485; Chenu, 1859:410; Cuvier, 1805:427; 1817:393; 1818:148; 1830:54; 1834:39; d'Orbigny, 1837:195; Erhardt & Moosleitner, 1997:702; Eyedoux & Souleyet, 1852:439; Fez Sanchez, 1974:97; Fischer, 1883:541; Fleming, 1822:470; Gistel, 1851:171; Gray, 1857:222; Hoeven, 1856:781; Iredale, 1940:40; Lamarck, 1819:299; Macnae, 1954:41; Miller, 1974:53; Nordsieck, 1972:82; Oken, 1815:328; Péron & Lesueur, 1810:66; Pruvot-Fol, 1954b:436; Rang, 1829:125; Thiele, 1992:752; Valdes & Angulo Campillo, 2004:382; Vayssiére, 1874:1; 1875:1; 1913a:288; Voigt, 1834:121

Glaucus atlanticus Forster, 1777

Barnard, 1927:206; Behrens, 2005:†; Bergh, 1868:253; 1871:1300; 1884a:16; 1888:676; 1890a:876; 1899:4; 1905a:239; Behrens & Hermosillo, 2005:121†; Bertsch & Johnson, 1981:100†; Blumenbach, 1807:434; Bonnevie, 1946:3; Coleman, 2001:†; Cuvier, 1817c:12; Debelius, 1996:†; Dupont & Long, 1764:57; Edmunds & Just, 1983:200; Erhardt & Moosleitner, 1997:702†; Fez Sanchez, 1974:97; George & George, pl. 92†; Gistel & Bromme, 1850:563; Gosliner, 1980:62; 1987b:127†; Hoover, 1998:179†; Iredale, 1940:40; Jensen & Clark, 1986:455; Kay, 1979:487†; Lalli & Gilmer, 1989:224; Macnae, 1954:41; Marcus & Hughes, 1974:527; Marcus & Marcus, 1963:48; Miller, 1974:54†; Nakano, 2004:252†; Nordsieck, 1972:82; Okutani, 2000:811†; Powell, 1979:290; Pruvot-Fol, 1954b:437; Schrödl, 1996:42†; 2003:83; Simroth, 1895b:174; Thiele, 1931:460; Thompson, 1976:†;

1976a;†; Thompson & Bennett, 1970:195; Thompson & MacFarlane, 1967:107; Valdes & Angulo Campillo, 2004:382; Vannucci, 1939:415; Vayssi  re, 1913a:288; Voigt, 1834:121; Willan & Coleman, 1984:48†; Willan & Morton, 1984:76

Glaucus australis P  ron, 1810 [=*G. atlanticus*]

Glaucus boscii Lesson, 1831

Glaucus distichoides Orbigny, 1837:196 [=*Glaucilla briareus*; =*G. atlanticus*]

Glaucus draco Eschscholtz, 1831:16 [=*Glaucilla briareus*; =*G. atlanticus*]

Glaucus eucharis (Lesson); P  ron & Lesueur, 1807

Glaucus flagellum Blumenbach, 1803:336 [=*G. lineatus*]

Glaucus forsteri Lamarck, 1819:300 [=*G. atlanticus*]

Alder & Hancock, 1864:143; Quoy & Gaimard, 1832:279; 1834:290

Glaucus gracilis Bergh, 1868 for 1864:285 [=*G. atlanticus*]

Bergh, 1871:1302

Glaucus hexapterygius Cuvier, 1805:430 [=*G. atlanticus*]

Bennett, 1836:113; Chamisso & Eysenhardt, 1821:346; Cuvier, 1818:148; Hoeven, 1856:781; Lov  n, 1847:189; Oken, 1815:329

Glaucus lineatus (Reinhardt), Bergh, 1860:324 [=*G. atlanticus*]

Allan, 1950:224†; Bergh, 1868:287; Eliot, 1913:45

Glaucus longicirrus (Reinhardt), Bergh, 1860:325 [=*G. atlanticus*]

Bergh, 1868:291; Bergh, 1884a:18

Glaucus margaritaceus Verrill, 1885 [=*G. atlanticus*]

Glaucus marginatus (Bergh, 1860) |*Glaucilla*|

Valdes & Angulo Campillo, 2004:385

Glaucus marinus (Dupont, 1763)

Baba, 1949:185†; Farmer, 1980:128; O'Donoghue, 1932:148

Glaucus octopterygius Cuvier, 1805:430 [=*G. atlanticus*]

Cuvier, 1818:148; Oken, 1815:329

Glaucus pacificus Eschscholtz, 1831:16 [=*G. atlanticus*; =*G. longicirrus*]

Bergh, 1860:325

Glaucus peronii Lesson, 1826, 1831 [=*G. lineatus*]

Glaucus radiatus Orbigny, 1839 [=*G. atlanticus*]

Bergh, 1860:323; d'Orbigny, 1841:109

Glaucus tetrapterygius Rang, 1829:126

Subgenus: (*Glaucilla*) Bergh

Bergh, 1884a:16

Subgenus: (*Glaucus*) Forster

Bergh, 1884a:15

Laniogerus Blainville, 1816

[=*Glaucus*]

Blainville, 1825:485; Chenu, 1859:410 Cuvier, 1830:55; 1834:39; Rang, 1829:126; Voigt, 1834:122

Laniogerus blainvilli Goldfuss, 1820 [=Glaucus atlanticus]

Laniogerus elfortii Blainville, 1825 [=Glaucus atlanticus]

Rang, 1829:126; Voigt, 1834:122

Nausimacha Gistel in Gistel & Bromme, 1848:572 {nom. nov. for *Laniogerus*}

[=Fiona; =Glaucus]

Pleuropus Rafinesque, 1815:141

[=Glaucus; =Scyllaea]

Pteraeolidiidae Risbec, 1953

Kay, 1979:487

Pteraeolidia Bergh, 1875:652

Bergh, 1890:40; 1892:42(1034); 1905a:236; Erhardt & Moosleitner, 1997:705; Thiele, 1931:458; 1992:748

Pteraeolidia annulata Eliot, 1910:417

Pteraeolidia ianthina (Angas, 1864) |Flabellina|

Allen & Steene, 1994:†; Behrens, 2005:†; Bertsch & Johnson, 1981:98†; Burn, 1989:782; Coleman, 1989:52†; 2001:†; Colin & Arneson, 1995:190†; Debelius, 1996:†; Dominguez, Moreira, & Troncoso, 2004:112†; Erhardt & Moosleitner, 1997:704†; Gosliner, 1980:60; Gosliner, Behrens, & Williams, 1996:178†; Hoover, 1998:179†; Johnson, 1998:†; Johnson & Boucher, 1983:284; Kay, 1979:487; King & Fraser, 2002:128; Lin, 1989:13; Marshall & Willan, 1999:152†; Masuda, 1999:136†; Nakano, 2004:268†; Okutani, 2000:807†; Ono, 1999:166†; 2004:272†; Rudman, 1982b:178; 1986b:†; Suzuki, 2000:159†; Tan, Pai, & Hsha, 1987:81†; Tonozuka, 2003:150†; Wells & Bryce, 1993:157†; Willan & Coleman, 1984:46†; Yonow, 1994:127†; 2000:121†; Yonow, Anderson, & Buttress, 2001:875

**Pteraeolidia semperi* (Bergh, 1870) |Flabellina| [=P. ianthina]

Baba, 1949:182†; Bergh, 1905a:236†; Eliot, 1903:255; 1909:144; 1913:44; Lin, 1975:150; Marcus & Marcus, 1960:921; Risbec, 1953:161; Thompson, 1976:†; 1976a:†

Pteraeolidia sp. Colin & Arneson, 1995:192†

Pteraeolidia sp.A Tonozuka, 2003:152†

Herviellidae Odhner, 1968

Franc, 1968:887

Herviella Baba, 1949:180

Burn, 1963:18; 1967c:223

Herviella affinis (Baba, 1949) |Hervia|

Abe, 1964:71, 89†; Nakano, 2004:261†; Okutani, 2000:807

Herviella africana Edmunds, 1970:41

Herviella albida Baba, 1966

Nakano, 2004:261†; Ono, 2004:264†

Herviella claror Burn, 1963:18 (non Marcus & Burch, 1965 =H. burchi)

Willan & Coleman, 1984:48; †Young, 1967:172

Herviella cloaca Rudman, 1980a:167†

Coleman, 2001:†

Herviella mietta Marcus & Marcus, 1965

Gary McDonald, Long Marine Lab, 100 Shaffer Rd., Santa Cruz, Cal. 95060

Kay, 1979:486†; Marshall & Willan, 1999:148†; Nakano, 2004:262†

Herviella yatsui (Baba, 1930) |*Cratena*|

Abe, 1964:70; Nakano, 2004:262†; Ono, 1999:61,163†; 2004:264†; Okutani, 2000:807†

Herviella sp. Baba [=*H. mietta*]

Herviella sp. Camacho-Garcia, Gosliner, & Valdes, 2005:109

Subgenus: (*Herviella*)

Burn, 1967c:223

Herviella (*Herviella*) *affinis* Baba, 1960e:303

Baba, 1966:4; Burn, 1967c:226

Herviella (*Herviella*) *burchi* Burn, 1967c:226

Burn, 1967c:226

Herviella (*Herviella*) *claror* Burn, 1963 |*Herviella*|

Burn, 1967c:226; Marcus & Burch, 1965:251

Herviella (*Herviella*) *evelinae* (Marcus, 1965) |*Muessaa*|

Burn, 1967c:226

Herviella (*Herviella*) *exigua* (Risbec, 1928) |*Aeolidia*|

Burn, 1967c:227

**Herviella* (*Herviella*) *yatsui* (Baba, 1930) |*Cratena*|

Baba, 1949:180†; 1960e:304; 1966:1

Subgenus (*Marciella*) Burn, 1967c:227

Herviella (*Marciella*) *albida* Baba, 1966a:361

Burn, 1967c:228

Herviella (*Marciella*) *mietta* Marcus & Burch, 1965:252

Burn, 1967c:227; Gosliner, 1980:58; Young, 1967:171

Muessaa Marcus, 1965:283

[=*Herviella*]

Burn, 1967c:223

**Muessaa evelinae* Marcus, 1965:283 [=*Herviella* (*Herviella*) *evelinae*]

Aeolidiidae Orbigny, 1839 (vide Bouchet & Rocroi, 2001:171)

Bergh, 1894:127; Burn, 1962:126; Burn, 1989:784; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:187; Edmunds & Just, 1983:200; Fez Sanchez, 1974:72; Fischer, 1883:539; Franc, 1968:888; Gosliner, 1985:250 (key to genera); Hayward, Wigham, & Yonow, 1990:720; ICZN, 1966a:100; Jensen, 2000:441; 2000b:626; Jensen & Clark, 1986:455; Just & Edmunds, 1985:138; Kay, 1979:487; Macnae, 1954:35; Marcus, 1961:55 (key to genera); Miller, 2001:630 (key to genera); Nordsieck, 1972:82; Odhner, 1926:25; Parker, 1982:1057; Pelseneer, 1892a:145; Pruvot-Fol, 1951:53; 1954b:425; Risbec, 1953:121; Roginskaya, 1987d:178; Rudman, 1998b:1012; Sachidhanandam, Willan, & Chou, 2000:531; Schmekel, 1970:154; Schmekel & Portmann, 1982:222; Thiele, 1926:113; 1931:459; 1992:750; Thompson, 1988:330; Thompson & Brown, 1984:156; Vayssi  re, 1913a:299; Wells & Bryce, 1993:154; Willan & Morton, 1984:72

Aeolidiidae sp. Ono, 2004:256†

Aeolidia Cuvier, 1798:388

Bergh, 1868:199; 1873a:618; 1874:395; 1879c:129; 1890:28; 1892:27(1019); Eliot, 1910d:175; Fez Sanchez, 1974:72; Fischer, 1883:540; Hoeven, 1856:780; ICZN, 1966a:100; Lemche, 1964a:116; Løyning, 1922:69; McDonald, 1983:138; McDonald & Nybakken, 1980:66; Nordsieck, 1972:82; Odhner, 1907:281939:81; Pruvot-Fol, 1954b:425; Risbec, 1953:122; Roginskaya, 1987d:178; Thiele, 1931:459; 1992:750; Thompson, 1988:332; Thompson & Brown, 1984:156; Vayssi  re, 1913a:299

Aeolidia acinosa Risbec, 1928:249   [=Cuthona]

Aeolidia annulicornis Chamisso & Guilelmus, 1821 [non =*Facelina punctata* vide Schmekel & Portmann, 1982:207]

Aeolidia amoena Risbec, 1928:238   [=Cuthonella]

Aeolidia bodoensis (Gunnerus, 1770) |*Doris*| [=*Aeolidia papillosa*; =*Eolis papillosa*] (non Johnson, 1934; nor M  ller, 1842:78 =*Coryphella salmonacea*)

Aeolidia bourailli Risbec, 1928:254   [=Facelina; =Phidiana]

Aeolidia campbellii (Cunningham, 1871) |*Eolis*| [=*Aeolidia papillosa*]

Aeolidia collaris Odhner, 1921:224
Schr  dl, 1996:42; 2003:86

Aeolidia cornuta Risbec, 1928:235   [=Cratena]

Aeolidia dangeri Risbec, 1928:252   [=*Caloria militaris*; =*Hervia*; =*Learchis indica*]

Aeolidia diffusa Risbec, 1928:242   [=Cratena]

Aeolidia diffusa var. *Tembiae* Risbec, 1928:244  

Aeolidia drummondi (Thompson, 1844) |*Eolis*| [=Facelina]
Dahl, 1925:163

Aeolidia ducrosi Risbec, 1928:232   [=Hervia]

Aeolidia edmondsoni Ostergaard, 1955:133   [=*Phestilla lugubris*]

Aeolidia exigua Risbec, 1928:245   [=Cratena; =Herviella]

Aeolidia farallonensis Gosliner & Behrens, 1996:351 [=*A. herculea*]

Aeolidia fragilis Risbec, 1928:257   [=Facelina]

Aeolidia gouarozi Risbec, 1928:256   [=Favorinus; =*Favorinus japonicus*]

Aeolidia grisea Risbec, 1928:241   [=Cratena]

Aeolidia guenanti Risbec, 1928:244   [=*Caloria*]

Aeolidia habessinica Ehrenberg, 1831

Aeolidia helicochorda Miller, 1988:391 [=*Burnaia*]

Aeolidia herculea Bergh, 1894:128 [=*A. papillosa*]
Behrens, 2004:26; O'Donoghue, 1922c:141

Aeolidia joubini Risbec, 1928:233   [=Favorinus]
Risbec, 1930b:660

Aeolidia lepadivora Graeffe [=*Fiona pinnata*]

Aeolidia lottini (Lesson, 1831) |*Eolidia*| [=Phidiana]

- Aeolidia macrobranchia* Hasselt, 1824
- Aeolidia nebae* Risbec, 1930a:294 [=Digitobranchus]
- Aeolidia obscura* Risbec, 1928:247† [=Phidiana]
- Aeolidia (Hermisenda) opalescens* (Cooper, 1863) |Eolis| [=Hermisenda; =Phidiana]
- Aeolidia papilligera* (Beck) Kroyer, 1847 [=Coryphella salmonacea] {nomen nudum}
- **Aeolidia papillosa* (Linnaeus, 1761) |Limax| (non Hägg, 1905:104 =Coryphella salmonacea; non Lemche, 1941:27 =Coryphella salmonacea)
 Behrens, 2005:†; Baba, 1935c:121; Barletta & Melone, 1977:320; Behrens, 1980:82†; 1991:99†; 2004:49; Behrens, 2005:†; Behrens & Hermosillo, 2005:114†; Bergh, 1860:319; 1868:200; 1877a:822; 1879c:130; 1874:396; 1894:127; 1898:540; Bertsch, 1974:3†; Brown & Picton, 1979:22; Cuvier, 1817c:15; Dahl, 1925:163; Dekker, 1989:103; Eliot, 1910d:50; Evertsen & Bakken, 2001b:19†; Farmer, 1980:44; Fez Sanchez, 1974:73; Filatova & Zatsepina, 1948:400; George & George, pl. 93†; Hägg, 1905:104; Hayward, Wigham, & Yonow, 1990:720; Hoeven, 1856:780; Hunnam & Brown, 1975:158; Jutting & Engel, 1936:70; Lamb & Hanby, 2005:271†; Lemche, 1938:28; Lovén, 1842:359; Løyning, 1922:70, 94; Marcus, 1961:54; McDonald, 1983:138; McDonald & Nybakken, 1980:66†; McMillan, 1968:71; Meyer, 1970:148; Nakano, 2004:245†; Nobre, 1931:28; 1936:20; 1938-40:67; Nordsieck, 1972:82†; Odhner, 1907:28; 1939:84; O'Donoghue, 1921:119; 1922c:141; Okutani, 2000:809†; Picton & Morrow, 1994:130†; Pruvot-Fol, 1954b:426; Roginskaya, 1962:104; 1987d:178; 1990:125; Rolán & Otero-Schmitt, 1996:153; Schrödl, 1996:43; 2003:86†; Swennen, 1987:42; Thompson, 1976a:†; 1988:332†; Thompson & Brown, 1976:160; 1984:158†; Vayssiére, 1913a:299; Walls, 1982:320†; Walton, 1908:228
- Aeolidia papillosa herculea* Bergh, 1894 |*Aeolidia herculea*|
 MacFarland, 1966:370
- Aeolidia papillosa* var. *pacifica* Bergh, 1879
- Aeolidia papillosa* var. *serotina* Bergh, 1874 |*Aeolidia serotina*|
 Marcus, 1959:81; Schrödl, 1996a:52
- Aeolidia patagonica* (d'Orbigny, 1837) |*Eolidia (Cavolina)*| [=Phidiana]
 Rochebrune & Mabille, 1889:12
- Aeolidia pelseneeri* Risbec, 1937a:160
 Risbec, 1953:122
- Aeolidia pilata* (Gould, 1870) |*Aeolis*| [=Cratena]
- Aeolidia poindimiei* Risbec, 1928:246† [=Phestilla; =Phyllodesmium]
- Aeolidia serotina* Bergh, 1873a:618 [=*A. papillosa*]
 Bergh, 1898:541; Eliot, 1907a:351; Odhner, 1926:29
- Aeolidia soemmeringii* (Leuckart, 1828) |*Eolida*| [=Aeolidiella]
 Bergh, 1860:319; 1868:203
- Aeolidia truncata* Risbec, 1928:236† [=Hervia; =Rizzolia lineata]
- Aeolidia violacea* Risbec, 1928:251† [=Favorinus]
- Aeolidia* sp. "black-headed Aeolidia" Coleman, 2001:†
- Aeolidia* sp. "white Aeolidia" Coleman, 2001:†
- Aeolidia* sp. Haefelfinger, 1960 [=*A. edmondsoni*]
- Aeolidia* sp.1 Marshall & Willan, 1999:153†

Aeolidiana Quatrefages, 1844
[=*Aeolidia*]

Aeolidiella Bergh, 1867
[=*Eolidina*]

Barnard, 1927:201; Bergh, 1874:396; 1888b:781; 1890:29; 1892:27(1019); 1904:1; 1905a:222; Brown, 1981a:294; Burn, 1962:126; Eliot, 1910d:174; Engel, 1925:33; Fez Sanchez, 1974:72; Gosliner, 1996a:209; Gosliner & Griffiths, 1981:121; ICZN, 1966h:102; Lemche, 1964i:118; Løyning, 1922:74; Macnae, 1954:35; Marcus & Marcus, 1967:116; McDonald, 1983:141; McDonald & Nybakken, 1980:66; Miller, 2001:646; Odhner, 1907:26; 1939:81; Risbec, 1928:260; Schmekel & Portmann, 1982:223; Thompson, 1988:334; Thompson & Brown, 1984:159; Trinchese, 1881:23; 1881a:23; Vayssi  re, 1888d:107; 1913a:299

Aeolidiella alba Risbec, 1928:261†

Behrens & Hermosillo, 2005:114†; Camacho-Garcia, Gosliner, & Valdes, 2005:109; Gosliner, 1985:234†; 1987b:128; 1991b:300; Nakano, 2004:246†; Ono, 1999:167†; 2004:248†; Risbec, 1953:124; Suzuki, 2000:161†

Aeolidiella albopunctata Lin, 1992:184

****Aeolidiella alderi*** (Cocks, 1852) |*Eolis*| [=Eolidina] [=*A. soemmeringii*]

Ballesteros, 1982b:233; 1985:34; Barletta, 1981:119; Brown, 1981a:294; Brown & Picton, 1979:23; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:187†; Cesari, 1990:†; Colgan, 1914:178; Danrigal & Huyghens, 1981: †; Farran, 1909:4; Garcia-Gomez, 2002:186†; Garstang, 1890:433; ICZN, 1985:165; Just & Edmunds, 1985:138†; Nunn, 1993:258; Odhner, 1932:42; Perrone, 1983b:138; Picton & Morrow, 1994:130†; Riedl, 1983:327; Schmekel, 1970:155; Tardy, 1969a:7†; Thompson & Brown, 1976:162; 1984:161†; Trainito, 2003:42†; 2005:73†; Turk, 2000:165†; Vayssi  re, 1913a:300; Vicente, 1981:79; Walton, 1908:229

Aeolidiella angulata (Alder & Hancock, 1844) |*Eolis*| [=*A. glauca*; =Eolidina]

Eliot, 1906c:357; 1910d:131

Aeolidiella bassethulli Risbec, 1928:pl.X, fig. 7† [=*A. hulli*]

Risbec, 1953:123

Aeolidiella berghia Baba, 1937

Orr, 1980:116

Aeolidiella chromosoma (Cockerell & Eliot, 1905) |*Spurilla*|

Behrens, 1991:99†; 2004:49; Behrens & Hermosillo, 2005:114†; Camacho-Garcia, Gosliner, & Valdes, 2005:109; Debelius, 1996:†; Gosliner, 1996a:209; Suzuki, 2000:162†

Aeolidiella croisicensis Labb  , 1923a:9 [=Spurilla]

Labb  , 1923:267

Aeolidiella drusilla Bergh, 1900:233

Bergh, 1905a:222; Coleman, 2001:†; Miller, 2001:647

Aeolidiella edmondsoni (Ostergaard, 1955) |*Aeolidia*| [=Phestilla sibogae]

Aeolidiella faustina Bergh, 1900:225 [=Spurilla macleayi]

Bergh, 1904:2; Burn, 1962:126; Engel, 1925:45; Powell, 1979:289

Aeolidiella foulisi (Angas, 1864) |*Aeolis*|

Orr, 1981:68†; Rudman & Avern, 1988:†

Aeolidiella glauca (Alder & Hancock, 1845) |*Eolis*| [=Eolidina] (non Hoffmann, 1926:16 nor Trinchese, 1881:25 nor Vayssi  re, 1888d:108; =*A. soemmeringii*)

- Beaumont, 1900:833; Brown & Picton, 1979:23; Colgan, 1914:178; Cuénot, 1906:97; Dekker, 1985:2; 1989:103; Engel, 1925:36; Fez Sanchez, 1974:73†; Garcia-Gomez, 2002:187; Garstang, 1890:434; Hayward, Wigham, & Yonow, 1990:720; Hunnam & Brown, 1975:158; Just & Edmunds, 1985:140†; Karlsson & Östman, 1999:†; Løyning, 1922:75, 95; Nobre, 1931:29; 1936:21; 1938-40:68; Odhner, 1907:28; 1939:84; Picton & Morrow, 1994:132†; Swennen, 1949:69; 1987:42; Tardy, 1969a:7†; Tchang Si, 1931a:126; Thompson, 1988:336; Thompson & Brown, 1984:161†; Trinchese, 1881:25†; 1881a:25; Vayssiére, 1913a:299; 1919:84; Walton, 1908:229
- Aeolidiella glauca* var. *mediterranea* Bergh, 1885:24
- Aeolidiella hulli* Risbec, 1928:262† [=A. indica; =A. orientalis takanosimensis]
- Aeolidiella indica* Bergh, 1888b:781 [=Antaeaeolidiella]
Behrens, 1991:99†; 2004:50; Camacho-Garcia, Gosliner, & Valdes, 2005:20, 110; Debelius, 1996:†; Garcia-Gomez, 2002:†; Gosliner, 1987b:128†; Gosliner & Griffiths, 1981:119†; Marcus & Marcus, 1970b:212; Okutani, 2000:809†; Ono, 1999:166†; Suzuki, 2000:161†; Willan & Coleman, 1984:44†; Willan & Morton, 1984:72
- Aeolidiella japonica* Eliot, 1913:43 [=Spurilla]
Abe, 1964:72; Baba, 1930b:123; 1949:183†; Okutani, 2000:809†
- Aeolidiella lurana* Marcus & Marcus, 1967:115 [=A. indica]
Marcus & Marcus, 1970a:86
- Aeolidiella macleayi* (Angas, 1864) |*Aeolis*| [=Spurilla]
Burn, 1962:127; 1966a:282
- Aeolidiella mediterranea* Bergh, 1885 | |*Aeolidiella glauca* var. *mediterranea*| [=A. alba]
- Aeolidiella multicolor* Macnae, 1954:36 [=A. indica]
- Aeolidiella occidentalis* Bergh, 1874:397
Engel, 1925:43
- Aeolidiella oliviae* MacFarland, 1966:373† [=Spurilla]
Behrens, 1991:100†; Behrens & Hermosillo, 2005:115†
- Aeolidiella orientalis* Bergh, 1888:673 [=A. indica]
Bergh, 1890a:875; Edmunds, 1969a:464; Eliot, 1908a:95
- Aeolidiella orientalis takanosimensis* (Baba, 1930) |*Aeolidiella takanosimensis*|
Ferreira & Bertsch, 1975:329; Gosliner, 1980:63; Risbec, 1956:31; Schmekel & Portmann, 1982:226†
- Aeolidiella risbeci* (Marcus, 1961) |*Spurilla*|
Burn, 1969:98
- Aeolidiella rubra* (Cantraine, 1835) |*Cavolina*|
- Aeolidiella saldanensis* Barnard, 1927:201 [=A. indica]
- Aeolidiella sanguinea* (Norman, 1877) |*Eolis*| [=A. glauca; =Eolidina; =Eolidina rubra]
Brown & Picton, 1979:23; Eliot, 1910d:174; Garcia-Gomez, 2002:†; Picton & Morrow, 1994:132†; Tardy, 1969a:7†; Thompson, 1988:338; Thompson & Brown, 1984:163†; Urgorri & Besteiro, 1986:96; Wirtz, 1999:†
- **Aeolidiella soemmeringi* (Leuckart, 1828) |*Eolida*| (non Bergh, 1867 =A. alderi) [=A. alderi; =A. glauca; =Aeolidia papillosa] {suppressed; ICZN, 1985:165}
Bergh, 1882:8; 1885:22; Brown, 1981a:294; Pruvot-Fol, 1954b:445; Schmekel & Portmann, 1982:224; Tardy, 1982b:304; Vayssiére, 1913a:300
- Aeolidiella takanosimensis* Baba, 1930b:122 (non Risbec, 1956 =A. risbeci) [=A. indica;
=A. orientalis takanosimensis]

Abe, 1964:72; Baba, 1949:183†; 1975a:1; 1979:12; Behrens, 1980:84†; Bertsch & Johnson, 1981:101†; Farmer, 1980:46; Kay, 1979:488; Komori, 1932:395; McDonald, 1983:141; McDonald & Nybakken, 1980:66†; Orr, 1980:115; 1981:65†; Risbec, 1956a:31

Aeolidiella sp. Heincke, 1897:247 [=*A. glauca*; =*Eolidina rubra*]

Aeolidiella sp. Orr, 1981:66†

Aeolidiella sp. Orr, 1981:67†

Aeolidiella sp. Pruvot-Fol, 1927:43

Aeolidiella sp. Sordi, 1970:112

Aeolidiella sp. Zahl [=*Godiva quadricolor*]

Aeolidina Pruvot-Fol, 1951

[=*Eolidina*] {rejected, ICZN, 1966h:102}

Lemche, 1964i:118

Aeolidina alderi

Aeolidina glauca (Alder & Hancock, 1845) |*Eolis*|

Aeolidiopsis Pruvot-Fol, 1956c:228

Aeolidiopsis australis Rudman, 1982 |*Baeolidia*|

Aeolidiopsis harrietae Rudman, 1982b:157 [=*Baeolidia*]

Ono, 2004:250†

**Aeolidiopsis ransoni* Pruvot-Fol, 1956c:228

Nakano, 2004:247†; Ono, 2004:250†; Rudman, 1982b:149

Aeolis Menke, 1844

{rejected, ICZN, 1966a:100}

Aeolis Cuvier, 1805 [see under *Eolis*]

Antaeolidiella Miller, 2001:634

Antaeolidiella indica (Bergh, 1888) |*Aeolidiella*|

Behrens, 2005:†; Behrens & Hermosillo, 2005:115†; Coleman, 2001:†; Miller, 2001:635; Nakano, 2004:247†; Ono, 2004:249†

Burnaia Miller, 2001:659

Burnaia helicochorda Miller, 1988 |*Aeolidia*|

Miller, 2001:659

Cerberilla Bergh, 1873b:88

Bergh, 1888:683; 1890:29; 1890a:879; 1892:28(1020); 1905a:224; Burn, 1966:26; Gosliner, 1996a:209; McDonald, 1983:155; McDonald & Nybakken, 1980:66; Pruvot-Fol, 1934:51; Thiele, 1931:460; 1992:751

Cerberilla affinis Bergh, 1888 |*Cerberilla annulata* var. *affinis*|

Burn, 1966:30; Coleman, 2001:†; Debelius, 1996:†; Gosliner, Behrens, & Williams, 1996:178†; Johnson, 1984b:9; Marshall & Willan, 1999:154†; Nakano, 2004:248†; Okutani, 2000:811†; Willan & Coleman, 1984:44†

Cerberilla africana Eliot, 1903:254

- Cerberilla albopunctata* Baba, 1976c:276
Nakano, 2004:249†; Okutani, 2000:811†
- Cerberilla ambonensis* Bergh, 1905a:225†
Cobb & Willan, 2005:64†; Coleman, 1989:52†; 2001:†; Tonozuka, 2003:153†
- Cerberilla annulata* (Quoy & Gaimard, 1832) |*Eolidia*| Bergh, 1876
Behrens, 2005:†; Bergh, 1875:653; Coleman, 2001:†; Pruvot-Fol, 1934:52
- Cerberilla annulata* var. *affinis* Bergh, 1888:684 [=C. *affinis*]
Bergh, 1890a:880
- Cerberilla asamusiensis* Baba, 1940:108
Baba, 1976c:272; Nakano, 2004:248†; Okutani, 2000:811†; Suzuki, 2000:162†
- Cerberilla bernadettae* Tardy, 1965:1349
Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:193†; Garcia-Gomez, 2002:†; Moro, Ortea, Bacallado, Valdes, & Perez-Sanchez, 1995:66†; Trainito, 2003:42†; 2005:74†;
- Cerberilla incola* Burn, 1974
- Cerberilla longibranchus* (Volodchenko, 1941) |*Aeolis*|
Baba, 1976c:273; Okutani, 2000:809†
- **Cerberilla longicirrha* Bergh, 1873b:89
Burn, 1966:28
- Cerberilla moebii* (Bergh, 1888) |*Baeolidia*|
- Cerberilla mosslandica* McDonald & Nybakken, 1975:378
Behrens, 1980:86†; 1991:100†; 2004:50; Behrens & Hermosillo, 2005:116†; Farmer, 1980:47; Gosliner, 1996a:210; McDonald, 1983:155; McDonald & Nybakken, 1980:66†
- Cerberilla pungoarena* Collier & Farmer, 1964:391†
Behrens & Hermosillo, 2005:116†; Farmer, 1980:48
- Cerberilla tanna* Marcus & Marcus, 1960b:259
- Cerberilla* sp.1 Behrens, 1991:100† [=Ceberilla cf. *pungoarena*]
Behrens, 2004:50
- Cerberilla* sp. Behrens, 2005:†
- Cerberilla* sp. 1 Behrens & Hermosillo, 2005:116†
- Cerberilla* sp. Debelius, 1996:†
- Cerberilla* sp.1 Hermosillo & Behrens, 2005:20†
- Cerberilla* sp. Masuda, 1999:136†
- Cerberilla* sp.1 cf. *annulata* (Quoy & Gaimard, 1832)
Nakano, 2004:249†
- Cerberilla* sp.2 Nakano, 2004:249†
- Cerberilla* sp.3 Nakano, 2004:250†
- Cerberilla* sp.4 Nakano, 2004:287†
- Cerberilla* sp.1 Ono, 2004:252†
- Cerberilla* sp.2 Ono, 2004:252†

Cerberilla sp.3 Ono, 2004:253†

Cerberilla sp.1 Suzuki, 2000:163†

Cerberilla sp.2 Suzuki, 2000:163†

Cerberilla sp. Willan & Coleman, 1984:44†

Eolia Cuvier, 1800

[=*Aeolidia*] {rejected, ICZN, 1966a:100}

Lemche, 1964a:116

Eolida Fleming, 1828

{rejected, ICZN, 1966a:100} [=*Aeolidia*]

Fleming, 1822:470; Leuckart, 1828:16

Eolida argenteolineata (Costa, 1866) |*Aeolis*| [=Coryphella lineata]

Eolida bella Rüppell & Leuckart, 1831:35 [=Phyllodesmium magnum;
=?=Phyllodesmium kabiranum]

Eolida coronata Forbes & Goodsir, 1839 [=Eolis; =Facelina; =Facelina auriculata;
=Facelina longicornis]

Eolida foliata Forbes & Goodsir, 1839 [=Cratena; =Cuthona; =Trinchesia]

Eolida gigas (Costa, 1866) |*Aeolis*| [=Facelina drummondi]

Eolida inca Orbigny, 1837 |*Eolidia (Cavolina)*| [=Phidiana lottini]

Eolida longicauda Quoy & Gaimard, 1832 |*Eolidia*| [=Fiona pinnata]

Eolida minima Forbes & Goodsir, 1839:647 [=Embletonia pygmaea]
Cooke, 1899:60; Forbes & Goodsir, 1840:80

Eolida papillosa Fleming, 1828

Eolida plumosa Fleming, 1822:470 [=Eolis coronata; =Facelina coronata] {nomen
nudum}

Brown, 1981:335

Eolida purpurascens Fleming, 1822 [=Eolis]

Eolida soemmeringii Leuckart, 1828:16 [=Aeolidia; =Amphorina coerulea]
Brown, 1981a:294; ICZN, 1966h:102; 1985:165

Eolida zetlandica Forbes & Goodsir, 1839 [=Aeolidia papillosa; =Eolis papillosa]

Eolidia Cuvier, 1817:393

[=*Aeolidia*] {rejected, ICZN, 1966g:100}

Blainville, 1825:486; Cuvier, 1830:55; 1834:39; Deshayes, 1830:113; Eyedoux & Souleyet, 1852:416;
Gray, 1857:224; Johnston, 1838a:118; Leach, 1852:22; Lemche, 1964a:116; Rang, 1829:127; Risso,
1826:37; Voigt, 1834:122

Eolidia affasciata Lamarck, 1846 [=Facelina punctata]

Vérany, 1846:25; 1846a:105

Eolidia affine Cavolini

Vérany, 1846:25; 1846a:105

- Eolidia affinis* Cuvier, 1817
- Eolidia affinis* (Gmelin, 1791) |*Doris*| [=Flabellina]
Risso, 1826:37
- Eolidia alba* Hasselt, 1824a:239 [=Fiona marina; =Fiona pinnata]
Bergh, 1887a:310
- Eolidia annulata* Quoy & Gaimard, 1832 [=Cerberilla]
Quoy & Gaimard, 1834:291
- Eolidia annulicornis* Chamisso & Eysenhardt, 1821:347 [=Facelina]
Pruvot-Fol, 1954b:443
- Eolidia balsami* Vérany, 1846
- Eolidia bassi* Vérany, 1846 [=Amphorina coerulea; =Cratena caerulea; =Cuthona caerulea; =Trinchesia coerulea]
- Eolidia bellardii* Vérany, 1846
- Eolidia bodoensis* (Gunnerus, 1770) |*Doris*| [=Aeolidia papillosa]
Sars, 1837:404; Voigt, 1834:122
- Eolidia bostoniensis* (Couthouy, 1838) |*Eolis*|
Dekay 1843:9†
- Eolidia branchialis* (Muller, 1786) |*Doris*|
Lovén, 1841:228; 1847:189; Voigt, 1834:123
- Eolidia caerulescens* Deshayes in Cuvier, 1838 [=Berghia]
- Eolidia casaretti* Vérany, 1846
- Eolidia cavolini* Vérany, 1846
Vérany, 1846:26; 1846a:106
- Eolidia ceratentoma* Otto, 1823:280 {rejected, ICZN, 1966b:88}
- Eolidia cerentatoma* Otto, Pruvot-Fol, 1954b:442 {rejected, ICZN, 1966b:88}
- Eolidia coerulea* (Linnaeus,) |*Doris*|
Voigt, 1834:123
- Eolidia coerulea* Cuvier, 1817
- Eolidia coeruleascens* Deshayes in Cuvier, 1838
- Eolidia coeruleascens* Laurillard in Cuvier, 1830 [=Berghia]
- Eolidia conspersa* Fischer, 1874 [=Spurilla neapolitana]
- Eolidia coronata* (Forbes & Goodsir, 1839) |*Eolida*| [=Eolis; =Facelina auriculata]
- Eolidia cristata* (delle Chiaje, 1841) |*Eolis*| [=Antiopella]
- Eolidia cuvieri* (Blainville) [=Eolis; =Aeolidia papillosa]
- Eolidia cuvieri* (Lamarck, 1819) |*Eolis*| (non Blainville) [=Aeolidia papillosa; =Eolis papillosa]
Deshayes, 1830:115; Johnston, 1939a:120; Leach, 1852:23
- Eolidia de cavolini* Vérany, 1846 [=Calma cavolini; =Calmella cavolini]

- Eolidia defilippii* Vérany, 1846
Vérany, 1846:26; 1846a:106
- Eolidia demartinii* Vérany, 1846 [=Coryphella lineata]
Vérany, 1846:25; 1846a:105
- Eolidia despecta* Johnston, 1835b:378 [=Eolis; =Tergipes; =Tergipes tergipes]
Johnston, 1838a:123
- Eolidia diversa* (Couthouy, 1839) |Eolis| [=Coryphella verrucosa]
Dekay 1843:10†
- Eolidia durazzii* Vérany, 1846
- Eolidia embletoni* Johnston, 1835b:378 [=Coryphella rufibranchialis; =Coryphella verrucosa; =Eolis rufibranchialis]
- Eolidia fasciculata* (Gmelin, 1791) |Doris| [=Fiona pinnata]
Deshayes, 1830:115; Voigt, 1834:123
- Eolidia flabellina* Vérany, 1846 [=Flabellina; =Flabellina affinis]
Vérany, 1846:25; 1846a:105
- Eolidia flavescens* Risso, 1826:38 [=Facelina punctata]
- Eolidia gandolfii* Vérany, 1846
- Eolidia grubbi* Vérany, 1853:384
Pruvot-Fol, 1954b:444
- Eolidia gymnota* (Couthouy, 1838) |Eolis|
Dekay 1843:10†
- Eolidia histrix* Otto, 1821 {rejected, ICZN, 1966b:87} [=Spurilla neapolitana]
Lemche, 1964b:43
- Eolidia hystrix* Otto, 1823:277
Lemche, 1964b:43; Pruvot-Fol, 1954b:441; Voigt, 1834:123
- Eolidia (Cavolina) inca* Orbigny, 1837 [=Phidiana lottini]
- Eolidia janii* Vérany, 1846 [=Facelina curta; =Facelina drummondi]
Vérany, 1846:25; 1846a:105
- Eolidia landsburghii* (Alder & Hancock, 1846) |Eolis| [=Facelina drummondi]
- Eolidia leuconotus* van Hasselt, 1824:82
Bergh, 1887a:306
- Eolidia leuckartii* Vérany, 1853:384
Pruvot-Fol, 1954b:443
- Eolidia longicauda* Quoy & Gaimard, 1832:288 [=Fiona pinnata; =Phidiana]
- Eolidia lottini* Lesson, 1831 [=Phidiana]
- Eolidia macrobranchia* Hasselt, 1824a:240 [=Cratena]
Bergh, 1887a:310
- Eolidia martintoi* Vérany
- Eolidia minima* (Forskal, 1775) |Limax|
Voigt, 1834:122

Eolidia minima Lamarck

Deshayes, 1830:115

Eolidia minuta Forbes & Goodsir, 1839 |*Eolidia minima*| {lapsus for *E. minima*}

[=Embletonia; =Embletonia pulchra]

Cooke, 1899:60

Eolidia neapolitana (delle Chiaje, 1841) |*Eolis*| [=Spurilla]

Vérany, 1846:24; 1846a:104

Eolidia panizzae (Vérany, 1846) |*Eolidia*| [=Facelina curta; =Facelina drummondi]

Vérany, 1846:24; 1846a:104

Eolidia papillosa (Linnaeus) |*Limax*| [=Aeolidia; =Eolis]

Johnston, 1835b:376; 1838a:118; Voigt, 1834:122

Eolidia (Cavolina) patagonica Orbigny, 1837 [=Phidiana]

Eolidia peregrina (Gmelin, 1791) |*Doris*| [=Cratena; =Rizzolia]

Deshayes, 1830:115; Risso, 1826:37

Eolidia pinnata Eschscholtz, 1831:14 [=Fiona]

Eolidia plumosa (Fleming, 1822) |*Eolida*|

Johnston, 1838a:123

Eolidia pulchella Sars, 1829:324

Eolidia purpurascens (Fleming, 1822) |*Eolida*|

Johnston, 1838a:122

Eolidia rufibranchialis (Johnston, 1832) |*Eolis*| [=Coryphella; =Coryphella verrucosa; =Eolis drummondi; =Facelina drummondi] (non Thompson, 1840:89 =Eolis drummondi)

Johnston, 1838a:121

Eolidia rusconii Vérany, 1846

Vérany, 1846:25; 1846a:105

Eolidia scacchiana (Philippi, 1844) |*Eolis*|

Pruvot-Fol, 1954b:442

Eolidia soemmeringii (Leuckart, 1828) |*Eolida*| [=Aeolidiella, =Aeolidiella alderi;

=Amphorina coerulea]

Eolidia souleyeti Vérany, 1853:384 [=Berghia coerulescens]

Pruvot-Fol, 1954b:443

Eolidia tergipedina Vérany, 1846

Eolidia verrucosa Sars, 1829 [=Coryphella; =Flabellina]

Eliot, 1910d:168; ICZN, 1966i:104

Eolidia virescens Risso, 1826:38

Eolidia whatelyi Vérany, 1846, 1853

Eolidina Quatrefages, 1843b:274

[*Aeolidina*] [=Aeolidiella] {rejected, ICZN, 1966h:102}

Alder & Hancock, 1844b:125; Chenu, 1859:411; Cotton & Godfrey, 1933:99; Lemche, 1964i:118; Nordsieck, 1972:82; Pruvot-Fol, 1951:54; 1954b:428; Rao & Alagarswami, 1960:13; Thiele, 1992:751

- Eolidina alderi* (Cocks, 1852) |*Eolis*| [=*E. rubra*]
 Nordsieck, 1972:83; Pruvot-Fol, 1954b:430; Sordi & Majidi, 1956:243
- Eolidina angulata* (Alder & Hancock, 1844) |*Eolis*|
 Nordsieck, 1972:83; Pruvot-Fol, 1954b:446
- Eolidina caerulescens* (Deshayes, 1808)
 O'Donoghue, 1929:742
- Eolidina croisicensis* (Labbé, 1923) |*Aeolidiella*|
 Nordsieck, 1972:83; Pruvot-Fol, 1954b:431
- Eolidina faustina* (Bergh, 1900) |*Aeolidiella*|
 Cotton & Godfrey, 1933:99
- Eolidina glauca* (Alder & Hancock, 1845) |*Eolis*| [=*Aeolidiella*; =*E. rubra*]
 White, 1955:189
- Eolidina inornata* (Costa, 1866) |*Flabellina*|
 Nordsieck, 1972:82; O'Donoghue, 1929:742
- Eolidina japonica* (Eliot, 1913) |*Aeolidiella*| [=*Aeolidiella*]
- Eolidina neapolitana* (delle Chiaje, 1823) |*Eolis*| [=*Spurilla*]
 O'Donoghue, 1929:743; O'Donoghue & White, 1940:94
- Eolidina orientalis* O'Donoghue, 1927 [=*Spurilla chromosoma*]
 Steinberg, 1961:62
- Eolidina paradoxum* Quatrefages, 1843b:277 [=*E. rubra*; =*Eolidia*]
 Odhner, 1939:77
- Eolidina rubra* (Cantraine, 1835) |*Cavolina*|
 Nordsieck, 1972:82; Pruvot-Fol, 1953b:52†; 1954b:428
- Eolidina soemmeringi* (Leuckart, 1828) |*Eolida*|
 Nordsieck, 1972:83; Pruvot-Fol, 1954b:431
- Eolidina takanosimensis* (Baba, 1930) |*Aeolidiella*| [=*Aeolidiella*]
 Subgenus: (*Berghia*) Trinchese, 1877
 Thiele, 1992:751
- Subgenus: (*Eolidina*) Quatrefages, 1843
 Thiele, 1992:751
- Eolidina* (*Eolidina*) *mannarensis* Rao & Alagarswami, 1960:6
 Subgenus: (*Spurilla*) Bergh, 1864
 Thiele, 1992:751
- Eolidina* (*Spurilla*) *gabriellae* Vannucci, 1952:284
Eolis Cuvier, 1805:pl. 6
 [=*Aeolidia*] [*Aeolis* Oken, non Menke] {rejected, ICZN, 1966a:100}
 Adams & Adams, 1858:72; Alder & Hancock, 1847b:fam. 3, pl. 7, 8†; 1864:143; Chenu, 1859:411;
 Fischer, 1883:539; Forbes & Hanley, 1850-1851:589; Gould, 1870:238; Jeffreys, 1869:37; Lamarck,
 1819:301; Lemche, 1964a:116; MacGillivray, 1843:192; Meyer & Möbius, 1865:21; Odhner, 1907:26;
 Sars, 1878:318

Eolis adelaide Thompson, 1859:66; 1859a:49 [=Eubranchus farrani; =Galvina farrani;
=Galvina tricolor]
Jeffreys, 1869:55

Eolis affinis (Gmelin, 1791) |Doris| [=Flabellina]
Costa, 1866:67

Eolis affinis Lamarck, 1819:303 [=Tritonia] (non Bouchard-Chantereaux, 1835:132
=Aeolis coronata)

Eolis affinis (Trinchesse) [=Flabellina]

Eolis affinis var. c Costa [=Coryphella landsburgii]

Eolis alba Alder & Hancock, 1844:164 [=Favorinus; =Favorinus albidus; =Favorinus
branchialis] {rejected, ICBN, 1966c:108}
Alder & Hancock, 1845b:fam. 3, pl. 21†; 1855:append. 23; Forbes & Hanley, 1850-1851:597; Hancock
& Embleton, 1845:9; Jeffreys, 1869:43; Meyer & Möbius, 1865:21†

Eolis alba (Hasselt, 1824) |Eolidia| [=Fiona pinnata]

Eolis albicans Friese & Hansen, 1876:79 [=Calma glaucoidea]

Eolis alderi Cocks, 1852:1 [=Aeolidiella; =Aeolidiella soemmeringi; =Eolidina rubra]
Alder & Hancock, 1854a:fam. 3, pl. 10†; Brown, 1981a:294; Jeffreys, 1869:38; Tolmer, 1934:33

Eolis alderiana Deshayes in Fredol, 1865 [=Spurilla neapolitana]

Eolis amethystina Alder & Hancock, 1845:316 [=Eubranchus tricolor]
Alder & Hancock, 1855:append. 31; Forbes & Hanley, 1850-1851:604

Eolis amoena Alder & Hancock, 1845:316 [=Cratena amoena; =Cuthona; =Cuthona
rubescens (partim.); =Trinchesia]
Alder & Hancock, 1846:fam. 3, pl. 30†; 1855:append. 28; Forbes & Hanley, 1850-1851:602; Jeffreys,
1869:50; Milachewitch, 1916:130

Eolis andeapolis McIntosh, 1865 [=Eubranchus; =Eubranchus farrani; =Eubranchus
tricolor; =Galvina tricolor]
Pruvot-Fol, 1948:36

Eolis angulata Alder & Hancock, 1844:165 [=A. paradoxa; =Aeolidiella glauca;
=Cratena paradoxa; =Eolidina; =Eolidina rubra]
Alder & Hancock, 1846:fam. 3, pl. 23†; Forbes & Hanley, 1850-1851:598; Jeffreys, 1869:46

Eolis annulata (Quoy & Gaimard, 1832) |Eolidia| [=Cerberilla]

Eolis annulicornis (Chamisso & Eysenhardt, 1821) |Eolidia| [=Facelina]

Eolis annulicornis Otto, 1821 [=Facelina; =Flabellina]

Eolis antarctica Pfeffer in Martens & Pfeffer, 1886:111

Eolis approximans (Bergh, 1864) |Aeolidia| [=Coryphella salmonacea]

Eolis arenicola Forbes MS, Alder & Hancock, 1847b:fam. 3, pl. 31† [=Cratena;
=Cratena viridis; =Cuthona viridis]
Forbes & Hanley, 1850-1851:602; Jeffreys, 1869:51; Lemche, 1964b:43; Pruvot-Fol, 1954b:444

Eolis argenteolineata Costa, 1866 for 1863:66 [=Coryphella lineata; =Facelina;
=Flabellina; =Flabellina lineata]

- Eolis armoricana* Hesse, 1872:347 [=*Fiona pinnata*; =*Galvina*]
 Hesse, 1873:313; Pruvot-Fol, 1931a:751
- Eolis astieri* Vérany, 1862:87 {nomen nudum}
- Eolis astieriana* Vérany, 1865:245
- Eolis attenuata* Couthouy, Gould, 1852 [=*Phidiana*]
- Eolis aurantia* Alder & Hancock, 1842:34 [=*Cartriona*; =*Cartriona gymnota*; =*Cratena*;
 =*Cuthona*; =*Cuthona gymnota*; =*Trinchesia*]
 Collingwood, 1859:468; ICZN, 1966f:95; Lemche, 1965g:55
- Eolis aurantiaca* Alder & Hancock, 1851a:fam. 3, pl. 27† [=*Cartriona aurantia*; *Cartriona*
gymnota; =*Cratena aurantia*; =*Cuthona*; =*Cuthona aurantia*; =*Cuthona gymnota*]
 {rejected, ICZN, 1966f:95}
 Forbes & Hanley, 1850-1851:600; Jeffreys, 1869:48
- Eolis balsamii* (Vérany, 1846) |*Eolidia*| [?=*Galvina*]
 Vérany, 1846:27; 1846a:107
- Eolis barbarensis* Cooper, 1863a:59 [=*Antiopella*; =*Janolus*]
 O'Donoghue, 1922c:141
- Eolis bassii* (Vérany, 1846) |*Eolidia*| [=*Cuthona caerulea*]
 Vérany, 1846:27; 1846a:107
- Eolis bella* (Rüppell & Leuckart, 1831) |*Eolida*| [=*Phyllodesmium*]
- Eolis bellardii* (Vérany, 1846) |*Eolidia*|
 Vérany, 1846:26; 1846a:106
- Eolis bellula* Lovén, 1846:140 [=*Cratena aurantia*; =*Cratena aurantiaca*; =*Cuthona*
gymnota; =*E. aurantiaca*; =*Trinchesia aurantia*]
- Eolis bicincta* Martens, 1879:739
- Eolis bicolor* Kelaart, 1858 [=*Flabellina*]
 Kelaart, 1859a:490; 1883:104
- Eolis blanchardi* Vérany, 1862:87 {nomen nudum}
- Eolis blanchardiana* Vérany, 1865:247
- Eolis bodoensis* (Gunner, 1770) |*Doris*| [=*Aeolidia papillosa*]
- Eolis bodoensis* Möller, 1842 [=*Coryphella salmonacea*]
- Eolis bostoniensis* Couthouy, 1838:67 [=*Coryphella*; =*Facelina*] (non Mörch, 1857:6
 =*Coryphella verrucosa*)
 Gould, 1870:241†
- Eolis bostoniensis approximans* Mörch, 1877 [=*Coryphella*; =*Coryphella verrucosa*]
- Eolis branchialis* (Rathke in Müller, 1806) |*Doris*| [=*Favorinus*]
- Eolis branchialis* Sars [=*Coryphella rufibranchialis*]
- Eolis bullifer* (Lovén, 1846) |*Tergipes*| [=*Tergipes*]
- Eolis cacaoica* Stimpson, 1855a:388 [=*Coryphella*]
 Hedley, 1918:109

- Eolis caerulea* (Montagu, 1804) |*Doris*| [=Amphorina; =Cuthona; =Trinchesia]
 Alder & Hancock, 1855:append. 30; Forbes & Hanley, 1850-1851:603; Jeffreys, 1869:51; Thompson, 1859:66; 1859a:49
- Eolis campbellii* Cunningham, 1871:484 [=Aeolida papillosa]
- Eolis camtchatica* Volodchenko, 1941:59, 67 [=Coryphella fusca; =Coryphella trophina]
- Eolis capitata* Caruana, 1867:30
- Eolis carinata* delle Chiaje, Costa, 1862 [?=Janus]
- Eolis carnea* Alder & Hancock, 1854:104 [=Favorinus; =Favorinus branchialis]
 Alder & Hancock, 1855:append. 24; Jeffreys, 1869:44
- Eolis casarettii* (Vérany, 1846) |*Eolidia*|
 Vérany, 1846:27; 1846a:107
- Eolis cavolini* (Vérany, 1846) |*Eolidia*| [=Calma]
- Eolis cingulata* Alder & Hancock, 1847b:fam. 3, pl. 28† [=Eubranchus]
 Forbes & Hanley, 1850-1851:600; Jeffreys, 1869:53
- Eolis (Psiloceros) claviger* (Menke, 1844) |*Psiloceros*| [=Tergipes]
- Eolis cocandi* Vérany, 1862:87 {nomen nudum}
- Eolis cocandiana* Vérany, 1865:248
- Eolis coerulescens* Laurillard [=Berghia]
- Eolis concinna* Alder & Hancock, 1843:234 [=Cuthona; =Trinchesia]
 Alder & Hancock, 1845b:fam. 3, pl. 24†; Asbjörnsen, 1853:339; Forbes & Hanley, 1850-1851:598; Jeffreys, 1869:47; Sars, 1870:189
- Eolis conspersa* Dalyell, 1853:306 [=Cratena olivacea; =Cuthona foliata; =E. olivacea]
 Marcus, 1958a:58
- Eolis conspersa* Fischer, 1869:7 [=E. olivacea; =Facelina; =Spurilla neapolitana]
 Fischer, 1871:102; 1874:232; Pruvot-Fol, 1954b:448
- Eolis corfei* (Hutton, 1881) |*Montagu*|
 Hutton, 1882:166
- Eolis coronata* (Forbes & Goodsir, 1839) |*Eolida*| [=Facelina; =Facelina auriculata;
 =Facelina longicornis; =Flabellina]
 Alder & Hancock, 1846:fam. 2, pl. 12†; 1855:append. 20; Fischer, 1874:230; Forbes & Hanley, 1850-1851:592; Jeffreys, 1869:39; Milachewitch, 1916:129
- Eolis couchii* Cocks, 1852:1 [=Cratena; =Cuthona]
 Alder & Hancock, 1855:append. 27; Jeffreys, 1869:49
- Eolis cristata* delle Chiaje, 1841 [=Antiopa; =Antiopella, =Janolus; =Janus]
- Eolis croisicensis* (Labbé, 1923) |*Aeolidiella*| [=Aeolidiella sanguinea; =Eolidina;
 =Eolidina rubra]
- Eolis curta* Alder & Hancock, 1843:234 [=Facelina; =Facelina auriculata; =Facelina bostoniensis; =Facelina drummondi]
- Eolis cuvieri* delle Chiaje, 1841 [=Fiona pinnata]
- Eolis cuvieri* Johnston [=Favorinus carneus]

Eolis cuvieri Lamarck, 1819:302 [= *Aeolidia papillosa*; = *E. papillosa*]

Eolis cuvieri MacGillivray, 1834:70, 193

Pruvot-Fol, 1954b:445

Eolis cuvieriana delle Chiaje, 1841 [= *Fiona pinnata*]

Costa, 1866 for 1863:80

Eolis cyanella (Couthouy) Gould, 1852 [?= *Facelina*]

Eolis deaurata Dalyell, 1853:301 [= *Cuthona caerulea*; = *Cuthona glottensis*; = *E. glottensis*]

Eolis demartinii (Vérany, 1846) | *Eolidia* | [= *Coryphella lineata*; = *E. lineata*]

Eolis despecta (Johnston, 1835) | *Eolidia* | (non Gould = *Galvina exigua*) [= *Tergipes*; = *Tergipes tergipes*]

Alder & Hancock, 1845b:fam. 3, pl. 36†; Forbes & Hanley, 1850-1851:605; Gould, 1870:249†; Jeffreys, 1869:56

Eolis digitata Aradas, 1847:118

Eolis digitata Costa, 1866 for 1863:68 [= *Calma cavolini*; = *Calmella cavolini*]

Eolis diversa Couthouy, 1839:187 [= *Coryphella*; = *Coryphella verrucosa*]
Gould, 1870:247†

Eolis drummondi Thompson, 1844 for 1843:250 [= *Facelina*; = *Facelina auriculata*; = *Facelina bostoniensis*; = *Facelina curta*]

Alder & Hancock, 1848:fam. 3, pl. 13†; 1855:append. 21; Fischer, 1871:101; Forbes & Hanley, 1850-1851:593; Jeffreys, 1860:39; Meyer & Möbius, 1865:25†; Thompson, 1856:278

Eolis durazii (Vérany, 1846) | *Eolidia* |

Vérany, 1846:26; 1846a:106

Eolis effulgens Kelaart, 1858

Eliot, 1906a:686†; Kelaart, 1859a:491; 1883:104

Eolis elegans Alder & Hancock, 1845:316 [= *Caloria*; = *Facelina*; = *Facelina auriculata*]

Alder & Hancock, 1851a:fam. 3, pl. 17†; Forbes & Hanley, 1850-1851:595; Jeffreys, 1869:40; Pruvot-Fol, 1954b:447

Eolis embletoni (Johnston, 1835) | *Eolidia* | [= *Coryphella rufibranchialis*; = *Coryphella verrucosa*; = *E. rufibranchialis*]

Pruvot-Fol, 1954b:446

Eolis exigua Alder & Hancock, 1848a:192 [= *Eubranchus*; = *Galvina*]

Alder & Hancock, 1851a:fam. 3, pl. 37†; Forbes & Hanley, 1850-1851:606; ICZN, 1966:84; Jeffreys, 1869:56; Lemche, 1964:38; Meyer & Möbius, 1865:35†

Eolis farinacea Stimpson, 1853 [= *Aeolidia papillosa*]

Eolis farrani Alder & Hancock, 1844:164 [= *Eubranchus*; = *Eubranchus tricolor*; = *Galvina tricolor*]

Alder & Hancock, 1845b:fam. 3, pl. 35†; 1855:append. 32; Forbes & Hanley, 1850-1851:605; ICZN, 1966b:87; Jeffreys, 1869:55; Lemche, 1964b:43; McIntosh, 1874:429

Eolis fasciculata (Forskål) [= *Tritonia*]

Eolis fasciculata (Gmelin, 1791) | *Doris* | [= *Facelina annulicornis*; = *Fiona marina*; = *Fiona pinnata*]

- Lamarck, 1819:302
- Eolis flabellina* (Vérany, 1846) |*Eolidia*| [=Flabellina]
- Eolis flavescens* Friele & Hansen, 1876 [=Eubranchus pallidus; =Galvina]
- Eolis foliata* (Forbes & Goodsir, 1839) |*Eolidia*| [=Cratena olivacea; =Cuthona; =E. olivacea]
- Eolis foulisi* Angas, 1864:64 [=Aeolidiella; =Coryphella]
Burn, 1965:89
- Eolis furmani*
- Eolis fustifer* (Lovén, 1846) |*Tergipes*| [=Galvina]
- Eolis gandolfi* (Vérany, 1846) |*Eolidia*|
Vérany, 1846:27; 1846a:107
- Eolis georgiana* Pfeffer in Martens & Pfeffer, 1886:111 [=Cuthona]
- Eolis gigas* Costa, 1866 for 1863:65 [=Facelina; =Facelina auriculata; =Facelina bostoniensis; =Facelina curta; =Facelina drummondi]
- Eolis glauca* Alder & Hancock, 1845:314 [=Aeolidiella; =Eolidina; =Eolidina rubra]
Alder & Hancock, 1848:fam. 3, pl. 11†; Dautzenberg & Durouchoux, 1906:41; Farran, 1904:6; Forbes & Hanley, 1850-1851:591; Jeffreys, 1869:38
- Eolis glauca* var. Cocks, 1852:1
- Eolis glaucoides* Alder & Hancock, 1854:104 [=Calma]
Alder & Hancock, 1854a:fam. 3, pl. 22†; IZN, 1966h:102; Jeffreys, 1869:44
- Eolis glottensis* Alder & Hancock, 1846b:293 [=Cuthona caerulea; =Cratena viridis; =Trinchesia; =Trinchesia coerulea]
Alder & Hancock, 1854a:fam. 3, pl. 29†; Forbes & Hanley, 1850-1851:601; Herdman, 1881:27; Jeffreys, 1869:51
- Eolis gracilis* Alder & Hancock, 1844:166 [=Coryphella; =Coryphella landsburgi; =Coryphella verrucosa; =Flabellina]
Alder, 1850:115; Alder & Hancock, 1854a:fam. 3, pl. 18†; Forbes & Hanley, 1850-1851:595; Jeffreys, 1869:42
- Eolis gracilis* Kirk, 1883 for 1882:217 [=Jason mirabilis]
Powell, 1979:290
- Eolis grandis* Volodchenko, 1941:58, 66 [=Aeolidia herculea]
- Eolis gratioleti* Vérany, 1862:87 {nomen nudum}
- Eolis gratioletiana* Vérany, 1865:251
- Eolis greeffi* Vérany, 1862:87 {nomen nudum}
- Eolis greffeana* Vérany, 1865:246
- Eolis griseofuscus* Wagner, 1885:58, 61 {nomen nudum}
- Eolis grossularia* Fischer, 1869:6 [=Berghia verrucicornis]
Fischer, 1874:231; Pruvot-Fol, 1954b:447
- Eolis grubbii* (Vérany, 1853) |*Eolidia*| [=Facelina rubrolineata; =Facelina rubrovittata]

- Eolis gymnota* Couthouy, 1838:69 [=Catriona; =Cratena; =Cratena concinna;
=Cuthona]
Gould, 1870:249†
- Eolis (Cratena) hirsuta* Krause, 1892:369
- Eolis histrix* (Otto, 1823) |*Eolidia*| [=E. drummondi]
- Eolis humilis* Stimpson, 1855:379 [?=Facelina]
- Eolis husseyi* Kelaart, 1858
Eliot, 1906a:686†; Kelaart, 1859a:490; 1883:104
- Eolis huxleyi* Garstang, 1889:194 [=Facelina longicornis]
- Eolis hystrix* Alder & Hancock, 1842:35 [=E. cingulata; =Eubranchus cingulatus]
{rejected, ICZN, 1966b:88}
Dalyell, 1853:308
- Eolis hystrix* (Otto, 1821) |*Eolidia*| [=Cratena cingulata]
- Eolis ianii* Vérany, 1846 |*Eolis jani*| [=Facelina]
- Eolis inaequalis* Dalyell, 1853:306
- Eolis inca* (Orbigny, 1847) |*Eolidia (Cavolina)*| [=Phidiana]
- Eolis inequalis* Dalyell, 1853 [=E. tricolor]
- Eolis inornata* Alder & Hancock, 1845:315 [=Aeolidiella glauca; =Eolidina; =Eolidina
rubra]
Alder & Hancock, 1855:append. 25; Forbes & Hanley, 1850-1851:598; Jeffreys, 1869:46; Pruvot-Fol,
1954b:445
- Eolis (Phidiana) iodinea* Cooper, 1863:205 [=Coryphella]
Cockerell, 1901a:121
- Eolis janii* (Vérany, 1846) |*Eolidia*| [=Facelina bostoniensis; =Facelina drummondi]
- Eolis lacinulata* (Forskål) [=Tritonia]
Lamarck, 1819:302
- Eolis lacinulata* (Gmelin, 1791) |*Doris*| [=Galvina exigua]
- Eolis landsbergii* Alder & Hancock, 1846b:294 [=Coryphella; =Coryphella pedata;
=Flabellina; =Flabellina pedata]
- Eolis landsburghii* Alder & Hancock, 1846
Alder & Hancock, 1848:fam. 3, pl. 20†; 1855:apend. 22; Collingwood, 1859:467; Fischer, 1871:102;
Forbes & Hanley, 1850-1851:596; Jeffreys, 1869:43
- Eolis lepadivora* Graeffe [=Fiona pinnata]
- Eolis leptosoma* Hutton, 1884:213
Powell, 1979:290
- Eolis lesliana* MacGillivray, 1843:70; 194 [=Aeolidia papillosa; =E. papillosa;
=?=Zephyrina]
Pruvot-Fol, 1954b:446
- Eolis lessonae* Vérany, 1862:87 {nomen nudum}

- Eolis lessoniana* Vérany, 1865:249
- Eolis leuckarti* (Vérany, 1853) |*Eolidia*|
- Eolis leuconotus* (Hasselt, 1824) |*Eolidia*| [=*Fiona pinnata*]
- Eolis limacina* Philippi, 1844 [=*E. fasciculata*; =*Facelina annulicornis*]
- Eolis lineata* Alder & Hancock, 1846b:294 [=*Flabellina*]
Alder & Hancock, 1851a:fam. 3, pl. 16†
- Eolis lineata* Lovén, 1846:140 [=*Coryphella*; =*Flabellina*]
Forbes & Hanley, 1850-1851:594; Jeffreys, 1869:41
- Eolis longibranchus* Volodchenko, 1941:59, 67 [=*Cerberilla*]
- Eolis longicauda* (Quoy & Gaimard, 1832) |*Eolidia*| [=*Fiona longicauda*; =*Fiona marina*; =*Fiona pinnata*]
- Eolis longicornis* (Montagu, 1808) |*Doris*|\br/>Forbes & Hanley, 1850-1851:592
- Eolis macleayi* Angas, 1864:65 [=*Aeolidiella*; =*Coryphella*; =*Spurilla*]
Burn, 1965:89
- Eolis mananensis* Stimpson, 1853:26 [=*Coryphella rufibranchialis mananensis*;
=*Coryphella verrucosa*]
- Eolis marinoi* Vérany
- Eolis militaris* Alder & Hancock, 1864:144 [=*Caloria*; =*Hervia*; =*Phidiana*]
Burn & Narayanan, 1970:83; Eliot, 1906b:1007
- Eolis minima* (Forskål, 1775) |*Limax*|\br/>Lamarck, 1819:302
- Eolis minor* Dalyell, 1853:301 [=*Galvina vittata*]
- Eolis minuta* Alder & Hancock, 1842:36 [=*Eubranchus pallidus*]
- Eolis minuta* Forbes & Goodsir, 1839 [=*Embletonia pulchra*]
- Eolis molis* Herdman, 1881:28 [=*Amphorina*; =*Cuthona caerulea*]
- Eolis monoceros* Dalyell, 1853:307 [=*E. coronata*; =*Facelina coronata*]
- Eolis murrayana* MacGillivray, 1843:70, 193 [=*Aeolidia papillosa*; =*E. papillosa*]
Pruvot-Fol, 1954b:446
- Eolis nana* Alder & Hancock, 1842:36 [=*Cuthona*]
Alder & Hancock, 1848:fam. 3, pl. 25†; Forbes & Hanley, 1850-1851:599; Hancock & Embleton, 1945:9; ICZN, 1966:84; Jeffreys, 1869:45; Lemche, 1964:38
- Eolis neapolitana* delle Chiaje, 1841, 1844 [=*Spurilla*]
- Eolis neglecta* Lovén, 1846 |*Aeolis*| [=*Tergipes tergipes*] {rejected, ICZN, 1966:85}
Lemche, 1964:35, 38 (Lemche says it is lapsus for *Eolidia despecta* Johnston, 1835 in Lovén, 1846, Ofvers, K. svensk. Vetensk-Akad. Forhandl. 1846:7)
- Eolis nemesis* Hesse, 1872:346 [=*Galvina*]
Hesse, 1873:312; Pruvot-Fol, 1931a:751
- Eolis nodulosa* Kelaart, 1859a:491 [=*Favorinus japonicus*]

- Eliot, 1906a:686†; Kelaart, 1883:105
- Eolis northumbrica* Alder & Hancock, 1844:165 [= *Cuthona viridis*; = *Diaphoreolis*; = *Phidiana*; = *Trinchesia viridis*]
 Alder & Hancock, 1847b:fam. 3, pl. 31†; Forbes & Hanley, 1850-1851:602; Jeffreys, 1869:50
- Eolis obtusalis* Alder & Hancock, 1842:34 [= *Aeolidia papillosa*; = *E. papillosa*] (non Loven, 1846 = *Cratena angulata*)
- Eolis ocellata* Alder & Hancock, 1864:144 [= *Coryphella*]
- Eolis occidentalis* Bergh, 1874 | *Aeolidiella* | [= *Aeolidiella*]
- Eolis olivacea* Alder & Hancock, 1842:35 [= *Cratena*; = *Cratena foliata*; = *Cuthona foliata*]
 Alder & Hancock, 1845b:fam. 3, pl. 26†; 1855:append. 26; Forbes & Hanley, 1850-1851:599; Hancock & Embleton, 1945:9; Jeffreys, 1869:47; Milachewitch, 1916:130
- Eolis olrikii* Mörch, 1857:78 [= *Cratena*; = *Cuthona viridis*]
- Eolis opalescens* Cooper, 1863:205 [= *Hermisenda crassicornis*]
- Eolis pallida* Alder & Hancock, 1842:35 [= *E. picta*; = *Eubranchus*; = *Eubranchus pallidus*; = *Galvina picta*; = *Tenellia*]
 ICZN, 1966:84; Lemche, 1964:38
- Eolis palidula* Lafont, 1871:267 [= *Aeolidiella glauca*; = *Eolidina rubra*]
 Fischer, 1872:16; 1874:230; Pruvot-Fol, 1954b:447
- Eolis panizzae* Vérany, 1846) | *Eolidia* | [= *Facelina bostoniensis*; = *Facelina drummondi*]
 Tiberi, 1880:228
- Eolis papillata* Baudelot, 1863 [= *Aeolidia papillosa*]
- Eolis papilligera* ([Beck], Kroyer, 1847) | *Aeolidia* | [= *Coryphella salmonacea*]
- Eolis papillosa* (Linnaeus) | *Limax* | [= *Aeolidia*] (non Hägg, 1905, nor Odhner, 1907, nor Sars, 1878, nor Vanhoffen, 1897 = *Coryphella salmonacea*)
 Alder & Hancock, 1854a:fam. 3, pl. 9†; Colgan, 1914:177; Collingwood, 1859:466; Cuénot, 1906:96; Dalyell, 1853:314; Derjugin, 1915:548; Forbes & Hanley, 1850-1851:590; Gould, 1870:238†; Hoffmann, 1926:15; Jeffreys, 1869:37; Krause, 1897:98; MacGillivray, 1843:70, 192; Menke, 1844a:133; Meyer & Möbius, 1865:29†; Sars, 1850:193; 1878:318; Verrill, 1873:666
- Eolis papillosa* var. *albina* Dautzenberg & Durouchoux, 1906:41
 Dautzenberg & Durouchoux, 1913:9
- Eolis paradoxa* (Quatrefages, 1843) | *Eolidina* |
 Fischer, 1871:102
- Eolis parvula* Pease, 1860:35 [= *Coryphella*]
 Pruvot-Fol, 1947:109
- Eolis patagonica* (Orbigny, 1847) | *Eolidia (Cavolina)* | [= *Phidiana*]
- Eolis paulinae* Kelaart, 1858
 Eliot, 1906a:686†; Kelaart, 1859a:491; 1883:105
- Eolis peachi* Alder & Hancock, 1848a:191 [= *Cuthona*; = *Cuthona nana*; = *Precuthona*]
 Alder & Hancock, 1854a:fam. 3, pl. 10†; Forbes & Hanley, 1850-1851:591; ICZN, 1966c:108; Jeffreys, 1869:45
- Eolis pellegrina* Cavolini, Lamarck

- Vérany*, 1846:26; 1846a:106
- Eolis pellucida* Alder & Hancock, 1843:234 [= *Coryphella*; = *Coryphella landsburgi*; = *Coryphella verrucosa*; = *Flabellina*]
 Alder & Hancock, 1847b:fam. 3, p 1. 19†; Asbjörnsen, 1853:338; Forbes & Hanley, 1850-1851:596; Jeffreys, 1860:42; Sars, 1870:189
- Eolis pennata* (Gmelin, 1791) | *Doris*
 Menke, 1844b:148
- Eolis peregrina* (Cavolini)
- Eolis peregrina* Costa, 1866 [= *Caloria maculata*; = *Hervia costai*; = *Rizzolia*]
- Eolis peregrina* delle Chiaje, 1841 (non Gmelin) [= *Berghia caerulescens*; = *Berghia verrucicornis*; = *Calmella cavolini*; = *Eolidina caerulescens*]
- Eolis peregrina* (Gmelin, 1791) | *Doris* | [= *Cratena*; = *Rizzolia*]
 Costa, 1866:69; Keferstein & Ehlers, 1861:96; Langerhans, 1873:176; Tiberi, 1880:225
- Eolis peregrina* Grant, 1823 [= *Facelina coronata*]
- Eolis peregrina* Lamarck, 1819:303 [= *Tritonia*]
- Eolis petiliana* Vérany, 1865:250
- Eolis petiti* Vérany, 1862:87 {nomen nudum}
- Eolis picta* Alder & Hancock, 1847b:fam. 3, pl. 33† [= *Eubranchus pallidus*; = *Galvina*; = *Montagua pallida*] {rejected, ICZN, 1966:85}
 Forbes & Hanley, 1850-1851:603; Gould, 1870:246†; Jeffreys, 1869:54; Lemche, 1964:38
- Eolis pilata* Gould, 1870:243† [= *Cratena*; = *Montagua*]
- Eolis pinnata* (Eschscholtz, 1831) | *Eolidia* | [= *Fiona*]
- Eolis plicata* Hutton, 1882:166
- Eolis plumata* Dalyell, 1853:300 [= *Aeolidia papillosa*]
- Eolis plumosa* Fleming, 1828 [= *Facelina coronata*]
- Eolis punctata* Alder & Hancock, 1845:315 [= *Facelina*; = *Facelina annulicornis*]
 Alder & Hancock, 1846:fam. 3, pl. 15†; Forbes & Hanley, 1850-1851:594; Jeffreys, 1869:40
- Eolis purpurascens* (Fleming, 1822) | *Eolida*
 Alder & Hancock, 1855:append. 29; Forbes & Hanley, 1850-1851:597; Jeffreys, 1869:52
- Eolis purpurea* Alder [= *Eubranchus tricolor*]
- Eolis purpurea* Dalyell, 1853:312 [= *E. coronata*; = *Facelina coronata*]
- Eolis purpurea* Stimpson, 1853:25 [= *Cratena pustulata*; = *E. coronata*]
- Eolis pustulata* Alder & Hancock, 1854:104 [= *Cratena*; = *Cuthona*]
 Alder & Hancock, 1855:fam. 3, pl. 45†; Jeffreys, 1869:49
- Eolis quatrefagesi* (Vayssiére, 1888) | *Acanthopsole* | [= *Facelina drummondi*]
- Eolis racemosa* Dalyell, 1853:300 [= *Galvina picta*]
- Eolis robertianae* McIntosh, 1865:393 [= *E. adelaidae*; = *Eubranchus*; = *Eubranchus farrani*; = *Eubranchus tricolor*; = *Galvina farrani*; = *Galvina tricolor*]

- Pruvot-Fol, 1948:36
- Eolis robrovittata* Costa, 1866:70
- Eolis rosea* Alder & Hancock, 1842:34 [= *Aeolidia papillosa*; = *E. papillosa*]
- Eolis rubicundus* Wagner, 1885:40, 42, 58 {nomen nudum}
- Eolis rubrovittata* Costa, (1866 for 1863) | *Aeolis* | [= *Facelina*; = *Acanthopsole*]
- Eolis rufibranchialis* Johnston, 1832:428 [= *Coryphella*; = *Coryphella landsburgi*; = *Coryphella pedata*; = *Coryphella verrucosa*; = *Flabellina verrucosa*] (non Loman, 1893 = *Cratena aurantia*)
Alder & Hancock, 1848:fam. 3, pl. 14†; Forbes & Hanley, 1850-1851:593; Gould, 1870:242†; Jeffreys, 1869:41; Meyer & Möbius, 1865:39†
- Eolis (Tergipes) rupium* (Möller, 1842) | *Tergipes* | [= *Galvina*]
- Eolis salmonacea* Couthouy, 1838:68 [= *Coryphella*; = *Flabellina*]
Balch, 1910:101; Gould, 1870:240†; Jeffreys, 1877:336
- Eolis sanguifer* Dalyell, 1853:302 [= *Cratena aurantiaca*; = *Cuthona gymnota*]
- Eolis sanguinea* Norman, 1877:517 [= *Aeolidiella*; = *Eolidina*]
- Eolis saragassi* Philippi [= *Fiona marina*]
- Eolis sargassicola* Kroyer, 1861 [= *Spurilla neapolitana*]
- Eolis sargassicola* Philippi, 1836 [= *Fiona pinnata*]
- Eolis scacchiana* Philippi, 1844 [= *Coryphella*]
- Eolis schraderi* Pfeffer in Martens & Pfeffer, 1886:110
- Eolis semidecora* Pease, 1860:35 [= *Coryphella*; = *Facelinella*]
Pruvot-Fol, 1947:109
- Eolis serotina* (Bergh, 1873) | *Aeolidia* | [= *Aeolidia*]
- Eolis skinneri* Kelaart, 1859b:270
- Eolis smaragdina* Alder & Hancock, 1851a:fam. 3, pl. 17† [= *Coryphella*; = *Coryphella gracilis*; = *Coryphella landsburgi*; = *Coryphella verrucosa*]
Forbes & Hanley, 1850-1851:595; Jeffreys, 1869:42
- Eolis smedleyi* Kelaart, 1858
Eliot, 1906a:685†; Kelaart, 1859a:492; 1883:106
- Eolis soemmeringii* (Leuckart, 1828) | *Eolida* | [= *Aeolidiella*]
Brown, 1981a:294
- Eolis stellata* Stimpson, 1853:25 [= *Coryphella*; = *Coryphella gracilis*]
Gould, 1870:245†
- Eolis stipata* Alder & Hancock, 1843:233 [= *Cratena*; = *Cuthona viridis*; = *Trinchesia*]
Alder & Hancock, 1854a:fam. 3, pl. 22†; Forbes & Hanley, 1850-1851:597; Jeffreys, 1869:46
- Eolis subrosacea* (Eschscholtz, 1831) | *Cavolina* | [= *Facelina*]
- Eolis tenax* Dalyell, 1853:307 [= *Coryphella rufibranchialis*; = *E. lineata*; = *E. rufibranchialis*]

Eolis tenuibranchialis Alder & Hancock, 1845:315 [=*E. drummondi*; =*Facelina*;
=*Facelina bostoniensis*; =*Facelina curta*]

Eolis tergipedina (Vérany, 1846) |*Eolidia*|
Vérany, 1846:28; 1846a:108

Eolis timida Trinchese, 1873:203
Trinchese, 1874d:203

Eolis triangulata

Eolis tricolor (Forbes, 1838) |*Eubranchus*| [=*Eubranchus*]
Alder & Hancock, 1845b:fam. 3, pl. 34†; Forbes & Hanley, 1850-1851:604; Jeffreys, 1869:54

Eolis tristis Kelaart, 1858 [=*Cuthona*]
Eliot, 1906a:686†; Kelaart, 1859a:491; 1883:105

Eolis unilineata Alder & Hancock, 1864:143 [=*Facelina*; =*Phidiana*]

Eolis ventilabrum Dalyell, 1853:318 [=*Embletonia pulchra*; =*Tenellia adspersa*;
=*Tenellia pallida*]

Eolis vermiferus Smith, 1860:160 [=*Cratena pilata*]
Smith & Prime, 1870:391

Eolis vermigera Turton, 1828 [=*Aeolidia papillosa*]

Eolis verrucosa (Sars, 1829) |*Eolidia*| [=*Coryphella*]

Eolis versicolor Costa, 1866 for 1863 |*Favorinus*| [=*Favorinus branchialis*]

Eolis violacea Alder & Hancock, 1844:166 [=*E. tricolor*; =*Eubranchus tricolor*]

Eolis viridis Dalyell, 1853:302

Eolis viridis (Forbes, 1840) |*Montaguia*| [=*Cratena*; =*Cuthona*; =*Trinchesia*]
Alder & Hancock, 1854a:fam.3, pl. 32†; Forbes & Hanley, 1850-1851:603; Jeffreys, 1869:52

Eolis vittata Alder & Hancock, 1842:35 [=*Eubranchus*]
Alder & Hancock, 1854a:fam. 3, pl. 29†; Forbes & Hanley, 1850-1851:601; Jeffreys, 1869:53

Eolis whatelyi (Vérany, 1846) |*Eolidia*|
Vérany, 1846:27; 1846a:107

Eolis zealandia (Forbes & Goodsir, 1839) |*Eolida*| [=*Aeolidia papillosa*]

Eolis sp. Arndt, 1914:16

Eolis sp. Farran, 1905a:332

Eolis sp. Holm, 1886 [=*Coryphella salmonacea*]

Eolis sp. Ijima, 1911 [=*Aeolidiella takanosimensis*]
Baba, 1979a:1

Eolis sp. Sars., 1850:193

Eolis sp. Verrill, 1873:666

Eolis sp. Verrill, 1874e:372

Ethalion Risso, 1826:36

(non Peletier, 1825) [=*Aeolidiella*; =*Aethalion* Herrmannsen, 1846; =*Eolidina*;

=Spurilla] {rejected, ICZN, 1966b:87}

Lemche, 1964b:43

**Ethalion hystrix* Risso, 1826:36 [=Spurilla neapolitana]

Pruvot-Fol, 1936a:637; 1937:532

Limenandra Haefelfinger & Stamm, 1958:419

Schmekel & Portmann, 1982:224

Limenandra fusiformis (Baba, 1949) |*Baeolidia*|

Baba, 1967:192; Coleman, 2001:†; Nakano, 2004:250†; Ono, 2004:253†

**Limenandra nodosa* Haefelfinger & Stamm, 1958:419 [=*Baeolidia*]

Behrens & Hermosillo, 2005:117†; Bertsch, 1972:104; Debelius, 1996:†; Nakano, 2004:250†; Okutani, 2000:811†; Ono, 1999:168†; 2004:254†; Riedl, 1983:328; Schmekel, 1970:157; Schmekel & Portmann, 1982:233†; Templado, 1982b:225; Trainito, 2003:42†; 2005:74†; Yonow, 2000:116†

Limenandra sp. Ono, 2004:254†

Milleria Ortea, Caballer, & Espinosa, 2003:132

Milleria ritmica Ortea, Caballer, & Espinosa, 2003:133†

Spurillidae Odhner, 1939

(considered part of the Aeolidiidae by some authors)

Franc, 1968:888

Baeolidia Bergh, 1888b:777

Allan, 1947:460; Bergh, 1890:28; 1892:27(1019); Marcus, 1958a:68; Miller, 2001:653; O'Donoghue, 1929:795; Tardy, 1962:16; Thiele, 1992:751

Baeolidia amakusana Baba, 1937 |*Baeolidia major amakusana*|

Farmer, 1980:45

Baeolidia australis (Rudman, 1982) |*Spurilla*|

Coleman, 2001:†; Miller, 2001:654; Willan & Morton, 1984:73

Baeolidia benteva Marcus, 1958a:65

Baeolidia cryoporos Bouchet, 1977a:60

Baeolidia fusiformis Baba, 1949:184† [=Limenandra]

Yonow, 2000:115†

Baeolidia harrietae (Rudman, 1982) |*Aeolidiopsis*|

Baeolidia japonica Baba, 1933b:282 [=Berghia]

Baba, 1937c:336; 1949:184†; 1967:192; Ono, 2004:251†

Baeolidia major Eliot, 1903:252 [=Berghia; =Spurilla]

Allan, 1947:460; Baba, 1933a:178; Coleman, 2001:†; Powell, 1979:290

Baeolidia major amakusana Baba, 1937c:335 [=Berghia; =Berghia major; =Spurilla major]

Baba, 1955:54†; 1967:192

Baeolidia major var. *ornata* Eliot, 1903:254

**Baeolidia moebii* Bergh, 1888b:778

Engel & Eeken, 1962:28; O'Donoghue, 1929:796; Pruvot-Fol, 1953b:53

Baeolidia nodosa (Haefelfinger & Stamm, 1959) |*Limenandra*| [= *Limenandra*]
 Bertsch & Johnson, 1981:102†; Camacho-Garcia, Gosliner, & Valdes, 2005:110; Gosliner, 1980:66;
 Kay, 1979:488; Ortea, Moro, Bacallado, & Herrera, 2001:†; Redfern, 2001:180†

Baeolidia palythoae Gosliner, 1985:237†
 Gosliner, 1987b:129†

Baeolidia quoyi Pruvot-Fol, 1934:56 [= *B. moebii*]

Berghia Trinches, 1877b:151
 [= *Spurilla*]

Bergh, 1882:19; 1890:29; 1892:28(1020); Engel, 1925:33, 50; Fez Sanchez, 1974:77; García-Gómez & Thompson, 1990:323; Labbé, 1930a:626; Nordsieck, 1972:83; Pruvot-Fol, 1954b:433; Schmekel & Portmann, 1982:224; Tardy, 1962:16; Trinches, 1881:5; 1881a:5; Vayssiére, 1888d:116; 1913a:301

Berghia amakusana (Baba, 1937) |*Berghia major amakusana*| [= *B. major*]
 Farmer, 1966:251

Berghia australis (Rudman, 1982) |*Spurilla*|
 Debelius, 1996:†

Berghia benteva (Marcus, 1958) |*Baeolidia*|
 Eyster, 1980:594

Berghia chaka Gosliner, 1985:245†
 Gosliner, 1987b:128†; Ono, 2004:251,255†

**Berghia coerulescens* (Laurillard, 1830) |*Eolida*| [= *B. verrucicornis*; = *Spurilla*] (non Bergh, 1882:20 nor Marcus, 1957:477 nor Pruvot-Fol, 1954b:435 nor Trinches, 1881:7 = *B. verrucicornis*; non Marcus, 1957:477 nor Marcus, 1976:9, nor Edmunds, 1964:29-30 = *B. rissodominguensis*)

Ballesteros, 1985:34; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:189†; Cuénot, 1906:102; Eliot, 1906c:357; 1910d:174; Fez Sanchez, 1974:77†; Marcus & Marcus, 1960b:258; Moro, Ortea, Bacallado, Valdes, & Perez-Sanchez, 1995:66; Muniain & Ortea, 1999:147†; Nordsieck, 1972:83; Parent, Breton, & Reboux, 2001[2000]:29; Perrone, 1983b:140; Pruvot-Fol, 1948b:273; 1951:55; 1953b:57†; Riedl, 1983:327; Schmekel & Portmann, 1982:230; Starmühlner, 1955:225; Tardy, 1962:4; Trainito, 2003:42†; 2005:73†; Trinches, 1877b:151; 1881:7†; 1881a:7; Turk, 2000:165†; Vayssiére, 1913a:301; Vicente, 1963a:178; 1967:161

Berghia coerulescens auctt. [= *B. verrucicornis*]

Berghia columbina (García-Gómez & Thompson, 1990) |*Spurilla*|
 Moreno & Templado, 1998:55†

Berghia creutzbergi Marcus & Marcus, 1970a:87
 Edmunds & Just, 1983:201

Berghia dela Marcus & Marcus, 1960:924

Berghia fusiformis (Baba, 1949) |*Baeolidia*|

Berghia grossularia (Fischer, 1869) |*Eolis*|
 Vayssiére, 1913a:302

Berghia japonica (Baba, 1933) |*Baeolidia*|
 Abe, 1964:73; Baba, 1967:192; Nakano, 2004:248†; Okutani, 2000:811; Orr, 1980:116; 1981:62†

Berghia major (Eliot, 1903) |*Baeolidia*| [= *Spurilla*] (non Powell, 1979 nor Morton & Miller, 1973 = *B. australis*)

Behrens & Hermosillo, 2005:115†; Bertsch & Johnson, 1981:89†; Edmunds, 1969a:467; Gosliner, 1980:69; Gosliner, Behrens, & Williams, 1996:178†; Hermosillo, 2004:110†; Hoover, 1998:180†; Kay, 1979:488; Marshall & Willan, 1999:153†

Berghia margaritae (Labbé, 1923) |*Spurilla*|
Labbé, 1930a:626

Berghia modesta Trinchese, 1882:188 [=*B. coeruleascens*]
Nordsieck, 1972:84; Pruvot-Fol, 1954b:435; Vicente, 1967:161

Berghia norvegica Odhner, 1939:85 [=*Spurilla*]
Nordsieck, 1972:84

Berghia rissodominguezi Muniain & Ortea, 1999:144†
Schrödl, 2003:88

Berghia salaamica (Rudman, 1982) |*Spurilla*|

Berghia verrucicornis (Costa, 1864) |*Flabellina*| [=*Spurilla*] (non Marcus, 1972:304-305
nor Tompson, 1980:97 nor Rios, 1994:220 =*B. rissodominguezi*)
Ballesteros, 1977:11; 1985:34; Calfo, 2004:42†; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli,
1990:191†; Edmunds, 1968:212; Eyster, 1980:595; Marcus, 1972a:304; Muniain & Ortea, 1999:147†;
Perrone, 1983b:140; Schmekel, 1970:157; Schmekel & Portmann, 1982:231†; Tardy, 1962:4;
Thompson, 1980:97; Trainito, 2003:42†; 2005:73†; Turk, 2000:165

Berghia sp.A Edmunds, 1968:214

Berghia sp.B Edmunds, 1968:214

Berghia sp.C Edmunds, 1968:215

Berghia sp. Marcus & Hughes, 1974:527

Fenrisia Bergh, 1888b:788
[=*Cerberilla*]

Bergh, 1890:30; 1892:29(1021); Pruvot-Fol, 1935a:255; Thiele, 1931:460; 1992:751

**Fenrisia moebii* Bergh, 1888b:789

Spurilla Bergh, 1864
[=*Eolidina*]

Bergh, 1868:205; 1876b:758; 1890:29; 1892:28(1020); 1905a:223; Burn, 1969:97; Engel, 1925:33; Fez Sanchez, 1974:75; Gosliner & Griffiths, 1981:124; Labbé, 1930a:622; MacFarland, 1909:89;
McDonald, 1983:209; McDonald & Nybakken, 1980:66; Miller, 2001:640; Nordsieck, 1972:83; Pruvot-Fol, 1954b:432; Schmekel & Portmann, 1982:224; Vayssiére, 1888d:111; 1913a:300

Spurilla alba (Risbec, 1928) |*Aeolidiella*| [=*Aeolidiella*]
Edmunds, 1969a:465; Edmunds & Just, 1983:200; Sphon, 1978:305; Willan & Coleman, 1984:44†

Spurilla amakusana (Baba, 1937) |*Baeolidia major amakusana*|
Willan & Coleman, 1984:44†

Spurilla australis Rudman, 1982b:164 [=*Baeolidia*; =*Berghia*]
Burn, 1989:784; Coleman, 1989:52†; Wells & Bryce, 1993:154†; Willan & Coleman, 1984:44†;
Yonow, 2000:119†

Spurilla brasiliiana MacFarland, 1909:91 [=*S. neapolitana*; =*S. neapolitana* var.
brasiliiana]
Marcus & Marcus, 1960b:258

- Spurilla chromosoma* Cockerell in Cockerell & Eliot, 1905:52 [=Aeolidiella]
 Behrens, 1980:94†; Farmer, 1980:158; Marcus, 1961:54; Marcus & Marcus, 1967:227; McDonald, 1983:210; McDonald & Nybakken, 1980:66†; Nakano, 2004:251†
- Spurilla coeruleascens* (Laurillard, 1830) |*Eolidia*|
 Garcia-Gomez, 2002:188†; García-Gómez & Thompson, 1990:†
- Spurilla columbina* García-Gómez & Thompson, 1990:323† [=Berghia]
 Garcia-Gomez, 2002:190†
- Spurilla creutzbergi* (Marcus & Marcus, 1970) |*Berghia*|
 Redfern, 2001:181†
- Spurilla croisicensis* (Labbé, 1923) |*Aeolidiella*|
 Labbé, 1930a:623; 1932:451
- Spurilla dakarensis* Pruvot-Fol, 1953b:55 [=S. neapolitana]
- Spurilla faustina* (Bergh, 1900) |*Aeolidiella*|
 Miller, 2001:641
- Spurilla fusiformis* (Baba, 1949) |*Baeolidia*|
- Spurilla gabriellae* Vannucci. 1952) |*Eolidina (Spurilla)*| [=S. neapolitana]
- Spurilla glauca* (Alder & Hancock, 1845) |*Eolis*|
 Labbé, 1932:451
- Spurilla inornata* Costa, 1866 |*Flabellina*| [=Eolidina; =S. neapolitana]
 Engel, 1925:49; Vayssiére, 1903:86
- Spurilla japonica* (Eliot, 1913) |*Aeolidiella*| [=Aeolidiella]
 Gosliner, 1980:65; Kay, 1979:489
- Spurilla macleayi* (Angas, 1864) |*Aeolis*|
 Burn, 1969:96; 1989:784; Coleman, 1989:51†; 2001:†; Willan & Coleman, 1984:44†
- Spurilla major* (Eliot, 1903) |*Baeolidia*| [=Berghia]
 Nakano, 2004:252†; Ono, 1999:167†; 2004:256†; Rudman, 1982b:169; Tonozuka, 2003:153†; Wells & Bryce, 1993:154†; Yonow, 2000:119†
- Spurilla margaritae* Labbé, 1923a:9 [=Berghia; =Berghia verrucicornis]
 Labbé, 1923:268; 1932:451; Pruvot-Fol, 1954b:436
- Spurilla mograbina* Pruvot-Fol, 1953b:55† [=S. neapolitana]
- **Spurilla neapolitana* (delle Chiaje, 1823) |*Eolis*|
 Ballesteros, 1977:7; 1985:34; Barletta, 1981:121†; Barletta & Melone, 1976:231; Behrens & Hermosillo, 2005:117†; Bergh, 1868:205; 1876b:759; 1882:13; Camacho-Garcia, Gosliner, & Valdes, 2005:110; Cattaneo-Vietti, Chemello, & Giannuzzi-Savelli, 1990:195†; Cesari, 1990:†; Cuénot, 1906:99; Edmunds & Just, 1983:200; Eliot, 1906d:153; Engel, 1925:46; Eyster, 1980:593; Fez Sanchez, 1974:75†; Garcia-Gomez, 2002:187†; García & Cervera, 1985:138; Gosliner, 1980:64; Hamatani, 2000:263; Jensen & Clark, 1986:455; Just & Edmunds, 1985:142†; Labbé, 1932:451; Marcus, 1955:184; 1957:475; 1976b:146; Marcus & Marcus, 1960a:187; 1960b:258; 1966:198; 1967:118; 1970a:89; Mazzarelli, 1903:286; Nordsieck, 1972:83†; Okutani, 2000:811†; Perrone, 1983b:138; Pimpao & Magalhaes, 2004:181†; Pruvot-Fol, 1951:55; 1954b:433; Riedl, 1970:433; 1983:327; Rolán & Otero-Schmitt, 1996:155; Schmekel, 1970:156; Schmekel & Portmann, 1982:228; Sordi & Majidi, 1956:243; Swennen, 1961a:71; Tchang Si, 1931a:132; Trainito, 2003:42†; 2005:74†; Trinchese, 1878a:405; Turk, 2000:165†; Vayssiére, 1888d:112; 1913a:300; 1929; Vicente, 1981:79; Wirtz, 1999:†
- Spurilla neapolitana* var. Bergh, 1882:15
 Bergh, 1885:27

- Spurilla* cf. *neapolitana* (delle Chiaje, 1841)
Schrödl, 2003:88
- Spurilla norvegica* (Odhner, 1939) |*Berghia*|
García-Gómez & Thompson, 1990:329
- Spurilla oliviae* (MacFarland, 1966) |*Aeolidiella*| [=*Aeolidiella*]
Behrens, 1980:94†; Farmer, 1980:159; McDonald, 1983:210; McDonald & Nybakken, 1980:66†;
Williams, 1971:215
- Spurilla orientalis* Bergh, 1905a:223
Engel, 1925:50
- Spurilla orientalis* (O'Donoghue, 1927) |*Eolidina*| [=*Spurilla chromosoma*]
Marcus, 1961:56
- Spurilla risbeci* Marcus, 1961 [=*Aeolidiella*]
- Spurilla salaamica* Rudman, 1982b:173 [=*Berghia*]
Nakano, 2004:252†
- Spurilla sargassicola* (Kroyer)
Bergh, 1871:1283; Simroth, 1888:221; Vayssiére, 1913a:301
- Spurilla vayssierei* García & Cervera, 1985
Perrone, 1990b:26
- Spurilla verrucicornis* (Costa, 1867 for 1864) |*Flabellina*|
Garcia-Gomez, 2002:188†; García-Gómez & Thompson, 1990:†
- Spurilla* sp. Garcia-Gomez, 2002:†
- Spurilla* sp. George & George, pl. 93†
- Spurilla* sp. Guernsey, 1912:78 [=*Eolidina orientalis*; =*S. chromosoma*]
Steinberg, 1961:62
- Spurilla* sp. Lemche in Just & Edmunds, 1985:144†
- Spurilla* det. Muniaín & Ortea, 1999 [=*S. cf. neapolitana*]
- Spurilla* sp. Perrone, 1986a:34
Perrone, 1990b:25
- Spurilla* sp. Redfern, 2001:181†

Species Incertae Sedis

- Abranchus* Hasselt, 1824a:242
- **Abranchus glaucoleucus* Hasselt, 1824a:242
Bergh, 1887a:311
- Agenor* Rafinesque, 1815:142 {nomen nudum}
- Altra specie di lumaca* Cavolini [=*Costaea affinis*; =*Eolis affinis* Gmelin]
- Archaeodoris* Smith, 1899:298
- Archaeodoris carbonarius* Smith, 1899:298*
- Beccaria* Trinchese, 1870 [a Sacoglossan]
Trinchese, 1870:47; 1871:390
- **Beccaria tricolor* Trinchese, 1870

- Briarea* Quoy & Gaimard, 1832:284
Rang, 1829:126; Quoy & Gaimard, 1834:291; Voigt, 1834:125
- Briarea scolopendra* Quoy & Gaimard, 1832:284
Rang, 1829:1267; Voigt, 1834:125
- Busiris* Risso, 1826:34
Cuvier, 1830:56; 1834:40; Voigt, 1834:125
- **Busiris griseus* Risso, 1826:34
Voigt, 1834:125
- Cenia*
Calliopaea fuscata Gould, 1870:250† [=Embletonia pallida]
- Cavolinia* Orbigny [=Phidiana]
Cavolinia peregrina Cantraine [=Calma cavolini]
- Cirropteron* Sars, 1835
Concha sine testa Plancus de Conchis minus notis Romae Apend, 1760
= *Doris obvelata*
- Cydippa* Rafinesque, 1815:142 {nomen nudum}
- Deridobranchus* Ehrenberg, 1831
**Deridobranchus argus* Ehrenberg, 1831
- Digitobranchus* Risbec, 1937a:164 [not placed by Risbec]
Risbec, 1953:125
- Digitobranchus nebae* (Risbec, 1930)
Risbec, 1953:125
- Dimorpha* Milne-Edwards, 1837, Gray, 1840:148
Gray, 1847a:165
- Dorid* sp. Eales, 1938:99
- Doridacea* sp. Orr, 1981:34†
- Doridacea* sp. Orr, 1981:41†
- Doride occhiale* delle Chiaje, 1841
- Doride setigera*
- Dorididae* sp.1 Bouchet, 1977a:46
- Dorididae* sp.2 Bouchet, 1977a:47
- Doridien* gen. ? no. I Pruvot-Fol, 1953b:81
- Doridien* gen. ? no. II Pruvot-Fol, 1953b:81
- Doridien* gen. ? no. III Pruvot-Fol, 1953b:81
- Doridien* gen. ? no. IV Pruvot-Fol, 1953b:82
- Doridogone* Rathke, 1843
- Doridogone candida* Rathke, 1843
- Drepanidiella* sp. Morton & Miller [=Trapania rudmani]
- Drepanoconcha* Zilch, 1949
- Eidotea* Risso [=Glaucus]
- Eine Doridide Simroth, 1895b:171
- Enipeus* Rafinesque, 1815:142 {nomen nudum}
- Eoldia* delle Chiaje [=Spurilla]
- Fabius* Gisel, 1848 [=Hervia]
- Genus and species? Guernsey, 1912:77 [=Polycera atra]
O'Donoghue, 1926:215
- Glaucidium* sp. [Risbec, 1956:31]
- Glossodoridella* Pruvot-Fol, 1951
- Gravulina exigua* Vorstman, 1924 [=Tergipes despectus]

- Hirudinis marini* Breyne, 1705
Hirudo marina Breyne, 1705 [= *Glaucus atlanticus*]
Inuda Marcus & Marcus, 1967
Inuda luarna Marcus & Marcus, 1967
Joenia Aradas, 1847:118
Joenia rubrobranchiata Aradas, 1847:118 [= *Calmella cavolini*]
Lepus marinus alter minor Columna
 Cuvier, 1804c:450
Lepus marinus minor Fab.
 =*Doris argo*
Lepus pelagicus Linnaeus, 1754 [= *Scyllaea pelagica*]
Lomanoto de Gene Vérany, 1844 [= *Lomanotus genei*]
Limace a plante Dicquemare, 1779
 Cuvier, 1804c:450
Limace de Mer Dicquemare, 1779:56
Limace de Mer epineuse Bomme [= *Doris pennata* Gmelin]
Limace de Mer palmifere Dicquemare, 1785:262 [= *Tritonia hombergii*]
Limax
 Limax bilamellatus Linnaeus, 1761
 =*Lamellidoris* [Johnson, 1915*]
 Limax epineuse Bomme
 Limax marinus Forskål, 1775:99 [= *Eolidia*; = *Fiona pinnata*]
 Limax marinus Gunnerus, 1770 [= *Fiona pinnata*]
 Limax marinus, spinis mollibus hirsuta Baster 1760 [= *Aeolidia papillosa*]
 Engel, 1936a:109
 Limax minimus Forskål, 1775:100 [Gray, 1850b*] {suppressed, ICZN, 1966:84}
 =*Flabellina* [Gray, 1850b*]
 Lemche, 1964:37
 Limax papillosus Linnaeus, 1761 [= *Eolis papillosa*]
 ICZN, 1966a:100
 Limax tergipes Forskål, 1775:99 [= *Tergipes*]
 ICZN, 1966:84; Lemche, 1964:38
 Limax tetraquetra Pallas, 1788 [= *Tochuina*]
 =*Tritonia*
Liopa Gray, 1840:148 {nomen nudum}
Lumaca prime specie Cavolini [= *Eolis peregrina*]
Luxuria Modeer, 1792 [= *Triopa*]
 Winckworth, 1935:321
Marini leporis Rondelet, 1554
Mitellae species tertia verrucosa Seba, 1735
Nereus Rafinesque, 1815:142 {nomen nudum}
Ortheolis nigrescens Odhner in Rodgers & Oleröd, 1988:305 {nomen nudum}
Paralus Rafinesque, 1815:142 {nomen nudum}
Perbiea Rafinesque, 1815:142 {nomen nudum}
Pherusa Rafinesque, 1815:142 {nomen nudum}
Phanerobranche doriforme Frédol, 1866 [= *Thecacera pennigera*]
Pluscula Marcus, 1953
Pluscula cuica Marcus, 1953*

- Praegliscita* Burn, 1957:19 [not placed by Burn]
Praegliscita chrysoderma (Angas, 1864)* [=Neodoris] (non =*Doris chrysoderma*, vide Thompson, 1975:479)
 Burn, 1957:19
- Prima lumaca* Cavolini [=*Eolis peregrina*] *Pseudoceros kentii* von Graff of Saville Kent, 1893 [=*Hexabranchus marginatus*] Hedley, 1909:464
- Pterogasteron marginata* Pease, 1860 [=*Glossodoris*] *Pullus ranae piscatricis quartae* Seba, 1734 [=*Scyllaea pelagica*] *Ruommo* Poli, 1812 [=*Armina*] *Sidonia* Schultze, 1854 [a flatworm genus] *Sidonia elegans* (Schultze, 1854) [=*Rhodope veranyi*] Species B Eyster, 1980:592 *Spongiodoris* Pruvot-Fol, 1933b:131 [not placed by Pruvot-Fol]
 Marcus & Marcus, 1967:166; Pruvot-Fol, 1933a:148 *Spongiodoris rigida* Pruvot-Fol, 1933b:131*
 Pruvot-Fol, 1933a:148 *Stephylla* Rafinesque, 1815:142 {nomen nudum} *Tetyharum species tertia* Seba, 1758 *Thethys auriculis duabus elevatis* Stroem [=*Doris arborescens*] *Thimna* Bergh, 1905 *Thimna defensa* Bergh, 1905 *Timorella* Bergh, 1905a:241 [not placed by Bergh]
 Pruvot-Fol, 1935a:255 *Timorella perplexa* Bergh, 1905a:241*
 Pruvot-Fol, 1935a:255 Unidentified species Turk, 2000:165† *Zeeslak* Baster, 1760