

UCLA

UCLA Previously Published Works

Title

Evaluation of uncomplicated acute respiratory tract infection management in veterans: A national utilization review

Permalink

<https://escholarship.org/uc/item/0qg4f1n2>

Journal

Infection Control and Hospital Epidemiology, 40(4)

ISSN

0899-823X

Authors

Bohan, Jefferson G
Madaras-Kelly, Karl
Pontefract, Benjamin
et al.

Publication Date

2019-04-01

DOI

10.1017/ice.2019.16

Peer reviewed

Evaluation of Uncomplicated Acute Respiratory Tract Infections (ARI) Management in Veterans: A National Utilization Review

Jefferson G Bohan, Pharm D; ^{1,2} Karl Madaras-Kelly, PharmD, MPH; ^{2,3} Benjamin Pontefract, PharmD;² Makoto Jones, MD, MS; ^{4,5} Melinda M. Neuhauser, PharmD, MPH; ⁶ Matthew Bidwell Goetz, MD; ⁷ Muriel Burk, PharmD;⁸ Francesca Cunningham, PharmD;⁸ for the ARI Management Improvement Group

Department of Infectious Diseases, Ochsner Medical Center, New Orleans, LA., USA ¹; Pharmacy Service, Boise Veterans Affairs Medical Center, Boise, ID. USA ²; Department of Pharmacy Practice, College of Pharmacy, Idaho State University, Meridian, ID., USA ³; IDEAS Center, Veterans Affairs Salt Lake City Healthcare System, Salt Lake City, UT., USA ⁴ Department of Internal Medicine, University of Utah, Salt Lake City, UT., USA ⁵; Veterans Affairs Pharmacy Benefits Management Services, Hines IL., USA ⁶ Department of Infectious Diseases, Veterans Affairs Greater Los Angeles Healthcare System and David Geffen School of Medicine at UCLA, Los Angeles, CA., USA⁷; Center for Medication Safety (VAMedSAFE), Hines Veterans Affairs Medical Center, Chicago IL., USA.⁸

Keywords: respiratory tract infections, practice patterns physicians, antimicrobials, drug utilization, primary care

Running Title: Management of Uncomplicated ARI

Corresponding Author: Karl Madaras-Kelly, 500 W. Fort Street, Bldg. T-111, Boise, ID 83702, Karl.Madaras-Kelly2@va.gov, 208-422-1000 x7680.

Alternate Corresponding Author: Francesca Cunningham, Pharm D. Pharmacy Benefits Management Benefits Service, Hines VA, 5000 S 5th Avenue, Hines, IL, 60141. Fran.Cunningham@va.gov, 708-786-7882.

Short Summary: In uncomplicated acute respiratory infections, we assessed congruence between clinical decision-making (diagnostic and treatment) and guideline recommendations. Antibiotics were prescribed in most visits, indicating substantial antibiotic overuse. Practice patterns were frequently incongruent with guideline diagnosis and treatment recommendations.

:

Abstract:

Background: Antibiotics are overprescribed for acute respiratory tract infections (ARIs). Guidelines provide criteria to determine which patients should receive antibiotics. Limited data characterize congruence between practice and guideline recommendations and clinical outcomes.

Methods: We assessed congruence between documentation of diagnostic and treatment practices with guideline recommendations for: pharyngitis, rhinosinusitis, bronchitis, and upper respiratory tract infections (URI-NOS). Visits in 28 Veterans Affairs facilities during the 2015-16 Winter season were reviewed. Manual records review identified complicated cases which were excluded. Data were extracted for visits meeting criteria, followed by analysis of practice patterns, guideline congruence, and outcomes.

Results: 4,305 of 5,740 visits met criteria: pharyngitis (n=558), rhinosinusitis (n=715), bronchitis (n=1,155), URI-NOS (n=1,475), or mixed diagnoses (>1 simultaneous ARI diagnosis) (n=402).

Antibiotics were prescribed in 68% of visits: pharyngitis (69%), rhinosinusitis (89%), bronchitis (86%), URI-NOS (37%), and mixed diagnosis (86%). Streptococcal diagnostic testing was performed in 33% of pharyngitis visits; Group A *Streptococcus* was identified in 3% of visits. Streptococcal tests were ordered less frequently in patients who received antibiotics 28% than those who did not receive antibiotics 44% ($P<0.01$). While 68% of visits for rhinosinusitis had documentation of symptoms; only 32% met diagnostic criteria for antibiotics. Overall, 39% of patients with uncomplicated ARIs received appropriate antibiotic management. The proportion of 30-day return visits for ARI care was similar for appropriate (11%) or inappropriate (10%) antibiotic management ($P=0.22$).

Conclusions: Antibiotics were prescribed in most uncomplicated ARI visits indicating substantial antibiotic overuse. Practice were frequently discordant with guideline diagnosis and treatment recommendations.

Introduction

Acute respiratory tract infections (ARIs), including rhinosinusitis, pharyngitis, bronchitis, and common cold (URI-NOS), account for 30% of antibiotics prescribed in outpatient settings, yet viruses cause most ARIs.¹ Antibiotics are indicated for rhinosinusitis and pharyngitis if specific criteria are met.^{1,2} Infectious Diseases Society of America (IDSA) guidelines for management of Streptococcal pharyngitis recommend identifying suitable candidates for Group A *Streptococcus* testing and prescribing antibiotics only for patients with positive results.³ IDSA guidelines recommend antibiotic treatment for bacterial rhinosinusitis based on identifying constellations of signs and symptoms to determine probability of bacterial infection: prolonged symptom duration, worsening after initial improvement, or severe presentation.^{4,5} When antibiotics are indicated, guidelines recommend penicillin or penicillin derivatives except for patients with β -lactam allergy. Numerous sources recommend against routine antibiotic prescribing for acute bronchitis (unless pertussis is suspected) or URI-NOS.^{2,6-7}

The Veterans Healthcare Administration (VHA) provides care to 7 million veterans nationwide through >150 VA Medical Centers (VAMC). In 2014, the VHA required each VAMC to implement an Antimicrobial Stewardship Program (ASP). Many VAMCs have developed robust inpatient ASPs.⁸ However, most antibiotics are prescribed in the outpatient setting.⁹ Antibiotic prescription for uncomplicated ARIs increased within the VHA between 2005 and 2012, and azithromycin was the leading antibiotic prescribed.¹⁰

The VA Center for Medication Safety (VAMedSAFE) is tasked with evaluating and promoting safe and effective drug therapy within the VHA through performance of medication utilization evaluations (MUE)s. An MUE is a systematic, criteria-based quality improvement analysis of medication or disease(s) designed to improve patient outcomes.¹¹ VAMedSAFE previously partnered with the VA Antimicrobial Stewardship Task Force to conduct MUEs to monitor and improve antibiotic therapy for pneumonia and urinary tract infections.^{8,12,13}

The purpose of this MUE was to evaluate ARI diagnostic and treatment appropriateness, and to inform the development of a VHA-wide Campaign to improve ARI management. Objectives were: 1) determine the frequency of appropriate antibiotic management (i.e., appropriately withholding or

initiating antibiotic therapy based on documentation of clinical and diagnostic criteria) congruent with published guidelines, and 2) comparison of relevant outcomes between those who did or did not receive appropriate antibiotic management.

Methods

VAMedSAFE created a retrospective cohort of patient-visits from Veterans with an outpatient ARI diagnosis for 28 VAMCs that volunteered to participate in the MUE. The first eligible visit for each patient during the evaluation time-period was included. Diagnoses were identified by International Classification of Diseases 10th Clinical Modification (ICD-10 CM) codes for acute rhinosinusitis, pharyngitis, bronchitis, or URI-NOS for visits occurring between October 1, 2015 and March 30, 2016.¹⁴ **(Appendix A)** Visits were excluded for: complete lack of ARI symptom or treatment documentation, resolved ARI on visit date, hospitalization within 1 day after visit, antecedent ARI within 30 days, chronic sinusitis or pharyngitis, concurrent non-ARI infection requiring antibiotics, antibiotic self-treatment or chronic antibiotic use. Further, patients with select comorbidities were excluded: chronic lung disease (COPD), end stage renal disease, active neoplasm, marrow or organ transplantation, HIV, and other immunocompromising conditions. **(Appendix A)** A prescription for an oral antibiotic dispensed from the VHA <2 days before or <3 days after the encounter was attributed to the visit.¹⁰

Potential cases were extracted from electronic data using inclusion criteria by VAMedSAFE from the VHA Corporate Data Warehouse (CDW) in collaboration with the Informatics Decision Enhancement and Analytic Sciences Center (IDEAS 2.0).¹⁵ Exclusions based on ICD-10 codes and prescription data, select patient demographics, co-morbidities, and 30-day all-cause hospitalization were extracted as well. Local reviewers, blinded to specific ARI diagnoses, were provided lists of ≤ 250 visits per facility. These reviewers (antibiotic stewards and trainees) performed manual review of electronic health records to confirm and/or extract inclusion and exclusion criteria, signs and symptoms, provider indicated diagnoses, laboratory test results, antibiotics(s) prescribed, and outcomes. A data abstraction protocol, case report form, and monthly teleconferences facilitated standardized data collection. **(See**

supplementary Appendix B) Completed cases were uploaded to a VAMedSAFE database for integration and analysis.

Indications for antibiotic initiation and definitions of appropriate therapy were adapted from guideline recommendations.²⁻⁷ For pharyngitis, penicillin or amoxicillin were appropriate first-line therapies for patients with a positive rapid antigen detection test (RADT) or a throat culture positive for Group A, C, or G *Streptococcus*.³ First generation cephalosporins, clindamycin, or macrolides were appropriate second-line therapies for patients with penicillin allergy. For rhinosinusitis, amoxicillin/clavulanate or amoxicillin were considered appropriate first-line therapies in patients with purulent nasal discharge and/or facial pain/pressure/fullness plus one of the following: prolonged (≥ 7 days), severe (temperature ≥ 102 F for > 2 days), or worsening symptoms after ≥ 4 days.⁴⁻⁵ Tetracyclines, moxifloxacin, or levofloxacin were appropriate second-line therapies for patients with penicillin allergy. For acute bronchitis, azithromycin or trimethoprim/sulfamethoxazole therapy (in case of macrolide allergy) was considered appropriate if the provider documented suspicion of pertussis exposure or performed pertussis testing.^{6,7} For URI-NOS, antibiotic therapy was considered inappropriate.² Based upon ARI diagnosis, documentation of diagnostic criteria, antibiotic initiation, and antibiotic selection, antibiotic management for each case was classified as appropriate or inappropriate. Visits with mixed ARIs (> 1 simultaneous ARI diagnosis) or those with a “delayed prescriptions” filled outside of the 3-day post-visit window were excluded from the appropriate management and outcomes assessments.

Demographics, signs, symptoms, diagnostics, antibiotics prescribed, and outcomes were compared with descriptive statistics, parametric or non-parametric tests as indicated (two-tailed P value < 0.05 defined significance). (SAS^R, v 9.4, SAS Institute, Cary NC) Outcomes were reported based upon appropriate and inappropriate antibiotic management classifications.

Based on VA Policy Handbook 1058.05, which defines operations activities that constitute research, this evaluation was deemed to be quality improvement and exempt from VA Human Subjects

Research requirements by the Hines VA Institutional Review Board.¹⁶ Data Use Agreements were signed by all participating sites.

Results

Of visits reviewed, 4,305/5,740, [75%] met criteria for assessment of diagnosis, and 3,884/5,740, [68%] met criteria for assessment of antibiotic management appropriateness and outcomes. **(Figure I)** Most patients were male and middle-aged with limited co-morbidity. **(Table I)** Few patients exhibited abnormal vital signs. Overall, 2,897/4,285, [68%] of patients with uncomplicated ARIs received antibiotics. Recipients were more likely male, smokers, and seen in the Emergency Department compared to antibiotic non-recipients. Mid-level providers prescribed antibiotics more often than staff physicians, and medical trainees prescribed antibiotics less often than staff physicians or mid-level providers.

Most patients (567/715, [79%]) diagnosed with rhinosinusitis had documentation of purulent nasal discharge and/or facial pain, pressure, or fullness upon presentation. **(Table II)** Of those patients (216/567, [38%]) had documentation of additional criteria for antibiotic therapy, predominantly prolonged symptoms (≥ 7 days). Antibiotics were prescribed in 633/709, [89%] of rhinosinusitis visits eligible for evaluation, of which 203/633 [32%] met complete diagnostic criteria for antibiotic therapy. When antibiotics were prescribed, 389/633 [61%] patients received first-line and 66/633 [10%] received second-line antibiotics. The rest (178/633, [28%]) received non-recommended antibiotics. Based on chart documentation of rhinosinusitis symptoms, antibiotic selection, and appropriately withheld antibiotics, 226/709 [32%] received appropriate antibiotic management.

Most patients (432/558, [77%]) with a pharyngitis diagnosis lacked Centor score component documentation or had Centor scores of <2 , indicating few patients met streptococcal testing recommendations.¹⁷ **(Table II)** β -hemolytic *Streptococcus* testing was performed in 185/558 [33%] of visits, and was more likely to be performed in patients with ≥ 2 Centor criteria (53/126, [42%]) than those with <2 criteria (132/432, [31%], $P=<0.02$). Overall, 17/558 [3%] of patients diagnosed with pharyngitis had testing positive for Group A *Streptococcus*. Antibiotic therapy was prescribed to 384/556 [69%]

patients with pharyngitis eligible for evaluation; of these, 102/384 [27%] had ≥ 2 Centor criteria documented, indicating likelihood of Streptococcal pharyngitis high enough to warrant testing. Of patients with pharyngitis prescribed antibiotics, 147/384 [38%] received first-line therapy, 123/384 [32%] received second-line therapy, while 34/384 [9%] of patients that received antibiotics had a documented penicillin allergy. Streptococcal tests were ordered less frequently in patients who received antibiotics (108/185 [28%]) than those who did not receive antibiotics (77/185 [44%], $p < 0.01$). Based on evidence of β -hemolytic streptococcal infection, antibiotic selection, and appropriately withheld antibiotics, 194/556 [35%] received appropriate antibiotic management of pharyngitis.

Of patients with an acute bronchitis diagnosis, 7/1,154 [$< 1\%$] had documentation of concern for pertussis exposure, confirmed exposure or infection. These patients underwent diagnostic testing, but none tested positive for pertussis. Antibiotics were prescribed in 990/1,148 [86%] of acute bronchitis visits eligible for evaluation, of which azithromycin was prescribed to 614/990 [62%]. Based on chart documentation of pertussis concerns and appropriately withheld antibiotics, 159/1,148 [14%] received appropriate antibiotic management for acute bronchitis. For patients diagnosed with URI-NOS, antibiotics, primarily azithromycin, 330/550 [60%], were prescribed to 550/1,471 [37%] of patients eligible for evaluation. Based on the proportion of patients who received antibiotics, 924/1,471 [63%] of patients diagnosed with URI-NOS received appropriate antibiotic management. In total 1,497/3,884 [39%] of patients diagnosed with uncomplicated ARIs received appropriate antibiotic management.

After removal of visits with mixed diagnoses and delayed prescriptions, there were 704/3,884 [18%] follow-up encounters (in person or by phone) related to the initial ARI visit. Patient outcomes were assessed among two axes, patients who did or did not initially receive antibiotics (**Table III**) and patients who did or did not receive appropriate antibiotic management (**Table IV**). Among patients who did (457/2,552, [18%]) or did not (247/1,332, [19%]) initially receive antibiotics there was no difference in the frequency of additional encounters ($P = 0.65$). However, patients with rhinosinusitis who did not receive antibiotics (22/79, [28%]) more commonly had a subsequent ARI-related encounter than patients who did receive antibiotics (106/630, [17%], $P = 0.02$). Patients who did not receive antibiotics in the

initial encounter were more likely to receive an antibiotic during a subsequent encounter (84/1,332 [6%] versus 105/2,552 [4%], $P<0.01$), especially for patients with an initial diagnosis of acute bronchitis (12/158, [8%] versus 39/990, [4%], $P=0.04$) or URI-NOS (58/921, [6%] versus 19/550, [4%], $P=0.02$). Thirty-day *Clostridium difficile* infection (2/3,884, [$<1\%$]) and 30-day hospitalization (33/3,884, [1%]) were uncommon and did not differ based on receipt of an antibiotic during the initial ARI visit.

Appropriate and inappropriate antibiotic management assessment revealed few differences in patient outcomes (**Table IV**). ARI-related return encounters were similar for patients who received appropriate (288/1,497, [19%]) versus inappropriate initial antibiotic management (416/2,387, [17%], $P=0.15$). However, patients who received initial appropriate management were more likely to receive an antibiotic during a return encounter (93/1,497, [6%]) than those who received inappropriate initial management (96/2,387, [4%], $P<0.01$). Patients who had antibiotics appropriately withheld were less likely to have a return encounter or patient initiated phone call than patients with antibiotics inappropriately withheld (239/1,314 [18%] vs. 8/18 [44%], $P<0.01$) and (35/1,314 [3%] vs. 2/18 [11%], $P=0.03$), respectively. Conversely, patients who had antibiotics appropriately initiated were more likely to have a return encounter or to initiate a follow-up phone call than patients who had antibiotics inappropriately initiated (54/230 [24%] vs. 403/2,322 [17%], $P=0.02$) and (12/230 [5%] vs. 69/2,322 [3%], $P=0.06$). No difference in outcomes based on appropriate or inappropriate antibiotic selection was observed. Finally, no difference in rates of *C. difficile* infection or hospitalization between antibiotic recipients and non-recipients, or differences related to the appropriateness of antibiotic management, was observed.

Discussion

This cross-sectional MUE generated several noteworthy observations. First, an excessive proportion of patients with uncomplicated ARIs were treated with antibiotics. Antibiotics were given to two-thirds of patients, whereas we found full justification for antibiotic therapy in approximately 10% of visits. Second, chart-level review of rhinosinusitis and pharyngitis diagnostic documentation identified

limited congruence with guideline recommended criteria for antibiotic treatment. While 89% of patients diagnosed with rhinosinusitis received antibiotics, less than one-third documented diagnostic criteria for treatment, suggesting that many patients may have received unnecessary antibiotics. Third, less than a quarter of pharyngitis cases had documentation of ≥ 2 Centor criteria, the recommended threshold for performing Streptococcal diagnostic testing. Testing was performed in one-third of cases and providers were more likely to test patients meeting the recommended testing threshold. Antibiotics were prescribed less frequently in patients who underwent testing for β -Hemolytic Streptococcus than those not tested, suggesting that improvements in testing could lower antibiotic prescribing. While antibiotics were prescribed in two-thirds of patients with pharyngitis, only 5% of patients tested positive for β -hemolytic Streptococcus. Of patients treated, less than one-third received penicillin or amoxicillin. Third, documentation of suspected pertussis exposure and testing was rare and the proportion of acute bronchitis cases treated with antibiotics was high. Only seven documented cases of suspected exposure to pertussis occurred with no confirmed cases. Nonetheless, 86% of patients with acute bronchitis received antibiotics. Similarly, more than one-third of patients with URI-NOS, a condition where antibiotics are never indicated, were treated with antibiotics. Fourth, detailed assessments of patient outcomes relative to initial receipt of antibiotics indicated similar proportions of ARI-related return visits and low frequency of complications, *Clostridium difficile* infections, and hospitalizations. Patients that did not receive antibiotics during their initial encounter were more likely to receive them during a subsequent encounter; however, the overall frequency of subsequent visits with antibiotics prescribed was low. While there were few differences in outcomes for patients who received or did not receive appropriate antibiotic management, patients who had antibiotics inappropriately withheld were more likely to seek follow-up care. Finally, patients that had antibiotics appropriately initiated were more likely to receive follow-up care than patients with antibiotics inappropriately initiated. We were unable to ascertain the reason for this as there were no differences in worsening symptoms or infectious complications between groups.

A strength of this analysis includes the systematic removal of complicated ARI cases through extraction from the CDW, which was confirmed by manual chart review. The manual chart review

identified small numbers (278/5,740, [5%]) of additional patients with significant pulmonary and immunological co-morbidity (**Figure I**), conditions where antibiotic use might be justified, verifying that the combination of diagnostic coding and recent prescription of select medications (**See supplementary Appendix A**) applied to electronic records was effective at identifying patients with comorbidity. While not all exclusions were identified by the algorithm, manual records review identified remaining cases not meeting uncomplicated ARI criteria. The manual records review also facilitated collection of information on documentation of clinical diagnostic criteria and verification of outcomes. These data, which were not retrievable through CDW databases, were used to conduct a detailed assessment of appropriate antibiotic management and clinical endpoints.

The analysis has several limitations. The VHA population is predominantly male, and not all Veterans receive care exclusively through the VHA. Some excluded cases identified through manual chart review indicated recent prior encounters that occurred outside the VHA, and it is possible that not all co-morbidities were documented within the VHA record, which could have impacted the accuracy of appropriate antibiotic management estimates. Further, the analysis excluded clinics without VHA pharmacy services for dispensing acute medications (i.e. Community-Based Outreach Clinics). Point-of-care rapid diagnostic testing availability within the VHA may be less than in private settings. A 2015 VA-wide survey of antimicrobial stewardship resources indicated that approximately half of VAMCs had RADT testing while throat culture testing was more widely available.¹⁸ As this was a quality improvement evaluation with a consensus-based approach to MUE protocol development, the diagnostic and treatment criteria for rhinosinusitis were not identical to IDSA recommendations. For example, ≥ 7 days instead of 10 days was used to define the prolonged symptoms diagnostic threshold for treatment of rhinosinusitis, and amoxicillin in addition to amoxicillin clavulanate was considered acceptable first line therapy.⁴⁻⁵ Since sites volunteered to participate, we cannot rule out bias in the characteristics of participating sites. Findings should not be generalized beyond uncomplicated ARI cases, as not all ARI visits identified by diagnostic codes met this definition.

Our findings parallel a VHA-wide analysis that reported an antibiotic prescribing rate of 69% in 2012.¹⁰ Respiratory tract infections, primarily ARIs, account for 45% of all outpatient prescriptions with an overall estimated annual appropriate antibiotic prescribing rate ranging 45 to 63% for adults.¹ Our findings of 39% for appropriate antibiotic management based on manual records review are slightly lower than that claims-based estimate. Reports from nation-wide commercially insured populations suggest overall outpatient antibiotic use decreased 9% between 2010 and 2016 with a 16% reduction in pediatrics but only a 5% reduction in adults.¹⁹ We recently reported a similar drop in outpatient antibiotic prescription for uncomplicated ARIs within the VHA system within a similar timeframe.²⁰ We found limited data on provider documentation of diagnostic criteria and their relationship to antibiotic treatment decisions for uncomplicated ARIs.²¹⁻²⁴ Similarly, a recent observational cohort study identified an 83% prescription rate for rhinosinusitis in adults and that 38% had symptoms for less than 3 days.¹⁹ That study found a lower (48%) antibiotic prescribing rate for pharyngitis and a higher rate of RADT testing for pharyngitis (91%). Antibiotics were prescribed in 47% of patients who had negative RADTs or no RADT test done. Our analysis identified that patients who did not initially receive antibiotics were slightly more likely to subsequently receive one on a follow-up visit; which has been previously reported.²⁵ Finally, similar rates of return visits and low rates of complications for patients with ARIs irrespective of antibiotic treatment have been reported.^{26,27}

While many approaches have been utilized to improve ARI management, few have demonstrated sustainability.²⁸ Our evaluation informed the development of a National VHA ARI Campaign to reduce unnecessary antibiotic use. Campaign components include provider-directed interventions of academic detailing coupled with audit/feedback. Preliminary results suggest improvements in appropriate antibiotic management for uncomplicated ARIs, although longitudinal follow-up is needed.²⁰ As scalability requires the ability to accurately identify, track, and report cases efficiently, further work is needed to assess diagnostic and treatment decisions without the need for chart review. Improvements in electronic medical record templates to capture ARI symptoms and Natural Language Processing may aid in that approach.²⁹⁻

³¹ Finally, future work should include tools to capture and aid assessment of untoward patient outcomes

including antibiotic adverse events, rare infectious complications, and ecological effects such as antibiotic resistance associated with inappropriate management decisions.

Overall, we observed high rates of antibiotic prescription for uncomplicated ARIs in VHA outpatient settings, suggesting considerable overuse did not change substantially between 2012 and 2016. Practice patterns were frequently discordant with guideline diagnosis and treatment recommendations. Most patient-related outcomes were similar irrespective of treatment approach suggesting that interventions to reduce use inappropriate antibiotic management are needed.

Acknowledgments

The views expressed in this manuscript are those of the authors and do not necessarily reflect the position or policy of the Department of Veterans Affairs. The authors acknowledge Kenneth Burkowski for assisting with the development of the data collection tools and data management as well as collaborators from the ARI Management Improvement Group. Collaborators are listed by VA membership at the time of MUE participation and some collaborators may no longer be practicing at affiliated locations.

Hudson Valley VAMC: Rita Bodine, Pharm D, Catherine Knapp PharmD; Bronx VA: Michael Gelman, MD, PhD, Kirsten Vest, PharmD, BCPS, Mei Chang, PharmD, BCPS-ID, BCCCP; Anchorage VA: Matthew Kirkland, PharmD; James Haley VAMC: Patrick Tu, PharmD, Amanda Mercurio, PharmD, BCPS, Sullivan Lynch, PharmD; Salem VAMC: Katherine Jamison, PharmD, BCPS, AAHIVP, Allison Kirstie French, PharmD, Nick Weatherton, PharmD, BCPS, BCACP, BCGP; Portland VA: Kimberly Tamura Mackay, PharmD, Johanna Peragine, PharmD; Eisenhower VAMC: Emily Potter, PharmD, BCPS; VA Connecticut: Brian Kotansky, PharmD, BCPS, Ann Fisher, MD, Van Vu, PharmD; New Orleans: Ngoc-tuyet Ngo, PharmD; St. Louis VA: Danielle Skouby, PharmD, BCPS; Fargo VA HCS: Jessica Dietz, PharmD, BCPS; Albuquerque, New Mexico VA HCS VA: Valeria Ilieva, MD, Tara Lindeman, PharmD; James A. Quillen VAMC: Marty Vannoy, PharmD, BCPS; Wilkes-Barre VAMC: Michael Surdy, PharmD, AAHIVP, Jill M. O'Donnell, PharmD, BCPS, BCGP, Tyler Young, PharmD; VA Puget Sound HCS: Jonathan Casavant, PharmD, BCPS; Gainesville VAMC: Joseph Pardo, PharmD, BCPS-AQ ID, AAHIVP, Michelle Lee, PharmD, Stephen Hare, PharmD; Fayetteville VAMC: Brian Leith, PharmD, BCPS, BCGP, Penny Peacock, PharmD, BCPS, Lindsey Cross, PharmD, BCACP; Pittsburgh VAMC: Amanda McQuillan, PharmD, BCPS; Cincinnati VAMC: Jason Hiatt, PharmD, BCPS, Jeremy Hilty, PharmD, PhD, BCPS, Victoria Tate, PharmD, BCPS, Jesse Brown; Lisa Young PhamD, BCPS, AQ-ID, Jenna Lopez, PharmD; Saginaw VAMC: Kayla J. Houghteling, PharmD, BCPS, CDE, Rebecca Meagher, PharmD, Eric Szydlowski, PharmD; VA Central Iowa HCS: Jenny Phabmixay, PharmD, BCPS, Kimberly S. Redeker, PharmD, BCACP; Edward Hines VA: Ursula Patel, PharmD,

BCPS, AAHIVP, Kaitlyn Acosta, PharmD, Oluwabunmi Abraham, PharmD; Central California VA: Jon Malepsy, PharmD, Jerick San Mateo, PharmD, Christopher Lam, PharmD; Dorn VA: Alyssa M. Grill, PharmD, BCPS; VA San Diego Health System: Ariel Ma, PharmD, BCPS, AQ-ID, Charisma Urbiztondo, PharmD, Scott Johns, PharmD, BCPS, Veterans Health Care System of the Ozarks (Arkansas): Jennifer Cole, PharmD, BCPS, BCCCP, Carol Allred, PharmD, Michele Walker, PharmD, BCGP, Sioux Falls VA Health Care System: Andrea Aylward, PharmD, BCPS, Mackenzie Schreier, PharmD, Cassie Heisinger, PharmD

References

1. Fleming-Dutra K, Hersh A, Shapiro D, et al. Prevalence of inappropriate antibiotic prescriptions among US ambulatory care visits, 2010-2011. *JAMA*. 2016;315 (17):1864–1873. Available from: <https://jamanetwork.com/journals/jama/fullarticle/2518263>
2. Harris AM, Hicks LA, Qaseem A. Appropriate antibiotic use for acute respiratory tract infection in adults: advice for high-value care from the American College of Physicians and the Centers for Disease Control and Prevention. *Ann Intern Med*. 2016 Mar 15;164(6):425-34. Available from: <https://www.annals.org/article.aspx?doi=10.7326/M15-1840>
3. Shulman ST, Bisno AL, Clegg HW, et. Al. Clinical practice guideline for the diagnosis and management of group A streptococcal pharyngitis: 2012 update by the Infectious Diseases Society of America. *Clin Infect Dis*. 2012 Nov 15;55(10):e86-102. Available from: <https://academic.oup.com/cid/article-lookup/doi/10.1093/cid/cis847>
4. Chow A, Benninger M, Brook I et Al. IDSA clinical practice guideline for acute bacterial rhinosinusitis in children and adults. *Clin Infect Dis*. 2012;54(8):e72-e112. Available from: <https://academic.oup.com/cid/article/54/8/e72/367144>
5. Rosenfeld RM, Piccirillo JF, Chandrasekhar SS, et. Al. Clinical practice guideline (update): adult sinusitis. *Otolaryngol Head Neck Surg*. 2015 Apr;152(2 Suppl):S1-S39. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25832968>
6. Irwin R, Baumann M, Bolser D, et al. Diagnosis and management of cough executive summary: ACCP evidence-based clinical practice guidelines. *Chest* 2006. 129(1 Suppl):1S-23S. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3345522/>
7. Center for Disease Control. Adult Treatment Recommendations for Outpatient Acute Respiratory Infections. Available from: <https://www.cdc.gov/antibiotic-use/community/for-hcp/outpatient-hcp/index.html>.
8. Kelly AA, Jones MM, Echevarria KL, et. Al. A Report of the Efforts of the Veterans Health Administration National Antimicrobial Stewardship Initiative. *Infect Control Hosp Epidemiol*. 2017 May;38(5):513-520. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28118861>

9. Sanchez GV, Fleming-Dutra KE, Roberts RM et. Al. Core Elements of Outpatient Antibiotic Stewardship. MMWR Recomm. Rep. 2016 Nov 11;65(6):1-12. Available from: <https://www.cdc.gov/mmwr/volumes/65/rr/rr6506a1.htm>
10. Jones B, Sauer B, Jones M, et al. Variation in outpatient antibiotic prescribing for acute respiratory infections in the veteran population: A cross-sectional study. Ann Intern Med. 201; 163:73–80. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26192562>
11. Drug and Therapeutics Committees- A Practical Guide. World Health Organization. Available from: <http://apps.who.int/medicinedocs/en/d/Js4882e/8.5.html>.
12. Madaras-Kelly KJ, Burk M, Caplinger C, et. Al. Total duration of antimicrobial therapy in veterans hospitalized with uncomplicated pneumonia: Results of a national medication utilization evaluation. J Hosp Med. 2016 Dec;11(12):832-839. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27527659>
13. Spivak ES, Burk M, Zhang R, et. Al. Management of Bacteriuria in Veterans Affairs Hospitals. Clin Infect Dis. 2017 Sep 15;65(6):910-917. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28531289>
14. Centers for Medicare Services, 2016 ICD9/ICD10 GEMS. Available from: <https://www.cms.gov/Medicare/Coding/ICD10/2018-ICD-10-CM-and-GEMs.html>.
15. VA Informatics and Computing Infrastructure. Corporate Data Warehouse (CDW Database). Health Services Research and Development. Available from: https://www.hsrp.research.va.gov/for_researchers/vinci/
16. Veterans Health Administration Handbook 1058.05: VHA operations activities that may constitute research. Department of Veterans Affairs. Available from: https://www.va.gov/vhapublications/publications.cfm?pub=2&order=asc&orderby=pub_Number . 2011.
17. Centor RM, Witherspoon JM, Dalton HP, et al. The diagnosis of strep throat in adults in the emergency room. *Med Decis Making*. 1981;1(3):239-246. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/6763125>

18. Healthcare Analysis & Information Group (HAIG). A Field Unit of the Office of Strategic Planning & Analysis within the Office of the ADUSH for Policy and Planning. 2016: Page 21. Available from: <https://www.va.gov/oig/pubs/VAOIG-15-04247-111.pdf>
19. Antibiotic prescription fill rates declining the U.S. 2017. BlueCross BlueShield The Health of America Report. Available from: www.bcbs.com/the-health-of-america/reports/antibiotic-prescription-rates-declining-in-the-US.
20. Madaras-Kelly KJ, Hruza, H, Pontefract B, et. Al. Trends in Antibiotic prescribing for Acute Respiratory Tract Infections and Implementation of a Provider Directed Intervention within the Veterans Affairs Healthcare System. [abstract #208] In: Program and Abstracts of ID Week 2018 (San Francisco).
21. Havers FP, Hicks LA, Chung JR, et al. Outpatient Antibiotic Prescribing for Acute Respiratory Infections During Influenza Seasons. *JAMA Network Open*. 2018;1(2):e180243. Available from: <https://jamanetwork.com/journals/jamanetworkopen/fullarticle/2683951>
22. McCullough AR, Pollack AJ, Plejdrup-Hansen M, et. Al. Antibiotics for acute respiratory infections in general practice: comparison of prescribing rates with guideline recommendations. *Med J Aust*. 2017 Jul 17;207(2):65-69. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28701117>
23. Hong SY, Taur Y, Jordan MR, et. Al. Antimicrobial prescribing in the U.S. for adult acute pharyngitis in relation to treatment guidelines. *Journal of Evaluation in Clinical Practice*. 2011;17(6):1176-1183. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/20586844>
24. Meyer H, Lund B, Heintz B, et. Al Identifying opportunities to improve guideline-concordant antibiotic prescribing in veterans with acute respiratory infections or cystitis. *Infection Control & Hospital Epidemiology*. 2017;38; 724-728. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28397622>
25. Hueston WJ, Jenkins R, Mainous AG. Does drug treatment of patients with acute bronchitis reduce additional care seeking? Evidence from the Practice Partner Research Network. *Arch Fam Med*. 2000; 9:997-1001. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/11115198>
26. Meeker D, Linder J, Fox C, et al. Effect of Behavioral Interventions on Inappropriate Antibiotic Prescribing Among Primary Care Practices: A Randomized Clinical Trial. *JAMA*. 2016;315(6):562–570. Available from: <https://jamanetwork.com/journals/jama/fullarticle/2488307>

27. Dumkow L, Axford K, Suda K, Draper H, Brandt K. Impact of a stewardship-focused culture follow-up initiative on the treatment of pharyngitis in the emergency department and urgent care settings. *Diagnostic Microbiology and Infectious Disease*. Available from: <https://www.sciencedirect.com/science/article/pii/S0732889318301718> **In Press**.
28. E Ferrat, J Le Breton, E Guéry, F Adeline, E Audureau, O Montagne, F Roudot-Thoraval, C Attali, P Le Corvoisier, V Renard; Effects 4.5 years after an interactive GP educational seminar on antibiotic therapy for respiratory tract infections: a randomized controlled trial, *Family Practice*, Volume 33, Issue 2, 1 April 2016, Pages 192–199, Available from: <https://doi.org/10.1093/fampra/cm107>
29. Gifford J, Vaeth E, Richards K, et al. Decision support during electronic prescription to stem antibiotic overuse for acute respiratory infections: a long-term, quasi-experimental study. *BMC Infectious Diseases*. 2017;17: 528. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28760143>
30. Linder JA, Meeker D, Fox CR, Friedberg MW, Persell SD, Goldstein NJ, Doctor JN. Effects of Behavioral Interventions on Inappropriate Antibiotic Prescribing in Primary Care 12 Months After Stopping Interventions. *JAMA*. 2017;318(14):1391–1392. Available from: <https://jamanetwork.com/journals/jama/fullarticle/2656800>
31. Jones BE, South BR, Shao Y, et. al. Development and Validation of a Natural Language Processing Tool to Identify Patients Treated for Pneumonia across VA Emergency Departments. *Appl Clin Inform*. 2018 Jan;9(1):122-128. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29466818>

Table I. Patient Demographic, Provider, and Treatment Setting Characteristics

Characteristic, N (%)	All patients ^a (n=4,303)	Antibiotics Prescribed (n=2,907)	No Antibiotics Prescribed (n=1,396)	Sig. ^b
Age (y), Mean (\pm S.D.)	50 (16)	50 (16)	49 (16)	0.08
Gender (Male)	3,564 (83)	2,449 (84)	1,114 (80)	<0.01
Current smoker	1,117 (26)	839 (29)	278 (20)	<0.01
Beta-lactam allergy	517 (12)	364 (13)	153 (11)	0.15
Vital Signs				
Temperature \geq 101 F	29 (<1)	21 (<1)	8 (<1)	0.69
HR > 90 beats / minute	1,129 (26)	758 (26)	371 (27)	0.74
RR > 20 breaths / minute	97 (2)	73 (3)	24 (2)	0.12
Comorbid Conditions				
No comorbidities	3,979 (92)	2,673 (92)	1,304 (93)	Reference ^c
1 comorbidity	270 (6)	191 (7)	79 (6)	1.2 (0.9,1.5)
\geq 2 comorbidity	56 (1)	43 (2)	13 (<1)	1.6 (0.9,3)
Treating Provider				
Staff physician provider	2,999 (70)	2,101 (70)	898 (30)	Reference ^d
Mid-level provider	857 (20)	632 (74)	225 (26)	1.2 (1.0,1.4)
Medical trainees	351 (8)	117 (33)	234 (67)	0.2 (0.2,0.3)
Other provider	94 (2)	55 (59)	39 (42)	0.6 (0.4,0.9)
Treatment Setting				
Emergency department	2,218 (52)	1,570 (71)	648 (29)	Reference ^e
Urgent care clinic	640 (15)	417 (65)	223 (35)	0.8 (0.6,0.9)
Primary care clinic	1,356 (32)	880 (65)	476 (35)	0.8 (0.7,0.9)
Other outpatient clinic	89 (2.0)	40 (45)	49 (55)	0.3 (0.2,0.5)

^aNot all observations for each variable were recorded resulting in missing data for select characteristics. Two patients lacked antibiotic prescribing information documented (n=4,303). Due to rounding, all percentages may not add up to 100%. Abbreviations: Years (y), Fahrenheit (F), heart rate (HR), respiratory rate (RR)

^bReported P-values compared patients with antibiotics prescribed and patients with no antibiotics prescribed.

^cComorbidities evaluated renal disease, diabetes, liver disease, chronic heart failure, and history of cerebrovascular accident/transient ischemic attack. Two patients in the no comorbidities category did not have documentation indicating whether antibiotics were prescribed recorded (n=3,977). Significance reported as the odds ratio (OR \pm 95% CI) of receiving an antibiotic with no comorbidities as the reference group.

^dMid-level providers included physician assistants and nurse practitioners. Other providers included non-physician trainees, nurses, or providers that were unidentifiable. Four patients did not have type of provider recorded (n=4,301). Significance reported as the odds ratio (OR \pm 95% CI) of receiving an antibiotic with staff physician provider as the reference group.

^eOther outpatient clinic included Women's clinic and select Community-Based Outreach Clinics (CBOC). Two patients did not have treatment setting recorded (n=4,303). Significance reported as the odds ratio (OR \pm 95% CI) of receiving an antibiotic with Emergency Department as the reference group.

Table II: Documentation of Diagnostic Criteria for Antibiotic Therapy in Patients with a Diagnosis of Rhinosinusitis or Pharyngitis^a

Acute Rhinosinusitis Symptoms, N (%)	All Patients	Received Antibiotics	Did not Receive Antibiotics	P-Value^b
All Patients	715 (100)	633 (89)	82(12)	-
Patients with ≥ 1 of the following rhinosinusitis symptoms or treatment criteria	567 (79)	507 (80)	60 (73)	0.15
Purulent nasal discharge	144 (20)	134 (21)	10 (12)	0.06
Facial pain, pressure, or fullness	443 (62)	396 (63)	47(57)	0.36
Prolonged (≥ 7 days) ^c	284 (40)	262 (41)	22 (27)	0.01
Worsening (after > 4 days) ^c	41 (6)	38 (6)	3 (4)	0.39
Severe (Fever $\geq 102^\circ\text{F}$) ^c	2 (<1)	2 (<1)	0 (<1)	0.61
Antibiotic prescribing symptoms criteria met^d	216(30)	203 (32)	13 (16)	< 0.01
Acute Pharyngitis Symptoms, N (%)	All Patients	Received Antibiotics^b	Did not Receive Antibiotics^b	P-Value ^c
All patients	558 (100)	384 (69)	174(31)	-
Centor Criteria Score ^e				
0 or not documented	213 (38)	134 (35)	79 (49)	0.02
1	219 (39)	148 (31)	71 (41)	0.61
2	96 (17)	76 (20)	20 (12)	0.02
3	30 (6)	26 (7)	4 (2)	0.03
4	0 (0)	0 (0)	0 (0)	-
0-1 Centor criteria documented	432(77)	282(73)	150 (86)	<0.01
≥ 2 Centor criteria documented	126 (23)	102 (27)	24 (14)	<0.01
No RADT or Throat Culture obtained	373 (67)	276 (72)	97 (56)	<0.01
RADT or throat culture obtained	185 (33)	108 (28)	77 (44)	<0.01
≥ 2 Centor criteria documented and RADT or throat culture obtained	53 (10)	38 (10)	15 (9)	0.63
Total RADT and throat cultures positive ^f	33 (6)	28 (7)	5 (3)	0.04
Group A Streptococcus	17 (3)	14 (4)	3 (2)	0.22
Group C or G Streptococcus	8 (1)	7 (2)	1 (1)	0.25

^aDue to rounding, all percentages may not add up to 100%.

^bReported P-values compared patients with antibiotics prescribed and patients with no antibiotics prescribed.

^cSymptoms categorized as prolonged, worsening, or severe could have been rhinosinusitis symptoms or non-rhinosinusitis symptoms.

^dAntibiotic Prescribing Symptoms Criteria met based on documentation of purulent nasal discharge and/or facial pain or pressure AND any combination of prolonged symptoms, severe criteria, or worsening criteria was used to define antibiotic prescribing criteria.

^eThe Centor Criteria is a 4-point scale. Patients get a point for each of the following criteria they meet: temperature $\geq 101^\circ\text{F}$, enlarged cervical nodes, tonsillar exudate, and absence of cough¹⁷

^fThroat cultures were considered positive if there was growth of Group A, C, or G streptococcus reported.

Table III. Follow-up Outcomes for Patients with Uncomplicated Acute Respiratory Tract Infections (ARIs)^a

Outcome	All Patients				Acute Pharyngitis				Acute Rhinosinusitis				Acute Bronchitis				URI-NOS			
	Antibiotic Prescribed, n (%)	Antibiotic Withheld, n (%)	P-value	Antibiotic Prescribed, n (%)	Antibiotic Withheld, n (%)	P-value	Antibiotic Prescribed, n (%)	Antibiotic Withheld, n (%)	Antibiotic Prescribed, n (%)	Antibiotic Withheld, n (%)	P-value	Antibiotic Prescribed, n (%)	Antibiotic Withheld, n (%)	P-value	Antibiotic Prescribed, n (%)	Antibiotic Withheld, n (%)	P-value	Antibiotic Prescribed, n (%)	Antibiotic Withheld, n (%)	P-value
	n=2552	n=1332		n=382	n=174		n=630	n=79	n=990	n=158		n=550	n=921							
Unique ARI-related return encounter	457 (18)	247 (19)	0.63	71 (19)	34 (20)	0.79	106 (17)	22 (28)	198 (20)	35 (22)	0.02	82 (15)	156 (17)	0.53						0.31
30-day ARI-related return visit	248 (10)	146 (11)	0.22	37 (10)	18 (10)	0.81	57 (9)	9 (11)	108 (11)	20 (13)	0.50	46 (8)	99 (11)	0.52						0.14
Unresolved/Worsening Symptoms	185 (7)	116 (9)	0.10	31 (8)	13 (8)	0.79	40 (6)	9 (11)	80 (8)	17 (11)	0.10	34 (6)	77 (8)	0.26						0.13
Infectious Complication	7 (<1)	3 (<1)	0.77	1 (<1)	1 (1)	0.57	1 (<1)	0 (<1)	3 (<1)	0 (<1)	0.72	2 (<1)	2 (<1)	0.49						0.60
Antibiotic Prescribed	105 (4)	84 (6)	<0.01	18 (5)	11 (6)	0.43	29 (5)	3 (4)	39 (4)	12 (8)	00.75	19 (4)	58 (6)	0.04						0.02
Telephone	260 (10)	122 (9)	0.31	45 (12)	21 (12)	0.92	56 (9)	15 (19)	115 (12)	21 (13)	<0.01	44 (8)	65 (7)	0.55						0.50
Patient Initiated	81 (3)	37 (3)	0.49	15 (4)	4 (2)	0.33	15 (2)	3 (4)	37 (4)	6 (4)	0.45	14 (3)	24 (3)	0.97						0.94
30-day <i>C. difficile</i> infection	1 (<1)	1 (<1)	0.64	0 (<1)	0 (<1)	-	0 (<1)	0 (<1)	0 (<1)	0 (<1)	-	1 (<1)	1 (<1)	-						0.71
30-day Hospitalization	25 (1)	8 (<1)	0.22	8 (2)	0 (<1)	0.05	4 (<1)	0 (<1)	8 (1)	0 (<1)	0.48	5 (1)	8 (1)	0.26						0.94

^aDue to rounding, all percentages may not add up to 100%.

Table IV. Outcomes Associated with Appropriate and Inappropriate Antibiotic Management of Uncomplicated Acute Respiratory Tract Infections (ARIs)^a

Outcome	Overall Management ^b				Antibiotics Withheld				Antibiotics Initiated				Antibiotic Selection ^c			
	Appropriate, n (%)	Inappropriate, n (%)	P-value		Appropriate, n (%)	Inappropriate, n (%)	P-value		Appropriate, n (%)	Inappropriate, n (%)	P-value		Appropriate, n (%)	Inappropriate, n (%)	P-value	
	n=1497	n=2387	n=1314	n=18	n=230	n=2322	n=165	n=65								
Unique ARI-related return encounter	288 (19)	416 (17)	0.15	8 (44)	54 (24)	403 (17)	0.02	41 (25)	13 (20)							
30-day ARI-related return visit ^d	163 (11)	231 (10)	0.22	4 (22)	24 (10)	224 (10)	0.70	17 (10)	7 (12)							
Unresolved/Worsening Symptoms	127 (9)	174 (7)	0.18	3 (17)	17 (7)	168 (7)	0.93	11 (7)	6 (9)							
Infectious Complication	3 (<1)	7 (<1)	0.58	0 (<1)	0 (<1)	7 (<1)	0.40	0 (<1)	0 (<1)							
Antibiotic Prescribed	93 (6)	96 (4)	<0.01	2 (11)	12 (5)	93 (4)	0.38	9 (6)	3 (5)							
Telephone	149 (10)	233 (10)	0.84	6 (33)	35 (15)	225 (10)	<0.01	27 (16)	8 (12)							
Patient Initiated	44 (3)	74 (3)	0.78	2 (11)	12 (5)	69 (3)	0.06	7 (4)	5 (8)							
30-day <i>C. difficile</i> infection	1 (<1)	1 (<1)	0.74	0 (<1)	0 (<1)	1 (<1)	0.75	0 (<1)	0 (<1)							
30-day Hospitalization	9 (1)	24 (1)	0.18	0 (<1)	2 (1)	23 (1)	0.86	1 (<1)	1 (2)							

^aDue to rounding, all percentages may not add up to 100%.

^bOverall management was deemed appropriate if antibiotics were appropriately withheld or if antibiotics were appropriately initiated and the appropriated antibiotic was selected

^cSelection of antibiotic was only evaluated as appropriate or inappropriate if the patient's antibiotic was appropriately initiated. Since initiation and thus, selection, of antimicrobials is never appropriate for URI-NOS. Patients in the URI-NOS were only included in the Appropriate Overall Management Group.

^dARI-related return visits included urgent care, ED, and primary care return visit

Figure 1. Application of Inclusion and Exclusion Criteria for Acute Respiratory Tract Infection (ARI) Management Evaluation




Figure 1 Legend:

*Visits may have met more than one criteria resulting in exclusion or preventing inclusion

^bCo-morbid conditions include neoplasia, chronic lung disease (e.g., COPD, asthma), end-stage renal disease, solid organ transplantation, or other immunocompromised state (See supplementary Appendix A)

^cOther infectious diseases that were not excluded were concurrent hepatitis, genital herpes, or superficial (cutaneous) fungal infections.

^dVisits were not excluded if antibiotic agent was prescribed by a provider ≤ 2 days prior to encounter if the antibiotic was for ARI signs/symptoms

*Patients with mixed ARI diagnoses, delayed antibiotic prescriptions, or with missing antibiotic prescription data were excluded from the appropriate antibiotic management and outcomes analyses

ICD Code	ICD Code Type	ARI Diagnosis Category
460		9 URI-NOS
461		9 Sinusitis
461.1		9 Sinusitis
461.2		9 Sinusitis
461.3		9 Sinusitis
461.8		9 Sinusitis
461.9		9 Sinusitis
462		9 Pharyngitis
464		9 URI-NOS
465		9 URI-NOS
465.8		9 URI-NOS
465.9		9 URI-NOS
466		9 Bronchitis bronchiolitis
490		9 Bronchitis bronchiolitis
J01.00		10 Sinusitis
J01.10		10 Sinusitis
J01.20		10 Sinusitis
J01.30		10 Sinusitis
J01.40		10 Sinusitis
J01.90		10 Sinusitis
J02.9		10 Pharyngitis
J04.0		10 URI-NOS
J06.0		10 URI-NOS
J06.9		10 URI-NOS
J20.9		10 Bronchitis bronchiolitis

ICD Code Type	ICD Code	ICD Code Type	Exclusion Reason
9	1		9 Concurrent Infectious Disease
9	1.1		9 Concurrent Infectious Disease
9	1.9		9 Concurrent Infectious Disease
9	2		9 Concurrent Infectious Disease
9	2.1		9 Concurrent Infectious Disease
9	2.2		9 Concurrent Infectious Disease
9	2.3		9 Concurrent Infectious Disease
9	2.9		9 Concurrent Infectious Disease
9	3		9 Concurrent Infectious Disease
9	3.1		9 Concurrent Infectious Disease
9	3.2		9 Concurrent Infectious Disease
9	3.21		9 Concurrent Infectious Disease
9	3.22		9 Concurrent Infectious Disease
9	3.23		9 Concurrent Infectious Disease
9	3.24		9 Concurrent Infectious Disease
9	3.29		9 Concurrent Infectious Disease
9	3.8		9 Concurrent Infectious Disease
9	3.9		9 Concurrent Infectious Disease
9	4		9 Concurrent Infectious Disease
9	4.1		9 Concurrent Infectious Disease
9	4.2		9 Concurrent Infectious Disease
9	4.3		9 Concurrent Infectious Disease
9	4.8		9 Concurrent Infectious Disease
9	4.9		9 Concurrent Infectious Disease
9	5		9 Concurrent Infectious Disease
9	5.1		9 Concurrent Infectious Disease
9	5.2		9 Concurrent Infectious Disease
9	5.3		9 Concurrent Infectious Disease
9	5.4		9 Concurrent Infectious Disease
9	5.8		9 Concurrent Infectious Disease
9	5.81		9 Concurrent Infectious Disease
9	5.89		9 Concurrent Infectious Disease
9	5.9		9 Concurrent Infectious Disease
9	6		9 Concurrent Infectious Disease
9	6.1		9 Concurrent Infectious Disease
9	6.2		9 Concurrent Infectious Disease
9	6.3		9 Concurrent Infectious Disease
9	6.4		9 Concurrent Infectious Disease
9	6.5		9 Concurrent Infectious Disease
9	6.6		9 Concurrent Infectious Disease
9	6.8		9 Concurrent Infectious Disease
9	6.9		9 Concurrent Infectious Disease
9	7		9 Concurrent Infectious Disease
9	7.1		9 Concurrent Infectious Disease
9	7.2		9 Concurrent Infectious Disease
9	7.3		9 Concurrent Infectious Disease

9	7.4	9 Concurrent Infectious Disease
9	7.5	9 Concurrent Infectious Disease
9	7.8	9 Concurrent Infectious Disease
9	7.9	9 Concurrent Infectious Disease
9	8	9 Concurrent Infectious Disease
9	8.01	9 Concurrent Infectious Disease
9	8.02	9 Concurrent Infectious Disease
9	8.03	9 Concurrent Infectious Disease
9	8.04	9 Concurrent Infectious Disease
9	8.09	9 Concurrent Infectious Disease
9	8.1	9 Concurrent Infectious Disease
9	8.2	9 Concurrent Infectious Disease
9	8.3	9 Concurrent Infectious Disease
9	8.41	9 Concurrent Infectious Disease
9	8.42	9 Concurrent Infectious Disease
9	8.43	9 Concurrent Infectious Disease
9	8.44	9 Concurrent Infectious Disease
9	8.45	9 Concurrent Infectious Disease
9	8.46	9 Concurrent Infectious Disease
9	8.47	9 Concurrent Infectious Disease
9	8.49	9 Concurrent Infectious Disease
9	8.5	9 Concurrent Infectious Disease
9	8.6	9 Concurrent Infectious Disease
9	8.61	9 Concurrent Infectious Disease
9	8.62	9 Concurrent Infectious Disease
9	8.63	9 Concurrent Infectious Disease
9	8.64	9 Concurrent Infectious Disease
9	8.65	9 Concurrent Infectious Disease
9	8.66	9 Concurrent Infectious Disease
9	8.67	9 Concurrent Infectious Disease
9	8.69	9 Concurrent Infectious Disease
9	8.8	9 Concurrent Infectious Disease
9	9	9 Concurrent Infectious Disease
9	9.1	9 Concurrent Infectious Disease
9	9.2	9 Concurrent Infectious Disease
9	9.3	9 Concurrent Infectious Disease
9	10	9 Concurrent Infectious Disease
9	10.01	9 Concurrent Infectious Disease
9	10.02	9 Concurrent Infectious Disease
9	10.03	9 Concurrent Infectious Disease
9	10.04	9 Concurrent Infectious Disease
9	10.05	9 Concurrent Infectious Disease
9	10.06	9 Concurrent Infectious Disease
9	10.1	9 Concurrent Infectious Disease
9	10.11	9 Concurrent Infectious Disease
9	10.12	9 Concurrent Infectious Disease
9	10.13	9 Concurrent Infectious Disease

9	10.14	9 Concurrent Infectious Disease
9	10.15	9 Concurrent Infectious Disease
9	10.16	9 Concurrent Infectious Disease
9	10.8	9 Concurrent Infectious Disease
9	10.81	9 Concurrent Infectious Disease
9	10.82	9 Concurrent Infectious Disease
9	10.83	9 Concurrent Infectious Disease
9	10.84	9 Concurrent Infectious Disease
9	10.85	9 Concurrent Infectious Disease
9	10.86	9 Concurrent Infectious Disease
9	10.9	9 Concurrent Infectious Disease
9	10.91	9 Concurrent Infectious Disease
9	10.92	9 Concurrent Infectious Disease
9	10.93	9 Concurrent Infectious Disease
9	10.94	9 Concurrent Infectious Disease
9	10.95	9 Concurrent Infectious Disease
9	10.96	9 Concurrent Infectious Disease
9	11	9 Concurrent Infectious Disease
9	11.01	9 Concurrent Infectious Disease
9	11.02	9 Concurrent Infectious Disease
9	11.03	9 Concurrent Infectious Disease
9	11.04	9 Concurrent Infectious Disease
9	11.05	9 Concurrent Infectious Disease
9	11.06	9 Concurrent Infectious Disease
9	11.1	9 Concurrent Infectious Disease
9	11.11	9 Concurrent Infectious Disease
9	11.12	9 Concurrent Infectious Disease
9	11.13	9 Concurrent Infectious Disease
9	11.14	9 Concurrent Infectious Disease
9	11.15	9 Concurrent Infectious Disease
9	11.16	9 Concurrent Infectious Disease
9	11.2	9 Concurrent Infectious Disease
9	11.21	9 Concurrent Infectious Disease
9	11.22	9 Concurrent Infectious Disease
9	11.23	9 Concurrent Infectious Disease
9	11.24	9 Concurrent Infectious Disease
9	11.25	9 Concurrent Infectious Disease
9	11.26	9 Concurrent Infectious Disease
9	11.3	9 Concurrent Infectious Disease
9	11.31	9 Concurrent Infectious Disease
9	11.32	9 Concurrent Infectious Disease
9	11.33	9 Concurrent Infectious Disease
9	11.34	9 Concurrent Infectious Disease
9	11.35	9 Concurrent Infectious Disease
9	11.36	9 Concurrent Infectious Disease
9	11.4	9 Concurrent Infectious Disease
9	11.41	9 Concurrent Infectious Disease

9	11.42	9 Concurrent Infectious Disease
9	11.43	9 Concurrent Infectious Disease
9	11.44	9 Concurrent Infectious Disease
9	11.45	9 Concurrent Infectious Disease
9	11.46	9 Concurrent Infectious Disease
9	11.5	9 Concurrent Infectious Disease
9	11.51	9 Concurrent Infectious Disease
9	11.52	9 Concurrent Infectious Disease
9	11.53	9 Concurrent Infectious Disease
9	11.54	9 Concurrent Infectious Disease
9	11.55	9 Concurrent Infectious Disease
9	11.56	9 Concurrent Infectious Disease
9	11.6	9 Concurrent Infectious Disease
9	11.61	9 Concurrent Infectious Disease
9	11.62	9 Concurrent Infectious Disease
9	11.63	9 Concurrent Infectious Disease
9	11.64	9 Concurrent Infectious Disease
9	11.65	9 Concurrent Infectious Disease
9	11.66	9 Concurrent Infectious Disease
9	11.7	9 Concurrent Infectious Disease
9	11.71	9 Concurrent Infectious Disease
9	11.72	9 Concurrent Infectious Disease
9	11.73	9 Concurrent Infectious Disease
9	11.74	9 Concurrent Infectious Disease
9	11.75	9 Concurrent Infectious Disease
9	11.76	9 Concurrent Infectious Disease
9	11.8	9 Concurrent Infectious Disease
9	11.81	9 Concurrent Infectious Disease
9	11.82	9 Concurrent Infectious Disease
9	11.83	9 Concurrent Infectious Disease
9	11.84	9 Concurrent Infectious Disease
9	11.85	9 Concurrent Infectious Disease
9	11.86	9 Concurrent Infectious Disease
9	11.9	9 Concurrent Infectious Disease
9	11.91	9 Concurrent Infectious Disease
9	11.92	9 Concurrent Infectious Disease
9	11.93	9 Concurrent Infectious Disease
9	11.94	9 Concurrent Infectious Disease
9	11.95	9 Concurrent Infectious Disease
9	11.96	9 Concurrent Infectious Disease
9	12	9 Concurrent Infectious Disease
9	12.01	9 Concurrent Infectious Disease
9	12.02	9 Concurrent Infectious Disease
9	12.03	9 Concurrent Infectious Disease
9	12.04	9 Concurrent Infectious Disease
9	12.05	9 Concurrent Infectious Disease
9	12.06	9 Concurrent Infectious Disease

9	12.1	9 Concurrent Infectious Disease
9	12.11	9 Concurrent Infectious Disease
9	12.12	9 Concurrent Infectious Disease
9	12.13	9 Concurrent Infectious Disease
9	12.14	9 Concurrent Infectious Disease
9	12.15	9 Concurrent Infectious Disease
9	12.16	9 Concurrent Infectious Disease
9	12.2	9 Concurrent Infectious Disease
9	12.21	9 Concurrent Infectious Disease
9	12.22	9 Concurrent Infectious Disease
9	12.23	9 Concurrent Infectious Disease
9	12.24	9 Concurrent Infectious Disease
9	12.25	9 Concurrent Infectious Disease
9	12.26	9 Concurrent Infectious Disease
9	12.3	9 Concurrent Infectious Disease
9	12.31	9 Concurrent Infectious Disease
9	12.32	9 Concurrent Infectious Disease
9	12.33	9 Concurrent Infectious Disease
9	12.34	9 Concurrent Infectious Disease
9	12.35	9 Concurrent Infectious Disease
9	12.36	9 Concurrent Infectious Disease
9	12.8	9 Concurrent Infectious Disease
9	12.81	9 Concurrent Infectious Disease
9	12.82	9 Concurrent Infectious Disease
9	12.83	9 Concurrent Infectious Disease
9	12.84	9 Concurrent Infectious Disease
9	12.85	9 Concurrent Infectious Disease
9	12.86	9 Concurrent Infectious Disease
9	13	9 Concurrent Infectious Disease
9	13.01	9 Concurrent Infectious Disease
9	13.02	9 Concurrent Infectious Disease
9	13.03	9 Concurrent Infectious Disease
9	13.04	9 Concurrent Infectious Disease
9	13.05	9 Concurrent Infectious Disease
9	13.06	9 Concurrent Infectious Disease
9	13.1	9 Concurrent Infectious Disease
9	13.11	9 Concurrent Infectious Disease
9	13.12	9 Concurrent Infectious Disease
9	13.13	9 Concurrent Infectious Disease
9	13.14	9 Concurrent Infectious Disease
9	13.15	9 Concurrent Infectious Disease
9	13.16	9 Concurrent Infectious Disease
9	13.2	9 Concurrent Infectious Disease
9	13.21	9 Concurrent Infectious Disease
9	13.22	9 Concurrent Infectious Disease
9	13.23	9 Concurrent Infectious Disease
9	13.24	9 Concurrent Infectious Disease

9	13.25	9 Concurrent Infectious Disease
9	13.26	9 Concurrent Infectious Disease
9	13.3	9 Concurrent Infectious Disease
9	13.31	9 Concurrent Infectious Disease
9	13.32	9 Concurrent Infectious Disease
9	13.33	9 Concurrent Infectious Disease
9	13.34	9 Concurrent Infectious Disease
9	13.35	9 Concurrent Infectious Disease
9	13.36	9 Concurrent Infectious Disease
9	13.4	9 Concurrent Infectious Disease
9	13.41	9 Concurrent Infectious Disease
9	13.42	9 Concurrent Infectious Disease
9	13.43	9 Concurrent Infectious Disease
9	13.44	9 Concurrent Infectious Disease
9	13.45	9 Concurrent Infectious Disease
9	13.46	9 Concurrent Infectious Disease
9	13.5	9 Concurrent Infectious Disease
9	13.51	9 Concurrent Infectious Disease
9	13.52	9 Concurrent Infectious Disease
9	13.53	9 Concurrent Infectious Disease
9	13.54	9 Concurrent Infectious Disease
9	13.55	9 Concurrent Infectious Disease
9	13.56	9 Concurrent Infectious Disease
9	13.6	9 Concurrent Infectious Disease
9	13.61	9 Concurrent Infectious Disease
9	13.62	9 Concurrent Infectious Disease
9	13.63	9 Concurrent Infectious Disease
9	13.64	9 Concurrent Infectious Disease
9	13.65	9 Concurrent Infectious Disease
9	13.66	9 Concurrent Infectious Disease
9	13.8	9 Concurrent Infectious Disease
9	13.81	9 Concurrent Infectious Disease
9	13.82	9 Concurrent Infectious Disease
9	13.83	9 Concurrent Infectious Disease
9	13.84	9 Concurrent Infectious Disease
9	13.85	9 Concurrent Infectious Disease
9	13.86	9 Concurrent Infectious Disease
9	13.9	9 Concurrent Infectious Disease
9	13.91	9 Concurrent Infectious Disease
9	13.92	9 Concurrent Infectious Disease
9	13.93	9 Concurrent Infectious Disease
9	13.94	9 Concurrent Infectious Disease
9	13.95	9 Concurrent Infectious Disease
9	13.96	9 Concurrent Infectious Disease
9	14	9 Concurrent Infectious Disease
9	14.01	9 Concurrent Infectious Disease
9	14.02	9 Concurrent Infectious Disease

9	14.03	9 Concurrent Infectious Disease
9	14.04	9 Concurrent Infectious Disease
9	14.05	9 Concurrent Infectious Disease
9	14.06	9 Concurrent Infectious Disease
9	14.8	9 Concurrent Infectious Disease
9	14.81	9 Concurrent Infectious Disease
9	14.82	9 Concurrent Infectious Disease
9	14.83	9 Concurrent Infectious Disease
9	14.84	9 Concurrent Infectious Disease
9	14.85	9 Concurrent Infectious Disease
9	14.86	9 Concurrent Infectious Disease
9	15	9 Concurrent Infectious Disease
9	15.01	9 Concurrent Infectious Disease
9	15.02	9 Concurrent Infectious Disease
9	15.03	9 Concurrent Infectious Disease
9	15.04	9 Concurrent Infectious Disease
9	15.05	9 Concurrent Infectious Disease
9	15.06	9 Concurrent Infectious Disease
9	15.1	9 Concurrent Infectious Disease
9	15.11	9 Concurrent Infectious Disease
9	15.12	9 Concurrent Infectious Disease
9	15.13	9 Concurrent Infectious Disease
9	15.14	9 Concurrent Infectious Disease
9	15.15	9 Concurrent Infectious Disease
9	15.16	9 Concurrent Infectious Disease
9	15.2	9 Concurrent Infectious Disease
9	15.21	9 Concurrent Infectious Disease
9	15.22	9 Concurrent Infectious Disease
9	15.23	9 Concurrent Infectious Disease
9	15.24	9 Concurrent Infectious Disease
9	15.25	9 Concurrent Infectious Disease
9	15.26	9 Concurrent Infectious Disease
9	15.5	9 Concurrent Infectious Disease
9	15.51	9 Concurrent Infectious Disease
9	15.52	9 Concurrent Infectious Disease
9	15.53	9 Concurrent Infectious Disease
9	15.54	9 Concurrent Infectious Disease
9	15.55	9 Concurrent Infectious Disease
9	15.56	9 Concurrent Infectious Disease
9	15.6	9 Concurrent Infectious Disease
9	15.61	9 Concurrent Infectious Disease
9	15.62	9 Concurrent Infectious Disease
9	15.63	9 Concurrent Infectious Disease
9	15.64	9 Concurrent Infectious Disease
9	15.65	9 Concurrent Infectious Disease
9	15.66	9 Concurrent Infectious Disease
9	15.7	9 Concurrent Infectious Disease

9	15.71	9 Concurrent Infectious Disease
9	15.72	9 Concurrent Infectious Disease
9	15.73	9 Concurrent Infectious Disease
9	15.74	9 Concurrent Infectious Disease
9	15.75	9 Concurrent Infectious Disease
9	15.76	9 Concurrent Infectious Disease
9	15.8	9 Concurrent Infectious Disease
9	15.81	9 Concurrent Infectious Disease
9	15.82	9 Concurrent Infectious Disease
9	15.83	9 Concurrent Infectious Disease
9	15.84	9 Concurrent Infectious Disease
9	15.85	9 Concurrent Infectious Disease
9	15.86	9 Concurrent Infectious Disease
9	15.9	9 Concurrent Infectious Disease
9	15.91	9 Concurrent Infectious Disease
9	15.92	9 Concurrent Infectious Disease
9	15.93	9 Concurrent Infectious Disease
9	15.94	9 Concurrent Infectious Disease
9	15.95	9 Concurrent Infectious Disease
9	15.96	9 Concurrent Infectious Disease
9	16	9 Concurrent Infectious Disease
9	16.01	9 Concurrent Infectious Disease
9	16.02	9 Concurrent Infectious Disease
9	16.03	9 Concurrent Infectious Disease
9	16.04	9 Concurrent Infectious Disease
9	16.05	9 Concurrent Infectious Disease
9	16.06	9 Concurrent Infectious Disease
9	16.1	9 Concurrent Infectious Disease
9	16.11	9 Concurrent Infectious Disease
9	16.12	9 Concurrent Infectious Disease
9	16.13	9 Concurrent Infectious Disease
9	16.14	9 Concurrent Infectious Disease
9	16.15	9 Concurrent Infectious Disease
9	16.16	9 Concurrent Infectious Disease
9	16.2	9 Concurrent Infectious Disease
9	16.21	9 Concurrent Infectious Disease
9	16.22	9 Concurrent Infectious Disease
9	16.23	9 Concurrent Infectious Disease
9	16.24	9 Concurrent Infectious Disease
9	16.25	9 Concurrent Infectious Disease
9	16.26	9 Concurrent Infectious Disease
9	16.3	9 Concurrent Infectious Disease
9	16.31	9 Concurrent Infectious Disease
9	16.32	9 Concurrent Infectious Disease
9	16.33	9 Concurrent Infectious Disease
9	16.34	9 Concurrent Infectious Disease
9	16.35	9 Concurrent Infectious Disease

9	16.36	9 Concurrent Infectious Disease
9	16.4	9 Concurrent Infectious Disease
9	16.41	9 Concurrent Infectious Disease
9	16.42	9 Concurrent Infectious Disease
9	16.43	9 Concurrent Infectious Disease
9	16.44	9 Concurrent Infectious Disease
9	16.45	9 Concurrent Infectious Disease
9	16.46	9 Concurrent Infectious Disease
9	16.5	9 Concurrent Infectious Disease
9	16.51	9 Concurrent Infectious Disease
9	16.52	9 Concurrent Infectious Disease
9	16.53	9 Concurrent Infectious Disease
9	16.54	9 Concurrent Infectious Disease
9	16.55	9 Concurrent Infectious Disease
9	16.56	9 Concurrent Infectious Disease
9	16.6	9 Concurrent Infectious Disease
9	16.61	9 Concurrent Infectious Disease
9	16.62	9 Concurrent Infectious Disease
9	16.63	9 Concurrent Infectious Disease
9	16.64	9 Concurrent Infectious Disease
9	16.65	9 Concurrent Infectious Disease
9	16.66	9 Concurrent Infectious Disease
9	16.7	9 Concurrent Infectious Disease
9	16.71	9 Concurrent Infectious Disease
9	16.72	9 Concurrent Infectious Disease
9	16.73	9 Concurrent Infectious Disease
9	16.74	9 Concurrent Infectious Disease
9	16.75	9 Concurrent Infectious Disease
9	16.76	9 Concurrent Infectious Disease
9	16.9	9 Concurrent Infectious Disease
9	16.91	9 Concurrent Infectious Disease
9	16.92	9 Concurrent Infectious Disease
9	16.93	9 Concurrent Infectious Disease
9	16.94	9 Concurrent Infectious Disease
9	16.95	9 Concurrent Infectious Disease
9	16.96	9 Concurrent Infectious Disease
9	17	9 Concurrent Infectious Disease
9	17.01	9 Concurrent Infectious Disease
9	17.02	9 Concurrent Infectious Disease
9	17.03	9 Concurrent Infectious Disease
9	17.04	9 Concurrent Infectious Disease
9	17.05	9 Concurrent Infectious Disease
9	17.06	9 Concurrent Infectious Disease
9	17.1	9 Concurrent Infectious Disease
9	17.11	9 Concurrent Infectious Disease
9	17.12	9 Concurrent Infectious Disease
9	17.13	9 Concurrent Infectious Disease

9	17.14	9 Concurrent Infectious Disease
9	17.15	9 Concurrent Infectious Disease
9	17.16	9 Concurrent Infectious Disease
9	17.2	9 Concurrent Infectious Disease
9	17.21	9 Concurrent Infectious Disease
9	17.22	9 Concurrent Infectious Disease
9	17.23	9 Concurrent Infectious Disease
9	17.24	9 Concurrent Infectious Disease
9	17.25	9 Concurrent Infectious Disease
9	17.26	9 Concurrent Infectious Disease
9	17.3	9 Concurrent Infectious Disease
9	17.31	9 Concurrent Infectious Disease
9	17.32	9 Concurrent Infectious Disease
9	17.33	9 Concurrent Infectious Disease
9	17.34	9 Concurrent Infectious Disease
9	17.35	9 Concurrent Infectious Disease
9	17.36	9 Concurrent Infectious Disease
9	17.4	9 Concurrent Infectious Disease
9	17.41	9 Concurrent Infectious Disease
9	17.42	9 Concurrent Infectious Disease
9	17.43	9 Concurrent Infectious Disease
9	17.44	9 Concurrent Infectious Disease
9	17.45	9 Concurrent Infectious Disease
9	17.46	9 Concurrent Infectious Disease
9	17.5	9 Concurrent Infectious Disease
9	17.51	9 Concurrent Infectious Disease
9	17.52	9 Concurrent Infectious Disease
9	17.53	9 Concurrent Infectious Disease
9	17.54	9 Concurrent Infectious Disease
9	17.55	9 Concurrent Infectious Disease
9	17.56	9 Concurrent Infectious Disease
9	17.6	9 Concurrent Infectious Disease
9	17.61	9 Concurrent Infectious Disease
9	17.62	9 Concurrent Infectious Disease
9	17.63	9 Concurrent Infectious Disease
9	17.64	9 Concurrent Infectious Disease
9	17.65	9 Concurrent Infectious Disease
9	17.66	9 Concurrent Infectious Disease
9	17.7	9 Concurrent Infectious Disease
9	17.71	9 Concurrent Infectious Disease
9	17.72	9 Concurrent Infectious Disease
9	17.73	9 Concurrent Infectious Disease
9	17.74	9 Concurrent Infectious Disease
9	17.75	9 Concurrent Infectious Disease
9	17.76	9 Concurrent Infectious Disease
9	17.8	9 Concurrent Infectious Disease
9	17.81	9 Concurrent Infectious Disease

9	17.82	9 Concurrent Infectious Disease
9	17.83	9 Concurrent Infectious Disease
9	17.84	9 Concurrent Infectious Disease
9	17.85	9 Concurrent Infectious Disease
9	17.86	9 Concurrent Infectious Disease
9	17.9	9 Concurrent Infectious Disease
9	17.91	9 Concurrent Infectious Disease
9	17.92	9 Concurrent Infectious Disease
9	17.93	9 Concurrent Infectious Disease
9	17.94	9 Concurrent Infectious Disease
9	17.95	9 Concurrent Infectious Disease
9	17.96	9 Concurrent Infectious Disease
9	18	9 Concurrent Infectious Disease
9	18.01	9 Concurrent Infectious Disease
9	18.02	9 Concurrent Infectious Disease
9	18.03	9 Concurrent Infectious Disease
9	18.04	9 Concurrent Infectious Disease
9	18.05	9 Concurrent Infectious Disease
9	18.06	9 Concurrent Infectious Disease
9	18.8	9 Concurrent Infectious Disease
9	18.81	9 Concurrent Infectious Disease
9	18.82	9 Concurrent Infectious Disease
9	18.83	9 Concurrent Infectious Disease
9	18.84	9 Concurrent Infectious Disease
9	18.85	9 Concurrent Infectious Disease
9	18.86	9 Concurrent Infectious Disease
9	18.9	9 Concurrent Infectious Disease
9	18.91	9 Concurrent Infectious Disease
9	18.92	9 Concurrent Infectious Disease
9	18.93	9 Concurrent Infectious Disease
9	18.94	9 Concurrent Infectious Disease
9	18.95	9 Concurrent Infectious Disease
9	18.96	9 Concurrent Infectious Disease
9	20	9 Concurrent Infectious Disease
9	20.1	9 Concurrent Infectious Disease
9	20.2	9 Concurrent Infectious Disease
9	20.3	9 Concurrent Infectious Disease
9	20.4	9 Concurrent Infectious Disease
9	20.5	9 Concurrent Infectious Disease
9	20.8	9 Concurrent Infectious Disease
9	20.9	9 Concurrent Infectious Disease
9	21	9 Concurrent Infectious Disease
9	21.1	9 Concurrent Infectious Disease
9	21.2	9 Concurrent Infectious Disease
9	21.3	9 Concurrent Infectious Disease
9	21.8	9 Concurrent Infectious Disease
9	21.9	9 Concurrent Infectious Disease

9	22	9 Concurrent Infectious Disease
9	22.1	9 Concurrent Infectious Disease
9	22.2	9 Concurrent Infectious Disease
9	22.3	9 Concurrent Infectious Disease
9	22.8	9 Concurrent Infectious Disease
9	22.9	9 Concurrent Infectious Disease
9	23	9 Concurrent Infectious Disease
9	23.1	9 Concurrent Infectious Disease
9	23.2	9 Concurrent Infectious Disease
9	23.3	9 Concurrent Infectious Disease
9	23.8	9 Concurrent Infectious Disease
9	23.9	9 Concurrent Infectious Disease
9	24	9 Concurrent Infectious Disease
9	25	9 Concurrent Infectious Disease
9	26	9 Concurrent Infectious Disease
9	26.1	9 Concurrent Infectious Disease
9	26.9	9 Concurrent Infectious Disease
9	27	9 Concurrent Infectious Disease
9	27.1	9 Concurrent Infectious Disease
9	27.2	9 Concurrent Infectious Disease
9	27.8	9 Concurrent Infectious Disease
9	27.9	9 Concurrent Infectious Disease
9	30	9 Concurrent Infectious Disease
9	30.1	9 Concurrent Infectious Disease
9	30.2	9 Concurrent Infectious Disease
9	30.3	9 Concurrent Infectious Disease
9	30.8	9 Concurrent Infectious Disease
9	30.9	9 Concurrent Infectious Disease
9	31	9 Concurrent Infectious Disease
9	31.01	9 Concurrent Infectious Disease
9	31.02	9 Concurrent Infectious Disease
9	31.03	9 Concurrent Infectious Disease
9	31.04	9 Concurrent Infectious Disease
9	31.05	9 Concurrent Infectious Disease
9	31.06	9 Concurrent Infectious Disease
9	31.07	9 Concurrent Infectious Disease
9	31.08	9 Concurrent Infectious Disease
9	31.09	9 Concurrent Infectious Disease
9	31.1	9 Concurrent Infectious Disease
9	31.2	9 Concurrent Infectious Disease
9	31.8	9 Concurrent Infectious Disease
9	31.9	9 Concurrent Infectious Disease
9	32	9 Concurrent Infectious Disease
9	32.1	9 Concurrent Infectious Disease
9	32.2	9 Concurrent Infectious Disease
9	32.3	9 Concurrent Infectious Disease
9	32.81	9 Concurrent Infectious Disease

9	32.82	9 Concurrent Infectious Disease
9	32.83	9 Concurrent Infectious Disease
9	32.84	9 Concurrent Infectious Disease
9	32.85	9 Concurrent Infectious Disease
9	32.89	9 Concurrent Infectious Disease
9	32.9	9 Concurrent Infectious Disease
9	33	9 Concurrent Infectious Disease
9	33.1	9 Concurrent Infectious Disease
9	33.8	9 Concurrent Infectious Disease
9	33.9	9 Concurrent Infectious Disease
9	34	9 Concurrent Infectious Disease
9	34.1	9 Concurrent Infectious Disease
9	35	9 Concurrent Infectious Disease
9	36	9 Concurrent Infectious Disease
9	36.1	9 Concurrent Infectious Disease
9	36.2	9 Concurrent Infectious Disease
9	36.3	9 Concurrent Infectious Disease
9	36.4	9 Concurrent Infectious Disease
9	36.41	9 Concurrent Infectious Disease
9	36.42	9 Concurrent Infectious Disease
9	36.43	9 Concurrent Infectious Disease
9	36.81	9 Concurrent Infectious Disease
9	36.82	9 Concurrent Infectious Disease
9	36.89	9 Concurrent Infectious Disease
9	36.9	9 Concurrent Infectious Disease
9	37	9 Concurrent Infectious Disease
9	38	9 Concurrent Infectious Disease
9	38.1	9 Concurrent Infectious Disease
9	38.11	9 Concurrent Infectious Disease
9	38.12	9 Concurrent Infectious Disease
9	38.19	9 Concurrent Infectious Disease
9	38.2	9 Concurrent Infectious Disease
9	38.3	9 Concurrent Infectious Disease
9	38.4	9 Concurrent Infectious Disease
9	38.41	9 Concurrent Infectious Disease
9	38.42	9 Concurrent Infectious Disease
9	38.43	9 Concurrent Infectious Disease
9	38.44	9 Concurrent Infectious Disease
9	38.49	9 Concurrent Infectious Disease
9	38.8	9 Concurrent Infectious Disease
9	38.9	9 Concurrent Infectious Disease
9	39	9 Concurrent Infectious Disease
9	39.1	9 Concurrent Infectious Disease
9	39.2	9 Concurrent Infectious Disease
9	39.3	9 Concurrent Infectious Disease
9	39.4	9 Concurrent Infectious Disease
9	39.8	9 Concurrent Infectious Disease

9	39.9	9 Concurrent Infectious Disease
9	40	9 Concurrent Infectious Disease
9	40.1	9 Concurrent Infectious Disease
9	40.2	9 Concurrent Infectious Disease
9	40.3	9 Concurrent Infectious Disease
9	40.41	9 Concurrent Infectious Disease
9	40.42	9 Concurrent Infectious Disease
9	40.81	9 Concurrent Infectious Disease
9	40.82	9 Concurrent Infectious Disease
9	40.89	9 Concurrent Infectious Disease
9	41	9 Concurrent Infectious Disease
9	41.01	9 Concurrent Infectious Disease
9	41.02	9 Concurrent Infectious Disease
9	41.03	9 Concurrent Infectious Disease
9	41.04	9 Concurrent Infectious Disease
9	41.05	9 Concurrent Infectious Disease
9	41.09	9 Concurrent Infectious Disease
9	41.1	9 Concurrent Infectious Disease
9	41.11	9 Concurrent Infectious Disease
9	41.12	9 Concurrent Infectious Disease
9	41.19	9 Concurrent Infectious Disease
9	41.2	9 Concurrent Infectious Disease
9	41.3	9 Concurrent Infectious Disease
9	41.4	9 Concurrent Infectious Disease
9	41.41	9 Concurrent Infectious Disease
9	41.42	9 Concurrent Infectious Disease
9	41.43	9 Concurrent Infectious Disease
9	41.49	9 Concurrent Infectious Disease
9	41.5	9 Concurrent Infectious Disease
9	41.6	9 Concurrent Infectious Disease
9	41.7	9 Concurrent Infectious Disease
9	41.8	9 Concurrent Infectious Disease
9	41.81	9 Concurrent Infectious Disease
9	41.82	9 Concurrent Infectious Disease
9	41.83	9 Concurrent Infectious Disease
9	41.84	9 Concurrent Infectious Disease
9	41.85	9 Concurrent Infectious Disease
9	41.86	9 Concurrent Infectious Disease
9	41.89	9 Concurrent Infectious Disease
9	41.9	9 Concurrent Infectious Disease
9	42	9 Immunocompromised
9	42.1	9 Immunocompromised
9	42.2	9 Immunocompromised
9	42.9	9 Immunocompromised
9	43	9 Immunocompromised
9	43.1	9 Immunocompromised
9	43.2	9 Immunocompromised

9	43.3	9 Immunocompromised
9	43.9	9 Immunocompromised
9	44	9 Immunocompromised
9	44.9	9 Immunocompromised
9	45	9 Concurrent Infectious Disease
9	45.01	9 Concurrent Infectious Disease
9	45.02	9 Concurrent Infectious Disease
9	45.03	9 Concurrent Infectious Disease
9	45.1	9 Concurrent Infectious Disease
9	45.11	9 Concurrent Infectious Disease
9	45.12	9 Concurrent Infectious Disease
9	45.13	9 Concurrent Infectious Disease
9	45.2	9 Concurrent Infectious Disease
9	45.21	9 Concurrent Infectious Disease
9	45.22	9 Concurrent Infectious Disease
9	45.23	9 Concurrent Infectious Disease
9	45.9	9 Concurrent Infectious Disease
9	45.91	9 Concurrent Infectious Disease
9	45.92	9 Concurrent Infectious Disease
9	45.93	9 Concurrent Infectious Disease
9	46	9 Concurrent Infectious Disease
9	46.1	9 Concurrent Infectious Disease
9	46.11	9 Concurrent Infectious Disease
9	46.19	9 Concurrent Infectious Disease
9	46.2	9 Concurrent Infectious Disease
9	46.3	9 Concurrent Infectious Disease
9	46.71	9 Concurrent Infectious Disease
9	46.72	9 Concurrent Infectious Disease
9	46.79	9 Concurrent Infectious Disease
9	46.8	9 Concurrent Infectious Disease
9	46.9	9 Concurrent Infectious Disease
9	47	9 Concurrent Infectious Disease
9	47.1	9 Concurrent Infectious Disease
9	47.8	9 Concurrent Infectious Disease
9	47.9	9 Concurrent Infectious Disease
9	48	9 Concurrent Infectious Disease
9	49	9 Concurrent Infectious Disease
9	49.1	9 Concurrent Infectious Disease
9	49.8	9 Concurrent Infectious Disease
9	49.9	9 Concurrent Infectious Disease
9	50	9 Concurrent Infectious Disease
9	50.1	9 Concurrent Infectious Disease
9	50.2	9 Concurrent Infectious Disease
9	50.9	9 Concurrent Infectious Disease
9	51	9 Concurrent Infectious Disease
9	51.01	9 Concurrent Infectious Disease
9	51.02	9 Concurrent Infectious Disease

9	51.1	9 Concurrent Infectious Disease
9	51.2	9 Concurrent Infectious Disease
9	51.9	9 Concurrent Infectious Disease
9	52	9 Concurrent Infectious Disease
9	52.1	9 Concurrent Infectious Disease
9	52.2	9 Concurrent Infectious Disease
9	52.7	9 Concurrent Infectious Disease
9	52.8	9 Concurrent Infectious Disease
9	52.9	9 Concurrent Infectious Disease
9	53	9 Concurrent Infectious Disease
9	53.1	9 Concurrent Infectious Disease
9	53.11	9 Concurrent Infectious Disease
9	53.12	9 Concurrent Infectious Disease
9	53.13	9 Concurrent Infectious Disease
9	53.14	9 Concurrent Infectious Disease
9	53.19	9 Concurrent Infectious Disease
9	53.2	9 Concurrent Infectious Disease
9	53.21	9 Concurrent Infectious Disease
9	53.22	9 Concurrent Infectious Disease
9	53.29	9 Concurrent Infectious Disease
9	53.71	9 Concurrent Infectious Disease
9	53.79	9 Concurrent Infectious Disease
9	53.8	9 Concurrent Infectious Disease
9	53.9	9 Concurrent Infectious Disease
9	54	9 Concurrent Infectious Disease
9	54.1	9 Concurrent Infectious Disease
9	54.11	9 Concurrent Infectious Disease
9	54.12	9 Concurrent Infectious Disease
9	54.13	9 Concurrent Infectious Disease
9	54.19	9 Concurrent Infectious Disease
9	54.2	9 Concurrent Infectious Disease
9	54.3	9 Concurrent Infectious Disease
9	54.4	9 Concurrent Infectious Disease
9	54.41	9 Concurrent Infectious Disease
9	54.42	9 Concurrent Infectious Disease
9	54.43	9 Concurrent Infectious Disease
9	54.44	9 Concurrent Infectious Disease
9	54.49	9 Concurrent Infectious Disease
9	54.5	9 Concurrent Infectious Disease
9	54.6	9 Concurrent Infectious Disease
9	54.71	9 Concurrent Infectious Disease
9	54.72	9 Concurrent Infectious Disease
9	54.73	9 Concurrent Infectious Disease
9	54.74	9 Concurrent Infectious Disease
9	54.79	9 Concurrent Infectious Disease
9	54.8	9 Concurrent Infectious Disease
9	54.9	9 Concurrent Infectious Disease

9	55	9 Concurrent Infectious Disease
9	55.1	9 Concurrent Infectious Disease
9	55.2	9 Concurrent Infectious Disease
9	55.71	9 Concurrent Infectious Disease
9	55.79	9 Concurrent Infectious Disease
9	55.8	9 Concurrent Infectious Disease
9	55.9	9 Concurrent Infectious Disease
9	56	9 Concurrent Infectious Disease
9	56.01	9 Concurrent Infectious Disease
9	56.09	9 Concurrent Infectious Disease
9	56.71	9 Concurrent Infectious Disease
9	56.79	9 Concurrent Infectious Disease
9	56.8	9 Concurrent Infectious Disease
9	56.9	9 Concurrent Infectious Disease
9	57	9 Concurrent Infectious Disease
9	57.8	9 Concurrent Infectious Disease
9	57.9	9 Concurrent Infectious Disease
9	58.1	9 Concurrent Infectious Disease
9	58.11	9 Concurrent Infectious Disease
9	58.12	9 Concurrent Infectious Disease
9	58.21	9 Concurrent Infectious Disease
9	58.29	9 Concurrent Infectious Disease
9	58.81	9 Concurrent Infectious Disease
9	58.82	9 Concurrent Infectious Disease
9	58.89	9 Concurrent Infectious Disease
9	59	9 Concurrent Infectious Disease
9	59.01	9 Concurrent Infectious Disease
9	59.09	9 Concurrent Infectious Disease
9	59.1	9 Concurrent Infectious Disease
9	59.11	9 Concurrent Infectious Disease
9	59.12	9 Concurrent Infectious Disease
9	59.19	9 Concurrent Infectious Disease
9	59.2	9 Concurrent Infectious Disease
9	59.21	9 Concurrent Infectious Disease
9	59.22	9 Concurrent Infectious Disease
9	59.8	9 Concurrent Infectious Disease
9	59.9	9 Concurrent Infectious Disease
9	60	9 Concurrent Infectious Disease
9	60.1	9 Concurrent Infectious Disease
9	60.9	9 Concurrent Infectious Disease
9	61	9 Concurrent Infectious Disease
9	62	9 Concurrent Infectious Disease
9	62.1	9 Concurrent Infectious Disease
9	62.2	9 Concurrent Infectious Disease
9	62.3	9 Concurrent Infectious Disease
9	62.4	9 Concurrent Infectious Disease
9	62.5	9 Concurrent Infectious Disease

9	62.8	9 Concurrent Infectious Disease
9	62.9	9 Concurrent Infectious Disease
9	63	9 Concurrent Infectious Disease
9	63.1	9 Concurrent Infectious Disease
9	63.2	9 Concurrent Infectious Disease
9	63.8	9 Concurrent Infectious Disease
9	63.9	9 Concurrent Infectious Disease
9	64	9 Concurrent Infectious Disease
9	65	9 Concurrent Infectious Disease
9	65.1	9 Concurrent Infectious Disease
9	65.2	9 Concurrent Infectious Disease
9	65.3	9 Concurrent Infectious Disease
9	65.4	9 Concurrent Infectious Disease
9	65.8	9 Concurrent Infectious Disease
9	65.9	9 Concurrent Infectious Disease
9	66	9 Concurrent Infectious Disease
9	66.1	9 Concurrent Infectious Disease
9	66.2	9 Concurrent Infectious Disease
9	66.3	9 Concurrent Infectious Disease
9	66.4	9 Concurrent Infectious Disease
9	66.41	9 Concurrent Infectious Disease
9	66.42	9 Concurrent Infectious Disease
9	66.49	9 Concurrent Infectious Disease
9	66.8	9 Concurrent Infectious Disease
9	66.9	9 Concurrent Infectious Disease
9	70	9 Concurrent Infectious Disease
9	70.1	9 Concurrent Infectious Disease
9	70.2	9 Concurrent Infectious Disease
9	70.21	9 Concurrent Infectious Disease
9	70.22	9 Concurrent Infectious Disease
9	70.23	9 Concurrent Infectious Disease
9	70.3	9 Concurrent Infectious Disease
9	70.31	9 Concurrent Infectious Disease
9	70.32	9 Concurrent Infectious Disease
9	70.33	9 Concurrent Infectious Disease
9	70.4	9 Concurrent Infectious Disease
9	70.41	9 Concurrent Infectious Disease
9	70.42	9 Concurrent Infectious Disease
9	70.43	9 Concurrent Infectious Disease
9	70.44	9 Concurrent Infectious Disease
9	70.49	9 Concurrent Infectious Disease
9	70.5	9 Concurrent Infectious Disease
9	70.51	9 Concurrent Infectious Disease
9	70.52	9 Concurrent Infectious Disease
9	70.53	9 Concurrent Infectious Disease
9	70.54	9 Concurrent Infectious Disease
9	70.59	9 Concurrent Infectious Disease

9	70.6	9 Concurrent Infectious Disease
9	70.7	9 Concurrent Infectious Disease
9	70.71	9 Concurrent Infectious Disease
9	70.9	9 Concurrent Infectious Disease
9	71	9 Concurrent Infectious Disease
9	72	9 Concurrent Infectious Disease
9	72.1	9 Concurrent Infectious Disease
9	72.2	9 Concurrent Infectious Disease
9	72.3	9 Concurrent Infectious Disease
9	72.71	9 Concurrent Infectious Disease
9	72.72	9 Concurrent Infectious Disease
9	72.79	9 Concurrent Infectious Disease
9	72.8	9 Concurrent Infectious Disease
9	72.9	9 Concurrent Infectious Disease
9	73	9 Concurrent Infectious Disease
9	73.7	9 Concurrent Infectious Disease
9	73.8	9 Concurrent Infectious Disease
9	73.9	9 Concurrent Infectious Disease
9	74	9 Concurrent Infectious Disease
9	74.1	9 Concurrent Infectious Disease
9	74.2	9 Concurrent Infectious Disease
9	74.21	9 Concurrent Infectious Disease
9	74.22	9 Concurrent Infectious Disease
9	74.23	9 Concurrent Infectious Disease
9	74.3	9 Concurrent Infectious Disease
9	74.8	9 Concurrent Infectious Disease
9	75	9 Concurrent Infectious Disease
9	76	9 Concurrent Infectious Disease
9	76.1	9 Concurrent Infectious Disease
9	76.9	9 Concurrent Infectious Disease
9	77	9 Concurrent Infectious Disease
9	77.1	9 Concurrent Infectious Disease
9	77.2	9 Concurrent Infectious Disease
9	77.3	9 Concurrent Infectious Disease
9	77.4	9 Concurrent Infectious Disease
9	77.8	9 Concurrent Infectious Disease
9	77.9	9 Concurrent Infectious Disease
9	77.98	9 Concurrent Infectious Disease
9	77.99	9 Concurrent Infectious Disease
9	78	9 Concurrent Infectious Disease
9	78.1	9 Concurrent Infectious Disease
9	78.11	9 Concurrent Infectious Disease
9	78.12	9 Concurrent Infectious Disease
9	78.19	9 Concurrent Infectious Disease
9	78.2	9 Concurrent Infectious Disease
9	78.3	9 Concurrent Infectious Disease
9	78.4	9 Concurrent Infectious Disease

9	78.5	9 Concurrent Infectious Disease
9	78.6	9 Concurrent Infectious Disease
9	78.7	9 Concurrent Infectious Disease
9	78.81	9 Concurrent Infectious Disease
9	78.82	9 Concurrent Infectious Disease
9	78.88	9 Concurrent Infectious Disease
9	78.89	9 Concurrent Infectious Disease
9	79	9 Concurrent Infectious Disease
9	79.1	9 Concurrent Infectious Disease
9	79.2	9 Concurrent Infectious Disease
9	79.3	9 Concurrent Infectious Disease
9	79.4	9 Concurrent Infectious Disease
9	79.5	9 Concurrent Infectious Disease
9	79.51	9 Concurrent Infectious Disease
9	79.52	9 Concurrent Infectious Disease
9	79.53	9 Concurrent Infectious Disease
9	79.59	9 Concurrent Infectious Disease
9	79.6	9 Concurrent Infectious Disease
9	79.8	9 Concurrent Infectious Disease
9	79.81	9 Concurrent Infectious Disease
9	79.82	9 Concurrent Infectious Disease
9	79.83	9 Concurrent Infectious Disease
9	79.88	9 Concurrent Infectious Disease
9	79.89	9 Concurrent Infectious Disease
9	79.9	9 Concurrent Infectious Disease
9	79.98	9 Concurrent Infectious Disease
9	79.99	9 Concurrent Infectious Disease
9	80	9 Concurrent Infectious Disease
9	81	9 Concurrent Infectious Disease
9	81.1	9 Concurrent Infectious Disease
9	81.2	9 Concurrent Infectious Disease
9	81.9	9 Concurrent Infectious Disease
9	82	9 Concurrent Infectious Disease
9	82.1	9 Concurrent Infectious Disease
9	82.2	9 Concurrent Infectious Disease
9	82.3	9 Concurrent Infectious Disease
9	82.4	9 Concurrent Infectious Disease
9	82.41	9 Concurrent Infectious Disease
9	82.49	9 Concurrent Infectious Disease
9	82.8	9 Concurrent Infectious Disease
9	82.9	9 Concurrent Infectious Disease
9	83	9 Concurrent Infectious Disease
9	83.1	9 Concurrent Infectious Disease
9	83.2	9 Concurrent Infectious Disease
9	83.8	9 Concurrent Infectious Disease
9	83.9	9 Concurrent Infectious Disease
9	84	9 Concurrent Infectious Disease

9	84.1	9 Concurrent Infectious Disease
9	84.2	9 Concurrent Infectious Disease
9	84.3	9 Concurrent Infectious Disease
9	84.4	9 Concurrent Infectious Disease
9	84.5	9 Concurrent Infectious Disease
9	84.6	9 Concurrent Infectious Disease
9	84.7	9 Concurrent Infectious Disease
9	84.8	9 Concurrent Infectious Disease
9	84.9	9 Concurrent Infectious Disease
9	85	9 Concurrent Infectious Disease
9	85.1	9 Concurrent Infectious Disease
9	85.2	9 Concurrent Infectious Disease
9	85.3	9 Concurrent Infectious Disease
9	85.4	9 Concurrent Infectious Disease
9	85.5	9 Concurrent Infectious Disease
9	85.9	9 Concurrent Infectious Disease
9	86	9 Concurrent Infectious Disease
9	86.1	9 Concurrent Infectious Disease
9	86.2	9 Concurrent Infectious Disease
9	86.3	9 Concurrent Infectious Disease
9	86.4	9 Concurrent Infectious Disease
9	86.5	9 Concurrent Infectious Disease
9	86.9	9 Concurrent Infectious Disease
9	87	9 Concurrent Infectious Disease
9	87.1	9 Concurrent Infectious Disease
9	87.9	9 Concurrent Infectious Disease
9	88	9 Concurrent Infectious Disease
9	88.8	9 Concurrent Infectious Disease
9	88.81	9 Concurrent Infectious Disease
9	88.82	9 Concurrent Infectious Disease
9	88.89	9 Concurrent Infectious Disease
9	88.9	9 Concurrent Infectious Disease
9	90	9 Concurrent Infectious Disease
9	90.1	9 Concurrent Infectious Disease
9	90.2	9 Concurrent Infectious Disease
9	90.3	9 Concurrent Infectious Disease
9	90.4	9 Concurrent Infectious Disease
9	90.41	9 Concurrent Infectious Disease
9	90.42	9 Concurrent Infectious Disease
9	90.49	9 Concurrent Infectious Disease
9	90.5	9 Concurrent Infectious Disease
9	90.6	9 Concurrent Infectious Disease
9	90.7	9 Concurrent Infectious Disease
9	90.9	9 Concurrent Infectious Disease
9	91	9 Concurrent Infectious Disease
9	91.1	9 Concurrent Infectious Disease
9	91.2	9 Concurrent Infectious Disease

9	91.3	9 Concurrent Infectious Disease
9	91.4	9 Concurrent Infectious Disease
9	91.5	9 Concurrent Infectious Disease
9	91.51	9 Concurrent Infectious Disease
9	91.52	9 Concurrent Infectious Disease
9	91.61	9 Concurrent Infectious Disease
9	91.62	9 Concurrent Infectious Disease
9	91.69	9 Concurrent Infectious Disease
9	91.7	9 Concurrent Infectious Disease
9	91.81	9 Concurrent Infectious Disease
9	91.82	9 Concurrent Infectious Disease
9	91.89	9 Concurrent Infectious Disease
9	91.9	9 Concurrent Infectious Disease
9	92	9 Concurrent Infectious Disease
9	92.9	9 Concurrent Infectious Disease
9	93	9 Concurrent Infectious Disease
9	93.1	9 Concurrent Infectious Disease
9	93.2	9 Concurrent Infectious Disease
9	93.21	9 Concurrent Infectious Disease
9	93.22	9 Concurrent Infectious Disease
9	93.23	9 Concurrent Infectious Disease
9	93.24	9 Concurrent Infectious Disease
9	93.81	9 Concurrent Infectious Disease
9	93.82	9 Concurrent Infectious Disease
9	93.89	9 Concurrent Infectious Disease
9	93.9	9 Concurrent Infectious Disease
9	94	9 Concurrent Infectious Disease
9	94.1	9 Concurrent Infectious Disease
9	94.2	9 Concurrent Infectious Disease
9	94.3	9 Concurrent Infectious Disease
9	94.81	9 Concurrent Infectious Disease
9	94.82	9 Concurrent Infectious Disease
9	94.83	9 Concurrent Infectious Disease
9	94.84	9 Concurrent Infectious Disease
9	94.85	9 Concurrent Infectious Disease
9	94.86	9 Concurrent Infectious Disease
9	94.87	9 Concurrent Infectious Disease
9	94.89	9 Concurrent Infectious Disease
9	94.9	9 Concurrent Infectious Disease
9	95	9 Concurrent Infectious Disease
9	95.1	9 Concurrent Infectious Disease
9	95.2	9 Concurrent Infectious Disease
9	95.3	9 Concurrent Infectious Disease
9	95.4	9 Concurrent Infectious Disease
9	95.5	9 Concurrent Infectious Disease
9	95.6	9 Concurrent Infectious Disease
9	95.7	9 Concurrent Infectious Disease

9	95.8	9 Concurrent Infectious Disease
9	95.9	9 Concurrent Infectious Disease
9	96	9 Concurrent Infectious Disease
9	97	9 Concurrent Infectious Disease
9	97.1	9 Concurrent Infectious Disease
9	97.9	9 Concurrent Infectious Disease
9	98	9 Concurrent Infectious Disease
9	98.1	9 Concurrent Infectious Disease
9	98.11	9 Concurrent Infectious Disease
9	98.12	9 Concurrent Infectious Disease
9	98.13	9 Concurrent Infectious Disease
9	98.14	9 Concurrent Infectious Disease
9	98.15	9 Concurrent Infectious Disease
9	98.16	9 Concurrent Infectious Disease
9	98.17	9 Concurrent Infectious Disease
9	98.19	9 Concurrent Infectious Disease
9	98.2	9 Concurrent Infectious Disease
9	98.3	9 Concurrent Infectious Disease
9	98.31	9 Concurrent Infectious Disease
9	98.32	9 Concurrent Infectious Disease
9	98.33	9 Concurrent Infectious Disease
9	98.34	9 Concurrent Infectious Disease
9	98.35	9 Concurrent Infectious Disease
9	98.36	9 Concurrent Infectious Disease
9	98.37	9 Concurrent Infectious Disease
9	98.39	9 Concurrent Infectious Disease
9	98.4	9 Concurrent Infectious Disease
9	98.41	9 Concurrent Infectious Disease
9	98.42	9 Concurrent Infectious Disease
9	98.43	9 Concurrent Infectious Disease
9	98.49	9 Concurrent Infectious Disease
9	98.5	9 Concurrent Infectious Disease
9	98.51	9 Concurrent Infectious Disease
9	98.52	9 Concurrent Infectious Disease
9	98.53	9 Concurrent Infectious Disease
9	98.59	9 Concurrent Infectious Disease
9	98.6	9 Concurrent Infectious Disease
9	98.7	9 Concurrent Infectious Disease
9	98.81	9 Concurrent Infectious Disease
9	98.82	9 Concurrent Infectious Disease
9	98.83	9 Concurrent Infectious Disease
9	98.84	9 Concurrent Infectious Disease
9	98.85	9 Concurrent Infectious Disease
9	98.86	9 Concurrent Infectious Disease
9	98.89	9 Concurrent Infectious Disease
9	99	9 Concurrent Infectious Disease
9	99.1	9 Concurrent Infectious Disease

9	99.2	9 Concurrent Infectious Disease
9	99.3	9 Concurrent Infectious Disease
9	99.4	9 Concurrent Infectious Disease
9	99.41	9 Concurrent Infectious Disease
9	99.49	9 Concurrent Infectious Disease
9	99.5	9 Concurrent Infectious Disease
9	99.51	9 Concurrent Infectious Disease
9	99.52	9 Concurrent Infectious Disease
9	99.53	9 Concurrent Infectious Disease
9	99.54	9 Concurrent Infectious Disease
9	99.55	9 Concurrent Infectious Disease
9	99.56	9 Concurrent Infectious Disease
9	99.59	9 Concurrent Infectious Disease
9	99.8	9 Concurrent Infectious Disease
9	99.9	9 Concurrent Infectious Disease
9	100	9 Concurrent Infectious Disease
9	100.81	9 Concurrent Infectious Disease
9	100.89	9 Concurrent Infectious Disease
9	100.9	9 Concurrent Infectious Disease
9	101	9 Concurrent Infectious Disease
9	102	9 Concurrent Infectious Disease
9	102.1	9 Concurrent Infectious Disease
9	102.2	9 Concurrent Infectious Disease
9	102.3	9 Concurrent Infectious Disease
9	102.4	9 Concurrent Infectious Disease
9	102.5	9 Concurrent Infectious Disease
9	102.6	9 Concurrent Infectious Disease
9	102.7	9 Concurrent Infectious Disease
9	102.8	9 Concurrent Infectious Disease
9	102.9	9 Concurrent Infectious Disease
9	103	9 Concurrent Infectious Disease
9	103.1	9 Concurrent Infectious Disease
9	103.2	9 Concurrent Infectious Disease
9	103.3	9 Concurrent Infectious Disease
9	103.9	9 Concurrent Infectious Disease
9	104	9 Concurrent Infectious Disease
9	104.8	9 Concurrent Infectious Disease
9	104.9	9 Concurrent Infectious Disease
9	110	9 Concurrent Infectious Disease
9	110.1	9 Concurrent Infectious Disease
9	110.2	9 Concurrent Infectious Disease
9	110.3	9 Concurrent Infectious Disease
9	110.4	9 Concurrent Infectious Disease
9	110.5	9 Concurrent Infectious Disease
9	110.6	9 Concurrent Infectious Disease
9	110.8	9 Concurrent Infectious Disease
9	110.9	9 Concurrent Infectious Disease

9	111	9 Concurrent Infectious Disease
9	111.1	9 Concurrent Infectious Disease
9	111.2	9 Concurrent Infectious Disease
9	111.3	9 Concurrent Infectious Disease
9	111.8	9 Concurrent Infectious Disease
9	111.9	9 Concurrent Infectious Disease
9	112	9 Concurrent Infectious Disease
9	112.1	9 Concurrent Infectious Disease
9	112.2	9 Concurrent Infectious Disease
9	112.3	9 Concurrent Infectious Disease
9	112.4	9 Concurrent Infectious Disease
9	112.5	9 Concurrent Infectious Disease
9	112.81	9 Concurrent Infectious Disease
9	112.82	9 Concurrent Infectious Disease
9	112.83	9 Concurrent Infectious Disease
9	112.84	9 Concurrent Infectious Disease
9	112.85	9 Concurrent Infectious Disease
9	112.89	9 Concurrent Infectious Disease
9	112.9	9 Concurrent Infectious Disease
9	114	9 Concurrent Infectious Disease
9	114.1	9 Concurrent Infectious Disease
9	114.2	9 Concurrent Infectious Disease
9	114.3	9 Concurrent Infectious Disease
9	114.4	9 Concurrent Infectious Disease
9	114.5	9 Concurrent Infectious Disease
9	114.9	9 Concurrent Infectious Disease
9	115	9 Concurrent Infectious Disease
9	115.01	9 Concurrent Infectious Disease
9	115.02	9 Concurrent Infectious Disease
9	115.03	9 Concurrent Infectious Disease
9	115.04	9 Concurrent Infectious Disease
9	115.05	9 Concurrent Infectious Disease
9	115.09	9 Concurrent Infectious Disease
9	115.1	9 Concurrent Infectious Disease
9	115.11	9 Concurrent Infectious Disease
9	115.12	9 Concurrent Infectious Disease
9	115.13	9 Concurrent Infectious Disease
9	115.14	9 Concurrent Infectious Disease
9	115.15	9 Concurrent Infectious Disease
9	115.19	9 Concurrent Infectious Disease
9	115.9	9 Concurrent Infectious Disease
9	115.91	9 Concurrent Infectious Disease
9	115.92	9 Concurrent Infectious Disease
9	115.93	9 Concurrent Infectious Disease
9	115.94	9 Concurrent Infectious Disease
9	115.95	9 Concurrent Infectious Disease
9	115.99	9 Concurrent Infectious Disease

9	116	9 Concurrent Infectious Disease
9	116.1	9 Concurrent Infectious Disease
9	116.2	9 Concurrent Infectious Disease
9	117	9 Concurrent Infectious Disease
9	117.1	9 Concurrent Infectious Disease
9	117.2	9 Concurrent Infectious Disease
9	117.3	9 Concurrent Infectious Disease
9	117.4	9 Concurrent Infectious Disease
9	117.5	9 Concurrent Infectious Disease
9	117.6	9 Concurrent Infectious Disease
9	117.7	9 Concurrent Infectious Disease
9	117.8	9 Concurrent Infectious Disease
9	117.9	9 Concurrent Infectious Disease
9	118	9 Concurrent Infectious Disease
9	120	9 Concurrent Infectious Disease
9	120.1	9 Concurrent Infectious Disease
9	120.2	9 Concurrent Infectious Disease
9	120.3	9 Concurrent Infectious Disease
9	120.8	9 Concurrent Infectious Disease
9	120.9	9 Concurrent Infectious Disease
9	121	9 Concurrent Infectious Disease
9	121.1	9 Concurrent Infectious Disease
9	121.2	9 Concurrent Infectious Disease
9	121.3	9 Concurrent Infectious Disease
9	121.4	9 Concurrent Infectious Disease
9	121.5	9 Concurrent Infectious Disease
9	121.6	9 Concurrent Infectious Disease
9	121.8	9 Concurrent Infectious Disease
9	121.9	9 Concurrent Infectious Disease
9	122	9 Concurrent Infectious Disease
9	122.1	9 Concurrent Infectious Disease
9	122.2	9 Concurrent Infectious Disease
9	122.3	9 Concurrent Infectious Disease
9	122.4	9 Concurrent Infectious Disease
9	122.5	9 Concurrent Infectious Disease
9	122.6	9 Concurrent Infectious Disease
9	122.7	9 Concurrent Infectious Disease
9	122.8	9 Concurrent Infectious Disease
9	122.9	9 Concurrent Infectious Disease
9	123	9 Concurrent Infectious Disease
9	123.1	9 Concurrent Infectious Disease
9	123.2	9 Concurrent Infectious Disease
9	123.3	9 Concurrent Infectious Disease
9	123.4	9 Concurrent Infectious Disease
9	123.5	9 Concurrent Infectious Disease
9	123.6	9 Concurrent Infectious Disease
9	123.8	9 Concurrent Infectious Disease

9	123.9	9 Concurrent Infectious Disease
9	124	9 Concurrent Infectious Disease
9	125	9 Concurrent Infectious Disease
9	125.1	9 Concurrent Infectious Disease
9	125.2	9 Concurrent Infectious Disease
9	125.3	9 Concurrent Infectious Disease
9	125.4	9 Concurrent Infectious Disease
9	125.5	9 Concurrent Infectious Disease
9	125.6	9 Concurrent Infectious Disease
9	125.7	9 Concurrent Infectious Disease
9	125.9	9 Concurrent Infectious Disease
9	126	9 Concurrent Infectious Disease
9	126.1	9 Concurrent Infectious Disease
9	126.2	9 Concurrent Infectious Disease
9	126.3	9 Concurrent Infectious Disease
9	126.8	9 Concurrent Infectious Disease
9	126.9	9 Concurrent Infectious Disease
9	127	9 Concurrent Infectious Disease
9	127.1	9 Concurrent Infectious Disease
9	127.2	9 Concurrent Infectious Disease
9	127.3	9 Concurrent Infectious Disease
9	127.4	9 Concurrent Infectious Disease
9	127.5	9 Concurrent Infectious Disease
9	127.6	9 Concurrent Infectious Disease
9	127.7	9 Concurrent Infectious Disease
9	127.8	9 Concurrent Infectious Disease
9	127.9	9 Concurrent Infectious Disease
9	128	9 Concurrent Infectious Disease
9	128.1	9 Concurrent Infectious Disease
9	128.8	9 Concurrent Infectious Disease
9	128.9	9 Concurrent Infectious Disease
9	129	9 Concurrent Infectious Disease
9	130	9 Concurrent Infectious Disease
9	130.1	9 Concurrent Infectious Disease
9	130.2	9 Concurrent Infectious Disease
9	130.3	9 Concurrent Infectious Disease
9	130.4	9 Concurrent Infectious Disease
9	130.5	9 Concurrent Infectious Disease
9	130.7	9 Concurrent Infectious Disease
9	130.8	9 Concurrent Infectious Disease
9	130.9	9 Concurrent Infectious Disease
9	131	9 Concurrent Infectious Disease
9	131.01	9 Concurrent Infectious Disease
9	131.02	9 Concurrent Infectious Disease
9	131.03	9 Concurrent Infectious Disease
9	131.09	9 Concurrent Infectious Disease
9	131.8	9 Concurrent Infectious Disease

9	131.9	9 Concurrent Infectious Disease
9	132	9 Concurrent Infectious Disease
9	132.1	9 Concurrent Infectious Disease
9	132.2	9 Concurrent Infectious Disease
9	132.3	9 Concurrent Infectious Disease
9	132.9	9 Concurrent Infectious Disease
9	133	9 Concurrent Infectious Disease
9	133.8	9 Concurrent Infectious Disease
9	133.9	9 Concurrent Infectious Disease
9	134	9 Concurrent Infectious Disease
9	134.1	9 Concurrent Infectious Disease
9	134.2	9 Concurrent Infectious Disease
9	134.8	9 Concurrent Infectious Disease
9	134.9	9 Concurrent Infectious Disease
9	135	9 Concurrent Infectious Disease
9	136	9 Concurrent Infectious Disease
9	136.1	9 Concurrent Infectious Disease
9	136.2	9 Concurrent Infectious Disease
9	136.21	9 Concurrent Infectious Disease
9	136.29	9 Concurrent Infectious Disease
9	136.3	9 Concurrent Infectious Disease
9	136.4	9 Concurrent Infectious Disease
9	136.5	9 Concurrent Infectious Disease
9	136.8	9 Concurrent Infectious Disease
9	136.9	9 Concurrent Infectious Disease
9	137	9 Concurrent Infectious Disease
9	137.1	9 Concurrent Infectious Disease
9	137.2	9 Concurrent Infectious Disease
9	137.3	9 Concurrent Infectious Disease
9	137.4	9 Concurrent Infectious Disease
9	138	9 Concurrent Infectious Disease
9	139	9 Concurrent Infectious Disease
9	139.1	9 Concurrent Infectious Disease
9	139.8	9 Concurrent Infectious Disease
9	140	9 Malignancy
9	140.1	9 Malignancy
9	140.3	9 Malignancy
9	140.4	9 Malignancy
9	140.5	9 Malignancy
9	140.6	9 Malignancy
9	140.8	9 Malignancy
9	140.9	9 Malignancy
9	141	9 Malignancy
9	141.1	9 Malignancy
9	141.2	9 Malignancy
9	141.3	9 Malignancy
9	141.4	9 Malignancy

9	141.5	9 Malignancy
9	141.6	9 Malignancy
9	141.8	9 Malignancy
9	141.9	9 Malignancy
9	142	9 Malignancy
9	142.1	9 Malignancy
9	142.2	9 Malignancy
9	142.8	9 Malignancy
9	142.9	9 Malignancy
9	143	9 Malignancy
9	143.1	9 Malignancy
9	143.8	9 Malignancy
9	143.9	9 Malignancy
9	144	9 Malignancy
9	144.1	9 Malignancy
9	144.8	9 Malignancy
9	144.9	9 Malignancy
9	145	9 Malignancy
9	145.1	9 Malignancy
9	145.2	9 Malignancy
9	145.3	9 Malignancy
9	145.4	9 Malignancy
9	145.5	9 Malignancy
9	145.6	9 Malignancy
9	145.8	9 Malignancy
9	145.9	9 Malignancy
9	146	9 Malignancy
9	146.1	9 Malignancy
9	146.2	9 Malignancy
9	146.3	9 Malignancy
9	146.4	9 Malignancy
9	146.5	9 Malignancy
9	146.6	9 Malignancy
9	146.7	9 Malignancy
9	146.8	9 Malignancy
9	146.9	9 Malignancy
9	147	9 Malignancy
9	147.1	9 Malignancy
9	147.2	9 Malignancy
9	147.3	9 Malignancy
9	147.8	9 Malignancy
9	147.9	9 Malignancy
9	148	9 Malignancy
9	148.1	9 Malignancy
9	148.2	9 Malignancy
9	148.3	9 Malignancy
9	148.8	9 Malignancy

9	148.9	9 Malignancy
9	149	9 Malignancy
9	149.1	9 Malignancy
9	149.8	9 Malignancy
9	149.9	9 Malignancy
9	150	9 Malignancy
9	150.1	9 Malignancy
9	150.2	9 Malignancy
9	150.3	9 Malignancy
9	150.4	9 Malignancy
9	150.5	9 Malignancy
9	150.8	9 Malignancy
9	150.9	9 Malignancy
9	151	9 Malignancy
9	151.1	9 Malignancy
9	151.2	9 Malignancy
9	151.3	9 Malignancy
9	151.4	9 Malignancy
9	151.5	9 Malignancy
9	151.6	9 Malignancy
9	151.8	9 Malignancy
9	151.9	9 Malignancy
9	152	9 Malignancy
9	152.1	9 Malignancy
9	152.2	9 Malignancy
9	152.3	9 Malignancy
9	152.8	9 Malignancy
9	152.9	9 Malignancy
9	153	9 Malignancy
9	153.1	9 Malignancy
9	153.2	9 Malignancy
9	153.3	9 Malignancy
9	153.4	9 Malignancy
9	153.5	9 Malignancy
9	153.6	9 Malignancy
9	153.7	9 Malignancy
9	153.8	9 Malignancy
9	153.9	9 Malignancy
9	154	9 Malignancy
9	154.1	9 Malignancy
9	154.2	9 Malignancy
9	154.3	9 Malignancy
9	154.8	9 Malignancy
9	155	9 Malignancy
9	155.1	9 Malignancy
9	155.2	9 Malignancy
9	156	9 Malignancy

9	156.1	9 Malignancy
9	156.2	9 Malignancy
9	156.8	9 Malignancy
9	156.9	9 Malignancy
9	157	9 Malignancy
9	157.1	9 Malignancy
9	157.2	9 Malignancy
9	157.3	9 Malignancy
9	157.4	9 Malignancy
9	157.8	9 Malignancy
9	157.9	9 Malignancy
9	158	9 Malignancy
9	158.8	9 Malignancy
9	158.9	9 Malignancy
9	159	9 Malignancy
9	159.1	9 Malignancy
9	159.8	9 Malignancy
9	159.9	9 Malignancy
9	160	9 Malignancy
9	160.1	9 Malignancy
9	160.2	9 Malignancy
9	160.3	9 Malignancy
9	160.4	9 Malignancy
9	160.5	9 Malignancy
9	160.8	9 Malignancy
9	160.9	9 Malignancy
9	161	9 Malignancy
9	161.1	9 Malignancy
9	161.2	9 Malignancy
9	161.3	9 Malignancy
9	161.8	9 Malignancy
9	161.9	9 Malignancy
9	162	9 Malignancy
9	162.2	9 Malignancy
9	162.3	9 Malignancy
9	162.4	9 Malignancy
9	162.5	9 Malignancy
9	162.8	9 Malignancy
9	162.9	9 Malignancy
9	163	9 Malignancy
9	163.1	9 Malignancy
9	163.8	9 Malignancy
9	163.9	9 Malignancy
9	164	9 Malignancy
9	164.1	9 Malignancy
9	164.2	9 Malignancy
9	164.3	9 Malignancy

9	164.8	9 Malignancy
9	164.9	9 Malignancy
9	165	9 Malignancy
9	165.8	9 Malignancy
9	165.9	9 Malignancy
9	170	9 Malignancy
9	170.1	9 Malignancy
9	170.2	9 Malignancy
9	170.3	9 Malignancy
9	170.4	9 Malignancy
9	170.5	9 Malignancy
9	170.6	9 Malignancy
9	170.7	9 Malignancy
9	170.8	9 Malignancy
9	170.9	9 Malignancy
9	171	9 Malignancy
9	171.2	9 Malignancy
9	171.3	9 Malignancy
9	171.4	9 Malignancy
9	171.5	9 Malignancy
9	171.6	9 Malignancy
9	171.7	9 Malignancy
9	171.8	9 Malignancy
9	171.9	9 Malignancy
9	172	9 Malignancy
9	172.1	9 Malignancy
9	172.2	9 Malignancy
9	172.3	9 Malignancy
9	172.4	9 Malignancy
9	172.5	9 Malignancy
9	172.6	9 Malignancy
9	172.7	9 Malignancy
9	172.8	9 Malignancy
9	172.9	9 Malignancy
9	173	9 Malignancy
9	173.01	9 Malignancy
9	173.02	9 Malignancy
9	173.09	9 Malignancy
9	173.1	9 Malignancy
9	173.11	9 Malignancy
9	173.12	9 Malignancy
9	173.19	9 Malignancy
9	173.2	9 Malignancy
9	173.21	9 Malignancy
9	173.22	9 Malignancy
9	173.29	9 Malignancy
9	173.3	9 Malignancy

9	173.31	9 Malignancy
9	173.32	9 Malignancy
9	173.39	9 Malignancy
9	173.4	9 Malignancy
9	173.41	9 Malignancy
9	173.42	9 Malignancy
9	173.49	9 Malignancy
9	173.5	9 Malignancy
9	173.51	9 Malignancy
9	173.52	9 Malignancy
9	173.59	9 Malignancy
9	173.6	9 Malignancy
9	173.61	9 Malignancy
9	173.62	9 Malignancy
9	173.69	9 Malignancy
9	173.7	9 Malignancy
9	173.71	9 Malignancy
9	173.72	9 Malignancy
9	173.79	9 Malignancy
9	173.8	9 Malignancy
9	173.81	9 Malignancy
9	173.82	9 Malignancy
9	173.89	9 Malignancy
9	173.9	9 Malignancy
9	173.91	9 Malignancy
9	173.92	9 Malignancy
9	173.99	9 Malignancy
9	174	9 Malignancy
9	174.1	9 Malignancy
9	174.2	9 Malignancy
9	174.3	9 Malignancy
9	174.4	9 Malignancy
9	174.5	9 Malignancy
9	174.6	9 Malignancy
9	174.8	9 Malignancy
9	174.9	9 Malignancy
9	175	9 Malignancy
9	175.9	9 Malignancy
9	176	9 Malignancy
9	176.1	9 Malignancy
9	176.2	9 Malignancy
9	176.3	9 Malignancy
9	176.4	9 Malignancy
9	176.5	9 Malignancy
9	176.8	9 Malignancy
9	176.9	9 Malignancy
9	179	9 Malignancy

9	180	9 Malignancy
9	180.1	9 Malignancy
9	180.8	9 Malignancy
9	180.9	9 Malignancy
9	181	9 Malignancy
9	182	9 Malignancy
9	182.1	9 Malignancy
9	182.8	9 Malignancy
9	183	9 Malignancy
9	183.2	9 Malignancy
9	183.3	9 Malignancy
9	183.4	9 Malignancy
9	183.5	9 Malignancy
9	183.8	9 Malignancy
9	183.9	9 Malignancy
9	184	9 Malignancy
9	184.1	9 Malignancy
9	184.2	9 Malignancy
9	184.3	9 Malignancy
9	184.4	9 Malignancy
9	184.8	9 Malignancy
9	184.9	9 Malignancy
9	185	9 Malignancy
9	186	9 Malignancy
9	186.9	9 Malignancy
9	187.1	9 Malignancy
9	187.2	9 Malignancy
9	187.3	9 Malignancy
9	187.4	9 Malignancy
9	187.5	9 Malignancy
9	187.6	9 Malignancy
9	187.7	9 Malignancy
9	187.8	9 Malignancy
9	187.9	9 Malignancy
9	188	9 Malignancy
9	188.1	9 Malignancy
9	188.2	9 Malignancy
9	188.3	9 Malignancy
9	188.4	9 Malignancy
9	188.5	9 Malignancy
9	188.6	9 Malignancy
9	188.7	9 Malignancy
9	188.8	9 Malignancy
9	188.9	9 Malignancy
9	189	9 Malignancy
9	189.1	9 Malignancy
9	189.2	9 Malignancy

9	189.3	9 Malignancy
9	189.4	9 Malignancy
9	189.8	9 Malignancy
9	189.9	9 Malignancy
9	190	9 Malignancy
9	190.1	9 Malignancy
9	190.2	9 Malignancy
9	190.3	9 Malignancy
9	190.4	9 Malignancy
9	190.5	9 Malignancy
9	190.6	9 Malignancy
9	190.7	9 Malignancy
9	190.8	9 Malignancy
9	190.9	9 Malignancy
9	191	9 Malignancy
9	191.1	9 Malignancy
9	191.2	9 Malignancy
9	191.3	9 Malignancy
9	191.4	9 Malignancy
9	191.5	9 Malignancy
9	191.6	9 Malignancy
9	191.7	9 Malignancy
9	191.8	9 Malignancy
9	191.9	9 Malignancy
9	192	9 Malignancy
9	192.1	9 Malignancy
9	192.2	9 Malignancy
9	192.3	9 Malignancy
9	192.8	9 Malignancy
9	192.9	9 Malignancy
9	193	9 Malignancy
9	194	9 Malignancy
9	194.1	9 Malignancy
9	194.3	9 Malignancy
9	194.4	9 Malignancy
9	194.5	9 Malignancy
9	194.6	9 Malignancy
9	194.8	9 Malignancy
9	194.9	9 Malignancy
9	195	9 Malignancy
9	195.1	9 Malignancy
9	195.2	9 Malignancy
9	195.3	9 Malignancy
9	195.4	9 Malignancy
9	195.5	9 Malignancy
9	195.8	9 Malignancy
9	196	9 Malignancy

9	196.1	9 Malignancy
9	196.2	9 Malignancy
9	196.3	9 Malignancy
9	196.5	9 Malignancy
9	196.6	9 Malignancy
9	196.8	9 Malignancy
9	196.9	9 Malignancy
9	197	9 Malignancy
9	197.1	9 Malignancy
9	197.2	9 Malignancy
9	197.3	9 Malignancy
9	197.4	9 Malignancy
9	197.5	9 Malignancy
9	197.6	9 Malignancy
9	197.7	9 Malignancy
9	197.8	9 Malignancy
9	198	9 Malignancy
9	198.1	9 Malignancy
9	198.2	9 Malignancy
9	198.3	9 Malignancy
9	198.4	9 Malignancy
9	198.5	9 Malignancy
9	198.6	9 Malignancy
9	198.7	9 Malignancy
9	198.81	9 Malignancy
9	198.82	9 Malignancy
9	198.89	9 Malignancy
9	199	9 Malignancy
9	199.1	9 Malignancy
9	199.2	9 Malignancy
9	200	9 Malignancy
9	200.01	9 Malignancy
9	200.02	9 Malignancy
9	200.03	9 Malignancy
9	200.04	9 Malignancy
9	200.05	9 Malignancy
9	200.06	9 Malignancy
9	200.07	9 Malignancy
9	200.08	9 Malignancy
9	200.1	9 Malignancy
9	200.11	9 Malignancy
9	200.12	9 Malignancy
9	200.13	9 Malignancy
9	200.14	9 Malignancy
9	200.15	9 Malignancy
9	200.16	9 Malignancy
9	200.17	9 Malignancy

9	200.18	9 Malignancy
9	200.2	9 Malignancy
9	200.21	9 Malignancy
9	200.22	9 Malignancy
9	200.23	9 Malignancy
9	200.24	9 Malignancy
9	200.25	9 Malignancy
9	200.26	9 Malignancy
9	200.27	9 Malignancy
9	200.28	9 Malignancy
9	200.3	9 Malignancy
9	200.31	9 Malignancy
9	200.32	9 Malignancy
9	200.33	9 Malignancy
9	200.34	9 Malignancy
9	200.35	9 Malignancy
9	200.36	9 Malignancy
9	200.37	9 Malignancy
9	200.38	9 Malignancy
9	200.4	9 Malignancy
9	200.41	9 Malignancy
9	200.42	9 Malignancy
9	200.43	9 Malignancy
9	200.44	9 Malignancy
9	200.45	9 Malignancy
9	200.46	9 Malignancy
9	200.47	9 Malignancy
9	200.48	9 Malignancy
9	200.5	9 Malignancy
9	200.51	9 Malignancy
9	200.52	9 Malignancy
9	200.53	9 Malignancy
9	200.54	9 Malignancy
9	200.55	9 Malignancy
9	200.56	9 Malignancy
9	200.57	9 Malignancy
9	200.58	9 Malignancy
9	200.6	9 Malignancy
9	200.61	9 Malignancy
9	200.62	9 Malignancy
9	200.63	9 Malignancy
9	200.64	9 Malignancy
9	200.65	9 Malignancy
9	200.66	9 Malignancy
9	200.67	9 Malignancy
9	200.68	9 Malignancy
9	200.7	9 Malignancy

9	200.71	9 Malignancy
9	200.72	9 Malignancy
9	200.73	9 Malignancy
9	200.74	9 Malignancy
9	200.75	9 Malignancy
9	200.76	9 Malignancy
9	200.77	9 Malignancy
9	200.78	9 Malignancy
9	200.8	9 Malignancy
9	200.81	9 Malignancy
9	200.82	9 Malignancy
9	200.83	9 Malignancy
9	200.84	9 Malignancy
9	200.85	9 Malignancy
9	200.86	9 Malignancy
9	200.87	9 Malignancy
9	200.88	9 Malignancy
9	201	9 Malignancy
9	201.01	9 Malignancy
9	201.02	9 Malignancy
9	201.03	9 Malignancy
9	201.04	9 Malignancy
9	201.05	9 Malignancy
9	201.06	9 Malignancy
9	201.07	9 Malignancy
9	201.08	9 Malignancy
9	201.1	9 Malignancy
9	201.11	9 Malignancy
9	201.12	9 Malignancy
9	201.13	9 Malignancy
9	201.14	9 Malignancy
9	201.15	9 Malignancy
9	201.16	9 Malignancy
9	201.17	9 Malignancy
9	201.18	9 Malignancy
9	201.2	9 Malignancy
9	201.21	9 Malignancy
9	201.22	9 Malignancy
9	201.23	9 Malignancy
9	201.24	9 Malignancy
9	201.25	9 Malignancy
9	201.26	9 Malignancy
9	201.27	9 Malignancy
9	201.28	9 Malignancy
9	201.4	9 Malignancy
9	201.41	9 Malignancy
9	201.42	9 Malignancy

9	201.43	9 Malignancy
9	201.44	9 Malignancy
9	201.45	9 Malignancy
9	201.46	9 Malignancy
9	201.47	9 Malignancy
9	201.48	9 Malignancy
9	201.5	9 Malignancy
9	201.51	9 Malignancy
9	201.52	9 Malignancy
9	201.53	9 Malignancy
9	201.54	9 Malignancy
9	201.55	9 Malignancy
9	201.56	9 Malignancy
9	201.57	9 Malignancy
9	201.58	9 Malignancy
9	201.6	9 Malignancy
9	201.61	9 Malignancy
9	201.62	9 Malignancy
9	201.63	9 Malignancy
9	201.64	9 Malignancy
9	201.65	9 Malignancy
9	201.66	9 Malignancy
9	201.67	9 Malignancy
9	201.68	9 Malignancy
9	201.7	9 Malignancy
9	201.71	9 Malignancy
9	201.72	9 Malignancy
9	201.73	9 Malignancy
9	201.74	9 Malignancy
9	201.75	9 Malignancy
9	201.76	9 Malignancy
9	201.77	9 Malignancy
9	201.78	9 Malignancy
9	201.9	9 Malignancy
9	201.91	9 Malignancy
9	201.92	9 Malignancy
9	201.93	9 Malignancy
9	201.94	9 Malignancy
9	201.95	9 Malignancy
9	201.96	9 Malignancy
9	201.97	9 Malignancy
9	201.98	9 Malignancy
9	202	9 Malignancy
9	202.01	9 Malignancy
9	202.02	9 Malignancy
9	202.03	9 Malignancy
9	202.04	9 Malignancy

9	202.05	9 Malignancy
9	202.06	9 Malignancy
9	202.07	9 Malignancy
9	202.08	9 Malignancy
9	202.1	9 Malignancy
9	202.11	9 Malignancy
9	202.12	9 Malignancy
9	202.13	9 Malignancy
9	202.14	9 Malignancy
9	202.15	9 Malignancy
9	202.16	9 Malignancy
9	202.17	9 Malignancy
9	202.18	9 Malignancy
9	202.2	9 Malignancy
9	202.21	9 Malignancy
9	202.22	9 Malignancy
9	202.23	9 Malignancy
9	202.24	9 Malignancy
9	202.25	9 Malignancy
9	202.26	9 Malignancy
9	202.27	9 Malignancy
9	202.28	9 Malignancy
9	202.3	9 Malignancy
9	202.31	9 Malignancy
9	202.32	9 Malignancy
9	202.33	9 Malignancy
9	202.34	9 Malignancy
9	202.35	9 Malignancy
9	202.36	9 Malignancy
9	202.37	9 Malignancy
9	202.38	9 Malignancy
9	202.4	9 Malignancy
9	202.41	9 Malignancy
9	202.42	9 Malignancy
9	202.43	9 Malignancy
9	202.44	9 Malignancy
9	202.45	9 Malignancy
9	202.46	9 Malignancy
9	202.47	9 Malignancy
9	202.48	9 Malignancy
9	202.5	9 Malignancy
9	202.51	9 Malignancy
9	202.52	9 Malignancy
9	202.53	9 Malignancy
9	202.54	9 Malignancy
9	202.55	9 Malignancy
9	202.56	9 Malignancy

9	202.57	9 Malignancy
9	202.58	9 Malignancy
9	202.6	9 Malignancy
9	202.61	9 Malignancy
9	202.62	9 Malignancy
9	202.63	9 Malignancy
9	202.64	9 Malignancy
9	202.65	9 Malignancy
9	202.66	9 Malignancy
9	202.67	9 Malignancy
9	202.68	9 Malignancy
9	202.7	9 Malignancy
9	202.71	9 Malignancy
9	202.72	9 Malignancy
9	202.73	9 Malignancy
9	202.74	9 Malignancy
9	202.75	9 Malignancy
9	202.76	9 Malignancy
9	202.77	9 Malignancy
9	202.78	9 Malignancy
9	202.8	9 Malignancy
9	202.81	9 Malignancy
9	202.82	9 Malignancy
9	202.83	9 Malignancy
9	202.84	9 Malignancy
9	202.85	9 Malignancy
9	202.86	9 Malignancy
9	202.87	9 Malignancy
9	202.88	9 Malignancy
9	202.9	9 Malignancy
9	202.91	9 Malignancy
9	202.92	9 Malignancy
9	202.93	9 Malignancy
9	202.94	9 Malignancy
9	202.95	9 Malignancy
9	202.96	9 Malignancy
9	202.97	9 Malignancy
9	202.98	9 Malignancy
9	203	9 Malignancy
9	203.01	9 Malignancy
9	203.02	9 Malignancy
9	203.1	9 Malignancy
9	203.11	9 Malignancy
9	203.12	9 Malignancy
9	203.8	9 Malignancy
9	203.81	9 Malignancy
9	203.82	9 Malignancy

9	204	9 Malignancy
9	204.01	9 Malignancy
9	204.02	9 Malignancy
9	204.1	9 Malignancy
9	204.11	9 Malignancy
9	204.12	9 Malignancy
9	204.2	9 Malignancy
9	204.21	9 Malignancy
9	204.22	9 Malignancy
9	204.8	9 Malignancy
9	204.81	9 Malignancy
9	204.82	9 Malignancy
9	204.9	9 Malignancy
9	204.91	9 Malignancy
9	204.92	9 Malignancy
9	205	9 Malignancy
9	205.01	9 Malignancy
9	205.02	9 Malignancy
9	205.1	9 Malignancy
9	205.11	9 Malignancy
9	205.12	9 Malignancy
9	205.2	9 Malignancy
9	205.21	9 Malignancy
9	205.22	9 Malignancy
9	205.3	9 Malignancy
9	205.31	9 Malignancy
9	205.32	9 Malignancy
9	205.8	9 Malignancy
9	205.81	9 Malignancy
9	205.82	9 Malignancy
9	205.9	9 Malignancy
9	205.91	9 Malignancy
9	205.92	9 Malignancy
9	206	9 Malignancy
9	206.01	9 Malignancy
9	206.02	9 Malignancy
9	206.1	9 Malignancy
9	206.11	9 Malignancy
9	206.12	9 Malignancy
9	206.2	9 Malignancy
9	206.21	9 Malignancy
9	206.22	9 Malignancy
9	206.8	9 Malignancy
9	206.81	9 Malignancy
9	206.82	9 Malignancy
9	206.9	9 Malignancy
9	206.91	9 Malignancy

9	206.92	9 Malignancy
9	207	9 Malignancy
9	207.01	9 Malignancy
9	207.02	9 Malignancy
9	207.1	9 Malignancy
9	207.11	9 Malignancy
9	207.12	9 Malignancy
9	207.2	9 Malignancy
9	207.21	9 Malignancy
9	207.22	9 Malignancy
9	207.8	9 Malignancy
9	207.81	9 Malignancy
9	207.82	9 Malignancy
9	208	9 Malignancy
9	208.01	9 Malignancy
9	208.02	9 Malignancy
9	208.1	9 Malignancy
9	208.11	9 Malignancy
9	208.12	9 Malignancy
9	208.2	9 Malignancy
9	208.21	9 Malignancy
9	208.22	9 Malignancy
9	208.8	9 Malignancy
9	208.81	9 Malignancy
9	208.82	9 Malignancy
9	208.9	9 Malignancy
9	208.91	9 Malignancy
9	208.92	9 Malignancy
9	209	9 Malignancy
9	209.01	9 Malignancy
9	209.02	9 Malignancy
9	209.03	9 Malignancy
9	209.1	9 Malignancy
9	209.11	9 Malignancy
9	209.12	9 Malignancy
9	209.13	9 Malignancy
9	209.14	9 Malignancy
9	209.15	9 Malignancy
9	209.16	9 Malignancy
9	209.17	9 Malignancy
9	209.2	9 Malignancy
9	209.21	9 Malignancy
9	209.22	9 Malignancy
9	209.23	9 Malignancy
9	209.24	9 Malignancy
9	209.25	9 Malignancy
9	209.26	9 Malignancy

9	209.27	9 Malignancy
9	209.29	9 Malignancy
9	209.3	9 Malignancy
9	209.31	9 Malignancy
9	209.32	9 Malignancy
9	209.33	9 Malignancy
9	209.34	9 Malignancy
9	209.35	9 Malignancy
9	209.36	9 Malignancy
9	209.4	9 Malignancy
9	209.41	9 Malignancy
9	209.42	9 Malignancy
9	209.43	9 Malignancy
9	209.5	9 Malignancy
9	209.51	9 Malignancy
9	209.52	9 Malignancy
9	209.53	9 Malignancy
9	209.54	9 Malignancy
9	209.55	9 Malignancy
9	209.56	9 Malignancy
9	209.57	9 Malignancy
9	209.6	9 Malignancy
9	209.61	9 Malignancy
9	209.62	9 Malignancy
9	209.63	9 Malignancy
9	209.64	9 Malignancy
9	209.65	9 Malignancy
9	209.66	9 Malignancy
9	209.67	9 Malignancy
9	209.69	9 Malignancy
9	209.7	9 Malignancy
9	209.71	9 Malignancy
9	209.72	9 Malignancy
9	209.73	9 Malignancy
9	209.74	9 Malignancy
9	209.75	9 Malignancy
9	209.79	9 Malignancy
9	210	9 Malignancy
9	210.1	9 Malignancy
9	210.2	9 Malignancy
9	210.3	9 Malignancy
9	210.4	9 Malignancy
9	210.5	9 Malignancy
9	210.6	9 Malignancy
9	210.7	9 Malignancy
9	210.8	9 Malignancy
9	210.9	9 Malignancy

9	211	9 Malignancy
9	211.1	9 Malignancy
9	211.2	9 Malignancy
9	211.3	9 Malignancy
9	211.4	9 Malignancy
9	211.5	9 Malignancy
9	211.6	9 Malignancy
9	211.7	9 Malignancy
9	211.8	9 Malignancy
9	211.9	9 Malignancy
9	212	9 Malignancy
9	212.1	9 Malignancy
9	212.2	9 Malignancy
9	212.3	9 Malignancy
9	212.4	9 Malignancy
9	212.5	9 Malignancy
9	212.6	9 Malignancy
9	212.7	9 Malignancy
9	212.8	9 Malignancy
9	212.9	9 Malignancy
9	213	9 Malignancy
9	213.1	9 Malignancy
9	213.2	9 Malignancy
9	213.3	9 Malignancy
9	213.4	9 Malignancy
9	213.5	9 Malignancy
9	213.6	9 Malignancy
9	213.7	9 Malignancy
9	213.8	9 Malignancy
9	213.9	9 Malignancy
9	214	9 Malignancy
9	214.1	9 Malignancy
9	214.2	9 Malignancy
9	214.3	9 Malignancy
9	214.4	9 Malignancy
9	214.8	9 Malignancy
9	214.9	9 Malignancy
9	215	9 Malignancy
9	215.2	9 Malignancy
9	215.3	9 Malignancy
9	215.4	9 Malignancy
9	215.5	9 Malignancy
9	215.6	9 Malignancy
9	215.7	9 Malignancy
9	215.8	9 Malignancy
9	215.9	9 Malignancy
9	216	9 Malignancy

9	216.1	9 Malignancy
9	216.2	9 Malignancy
9	216.3	9 Malignancy
9	216.4	9 Malignancy
9	216.5	9 Malignancy
9	216.6	9 Malignancy
9	216.7	9 Malignancy
9	216.8	9 Malignancy
9	216.9	9 Malignancy
9	217	9 Malignancy
9	218	9 Malignancy
9	218.1	9 Malignancy
9	218.2	9 Malignancy
9	218.9	9 Malignancy
9	219	9 Malignancy
9	219.1	9 Malignancy
9	219.8	9 Malignancy
9	219.9	9 Malignancy
9	220	9 Malignancy
9	221	9 Malignancy
9	221.1	9 Malignancy
9	221.2	9 Malignancy
9	221.8	9 Malignancy
9	221.9	9 Malignancy
9	222	9 Malignancy
9	222.1	9 Malignancy
9	222.2	9 Malignancy
9	222.3	9 Malignancy
9	222.4	9 Malignancy
9	222.8	9 Malignancy
9	222.9	9 Malignancy
9	223	9 Malignancy
9	223.1	9 Malignancy
9	223.2	9 Malignancy
9	223.3	9 Malignancy
9	223.81	9 Malignancy
9	223.89	9 Malignancy
9	223.9	9 Malignancy
9	224	9 Malignancy
9	224.1	9 Malignancy
9	224.2	9 Malignancy
9	224.3	9 Malignancy
9	224.4	9 Malignancy
9	224.5	9 Malignancy
9	224.6	9 Malignancy
9	224.7	9 Malignancy
9	224.8	9 Malignancy

9	224.9	9 Malignancy
9	225	9 Malignancy
9	225.1	9 Malignancy
9	225.2	9 Malignancy
9	225.3	9 Malignancy
9	225.4	9 Malignancy
9	225.8	9 Malignancy
9	225.9	9 Malignancy
9	226	9 Malignancy
9	227	9 Malignancy
9	227.1	9 Malignancy
9	227.3	9 Malignancy
9	227.4	9 Malignancy
9	227.5	9 Malignancy
9	227.6	9 Malignancy
9	227.8	9 Malignancy
9	227.9	9 Malignancy
9	228	9 Malignancy
9	228.01	9 Malignancy
9	228.02	9 Malignancy
9	228.03	9 Malignancy
9	228.04	9 Malignancy
9	228.09	9 Malignancy
9	228.1	9 Malignancy
9	229	9 Malignancy
9	229.8	9 Malignancy
9	229.9	9 Malignancy
9	230	9 Malignancy
9	230.1	9 Malignancy
9	230.2	9 Malignancy
9	230.3	9 Malignancy
9	230.4	9 Malignancy
9	230.5	9 Malignancy
9	230.6	9 Malignancy
9	230.7	9 Malignancy
9	230.8	9 Malignancy
9	230.9	9 Malignancy
9	231	9 Malignancy
9	231.1	9 Malignancy
9	231.2	9 Malignancy
9	231.8	9 Malignancy
9	231.9	9 Malignancy
9	232	9 Malignancy
9	232.1	9 Malignancy
9	232.2	9 Malignancy
9	232.3	9 Malignancy
9	232.4	9 Malignancy

9	232.5	9 Malignancy
9	232.6	9 Malignancy
9	232.7	9 Malignancy
9	232.8	9 Malignancy
9	232.9	9 Malignancy
9	233	9 Malignancy
9	233.1	9 Malignancy
9	233.2	9 Malignancy
9	233.3	9 Malignancy
9	233.31	9 Malignancy
9	233.32	9 Malignancy
9	233.39	9 Malignancy
9	233.4	9 Malignancy
9	233.5	9 Malignancy
9	233.6	9 Malignancy
9	233.7	9 Malignancy
9	233.9	9 Malignancy
9	234	9 Malignancy
9	234.8	9 Malignancy
9	234.9	9 Malignancy
9	235	9 Malignancy
9	235.1	9 Malignancy
9	235.2	9 Malignancy
9	235.3	9 Malignancy
9	235.4	9 Malignancy
9	235.5	9 Malignancy
9	235.6	9 Malignancy
9	235.7	9 Malignancy
9	235.8	9 Malignancy
9	235.9	9 Malignancy
9	236	9 Malignancy
9	236.1	9 Malignancy
9	236.2	9 Malignancy
9	236.3	9 Malignancy
9	236.4	9 Malignancy
9	236.5	9 Malignancy
9	236.6	9 Malignancy
9	236.7	9 Malignancy
9	236.9	9 Malignancy
9	236.91	9 Malignancy
9	236.99	9 Malignancy
9	237	9 Malignancy
9	237.1	9 Malignancy
9	237.2	9 Malignancy
9	237.3	9 Malignancy
9	237.4	9 Malignancy
9	237.5	9 Malignancy

9	237.6	9 Malignancy
9	237.7	9 Malignancy
9	237.71	9 Malignancy
9	237.72	9 Malignancy
9	237.73	9 Malignancy
9	237.79	9 Malignancy
9	237.9	9 Malignancy
9	238	9 Malignancy
9	238.1	9 Malignancy
9	238.2	9 Malignancy
9	238.3	9 Malignancy
9	238.4	9 Malignancy
9	238.5	9 Malignancy
9	238.6	9 Malignancy
9	238.7	9 Malignancy
9	238.71	9 Malignancy
9	238.72	9 Malignancy
9	238.73	9 Malignancy
9	238.74	9 Malignancy
9	238.75	9 Malignancy
9	238.76	9 Malignancy
9	238.77	9 Malignancy
9	238.79	9 Malignancy
9	238.8	9 Malignancy
9	238.9	9 Malignancy
9	250	9 Diabetes
9	250.01	9 Diabetes
9	250.02	9 Diabetes
9	250.03	9 Diabetes
9	250.1	9 Diabetes
9	250.11	9 Diabetes
9	250.12	9 Diabetes
9	250.13	9 Diabetes
9	250.2	9 Diabetes
9	250.21	9 Diabetes
9	250.22	9 Diabetes
9	250.23	9 Diabetes
9	250.3	9 Diabetes
9	250.31	9 Diabetes
9	250.32	9 Diabetes
9	250.33	9 Diabetes
9	250.4	9 Diabetes
9	250.41	9 Diabetes
9	250.42	9 Diabetes
9	250.43	9 Diabetes
9	250.5	9 Diabetes
9	250.51	9 Diabetes

9	250.52	9 Diabetes
9	250.53	9 Diabetes
9	250.6	9 Diabetes
9	250.61	9 Diabetes
9	250.62	9 Diabetes
9	250.63	9 Diabetes
9	250.7	9 Diabetes
9	250.71	9 Diabetes
9	250.72	9 Diabetes
9	250.73	9 Diabetes
9	250.8	9 Diabetes
9	250.81	9 Diabetes
9	250.82	9 Diabetes
9	250.83	9 Diabetes
9	250.9	9 Diabetes
9	250.91	9 Diabetes
9	250.92	9 Diabetes
9	250.93	9 Diabetes
9	279.1	9 Immunocompromised
9	279.19	9 Immunocompromised
9	288	9 Immunocompromised
9	288.01	9 Immunocompromised
9	288.02	9 Immunocompromised
9	288.03	9 Immunocompromised
9	288.04	9 Immunocompromised
9	288.09	9 Immunocompromised
9	475	9 Concurrent Infectious Disease
9	478.24	9 Concurrent Infectious Disease
9	480	9 Concurrent Infectious Disease
9	480.1	9 Concurrent Infectious Disease
9	480.2	9 Concurrent Infectious Disease
9	480.3	9 Concurrent Infectious Disease
9	480.8	9 Concurrent Infectious Disease
9	480.9	9 Concurrent Infectious Disease
9	481	9 Concurrent Infectious Disease
9	482	9 Concurrent Infectious Disease
9	482.1	9 Concurrent Infectious Disease
9	482.2	9 Concurrent Infectious Disease
9	482.3	9 Concurrent Infectious Disease
9	482.31	9 Concurrent Infectious Disease
9	482.32	9 Concurrent Infectious Disease
9	482.39	9 Concurrent Infectious Disease
9	482.4	9 Concurrent Infectious Disease
9	482.41	9 Concurrent Infectious Disease
9	482.42	9 Concurrent Infectious Disease
9	482.49	9 Concurrent Infectious Disease
9	482.8	9 Concurrent Infectious Disease

9	482.81	9 Concurrent Infectious Disease
9	482.82	9 Concurrent Infectious Disease
9	482.83	9 Concurrent Infectious Disease
9	482.84	9 Concurrent Infectious Disease
9	482.89	9 Concurrent Infectious Disease
9	482.9	9 Concurrent Infectious Disease
9	483	9 Concurrent Infectious Disease
9	483.1	9 Concurrent Infectious Disease
9	483.8	9 Concurrent Infectious Disease
9	484.1	9 Concurrent Infectious Disease
9	484.3	9 Concurrent Infectious Disease
9	484.5	9 Concurrent Infectious Disease
9	484.6	9 Concurrent Infectious Disease
9	484.7	9 Concurrent Infectious Disease
9	484.8	9 Concurrent Infectious Disease
9	485	9 Concurrent Infectious Disease
9	486	9 Concurrent Infectious Disease
9	487	9 Concurrent Infectious Disease
9	487.1	9 Concurrent Infectious Disease
9	487.8	9 Concurrent Infectious Disease
9	488	9 Concurrent Infectious Disease
9	488.01	9 Concurrent Infectious Disease
9	488.02	9 Concurrent Infectious Disease
9	488.09	9 Concurrent Infectious Disease
9	488.1	9 Concurrent Infectious Disease
9	488.11	9 Concurrent Infectious Disease
9	488.12	9 Concurrent Infectious Disease
9	488.19	9 Concurrent Infectious Disease
9	488.81	9 Concurrent Infectious Disease
9	488.82	9 Concurrent Infectious Disease
9	488.89	9 Concurrent Infectious Disease
9	491	9 Chronic Pulmonary Disorder
9	491.1	9 Chronic Pulmonary Disorder
9	491.2	9 Chronic Pulmonary Disorder
9	491.21	9 Chronic Pulmonary Disorder
9	491.22	9 Chronic Pulmonary Disorder
9	491.8	9 Chronic Pulmonary Disorder
9	491.9	9 Chronic Pulmonary Disorder
9	492	9 Chronic Pulmonary Disorder
9	492.8	9 Chronic Pulmonary Disorder
9	493	9 Chronic Pulmonary Disorder
9	493.01	9 Chronic Pulmonary Disorder
9	493.02	9 Chronic Pulmonary Disorder
9	493.1	9 Chronic Pulmonary Disorder
9	493.11	9 Chronic Pulmonary Disorder
9	493.12	9 Chronic Pulmonary Disorder
9	493.2	9 Chronic Pulmonary Disorder

9	493.21	9 Chronic Pulmonary Disorder
9	493.22	9 Chronic Pulmonary Disorder
9	493.81	9 Chronic Pulmonary Disorder
9	493.82	9 Chronic Pulmonary Disorder
9	493.9	9 Chronic Pulmonary Disorder
9	493.91	9 Chronic Pulmonary Disorder
9	493.92	9 Chronic Pulmonary Disorder
9	494	9 Chronic Pulmonary Disorder
9	494.1	9 Chronic Pulmonary Disorder
9	495	9 Chronic Pulmonary Disorder
9	495.1	9 Chronic Pulmonary Disorder
9	495.2	9 Chronic Pulmonary Disorder
9	495.3	9 Chronic Pulmonary Disorder
9	495.4	9 Chronic Pulmonary Disorder
9	495.5	9 Chronic Pulmonary Disorder
9	495.6	9 Chronic Pulmonary Disorder
9	495.7	9 Chronic Pulmonary Disorder
9	495.8	9 Chronic Pulmonary Disorder
9	495.9	9 Chronic Pulmonary Disorder
9	496	9 Chronic Pulmonary Disorder
9	528.3	9 Concurrent Infectious Disease
9	585.6	9 ESRD
9	590.1	9 Concurrent Infectious Disease
9	590.11	9 Concurrent Infectious Disease
9	590.2	9 Concurrent Infectious Disease
9	590.3	9 Concurrent Infectious Disease
9	590.8	9 Concurrent Infectious Disease
9	590.81	9 Concurrent Infectious Disease
9	590.9	9 Concurrent Infectious Disease
9	595	9 Concurrent Infectious Disease
9	595.9	9 Concurrent Infectious Disease
9	599	9 Concurrent Infectious Disease
9	681	9 Concurrent Infectious Disease
9	681.01	9 Concurrent Infectious Disease
9	681.02	9 Concurrent Infectious Disease
9	681.1	9 Concurrent Infectious Disease
9	681.11	9 Concurrent Infectious Disease
9	681.9	9 Concurrent Infectious Disease
9	682	9 Concurrent Infectious Disease
9	682.1	9 Concurrent Infectious Disease
9	682.2	9 Concurrent Infectious Disease
9	682.3	9 Concurrent Infectious Disease
9	682.4	9 Concurrent Infectious Disease
9	682.5	9 Concurrent Infectious Disease
9	682.6	9 Concurrent Infectious Disease
9	682.7	9 Concurrent Infectious Disease
9	682.8	9 Concurrent Infectious Disease

9	682.9	9 Concurrent Infectious Disease
9	683	9 Concurrent Infectious Disease
9	686	9 Concurrent Infectious Disease
9	686.01	9 Concurrent Infectious Disease
9	686.09	9 Concurrent Infectious Disease
9	686.1	9 Concurrent Infectious Disease
9	686.8	9 Concurrent Infectious Disease
9	686.9	9 Concurrent Infectious Disease
9	728.86	9 Concurrent Infectious Disease
9	792.5	9 Concurrent Infectious Disease
9	795.71	9 Immunocompromised
9	996.81	9 Immunocompromised
9	996.82	9 Immunocompromised
9	996.83	9 Immunocompromised
9	996.84	9 Immunocompromised
9	996.85	9 Immunocompromised
9	996.86	9 Immunocompromised
9	996.87	9 Immunocompromised
10	A00.0	10 Concurrent Infectious Disease
10	A00.1	10 Concurrent Infectious Disease
10	A00.9	10 Concurrent Infectious Disease
10	A01.00	10 Concurrent Infectious Disease
10	A01.1	10 Concurrent Infectious Disease
10	A01.2	10 Concurrent Infectious Disease
10	A01.3	10 Concurrent Infectious Disease
10	A01.4	10 Concurrent Infectious Disease
10	A02.0	10 Concurrent Infectious Disease
10	A02.1	10 Concurrent Infectious Disease
10	A02.20	10 Concurrent Infectious Disease
10	A02.21	10 Concurrent Infectious Disease
10	A02.22	10 Concurrent Infectious Disease
10	A02.23	10 Concurrent Infectious Disease
10	A02.24	10 Concurrent Infectious Disease
10	A02.29	10 Concurrent Infectious Disease
10	A02.8	10 Concurrent Infectious Disease
10	A02.9	10 Concurrent Infectious Disease
10	A03.0	10 Concurrent Infectious Disease
10	A03.1	10 Concurrent Infectious Disease
10	A03.2	10 Concurrent Infectious Disease
10	A03.3	10 Concurrent Infectious Disease
10	A03.8	10 Concurrent Infectious Disease
10	A03.9	10 Concurrent Infectious Disease
10	A04.0	10 Concurrent Infectious Disease
10	A04.1	10 Concurrent Infectious Disease
10	A04.2	10 Concurrent Infectious Disease
10	A04.3	10 Concurrent Infectious Disease
10	A04.4	10 Concurrent Infectious Disease

10 A04.5	10 Concurrent Infectious Disease
10 A04.6	10 Concurrent Infectious Disease
10 A04.7	10 Concurrent Infectious Disease
10 A04.8	10 Concurrent Infectious Disease
10 A04.9	10 Concurrent Infectious Disease
10 A05.0	10 Concurrent Infectious Disease
10 A05.1	10 Concurrent Infectious Disease
10 A05.2	10 Concurrent Infectious Disease
10 A05.3	10 Concurrent Infectious Disease
10 A05.4	10 Concurrent Infectious Disease
10 A05.5	10 Concurrent Infectious Disease
10 A05.8	10 Concurrent Infectious Disease
10 A05.9	10 Concurrent Infectious Disease
10 A06.0	10 Concurrent Infectious Disease
10 A06.1	10 Concurrent Infectious Disease
10 A06.2	10 Concurrent Infectious Disease
10 A06.4	10 Concurrent Infectious Disease
10 A06.5	10 Concurrent Infectious Disease
10 A06.6	10 Concurrent Infectious Disease
10 A06.7	10 Concurrent Infectious Disease
10 A06.89	10 Concurrent Infectious Disease
10 A06.9	10 Concurrent Infectious Disease
10 A07.0	10 Concurrent Infectious Disease
10 A07.1	10 Concurrent Infectious Disease
10 A07.2	10 Concurrent Infectious Disease
10 A07.3	10 Concurrent Infectious Disease
10 A07.4	10 Concurrent Infectious Disease
10 A07.8	10 Concurrent Infectious Disease
10 A07.9	10 Concurrent Infectious Disease
10 A08.0	10 Concurrent Infectious Disease
10 A08.11	10 Concurrent Infectious Disease
10 A08.19	10 Concurrent Infectious Disease
10 A08.2	10 Concurrent Infectious Disease
10 A08.31	10 Concurrent Infectious Disease
10 A08.32	10 Concurrent Infectious Disease
10 A08.39	10 Concurrent Infectious Disease
10 A08.8	10 Concurrent Infectious Disease
10 A09.	10 Concurrent Infectious Disease
10 A15.0	10 Concurrent Infectious Disease
10 A15.4	10 Concurrent Infectious Disease
10 A15.5	10 Concurrent Infectious Disease
10 A15.6	10 Concurrent Infectious Disease
10 A15.7	10 Concurrent Infectious Disease
10 A15.8	10 Concurrent Infectious Disease
10 A17.0	10 Concurrent Infectious Disease
10 A17.1	10 Concurrent Infectious Disease
10 A17.81	10 Concurrent Infectious Disease

10 A17.82	10 Concurrent Infectious Disease
10 A17.89	10 Concurrent Infectious Disease
10 A17.9	10 Concurrent Infectious Disease
10 A18.01	10 Concurrent Infectious Disease
10 A18.02	10 Concurrent Infectious Disease
10 A18.03	10 Concurrent Infectious Disease
10 A18.10	10 Concurrent Infectious Disease
10 A18.11	10 Concurrent Infectious Disease
10 A18.12	10 Concurrent Infectious Disease
10 A18.13	10 Concurrent Infectious Disease
10 A18.14	10 Concurrent Infectious Disease
10 A18.15	10 Concurrent Infectious Disease
10 A18.16	10 Concurrent Infectious Disease
10 A18.17	10 Concurrent Infectious Disease
10 A18.18	10 Concurrent Infectious Disease
10 A18.2	10 Concurrent Infectious Disease
10 A18.31	10 Concurrent Infectious Disease
10 A18.32	10 Concurrent Infectious Disease
10 A18.39	10 Concurrent Infectious Disease
10 A18.4	10 Concurrent Infectious Disease
10 A18.50	10 Concurrent Infectious Disease
10 A18.51	10 Concurrent Infectious Disease
10 A18.52	10 Concurrent Infectious Disease
10 A18.53	10 Concurrent Infectious Disease
10 A18.54	10 Concurrent Infectious Disease
10 A18.59	10 Concurrent Infectious Disease
10 A18.6	10 Concurrent Infectious Disease
10 A18.7	10 Concurrent Infectious Disease
10 A18.81	10 Concurrent Infectious Disease
10 A18.84	10 Concurrent Infectious Disease
10 A18.85	10 Concurrent Infectious Disease
10 A18.89	10 Concurrent Infectious Disease
10 A19.2	10 Concurrent Infectious Disease
10 A19.8	10 Concurrent Infectious Disease
10 A19.9	10 Concurrent Infectious Disease
10 A20.0	10 Concurrent Infectious Disease
10 A20.1	10 Concurrent Infectious Disease
10 A20.2	10 Concurrent Infectious Disease
10 A20.7	10 Concurrent Infectious Disease
10 A20.8	10 Concurrent Infectious Disease
10 A20.9	10 Concurrent Infectious Disease
10 A21.0	10 Concurrent Infectious Disease
10 A21.1	10 Concurrent Infectious Disease
10 A21.2	10 Concurrent Infectious Disease
10 A21.3	10 Concurrent Infectious Disease
10 A21.7	10 Concurrent Infectious Disease
10 A21.8	10 Concurrent Infectious Disease

10 A21.9	10 Concurrent Infectious Disease
10 A22.0	10 Concurrent Infectious Disease
10 A22.1	10 Concurrent Infectious Disease
10 A22.2	10 Concurrent Infectious Disease
10 A22.7	10 Concurrent Infectious Disease
10 A22.8	10 Concurrent Infectious Disease
10 A22.9	10 Concurrent Infectious Disease
10 A23.0	10 Concurrent Infectious Disease
10 A23.1	10 Concurrent Infectious Disease
10 A23.2	10 Concurrent Infectious Disease
10 A23.3	10 Concurrent Infectious Disease
10 A23.8	10 Concurrent Infectious Disease
10 A23.9	10 Concurrent Infectious Disease
10 A24.0	10 Concurrent Infectious Disease
10 A24.3	10 Concurrent Infectious Disease
10 A24.9	10 Concurrent Infectious Disease
10 A25.0	10 Concurrent Infectious Disease
10 A25.1	10 Concurrent Infectious Disease
10 A25.9	10 Concurrent Infectious Disease
10 A26.7	10 Concurrent Infectious Disease
10 A26.8	10 Concurrent Infectious Disease
10 A26.9	10 Concurrent Infectious Disease
10 A27.0	10 Concurrent Infectious Disease
10 A27.81	10 Concurrent Infectious Disease
10 A27.89	10 Concurrent Infectious Disease
10 A27.9	10 Concurrent Infectious Disease
10 A28.0	10 Concurrent Infectious Disease
10 A28.1	10 Concurrent Infectious Disease
10 A28.8	10 Concurrent Infectious Disease
10 A28.9	10 Concurrent Infectious Disease
10 A30.0	10 Concurrent Infectious Disease
10 A30.1	10 Concurrent Infectious Disease
10 A30.3	10 Concurrent Infectious Disease
10 A30.5	10 Concurrent Infectious Disease
10 A30.8	10 Concurrent Infectious Disease
10 A30.9	10 Concurrent Infectious Disease
10 A31.0	10 Concurrent Infectious Disease
10 A31.1	10 Concurrent Infectious Disease
10 A31.2	10 Concurrent Infectious Disease
10 A31.8	10 Concurrent Infectious Disease
10 A31.9	10 Concurrent Infectious Disease
10 A32.11	10 Concurrent Infectious Disease
10 A32.12	10 Concurrent Infectious Disease
10 A32.7	10 Concurrent Infectious Disease
10 A32.81	10 Concurrent Infectious Disease
10 A32.89	10 Concurrent Infectious Disease
10 A32.9	10 Concurrent Infectious Disease

10 A35.	10 Concurrent Infectious Disease
10 A36.0	10 Concurrent Infectious Disease
10 A36.1	10 Concurrent Infectious Disease
10 A36.2	10 Concurrent Infectious Disease
10 A36.3	10 Concurrent Infectious Disease
10 A36.81	10 Concurrent Infectious Disease
10 A36.82	10 Concurrent Infectious Disease
10 A36.83	10 Concurrent Infectious Disease
10 A36.84	10 Concurrent Infectious Disease
10 A36.85	10 Concurrent Infectious Disease
10 A36.86	10 Concurrent Infectious Disease
10 A36.89	10 Concurrent Infectious Disease
10 A36.9	10 Concurrent Infectious Disease
10 A37.00	10 Concurrent Infectious Disease
10 A37.10	10 Concurrent Infectious Disease
10 A37.80	10 Concurrent Infectious Disease
10 A37.90	10 Concurrent Infectious Disease
10 A37.91	10 Concurrent Infectious Disease
10 A38.9	10 Concurrent Infectious Disease
10 A39.0	10 Concurrent Infectious Disease
10 A39.1	10 Concurrent Infectious Disease
10 A39.4	10 Concurrent Infectious Disease
10 A39.50	10 Concurrent Infectious Disease
10 A39.51	10 Concurrent Infectious Disease
10 A39.52	10 Concurrent Infectious Disease
10 A39.53	10 Concurrent Infectious Disease
10 A39.81	10 Concurrent Infectious Disease
10 A39.82	10 Concurrent Infectious Disease
10 A39.83	10 Concurrent Infectious Disease
10 A39.89	10 Concurrent Infectious Disease
10 A39.9	10 Concurrent Infectious Disease
10 A40.3	10 Concurrent Infectious Disease
10 A40.9	10 Concurrent Infectious Disease
10 A41.01	10 Concurrent Infectious Disease
10 A41.02	10 Concurrent Infectious Disease
10 A41.1	10 Concurrent Infectious Disease
10 A41.2	10 Concurrent Infectious Disease
10 A41.3	10 Concurrent Infectious Disease
10 A41.4	10 Concurrent Infectious Disease
10 A41.50	10 Concurrent Infectious Disease
10 A41.51	10 Concurrent Infectious Disease
10 A41.52	10 Concurrent Infectious Disease
10 A41.53	10 Concurrent Infectious Disease
10 A41.59	10 Concurrent Infectious Disease
10 A41.89	10 Concurrent Infectious Disease
10 A41.9	10 Concurrent Infectious Disease
10 A42.0	10 Concurrent Infectious Disease

10 A42.1	10 Concurrent Infectious Disease
10 A42.2	10 Concurrent Infectious Disease
10 A42.81	10 Concurrent Infectious Disease
10 A42.82	10 Concurrent Infectious Disease
10 A42.89	10 Concurrent Infectious Disease
10 A42.9	10 Concurrent Infectious Disease
10 A43.8	10 Concurrent Infectious Disease
10 A43.9	10 Concurrent Infectious Disease
10 A44.9	10 Concurrent Infectious Disease
10 A46.	10 Concurrent Infectious Disease
10 A48.0	10 Concurrent Infectious Disease
10 A48.1	10 Concurrent Infectious Disease
10 A48.3	10 Concurrent Infectious Disease
10 A48.51	10 Concurrent Infectious Disease
10 A48.52	10 Concurrent Infectious Disease
10 A48.8	10 Concurrent Infectious Disease
10 A49.3	10 Concurrent Infectious Disease
10 A50.09	10 Concurrent Infectious Disease
10 A50.1	10 Concurrent Infectious Disease
10 A50.2	10 Concurrent Infectious Disease
10 A50.31	10 Concurrent Infectious Disease
10 A50.40	10 Concurrent Infectious Disease
10 A50.41	10 Concurrent Infectious Disease
10 A50.42	10 Concurrent Infectious Disease
10 A50.45	10 Concurrent Infectious Disease
10 A50.49	10 Concurrent Infectious Disease
10 A50.52	10 Concurrent Infectious Disease
10 A50.57	10 Concurrent Infectious Disease
10 A50.59	10 Concurrent Infectious Disease
10 A50.6	10 Concurrent Infectious Disease
10 A50.7	10 Concurrent Infectious Disease
10 A50.9	10 Concurrent Infectious Disease
10 A51.0	10 Concurrent Infectious Disease
10 A51.1	10 Concurrent Infectious Disease
10 A51.2	10 Concurrent Infectious Disease
10 A51.31	10 Concurrent Infectious Disease
10 A51.32	10 Concurrent Infectious Disease
10 A51.39	10 Concurrent Infectious Disease
10 A51.41	10 Concurrent Infectious Disease
10 A51.43	10 Concurrent Infectious Disease
10 A51.45	10 Concurrent Infectious Disease
10 A51.46	10 Concurrent Infectious Disease
10 A51.49	10 Concurrent Infectious Disease
10 A51.5	10 Concurrent Infectious Disease
10 A52.00	10 Concurrent Infectious Disease
10 A52.01	10 Concurrent Infectious Disease
10 A52.02	10 Concurrent Infectious Disease

10 A52.03	10 Concurrent Infectious Disease
10 A52.06	10 Concurrent Infectious Disease
10 A52.09	10 Concurrent Infectious Disease
10 A52.11	10 Concurrent Infectious Disease
10 A52.13	10 Concurrent Infectious Disease
10 A52.14	10 Concurrent Infectious Disease
10 A52.15	10 Concurrent Infectious Disease
10 A52.17	10 Concurrent Infectious Disease
10 A52.19	10 Concurrent Infectious Disease
10 A52.2	10 Concurrent Infectious Disease
10 A52.3	10 Concurrent Infectious Disease
10 A52.71	10 Concurrent Infectious Disease
10 A52.72	10 Concurrent Infectious Disease
10 A52.73	10 Concurrent Infectious Disease
10 A52.74	10 Concurrent Infectious Disease
10 A52.75	10 Concurrent Infectious Disease
10 A52.76	10 Concurrent Infectious Disease
10 A52.77	10 Concurrent Infectious Disease
10 A52.78	10 Concurrent Infectious Disease
10 A52.79	10 Concurrent Infectious Disease
10 A52.8	10 Concurrent Infectious Disease
10 A52.9	10 Concurrent Infectious Disease
10 A53.0	10 Concurrent Infectious Disease
10 A53.9	10 Concurrent Infectious Disease
10 A54.00	10 Concurrent Infectious Disease
10 A54.01	10 Concurrent Infectious Disease
10 A54.03	10 Concurrent Infectious Disease
10 A54.21	10 Concurrent Infectious Disease
10 A54.22	10 Concurrent Infectious Disease
10 A54.23	10 Concurrent Infectious Disease
10 A54.24	10 Concurrent Infectious Disease
10 A54.29	10 Concurrent Infectious Disease
10 A54.31	10 Concurrent Infectious Disease
10 A54.32	10 Concurrent Infectious Disease
10 A54.33	10 Concurrent Infectious Disease
10 A54.39	10 Concurrent Infectious Disease
10 A54.40	10 Concurrent Infectious Disease
10 A54.41	10 Concurrent Infectious Disease
10 A54.42	10 Concurrent Infectious Disease
10 A54.49	10 Concurrent Infectious Disease
10 A54.5	10 Concurrent Infectious Disease
10 A54.6	10 Concurrent Infectious Disease
10 A54.81	10 Concurrent Infectious Disease
10 A54.83	10 Concurrent Infectious Disease
10 A54.85	10 Concurrent Infectious Disease
10 A54.86	10 Concurrent Infectious Disease
10 A54.89	10 Concurrent Infectious Disease

10 A55.	10 Concurrent Infectious Disease
10 A56.00	10 Concurrent Infectious Disease
10 A56.19	10 Concurrent Infectious Disease
10 A56.2	10 Concurrent Infectious Disease
10 A56.3	10 Concurrent Infectious Disease
10 A56.4	10 Concurrent Infectious Disease
10 A56.8	10 Concurrent Infectious Disease
10 A57.	10 Concurrent Infectious Disease
10 A58.	10 Concurrent Infectious Disease
10 A59.00	10 Concurrent Infectious Disease
10 A59.01	10 Concurrent Infectious Disease
10 A59.02	10 Concurrent Infectious Disease
10 A59.03	10 Concurrent Infectious Disease
10 A59.09	10 Concurrent Infectious Disease
10 A59.8	10 Concurrent Infectious Disease
10 A59.9	10 Concurrent Infectious Disease
10 A60.01	10 Concurrent Infectious Disease
10 A60.04	10 Concurrent Infectious Disease
10 A60.09	10 Concurrent Infectious Disease
10 A60.9	10 Concurrent Infectious Disease
10 A63.0	10 Concurrent Infectious Disease
10 A63.8	10 Concurrent Infectious Disease
10 A64.	10 Concurrent Infectious Disease
10 A65.	10 Concurrent Infectious Disease
10 A66.0	10 Concurrent Infectious Disease
10 A66.1	10 Concurrent Infectious Disease
10 A66.2	10 Concurrent Infectious Disease
10 A66.3	10 Concurrent Infectious Disease
10 A66.4	10 Concurrent Infectious Disease
10 A66.5	10 Concurrent Infectious Disease
10 A66.6	10 Concurrent Infectious Disease
10 A66.7	10 Concurrent Infectious Disease
10 A66.8	10 Concurrent Infectious Disease
10 A66.9	10 Concurrent Infectious Disease
10 A67.0	10 Concurrent Infectious Disease
10 A67.1	10 Concurrent Infectious Disease
10 A67.2	10 Concurrent Infectious Disease
10 A67.3	10 Concurrent Infectious Disease
10 A67.9	10 Concurrent Infectious Disease
10 A68.0	10 Concurrent Infectious Disease
10 A68.1	10 Concurrent Infectious Disease
10 A68.9	10 Concurrent Infectious Disease
10 A69.0	10 Concurrent Infectious Disease
10 A69.1	10 Concurrent Infectious Disease
10 A69.20	10 Concurrent Infectious Disease
10 A69.8	10 Concurrent Infectious Disease
10 A69.9	10 Concurrent Infectious Disease

10 A70.	10 Concurrent Infectious Disease
10 A71.0	10 Concurrent Infectious Disease
10 A71.1	10 Concurrent Infectious Disease
10 A71.9	10 Concurrent Infectious Disease
10 A74.0	10 Concurrent Infectious Disease
10 A74.89	10 Concurrent Infectious Disease
10 A74.9	10 Concurrent Infectious Disease
10 A75.0	10 Concurrent Infectious Disease
10 A75.1	10 Concurrent Infectious Disease
10 A75.2	10 Concurrent Infectious Disease
10 A75.3	10 Concurrent Infectious Disease
10 A75.9	10 Concurrent Infectious Disease
10 A77.0	10 Concurrent Infectious Disease
10 A77.1	10 Concurrent Infectious Disease
10 A77.2	10 Concurrent Infectious Disease
10 A77.3	10 Concurrent Infectious Disease
10 A77.40	10 Concurrent Infectious Disease
10 A77.41	10 Concurrent Infectious Disease
10 A77.49	10 Concurrent Infectious Disease
10 A77.8	10 Concurrent Infectious Disease
10 A78.	10 Concurrent Infectious Disease
10 A79.0	10 Concurrent Infectious Disease
10 A79.1	10 Concurrent Infectious Disease
10 A79.81	10 Concurrent Infectious Disease
10 A79.89	10 Concurrent Infectious Disease
10 A79.9	10 Concurrent Infectious Disease
10 A80.39	10 Concurrent Infectious Disease
10 A80.4	10 Concurrent Infectious Disease
10 A80.9	10 Concurrent Infectious Disease
10 A81.00	10 Concurrent Infectious Disease
10 A81.01	10 Concurrent Infectious Disease
10 A81.09	10 Concurrent Infectious Disease
10 A81.1	10 Concurrent Infectious Disease
10 A81.2	10 Concurrent Infectious Disease
10 A81.81	10 Concurrent Infectious Disease
10 A81.82	10 Concurrent Infectious Disease
10 A81.83	10 Concurrent Infectious Disease
10 A81.89	10 Concurrent Infectious Disease
10 A81.9	10 Concurrent Infectious Disease
10 A82.9	10 Concurrent Infectious Disease
10 A83.0	10 Concurrent Infectious Disease
10 A83.1	10 Concurrent Infectious Disease
10 A83.2	10 Concurrent Infectious Disease
10 A83.3	10 Concurrent Infectious Disease
10 A83.4	10 Concurrent Infectious Disease
10 A83.5	10 Concurrent Infectious Disease
10 A83.8	10 Concurrent Infectious Disease

10 A83.9	10 Concurrent Infectious Disease
10 A84.0	10 Concurrent Infectious Disease
10 A84.1	10 Concurrent Infectious Disease
10 A84.8	10 Concurrent Infectious Disease
10 A84.9	10 Concurrent Infectious Disease
10 A85.0	10 Concurrent Infectious Disease
10 A85.1	10 Concurrent Infectious Disease
10 A85.2	10 Concurrent Infectious Disease
10 A85.8	10 Concurrent Infectious Disease
10 A86.	10 Concurrent Infectious Disease
10 A87.0	10 Concurrent Infectious Disease
10 A87.1	10 Concurrent Infectious Disease
10 A87.2	10 Concurrent Infectious Disease
10 A87.8	10 Concurrent Infectious Disease
10 A87.9	10 Concurrent Infectious Disease
10 A88.0	10 Concurrent Infectious Disease
10 A88.1	10 Concurrent Infectious Disease
10 A88.8	10 Concurrent Infectious Disease
10 A89.	10 Concurrent Infectious Disease
10 A90.	10 Concurrent Infectious Disease
10 A91.	10 Concurrent Infectious Disease
10 A92.0	10 Concurrent Infectious Disease
10 A92.1	10 Concurrent Infectious Disease
10 A92.2	10 Concurrent Infectious Disease
10 A92.30	10 Concurrent Infectious Disease
10 A92.31	10 Concurrent Infectious Disease
10 A92.32	10 Concurrent Infectious Disease
10 A92.39	10 Concurrent Infectious Disease
10 A92.4	10 Concurrent Infectious Disease
10 A92.8	10 Concurrent Infectious Disease
10 A93.0	10 Concurrent Infectious Disease
10 A93.1	10 Concurrent Infectious Disease
10 A93.2	10 Concurrent Infectious Disease
10 A93.8	10 Concurrent Infectious Disease
10 A94.	10 Concurrent Infectious Disease
10 A95.0	10 Concurrent Infectious Disease
10 A95.1	10 Concurrent Infectious Disease
10 A95.9	10 Concurrent Infectious Disease
10 A96.0	10 Concurrent Infectious Disease
10 A96.1	10 Concurrent Infectious Disease
10 A96.8	10 Concurrent Infectious Disease
10 A98.0	10 Concurrent Infectious Disease
10 A98.1	10 Concurrent Infectious Disease
10 A98.2	10 Concurrent Infectious Disease
10 A98.3	10 Concurrent Infectious Disease
10 A98.4	10 Concurrent Infectious Disease
10 A98.5	10 Concurrent Infectious Disease

10 A98.8	10 Concurrent Infectious Disease
10 A99.	10 Concurrent Infectious Disease
10 B00.0	10 Concurrent Infectious Disease
10 B00.1	10 Concurrent Infectious Disease
10 B00.2	10 Concurrent Infectious Disease
10 B00.3	10 Concurrent Infectious Disease
10 B00.4	10 Concurrent Infectious Disease
10 B00.50	10 Concurrent Infectious Disease
10 B00.51	10 Concurrent Infectious Disease
10 B00.52	10 Concurrent Infectious Disease
10 B00.59	10 Concurrent Infectious Disease
10 B00.7	10 Concurrent Infectious Disease
10 B00.81	10 Concurrent Infectious Disease
10 B00.82	10 Concurrent Infectious Disease
10 B00.89	10 Concurrent Infectious Disease
10 B00.9	10 Concurrent Infectious Disease
10 B01.0	10 Concurrent Infectious Disease
10 B01.11	10 Concurrent Infectious Disease
10 B01.12	10 Concurrent Infectious Disease
10 B01.2	10 Concurrent Infectious Disease
10 B01.81	10 Concurrent Infectious Disease
10 B01.89	10 Concurrent Infectious Disease
10 B01.9	10 Concurrent Infectious Disease
10 B02.1	10 Concurrent Infectious Disease
10 B02.21	10 Concurrent Infectious Disease
10 B02.22	10 Concurrent Infectious Disease
10 B02.23	10 Concurrent Infectious Disease
10 B02.24	10 Concurrent Infectious Disease
10 B02.29	10 Concurrent Infectious Disease
10 B02.32	10 Concurrent Infectious Disease
10 B02.33	10 Concurrent Infectious Disease
10 B02.39	10 Concurrent Infectious Disease
10 B02.8	10 Concurrent Infectious Disease
10 B02.9	10 Concurrent Infectious Disease
10 B03.	10 Concurrent Infectious Disease
10 B04.	10 Concurrent Infectious Disease
10 B05.0	10 Concurrent Infectious Disease
10 B05.1	10 Concurrent Infectious Disease
10 B05.2	10 Concurrent Infectious Disease
10 B05.3	10 Concurrent Infectious Disease
10 B05.4	10 Concurrent Infectious Disease
10 B05.81	10 Concurrent Infectious Disease
10 B05.89	10 Concurrent Infectious Disease
10 B05.9	10 Concurrent Infectious Disease
10 B06.00	10 Concurrent Infectious Disease
10 B06.01	10 Concurrent Infectious Disease
10 B06.09	10 Concurrent Infectious Disease

10 B06.81	10 Concurrent Infectious Disease
10 B06.82	10 Concurrent Infectious Disease
10 B06.89	10 Concurrent Infectious Disease
10 B06.9	10 Concurrent Infectious Disease
10 B07.0	10 Concurrent Infectious Disease
10 B07.8	10 Concurrent Infectious Disease
10 B07.9	10 Concurrent Infectious Disease
10 B08.010	10 Concurrent Infectious Disease
10 B08.011	10 Concurrent Infectious Disease
10 B08.02	10 Concurrent Infectious Disease
10 B08.03	10 Concurrent Infectious Disease
10 B08.04	10 Concurrent Infectious Disease
10 B08.09	10 Concurrent Infectious Disease
10 B08.1	10 Concurrent Infectious Disease
10 B08.20	10 Concurrent Infectious Disease
10 B08.21	10 Concurrent Infectious Disease
10 B08.22	10 Concurrent Infectious Disease
10 B08.3	10 Concurrent Infectious Disease
10 B08.4	10 Concurrent Infectious Disease
10 B08.5	10 Concurrent Infectious Disease
10 B08.60	10 Concurrent Infectious Disease
10 B08.61	10 Concurrent Infectious Disease
10 B08.62	10 Concurrent Infectious Disease
10 B08.69	10 Concurrent Infectious Disease
10 B08.70	10 Concurrent Infectious Disease
10 B08.71	10 Concurrent Infectious Disease
10 B08.72	10 Concurrent Infectious Disease
10 B08.8	10 Concurrent Infectious Disease
10 B09.	10 Concurrent Infectious Disease
10 B10.01	10 Concurrent Infectious Disease
10 B10.09	10 Concurrent Infectious Disease
10 B10.81	10 Concurrent Infectious Disease
10 B10.82	10 Concurrent Infectious Disease
10 B10.89	10 Concurrent Infectious Disease
10 B15.0	10 Concurrent Infectious Disease
10 B15.9	10 Concurrent Infectious Disease
10 B16.0	10 Concurrent Infectious Disease
10 B16.1	10 Concurrent Infectious Disease
10 B16.2	10 Concurrent Infectious Disease
10 B16.9	10 Concurrent Infectious Disease
10 B17.0	10 Concurrent Infectious Disease
10 B17.10	10 Concurrent Infectious Disease
10 B17.11	10 Concurrent Infectious Disease
10 B17.2	10 Concurrent Infectious Disease
10 B17.8	10 Concurrent Infectious Disease
10 B18.0	10 Concurrent Infectious Disease
10 B18.1	10 Concurrent Infectious Disease

10 B18.2	10 Concurrent Infectious Disease
10 B18.8	10 Concurrent Infectious Disease
10 B18.9	10 Concurrent Infectious Disease
10 B19.0	10 Concurrent Infectious Disease
10 B19.10	10 Concurrent Infectious Disease
10 B19.11	10 Concurrent Infectious Disease
10 B19.20	10 Concurrent Infectious Disease
10 B19.21	10 Concurrent Infectious Disease
10 B19.9	10 Concurrent Infectious Disease
10 B20.	10 Immunocompromised
10 B25.0	10 Concurrent Infectious Disease
10 B25.9	10 Concurrent Infectious Disease
10 B26.0	10 Concurrent Infectious Disease
10 B26.1	10 Concurrent Infectious Disease
10 B26.2	10 Concurrent Infectious Disease
10 B26.3	10 Concurrent Infectious Disease
10 B26.81	10 Concurrent Infectious Disease
10 B26.82	10 Concurrent Infectious Disease
10 B26.83	10 Concurrent Infectious Disease
10 B26.84	10 Concurrent Infectious Disease
10 B26.85	10 Concurrent Infectious Disease
10 B26.89	10 Concurrent Infectious Disease
10 B26.9	10 Concurrent Infectious Disease
10 B27.90	10 Concurrent Infectious Disease
10 B30.0	10 Concurrent Infectious Disease
10 B30.1	10 Concurrent Infectious Disease
10 B30.2	10 Concurrent Infectious Disease
10 B30.3	10 Concurrent Infectious Disease
10 B30.8	10 Concurrent Infectious Disease
10 B30.9	10 Concurrent Infectious Disease
10 B33.0	10 Concurrent Infectious Disease
10 B33.1	10 Concurrent Infectious Disease
10 B33.20	10 Concurrent Infectious Disease
10 B33.21	10 Concurrent Infectious Disease
10 B33.22	10 Concurrent Infectious Disease
10 B33.23	10 Concurrent Infectious Disease
10 B33.3	10 Concurrent Infectious Disease
10 B33.4	10 Concurrent Infectious Disease
10 B33.8	10 Concurrent Infectious Disease
10 B34.1	10 Concurrent Infectious Disease
10 B34.2	10 Concurrent Infectious Disease
10 B34.3	10 Concurrent Infectious Disease
10 B34.4	10 Concurrent Infectious Disease
10 B34.8	10 Concurrent Infectious Disease
10 B35.0	10 Concurrent Infectious Disease
10 B35.1	10 Concurrent Infectious Disease
10 B35.2	10 Concurrent Infectious Disease

10 B35.3	10 Concurrent Infectious Disease
10 B35.5	10 Concurrent Infectious Disease
10 B35.6	10 Concurrent Infectious Disease
10 B35.8	10 Concurrent Infectious Disease
10 B35.9	10 Concurrent Infectious Disease
10 B36.0	10 Concurrent Infectious Disease
10 B36.1	10 Concurrent Infectious Disease
10 B36.2	10 Concurrent Infectious Disease
10 B36.3	10 Concurrent Infectious Disease
10 B36.8	10 Concurrent Infectious Disease
10 B36.9	10 Concurrent Infectious Disease
10 B37.0	10 Concurrent Infectious Disease
10 B37.1	10 Concurrent Infectious Disease
10 B37.2	10 Concurrent Infectious Disease
10 B37.3	10 Concurrent Infectious Disease
10 B37.42	10 Concurrent Infectious Disease
10 B37.49	10 Concurrent Infectious Disease
10 B37.5	10 Concurrent Infectious Disease
10 B37.6	10 Concurrent Infectious Disease
10 B37.7	10 Concurrent Infectious Disease
10 B37.81	10 Concurrent Infectious Disease
10 B37.82	10 Concurrent Infectious Disease
10 B37.83	10 Concurrent Infectious Disease
10 B37.84	10 Concurrent Infectious Disease
10 B37.89	10 Concurrent Infectious Disease
10 B37.9	10 Concurrent Infectious Disease
10 B38.0	10 Concurrent Infectious Disease
10 B38.1	10 Concurrent Infectious Disease
10 B38.2	10 Concurrent Infectious Disease
10 B38.3	10 Concurrent Infectious Disease
10 B38.4	10 Concurrent Infectious Disease
10 B38.89	10 Concurrent Infectious Disease
10 B38.9	10 Concurrent Infectious Disease
10 B39.2	10 Concurrent Infectious Disease
10 B39.3	10 Concurrent Infectious Disease
10 B39.4	10 Concurrent Infectious Disease
10 B39.5	10 Concurrent Infectious Disease
10 B39.9	10 Concurrent Infectious Disease
10 B40.9	10 Concurrent Infectious Disease
10 B41.0	10 Concurrent Infectious Disease
10 B41.9	10 Concurrent Infectious Disease
10 B42.0	10 Concurrent Infectious Disease
10 B42.1	10 Concurrent Infectious Disease
10 B42.7	10 Concurrent Infectious Disease
10 B42.9	10 Concurrent Infectious Disease
10 B43.9	10 Concurrent Infectious Disease
10 B44.0	10 Concurrent Infectious Disease

10 B44.9	10 Concurrent Infectious Disease
10 B45.0	10 Concurrent Infectious Disease
10 B45.7	10 Concurrent Infectious Disease
10 B45.9	10 Concurrent Infectious Disease
10 B46.9	10 Concurrent Infectious Disease
10 B47.0	10 Concurrent Infectious Disease
10 B47.1	10 Concurrent Infectious Disease
10 B47.9	10 Concurrent Infectious Disease
10 B48.0	10 Concurrent Infectious Disease
10 B48.1	10 Concurrent Infectious Disease
10 B48.2	10 Concurrent Infectious Disease
10 B48.8	10 Concurrent Infectious Disease
10 B49.	10 Concurrent Infectious Disease
10 B50.0	10 Concurrent Infectious Disease
10 B50.8	10 Concurrent Infectious Disease
10 B50.9	10 Concurrent Infectious Disease
10 B51.0	10 Concurrent Infectious Disease
10 B51.8	10 Concurrent Infectious Disease
10 B51.9	10 Concurrent Infectious Disease
10 B52.0	10 Concurrent Infectious Disease
10 B52.8	10 Concurrent Infectious Disease
10 B52.9	10 Concurrent Infectious Disease
10 B53.0	10 Concurrent Infectious Disease
10 B53.1	10 Concurrent Infectious Disease
10 B53.8	10 Concurrent Infectious Disease
10 B54.	10 Concurrent Infectious Disease
10 B55.0	10 Concurrent Infectious Disease
10 B55.1	10 Concurrent Infectious Disease
10 B55.2	10 Concurrent Infectious Disease
10 B55.9	10 Concurrent Infectious Disease
10 B56.0	10 Concurrent Infectious Disease
10 B56.1	10 Concurrent Infectious Disease
10 B56.9	10 Concurrent Infectious Disease
10 B57.0	10 Concurrent Infectious Disease
10 B57.1	10 Concurrent Infectious Disease
10 B57.2	10 Concurrent Infectious Disease
10 B57.5	10 Concurrent Infectious Disease
10 B58.01	10 Concurrent Infectious Disease
10 B58.09	10 Concurrent Infectious Disease
10 B58.1	10 Concurrent Infectious Disease
10 B58.2	10 Concurrent Infectious Disease
10 B58.3	10 Concurrent Infectious Disease
10 B58.81	10 Concurrent Infectious Disease
10 B58.89	10 Concurrent Infectious Disease
10 B58.9	10 Concurrent Infectious Disease
10 B59.	10 Concurrent Infectious Disease
10 B60.0	10 Concurrent Infectious Disease

10 B60.11	10 Concurrent Infectious Disease
10 B60.19	10 Concurrent Infectious Disease
10 B60.2	10 Concurrent Infectious Disease
10 B60.8	10 Concurrent Infectious Disease
10 B64.	10 Concurrent Infectious Disease
10 B65.0	10 Concurrent Infectious Disease
10 B65.1	10 Concurrent Infectious Disease
10 B65.2	10 Concurrent Infectious Disease
10 B65.3	10 Concurrent Infectious Disease
10 B65.8	10 Concurrent Infectious Disease
10 B65.9	10 Concurrent Infectious Disease
10 B66.0	10 Concurrent Infectious Disease
10 B66.1	10 Concurrent Infectious Disease
10 B66.2	10 Concurrent Infectious Disease
10 B66.3	10 Concurrent Infectious Disease
10 B66.4	10 Concurrent Infectious Disease
10 B66.5	10 Concurrent Infectious Disease
10 B66.8	10 Concurrent Infectious Disease
10 B66.9	10 Concurrent Infectious Disease
10 B67.0	10 Concurrent Infectious Disease
10 B67.1	10 Concurrent Infectious Disease
10 B67.31	10 Concurrent Infectious Disease
10 B67.39	10 Concurrent Infectious Disease
10 B67.4	10 Concurrent Infectious Disease
10 B67.5	10 Concurrent Infectious Disease
10 B67.69	10 Concurrent Infectious Disease
10 B67.7	10 Concurrent Infectious Disease
10 B67.8	10 Concurrent Infectious Disease
10 B67.90	10 Concurrent Infectious Disease
10 B67.99	10 Concurrent Infectious Disease
10 B68.0	10 Concurrent Infectious Disease
10 B68.1	10 Concurrent Infectious Disease
10 B68.9	10 Concurrent Infectious Disease
10 B69.9	10 Concurrent Infectious Disease
10 B70.0	10 Concurrent Infectious Disease
10 B70.1	10 Concurrent Infectious Disease
10 B71.0	10 Concurrent Infectious Disease
10 B71.1	10 Concurrent Infectious Disease
10 B71.8	10 Concurrent Infectious Disease
10 B71.9	10 Concurrent Infectious Disease
10 B72.	10 Concurrent Infectious Disease
10 B73.1	10 Concurrent Infectious Disease
10 B74.0	10 Concurrent Infectious Disease
10 B74.1	10 Concurrent Infectious Disease
10 B74.3	10 Concurrent Infectious Disease
10 B74.4	10 Concurrent Infectious Disease
10 B74.8	10 Concurrent Infectious Disease

10 B74.9	10 Concurrent Infectious Disease
10 B75.	10 Concurrent Infectious Disease
10 B76.0	10 Concurrent Infectious Disease
10 B76.1	10 Concurrent Infectious Disease
10 B76.8	10 Concurrent Infectious Disease
10 B76.9	10 Concurrent Infectious Disease
10 B77.81	10 Concurrent Infectious Disease
10 B77.9	10 Concurrent Infectious Disease
10 B78.9	10 Concurrent Infectious Disease
10 B79.	10 Concurrent Infectious Disease
10 B80.	10 Concurrent Infectious Disease
10 B81.0	10 Concurrent Infectious Disease
10 B81.1	10 Concurrent Infectious Disease
10 B81.2	10 Concurrent Infectious Disease
10 B81.4	10 Concurrent Infectious Disease
10 B81.8	10 Concurrent Infectious Disease
10 B82.0	10 Concurrent Infectious Disease
10 B82.9	10 Concurrent Infectious Disease
10 B83.0	10 Concurrent Infectious Disease
10 B83.1	10 Concurrent Infectious Disease
10 B83.2	10 Concurrent Infectious Disease
10 B83.4	10 Concurrent Infectious Disease
10 B83.8	10 Concurrent Infectious Disease
10 B83.9	10 Concurrent Infectious Disease
10 B85.0	10 Concurrent Infectious Disease
10 B85.1	10 Concurrent Infectious Disease
10 B85.2	10 Concurrent Infectious Disease
10 B85.3	10 Concurrent Infectious Disease
10 B85.4	10 Concurrent Infectious Disease
10 B86.	10 Concurrent Infectious Disease
10 B87.9	10 Concurrent Infectious Disease
10 B88.0	10 Concurrent Infectious Disease
10 B88.2	10 Concurrent Infectious Disease
10 B88.3	10 Concurrent Infectious Disease
10 B88.8	10 Concurrent Infectious Disease
10 B88.9	10 Concurrent Infectious Disease
10 B89.	10 Concurrent Infectious Disease
10 B90.0	10 Concurrent Infectious Disease
10 B90.1	10 Concurrent Infectious Disease
10 B90.2	10 Concurrent Infectious Disease
10 B90.8	10 Concurrent Infectious Disease
10 B90.9	10 Concurrent Infectious Disease
10 B91.	10 Concurrent Infectious Disease
10 B94.0	10 Concurrent Infectious Disease
10 B94.1	10 Concurrent Infectious Disease
10 B94.8	10 Concurrent Infectious Disease
10 B94.9	10 Concurrent Infectious Disease

10 B95.0	10 Concurrent Infectious Disease
10 B95.1	10 Concurrent Infectious Disease
10 B95.2	10 Concurrent Infectious Disease
10 B95.3	10 Concurrent Infectious Disease
10 B95.4	10 Concurrent Infectious Disease
10 B95.5	10 Concurrent Infectious Disease
10 B95.61	10 Concurrent Infectious Disease
10 B95.62	10 Concurrent Infectious Disease
10 B95.7	10 Concurrent Infectious Disease
10 B95.8	10 Concurrent Infectious Disease
10 B96.0	10 Concurrent Infectious Disease
10 B96.1	10 Concurrent Infectious Disease
10 B96.20	10 Concurrent Infectious Disease
10 B96.21	10 Concurrent Infectious Disease
10 B96.22	10 Concurrent Infectious Disease
10 B96.23	10 Concurrent Infectious Disease
10 B96.29	10 Concurrent Infectious Disease
10 B96.3	10 Concurrent Infectious Disease
10 B96.4	10 Concurrent Infectious Disease
10 B96.5	10 Concurrent Infectious Disease
10 B96.6	10 Concurrent Infectious Disease
10 B96.7	10 Concurrent Infectious Disease
10 B96.81	10 Concurrent Infectious Disease
10 B96.89	10 Concurrent Infectious Disease
10 B97.0	10 Concurrent Infectious Disease
10 B97.11	10 Concurrent Infectious Disease
10 B97.12	10 Concurrent Infectious Disease
10 B97.19	10 Concurrent Infectious Disease
10 B97.21	10 Concurrent Infectious Disease
10 B97.29	10 Concurrent Infectious Disease
10 B97.30	10 Concurrent Infectious Disease
10 B97.33	10 Concurrent Infectious Disease
10 B97.34	10 Concurrent Infectious Disease
10 B97.35	10 Concurrent Infectious Disease
10 B97.39	10 Concurrent Infectious Disease
10 B97.4	10 Concurrent Infectious Disease
10 B97.7	10 Concurrent Infectious Disease
10 B97.89	10 Concurrent Infectious Disease
10 B99.8	10 Concurrent Infectious Disease
10 B99.9	10 Concurrent Infectious Disease
10 C00.0	10 Malignancy
10 C00.1	10 Malignancy
10 C00.2	10 Malignancy
10 C00.3	10 Malignancy
10 C00.4	10 Malignancy
10 C00.5	10 Malignancy
10 C00.6	10 Malignancy

10 C00.8	10 Malignancy
10 C01.	10 Malignancy
10 C02.0	10 Malignancy
10 C02.1	10 Malignancy
10 C02.2	10 Malignancy
10 C02.3	10 Malignancy
10 C02.4	10 Malignancy
10 C02.8	10 Malignancy
10 C02.9	10 Malignancy
10 C03.0	10 Malignancy
10 C03.1	10 Malignancy
10 C03.9	10 Malignancy
10 C04.0	10 Malignancy
10 C04.1	10 Malignancy
10 C04.8	10 Malignancy
10 C04.9	10 Malignancy
10 C05.0	10 Malignancy
10 C05.1	10 Malignancy
10 C05.2	10 Malignancy
10 C05.9	10 Malignancy
10 C06.0	10 Malignancy
10 C06.1	10 Malignancy
10 C06.2	10 Malignancy
10 C06.89	10 Malignancy
10 C06.9	10 Malignancy
10 C07.	10 Malignancy
10 C08.0	10 Malignancy
10 C08.1	10 Malignancy
10 C08.9	10 Malignancy
10 C09.0	10 Malignancy
10 C09.1	10 Malignancy
10 C09.9	10 Malignancy
10 C10.0	10 Malignancy
10 C10.1	10 Malignancy
10 C10.2	10 Malignancy
10 C10.3	10 Malignancy
10 C10.4	10 Malignancy
10 C10.8	10 Malignancy
10 C10.9	10 Malignancy
10 C11.0	10 Malignancy
10 C11.1	10 Malignancy
10 C11.2	10 Malignancy
10 C11.3	10 Malignancy
10 C11.8	10 Malignancy
10 C11.9	10 Malignancy
10 C12.	10 Malignancy
10 C13.0	10 Malignancy

10 C13.1	10 Malignancy
10 C13.2	10 Malignancy
10 C13.8	10 Malignancy
10 C13.9	10 Malignancy
10 C14.0	10 Malignancy
10 C14.2	10 Malignancy
10 C14.8	10 Malignancy
10 C15.3	10 Malignancy
10 C15.4	10 Malignancy
10 C15.5	10 Malignancy
10 C15.8	10 Malignancy
10 C15.9	10 Malignancy
10 C16.0	10 Malignancy
10 C16.1	10 Malignancy
10 C16.2	10 Malignancy
10 C16.3	10 Malignancy
10 C16.4	10 Malignancy
10 C16.5	10 Malignancy
10 C16.6	10 Malignancy
10 C16.8	10 Malignancy
10 C16.9	10 Malignancy
10 C17.0	10 Malignancy
10 C17.1	10 Malignancy
10 C17.2	10 Malignancy
10 C17.3	10 Malignancy
10 C17.8	10 Malignancy
10 C17.9	10 Malignancy
10 C18.0	10 Malignancy
10 C18.1	10 Malignancy
10 C18.2	10 Malignancy
10 C18.3	10 Malignancy
10 C18.4	10 Malignancy
10 C18.5	10 Malignancy
10 C18.6	10 Malignancy
10 C18.7	10 Malignancy
10 C18.8	10 Malignancy
10 C18.9	10 Malignancy
10 C19.	10 Malignancy
10 C20.	10 Malignancy
10 C21.0	10 Malignancy
10 C21.1	10 Malignancy
10 C21.8	10 Malignancy
10 C22.0	10 Malignancy
10 C22.1	10 Malignancy
10 C22.2	10 Malignancy
10 C22.7	10 Malignancy
10 C22.8	10 Malignancy

10 C22.9	10 Malignancy
10 C23.	10 Malignancy
10 C24.0	10 Malignancy
10 C24.1	10 Malignancy
10 C24.8	10 Malignancy
10 C24.9	10 Malignancy
10 C25.0	10 Malignancy
10 C25.1	10 Malignancy
10 C25.2	10 Malignancy
10 C25.3	10 Malignancy
10 C25.4	10 Malignancy
10 C25.7	10 Malignancy
10 C25.8	10 Malignancy
10 C25.9	10 Malignancy
10 C26.0	10 Malignancy
10 C26.1	10 Malignancy
10 C26.9	10 Malignancy
10 C30.0	10 Malignancy
10 C30.1	10 Malignancy
10 C31.0	10 Malignancy
10 C31.1	10 Malignancy
10 C31.2	10 Malignancy
10 C31.3	10 Malignancy
10 C31.8	10 Malignancy
10 C31.9	10 Malignancy
10 C32.0	10 Malignancy
10 C32.1	10 Malignancy
10 C32.2	10 Malignancy
10 C32.3	10 Malignancy
10 C32.8	10 Malignancy
10 C32.9	10 Malignancy
10 C33.	10 Malignancy
10 C34.00	10 Malignancy
10 C34.10	10 Malignancy
10 C34.2	10 Malignancy
10 C34.30	10 Malignancy
10 C34.80	10 Malignancy
10 C34.90	10 Malignancy
10 C37.	10 Malignancy
10 C38.0	10 Malignancy
10 C38.1	10 Malignancy
10 C38.2	10 Malignancy
10 C38.3	10 Malignancy
10 C38.4	10 Malignancy
10 C38.8	10 Malignancy
10 C39.0	10 Malignancy
10 C39.9	10 Malignancy

10 C40.00	10 Malignancy
10 C40.10	10 Malignancy
10 C40.20	10 Malignancy
10 C40.30	10 Malignancy
10 C41.0	10 Malignancy
10 C41.1	10 Malignancy
10 C41.2	10 Malignancy
10 C41.3	10 Malignancy
10 C41.4	10 Malignancy
10 C41.9	10 Malignancy
10 C43.0	10 Malignancy
10 C43.10	10 Malignancy
10 C43.20	10 Malignancy
10 C43.30	10 Malignancy
10 C43.31	10 Malignancy
10 C43.39	10 Malignancy
10 C43.4	10 Malignancy
10 C43.59	10 Malignancy
10 C43.60	10 Malignancy
10 C43.70	10 Malignancy
10 C43.8	10 Malignancy
10 C43.9	10 Malignancy
10 C44.00	10 Malignancy
10 C44.01	10 Malignancy
10 C44.02	10 Malignancy
10 C44.09	10 Malignancy
10 C44.101	10 Malignancy
10 C44.111	10 Malignancy
10 C44.121	10 Malignancy
10 C44.191	10 Malignancy
10 C44.201	10 Malignancy
10 C44.211	10 Malignancy
10 C44.221	10 Malignancy
10 C44.291	10 Malignancy
10 C44.300	10 Malignancy
10 C44.301	10 Malignancy
10 C44.309	10 Malignancy
10 C44.310	10 Malignancy
10 C44.311	10 Malignancy
10 C44.319	10 Malignancy
10 C44.320	10 Malignancy
10 C44.321	10 Malignancy
10 C44.329	10 Malignancy
10 C44.390	10 Malignancy
10 C44.391	10 Malignancy
10 C44.399	10 Malignancy
10 C44.40	10 Malignancy

10 C44.41	10 Malignancy
10 C44.42	10 Malignancy
10 C44.49	10 Malignancy
10 C44.500	10 Malignancy
10 C44.501	10 Malignancy
10 C44.509	10 Malignancy
10 C44.510	10 Malignancy
10 C44.511	10 Malignancy
10 C44.519	10 Malignancy
10 C44.520	10 Malignancy
10 C44.521	10 Malignancy
10 C44.529	10 Malignancy
10 C44.590	10 Malignancy
10 C44.591	10 Malignancy
10 C44.599	10 Malignancy
10 C44.601	10 Malignancy
10 C44.611	10 Malignancy
10 C44.621	10 Malignancy
10 C44.691	10 Malignancy
10 C44.701	10 Malignancy
10 C44.711	10 Malignancy
10 C44.721	10 Malignancy
10 C44.791	10 Malignancy
10 C44.80	10 Malignancy
10 C44.81	10 Malignancy
10 C44.82	10 Malignancy
10 C44.89	10 Malignancy
10 C44.90	10 Malignancy
10 C44.91	10 Malignancy
10 C44.92	10 Malignancy
10 C44.99	10 Malignancy
10 C46.0	10 Malignancy
10 C46.1	10 Malignancy
10 C46.2	10 Malignancy
10 C46.3	10 Malignancy
10 C46.4	10 Malignancy
10 C46.50	10 Malignancy
10 C46.7	10 Malignancy
10 C46.9	10 Malignancy
10 C47.8	10 Malignancy
10 C48.0	10 Malignancy
10 C48.1	10 Malignancy
10 C48.2	10 Malignancy
10 C48.8	10 Malignancy
10 C49.0	10 Malignancy
10 C49.10	10 Malignancy
10 C49.20	10 Malignancy

10 C49.3	10 Malignancy
10 C49.4	10 Malignancy
10 C49.5	10 Malignancy
10 C49.6	10 Malignancy
10 C49.8	10 Malignancy
10 C49.9	10 Malignancy
10 C4A.0	10 Malignancy
10 C4A.10	10 Malignancy
10 C4A.20	10 Malignancy
10 C4A.30	10 Malignancy
10 C4A.39	10 Malignancy
10 C4A.4	10 Malignancy
10 C4A.59	10 Malignancy
10 C4A.60	10 Malignancy
10 C4A.70	10 Malignancy
10 C4A.8	10 Malignancy
10 C4A.9	10 Malignancy
10 C50.019	10 Malignancy
10 C50.029	10 Malignancy
10 C50.119	10 Malignancy
10 C50.219	10 Malignancy
10 C50.319	10 Malignancy
10 C50.419	10 Malignancy
10 C50.519	10 Malignancy
10 C50.619	10 Malignancy
10 C50.819	10 Malignancy
10 C50.919	10 Malignancy
10 C50.929	10 Malignancy
10 C51.0	10 Malignancy
10 C51.1	10 Malignancy
10 C51.2	10 Malignancy
10 C51.9	10 Malignancy
10 C52.	10 Malignancy
10 C53.0	10 Malignancy
10 C53.1	10 Malignancy
10 C53.8	10 Malignancy
10 C53.9	10 Malignancy
10 C54.0	10 Malignancy
10 C54.1	10 Malignancy
10 C54.2	10 Malignancy
10 C54.3	10 Malignancy
10 C54.8	10 Malignancy
10 C54.9	10 Malignancy
10 C55.	10 Malignancy
10 C56.9	10 Malignancy
10 C57.00	10 Malignancy
10 C57.10	10 Malignancy

10 C57.20	10 Malignancy
10 C57.3	10 Malignancy
10 C57.4	10 Malignancy
10 C57.7	10 Malignancy
10 C57.8	10 Malignancy
10 C57.9	10 Malignancy
10 C58.	10 Malignancy
10 C60.0	10 Malignancy
10 C60.1	10 Malignancy
10 C60.2	10 Malignancy
10 C60.8	10 Malignancy
10 C60.9	10 Malignancy
10 C61.	10 Malignancy
10 C62.00	10 Malignancy
10 C62.10	10 Malignancy
10 C62.90	10 Malignancy
10 C63.00	10 Malignancy
10 C63.10	10 Malignancy
10 C63.2	10 Malignancy
10 C63.7	10 Malignancy
10 C63.8	10 Malignancy
10 C63.9	10 Malignancy
10 C64.9	10 Malignancy
10 C65.9	10 Malignancy
10 C66.9	10 Malignancy
10 C67.0	10 Malignancy
10 C67.1	10 Malignancy
10 C67.2	10 Malignancy
10 C67.3	10 Malignancy
10 C67.4	10 Malignancy
10 C67.5	10 Malignancy
10 C67.6	10 Malignancy
10 C67.7	10 Malignancy
10 C67.8	10 Malignancy
10 C67.9	10 Malignancy
10 C68.0	10 Malignancy
10 C68.1	10 Malignancy
10 C68.8	10 Malignancy
10 C68.9	10 Malignancy
10 C69.00	10 Malignancy
10 C69.10	10 Malignancy
10 C69.20	10 Malignancy
10 C69.30	10 Malignancy
10 C69.40	10 Malignancy
10 C69.50	10 Malignancy
10 C69.60	10 Malignancy
10 C69.80	10 Malignancy

10 C69.90	10 Malignancy
10 C70.0	10 Malignancy
10 C70.1	10 Malignancy
10 C70.9	10 Malignancy
10 C71.0	10 Malignancy
10 C71.1	10 Malignancy
10 C71.2	10 Malignancy
10 C71.3	10 Malignancy
10 C71.4	10 Malignancy
10 C71.5	10 Malignancy
10 C71.6	10 Malignancy
10 C71.7	10 Malignancy
10 C71.8	10 Malignancy
10 C71.9	10 Malignancy
10 C72.0	10 Malignancy
10 C72.1	10 Malignancy
10 C72.50	10 Malignancy
10 C72.9	10 Malignancy
10 C73.	10 Malignancy
10 C74.90	10 Malignancy
10 C75.0	10 Malignancy
10 C75.1	10 Malignancy
10 C75.2	10 Malignancy
10 C75.3	10 Malignancy
10 C75.4	10 Malignancy
10 C75.5	10 Malignancy
10 C75.8	10 Malignancy
10 C75.9	10 Malignancy
10 C76.0	10 Malignancy
10 C76.1	10 Malignancy
10 C76.2	10 Malignancy
10 C76.3	10 Malignancy
10 C76.40	10 Malignancy
10 C76.50	10 Malignancy
10 C76.8	10 Malignancy
10 C77.0	10 Malignancy
10 C77.1	10 Malignancy
10 C77.2	10 Malignancy
10 C77.3	10 Malignancy
10 C77.4	10 Malignancy
10 C77.5	10 Malignancy
10 C77.8	10 Malignancy
10 C77.9	10 Malignancy
10 C78.00	10 Malignancy
10 C78.1	10 Malignancy
10 C78.2	10 Malignancy
10 C78.39	10 Malignancy

10 C78.4	10 Malignancy
10 C78.5	10 Malignancy
10 C78.6	10 Malignancy
10 C78.7	10 Malignancy
10 C78.89	10 Malignancy
10 C79.00	10 Malignancy
10 C79.11	10 Malignancy
10 C79.19	10 Malignancy
10 C79.2	10 Malignancy
10 C79.31	10 Malignancy
10 C79.32	10 Malignancy
10 C79.49	10 Malignancy
10 C79.51	10 Malignancy
10 C79.52	10 Malignancy
10 C79.60	10 Malignancy
10 C79.70	10 Malignancy
10 C79.81	10 Malignancy
10 C79.82	10 Malignancy
10 C79.89	10 Malignancy
10 C7A.00	10 Malignancy
10 C7A.010	10 Malignancy
10 C7A.011	10 Malignancy
10 C7A.012	10 Malignancy
10 C7A.019	10 Malignancy
10 C7A.020	10 Malignancy
10 C7A.021	10 Malignancy
10 C7A.022	10 Malignancy
10 C7A.023	10 Malignancy
10 C7A.024	10 Malignancy
10 C7A.025	10 Malignancy
10 C7A.026	10 Malignancy
10 C7A.029	10 Malignancy
10 C7A.090	10 Malignancy
10 C7A.091	10 Malignancy
10 C7A.092	10 Malignancy
10 C7A.093	10 Malignancy
10 C7A.094	10 Malignancy
10 C7A.095	10 Malignancy
10 C7A.096	10 Malignancy
10 C7A.098	10 Malignancy
10 C7A.1	10 Malignancy
10 C7B.00	10 Malignancy
10 C7B.01	10 Malignancy
10 C7B.02	10 Malignancy
10 C7B.03	10 Malignancy
10 C7B.04	10 Malignancy
10 C7B.09	10 Malignancy

10 C7B.1	10 Malignancy
10 C7B.8	10 Malignancy
10 C80.0	10 Malignancy
10 C80.1	10 Malignancy
10 C80.2	10 Malignancy
10 C81.00	10 Malignancy
10 C81.01	10 Malignancy
10 C81.02	10 Malignancy
10 C81.03	10 Malignancy
10 C81.04	10 Malignancy
10 C81.05	10 Malignancy
10 C81.06	10 Malignancy
10 C81.07	10 Malignancy
10 C81.08	10 Malignancy
10 C81.09	10 Malignancy
10 C81.10	10 Malignancy
10 C81.11	10 Malignancy
10 C81.12	10 Malignancy
10 C81.13	10 Malignancy
10 C81.14	10 Malignancy
10 C81.15	10 Malignancy
10 C81.16	10 Malignancy
10 C81.17	10 Malignancy
10 C81.18	10 Malignancy
10 C81.19	10 Malignancy
10 C81.20	10 Malignancy
10 C81.21	10 Malignancy
10 C81.22	10 Malignancy
10 C81.23	10 Malignancy
10 C81.24	10 Malignancy
10 C81.25	10 Malignancy
10 C81.26	10 Malignancy
10 C81.27	10 Malignancy
10 C81.28	10 Malignancy
10 C81.29	10 Malignancy
10 C81.30	10 Malignancy
10 C81.31	10 Malignancy
10 C81.32	10 Malignancy
10 C81.33	10 Malignancy
10 C81.34	10 Malignancy
10 C81.35	10 Malignancy
10 C81.36	10 Malignancy
10 C81.37	10 Malignancy
10 C81.38	10 Malignancy
10 C81.39	10 Malignancy
10 C81.40	10 Malignancy
10 C81.41	10 Malignancy

10 C81.42	10 Malignancy
10 C81.43	10 Malignancy
10 C81.44	10 Malignancy
10 C81.45	10 Malignancy
10 C81.46	10 Malignancy
10 C81.47	10 Malignancy
10 C81.48	10 Malignancy
10 C81.49	10 Malignancy
10 C81.70	10 Malignancy
10 C81.71	10 Malignancy
10 C81.72	10 Malignancy
10 C81.73	10 Malignancy
10 C81.74	10 Malignancy
10 C81.75	10 Malignancy
10 C81.76	10 Malignancy
10 C81.77	10 Malignancy
10 C81.78	10 Malignancy
10 C81.79	10 Malignancy
10 C81.90	10 Malignancy
10 C81.91	10 Malignancy
10 C81.92	10 Malignancy
10 C81.93	10 Malignancy
10 C81.94	10 Malignancy
10 C81.95	10 Malignancy
10 C81.96	10 Malignancy
10 C81.97	10 Malignancy
10 C81.98	10 Malignancy
10 C81.99	10 Malignancy
10 C82.90	10 Malignancy
10 C82.91	10 Malignancy
10 C82.92	10 Malignancy
10 C82.93	10 Malignancy
10 C82.94	10 Malignancy
10 C82.95	10 Malignancy
10 C82.96	10 Malignancy
10 C82.97	10 Malignancy
10 C82.98	10 Malignancy
10 C82.99	10 Malignancy
10 C83.10	10 Malignancy
10 C83.11	10 Malignancy
10 C83.12	10 Malignancy
10 C83.13	10 Malignancy
10 C83.14	10 Malignancy
10 C83.15	10 Malignancy
10 C83.16	10 Malignancy
10 C83.17	10 Malignancy
10 C83.18	10 Malignancy

10 C83.19	10 Malignancy
10 C83.30	10 Malignancy
10 C83.31	10 Malignancy
10 C83.32	10 Malignancy
10 C83.33	10 Malignancy
10 C83.34	10 Malignancy
10 C83.35	10 Malignancy
10 C83.36	10 Malignancy
10 C83.37	10 Malignancy
10 C83.38	10 Malignancy
10 C83.39	10 Malignancy
10 C83.50	10 Malignancy
10 C83.51	10 Malignancy
10 C83.52	10 Malignancy
10 C83.53	10 Malignancy
10 C83.54	10 Malignancy
10 C83.55	10 Malignancy
10 C83.56	10 Malignancy
10 C83.57	10 Malignancy
10 C83.58	10 Malignancy
10 C83.59	10 Malignancy
10 C83.70	10 Malignancy
10 C83.71	10 Malignancy
10 C83.72	10 Malignancy
10 C83.73	10 Malignancy
10 C83.74	10 Malignancy
10 C83.75	10 Malignancy
10 C83.76	10 Malignancy
10 C83.77	10 Malignancy
10 C83.78	10 Malignancy
10 C83.79	10 Malignancy
10 C83.80	10 Malignancy
10 C83.81	10 Malignancy
10 C83.82	10 Malignancy
10 C83.83	10 Malignancy
10 C83.84	10 Malignancy
10 C83.85	10 Malignancy
10 C83.86	10 Malignancy
10 C83.87	10 Malignancy
10 C83.88	10 Malignancy
10 C83.89	10 Malignancy
10 C84.00	10 Malignancy
10 C84.01	10 Malignancy
10 C84.02	10 Malignancy
10 C84.03	10 Malignancy
10 C84.04	10 Malignancy
10 C84.05	10 Malignancy

10 C84.06	10 Malignancy
10 C84.07	10 Malignancy
10 C84.08	10 Malignancy
10 C84.09	10 Malignancy
10 C84.10	10 Malignancy
10 C84.11	10 Malignancy
10 C84.12	10 Malignancy
10 C84.13	10 Malignancy
10 C84.14	10 Malignancy
10 C84.15	10 Malignancy
10 C84.16	10 Malignancy
10 C84.17	10 Malignancy
10 C84.18	10 Malignancy
10 C84.19	10 Malignancy
10 C84.40	10 Malignancy
10 C84.41	10 Malignancy
10 C84.42	10 Malignancy
10 C84.43	10 Malignancy
10 C84.44	10 Malignancy
10 C84.45	10 Malignancy
10 C84.46	10 Malignancy
10 C84.47	10 Malignancy
10 C84.48	10 Malignancy
10 C84.49	10 Malignancy
10 C84.60	10 Malignancy
10 C84.61	10 Malignancy
10 C84.62	10 Malignancy
10 C84.63	10 Malignancy
10 C84.64	10 Malignancy
10 C84.65	10 Malignancy
10 C84.66	10 Malignancy
10 C84.67	10 Malignancy
10 C84.68	10 Malignancy
10 C84.69	10 Malignancy
10 C84.70	10 Malignancy
10 C84.71	10 Malignancy
10 C84.72	10 Malignancy
10 C84.73	10 Malignancy
10 C84.74	10 Malignancy
10 C84.75	10 Malignancy
10 C84.76	10 Malignancy
10 C84.77	10 Malignancy
10 C84.78	10 Malignancy
10 C84.79	10 Malignancy
10 C84.93	10 Malignancy
10 C85.80	10 Malignancy
10 C85.81	10 Malignancy

10 C85.82	10 Malignancy
10 C85.83	10 Malignancy
10 C85.84	10 Malignancy
10 C85.85	10 Malignancy
10 C85.86	10 Malignancy
10 C85.87	10 Malignancy
10 C85.88	10 Malignancy
10 C85.89	10 Malignancy
10 C88.8	10 Malignancy
10 C90.00	10 Malignancy
10 C90.01	10 Malignancy
10 C90.02	10 Malignancy
10 C90.10	10 Malignancy
10 C90.11	10 Malignancy
10 C90.12	10 Malignancy
10 C90.20	10 Malignancy
10 C90.21	10 Malignancy
10 C90.22	10 Malignancy
10 C90.30	10 Malignancy
10 C90.31	10 Malignancy
10 C90.32	10 Malignancy
10 C91.00	10 Malignancy
10 C91.01	10 Malignancy
10 C91.02	10 Malignancy
10 C91.10	10 Malignancy
10 C91.11	10 Malignancy
10 C91.12	10 Malignancy
10 C91.40	10 Malignancy
10 C91.41	10 Malignancy
10 C91.90	10 Malignancy
10 C91.91	10 Malignancy
10 C91.92	10 Malignancy
10 C91.Z0	10 Malignancy
10 C91.Z1	10 Malignancy
10 C91.Z2	10 Malignancy
10 C92.00	10 Malignancy
10 C92.01	10 Malignancy
10 C92.02	10 Malignancy
10 C92.10	10 Malignancy
10 C92.11	10 Malignancy
10 C92.12	10 Malignancy
10 C92.20	10 Malignancy
10 C92.21	10 Malignancy
10 C92.22	10 Malignancy
10 C92.30	10 Malignancy
10 C92.31	10 Malignancy
10 C92.32	10 Malignancy

10 C92.40	10 Malignancy
10 C92.41	10 Malignancy
10 C92.42	10 Malignancy
10 C92.50	10 Malignancy
10 C92.51	10 Malignancy
10 C92.52	10 Malignancy
10 C92.90	10 Malignancy
10 C92.91	10 Malignancy
10 C92.92	10 Malignancy
10 C92.Z0	10 Malignancy
10 C92.Z1	10 Malignancy
10 C92.Z2	10 Malignancy
10 C93.00	10 Malignancy
10 C93.01	10 Malignancy
10 C93.02	10 Malignancy
10 C93.10	10 Malignancy
10 C93.11	10 Malignancy
10 C93.12	10 Malignancy
10 C93.90	10 Malignancy
10 C93.91	10 Malignancy
10 C93.92	10 Malignancy
10 C93.Z0	10 Malignancy
10 C93.Z1	10 Malignancy
10 C93.Z2	10 Malignancy
10 C94.00	10 Malignancy
10 C94.01	10 Malignancy
10 C94.02	10 Malignancy
10 C94.20	10 Malignancy
10 C94.21	10 Malignancy
10 C94.22	10 Malignancy
10 C94.30	10 Malignancy
10 C94.31	10 Malignancy
10 C94.32	10 Malignancy
10 C94.40	10 Malignancy
10 C94.41	10 Malignancy
10 C94.42	10 Malignancy
10 C94.80	10 Malignancy
10 C94.81	10 Malignancy
10 C94.82	10 Malignancy
10 C95.00	10 Malignancy
10 C95.01	10 Malignancy
10 C95.02	10 Malignancy
10 C95.10	10 Malignancy
10 C95.11	10 Malignancy
10 C95.12	10 Malignancy
10 C95.90	10 Malignancy
10 C95.91	10 Malignancy

10 C95.92	10 Malignancy
10 C96.0	10 Malignancy
10 C96.2	10 Malignancy
10 C96.4	10 Malignancy
10 C96.9	10 Malignancy
10 C96.A	10 Malignancy
10 C96.Z	10 Malignancy
10 D00.00	10 Malignancy
10 D00.01	10 Malignancy
10 D00.02	10 Malignancy
10 D00.03	10 Malignancy
10 D00.04	10 Malignancy
10 D00.05	10 Malignancy
10 D00.06	10 Malignancy
10 D00.07	10 Malignancy
10 D00.08	10 Malignancy
10 D00.1	10 Malignancy
10 D00.2	10 Malignancy
10 D01.0	10 Malignancy
10 D01.1	10 Malignancy
10 D01.2	10 Malignancy
10 D01.3	10 Malignancy
10 D01.40	10 Malignancy
10 D01.49	10 Malignancy
10 D01.5	10 Malignancy
10 D01.7	10 Malignancy
10 D01.9	10 Malignancy
10 D02.0	10 Malignancy
10 D02.1	10 Malignancy
10 D02.20	10 Malignancy
10 D02.3	10 Malignancy
10 D02.4	10 Malignancy
10 D03.0	10 Malignancy
10 D03.10	10 Malignancy
10 D03.11	10 Malignancy
10 D03.12	10 Malignancy
10 D03.20	10 Malignancy
10 D03.21	10 Malignancy
10 D03.22	10 Malignancy
10 D03.30	10 Malignancy
10 D03.39	10 Malignancy
10 D03.4	10 Malignancy
10 D03.51	10 Malignancy
10 D03.52	10 Malignancy
10 D03.59	10 Malignancy
10 D03.60	10 Malignancy
10 D03.61	10 Malignancy

10 D03.62	10 Malignancy
10 D03.70	10 Malignancy
10 D03.71	10 Malignancy
10 D03.72	10 Malignancy
10 D03.8	10 Malignancy
10 D03.9	10 Malignancy
10 D04.0	10 Malignancy
10 D04.10	10 Malignancy
10 D04.20	10 Malignancy
10 D04.30	10 Malignancy
10 D04.39	10 Malignancy
10 D04.4	10 Malignancy
10 D04.5	10 Malignancy
10 D04.60	10 Malignancy
10 D04.70	10 Malignancy
10 D04.8	10 Malignancy
10 D04.9	10 Malignancy
10 D05.90	10 Malignancy
10 D06.9	10 Malignancy
10 D07.0	10 Malignancy
10 D07.1	10 Malignancy
10 D07.2	10 Malignancy
10 D07.30	10 Malignancy
10 D07.39	10 Malignancy
10 D07.4	10 Malignancy
10 D07.5	10 Malignancy
10 D07.60	10 Malignancy
10 D07.69	10 Malignancy
10 D09.0	10 Malignancy
10 D09.10	10 Malignancy
10 D09.19	10 Malignancy
10 D09.20	10 Malignancy
10 D09.3	10 Malignancy
10 D09.8	10 Malignancy
10 D09.9	10 Malignancy
10 D10.0	10 Malignancy
10 D10.1	10 Malignancy
10 D10.2	10 Malignancy
10 D10.30	10 Malignancy
10 D10.39	10 Malignancy
10 D10.4	10 Malignancy
10 D10.5	10 Malignancy
10 D10.6	10 Malignancy
10 D10.7	10 Malignancy
10 D10.9	10 Malignancy
10 D11.9	10 Malignancy
10 D12.0	10 Malignancy

10 D12.1	10 Malignancy
10 D12.6	10 Malignancy
10 D12.7	10 Malignancy
10 D12.8	10 Malignancy
10 D12.9	10 Malignancy
10 D13.0	10 Malignancy
10 D13.1	10 Malignancy
10 D13.2	10 Malignancy
10 D13.30	10 Malignancy
10 D13.39	10 Malignancy
10 D13.4	10 Malignancy
10 D13.5	10 Malignancy
10 D13.6	10 Malignancy
10 D13.7	10 Malignancy
10 D13.9	10 Malignancy
10 D14.0	10 Malignancy
10 D14.1	10 Malignancy
10 D14.2	10 Malignancy
10 D14.30	10 Malignancy
10 D14.4	10 Malignancy
10 D15.0	10 Malignancy
10 D15.1	10 Malignancy
10 D15.2	10 Malignancy
10 D15.7	10 Malignancy
10 D15.9	10 Malignancy
10 D16.00	10 Malignancy
10 D16.10	10 Malignancy
10 D16.20	10 Malignancy
10 D16.30	10 Malignancy
10 D16.4	10 Malignancy
10 D16.5	10 Malignancy
10 D16.6	10 Malignancy
10 D16.7	10 Malignancy
10 D16.8	10 Malignancy
10 D16.9	10 Malignancy
10 D17.0	10 Malignancy
10 D17.1	10 Malignancy
10 D17.30	10 Malignancy
10 D17.39	10 Malignancy
10 D17.4	10 Malignancy
10 D17.5	10 Malignancy
10 D17.6	10 Malignancy
10 D17.71	10 Malignancy
10 D17.79	10 Malignancy
10 D17.9	10 Malignancy
10 D18.00	10 Malignancy
10 D18.01	10 Malignancy

10 D18.02	10 Malignancy
10 D18.03	10 Malignancy
10 D18.09	10 Malignancy
10 D18.1	10 Malignancy
10 D19.0	10 Malignancy
10 D20.0	10 Malignancy
10 D20.1	10 Malignancy
10 D21.0	10 Malignancy
10 D21.10	10 Malignancy
10 D21.20	10 Malignancy
10 D21.3	10 Malignancy
10 D21.4	10 Malignancy
10 D21.5	10 Malignancy
10 D21.6	10 Malignancy
10 D21.9	10 Malignancy
10 D22.9	10 Malignancy
10 D23.0	10 Malignancy
10 D23.10	10 Malignancy
10 D23.20	10 Malignancy
10 D23.30	10 Malignancy
10 D23.39	10 Malignancy
10 D23.4	10 Malignancy
10 D23.5	10 Malignancy
10 D23.60	10 Malignancy
10 D23.70	10 Malignancy
10 D23.9	10 Malignancy
10 D24.1	10 Malignancy
10 D25.0	10 Malignancy
10 D25.1	10 Malignancy
10 D25.2	10 Malignancy
10 D25.9	10 Malignancy
10 D26.0	10 Malignancy
10 D26.1	10 Malignancy
10 D26.7	10 Malignancy
10 D26.9	10 Malignancy
10 D27.9	10 Malignancy
10 D28.0	10 Malignancy
10 D28.1	10 Malignancy
10 D28.2	10 Malignancy
10 D28.7	10 Malignancy
10 D28.9	10 Malignancy
10 D29.0	10 Malignancy
10 D29.1	10 Malignancy
10 D29.20	10 Malignancy
10 D29.30	10 Malignancy
10 D29.4	10 Malignancy
10 D29.8	10 Malignancy

10 D29.9	10 Malignancy
10 D30.00	10 Malignancy
10 D30.10	10 Malignancy
10 D30.20	10 Malignancy
10 D30.3	10 Malignancy
10 D30.4	10 Malignancy
10 D30.8	10 Malignancy
10 D30.9	10 Malignancy
10 D31.00	10 Malignancy
10 D31.10	10 Malignancy
10 D31.20	10 Malignancy
10 D31.30	10 Malignancy
10 D31.40	10 Malignancy
10 D31.50	10 Malignancy
10 D31.60	10 Malignancy
10 D31.90	10 Malignancy
10 D32.0	10 Malignancy
10 D32.1	10 Malignancy
10 D32.9	10 Malignancy
10 D33.2	10 Malignancy
10 D33.3	10 Malignancy
10 D33.4	10 Malignancy
10 D33.7	10 Malignancy
10 D33.9	10 Malignancy
10 D34.	10 Malignancy
10 D35.00	10 Malignancy
10 D35.1	10 Malignancy
10 D35.2	10 Malignancy
10 D35.3	10 Malignancy
10 D35.4	10 Malignancy
10 D35.5	10 Malignancy
10 D35.6	10 Malignancy
10 D35.7	10 Malignancy
10 D35.9	10 Malignancy
10 D36.0	10 Malignancy
10 D36.7	10 Malignancy
10 D36.9	10 Malignancy
10 D37.01	10 Malignancy
10 D37.02	10 Malignancy
10 D37.030	10 Malignancy
10 D37.031	10 Malignancy
10 D37.032	10 Malignancy
10 D37.039	10 Malignancy
10 D37.04	10 Malignancy
10 D37.05	10 Malignancy
10 D37.1	10 Malignancy
10 D37.2	10 Malignancy

10 D37.4	10 Malignancy
10 D37.5	10 Malignancy
10 D37.6	10 Malignancy
10 D37.8	10 Malignancy
10 D37.9	10 Malignancy
10 D38.0	10 Malignancy
10 D38.1	10 Malignancy
10 D38.2	10 Malignancy
10 D38.3	10 Malignancy
10 D38.4	10 Malignancy
10 D38.5	10 Malignancy
10 D38.6	10 Malignancy
10 D39.0	10 Malignancy
10 D39.10	10 Malignancy
10 D39.2	10 Malignancy
10 D39.8	10 Malignancy
10 D39.9	10 Malignancy
10 D3A.00	10 Malignancy
10 D3A.010	10 Malignancy
10 D3A.011	10 Malignancy
10 D3A.012	10 Malignancy
10 D3A.019	10 Malignancy
10 D3A.020	10 Malignancy
10 D3A.021	10 Malignancy
10 D3A.022	10 Malignancy
10 D3A.023	10 Malignancy
10 D3A.024	10 Malignancy
10 D3A.025	10 Malignancy
10 D3A.026	10 Malignancy
10 D3A.029	10 Malignancy
10 D3A.090	10 Malignancy
10 D3A.091	10 Malignancy
10 D3A.092	10 Malignancy
10 D3A.093	10 Malignancy
10 D3A.094	10 Malignancy
10 D3A.095	10 Malignancy
10 D3A.096	10 Malignancy
10 D3A.098	10 Malignancy
10 D40.0	10 Malignancy
10 D40.10	10 Malignancy
10 D40.8	10 Malignancy
10 D40.9	10 Malignancy
10 D41.00	10 Malignancy
10 D41.20	10 Malignancy
10 D41.4	10 Malignancy
10 D41.8	10 Malignancy
10 D41.9	10 Malignancy

10 D42.0	10 Malignancy
10 D42.1	10 Malignancy
10 D42.9	10 Malignancy
10 D43.2	10 Malignancy
10 D43.3	10 Malignancy
10 D43.4	10 Malignancy
10 D43.8	10 Malignancy
10 D43.9	10 Malignancy
10 D44.0	10 Malignancy
10 D44.10	10 Malignancy
10 D44.2	10 Malignancy
10 D44.3	10 Malignancy
10 D44.4	10 Malignancy
10 D44.5	10 Malignancy
10 D44.6	10 Malignancy
10 D44.7	10 Malignancy
10 D44.9	10 Malignancy
10 D45.	10 Malignancy
10 D46.0	10 Malignancy
10 D46.1	10 Malignancy
10 D46.20	10 Malignancy
10 D46.21	10 Malignancy
10 D46.22	10 Malignancy
10 D46.9	10 Malignancy
10 D46.A	10 Malignancy
10 D46.B	10 Malignancy
10 D46.C	10 Malignancy
10 D47.0	10 Malignancy
10 D47.1	10 Malignancy
10 D47.3	10 Malignancy
10 D47.9	10 Malignancy
10 D47.Z1	10 Malignancy
10 D47.Z9	10 Malignancy
10 D48.0	10 Malignancy
10 D48.1	10 Malignancy
10 D48.3	10 Malignancy
10 D48.4	10 Malignancy
10 D48.5	10 Malignancy
10 D48.60	10 Malignancy
10 D48.7	10 Malignancy
10 D48.9	10 Malignancy
10 D70.0	10 Immunocompromised
10 D70.1	10 Immunocompromised
10 D70.2	10 Immunocompromised
10 D70.3	10 Immunocompromised
10 D70.4	10 Immunocompromised
10 D70.8	10 Immunocompromised

10 D70.9	10 Immunocompromised
10 D80.8	10 Immunocompromised
10 D83.1	10 Immunocompromised
10 D86.9	10 Immunocompromised
10 E10.10	10 Diabetes
10 E10.11	10 Diabetes
10 E10.21	10 Diabetes
10 E10.29	10 Diabetes
10 E10.311	10 Diabetes
10 E10.319	10 Diabetes
10 E10.36	10 Diabetes
10 E10.39	10 Diabetes
10 E10.40	10 Diabetes
10 E10.51	10 Diabetes
10 E10.618	10 Diabetes
10 E10.620	10 Diabetes
10 E10.621	10 Diabetes
10 E10.622	10 Diabetes
10 E10.628	10 Diabetes
10 E10.630	10 Diabetes
10 E10.638	10 Diabetes
10 E10.641	10 Diabetes
10 E10.649	10 Diabetes
10 E10.65	10 Diabetes
10 E10.69	10 Diabetes
10 E10.8	10 Diabetes
10 E10.9	10 Diabetes
10 E11.00	10 Diabetes
10 E11.01	10 Diabetes
10 E11.21	10 Diabetes
10 E11.29	10 Diabetes
10 E11.311	10 Diabetes
10 E11.319	10 Diabetes
10 E11.36	10 Diabetes
10 E11.39	10 Diabetes
10 E11.40	10 Diabetes
10 E11.51	10 Diabetes
10 E11.618	10 Diabetes
10 E11.620	10 Diabetes
10 E11.621	10 Diabetes
10 E11.622	10 Diabetes
10 E11.628	10 Diabetes
10 E11.630	10 Diabetes
10 E11.638	10 Diabetes
10 E11.641	10 Diabetes
10 E11.649	10 Diabetes
10 E11.65	10 Diabetes

10 E11.69	10 Diabetes
10 E11.8	10 Diabetes
10 E11.9	10 Diabetes
10 E13.10	10 Diabetes
10 E83.2	10 Diabetes
10 G02.	10 Immunocompromised
10 G14.	10 Concurrent Infectious Disease
10 H32.	10 Concurrent Infectious Disease
10 I32.	10 Concurrent Infectious Disease
10 I39.	10 Concurrent Infectious Disease
10 J02.0	10 Concurrent Infectious Disease
10 J03.00	10 Concurrent Infectious Disease
10 J09.X1	10 Concurrent Infectious Disease
10 J09.X2	10 Concurrent Infectious Disease
10 J09.X3	10 Concurrent Infectious Disease
10 J09.X9	10 Concurrent Infectious Disease
10 J10.08	10 Concurrent Infectious Disease
10 J10.1	10 Concurrent Infectious Disease
10 J11.00	10 Concurrent Infectious Disease
10 J11.1	10 Concurrent Infectious Disease
10 J11.2	10 Concurrent Infectious Disease
10 J11.81	10 Concurrent Infectious Disease
10 J11.89	10 Concurrent Infectious Disease
10 J12.0	10 Concurrent Infectious Disease
10 J12.1	10 Concurrent Infectious Disease
10 J12.2	10 Concurrent Infectious Disease
10 J12.81	10 Concurrent Infectious Disease
10 J12.89	10 Concurrent Infectious Disease
10 J12.9	10 Concurrent Infectious Disease
10 J13.	10 Concurrent Infectious Disease
10 J14.	10 Concurrent Infectious Disease
10 J15.0	10 Concurrent Infectious Disease
10 J15.1	10 Concurrent Infectious Disease
10 J15.20	10 Concurrent Infectious Disease
10 J15.211	10 Concurrent Infectious Disease
10 J15.212	10 Concurrent Infectious Disease
10 J15.29	10 Concurrent Infectious Disease
10 J15.3	10 Concurrent Infectious Disease
10 J15.4	10 Concurrent Infectious Disease
10 J15.5	10 Concurrent Infectious Disease
10 J15.6	10 Concurrent Infectious Disease
10 J15.7	10 Concurrent Infectious Disease
10 J15.8	10 Concurrent Infectious Disease
10 J15.9	10 Concurrent Infectious Disease
10 J16.0	10 Concurrent Infectious Disease
10 J16.8	10 Concurrent Infectious Disease
10 J17.	10 Concurrent Infectious Disease

10 J18.0	10 Concurrent Infectious Disease
10 J18.1	10 Concurrent Infectious Disease
10 J18.9	10 Concurrent Infectious Disease
10 J32.9	10 Chronic Sinusitis, Pharyngitis, or Bronchitis
10 J36.	10 Concurrent Infectious Disease
10 J39.0	10 Concurrent Infectious Disease
10 J41.0	10 Chronic Sinusitis, Pharyngitis, or Bronchitis
10 J41.1	10 Chronic Sinusitis, Pharyngitis, or Bronchitis
10 J41.8	10 Chronic Sinusitis, Pharyngitis, or Bronchitis
10 J42.	10 Chronic Sinusitis, Pharyngitis, or Bronchitis
10 J43.9	10 Chronic Pulmonary Disorder
10 J44.0	10 Chronic Pulmonary Disorder
10 J44.1	10 Chronic Pulmonary Disorder
10 J44.9	10 Chronic Pulmonary Disorder
10 J45.20	10 Chronic Pulmonary Disorder
10 J45.21	10 Chronic Pulmonary Disorder
10 J45.22	10 Chronic Pulmonary Disorder
10 J45.901	10 Chronic Pulmonary Disorder
10 J45.902	10 Chronic Pulmonary Disorder
10 J45.909	10 Chronic Pulmonary Disorder
10 J45.990	10 Chronic Pulmonary Disorder
10 J45.991	10 Chronic Pulmonary Disorder
10 J45.998	10 Chronic Pulmonary Disorder
10 J47.1	10 Chronic Pulmonary Disorder
10 J47.9	10 Chronic Pulmonary Disorder
10 J67.0	10 Chronic Pulmonary Disorder
10 J67.1	10 Chronic Pulmonary Disorder
10 J67.2	10 Chronic Pulmonary Disorder
10 J67.3	10 Chronic Pulmonary Disorder
10 J67.4	10 Chronic Pulmonary Disorder
10 J67.5	10 Chronic Pulmonary Disorder
10 J67.6	10 Chronic Pulmonary Disorder
10 J67.7	10 Chronic Pulmonary Disorder
10 J67.8	10 Chronic Pulmonary Disorder
10 J67.9	10 Chronic Pulmonary Disorder
10 K12.2	10 Concurrent Infectious Disease
10 K31.7	10 Concurrent Infectious Disease
10 K63.5	10 Concurrent Infectious Disease
10 K90.81	10 Concurrent Infectious Disease
10 L03.019	10 Concurrent Infectious Disease
10 L03.029	10 Concurrent Infectious Disease
10 L03.039	10 Concurrent Infectious Disease
10 L03.049	10 Concurrent Infectious Disease
10 L03.119	10 Concurrent Infectious Disease
10 L03.129	10 Concurrent Infectious Disease
10 L03.211	10 Concurrent Infectious Disease
10 L03.212	10 Concurrent Infectious Disease

10 L03.221	10 Concurrent Infectious Disease
10 L03.222	10 Concurrent Infectious Disease
10 L03.317	10 Concurrent Infectious Disease
10 L03.319	10 Concurrent Infectious Disease
10 L03.329	10 Concurrent Infectious Disease
10 L03.811	10 Concurrent Infectious Disease
10 L03.818	10 Concurrent Infectious Disease
10 L03.891	10 Concurrent Infectious Disease
10 L03.898	10 Concurrent Infectious Disease
10 L03.90	10 Concurrent Infectious Disease
10 L03.91	10 Concurrent Infectious Disease
10 L04.9	10 Concurrent Infectious Disease
10 L08.0	10 Concurrent Infectious Disease
10 L08.1	10 Concurrent Infectious Disease
10 L08.89	10 Concurrent Infectious Disease
10 L08.9	10 Concurrent Infectious Disease
10 L44.4	10 Concurrent Infectious Disease
10 L88.	10 Concurrent Infectious Disease
10 L94.6	10 Concurrent Infectious Disease
10 L98.0	10 Concurrent Infectious Disease
10 M02.30	10 Concurrent Infectious Disease
10 M35.2	10 Concurrent Infectious Disease
10 M60.009	10 Concurrent Infectious Disease
10 M72.6	10 Concurrent Infectious Disease
10 N10.	10 Concurrent Infectious Disease
10 N12.	10 Concurrent Infectious Disease
10 N15.1	10 Concurrent Infectious Disease
10 N15.9	10 Concurrent Infectious Disease
10 N16.	10 Concurrent Infectious Disease
10 N18.6	10 ESRD
10 N28.84	10 Concurrent Infectious Disease
10 N28.85	10 Concurrent Infectious Disease
10 N28.86	10 Concurrent Infectious Disease
10 N30.00	10 Concurrent Infectious Disease
10 N30.01	10 Concurrent Infectious Disease
10 N30.90	10 Concurrent Infectious Disease
10 N30.91	10 Concurrent Infectious Disease
10 N34.1	10 Concurrent Infectious Disease
10 N39.0	10 Concurrent Infectious Disease
10 Q85.00	10 Concurrent Infectious Disease
10 Q85.01	10 Concurrent Infectious Disease
10 Q85.02	10 Concurrent Infectious Disease
10 Q85.03	10 Concurrent Infectious Disease
10 Q85.09	10 Concurrent Infectious Disease
10 R11.11	10 Concurrent Infectious Disease
10 R75.	10 Immunocompromised
10 R88.0	10 Concurrent Infectious Disease

10 T86.00	10 Immunocompromised
10 T86.01	10 Immunocompromised
10 T86.02	10 Immunocompromised
10 T86.09	10 Immunocompromised
10 T86.10	10 Immunocompromised
10 T86.11	10 Immunocompromised
10 T86.12	10 Immunocompromised
10 T86.20	10 Immunocompromised
10 T86.21	10 Immunocompromised
10 T86.22	10 Immunocompromised
10 T86.40	10 Immunocompromised
10 T86.41	10 Immunocompromised
10 T86.42	10 Immunocompromised
10 T86.810	10 Immunocompromised
10 T86.811	10 Immunocompromised
10 T86.819	10 Immunocompromised
10 T86.850	10 Immunocompromised
10 T86.851	10 Immunocompromised
10 T86.859	10 Immunocompromised
10 T86.890	10 Immunocompromised
10 T86.891	10 Immunocompromised
10 T86.899	10 Immunocompromised
9 V08.	10 Immunocompromised
9 V42.0	10 Immunocompromised
9 V42.1	10 Immunocompromised
9 V42.6	10 Immunocompromised
9 V42.7	10 Immunocompromised
9 V42.81	10 Immunocompromised
9 V42.82	10 Immunocompromised
9 V42.83	10 Immunocompromised
9 V42.84	10 Immunocompromised
9 V42.89	10 Immunocompromised
9 V42.9	10 Immunocompromised
9 V45.11	10 Immunocompromised
9 V45.12	10 Immunocompromised
9 V56.0	10 ESRD
9 V56.1	10 ESRD
9 V56.2	10 ESRD
9 V56.31	10 ESRD
9 V56.32	10 ESRD
9 V56.8	10 ESRD
9 V58.44	10 ESRD
9 V87.46	10 Immunocompromised
10 Z21.	10 Immunocompromised
10 Z48.298	10 Immunocompromised
10 Z49.01	10 ESRD
10 Z49.02	10 ESRD

10 Z49.31	10 ESRD
10 Z49.32	10 ESRD
10 Z91.15	10 ESRD
10 Z92.25	10 Immunocompromised
10 Z94.0	10 Immunocompromised
10 Z94.1	10 Immunocompromised
10 Z94.2	10 Immunocompromised
10 Z94.4	10 Immunocompromised
10 Z94.81	10 Immunocompromised
10 Z94.82	10 Immunocompromised
10 Z94.83	10 Immunocompromised
10 Z94.84	10 Immunocompromised
10 Z94.89	10 Immunocompromised
10 Z94.9	10 Immunocompromised
10 Z99.2	10 ESRD

Medications	Exclusion Reason	Prescribed Time Window
Albuterol/ipratropium	Chronic Lung Disease	Past 2 years
Budesonide/formoterol fumarate	Chronic Lung Disease	Past 2 years
Cromolyn Sodium	Chronic Lung Disease	Past 2 years
Montelukast	Chronic Lung Disease	Past 2 years
Olodaterol/tiotropium	Chronic Lung Disease	Past 2 years
Tiotropium	Chronic Lung Disease	Past 2 years
Ipratropium bromide	Chronic Lung Disease	Past 2 years
Acclidinium bromide	Chronic Lung Disease	Past 2 years
Fluticasone/vilanterol	Chronic Lung Disease	Past 2 years
Fluticasone/salmeterol	Chronic Lung Disease	Past 2 years
Fluticasone/mometasone	Chronic Lung Disease	Past 2 years
Mepolizumab	Chronic Lung Disease	Past 2 years
Olodaterol/tiotropium	Chronic Lung Disease	Past 2 years
Umeclidinium	Chronic Lung Disease	Past 2 years
Umeclidinium/vilanterol	Chronic Lung Disease	Past 2 years
Zafirlukast	Chronic Lung Disease	Past 2 years
Atropine	Chronic Lung Disease	Past 2 years
Theophylline	Chronic Lung Disease	Past 2 years
Guaifenesin/oxytriphylline	Chronic Lung Disease	Past 2 years
Zileuton	Chronic Lung Disease	Past 2 years
Acitretin	Immunosuppression	Past 1 year
Methoxsalen	Immunosuppression	Past 1 year
Tumor Necrosis Factor Blockers	Immunosuppression	Past 1 year
Immunological Agents	Immunosuppression	Past 1 year
Azathioprine	Immunosuppression	Past 1 year
Basiliximab	Immunosuppression	Past 1 year
Cyclosporine	Immunosuppression	Past 1 year
Infliximab-DYYB	Immunosuppression	Past 1 year
Murmonab-CD3	Immunosuppression	Past 1 year
Mycopheolate mofetil	Immunosuppression	Past 1 year
Mycophenolic acid	Immunosuppression	Past 1 year
Siltuximab	Immunosuppression	Past 1 year
Sirolimus	Immunosuppression	Past 1 year
Tacrolimus	Immunosuppression	Past 1 year
Antineoplastics	Immunosuppression	Past 30 days
Bisulfan	Immunosuppression	Past 30 days
Carmustine	Immunosuppression	Past 30 days
Chlorambucil	Immunosuppression	Past 30 days
Cyclophosphamide	Immunosuppression	Past 30 days
Ifosfamide	Immunosuppression	Past 30 days
Ifosfamide/Mesna	Immunosuppression	Past 30 days
Lomustine	Immunosuppression	Past 30 days
Mechlorethamie	Immunosuppression	Past 30 days
Melphalan	Immunosuppression	Past 30 days
Thiotepa	Immunosuppression	Past 30 days
Bleomycin	Immunosuppression	Past 30 days

Dactinomycin	Immunosuppression	Past 30 days
Daunorubicin	Immunosuppression	Past 30 days
Doxorubicin	Immunosuppression	Past 30 days
Idarubicin	Immunosuppression	Past 30 days
Mitomycin	Immunosuppression	Past 30 days
Streptozocin	Immunosuppression	Past 30 days

Evaluation of Uncomplicated Acute Respiratory Tract Infections (ARI)

Management in Veterans: A National Utilization Review

Appendix B

- **Data Collection Form:** Page 2-10
- **Data Abstraction Protocol:** Page 11-25

Data Collection Form

The patient should have presented to the emergency department or outpatient clinic in this time frame:
10/1/2015 - 3/31/2016 (FY16 Q1&Q2)

Reviewer Initials	VISN	Station	Date of Outpatient Visit (index date)	Date Case Report Completed	Patient identification number
□□□	□□		____/____/____ (mm/dd/yy)	____/____/____ (mm/dd/yy)	□□□□□□

General Criteria

1. Evaluate that inclusion criteria are met (all criteria must be met)

- ☐ Patient presented from the community to a participating VA emergency department, primary care, urgent care, community-based outreach clinic (CBOC), home-based primary care (HBPC), or other outpatient clinic
 [Exclude visits to the following subspecialty clinics: Infectious Diseases, Allergy, Gastroenterology, Rheumatology, Psychiatry, ENT, Dentistry, Cardiology, Pulmonology, Dermatology, Podiatry, Surgery (any), Endocrinology, Sleep Medicine, Pain Medicine, Hospice & Palliative Care, Oncology, Hematology, Nephrology, Transplant, Employee and Occupational Health; DO NOT exclude visits to Geriatrics or Women's Health subspecialty clinics.]
- ☐ Patient has an outpatient diagnosis of one of the following for the visit
 (Check only one box) ☐ Single ARI ☐ Mixed ARI
 (Check all that apply) ☐ Acute Pharyngitis ☐ Acute Rhinosinusitis ☐ Acute Bronchitis ☐ URI-NOS

2. Evaluate if any exclusion criteria are met (check all that apply)

- ☐ EXCLUDE if patient has an ICD-10 diagnosis for an ARI on the index date but the symptoms, assessment, and treatment were not addressed by a provider in the notes associated with the encounter
- ☐ EXCLUDE if ARI diagnosis coded on the encounter was in relation to a resolved ARI
- ☐ EXCLUDE if patient was admitted to an inpatient ward directly (**within 1 day after index visit**) as a result of the presentation to the outpatient clinic or emergency department
- ☐ EXCLUDE if patient had an ARI diagnosis **in the previous 30 days to the index date** (do not exclude if diagnosis based on telephone triage contact or similar within the prior 2 days)
 - ☐ Acute Pharyngitis ☐ Acute Rhinosinusitis ☐ Acute Bronchitis ☐ URI-NOS
 - ☐ Other (e.g. otitis media)
- ☐ EXCLUDE if patient has a diagnosis of chronic pharyngitis or chronic sinusitis (also exclude if patient has signs or symptoms **for ≥12 weeks**)
- ☐ EXCLUDE if patient has any of the following co-morbid condition(s) that may increase the risk for serious bacterial infections including: (check all that apply)
 - ☐ Neoplasia ☐ Chronic Lung Disease (e.g., COPD, asthma)
 - ☐ End-stage renal disease ☐ Solid Organ Transplantation
 - ☐ Other Immunocompromised States (including HIV)
- ☐ EXCLUDE if patient has any other active infectious diseases (**at the time of index visit**) including (do NOT exclude patient if he/she had concurrent HCV, HBV, genital herpes, superficial (cutaneous) fungal infection, or similar infections): (check all that apply)
 - ☐ Pneumonia ☐ Influenza ☐ Urinary Tract Infection ☐ Skin or Skin Structure Infection
 - ☐ Acute Otitis Media ☐ Other
- ☐ EXCLUDE if patient is on acute or chronic oral antibacterial therapy **at time of index visit** including if a patient is self-prescribing antibiotics (DO NOT EXCLUDE if patient was prescribed by a provider an antibacterial agent ≤2 days ago AND if reason started was for ARI signs/symptoms)

**** Stop here if ANY criteria in item #1 ARE NOT met, or ANY criteria in item #2 ARE met. Submit the case report form. ****

☐ Current Smoker ☐ Previous Smoker ☐ Never Smoker ☐ Information not available

☐ Current Smoker☐ Previous Smoker☐ Never Smoker

□ Information not available

☐ VAMC ☐ CBOC ☐ HBPC

☐ VAMC

□ CBOC

□ HBPC

☐ Primary Care Clinic ☐ Urgent Care Clinic ☐ Emergency Dept ☐ Other Outpatient Clinic

☐ Primary Care Clinic☐ Urgent Care Clinic☐ Emergency Dept☐ Other Outpatient Clinic

☐ Staff Physician ☐ Mid-level (ie., PA, NP) ☐ Nurse ☐ Pharmacist ☐ Med Resident/Fellow
☐ Other Trainee (ie., Med Student, Pharmacy Resident) ☐ Cannot determine

☐ Staff Physician☐ Mid-level (ie., PA, NP) ☐ Nurse☐ Nurse☐ Pharmacist☐ Med Resident/Fellow☐ Other Trainee (ie., Med Student, Pharmacy Resident)☐ Cannot determine☐ Yes ☐ No☐ Yes☐ No

7a. If yes to question #7, please specify to which antibiotic class(es) the patient is allergic & the reaction that goes with each in the table below.

A	B
Antibiotic Class (Allow for multiple allergies to be selected, select all that apply)	Reaction (Allow for only one reaction to be selected for each allergy listed, select the appropriate reaction, “other” if not listed, or “unknown” if the reaction is not specified)
1. Drop Down – Penicillin, Cephalosporin, Sulfa, Carbapenem, Tetracycline, Fluoroquinolone, Macrolide, Clindamycin, Vancomycin, Linezolid, Daptomycin, Other	Drop Down Menu Options – Urticaria, Rash, Anaphylaxis, SJS, GI Upset, Unknown, Other

numerical format in the designated unit only; if information not available, type "N/A")

☐ Temperature: _____ (°F)

☐ Blood Pressure: Systolic_____ (mmHg)

Diastolic _____ (mmHg)

☐ Heart Rate: _____ (BPM)

☐ Respiratory Rate: _____ (RPM)

☐ Yes ☐ No ☐ Not Documented☐ Yes☐ No☐ Not Documented

10. Does the patient complain of having any of the following symptoms within the past two days?

A	B
<u>Patient Symptoms/Subjective Findings</u> (Characteristics) (check all characteristics that apply if the given symptom is present) findings may be documented in patient history or elicited on physical examination	<u>Presence/Absence/Documentation</u> (check only one box for each row)
a. Self-reported Fever (temperature is recorded elsewhere)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Documented
b. Cough (<input type="checkbox"/> Productive <input type="checkbox"/> Non-productive <input type="checkbox"/> Unknown)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Documented
c. Congestion	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Documented
d. Nasal Discharge/Rhinorrhea (<input type="checkbox"/> Purulent <input type="checkbox"/> Discolored <input type="checkbox"/> Clear <input type="checkbox"/> Unknown)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Documented
e. Postnasal drip	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Documented
f. Facial Pain/Pressure/Fullness	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Documented
g. Ear Pain/Pressure/Fullness	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Documented
h. GI Symptoms (<input type="checkbox"/> Nausea <input type="checkbox"/> Vomiting <input type="checkbox"/> Diarrhea <input type="checkbox"/> Constipation)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Documented
i. Tonsil Involvement (eg., swollen or enlarged tonsils)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Documented

j. Fatigue (feeling tired, sleeping a lot, etc?)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Documented
k. Lymph Node Involvement (eg., swollen glands)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Documented
l. Abdominal Pain	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Documented
m. Sore Throat	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Documented
n. Headache	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Documented
o. Hoarseness	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Documented
p. Dyspnea/shortness of breath	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Documented
q. Wheezing	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Documented
r. Sneezing	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Documented
s. Myalgias (eg., achiness)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Documented

Depending on patient diagnosis(es) (see question #1), please move on to the questions associated with each patient specific diagnosis as indicated below:

- Acute Pharyngitis – Question #11 through #13; then Question #17 – end
- Acute Rhinosinusitis – Question #14; then Question #17 – end
- Acute Bronchitis – Question #15 – end
- URI-NOS – Question #17 – end

****Note:** If a patient has more than one diagnosis, all relevant questions for each diagnosis should be answered**

Acute Pharyngitis

11. Which of the following findings documented on clinical exam? (check only one box for each row)

A	B
1. Cough	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Documented
2. Fever ($\geq 101^{\circ}\text{F}$)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Documented
3. Tonsillar Exudates	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Documented
4. Tender lymph nodes in neck (Cervical Nodes)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Documented

12. Was a Group A *Streptococcus* Rapid Antigen Detection Test (RADT) performed? (check only one box)

☐ Yes ☐ No

12a. If yes to question #12, what was the result of the Group A *Streptococcus* Rapid Antigen Detection Test (RADT)? (check only one box)

☐ Positive ☐ Negative

12b. If yes to question #12, was the result of the Group A *Streptococcus* Rapid Antigen Detection Test (RADT) available at the time of the clinic visit? (check only one box)

☐ Yes ☐ No

13. Was a throat culture performed? (check only one box)

☐ Yes ☐ No

13a. If yes to question #13, please indicate below the result of the throat culture.

A	B
----------	----------

1. Result (check only one box)	2. If positive, what pathogen(s) was isolated? (check all that apply)
<input type="checkbox"/> Positive <input type="checkbox"/> Negative	<input type="checkbox"/> Group A <i>Strep</i> (<i>S. pyogenes</i>) <input type="checkbox"/> Group C <i>Strep</i> or Group G <i>Strep</i> <input type="checkbox"/> <i>S. pneumoniae</i> <input type="checkbox"/> <i>H. influenza</i> <input type="checkbox"/> <i>Neisseria</i> spp. <input type="checkbox"/> <i>Mycobacteria</i> spp. <input type="checkbox"/> <i>Fusobacterium</i> <input type="checkbox"/> Other

Please skip #14 - #16 and move on to question #17 and answer questions through the end of the tool.

Acute Rhinosinusitis

14. Does the patient meet any of the following criteria for Acute Bacterial Rhinosinusitis? (only check a box in columns C through E, if the box for the same row column "B" is checked "Yes")

A	B	C	D	E
Signs/Symptoms	Presence/Absence/Not Documented	<u>PROLONGED</u>: Are any of the symptoms below persistent for ≥7 days?	<u>SEVERE</u>: Are any of the symptoms below referred to as severe or was the temp ≥102°F for ≥3 days?	<u>WORSENING</u>: Did any of the symptoms below worsen after initial improvement over ≥5 days?
1. Purulent Nasal Discharge	See Question #10, line "d"	--	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not documented	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Documented
2. Facial Pain, Pressure, and/or Fullness	See Question #10, line "f"	--	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not documented	--
3. Congestion	See Question #10, line "c"	<input type="checkbox"/> Yes, ≥7 days <input type="checkbox"/> No <input type="checkbox"/> Not Documented	--	--
4. Hyposmia/Anosmia	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Documented	<input type="checkbox"/> Yes, ≥7 days <input type="checkbox"/> No <input type="checkbox"/> Not Documented	--	--
5. Ear Pain, Pressure, and/or Fullness	See Question #10, line "g"	<input type="checkbox"/> Yes, ≥7 days <input type="checkbox"/> No <input type="checkbox"/> Not Documented	--	--
6. Headache	See Question #10, line "n"	<input type="checkbox"/> Yes, ≥7 days <input type="checkbox"/> No <input type="checkbox"/> Not Documented	--	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Documented
7. Fever (≥100.4 °F)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Documented	--	Temp ≥102°F <input type="checkbox"/> Yes <input type="checkbox"/> No	New Onset Temp ≥100.4°F <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Documented
8. Cough	See Question #10, line "b"	<input type="checkbox"/> Yes, ≥7 days <input type="checkbox"/> No <input type="checkbox"/> Not Documented	--	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Documented
9. Fatigue	See Question #10, line "j"	<input type="checkbox"/> Yes, ≥7 days <input type="checkbox"/> No <input type="checkbox"/> Not Documented	--	--

Please skip #15 and #16 and move on to question #17, and answer questions through the end of the tool.

Acute Bronchitis

15. Did the provider document pertussis being of diagnostic concern? (check only one box)

☐ Yes ☐ No

15a. If yes to question #15, please indicate the documented basis for suspecting pertussis exposure for this patient. (check only one box)

☐ Confirmed Pertussis Exposure ☐ Suspected Pertussis Exposure ☐ No mention of exposure
☐ Other

16. Did the patient have any diagnostic test obtained for pertussis? (check only one box)

☐ Yes ☐ No

16a. If yes to question #16, what was the result of the diagnostic test for pertussis? (check only one box)

☐ Positive ☐ Negative

16b. If yes to question #16a, please indicate the type of diagnostic pertussis test? (check only one box)

☐ Culture ☐ PCR ☐ Serology

Please continue on to question #17.

17. Was an antimicrobial prescribed as a result of the initial contact (≤2 days before and <3 days after the index date)? (check only one box)

☐ Yes ☐ No

18. Was an antimicrobial dispensed as a delayed prescription (≥3 days after the index visit) a result of the index visit? (check only one box)

☐ Yes ☐ No

18a. If yes to question #18, is language present in the note indicating the intention of prescribing a delayed antibiotic? (check only one box)

☐ Yes ☐ No

18b. If yes to question #18, what was the time frame for the filling of the antimicrobial prescribed? (check only one box)

☐ Filled 3-5 days after index visit ☐ Filled ≥6 days after index visit ☐ Not Filled

19. If yes to questions #17 and/or #18a, please fill in the table below for each antimicrobial that was prescribed as a result of the index visit.

A	B	C	D
Antimicrobial Name (Allow for multiple antibiotics to be selected; select all antibiotics that were prescribed as a result of the index visit; if "Other" is selected, please provide antibiotic name)	Duration (# days' supply; provide for each antibiotic prescribed)	Date Filled (MM/DD/YY; provide for each antibiotic prescribed)	Source of Antibiotic Filled
1. Drop Down – Amox-Clav, Amoxicillin, Azithromycin, Cefaclor, Cefadroxil, Cefdinir, Cefditoren, Cefixime, Cefpodoxime, Cefprozil, Ceftibuten, Cefuroxime, Cephalexin, Ciprofloxacin, Clarithromycin, Clindamycin, Dicloxacillin, Doxycycline, Erythromycin, Levofloxacin,	<input type="checkbox"/> Not Documented	<input type="checkbox"/> Not Documented	<input type="checkbox"/> VA Pharmacy <input type="checkbox"/> VA Clinic Stock <input type="checkbox"/> Outside Pharmacy <input type="checkbox"/> Other

Linezolid, Metronidazole, Minocycline, Moxifloxacin, Penicillin, Tedizolid, Telithromycin, Tetracycline, TMP/SMX, Antibiotic prescribed but not specified, Other			<input type="checkbox"/> Unknown
--	--	--	----------------------------------

20. Was any symptomatic therapy prescribed or recommended for the patient as a result of the index visit (≤ 2 days before and < 3 days after the index date)? (check only one box)

☐ Yes

☐ No

20a. If yes to question #20, please indicate below any symptomatic treatment recommended or prescribed as a result of the visit on the index date (≤ 2 days before and < 3 days after the index date) if applicable.

A	B	C
Treatment Name (Allow for multiple therapies to be selected; select all therapies that were recommended/prescribed as a result of the index visit; if "Other" is selected, please provide name of therapy)	Recommendation or Prescription? (select only one box per therapy)	Date Filled (if prescribed) (MM/DD/YY)
1. <u>Medication Class Drop Down</u> – Sedating Antihistamine, Non-sedating Antihistamine, Analgesic, Intranasal Steroid, Cough Suppressant, Steroid Inhaler, Beta-agonist Inhaler, Lozenges, Decongestant, Expectorant, Medication class prescribed/recommended but not specified, Other _____	<input type="checkbox"/> Recommendation <input type="checkbox"/> Prescription <input type="checkbox"/> Not Documented	<input type="checkbox"/> Not Documented

21. Does the patient have a positive *C. difficile* toxin assay up to 30 days before the index date? (check only one box)

☐ Yes

☐ No

22. Does the patient have a positive *C. difficile* toxin assay up to 30 days after the index date? (check only one box)

☐ Yes

☐ No

23. Did the patient have a return urgent care/ED/primary care visit within 30 days of the index visit related to the ARI complaint of the index visit? (check only one box) [Do not include other previously scheduled appointments (eg, orthopedic clinic, dermatology clinic, etc.)]

☐ Yes

☐ No

23a. If yes to question #23, which of the following conditions below best describe the reason for the return urgent care/ED/primary care visit? (check only one box)

☐ Patient has unresolved/worsening ARI symptoms

☐ Patient has an ARI complication such as pneumonia or rheumatic fever

☐ Other

23b. If yes to question #23, did the patient have an antimicrobial prescribed as a result of the return visit (≤ 2 days before and < 3 days after the return visit date)? (check only one box)

☐ Yes

☐ No

23c. If yes to question 23b, please fill in the table below (≤ 2 days before and < 3 days after the return date). (If data is not available, please select "N/A")

A	B	C	D
Antimicrobial Name (Allow for multiple antibiotics to be selected; select all antibiotics that were prescribed as a result of the return visit; if "Other" is selected, please provide antibiotic name)	Duration (# days' supply; provide for each antibiotic prescribed)	Date Filled (MM/DD/YY; provide for each antibiotic prescribed)	Source of Antibiotic Filled

1. Drop Down – Amox-Clav, Amoxicillin, Azithromycin, Cefaclor, Cefadroxil, Cefdinir, Cefditoren, Cefixime, Cefpodoxime, Cefprozil, Ceftributen, Cefuroxime, Cephalexin, Ciprofloxacin, Clarithromycin, Clindamycin, Dicloxacillin, Doxycycline, Erythromycin, Levofloxacin, Linezolid, Metronidazole, Minocycline, Moxifloxacin, Penicillin, Tedizolid, Telithromycin, Tetracycline, TMP/SMX, Antibiotic prescribed but not specified, Other	<input type="checkbox"/> Not Documented	<input type="checkbox"/> Not Documented	<input type="checkbox"/> VA Pharmacy <input type="checkbox"/> VA Clinic Stock <input type="checkbox"/> Outside Pharmacy <input type="checkbox"/> Other <input type="checkbox"/> Unknown
--	---	---	---

24. Was there a telephone encounter ≤30 days after the index visit regarding the status of the patients ARI diagnosis?
☐ Yes ☐ No

Only answer the following questions if the answer to question #24 was “Yes”.

24a. Who documented the telephone encounter?

- ☐ Physician ☐ PA/NP ☐ Pharmacist ☐ Nurse ☐ Medical Assistant
☐ Other Trainee (ie., Med Student, Pharmacy Resident) ☐ Cannot determine
☐ Medical Resident/Fellow

24b. Which party initiated the telephone encounter (ie., did the patient call the health care professional or did the health care professional call the patient)?

- ☐ Health Care Professional ☐ Patient ☐ Not Documented

24c. Was the patient’s condition (e.g., ARI symptoms) documented during the telephone encounter?

- ☐ Yes ☐ No

24d. Was the patient’s condition (e.g., ARI symptoms) resolving, worsening, or unchanged?

- ☐ Resolving ☐ Worsening ☐ Unchanged ☐ Not Documented

24e. Did the health care professional ask the patient to come in for a clinic visit?

- ☐ Yes ☐ No

24f. Was a medication (either antibiotic or symptomatic therapy) initiated as a result of the telephone encounter?

- ☐ Yes ☐ No

24g. If an antibiotic or symptomatic therapy was recommended/prescribed, please provide details below.

A	B	C	D	E
Antimicrobial/Treatment Name (Allow for multiple antibiotics/treatments to be selected; select all antibiotics/treatments that were recommended/prescribed as a result of the telephone call; if “Other” is selected, please provide antibiotic/treatment name)	Recommendation or Prescription? (select only one box per therapy)	Duration (# days’ supply; provide for each <u>antibiotic</u> prescribed)	Date Filled (MM/DD/YY; provide for each)	Source of Antibiotic Filled
1. Drop Down – Amox-Clav, Amoxicillin, Azithromycin, Cefaclor, Cefadroxil, Cefdinir, Cefditoren, Cefixime, Cefpodoxime, Cefprozil, Ceftributen, Cefuroxime, Cephalexin, Ciprofloxacin, Clarithromycin, Clindamycin, Dicloxacillin, Doxycycline, Erythromycin, Levofloxacin, Linezolid, Metronidazole, Minocycline, Moxifloxacin, Penicillin, Tedizolid, Telithromycin, Tetracycline,	N/A	<input type="checkbox"/> Not Documented	<input type="checkbox"/> Not Documented	<input type="checkbox"/> VA Pharmacy <input type="checkbox"/> VA Clinic Stock <input type="checkbox"/> Outside Pharmacy <input type="checkbox"/> Other <input type="checkbox"/> Unknown

TMP/SMX, Antibiotic prescribed but not specified, Other _____				
1. <u>Medication Class Drop Down</u> – Sedating Antihistamine, Non-sedating Antihistamine, Analgesic, Intranasal Steroid, Cough Suppressant, Steroid Inhaler, Beta-agonist Inhaler, Lozenges, Decongestant, Expectorant, Medication class prescribed/recommended but not specified, Other _____	<input type="checkbox"/> Recommendation <input type="checkbox"/> Prescription <input type="checkbox"/> Not Documented	N/A	<input type="checkbox"/> Not Documented	N/A

1. with an “x” at the end of the number such as D70.x means that all numbers starting with D70 will be included with that diagnostic criteria (ie., D70.2, D70.18)
 - a. Associated diagnosis codes are provided to aid in identifying if patient meets criteria, but should not be used as only method for identification. **Please review chart for any un-coded but documented disease states as well.**

Information Field	Instructions for Field Collection
Reviewer Initials	Enter the first, middle, and last initials of the individual completing the data collection form

VISN	Enter the VISN number for the facility where the outpatient ARI visit occurred
Station	Enter the station of the facility where the ARI visit occurred
Date of Outpatient Visit	Enter the date of the outpatient visit based on the clinic/ED visit note using MM/DD/YY
Date Case Report Completed	Enter the date data collection was completed using the MM/DD/YY format
Patient Identification #	Enter assigned patient identification number

Data Point	Data to be collected	Data Source & Details (NOTE: There are several ways to access identical information in CPRS; reviewers can use this information as a guide but are free to use alternate tools in the system to arrive at the requested data points.)
1	Verify inclusion criteria are met (all criteria must be met)	
	Patient presented to participating VA outpatient facility from the community	<p>CPRS -> Notes -> Outpatient/ED Visit Note</p> <p>Presentation from the community is defined as any patient who presents <u>excluding</u> facility or ED transfers for admission and nursing home, CLC patients, and patients from rehab facilities. Examples of patients from the community include patients presenting from private residence, assisted living facilities, foster homes, domiciliary housing, and patients who may be homeless or living in shelters or hotels.</p> <p>Patients also must be presenting as outpatients to the emergency department, primary care, urgent care, community-based outreach clinic, home-based primary care, or other outpatient clinic.</p> <p>Exclude visits to the following subspecialty clinics: Infectious Diseases, Allergy, Gastroenterology, Rheumatology, Psychiatry, ENT, Dentistry, Cardiology, Pulmonology, Dermatology, Podiatry, Surgery (any), Endocrinology, Sleep Medicine, Pain Medicine, Hospice & Palliative Care, Oncology, Hematology, Nephrology, Transplant, Employee and Occupational Health; <u>DO NOT</u> exclude visits to Geriatrics or Women's Health subspecialty clinics.</p>
	Patient has ARI diagnosis for the index visit	<p>CPRS -> Notes -> Outpatient/ED Visit Note -> Encounter Information</p> <p>Patient must have a visit diagnosis consistent with one or more of the following ARI conditions: Acute Pharyngitis, Acute Bacterial Rhinosinusitis, Acute Bronchitis, or Upper Respiratory Infection – Not Otherwise Specified (URI-NOS). Ensure patients actually have an ARI to make sure that an ARI diagnosis was not coded (using ICD-10 codes)</p>

		<p>erroneously. Of note, we will be excluding any patients with otitis media in addition to another ARI diagnosis.</p> <p>Associated ICD-10 codes include: Acute Pharyngitis: J02.9 Acute Rhinosinusitis: J01.0-J01.9 Acute Bronchitis: J20.9 URI-NOS: J04.0, J06.0, J06.9</p> <p>ICD-10 codes are provided to aid in identifying if patient meets criteria, but should not be used as the only method for identification. Un-coded but documented disease states of interest by a medical professional (i.e., licensed independent practitioners) count as well. Please avoid using notes authored by physical therapy or occupational therapy. If patients have multiple diagnoses either coded for or mentioned in note, document as mixed ARI choosing the specific ARIs that the patient has. Please use the following logic when determining patient diagnosis:</p> <p>If there is no specific diagnosis mentioned or it is vague within the provider notes, then use the coded diagnosis from the encounter information.</p> <p><u>Potential Special Circumstances/Issues:</u></p> <p>1) The coded ARI is different than the documented ARI – The documented ARI trumps the coded ARI – do not select mixed ARI if only one is specified in the documentation even if a different ARI is coded</p> <p>2) There is documentation supporting more than one ARI but only one is coded – Select ‘mixed ARI’ and specify which diagnoses are documented</p> <p>3) Documentation does not specify one ARI or the other – if symptoms documented are consistent with one ARI over another (i.e., the patient only has a cough and no sore throat or runny nose) then select the most appropriate ARI. Otherwise, select the URI-NOS if the specific ARI is not absolutely clear.</p> <p>If the patient has multiple visits for an ARI diagnosis in the MUE timeframe, use only the first visit date</p>
STOP if ANY inclusion criteria are NOT met. Submit case report form		
2	Confirm no exclusion criteria are met	
	ARI diagnosis coded on index date but symptoms, assessment, and treatment of an ARI were not assessed by a provider in the notes	<p>If an ARI was coded but not addressed at the visit on the index date, exclude the patient from the evaluation.</p> <p>Do not exclude the patient if only signs/symptoms are noted, if a different ARI is noted than what is coded, or if there is laboratory evidence of a possible ARI (e.g., rapid antigen strep test or throat culture).</p>

	associated with the encounter	
	ARI diagnosis coded on the encounter was in relation to a resolved or resolving ARI	If an ARI diagnosis was coded and it was referencing a resolved or resolving condition, exclude the patient from the evaluation as this is not a new presentation.
	Admission to inpatient ward directly as a result of the index visit	CPRS -> Notes -> H&P Note Verify no hospital admission within 24 hours after index visit or mention of admission to hospital ward in index visit note
	Any ARI diagnosis in the 30 days prior to index visit	CPRS -> Problems -> Both active and inactive AND CPRS -> Notes Ensure no ARI diagnosis consistent with Acute Pharyngitis, Acute Bacterial Rhinosinusitis, Acute Bronchitis, Upper Respiratory Infection – Not Otherwise Specified (URI-NOS), or Other (e.g. acute otitis media) in the 30 days prior to the index visit. This includes visits to non-VA facilities which may be stated in the any of the notes including the index visit note in addition to any notes in the previous 30 days. However, DO NOT exclude patients with a ARI diagnosis in the past two days if that diagnosis is based on a telephone triage or similar note (i.e., diagnosis without being seen by a provider) Associated ICD-10 codes include: Acute Pharyngitis: J02.9 Acute Rhinosinusitis: J01.0-J01.9 Acute Bronchitis: J20.9 URI-NOS: J04.0, J06.0, J06.9
	Presence of diagnosis for chronic pharyngitis or chronic sinusitis	CPRS -> Problems -> Active Ensure no diagnoses related to chronic pharyngitis or chronic sinusitis. Refer to previous notes in the chart as well to get an idea if the ARI diagnosis may be a chronic condition that may be coded incorrectly. Exclude patient is signs/symptoms consistent with pharyngitis or sinusitis for ≥12 weeks. For example, multiple previous notes over the course of several months identifying sinusitis as a problem. Associated ICD-10 codes include: Chronic Pharyngitis: J31.2 Chronic Sinusitis: J32.0-J32.9
	Presence of any of the co-morbid conditions that may increase the risk for serious bacterial infection	CPRS -> Problems -> Both active and inactive AND CPRS -> Notes -> Active Problem Lists & Past Medical History Ensure no diagnosis related to any of the following conditions: Neoplasia, Chronic Lung Disease (COPD), End-stage Renal Disease, Solid Organ Transplantation, or Other Immunocompromised States (including HIV). Also, be sure to look at the past medical history in notes in case there was a diagnosis that was not coded or coded incorrectly for the index visit.

		<p>Goal is to exclude any patient at higher risk for contracting a bacterial infection.</p> <p>If excluding a patient due to Neoplasia, ensure the patient was receiving active chemotherapy or radiation therapy, or had metastatic disease at the time of the index visit. Otherwise, do not exclude patient. Examples of patients that should NOT be excluded are: 1) a patient with a non-melanoma skin cancer, or 2) a patient with a history of prior colon cancer now in remission for 5 years after surgical colonic resection.</p> <p>Other immunocompromised states include but may not be limited to: use of rheumatologic agents, anti-rejection medications, asplenia, chronic steroid use equivalent to $\geq 20\text{mg}$ prednisone for ≥ 2 weeks, and ANC < 1500.</p> <p>DE810 – Antipsoriatics, Systemic GA400 – Tumor Necrosis Factor Blocker IM000 – Immunological Agents IM600 – Immune Suppressants</p> <p>Associated ICD-10 codes include: Neoplasia: C00.0-C96.x, D00.1-D48.9, K31.7, K63.5, Q85.0x Chronic Lung Disease (COPD, Asthma): J40.x-J45.998, J47.x, J67.x End-stage Renal Disease: N18.6, R88.0, Z49.01, Z49.02, Z49.31, Z49.32, Z91.15, Z99.2 Transplantation: T86.10-T86.899, Z94.x, T86.0x Other Immunocompromised State: D70.x, D80.8, D83.1, Z92.25, R75, Z21</p>
	Presence of any other active infectious diseases diagnosis on index date	<p>CPRS -> Problems -> Both active and inactive AND CPRS -> Notes -> Active Problem Lists & Past Medical History</p> <p>Ensure no other acute infectious diseases diagnosis is present including but not limited to Pneumonia, Influenza, Urinary Tract Infections, and Skin and Skin Structure Infections. Other infectious diseases included in the exclusion can be viral, bacterial, fungal, and/or parasitic diagnoses including but not limited to tuberculosis, eye infections, ear infections, and osteomyelitis. Provider must mention that patient may have a concurrent infection at time of visit for the patient to be excluded for that reason. If a patient is on antimicrobial(s) either acutely or chronically, check both coded and un-coded problem lists and past medical histories to see if the patient has a concurrent infection.</p> <p>Do <u>NOT</u> exclude patient if the patient had concurrent HCV, HBV, genital herpes, superficial (cutaneous) fungal infection, or similar infections.</p> <p>Associated ICD-10 codes include: A00.0-99.0, B00.0-99.9, D86.9, G02, G14, H32, I32, I39, J02.0, J003.00, J17, K90.81, L08.1, L44.4, L94.6, M02.30, M35.2, M60.009, N34.1, R11.11</p> <p>Please check the appropriate diagnosis or fill in specific diagnosis if “Other”</p>
	Presence of any current acute or chronic	CPRS -> Meds -> Active Outpatient Meds both VA AND non-VA meds

	antimicrobial therapy at time of index visit	<p>Ensure that the patient is not currently being treated either acutely or chronically with any oral antibacterial therapy whether an active infectious diagnosis is identified or not. Exclude patients that may be taking <u>self-prescribed</u> antibiotics (e.g., using stockpiled antibiotics at home).</p> <p>Do NOT exclude if a patient was <u>prescribed by a provider</u> an antibacterial agent ≤ 2 days prior to index visit AND if reason started was for ARI signs/symptoms (look for previous nursing note or telephone intervention note).</p>
STOP if ANY exclusion criteria are met. Submit case report form		
3	Document patient smoking status	<p>CPRS -> Notes -> Clinic/ED Note -> Social History</p> <p><u>Current Smoker</u>: Any patient with a positive smoking history within the past 1 month <u>Previous Smoker</u>: Any patient with a smoking history, but who has quit/stopped smoking >1 month ago <u>Never Smoker</u>: Any patient with no smoking history <u>Information Not Available</u>: Any patient with no smoking history recorded in the medical record.</p> <p>Note: This only pertains to smoking tobacco or use of electronic alternative, and not for example chewing tobacco.</p> <p>Please check only one box.</p>
4	Treatment Location	<p>CPRS -> Notes -> Clinic/ED Note -> Determine location based on specific clinic or ED</p> <p>Indicate whether the patient presented to Veteran's Affairs Medical Center (VAMC), Community-Based Outreach Clinic (CBOC), or Home-Based Primary Care (HBPC).</p> <p>If a patient presents to an outpatient clinic (OPC) that is not considered a CBOC or HBPC, select "VAMC".</p>
5	Treatment Setting	<p>Determine whether the patient was seen in a primary care clinic, urgent care clinic, other outpatient clinic, or emergency department. For HBPC, select "Primary Care".</p> <p>Telephone encounters do not count as the patient is not physically presenting to the facility or the provider is not physically seeing the patient.</p>
6	Provider Characteristics	<p>CPRS -> Notes -> Clinic/ED Note -> Author</p> <p>Determine who the primary provider was for the visit as identified as the primary author on the index visit note. The primary author should be found at the top, left-hand side of the note in the heading. Co-signers and additional signers do not count as authors for the purposes of the evaluation. An exception to this is if the nurse documents the encounter with the physician's plan in the note. If this occurs, the primary provider for the visit would be the physician.</p>

7	Documented antibiotic allergy present	<p>CPRS -> Cover Sheet -> Allergies/Adverse Reactions OR CPRS -> Notes -> Clinic/ED Note</p> <p>Please indicate if the patient has an antibiotic allergy listed in CPRS or in the clinic or ED note. Please include even if the allergy appears to be a side effect (ie., GI upset).</p>
7a	Documented antibiotic allergy details	<p>CPRS -> Cover Sheet -> Allergies/Adverse Reactions</p> <p>**Only complete this item if you answered “yes” to the patient having an antibiotic allergy**</p> <p>Please indicate specific antibiotic class and reaction to each from the respective menus. If the patient’s reaction is not present in the drop down menu, select “other”. If the patient’s reaction is not documented or unknown, select “unknown”.</p>
8	Documentation of vital signs	<p>CPRS -> Notes -> Clinic/ED visit note</p> <p>Please document the value for each vital sign provided under item #8 in the following units: Temperature – °F; Heart Rate – beats per minute; Blood Pressure – mmHg/mmHg; Respiratory Rate – respirations per minute. If more than one set of vital signs taken for the index visit, record the first set obtained for that visit.</p> <p>Note – the values entered for each item must be within the following ranges (do not include numbers or symbols in these fields except for a decimal where appropriate):</p> <ul style="list-style-type: none"> • <u>Temperature (°F)</u>: 96-106 (with up to 1 decimal place) • Heart Rate (BPM): 30-180 • Systolic BP (mmHg): 70-200 • Diastolic BP (mmHg): 40-130 • Respiratory Rate (RPM): 6-40
9	Documentation of prior self-treatment	<p>CPRS -> Notes -> Clinic/ED visit note</p> <p>Please check “yes”, “no”, or “not documented regarding whether the patient was self-treating with any medications prior to presenting at the index visit. Only medications and no herbal supplements should be considered.</p>
10	Documentation of signs/symptoms and/or chief complaints	<p>CPRS -> Notes -> Clinic/ED visit note</p> <p>Please indicate any and all signs/symptoms the patient is exhibiting within the past 2 days by checking the boxes “Yes”, “No”, or “Not Documented for each item. Findings may be documented in patient history or elicited on physical examination.</p> <p><u>Clarifications:</u></p> <ul style="list-style-type: none"> • Chills alone should not constitute a positive finding of Fever • Sinus pain/pressure fullness should constitute a positive finding of Facial Pain/Pressure/Fullness.

		<ul style="list-style-type: none"> • If drainage is not defined further, Nasal Discharge should be the finding recorded. • Dysphagia does not constitute sore throat. • If symptoms pertaining to HEENT in ROS are documented as “WNL”, “No” should be marked for the HEENT symptoms, unless specific symptoms are noted elsewhere in the chart.
Please move on to the corresponding item(s) associated with the patient’s specific ARI diagnosis. For Acute Pharyngitis, move to item #11. For Acute Bacterial Rhinosinusitis, move on to item #14. For Acute Bronchitis, move on to item #15. For URI-NOS, move on to item #17		
11	Document findings on clinical exam	***Only answer this item if the patient’s ARI diagnosis is Acute Pharyngitis*** CPRS -> Notes -> Clinic/ED visit note ->HPI, Vital Signs, Review of Systems, Physical Exam Please note whether the patient fulfills any of the criteria noted in the table. If a criterion is not documented, please select “Not Documented”. Only select “No” if there is documentation identifying that the patient does not meet the criterion.
12	Group A <i>Streptococcus</i> Rapid Antigen Detection Test (RADT)	***Only answer this item if the patient’s ARI diagnosis is Acute Pharyngitis*** CPRS -> Labs -> Select test by date -> Search for lab test Terms you may want to try to find this test includes: “rapid”, “Group A Strep”, and “RADT”. Please indicate whether an RADT was PERFORMED . An RADT was performed if there is a result (positive or negative).
12a	Group A <i>Streptococcus</i> Rapid Antigen Detection Test (RADT) result	***Only answer this item if the patient’s ARI diagnosis is Acute Pharyngitis*** CPRS -> Labs -> Select test by date -> Search for lab test Please indicate the result of the RADT. If no RADT was performed, move on, and do NOT answer this question. If a non-VA RADT was done in lieu of a VA test and is documented in the visit note, include the results of the non-VA RADT in the data collection form.
12b	Was the RADT result available during the clinic visit?	***Only answer this item if the patient’s ARI diagnosis is Acute Pharyngitis*** Please indicate whether the RADT result was available at the clinic visit. This information may be found as evidenced by the clinic note referring to the RADT result (not including any addendums that could have been added after the visit) or by comparing the time the note was completed to the time the RADT was resultued.
13	Throat Culture performed	***Only answer this item if the patient’s ARI diagnosis is Acute Pharyngitis*** CPRS -> Labs -> Microbiology ->

		Please indicate whether a throat culture was PERFORMED . A throat culture was performed if there is a result (positive or negative).
13a	Throat Culture details	<p>***Only answer this item if the patient's ARI diagnosis is Acute Pharyngitis***</p> <p>CPRS -> Labs -> Microbiology-></p> <p>Please indicate the result of the throat culture and the organism that was identified. If the organism that was identified is something other than what is listed, please select other. Note: Group C <i>Strep</i> or Group G <i>Strep</i> is one choice. Examples of Group C and G <i>Strep</i> can include <i>S. dysgalactiae</i>, <i>S. equi</i>, <i>S. zooepidemicus</i>, <i>S. canis</i>, and <i>S. equisimilis</i>. Group A <i>Strep</i> includes <i>S. pyogenes</i>.</p> <p>If no throat culture was performed, move on and do NOT answer this question.</p>
If the patient has a diagnosis of Acute Pharyngitis and you answered items #11-13, please move on to item #17 skipping the items in between		
14	Document criteria fulfilled by patient	<p>***Only answer this item if the patient's ARI diagnosis is Acute Bacterial Rhinosinusitis***</p> <p>CPRS -> Notes -> Clinic/ED visit note -> HPI, Vital Signs, Review of Systems, Physical Exam</p> <p><u>PROLONGED Criterion</u>: A patient must have at least 1 of the signs/symptoms listed for greater than ≥ 7 days without improvement over that time frame. Other words okay to describe greater than 7 days include words like "many" and "a lot of".</p> <p><u>SEVERE Criterion</u>: At least 1 of the signs/symptoms listed must be described as "severe" by the patient or provider as documented in the note. Other words okay to describe ≥ 3 days include words like "few" and "several". The word "couple" should not fulfill this criterion.</p> <p><u>WORSENING Criterion</u>: At least 1 of the signs/symptoms listed needs to persist for 3-4 days after initial improvement of symptoms of an infection lasting at least 5 days (see visual below). Other acceptable words to describe 3-4 days include words like "few" and "several". The word "couple" should not fulfill this criterion. If the provider mentions the term "double-sickening" in the note, that will also fulfill this criterion. See Figure 1 at the end of the document.</p> <p><u>Instructions for filling out the table</u>: First, determine which signs and symptoms were present and for how long in column "A (whether any of the symptoms documented were present for ≥ 10 days.) Then select the appropriate box in column "B" for each symptom. Next, look at each of the remaining column separately and determine if any of the symptoms described match the criteria noted at the heading of each column or in this document. Then, select the appropriate boxes in each column accordingly.</p>

		If documentation for timeframe of signs/symptoms is in days then longevity criteria should be applied as is. If documentation for timeframe is stated as "greater than a week", then that will be sufficient to fulfill ANY longevity criterion. Additionally, if inexact quantitative or qualitative measurements are used for time or severity, use clinical judgement to ensure the intent of the criteria is met.
If the patient has a diagnosis of Acute Bacterial Rhinosinusitis and you answered item #14, please move on to item #17 skipping the items in between		
15	Documentation of suspected pertussis (pertussis of diagnostic concern)	<p>***Only answer this item if the patient's ARI diagnosis is Acute Bronchitis***</p> <p>CPRS -> Labs -> Select the appropriate timeframe -> Search for lab test OR CPRS -> Notes -> Clinic/ED visit note -> HPI/Assessment/Plan</p> <p>Please indicate whether there is any documentation of suspected pertussis including patient history pertinent for exposure to pertussis or language identifying pertussis as a possible diagnostic concern (this can include ordering a pertussis diagnostic lab test)</p>
15a	Documentation of pertussis exposure suspicion	<p>***Only answer this item if the patient's ARI diagnosis is Acute Bronchitis***</p> <p>CPRS -> Labs -> Select the appropriate timeframe -> Search for lab test OR CPRS -> Notes -> Clinic/ED visit note -> HPI/Assessment/Plan</p> <p>Please indicate in which category the suspicion fits:</p> <ul style="list-style-type: none"> • <u>Confirmed Pertussis Exposure</u> – Only select this box if the exposure was to someone who was known to have pertussis. Do not include if exposure was to someone who was only being treated with antibiotics without actually testing positive for pertussis. Patient must know that the exposure was to someone with known diagnosed pertussis. • <u>Suspected Pertussis Exposure</u> – Select this box if there was a possible exposure including if the exposure was to someone being treated without confirmed lab tests or exposure was to someone with symptoms consistent with pertussis. • <u>No mention of exposure</u> – Select this box if there is no mention of pertussis exposure in the index visit note • <u>Other</u> – select this box if there is documentation that does not meet the other explanations <p>If there was no documentation of pertussis being of diagnostic concern (answering "No" to #15), move on and do NOT answer this question</p>
16	Diagnostic test for pertussis obtained	<p>***Only answer this item if the patient's ARI diagnosis is Acute Bronchitis***</p> <p>CPRS -> Labs -> selected test by date -> Search for lab test</p> <p>Please indicate whether a diagnostic lab test for pertussis was ORDERED. Lab tests for pertussis include nasopharyngeal swab/aspirate PCR/culture and/or serology.</p>
16a	Diagnostic test for pertussis result	***Only answer this item if the patient's ARI diagnosis is Acute Bronchitis***

		<p>CPRS -> Labs -> Selected test by date -> Search for lab test</p> <p>Please indicate the result of the diagnostic lab test for pertussis. Lab tests for pertussis include nasopharyngeal swab/aspirate PCR/culture and/or serology.</p>
16b	Type of diagnostic pertussis test if positive	<p>***Only answer this item if the patient's ARI diagnosis is Acute Bronchitis***</p> <p>CPRS -> Labs -> Selected test by date -> Search for lab test</p> <p>Please indicate the type of diagnostic test pertussis (Culture, Serology, PCR) if the result was positive.</p>
Please continue on to item #17		
17	Antimicrobial prescribed	<p>CPRS -> Reports -> Clinical Reports -> Pharmacy -> Outpatient Medications -> Date Range -> Input the date range ≤ 2 days before and < 3 days after the index visit AND CPRS -> Notes -> Treatment Plan</p> <p>Please indicate whether the patient was prescribed an antibiotic as a result of the initial contact (≤ 2 days before and < 3 days after the index date) either in the medication history in CRPS or by indication in the plan in the index visit note. Please also include the source of antibiotic dispensed as well.</p>
18	DELAYED antimicrobial prescribed	<p>CPRS -> Reports -> Clinical Reports -> Pharmacy -> Outpatient Medications -> Date Range -> Input the date range 3 days after the index visit AND CPRS -> Notes -> Treatment Plan</p> <p>In order for an antimicrobial prescribed to be considered a delayed prescription for this question, the antibiotic must have been dispensed ≥ 3 days after the index date.</p> <p><u>If the prescription was delayed, continue to questions 18 and 18b.</u></p>
18a	DELAYED antimicrobial language present	<p>CPRS -> Reports -> Clinical Reports -> Pharmacy -> Outpatient Medications -> Date Range -> Input the date range 3 days after the index visit AND CPRS -> Notes -> Treatment Plan</p> <p>Please answer this question if, the answer to #18 was "yes". Use your judgement and the language provided in the clinic note to determine if the prescriber's intention was to prescribe a DELAYED antibiotic to be filled after the index visit. If the patient is provided a prescription for an antibiotic or the actual antibiotic, it should not be considered a DELAYED antibiotic regardless of documented directions from the prescriber.</p>
18b	DELAYED antibiotic filling time frame	<p>CPRS -> Reports -> Clinical Reports -> Pharmacy -> Outpatient Medications -> Date Range -> Input the date range 3 days after the index visit</p>

		Please select the appropriate box for the time frame in which the patient filled the DELAYED antibiotic prescription. If the patient did not end up filling the prescription, select the appropriate box.
19	Documentation of antimicrobial prescription	<p>CPRS -> Reports -> Clinical Reports -> Pharmacy -> Outpatient Medications -> Date Range -> Input the date range ≤ 2 days before and < 3 days after the index visit AND CPRS -> Notes -> Treatment Plan</p> <p>If an antimicrobial was prescribed, please indicate the following:</p> <ul style="list-style-type: none"> • <u>Antibiotic Name</u>: Select from the drop down menu. If the antibiotic is not present, select other and fill in the antibiotic that was prescribed • <u>Duration</u>: Determine duration either from the quantity and SIG of the prescription or by documentation in the index visit note • <u>Date filled</u>: Use MM/DD/YY format <p>**Note: If more than one antimicrobial was ordered, input each antimicrobial separately.**</p> <p>**Note: For duration and date filled, below are examples for when to select "Not documented"</p> <ul style="list-style-type: none"> • A clinician writing a prescription for patient to fill at an outside pharmacy but clinician does not document duration/date filled • An antimicrobial is pulled out of the medicine cabinet but quantity was not documented <p>If no antimicrobial was prescribed, move on and do NOT answer this question.</p>
20	Symptomatic treatment recommended or prescribed	<p>CPRS -> Reports -> Clinical Reports -> Pharmacy -> Outpatient Medications -> Date Range -> Input the date range ≤ 2 days before and < 3 days after the index visit AND CPRS -> Notes -> Clinic/ED visit note</p> <p>Determine if symptomatic treatment was prescribed or recommended during the timeframe through either the medication history in CPRS or by indication in the treatment plan. Only include symptomatic treatment that the patient was self-treating with if there is documentation [either in current note or previous note (ie., phone call)] that it was recommended by a VA provider.</p>
20a	Documentation specifics of symptomatic treatment recommended or prescribed	<p>CPRS -> Reports -> Clinical Reports -> Pharmacy -> Outpatient Medications -> Date Range -> Input the date range ≤ 2 days before and < 3 days after the index visit AND CPRS -> Notes -> Clinic/ED visit note</p> <p>If a medication was prescribed or recommended, select the specific medication, whether it was prescribed or recommended, and the date filled if the medication was prescribed in MM/DD/YY format. If the name of the therapy recommended or prescribed is not in listed in the drop down menu, select "other" and fill in the name. Fill in the name of the medication class for each medication prescribed or recommended.</p> <p><u>Clarifications:</u></p> <ul style="list-style-type: none"> • If symptomatic therapy is identified by a brand name, please select the appropriate class for the active ingredient in that product.

		<ul style="list-style-type: none"> • If a combination product is identified, select each class for each active ingredient as if each were a separate medication. <p>If no symptomatic therapy was prescribed or recommended during this timeframe, move on and do NOT answer this question. Please list each medication separately.</p>
21	Documentation of positive <i>C. difficile</i> toxin assay 30 days BEFORE index visit	<p>CPRS -> Labs -> Worksheet -> Search for <i>C. difficile</i> toxin assay and select appropriate assay -> Date Range -> Type in 30 days BEFORE the index visit -> Identify if labs are obtained and the result</p> <p>Identify whether the patient had an assay obtained for each timeframe before and after the index date. If the test was obtained during either or both timeframes, select the appropriate box corresponding to the result. Non-VA labs count for this as well if documented and the timing of the labs can be determined.</p>
22	Documentation of positive <i>C. difficile</i> toxin assay 30 days AFTER index visit	<p>CPRS -> Labs -> Worksheet -> Search for <i>C. difficile</i> toxin assay and select appropriate assay -> Date Range -> Type in 30 days AFTER the index visit -> Identify if labs are obtained and the result</p> <p>Identify whether the patient had an assay obtained for each timeframe before and after the index date. If the test was obtained during either or both timeframes, select the appropriate box corresponding to the result. Non-VA labs count for this as well if documented and the timing of the labs can be determined.</p>
23	Presence of outpatient/ED return visit within 30 days	<p>CPRS -> Notes -> View notes for possible encounters within 30 days</p> <p>Look within CPRS to find if the patient returned to urgent care, ED, or primary care within 30 days of the index visit related to the ARI complaint of the index visit. Do not include other previously scheduled appointments (eg., orthopedic clinic, dermatology clinic, etc.). If the patient has worsening symptoms leading to a lower respiratory tract infection including pneumonia, this will count as ARI-related.</p>
23a	Documentation of reason for outpatient/ED return visit with 30 days	<p>CPRS -> Notes -> View notes for possible encounters within 30 days</p> <p>View the note for the return visit within 30 days and determine the chief complaint or reason for the visit. Select the option that most closely reflects the reason for the visit as it related to the index visit. If none of the prepopulated reasons apply, select other.</p> <p>If the patient did not have a return visit within 30 days of the index visit, do NOT answer this question.</p>
23b	Presence of antibiotic prescription as a result of the 30-day return visit	<p>CPRS -> Reports -> Clinical Reports -> Pharmacy -> Outpatient Medications -> Date Range -> Input the date range ≤ 2 days before and < 3 days after the 30-day return visit AND CPRS -> Notes -> Treatment Plan</p> <p>Please indicate whether the patient was prescribed an antibiotic as a result of the 30-day return visit (≤ 2 days before and < 3 days after the index date) either in the medication history in CRPS or by indication in the plan in the 30-day return visit. If the patient did not have a 30-day return visit, do NOT answer this question.</p>

23c	Documentation of antimicrobial prescribed as a result of the 30-day return visit	<p>CPRS -> Reports -> Clinical Reports -> Pharmacy -> Outpatient Medications -> Date Range -> Input the date range ≤ 2 days before and < 3 days after the 30-day return visit AND CPRS -> Notes -> Treatment Plan</p> <p>If an antimicrobial was prescribed, please indicate the following:</p> <ul style="list-style-type: none"> • <u>Antibiotic Name</u>: Select from the drop down menu. If the antibiotic is not present, select other and fill in the antibiotic that was prescribed • <u>Duration</u>: Determine duration either from the quantity and SIG of the prescription or by documentation in the index visit note • <u>Date filled</u>: Use MM/DD/YY format <p>**Note: If more than one antimicrobial was ordered, input each antimicrobial separately.**</p> <p>If no antimicrobial was prescribed, do NOT answer this question.</p>
24	Documentation of telephone encounter ≤ 30 days after index visit	<p>CPRS -> Notes -> Telephone Encounter Note ≤ 30 days after index visit</p> <p>Please select “yes” or “no” regarding whether there was a telephone encounter (i.e., the patient called the VA) regarding his/her ARI diagnosis. Please ensure that the telephone encounter occurred ≤ 30 days after the index visit and addressed the patient’s ARI diagnosis.</p> <p>If you answer “no” to this question, you are finished with data collection for that patient. If you answer “yes”, please proceed to the sub-questions related to item #23.</p>
24a	VA personnel documenting telephone encounter	<p>CPRS -> Notes -> Telephone Encounter Note -> Author</p> <p>Determine who documented the telephone encounter as identified as the primary author on the telephone encounter note. The primary author should be found at the top, left-hand side of the note in the heading. Co-signers and additional signers <u>do not count</u> as authors for the purposes of the evaluation.</p>
24b	Initiation of the telephone call	<p>CPRS -> Notes -> Telephone Encounter Note</p> <p>Please indicate if information available, who initiated the telephone call. For example, did the patient call the VA because his/her symptoms were not improving or did the VA call the patient to check in with him/her? If the information is not specified, please indicate “not documented”.</p>
24c	Documentation of patient condition (general)	<p>CPRS -> Notes -> Telephone Encounter Note</p> <p>Please indicate if the patient’s condition including ARI symptoms was documented during the telephone encounter.</p>
24d	Documentation of patient condition (specifics)	<p>CPRS -> Notes -> Telephone Encounter Note</p> <p>Please indicate if the patient’s condition was resolving, worsening, unchanged, or not documented. If the patient is having new symptoms without any improvement in prior symptoms, consider the patient’s condition to be worsening. Otherwise, use your clinical judgement with the information present or the judgement of the healthcare professional at the time if documented to answer this question.</p>
24e	Clinic visit inquiry	CPRS -> Notes -> Telephone Encounter Note

		Please indicate whether the patient was asked or a recommendation was made by the healthcare professional that the patient come in for a clinic visit. Note: The patient did NOT actually need to come in within any specific time frame for this criterion to be filled.
24f	Medication (symptomatic therapy or antibiotic) initiated	<p>CPRS -> Notes -> Telephone Encounter Note</p> <p>Please indicate as documented in the telephone encounter note whether any medication (symptomatic therapy or antibiotic) was recommended or prescribed as a result of the telephone encounter. May also look in pharmacy outpatient medication record; however, please ensure that there is supporting documentation indicating that the prescription is a result of the telephone encounter.</p>
24g	Medication initiation as a result of the telephone encounter	<p>CPRS -> Reports -> Clinical Reports -> Pharmacy -> Outpatient Medications -> Date Range -> Input the dates associated with telephone encounter AND CPRS -> Notes -> Telephone Encounter Note -> Treatment Plan</p> <p>If an antimicrobial was prescribed, please indicate the following:</p> <ul style="list-style-type: none"> • <u>Antibiotic Name</u>: Select from the drop down menu. If the antibiotic is not present, select other and fill in the antibiotic that was prescribed • <u>Duration</u>: Determine duration either from the quantity and SIG of the prescription or by documentation in the index visit note • <u>Date filled</u>: Use MM/DD/YY format <p>**Note: If more than one antimicrobial was ordered, input each antimicrobial separately.**</p> <p>If a medication was prescribed or recommended, select the specific medication, whether it was prescribed or recommended, and the date filled if the medication was prescribed in MM/DD/YY format. If the name of the therapy recommended or prescribed is not in listed in the drop down menu, select "other" and fill in the name. Fill in the name of the generic medication (if specified) and the name of the medication class for each medication prescribed or recommended. If no specific medication is identified, select the class of medication recommended or prescribed.</p> <p><u>Clarifications:</u></p> <ul style="list-style-type: none"> • If symptomatic therapy is identified by a brand name, please select the appropriate active ingredient in that product. • If a combination product is identified, select each active ingredient as if each were a separate medication. <p>If no antibiotic or symptomatic therapy was prescribed or recommended during this timeframe, move on and do NOT answer this question. Please list each medication separately. You are now finished with data collection.</p>

Figure 1: Visual illustration of the worsening criterion for Question #10

Day	1	2	3	4	5	6	7	8	9	10
X= start of symptoms of an infection XX= symptoms of an infection improves O = worsening symptoms	X					XX	o	o	o	o