

UCSF

UC San Francisco Previously Published Works

Title

The Role of Community-Based Organizations in Improving Chronic Care for Safety-Net Populations

Permalink

<https://escholarship.org/uc/item/20v62297>

Journal

The Journal of the American Board of Family Medicine, 34(4)

ISSN

1557-2625

Authors

Nguyen, Kim Hanh
Fields, Jessica D
Cembali, Anupama G
[et al.](#)

Publication Date

2021-07-01

DOI

10.3122/jabfm.2021.04.200591

Peer reviewed



Published in final edited form as:

J Am Board Fam Med. 2021 ; 34(4): 698–708. doi:10.3122/jabfm.2021.04.200591.

ILLUMINATING THE ROLE OF COMMUNITY-BASED ORGANIZATIONS TO IMPROVE CHRONIC CARE FOR SAFETY-NET POPULATIONS

Kim Hanh Nguyen, ScD, MPH^{1,2,3}, Jessica Fields, BA^{1,2,3}, Anupama G Cemballi, MA^{1,2}, Riya Desai, MPH^{1,3}, Anjali Gopalan, MD, MS⁴, Tessa Cruz, BA^{5,6}, Aekta Shah, PhD^{5,6}, Antwi Akom, PhD^{1,5,6}, William Brown, PhD, DrPH^{1,7,8}, Urmimala Sarkar, MD, MPH^{1,2,3}, Courtney Rees Lyles, PhD^{1,2,3,4,8}

¹Center for Vulnerable Populations, University of California, San Francisco

²UCSF Department of Medicine, Division of General Internal Medicine at Zuckerberg San Francisco General Hospital, California

³Department of Epidemiology and Biostatistics, University of California, San Francisco

⁴Kaiser Permanente Northern California, Division of Research, California

⁵Streetwyze, Oakland, California

⁶Social Innovation and Universal Opportunity Lab (SOUL), University of California, San Francisco, San Francisco State University

⁷Center for AIDS Prevention Studies, University of California, San Francisco

⁸Bakar Computational Health Science Institute, University of California, San Francisco

BACKGROUND AND SIGNIFICANCE

Chronic diseases disproportionately affect people of lower socioeconomic status (SES) and racial/ethnic minorities.^{1–3} Excessive burden of social and economic risk factors (i.e. structural racism, low SES,⁴ language barriers) and adverse neighborhood environments (i.e. limited healthy food access, unsafe places, low social cohesion) contribute to these disparities.⁵ Social determinants of health (SDoH)—the conditions in which people live, work, and play—are linked to the development, progression, and severity of chronic diseases.^{6,7} To improve chronic disease outcomes, individuals require consistent healthcare access,⁸ effective healthcare provider interactions, and the ability to perform self-management tasks (i.e. medication adherence, healthy behaviors).⁹ Unmet social needs (i.e. food insecurity, homelessness) interfere with individuals' opportunity and capacity to manage chronic conditions, exacerbating inequities.^{10,11}

A 2019 National Academies committee report called for the health sector to increase attention on upstream contributors to health inequities, aligned with interest in integrating

Corresponding author: Kim Hanh Nguyen, kim.nguyen2@ucsf.edu, **Address:** 1001 Potrero Avenue Box 1311 San Francisco, CA 94110.

CONFLICTING AND COMPETING INTERESTS

No competing interests.

SDoH into clinical care and value-based payment models incentivizing population health.^{12,13} Sustained health improvements among complex patients will likely require partnerships between health systems, public service agencies, and community organizations addressing patients' social needs.¹⁴

This qualitative study aims to capture the experiences of chronic disease patients within socio-economically deprived contexts and the role of community resources in supporting their health management. We focus on residents of high-risk neighborhoods with chronic conditions, primarily diabetes, cared for in an urban safety-net health system, and we integrate the perspectives of local community leaders (CLs) and healthcare providers.

METHODS

This work was the first phase of a National Library of Medicine-funded R01 entitled Mapping to Amplify the Vitality of Engaged Neighborhoods (MAVEN). We used varied qualitative inquiry methods—interviews, clinical observations, and participant-led neighborhood tours—for triangulation¹⁵ to inform the future creation of a mobile application to improve how community members and leaders in underserved neighborhoods interact with existing community health resources.

Theoretical approach

Using the Chronic Care Model (CCM), we explored aspects of the community and their relationships with chronic disease management, with a long-term goal of informing self-management interventions. The CCM posits that productive interactions between informed, activated patients and a prepared, proactive healthcare team are essential to improved health outcomes.^{16,17} Two overlapping domains influence these interactions: 1) health system organization and 2) community resources and policies. Much research addresses chronic disease management within health systems,^{18,19} yet often neglects the less robustly defined community sphere.^{16,20,21} We aimed to build upon the CCM's community sphere with qualitative insights about community-level influences relevant for chronic care.

We used physically-defined neighborhoods for participant recruitment and to assess the physical characteristics within distinct geographic spaces. In interviews and analyses, we conceptualized 'community' as a sense of identification and emotional boundedness with other members. We recognize that these community boundaries are symbolic and may be centered around a sense of common identity—sometimes but not always linked to a geographic neighborhood.²² During interviews, we more deeply explored community as collective identity and emotional connection to other members.

Study Sample and Setting

The study sample consisted of 10 patients, 10 CLs, and 3 health service providers, with multiple points of data collection across participant groups averaging 3–4 hours per participant. We recruited patients with diabetes or prediabetes living in one of five San Francisco (SF) neighborhoods with high diabetes prevalence (Mission, Bayview/Hunters Point, Excelsior/Visitacion Valley, Tenderloin, Western Addition), using SF Planning Department's neighborhood definitions.²³ These patients were receiving care from the San

Francisco Health Network (SFHN), SF's public healthcare delivery system. We identified patients via primary care provider review of prediabetes and diabetes patient panels followed by phone screening by staff, as well as purposive snowball sampling from patients suggesting additional participants. We then called patients living in the SF neighborhoods listed above to seek their participation in the study – focusing on English speakers and those who owned or previously owned a smartphone, given the study scope.

We recruited CLs from health and social service community-based organizations (CBOs) in the above neighborhoods using snowball sampling, beginning with a city-wide coalition of CBOs focused on chronic disease prevention.

We interviewed SFHN health service providers (two primary care physicians and one system leader in SDoH screening and referrals) about workflows to address patients' social needs and the role of community resources in promoting patients' health. Additionally, we conducted four patient clinic visit observations to gain broader insights into health provider perspectives.

We obtained informed consent from all participants. The UCSF Institutional Review Board approved the study (#18–25696).

Data Collection

KHN, AGC, JF, RD, and CRL conducted semi-structured, in-person interviews and participant-led neighborhood tours tailored to each participant group (patients, CLs, health service providers, see Table 1). Patients described their experiences living with chronic disease, what being healthy means to them, their motivations and strategies for staying healthy, barriers to meeting their health goals, and where they find health information. They recounted places and resources in their neighborhoods that do and do not contribute to health, where they spend time with family and friends, and whether they feel a sense of community. CLs discussed their professional background and role, experience in their local community and neighborhood, relationships with clients, perspective on what health means to them and their clients, and barriers and facilitators to their clients' health. Providers described their experience helping safety-net patients manage chronic conditions, identifying and addressing patients' social needs, and the process for coordinating care within and outside the healthcare system.

In neighborhood tours, patients and CLs led study staff through their neighborhoods (where patients lived and/or most strongly identified; where CLs' organizations were located, sometimes overlapping with where they lived) describing activities they do, places they go, and people they interact with.

In-person clinic visit observations for 4 of 10 patients and their primary care providers allowed an independent view of interactions described by participants, useful in uncovering insights about roles, processes, and patterns between providers and patients.²⁴ Study staff interviewed patients after each clinic visit observation about their perceptions of the visit, their relationships with their healthcare providers, and what information about their neighborhood they felt would be useful for their healthcare providers to know.

All patients completed a survey including demographic information, self-reported health, chronic conditions, physical activity, diet, and technology access and use. Interviews, neighborhood tours, and clinic visits were audio-recorded. Each interview lasted 90–120 minutes and each neighborhood tour 60–120 minutes.

Analysis

Patient survey data were summarized. Transcripts of interviews, neighborhood tours, and clinic visit observations were read multiple times and independently coded by at least 2 study staff using Atlas.ti 8. Authors KHN, AGC, and RD met several times to discuss and reconcile codes. Through inductive thematic analysis, we established a final codebook used to code all transcripts.²⁵ Authors KHN, AGC, RD, and JF developed code-level summaries and, over several meetings, KHN, AGC, RD, JF, and CRL developed and mapped themes onto the CCM. Illustrative quotes were selected for presentation in this article.

From patients' and CLs' interviews and tours, we cataloged key neighborhood sites and features identified as facilitators or barriers to health using the Streetwyze digital health platform.²⁶ Neighborhood features were then summarized and organized into broad categories.

RESULTS

Participant characteristics

Table 2 shows participants' demographic characteristics. Patients were majority Black, two-thirds female, average age of 62, had at least high school education, most earned less than \$20,000 annually, and all except one reported at least one other chronic condition in addition to pre-diabetes/diabetes. CLs' organizations included a public library, patient advisory council coordination center, health and wellness organization serving Black and other marginalized communities, nonprofit cooking school, social services center, multi-ethnic family resource center, and Latinx cultural organization. Providers included a nurse diabetes educator and two primary care physicians from SFHN.

Overview of findings

Our analysis yielded three overarching themes. First, we describe neighborhood features that patients and CLs identified as important to health, alongside health service providers' experiences facilitating patients' use of community resources. Second, we discuss the central role of CBOs in the provision and navigation of community resources. Third, we outline structural domains of neighborhoods that influence chronic disease management. These examples illuminate the CCM's community domain.

Theme #1: Key neighborhood resources and linkages from healthcare systems

Patients and CLs shared information about neighborhood resources relevant to chronic disease management based on their life experiences and local knowledge (Table 3). Participants discussed the quality of local resources and services, how they use local resources (or how they refer clients to local resources), and ways these resources and spaces can improve.

Healthcare system linkages to CBOs—Health service providers undertook numerous activities to link patients to community resources addressing social needs. For example, the diabetes educator described forging and maintaining relationships with CBOs that offered health-related services (e.g. food assistance, exercise classes), assessing social needs, and connecting patients to tailored resources to support diabetes management. However, she noted patients’ needs were often so complex that even once connected to resources, additional barriers prevented patients from utilizing them. For example, a patient could obtain food from food banks, but their shelter lacked adequate appliances to store groceries or prepare meals. She also noted that CBOs were interested in connecting with healthcare providers to reach new clients:

“[The CBOs say:] We [want to] get into your diabetes clinic, we want your patients, we have this program, we don’t have enough referrals. We [want to] work with you.” Provider 3

Primary care providers said they typically refer patients to community resources that they recognize, often deploying a referral list of community resources from the Department of Public Health or searching online for resources relevant to patients. However, providers expressed frustration from not knowing whether the community resources they referred patients to had been accessed. “Closing the loop” was an issue, and placed burden on patients:

“We give them the info [and] right now I feel like we’re hoping for the best when we make these social needs referrals whereas... ideally this would be a very consistent tool that we would use to facilitate proper social and medical care.”
Provider 2

Building trust to discuss social needs was also an essential component for patients and providers:

“Hopefully I’m providing an environment [where patients] feel okay sharing.... I think sometimes asking the [SDoH] screening questions without...knowing them for long enough it might make them guarded unintentionally because it’s like ‘why are you asking that?’” Provider 1

“I feel I can tell her [my doctor] anything. When I first met her, it was like I couldn’t....I had to have a feel of her and she’s feeling me.... It took me a while... after I got used to her, I became open up to her more.” Patient 1

Theme 2: CBOs are essential for providing and navigating neighborhood health resources

CBOs played three main roles in supporting patients’ chronic disease management.

Health and social services provision—CBOs offer direct health services and additional social services that further support health. For example, the non-profit cooking school provided nutrition, meal planning, and grocery shopping education “*to empower people to know how to buy, cook, and eat good food every day.*” Further, the librarians mentioned that many residents without internet access used the library to find health information. For example, a woman whose doctor prescribed a healthier diet called the

librarians with questions like “*How much vitamin C is in an orange?*” and “*I have to only take seven grams of salt a day, so tell me what I should avoid?*”

CBOs also deliver social interventions that support clients’ health, including transportation, caregiver support, housing, senior services, public assistance program access (i.e. disability, social security income), clothing and laundry services, employment training, and language interpretation. CBOs often tailored these services to meet clients’ language, cultural, and health literacy needs, allowing for greater openness in conversations about clients’ health and social needs: “*If English is your second language in that situation, you might just be easier and more comfortable to pretend that you understand [what your doctor says].*”

Further, many CBOs help clients access and navigate more specialized social care services. For example, a CL from the Mission noted her organization “*opens a door for many services,*” many of which residents had not realized exist within the neighborhood. The public library employs a full-time social worker who connects marginally housed patrons to “*where they could take a shower and get food. Nothing like what books to get.*” Overall, CLs described a large network of CBOs encompassing many more organizations than those in our study.

Activated space for people with psychosocial vulnerabilities to meet, connect, and feel belonging—CBOs are key sources of social support and connection within neighborhoods –particularly important in light of the high rates of mental health needs within our sample. Over half of patient participants self-reported depression and/or anxiety, and almost all described psychosocial difficulties adjusting to their chronic condition(s). A patient with diabetes and lupus stated, “*I’m dealing with a whole lot of stuff...mentally, emotionally, and spiritually.*” The absence of social support and close, positive family relationships also affected patients’ ability to cope with everyday life. A disabled patient living in a single room occupancy hotel was unable to leave his room unless someone came to aid him: “*I couldn’t get out unless somebody else could get [me] out. I wasn’t leaving my room for months at a time.*” CLs suggested patients’ loneliness and lack of social support may have led some to seek interactions with social service and healthcare providers: “*They come for that human connection, just that human support.*”

CBOs also serve as free, safe spaces for social interaction. Both CLs and patients noted that CBOs offer clients a sense of belonging. One patient said her favorite thing about her neighborhood was a wellness organization serving Black communities: “*I’m here more than I am any place else.*” A CL explained that people, particularly the most marginalized, come to her organization because they desire to be with others and feel valued: “*They just want to have time and space with each other.*” Another CL said, “*It is part of our job that they feel comfortable coming here, they feel happy.*” Similarly, CBOs held community and cultural events, providing broader opportunities for social engagement.

CLs have close, trusting relationships with clients and follow up with them frequently, providing ongoing support and encouragement. “*We have been here more than 10 years...to build this trust with the clients it takes time, but later they feel so comfortable coming here...the relationship is like a familia.*”

Unique positioning of CBO staff to connect patients with health resources—

CLs reflect the sociodemographic diversity of the communities they serve, understand the social needs of community members, and act as advocates for individuals and communities. CLs, for example, often share the same racial/ethnic, linguistic, and cultural background as their clients; some even grew up in the same neighborhoods in which they now work. One CL, born and raised in the Bayview, described her experiences of systemic anti-Blackness and challenges overcoming barriers related to living in an economically depressed neighborhood. She connected this experience with her passion to help others facing similar obstacles. Another CL who grew up in the Tenderloin and now lives there “*by choice*,” recounted that her childhood experience navigating the healthcare system for her Spanish-speaking immigrant mother motivated her passion for helping others access healthcare: “[Clinics are] always moving forward to improve the patient experience. Coming from a background where that wasn’t the case...it just drives me.” A CL from Mexico expressed understanding the cultural alienation and loneliness felt by immigrant clients as well as being able to overcome the multiple barriers that otherwise may have prevented Latinx patients from accessing services.

Theme 3: Structural issues are intertwined with health and social service provision and delivery

Structural issues within under-resourced neighborhoods emerged throughout our data collection. Participants emphasized that the greatest social needs were related to exclusion and lack of integration into the larger community, often as a result of structural barriers. These broader factors are centered around sociohistorical processes (i.e. institutional racism, economic inequality) that shape local contexts such as housing and transportation policies, and ultimately impact individuals’ abilities to obtain the necessary resources to maintain their health. For example, patients and CLs explained that Black residents were deterred from entering certain neighborhoods or places (i.e. restaurants, grocery stores) because they felt unwelcomed or perceived as a threat, thus limiting their ability to access health-promoting resources and services. Additional examples of these structural domains—including structural racism, transportation and housing inequity, gentrification and displacement, and neighborhood safety—are shown in Table 4.

In relation to these structural barriers, CBOs often served as advocates for social change:

“[T]o summarize the role that I believe I play in the community: I believe that I was seated at a table to where I am at least recognized and I am heard. I believe that that seat carries the weight and the stories of persons who I represent when I walk through the door. I carry my role in the community with great responsibility, understanding that other persons may not have been able to locate the access that I have in ways in which to be an advocate for more security across many different domains. I would say that my role is really probably firmly rooted in advocacy.”

CL10

DISCUSSION

Study results provide evidence of the vast influence of SDoH on care experiences, with concrete examples of how community factors impact chronic care management – providing fruitful expansion of the CCM’s community domain. Our qualitative inquiry has made clear that a multi-level view of SDoH will be necessary for any health system interventions targeting social needs, including the central role of CBOs. Sustainable population health interventions in disadvantaged communities must also go beyond individual educational and behavioral approaches to focus on eliminating structural barriers. These findings also provide empirical data to support previously published recommendations on reconceptualizing the CCM model to a) recognize SDoH, b) bolster community participation and action, and c) increase policies and programs that address societal inequities.²⁰

Healthcare systems have begun to take on SDoH screening and referral, including more standardized questionnaires about patients’ social needs and direct provision of social services at the point of care (e.g., food banks at clinics,^{27,28} medical-legal partnerships).^{29,30} Some healthcare systems have invested in structural interventions, such as building or investing in affordable housing.^{31,32} Our findings provide additional focus areas for advancing this work, such as fostering a sense of belonging and supporting neighborhood-based advocacy for structural improvements.

These findings also show that CBOs do more than provide ancillary support, rather they are essential in chronic disease management. CBOs provide direct health services, linkages to additional social services, culturally relevant interpersonal connections with clients, and an understanding of the priorities for structural changes needed to improve health. This understanding of clients’ needs, coupled with knowledge of and leadership in social service environments, enables CLs to connect clients to the most relevant services. CLs have firsthand knowledge of local resources (i.e. buses, grocery stores) and an inherent awareness of patients’ local sociocultural context because they are members of these same communities.

This study supports the growing call to action for healthcare systems to partner more intentionally with CBOs³³ to address SDoH and improve community resources for chronic care management.^{34,35} To date, many health interventions that engage CBOs either exist outside the healthcare system or involve adding community workers to existing healthcare self-management systems. While both approaches are useful, new ways of integrating healthcare systems and communities might better leverage the existing expertise of CBOs (e.g., interpersonal and social activation potential) within patients’ neighborhoods. Strategic partnerships between healthcare systems and CBOs are critical for identifying social needs of communities and to inform strategies to address domains that contribute to health disparities at each level of influence, including structural.³⁶ Community-based participatory research principles should be incorporated for long-lasting, cross-sectoral partnerships to reduce disparities by addressing SDOH.³⁷ The present study has limitations. We studied vulnerable patients from a single health system in a major metropolitan city, and findings may not be representative of other safety-net settings or regions with different demographics. Furthermore, 7 of 10 patients were English-speaking older adults in their 60s

who received care for their chronic condition(s) at SFHN; thus, limiting generalizability. Strengths of the study include participants who reflect the sociodemographic diversity of neighborhoods with high diabetes prevalence as well as in-depth qualitative data collection across participant groups on the complex reality of vulnerable patients living with chronic illness.

Amidst renewed calls for racial justice and the stark disparities of the COVID-19 pandemic, healthcare systems have been grappling with public health and health equity in new ways. While progress has begun in multiple domains, healthcare systems must value the expertise of patients navigating their health and healthcare as well as CBOs' longstanding knowledge of how to promote population health and wellbeing. Rather than only developing chronic disease management solutions that emphasize single condition health education materials or narrow information exchange with community workers, we must re-envision healthcare-community partnerships to elevate community-based services and expertise that have been present in neighborhoods for decades.^{38,39}

ACKNOWLEDGMENTS

We are grateful to all of the San Francisco community-based organizations, patients, and providers from the San Francisco Health Network for their participation and contributions to this work. Thank you also to Kameswari Potharaju for her help with table development.

FUNDING STATEMENT

This study is funded by the National Library of Medicine R01LM013045-01. Dr. Lyles was supported by a UCSF Mid-Career Development Award. Dr. Brown was also supported by the Agency for Healthcare Research and Quality (K12HS026383), and the National Center for Advancing Translational Sciences (KL2TR001870).

REFERENCES

1. Institute of Medicine (US) Committee on Understanding and Eliminating Racial and Ethnic Disparities in Health Care; Smedley BD, Stith AY, Nelson AR, eds. *Unequal Treatment: Confronting Racial and Ethnic Disparities in Health Care*. Washington (DC): National Academies Press (US); 2003.
2. 2016 National Healthcare Quality and Disparities Report. Rockville, MD: Agency for Healthcare Research and Quality; July 2017.
3. Artiga S, Orgera K, Pham O. Disparities in Health and Health Care: Five Key Questions and Answers. March 4, 2020; <https://www.kff.org/disparities-policy/issue-brief/disparities-in-health-and-health-care-five-key-questions-and-answers/>. Accessed June 9, 2020.
4. Clark ML, Utz SW. Social determinants of type 2 diabetes and health in the United States. *World J Diabetes*. 2014;5(3):296–304. [PubMed: 24936251]
5. Krist AH, Davidson KW, Ngo-Metzger Q, Mills J. Social Determinants as a Preventive Service: U.S. Preventive Services Task Force Methods Considerations for Research. *Am J Prev Med*. 2019;57(6 Suppl 1):S6–s12. [PubMed: 31753280]
6. Cockerham WC, Hamby BW, Oates GR. The Social Determinants of Chronic Disease. *Am J Prev Med*. 2017;52(1s1):S5–s12. [PubMed: 27989293]
7. Hill-Briggs F, Adler NE, Berkowitz SA, et al. Social Determinants of Health and Diabetes: A Scientific Review. *Diabetes Care*. 2020.
8. Young-Hyman D, de Groot M, Hill-Briggs F, Gonzalez JS, Hood K, Peyrot M. Psychosocial Care for People With Diabetes: A Position Statement of the American Diabetes Association. *Diabetes Care*. 2016;39(12):2126–2140. [PubMed: 27879358]

9. Grady PA, Gough LL. Self-management: a comprehensive approach to management of chronic conditions. *Am J Public Health*. 2014;104(8):e25–e31. [PubMed: 24922170]
10. Thompson T, McQueen A, Croston M, et al. Social Needs and Health-Related Outcomes Among Medicaid Beneficiaries. *Health Educ Behav*. 2019;46(3):436–444. [PubMed: 30654655]
11. Berkowitz SA, Kalkhoran S, Edwards ST, Essien UR, Baggett TP. Unstable Housing and Diabetes-Related Emergency Department Visits and Hospitalization: A Nationally Representative Study of Safety-Net Clinic Patients. *Diabetes Care*. 2018;41(5):933–939. [PubMed: 29301822]
12. Integrating Social Care Into the Delivery of Health Care: Moving Upstream to Improve the Nation's Health. National Academies of Sciences, Engineering, and Medicine. Washington, DC. 2019.
13. DeVoe JE, Bazemore AW, Cottrell EK, et al. Perspectives in Primary Care: A Conceptual Framework and Path for Integrating Social Determinants of Health Into Primary Care Practice. *Ann Fam Med*. 2016;14(2):104–108. [PubMed: 26951584]
14. Hessler D, Bowyer V, Gold R, Shields-Zeeman L, Cottrell E, Gottlieb LM. Bringing Social Context into Diabetes Care: Intervening on Social Risks versus Providing Contextualized Care. *Curr Diab Rep*. 2019;19(6):30. [PubMed: 31037356]
15. Carter N, Bryant-Lukosius D, DiCenso A, Blythe J, Neville AJ. The use of triangulation in qualitative research. *Oncol Nurs Forum*. 2014;41(5):545–547. [PubMed: 25158659]
16. Glasgow RE, Orleans CT, Wagner EH. Does the chronic care model serve also as a template for improving prevention? *Milbank Q*. 2001;79(4):579–v. [PubMed: 11789118]
17. Wagner EH. Chronic disease management: what will it take to improve care for chronic illness? *Eff Clin Pract*. 1998;1(1):2–4. [PubMed: 10345255]
18. Bodenheimer T, Wagner EH, Grumbach K. Improving primary care for patients with chronic illness. *Jama*. 2002;288(14):1775–1779. [PubMed: 12365965]
19. Bodenheimer T, Wagner EH, Grumbach K. Improving primary care for patients with chronic illness: the chronic care model, Part 2. *Jama*. 2002;288(15):1909–1914. [PubMed: 12377092]
20. Barr VJ, Robinson S, Marin-Link B, et al. The Expanded Chronic Care Model: An Integration of Concepts and Strategies from Population Health Promotion and the Chronic Care Model. *Healthcare Quarterly*. 2003;7(1):73–82.
21. Stellefson M, Dipnarine K, Stopka C. The chronic care model and diabetes management in US primary care settings: a systematic review. *Prev Chronic Dis*. 2013;10:E26–E26. [PubMed: 23428085]
22. Israel BA, Schulz AJ, Parker EA, Becker AB. Review of Community-Based Research: Assessing Partnership Approaches to Improve Public Health. *Annu Rev Public Health*. 1998;19(1):173–202. [PubMed: 9611617]
23. Bamshad MJ, Olson SE. Does race exist? *Scientific American*. 2003;289(6):78–85.
24. Mays N, Pope C. Qualitative research: Observational methods in health care settings. *BMJ (Clinical research ed)*. 1995;311(6998):182–184.
25. Braun V, Clarke V. Using thematic analysis in psychology. *Qual Res Psychol*. 2006;3(2):77–101.
26. D'Silva J, Moze J, Kingsbury JH, et al. Local sales restrictions significantly reduce the availability of menthol tobacco: findings from four Minnesota cities. *Tob Control*. 2020.
27. LA Clinics Respond to Food Insecurity During COVID-19. Center for Care Innovations. June 30, 2020. <https://www.careinnovations.org/resources/la-clinics-respond-to-food-insecurity-during-covid-19/>. Accessed Oct 16, 2020.
28. Farmer B. 'Food Pharmacies' In Clinics: When The Diagnosis Is Chronic Hunger. NPR. Nov 28, 2019. <https://www.npr.org/sections/thesalt/2019/11/28/783066219/food-pharmacies-in-clinics-when-the-diagnosis-is-chronic-hunger>. Accessed Oct 16, 2020.
29. Regenstein M, Trott J, Williamson A, Theiss J. Addressing Social Determinants Of Health Through Medical-Legal Partnerships. *Health Aff*. 2018;37(3):378–385.
30. Bourgois P, Holmes SM, Sue K, Quesada J. Structural Vulnerability: Operationalizing the Concept to Address Health Disparities in Clinical Care. *Acad Med*. 2017;92(3):299–307. [PubMed: 27415443]

31. Housing Prescriptions as Health Care. Children's Health Watch. <https://childrenshealthwatch.org/housing-prescriptions/>. Accessed Oct 16, 2020.
32. 3 Initiatives to Tackle Housing Insecurity. Kaiser Permanente. Jan 15, 2019. <https://about.kaiserpermanente.org/community-health/news/kaiser-permanente-announces-three-initiatives-to-improve-communi>. Accessed Oct 16, 2020.
33. Mays GP, Scutchfield FD. Improving public health system performance through multiorganizational partnerships. *Prev Chronic Dis*. 2010;7(6):A116–A116. [PubMed: 20950523]
34. Gunderson JM, Wieland ML, Quirindongo-Cedeno O, et al. Community Health Workers as an Extension of Care Coordination in Primary Care: A Community-Based Cosupervisory Model. *J Ambul Care Manage*. 2018;41(4):333–340. [PubMed: 30015685]
35. Robertson L, Chernof B. Addressing Social Determinants: Scaling Up Partnerships With Community-Based Organization Networks. Vol 2020: Health Affairs Blog; Feb 24, 2020.
36. Health Neighborhood Initiative: Preliminary Report to Los Angeles County Department of Mental Health. UCLA Center for Health Services and Society, California Behavioral Health Center of Excellence. Feb 8 2016.
37. Wallerstein N, Duran B, Oetzel J, Minkler M. Critical issues in developing and following community based participatory research principles. In: Wallerstein N, Duran B, Oetzel J, Minkler, eds. *Community-Based Participatory Research for Health*. San Francisco, CA: John Wiley & Sons; 2018.
38. Cartier Y, Fichtenberg C, Gottlieb L. Implementing Community Resource Referral Technology: Facilitators And Barriers Described By Early Adopters. *Health Aff*. 2020;39(4):662–669.
39. Kreuter M, Garg R, Thompson T, et al. Assessing The Capacity Of Local Social Services Agencies To Respond To Referrals From Health Care Providers. *Health Aff*. 2020;39(4):679–688.

Table 1.

MAVEN Study Qualitative Data Collection Methods

	Interviews	Neighborhood Tours	Clinic Visit Observations
Community Leaders	10	8	N/A
Patients	10	9	4
Health Service Providers	3	N/A	

Author Manuscript

Author Manuscript

Author Manuscript

Author Manuscript

Table 2.

Patient, Community Leader, and Health Service Provider Participant Characteristics

Patients (n=10)					
Race/Ethnicity	Gender	Age Group	Education	Income	Neighborhood
Black/African American	Female	60–69	High school	N/A	Bayview-Hunters Point
Black/African American	Male	60–69	Some college	N/A	Bayview-Hunters Point
White	Female	60–69	College graduate	Less than \$20,000	Tenderloin
Asian or Pacific Islander	Female	60–69	College graduate	\$20,000–40,000	Tenderloin
Black/African American	Female	70–79	Graduate degree	Less than \$20,000	Western Addition
Black/African American	Male	50–59	Some college	Less than \$20,000	Tenderloin
Black/African American; Multi-Ethnic	Female	60–69	Some college	Less than \$20,000	Bayview-Hunters Point
American Indian/ Native American	Male	60–69	College Degree	\$20,000-\$40,000	Excelsior
Black/African American	Female	50–59	Some college	Less than \$20,000	Bayview-Hunters Point & Lakeshore
Hispanic/Latinx	Female	40–49	Graduate degree	Less than \$20,000	Tenderloin
Community Leaders (n=10)					
Role	Organization Description				Neighborhood
Librarians (2)	Public library with a robust health programming/collection				Tenderloin
Patient Advocate	Coordination department for patient advisory councils at public health clinics				Tenderloin
Staff Leader	Health and wellness organization serving primarily Black communities				Bayview-Hunters Point
Staff Leader	Nonprofit cooking school serving low-income communities				Mission
Senior Services, Resources, and Activities Staff (3)	Social services organization serving low-income seniors, youth, and families of color				Mission
Staff Leader	Social services organization serving low-income multi-ethnic families with young children				Excelsior/Visitacion Valley, Mission
Former Staff Leader	Latinx cultural organization				Mission
Health Service Providers (n=3)					
Role	Role Description				Neighborhood
Diabetes Nurse Educator	Nurse educator and diabetes educator for patients in a public healthcare delivery system				San Francisco (city-wide)
Primary Care Physician	Physician, Health services researcher				San Francisco (city-wide)
Primary Care Physician	Internist in a public healthcare delivery system, Health services researcher				San Francisco (city-wide)

Author Manuscript

Author Manuscript

Author Manuscript

Author Manuscript

Table 3:

Types And Attributes Of Neighborhood Resources Related To Chronic Disease Management Identified In Patient And Community Leader Interviews And Tours

Resource Category	Attribute/ Specific Examples
<p>FOOD (grocery stores, restaurants, food pantries, food assistance programs, farmer’s markets, free meals programs)</p>	<p>Price, quality, and availability of food for purchase Patient 3 identified a social service agency that provides food tailored to diabetes-related dietary restrictions. Patient 7 explained that a grocery store is often messy and its prices can be twice the price of stores in other neighborhoods. Free groceries and meals Patient 1 noted that a church hands out free produce once a week.</p>
<p>PUBLIC SPACE/RECREA-TIONAL PLACES (community gardens, public parks, libraries, pools, playgrounds, community and senior centers)</p>	<p>Places where people congregate Patient 4 explained that there are activities for seniors in a park and a nearby area recently had a free health fair. Safety Patient 3 mentioned avoiding certain streets due to gun violence. Accessibility of public spaces Patient 2 identified a church as being handicap accessible.</p>
<p>HEALTH (healthcare facilities, community health centers, pharmacies)</p>	<p>Types and availability of local health services and programs Patient 1 explained how much she loved her diabetes education class. Patient 3 noted that it takes her a long time to get to her primary care clinic by bus. Specific services that can be requested at local clinics and pharmacies Patient 2 discussed how his pharmacy delivers medications with clear instructions.</p>
<p>SOCIAL SERVICES (legal representation, mental health services, cultural resources, nutrition programs, access to government identification, homelessness programs)</p>	<p>Availability and accessibility of social services Community leader 10 pointed out a family resource center. Free services available for vulnerable populations Community leader 5 explained that a social services agency hosts free computer classes, a needle exchange, and gives out free phones. Patient 6 described a social services agency where he can get free socks helpful for his diabetes-related foot problems.</p>
<p>EDUCATION (schools, afterschool programs, libraries, city colleges, education initiatives)</p>	<p>Availability of child-focused programs Community leader 10 described an organization that provides culturally relevant services to low-income youth. Learning opportunities for adults Patient 6 described going to the public library to learn about health and meet people..</p>
<p>TRANSPORTATION (public transportation, paratransit, bus/ taxi voucher programs)</p>	<p>Service quality, accessibility, and reliability of bus lines Patient 2 appreciated the reach of the public tram line but also explained that paratransit has long wait times and no same-day requests. Community leader 6 explained that the public tram line does not consistently stop in their neighborhood.</p>
<p>HOUSING (affordable housing communities, assisted living facilities, shelters, single residency occupancy hotels)</p>	<p>Housing displacement Patient 5 noted many buildings whose Black former owners were pushed out due to redevelopment policies and gentrification. Housing tailored to specific populations Community leader 8 noted a low-income housing community serving residents with special needs.</p>
<p>ART (cultural shows, murals, musical events, museums)</p>	<p>Availability of art and cultural events Patient 3 explained that a social services agency gives free tickets to the opera, ballet, and sports games. Appreciation of public art Patient 6 noted how much he liked a mural in his neighborhood.</p>

Author Manuscript

Author Manuscript

Author Manuscript

Author Manuscript

Table 4.

Neighborhood-Level Structural Domains Relevant for Chronic Disease Management Generated by Patients and Community Leaders

Domain	Quotes
Structural Racism	<p>“They’re dumping waste and garbage... the city has allowed [this] to go on over here [when] they wouldn’t allow [it] to go over in Marina Green.... Why are you letting it happen here...? Because you figured...it’s just poor Black people, why not...? [P]eople are dying, because [they are] right on top of a toxic waste bin.” Patient 7</p> <p>“[T]his little five-year-old boy...he’s having nightmares that he’s going to be arrested by the police, at five. If our children are not even feeling not-surveilled at five years old, imagine the anxiety, the depression. Where is he going to feel welcome...? Community leader 6</p> <p>“[My two employees] went to the bank...these are black men, [and the bank] would not give them cash until they called for authorization.... It’s like you don’t even have access to your money that you worked for. Community leader 6</p>
Transportation Inequity	<p>“If you’re an elderly person, you’re probably still not going to sit [on the bus] and [you’ll] get pushed on. Because of the homelessness issue, there’s also the cleanliness issue and it smells... Even if you leave an hour ahead, the bus can totally throw your schedule off and it’s also very expensive.” Community leader 5</p> <p>“Is the [tram] stopping in our area today or is it just going straight through? [F]olks can’t actually get here and folks can’t get to work on time.” Community leader 6</p>
Housing Inequity	<p>“[It’s the] housing situation, that’s why you see a lot more veterans out here, mental health patients, and people that can’t keep up paying for rent...you notice that most of the homeless [are] in this demographic area...it’s like we’re in concentration camp, so to speak.” Patient 4</p>
Gentrification and Displacement/ Residential Segregation	<p>But there are...all kinds of people living in all kinds of different neighborhoods that maybe don’t have an effect on them. Like someone who’s born in the Mission but goes to a private school and has millions of dollars, they don’t live in the Mission necessarily the way that someone who was born here and doesn’t have those resources.” Community leader 7</p> <p>“The population of the Mission is probably around 40,000 to 45,000 people. In that 15-year period, the Mission lost 10,000 individuals who were displaced...The 8,000 of those 10,000 were Latinos.... It felt like communities are under attack, and it was losing something....” Community leader 11</p> <p>“I was born and raised here and [this] was a community that was multicultural.... A lot of Black and brown families have had to move out due to the re-gentrification...the average income median is what, \$140,000? It’s a tragedy because [this city is] losing so much of the culture...which made the city unique.” Patient 7</p>
Generational Poverty	<p>“We may be able to help with barrier removal for a deposit [for housing] but the deposit is not going to do anything for your family...when the rent is 200% more than what you make in a whole month.... We’re talking about persons who have been impacted by generational poverty. They are already...set up to fail from the beginning.” Community leader 10</p>
Neighborhood Safety	<p>“This neighborhood is...not healthy.... [T]he drug use surrenders on the street....I can hear the noise at night, the shouting and...drug dealing...it’s very wearing to have to be constantly alert.” Patient 3</p>

Author Manuscript

Author Manuscript

Author Manuscript

Author Manuscript