# Lawrence Berkeley National Laboratory

**LBL Publications** 

# Title

Phytozome Comparative Plant Genomics Portal

# Permalink

https://escholarship.org/uc/item/22k9d6k9

# Authors

Goodstein, David Batra, Sajeev Carlson, Joseph <u>et al.</u>

# **Publication Date**

2014-09-11

# **Phytozome Comparative Plant Genomics Portal**

Authors: David Goodstein<sup>1</sup>, Sajeev Batra<sup>1</sup>, Joseph Carlson<sup>1</sup>, Richard Hayes<sup>1</sup>, Jeremy Phillips<sup>1</sup>, Shenqiang Shu<sup>1</sup>, Jeremy Schmutz<sup>1,2</sup>, Daniel Rokhsar<sup>1</sup>

<sup>1</sup> U.S. Department of Energy Joint Genome Institute // LBNL - Walnut Creek, CA <sup>2</sup>. Hudson-Alpha Institute for Biotechnology – Huntsville, AL

\* To whom correspondence may be addressed. David Goodstein, Joint Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA, 94598, USA. <u>dmgoodstein@lbl.gov</u>

September 9, 2014

# ACKNOWLEDGMENTS:

Work by the U.S. Department of Energy Joint Genome Institute is supported by the Office of Science of the U.S. Department of Energy under Contract No. DE-AC02-05CH11231.

## **DISCLAIMER:**

This document was prepared as an account of work sponsored by the United States Government. While this document is believed to contain correct information, neither the United States Government nor any agency thereof, nor The Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or The Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof or The Regents of the University of California.

# **Phytozome Comparative Plant Genomics Portal**

## David M. Goodstein

Sajeev Batra<sup>1</sup>, Joseph Carlson<sup>1</sup>, Richard D. Hayes<sup>1</sup>, Jeremy Phillips<sup>1</sup>, Shengqiang Shu<sup>1</sup>, Jeremy Schmutz<sup>1,2</sup>, Daniel S. Rokhsar<sup>1</sup> <sup>1</sup>U.S. Dept. of Energy Joint Genome Institute <sup>2</sup>HudsonAlpha Institute for Biotechnology



## Plant Science at the JGI

The Dept. of Energy Joint Genome Institute is a genomics user facility supporting DOE mission science in the areas of Bioenergy, Carbon Cycling, and Biogeochemistry. The Plant Program at the JGI applies genomic, analytical, computational and informatics platforms and methods to:

 $\bullet Understand$  and accelerate the improvement ("domestication") of bioenergy crops

•Characterize and moderate plant response to climate change •Use comparative genomics to identify constrained elements and infer gene function

•Build high quality genomic resource platforms of JGI Plant Flagship genomes for functional and experimental work

•Expand functional genomic resources for Plant Flagship genomes

#### The current JGI Plant Flagship genomes are:



JGI commitment to Flagship Genomes: 1.Multiple rounds of genome and annotation improvement 2.Development of related resources – diversity, functional assays, comparative tools – in collaboration with respective plant communities 3.Long-term accessibility of data, analyses and tools

Switchgrass Sorghum Poplar Miscanthus Soybean

These genomes have been through multiple rounds of assembly and annotation improvement, and are currently the focus of extensive transcriptomics efforts to develop a standardized, reproducible, and updateable comparative functional resource (Gene Atlas project), as well as deep and broad resequencing efforts to capture and elucidate the extent and consequences of natural variation.

#### The Phytozome Group – Annotation, Analysis, Access

The Phytozome group consists of biologists, computational scientists, and software developers with extensive experience in human, plant and eukaryotic model organism genomics and associated data systems. Our group is responsible for developing, applying and maintaining accurate, reproducible and scalable methods for:

**1.Genome Annotation** – transcript assembly, multi-method gene calling, annotation forward mapping, proteome annotation.

2.Gene Family construction and analysis - family construction, orthology and paralogy analyses.

3.Reseq and RNA-Seq analysis – standardization of collaborator-contributed analyses, co-expression and comparative expression analyses.

4.Uniform programmatic and interactive access, analysis and visualization tools across multiple data types and data sets.

5.Providing a "home" for JGI-generated and related community plant genomic data.

28 of the 48 plant genomes available in the current Phytozome v10 were annotated by the group, the most recent being the genome of the shrub willow, *Salix purpurea*, a poplar comparator and a bioenergy feedstock candidate in its own right.

Contact: phytozome@jgi-psf.org

## Phytozome

First released in 2006, Phytozome is accessed by ~120k users making approximately ~400k visits in a typical year. Our largest users communities are in the United States, China, and Japan. Brazil, Germany, France, Canada, India, the U.K., and South Korea round out the top ten communities.

Welcome to phyt	cozomet-	The JGI Comparative Plan	t Genom	ics Portal
Phytozome quick search (stysoed)		Help with Phytozome		
Every area and a cl. Reday area area area area area area area ar	3	antari Antari gintari Antari di		Stev at two approximation of the species in Phytosene v12     Video totorials     Video totorials will be available alsority
	ery Erm legende o e	alman 🔰 🖬		
Dearch resident of print	ners and beating	News (deate)		System Status (2014-08-08 (2024)

Initial access to genes and gene families is provided via keyword, BLAST or BLAT search from the home page, or by browsing genomic features in JBrowse.

## Gene and Genome-anchored views

Every gene has an associated Gene Page, with location, alternative splicing, homology, proteome classification, and diversity information. Functional annotations, SNPs, homologs, and gene-related sequences can be added to the Phytozome can and uploaded to InterMine or Jalview for analysis, and saved indefinitely in user accounts.


	lates .	-		-	1 No. 10				
	Part of Table and A								-
04	Septime.		-	1104				1. 1. 1. 1. 1.	
	heg-thts.)		-	19.04					
	awayat tertitirtika		-	19.00		D. Paster.	Advent	Pagulation Security IN	teres.
	ment fall \$200		-	16.0%		[] <b>PRENT</b>	E		
l a	warph lightenes		1007	19.00		1.000		-	
	factor (\$107.000	144	-	78,75		1			
0-	Same (9608.1	140		33		0.000		-	÷.
□~-	INCOMENTATION OF TAXABLE PARTY OF TAXABLE	-	140.1	100					
00	sarget.lgit-dege	164	141	7374		C 1			
<b>U</b> ~-	April 101,000 (100)		140	14.45					
<b>0</b> ~	Manufacture 1		-	7575		10 metros	6		
□ (~	warani laji tikin		100	15.0%					
<b>0</b> ~	These is bitted on a start and region and the (The?)		147	3.0	a manifest interest of the second sec	in terms			
El e	Available Contract of Contract			12.00	H				

homologs amongst all other Phytozcome proteins are de via dual affine Smith-Watermann. Alignment gaps and are shown graphically, while detailed pair format alignments available. Browser and Gene page links to each homolog ided.

If variant data is present, SNPs from the gene locus and Sib upstream and downstream are shown. Variants are coher-coded by predicted effect, with visual summaries of population alide and

E JGU

JBROWSE Genome View – Fully populated JBrowe Instances for all 48 Phytocome genome sprovide gene structure deall, genome-aligned pedide homology, SNP tracks, RNA-Seq read alignments, and whole-genome alignments by VISTA. SNP feature pop-ups have detailed genotype information, while gene and transcript level expression pop-ups show differences across libraries.



### Gene Family-centric Resources

Phytozome gene families are hierarchically constructed via single-linkageclustering, with thresholds based on intra- and inter-species similarity and coverage distributions. Family pages show membership, phylogentic distribution, the near syntenic environment of each member gene, the local domain and exonic structure, and the results of various automated classification and naming pipelines. Users can traverse each family's history to examine its imputed ancestral composition, and can search for related families via family consensus sequences or shared annotation.

phytozom	ef-10 Count Index	MAX Envirol 1 Mil		JGU			
N Personal I	Family synchrical Argument gene						
<ol> <li>Important page</li> </ol>					_		
Actions	* Family Info				-		
	Martine Classe Sections						
d'interiore		the state of the local data in the state of the local data in the					
& recent.	Membership McCarrier Bit Shark an ang Ship Volge Pri La Man Angalo Shark ya Min Bin Signo Lao Co Cardon Anna Min Min Anga Min Man McCarrier Bit Shark an angalo Ship Volge Pri La Man Angalo Lao Cardon Anna Angalo Lao Cardon Anna Angal Kita Gan McCardo Bit Cardon and A Annan, Annanang pri La La Min Accellate and Debas Ang 1. Apartmentation						
· minut							
¥ Indendu belij	neterane						
Wy Date (1)	mean in famo, Received Accessory, 1994 174						
* ment	C # mas ing d market	at these	Annale Liness, J Anna				
4 ADD-01	D * D an April 10.00.			(1) M			
A revenue	10 * BB as specific balance		00000000000		Annes Ares (1991)		
	IT # III was important, replace	1980-4		100	** ** *		
	- · DD w managers.	Anadig/104(1)	000000000000000		** * * * * * *		
8.100.00	11 / 11 In resources.	UT sound present and	0000000000000000	- H	-		
Settings .							
Q beenhere	C # DD by Argeline's Speeds.	ALL IN CONTRACTOR OF CONTRACTOR OFON OFONTO OFONTO OFONTO OFONTO OFONTO OFONTO OFONTO OFONTO OFONTO	000000000000	1.11			
Q Test produce	0 / 00 ~ material, ranks	EVI.					
	D * DD in Letters						
1 manufacture							
	D . C . C . An Interesting	Characteristic and sold in					
	T · DD to encode				****		
	C / CO be beatives.						

## Data Access: Bulk and Query-based

Phytozome is now integrated into JGI's Genome Portal, for fast downloads of pre-compiled bulk datasets. PhytoMine, our InterMine implementation, can take lists built in Phytozome or directly in PhytoMine and perform Enrichment analysis, expression visualization, and build custom data sets with precisely the fields and formats desired. PhytoMine lists can be saved, augmented, reduced, intersected with other lists, converted between various types, and exchanged with Phytozeme. Gene, transcript, protein and SNP lists are supported. PhytoMine also supports a web service and Perf, Ruby and Java APIs for programmatic access to Phytozome data.



PhytoMine

enrichment

widget



PhytoMine home

## Coming up in v10.1

- v10.1, expected at the end of September, will include
- Access to ortholog and paralog calls in both Phytozome and Phytomine.
- Improved SNP viewers
- · Richer PhytoMine templates to support common custom data requests
- Help pages