

# UCLA

## UCLA Previously Published Works

### Title

Differential Association of Child Abuse With Self-Reported Versus Laboratory-Based Impulsivity and Risk-Taking in Young Adulthood

### Permalink

<https://escholarship.org/uc/item/2975960d>

### Journal

Child Maltreatment, 19(3-4)

### ISSN

1077-5595

### Authors

Sujan, Ayesha C  
Humphreys, Kathryn L  
Ray, Lara A  
et al.

### Publication Date

2014-08-01

### DOI

10.1177/1077559514543827

Peer reviewed

# Child Maltreatment

<http://cmx.sagepub.com/>

---

## Differential Association of Child Abuse With Self-Reported Versus Laboratory-Based Impulsivity and Risk-Taking in Young Adulthood

Ayesha C. Sujan, Kathryn L. Humphreys, Lara A. Ray and Steve S. Lee  
*Child Maltreat* published online 16 July 2014  
DOI: 10.1177/1077559514543827

The online version of this article can be found at:  
<http://cmx.sagepub.com/content/early/2014/07/16/1077559514543827>

Published by:



<http://www.sagepublications.com>

On behalf of:



American Professional Society on the Abuse of Children

Additional services and information for *Child Maltreatment* can be found at:

**Email Alerts:** <http://cmx.sagepub.com/cgi/alerts>

**Subscriptions:** <http://cmx.sagepub.com/subscriptions>

**Reprints:** <http://www.sagepub.com/journalsReprints.nav>

**Permissions:** <http://www.sagepub.com/journalsPermissions.nav>

**Citations:** <http://cmx.sagepub.com/content/early/2014/07/16/1077559514543827.refs.html>

>> [OnlineFirst Version of Record](#) - Jul 16, 2014

[What is This?](#)

# Differential Association of Child Abuse With Self-Reported Versus Laboratory-Based Impulsivity and Risk-Taking in Young Adulthood

Ayesha C. Sujan<sup>1</sup>, Kathryn L. Humphreys<sup>1,2</sup>, Lara A. Ray<sup>2</sup>, and Steve S. Lee<sup>2</sup>

## Abstract

Young adults (ages 18–26) with ( $n = 20$ ) and without ( $n = 55$ ) a history of child abuse (CA) completed self-report and laboratory-based measures of impulsivity and risk-taking. Relative to individuals without abuse histories, individuals with a history of CA self-reported a greater number of lifetime sexual partners as well as elevated trait impulsivity (specifically, elevated lack of premeditation and lack of perseverance). No group differences were observed for self-reported safety-related behaviors and risk-taking propensity. Notably, however, laboratory-based measures suggested that individuals with a history of CA showed significantly less impulsivity and risk-taking than individuals without abuse histories. These results suggest that self-report and laboratory measures of risk-taking and impulsivity measured in emerging adulthood may differentially relate to CA. Specifically, whereas laboratory-based measures may be influenced by hypervigilance or in the moment actions, self-report measures may assess more general behaviors related to real-world impulsivity and risk-taking.

## Keywords

child abuse, impulsivity, risk-taking

There is replicated evidence that child abuse (CA) is significantly associated with adult psychopathology (e.g., Hillberg, Hamilton-Giachritsis, & Dixon, 2011). However, the mechanisms underlying the association of CA with respect to adult psychopathology are not fully understood. CA may disrupt normative developmental processes, including those that impact impulsive and risk-taking behaviors (e.g., Annerbäck, Sahlqvist, Svedin, Wingren, & Gustafsson, 2012; Roy, 2005), which are independently linked to adult psychopathology (Brawner, Gomes, Jemmott, Deatruck, & Coleman, 2012; Duka & Crews, 2009; Jentsch et al., 2014). Given the sharp rise in risk-related behaviors during emerging adulthood (e.g., Arnett, 1992; Pharo, Sim, Graham, Gross, & Hayne, 2011; Shulman & Cauffman, 2014) and the association between risk-related behavior in this period and the development of psychopathology (e.g., Clapper, Buka, Goldfield, & Lipsitt, 1995), it is important to study those susceptible to engaging in risk-taking and impulsive behaviors. Individuals exposed to abuse as children may be at increased risk for engaging in risk-related behaviors during emerging adulthood, and if so, identifying patterns of impulsivity and risk-taking in this developmental period could be particularly impactful in understanding adult psychopathology risk.

Although impulsivity and risk-taking are correlated, they are factorially independent. Impulsivity typically involves

rapid, unplanned reactions without regard to negative consequences (Moeller, Barratt, Dougherty, Schmitz, & Swann, 2001), whereas risk-taking involves actions that have uncertain outcomes (Fischhoff, 1992) and includes balancing the potential for both positive and negative outcomes (Byrnes, Miller, & Schafer, 1999; Leigh, 1999). Nonetheless, both impulsivity and risk-taking are associated with CA, and in particular, extensive research has focused on the association of childhood sexual abuse and heightened risky sexual behavior later in life (see Tyler, 2002). Research has also demonstrated that childhood maltreatment (i.e., childhood abuse or neglect) is associated with heightened self-reported trait impulsivity (e.g., Li et al., 2012; Roy, 2005). However, given that impulsivity is multidimensional (Lynam, Smith, Whiteside, & Cyders, 2006), CA may show specificity with respect to particular aspects of impulsivity. A recent study utilizing the UPPS

<sup>1</sup> Tulane University School of Medicine, New Orleans, LA, USA

<sup>2</sup> University of California, Los Angeles, CA, USA

## Corresponding Author:

Kathryn L. Humphreys, Department of Psychology, University of California, 1285 Franz Hall, Box 951563, Los Angeles, CA 90095, USA.

Email: k.humphreys@ucla.edu

Impulsive Behavior Scale found that continuously measured child maltreatment independently predicted the negative urgency domain of trait impulsivity, but no other impulsivity domain (Gagnon, Daelman, McDuff, & Kocka, 2013). This suggests that childhood maltreatment may be more strongly associated with impulsivity only in the presence of negative affect.

There are limitations in self-report measures, which are often used to report on past risky acts and assess propensity for future risky behavior, especially given that risk-taking propensity and actual behavior do not always align. Self-report measures are subject to reporter bias, given that individuals may not accurately report past behaviors or may believe that reporting risky behaviors may result in negative consequences (Lejuez et al., 2002). Given concerns regarding the use of self-report measures, “in vivo” laboratory-based assessments have been used to directly assess individuals’ impulsivity and risk-taking. The association between CA and performance on these measures has not been fully elucidated. Individuals with and without a history of CA (hereafter referred to as CA and no-CA, respectively) completed the Stop Task, a test of behavioral impulsivity (Navalta, Polcari, Webster, Boghossian, & Teicher, 2006), resulting in mixed evidence of increased impulsivity among CA individuals. Furthermore, in a study of 126 male children, CA youth showed more difficulties in response inhibition (i.e., more false alarms) than comparison children (Mezzacappa, Kindlon, & Earls, 2001), indicating that CA male children may show impulsivity by preemptively responding to stimuli. Among trauma-exposed youth, risk-taking measured by performance on the Balloon Analog Risk Task (BART) was positively associated with post-traumatic stress disorder (PTSD) symptoms (Danielson, Ruggiero, Daughters, & Lejuez, 2010). Similarly, PTSD was associated with greater risk-taking on the BART in a sample of substance dependent patients (Tull et al., 2009). However, it is important to note that the experience of trauma and the development of PTSD are distinct, as a minority of individuals who experience a traumatic event develop PTSD (e.g., Ackerman, Newton, McPherson, Jones, & Dykman, 1998). Therefore, it is important to examine the independent association of CA with impulsivity and risk-taking, regardless of PTSD diagnosis.

Although there is evidence that trauma history may predict increased impulsivity and risk-taking, trauma may also result in increased cautiousness or hypervigilance. For example, preschoolers with a history of maltreatment were better able to differentiate essential from nonessential visual details than nonmaltreated counterparts, suggesting that maltreatment may be associated with increased attention to detail (Frankel, Boetsch, & Harmon, 2000). Additionally, early adversity in the form of maternal deprivation has been linked to decreased exploration and increased exploitation under risk, an association mediated by separation anxiety (Humphreys et al., 2014), indicating that extreme cautiousness may follow from maltreatment in early life. Thus, it is possible that risk-averse behavior may be observed in individuals with a history of CA.

## Study Aims

Given that the association between CA and impulsivity and risk-taking is relatively unexplored, with mixed findings thus far, we examined the association of CA (defined as physical or sexual abuse prior the age of 17) with multiple measures of impulsivity and risk-taking in young adults, a subset of the population known to be at elevated risk of engaging in risk-related behaviors (e.g., Arnett, 1992; Pharo et al., 2011). Varied measures, including self-report and laboratory-based in vivo measurements, were used in order to characterize the specificity of the association of CA with impulsivity and risk-taking.

## Method

### Participants

Participants in this study were 75 (25 male and 50 female) young adults enrolled in a large research university. Twenty-three percent of participants were in their first year in college, 23% in their second year, 41% in their third year, and 14% in their fourth or fifth year. Participants ranged in age from 18 to 26 years ( $M = 20.20$ , standard deviation [ $SD$ ] = 1.72) and self-endorsed the following racial-ethnic distribution: 45% Asian, 31% White, 9% mixed or other, 5% American Indian/Alaskan Native, 4% African American, 4% Native Hawaiian or Pacific Islander, and 1% Hispanic. Participants were recruited via an announcement on the university’s online experiment management system and received partial course credit for their participation.

### Procedure

The current study was part of a larger project assessing the impact of stress on impulsivity and risk-taking. Participants came to the testing room on two separate occasions and completed self-report measures at Session 1 and two sets of three computerized tasks (emotional go/no-go task, BART, and the delay discounting task [DDT]), following neutral and stress inductions at Session 2. Computerized tasks and the stress/neutral mood induction were randomly ordered. All procedures were approved by the UCLA Institutional Review Board.

### Measures and Tasks

**Childhood Traumatic Events Scale (CTES).** The CTES (Pennebaker & Susman, 1988) assesses childhood trauma occurring before the age of 17. For the current study, 2 items (“prior to the age of 17, did you have a traumatic sexual experience [raped, molested, etc.]?” and “prior to the age of 17, were you the victim of violence [child abuse, mugged or assaulted—other than sexual]?”) were used to create a binary variable of CA. If either item was endorsed, participants were categorized in the CA group. We chose to focus on these two types of childhood stress, as other childhood stressors may differentially relate to adult psychopathology (Carr, Martins, Stingel, Lemgruber, & Juruena, 2013). Furthermore, the focus on physical and sexual

**Table 1.** Self-Reported Risky Behaviors From the Youth Risk Behavior Survey.

	Child abuse		No child abuse		Analysis	
	<i>n</i> <sup>a</sup>	%	<i>n</i> <sup>a</sup>	%	$\chi^2$	<i>p</i>
Not wearing a helmet (past 12 months)	7/7	100	27/33	81.8	1.50	.22
Not wearing a seatbelt	5/19	26.3	12/53	26.2	0.11	.75
Riding with someone who had been drinking (past 30 days)	6/19	31.6	14/53	26.4	0.19	.67
Drinking and driving (past 30 days)	4/19	21.1	4/53	7.5	2.58	.11
Not wearing a condom (last sexual intercourse)	4/13	30.8	9/29	31.0	0.00	.99
Inadequate pregnancy prevention method (last sexual intercourse)	2/13	15.4	5/29	17.2	0.02	.88
					Wald $\chi^2$	<i>p</i>
Age of first sexual intercourse <sup>b</sup>						
15 or younger	1/13	7.7	5/30	16.7	0.83	.36
16	2/13	15.4	6/30	20.0		
17+	10/13	76.9	19/30	63.3		
Number of sexual partners (last 3 months) <sup>b</sup>					Wald $\chi^2$	<i>p</i>
1	2/13	15.4	11/30	36.7	2.87	.09
2	6/13	46.2	13/30	43.3		
3	3/13	23.1	5/30	16.7		
4+	2/13	15.4	1/30	3.3		
Number of sexual partners (lifetime) <sup>b</sup>					Wald $\chi^2$	<i>p</i>
1	2/13	15.4	9/30	30.0	4.90	.03
2	1/13	7.7	8/30	26.7		
3	2/13	15.4	3/30	10.0		
4	1/13	7.7	5/30	16.7		
5+	7/13	53.8	5/30	16.7		

<sup>a</sup>*n* indicates number of participants who endorsed the behavior/total number of participants included in the analysis. <sup>b</sup>Generalized linear regression specified ordinal logistic distributions.

abuse domains, in contrast to more broad definitions of maltreatment, is consistent with other work (Fergusson, Boden, & Horwood, 2008; Singer, Humphreys, & Lee, 2012). Twenty participants (26%) reported CA before age 17. Eight endorsed sexual abuse, 14 endorsed physical abuse, and 2 endorsed both. The mean age of onset for sexual and physical abuse was 11.14 years (*SD* = 4.10) and 11.30 years (*SD* = 4.53), respectively.

**UPPS-P Impulsivity Behavior Scale (UPPS-P).** This 59-item self-report measure assesses five domains of trait impulsivity: negative urgency (tendency to act rashly when experiencing negative emotions), lack of premeditation (tendency to act without planning or deliberation), lack or perseverance (tendency to give up when activities became difficult or boring), sensation seeking (tendency to seek out exciting or dangerous activities), and positive urgency (tendency to act rashly when experiencing positive emotions). Participants completed Likert-type scale ratings ranging from 1 (*agree strongly*) to 4 (*disagree strongly*). The UPPS-P (Lynam et al., 2006) is a revised version of the UPPS that includes one additional domain of impulsivity (i.e., positive urgency). The UPPS has shown acceptable concurrent and discriminant validity (Cyders et al., 2007; Miller, Derefinko, Lynam, Milich, & Fillmore, 2010; Whiteside, Lynam, Miller, & Reynolds, 2005).

**Risk Taking Index (RTI).** The RTI (Nicholson, Soane, Fenton-O’Creevy, & Willman, 2005) is a 6-item self-report scale assessing everyday risk-taking propensity related to recreational risks (e.g., rock climbing), health risks (e.g., smoking), career risks (e.g., quitting a job without another to go to), financial risks (e.g., gambling), safety risks (e.g., fast driving), and social risks (e.g., publicly challenging a rule). Participants rated their current and past behaviors by using Likert-type scale ratings ranging from 1 (*never*) to 5 (*very often*). RTI scores have been correlated with sensation seeking and risk-taking propensity (Nicholson et al., 2005). Two risk-taking propensity scores were obtained: one for past behaviors and other for current behaviors, obtained by taking the mean score of the 6 items.

**Youth Risk Behavior Survey (YRBS).** The YRBS (Eaton et al., 2010) is an 87-item self-report survey assessing a range of risky behaviors. An abbreviated version was used to reduce participant burden and assessed items related to risky sexual behavior and physical safety behaviors related to biking and driving. Time frames for when the behaviors took place varied by item (see Table 1).

**BART.** The BART (Lejuez et al., 2002) is a computerized measure of risk-taking, in which participants inflate a series of

**Table 2.** Demographic Characteristics.

	Child abuse ( <i>n</i> = 20)		No child abuse ( <i>n</i> = 55)		Analysis	
	Mean	<i>SD</i>	Mean	<i>SD</i>	$\chi^2$ or <i>t</i>	<i>p</i>
Age	20.85	2.16	19.96	1.49	-1.70	.10
Year in college (1-4)	2.78	1.11	2.40	0.98	-1.35	.18
	<i>n</i>	%	<i>n</i>	%	$\chi^2$ or <i>t</i>	<i>p</i>
Sex (male)	5	25	20	36%	0.85	.36
Race					4.05	.67
American Indian/Alaskan Native	1	1	3	4		
Asian	10	13	24	32		
African American	1	1	2	3		
Native Hawaiian or Other Pacific Islander	1	1	2	3		
White	4	5	19	25		
Hispanic	1	1	0	0		
Mixed or other	2	3	5	7		

virtual balloons in order to earn points. Participants indicated the number of pumps desired for each balloon, with a larger number resulting in more points but a higher probability of balloon explosion, resulting in the loss of accrued points on that trial. Optimal behavior on the task requires neither overly cautious nor overly risky behavior, as both strategies result in a low number of points. Participants gained additional entries into a movie ticket drawing for more points earned. Average adjusted pumps (the average number of pumps made on unexploded balloons) have correlated with self-report measures of impulsivity and real-world risk-behaviors (Lejuez et al., 2002). Additionally, performance on the BART has significantly incrementally predicted self-reported delinquency/safety risk-behaviors above and beyond demographics, impulsivity, and sensation seeking (Aklin, Lejuez, Zvolensky, Kahler, & Gwadz, 2005).

**The emotional go/no-go task.** The emotional go/no-go task (Hare, Tottenham, Davidson, Glover, & Casey, 2005) is a task that assesses cognitive control processes during emotional information processing. The task comprised eight randomly ordered blocks. On half of the blocks, participants were instructed to press for neutral faces and withhold responses for the nontarget facial expressions (angry, fearful, sad, or happy). For the other half of the blocks, participants were instructed to press for the target emotional facial expressions (angry, fearful, sad, or happy) and withhold responses for neutral facial expressions. Scores were obtained for reaction times, false alarms, and accuracy. Reaction times for hits were calculated for correct trials only, and outlier trials (more than 3 *SDs* away from the mean) were removed.

**The delay discounting task (DDT).** The DDT (Rachlin, Raineri, & Cross, 1991) assesses the extent to which an individual prefers a smaller immediate monetary reward over a larger delayed monetary reward and produces an interference point (i.e., the monetary amount for each delay that an individual switches

from choosing the small immediate award to choosing the larger delayed reward) for each participant. Performance on the DDT has correlated with performance on a gambling task in which participants make choices between expected payoffs and expected penalties (Monterosso, Ehrman, Napier, O'Brien, & Childress, 2001).

### Data Analysis

Demographic characteristics were examined using *t*-tests and  $\chi^2$  analyses. Pending nonsignificant differences ( $p > .10$ ), these covariates were excluded from further analyses. For outcome measures, when normality assumptions were met, *t*-tests were used to examine group differences (CA vs. no-CA). If other distribution types were found, analyses reflected the correct distribution. In addition, as the original experiment tested performance on the three laboratory tasks after both a neutral and stress script, only performance following the neutral induction was used, controlling for script order, using univariate analysis of variance. The addition of this covariate did not significantly change the main effect of CA group on any outcome. Finally, given the exploratory nature of the study and the tendency for adjustments for multiple testing to yield overly conservative estimates, Type I error rate adjustments were not included in statistical testing (Bender & Lange, 2001; Harris, Reeder, & Hyun, 2009; Tyler, Normand, & Horton, 2011).

### Results

Demographic data are presented by CA group in Table 2. There were no significant group differences for demographic variables examined. A correlation matrix of all dependent measures (Table 3) revealed low to moderate levels of associations. Generally, measures of self-reported risk-taking demonstrated low to nonsignificant correlations with laboratory-based risk-taking. Similarly, self-reported measures of impulsivity demonstrated

**Table 3.** Correlation Matrix for Dependent Measures of Risk Taking and Impulsivity.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	
1. Negative urgency	—																					
2. (Lack of) premeditation	.44***	—																				
3. (Lack of) perseverance	.19	.48***	—																			
4. Sensation seeking	.28*	.30*	-.12	—																		
5. Positive urgency	.81***	.44***	.13	.27*	—																	
6. Current risk-taking	.06	.09	-.29*	.45***	-.00	—																
7. Past risk-taking	.04	.25*	-.22†	.43***	-.01	.52***	—															
8. Not wearing a helmet	.16	.35*	.25	.43***	-.09	.32*	.27†	—														
9. Not wearing a seatbelt	-.06	-.06	-.04	-.01	-.12	.14	.07	.10	—													
10. Riding with someone who had been drinking	-.15	-.07	-.08	.08	-.14	.13	.07	.24	.10	—												
11. Drinking and driving	.10	.06	.13	.07	.06	.33***	.06	.14	.01	.37***	—											
12. Not wearing a condom	.16	.20	.20	.00	-.12	.15	-.09	.23	-.05	.11	.32*	—										
13. Inadequate pregnancy prevention method	.12	.09	-.08	.01	-.02	.15	.03	.16	-.12	-.02	.00	.67***	—									
14. Age of first intercourse	.07	.15	.31*	-.05	.12	-.25	.01	-.15	-.21	-.23	.10	.02	-.11	—								
15. Number of sexual partners (past 3 months)	.19	.04	.10	-.08	.19	.18	.06	-.15	.33*	.03	.47***	.15	-.03	.20	—							
16. Number of sexual partners in lifetime	.21	.26†	.19	-.01	.08	.32*	.32*	.03	.22	.10	.34*	.24	.13	-.15	.57***	—						
17. BART average adjusted pumps	-.05	.04	-.07	.31**	-.08	.15	.21†	.01	.12	.00	-.06	-.10	-.10	-.12	-.04	.01	—					
18. Emotional go/no-go false alarms	.17	-.00	-.20	.30*	.26*	.01	.33***	.02	-.12	-.11	-.25*	-.12	.17	-.20	-.44**	-.35*	.06	—				
19. Emotional go/no-go reaction time	-.18	-.17	-.15	-.08	-.09	.05	-.07	-.04	.13	-.05	.05	-.24	-.16	.29†	.27†	.10	.02	-.28*	—			
20. Emotional go/no-go accuracy	-.02	-.02	.05	.19	.02	.07	-.05	-.02	-.07	.13	.10	.25	.13	-.18	-.15	-.25	.24†	.16	-.36**	—		
21. Delay discounting indifference point	.28*	.02	-.09	-.24*	.22†	.02	-.14	-.01	-.19	-.20†	.05	.23	.25	-.06	.16	.28†	-.29*	-.18	-.01	-.09	—	

Note. BART = balloon analogue risk task.  
†*p* < .10. \**p* < .05. \*\**p* < .01. \*\*\**p* < .001.

**Table 4.** Self-Report Measures of Trait Impulsivity and Risk-Taking Propensity.

	Child abuse ( <i>n</i> = 20)		No child abuse ( <i>n</i> = 53)		Analysis		
	Mean	SE	Mean	SE	<i>t</i>	<i>p</i>	Cohen's <i>d</i> [95% CI]
<b>UPPS-P Impulsivity Scale</b>							
Negative urgency	25.51	1.83	25.62	0.91	0.06	.95	-0.02 [-0.53, 0.50]
(Lack of) premeditation	22.91	1.35	20.18	0.58	-2.16	.03	0.57 [0.04, 1.09]
(Lack of) perseverance	21.34	1.11	18.03	0.62	-2.72	.01	0.71 [0.18, 1.23]
Sensation seeking	31.20	2.02	33.40	1.09	1.01	.31	-0.17 [-0.69, 0.34]
Positive urgency	23.67	1.96	24.28	1.08	0.28	.78	-0.08 [-0.78, 0.25]
<b>Risk taking Index</b>							
Current risk-taking	1.55	0.13	1.69	0.07	0.94	.35	-0.26 [-0.78, 0.25]
Past risk-taking	1.92	0.14	1.69	0.08	-1.48	.15	0.39 [-0.13, 0.90]

Note. CI = confidence interval; SE = standard error.

**Table 5.** Laboratory Measures of Risk Taking and Impulsivity.

	Child abuse ( <i>n</i> = 20)		No child abuse ( <i>n</i> = 53)		Analysis		
	Mean	SE	Mean	SE	<i>F</i>	<i>p</i>	Cohen's <i>d</i> [95% CI]
<b>BART</b>							
Average number of adjusted pumps	50.17	2.70	56.59	1.64	4.12	.046	-0.54 [-1.05, -0.01]
<b>Emotional go/no-go</b>							
False alarms	0.87	0.22	1.41	0.11	4.78	.03	-0.63 [-1.15, -0.10]
Reaction time	516.87	29.22	513.40	15.44	0.01	.92	0.03 [-0.49, 0.54]
Accuracy	16.81	0.83	17.09	0.43	0.09	.76	-0.08 [-0.60, 0.43]
<b>Delay discounting</b>							
Indifference point (natural log)	-5.25	0.44	-5.62	0.26	0.52	.47	0.19 [-0.32, 0.71]

Note. CI = confidence interval. BART = Balloon analogue risk task; SE = standard error.

low to nonsignificant correlations with measures of laboratory-based impulsivity.

### Self-Report Measures

**UPPS-P Impulsivity Scale.** Significant group differences were observed on the lack of premeditation and lack perseverance domains, where the CA group scored higher than the no-CA group on both domains (Table 4). Example items include the following: "I like to stop and think things over before I do them (reverse scored)" and "I tend to give up easily" for lack of premeditation and perseverance, respectively. No group differences were observed on the negative urgency, sensation seeking, and positive urgency domains of impulsivity (Table 4).

**RTI.** There were no significant group differences between CA and no-CA with respect to current and past risk-taking propensity (Table 4).

**YRBS.** A significant group difference was found in the number of lifetime sexual partners reported (Table 1). More than half of the CA group reported having five or more lifetime sexual partners, compared to 16.7% of the no-CA group, despite nonsignificant group differences for age of first sexual intercourse

(Table 1). No group differences were observed in the number of sexual partners endorsed in the previous 3 months, in condom use with last partner, and in pregnancy prevention methods for previous sexual intercourse (only participants who endorsed sexual intercourse were included in the analysis; Table 1). Similarly, CA group status was unrelated to wearing a seatbelt, riding in a car driven by someone who had been drinking, having driven after drinking, and wearing a helmet while riding a bicycle in the last 12 months (Table 1).

### Computerized Laboratory Tasks

**BART.** Significant group differences were observed in performance on the BART, such that the CA group exhibited *fewer* average adjusted pumps than the no-CA group (Table 5).

**Emotional go/no-go task.** Group differences were found for the average number of false alarms, such that the CA group exhibited *fewer* false alarms than the no-CA group (Table 5). No significant differences were observed in reaction time or accuracy (Table 5).

**DDT.** No significant group differences between the CA and the no-CA group were observed on the DDT (Table 5).



## Discussion

This study examined the association of CA to self-reported and laboratory-based impulsivity and risk-taking in 75 young adults with and without a history of abuse during childhood. Although several measures of impulsivity and risk-taking were not significantly associated with CA status, young adults with a history of CA had higher levels of self-reported trait impulsivity (specifically, lack of premeditation and perseverance) and more lifetime sexual partners. However, our laboratory-based assessments provided evidence for decreased impulsivity and risk-taking among CA individuals (i.e., fewer false alarms on the emotional go/no-go and lower average adjusted pumps on the BART). The dissociation with respect to CA status and self-report and laboratory measures merits further consideration, as the divergent results may be useful for understanding behavioral sequelae of CA and targeting prevention and intervention efforts for these individuals.

Self-report measures indicated that the CA and no-CA group were not significantly different on most items assessing risky sexual behavior. Specifically, no group differences were observed for condom use, pregnancy prevention, age of first intercourse, and number of partners in last 3 months. However, in concert with research showing that CA is associated with increased risk of engaging in risky sexual behaviors (see Tyler, 2002), CA individuals, on average, had a higher number of lifetime sexual partners. Nearly half of CA individuals self-reported having six or more lifetime sexual partners, compared to only one sixth of no-CA individuals. Previously, number of sexual partners has been linked to adverse health and psychological consequences, including sexually transmitted diseases (e.g., Joffe et al., 1992; Mo, Wong, & Merrick, 2007) and psychological distress (Burris, Brechting, Salsman, & Carlson, 2009). Condom use may not decrease the risk of contracting some sexually transmitted diseases (e.g., human papillomavirus; Manhart & Koutsky, 2002), and thus even protected sex with multiple sexual partners may constitute risky sexual behavior.

CA was positively associated with two domains of trait impulsivity: lack of both perseverance and premeditation, suggesting that CA individuals may have deficits in planning and implementation skills. Similar to the only other study to examine the UPPS impulsivity traits in relation to child maltreatment (i.e., Gagnon et al., 2013), this study indicated domain-specific self-reported trait impulsivity. However, contrary to Gagnon and colleagues' findings, which showed elevated negative urgency, we observed increased trait impulsivity on lacking perseverance and premeditation domains of impulsivity in CA individuals. These divergent results may have resulted from different measurement techniques. The other study assessed maltreatment using a continuous variable that included items on physical, sexual, and emotional abuse, as well as emotional and physical neglect. This broad-based dimensional assessment of early maltreatment is qualitatively different from the binary characterization of CA used in this study. Nonetheless, both studies indicate that maltreatment may be related to domain-specific increases in self-reported trait impulsivity.

Although significant group differences were observed on some domains of self-reported impulsivity and risk-taking, other domains showed no significant group differences. No significant group differences were reported regarding past and present global risk-taking propensity and in the safety domains of biking and driving. The CA and no-CA group were similar in negative urgency, positive urgency, and sensation seeking domains of impulsivity. These three impulsivity domains are related to seeking out heightened arousal or emotional states, indicating that CA individuals may be no more "thrill seeking" than no-CA individuals.

While self-report measures demonstrated either no significant group differences or increased impulsivity and risk-taking among CA individuals, laboratory measures demonstrated either no significant group differences or *reduced* impulsivity and risk-taking among CA individuals. Compared to no-CA individuals, CA individuals had fewer false alarms on the emotional go/no-go, a laboratory measure of impulsivity, and had fewer average adjusted pumps on the BART, a laboratory measure of risk-taking. No significant group differences were observed for delay discounting. Elevated impulsivity and risk-taking on some laboratory measures among CA individuals may seem incongruent with prior findings that suggested CA may be associated with increased impulsivity and risk-taking on laboratory tasks. However, past studies assessing CA and performance on laboratory tasks of impulsivity found an association between CA and impulsivity either under limited circumstances (e.g., reduced accuracy only when there was a long delay between the target stimuli and the stop stimuli; Navalta et al., 2006) or when conducted with a limited population (i.e., only male children; Mezzacappa et al., 2001). Furthermore, although studies have shown a relationship between maladaptive response to trauma (i.e., PTSD) and elevated risk-taking on laboratory tasks (Danielson et al., 2010; Tull et al., 2009), no prior study has examined the independent relationship of CA to laboratory-based measures of risk-taking.

Nonetheless, our seemingly divergent findings from self-report and laboratory measures merit further consideration. Self-report measures may assess general real-world risk-taking propensity related to individuals' stable trait characteristics, whereas laboratory measures may reflect specific in the moment behaviors related to individuals' psychological states during the experiment. Indeed, while some prior studies have found a positive association between self-report measures of impulsivity and laboratory measures of impulsivity (e.g., Nolan, D'Angelo, & Hoptman, 2011), other studies found that these associations were modest or nonsignificant (e.g., Lane, Cherek, Rhoades, Pietras, & Tcheremissine, 2003; Reynolds, Ortengren, Richards, & de Wit, 2006; Reynolds, Penfold, & Patak, 2008). Furthermore, factor analyses indicate that laboratory-based measures assess specific dimensions of impulsivity and thus cannot be generalized to the same broader construct of impulsivity assessed by self-report measures (Dougherty et al., 2009; Lane et al., 2003).

The results from our laboratory-based measures suggest that CA individuals may be more risk-averse than comparison

individuals. This theory is in line with research linking childhood trauma to hypervigilance (Coates & Gaensbauer, 2009). Although increased vigilance to threat following stress and trauma is common (Davidson, Stein, Shalev, & Yehuda, 2004; Joëls & Baram, 2009), it may decrease in the moment impulsivity and risk-taking as a form of self-protection. Indeed, anxiety is related to risk-aversion (Giorgetta et al., 2012) and behavioral inhibition (Muris, Meesters, Bouwman, & Notermans, 2014). Specifically, dispositional anxiety relates to risk-averse performance on the BART (Maner et al., 2007) and experimentally induced anxiety relates to fewer errors of omission (i.e., false alarms) on a go/no-go task (Robinson, Krimsky, & Grillon, 2013). Thus, although reduced impulsivity and risk-taking are generally conceptualized as positive phenotypes, these behaviors should be considered in light of research indicating that risk-taking can be adaptive (e.g., Humphreys, Lee, & Tottenham, 2013) and chronically risk-averse behavior can be maladaptive. Both smokers (Dean, Sugar, Hellemann, & London, 2011) and excessive drinkers (Ashenhurst, Jentsch, & Ray, 2011) performed worse on the BART than comparison participants. Furthermore, the congruency between laboratory and real-world risk-takers may be problematic. Individuals who engage in elevated real-world risk-taking behaviors may be less incentivized by rewards, which could lead to poorer performance on the laboratory tasks (Dean et al., 2011).

One potential explanation for reduced impulsivity and risk-taking on laboratory-based tasks, coupled with the observed self-reported deficits in planning and implementation in CA individuals, is attentional allocation differences. Individuals who have experienced intense anxiety or trauma are thought to reallocate attentional resources to processing negative emotions and intrusive thoughts and away from higher executive function involved in planning and decision-making (see the limited-capacity model of cognitive processing; Kahneman & Treisman, 1984). Among CA individuals, attentional allocation differences could lead to suppression of higher order executive function and heightened reactivity for in the moment responses. It is possible that the reduced impulsivity and risk-taking behavior observed among CA individuals on laboratory-based measures is reflective of a response process guided by heightened in the moment reactivity, while elevated impulsivity and risk-taking on self-report measures may be reflective of deficits in long-term planning and decision-making. Thus, CA individuals may benefit from interventions targeting reducing reactivity as well as increasing long-term planning and decision-making skills. Nonetheless, future research should examine potential mechanisms by which early adversity may result in both heightened and reduced impulsivity and risk-taking.

There were several limitations to this study. The sample was relatively small and comprised of presumably high-functioning young adults (i.e., currently enrolled undergraduate students). There were also limitations pertaining to our measurement of CA. Data on CA history were collected through retrospective recall. Reliance on retrospective recall can lead to errors of commission (reporting incidents that did not occur) and errors of omission (failing to report incidents that did occur; Cantor-

Graae, Cardenal, Ismail, & McNeil, 1998). However, there is evidence that retrospective measures of self-reported early adverse events are valid sources of data (Brown, Craig, Harris, Handley, & Harvey, 2007). Our measurement of abuse was also limited to a dichotomous classification of CA (present or absent) and the association of trauma severity to risk-related behaviors was not assessed. Thus, this study was unable to detect whether severity of the abuse relates to impulsivity and risk-taking in emerging adults. Furthermore, only two types of traumatic events (i.e., physical and sexual abuse) were evaluated. Future research should evaluate the relationship of other forms of stressors to the emergence of risk-related behaviors. In regard to our laboratory-based measures, it should be noted that laboratory-based behavior can be influenced by situational demands, emotional states, and stress of performing under pressure (e.g., Choi et al., 2013; Worthy, Markman, & Maddox, 2009). If these situational demands had a greater influence on one group over the other, they may have driven the observed differences on the laboratory measures. Furthermore, because participants may be aware that laboratory-based measures have no strong external consequences, these measures may not be a useful metric of real-world impulsive and risk-taking propensity. Self-report measures are also limited, as they reflect individuals' perceptions of their tendencies to engage in real-world behaviors and thus are subject to reporting biases and social desirability. Additionally, we only assessed some domains of self-reported risk-taking behavior, and prior research has shown an association between CA and substance abuse (e.g., Hovdestad, Tonmyr, Wekerle, & Thornton, 2011). Finally, it is important to note that this study provides preliminary evidence for differential long-term outcomes related to CA and merits replication.

In sum, compared to young adults without a history of abuse in childhood, those with a history of CA show similar levels of impulsivity and risk-taking in a number of domains. However, both increased and decreased impulsivity and risk-taking behaviors, depending on whether data are collected via laboratory-based measures or self-report measures, were also found. It is likely that these seemingly divergent results reflect the different constructs that self-report and laboratory-based measures assess, as laboratory measuring of impulsivity and risk-taking may be tapping into hypervigilance or in the moment behaviors and self-report measures may be assessing general trait level and real-world risk-taking and impulsivity. These findings highlight the special risks in emerging adulthood among those who have experienced CA, both in terms of increased risk of engaging in potentially harmful behaviors related to impulsivity and risk-taking and potentially maladaptive risk-averse behavior patterns.

### Acknowledgments

We gratefully acknowledge the participation of the individuals in this study as well as the collective contribution of graduate and undergraduate research staff.

### Declaration of Conflicting Interests

The author(s) declared no potential conflicts of interest with respect to the research, authorship, and/or publication of this article.

## Funding

The author(s) disclosed receipt of the following financial support for the research, authorship, and/or publication of this article: K.H.'s role was supported by funding from the National Science Foundation Graduate Research Fellowship. S.L.'s role was supported by NIH grant 1R03AA020186-01 (PI: Steve S. Lee).

## References

- Ackerman, P. T., Newton, J. O., McPherson, W., Jones, J. G., & Dykman, R. A. (1998). Prevalence of post traumatic stress disorder and other psychiatric diagnoses in three groups of abused children (sexual, physical, and both). *Child Abuse and Neglect, 22*, 759–774. doi:10.1016/S0145-2134(98)00062-3
- Aklin, W. M., Lejuez, C. W., Zvolensky, M. J., Kahler, C. W., & Gwadz, M. (2005). Evaluation of behavioral measures of risk-taking propensity with inner city adolescents. *Behaviour Research and Therapy, 43*, 215–228. doi:10.1016/j.brat.2003.12.007
- Annerbäck, E. M., Sahlqvist, L. L., Svedin, C. G., Wingren, G. G., & Gustafsson, P. A. (2012). Child physical abuse and concurrence of other types of child abuse in Sweden—Associations with health and risk behaviors. *Child Abuse and Neglect, 36*, 585–595. doi:10.1016/j.chiabu.2012.05.006
- Arnett, J. (1992). Reckless behavior in adolescence: A developmental perspective. *Developmental Review, 12*, 339–373. doi:10.1016/0273-2297(92)90013-R
- Ashenhurst, J. R., Jentsch, J., & Ray, L. A. (2011). Risk-taking and alcohol use disorders symptomatology in a sample of problem drinkers. *Experimental and Clinical Psychopharmacology, 19*, 361–370. doi:10.1037/a0024412
- Bender, R., & Lange, S. (2001). Adjusting for multiple testing—When and how? *Journal of Clinical Epidemiology, 54*, 343–349.
- Brawner, B. M., Gomes, M. M., Jemmott, L. S., Deatrick, J. A., & Coleman, C. L. (2012). Clinical depression and HIV risk-related sexual behaviors among African-American adolescent females: Unmasking the numbers. *AIDS Care, 24*, 618–625. doi:10.1080/09540121.2011.630344
- Brown, G. W., Craig, T. J., Harris, T. O., Handley, R. V., & Harvey, A. L. (2007). Validity of retrospective measures of early maltreatment and depressive episodes using the Childhood Experience of Care and Abuse (CECA) instrument: A life-course study of adult chronic depression. *Journal of Affective Disorders, 103*, 217–224. doi:10.1016/j.jad.2007.06.003
- Burris, J. L., Brechting, E. H., Salsman, J., & Carlson, C. R. (2009). Factors associated with the psychological well-being and distress of university students. *Journal of American College Health, 57*, 536–543. doi:10.3200/JACH.57.5.536-544
- Byrnes, J. P., Miller, D. C., & Schafer, W. D. (1999). Gender differences in risk-taking: A meta-analysis. *Psychological Bulletin, 125*, 367–383. doi:10.1037/0033-2909.125.3.367
- Cantor-Graae, E., Cardenal, S. S., Ismail, B. B., & McNeil, T. F. (1998). Recall of obstetric events by mothers of schizophrenic patients. *Psychological Medicine, 28*, 1239–1243. doi:10.1017/S0033291798006953
- Carr, C., Martins, C., Stingel, A., Lemgruber, V., & Jurueña, M. (2013). The role of early life stress in adult psychiatric disorders: A systematic review according to childhood trauma subtypes. *Journal of Nervous and Mental Disease, 201*, 1007–1020. doi:10.1097/NMD.0000000000000049
- Choi, M., Min, Y., Kim, H., Kim, J., Yeon, H., Choi, J., . . . Chung, S. (2013). Effects of three levels of arousal on 3-back working memory task performance. *Cognitive Neuroscience, 4*, 1–6. doi:10.1080/17588928.2011.634064
- Clapper, R. L., Buka, S. L., Goldfield, E. C., & Lipsitt, L. P. (1995). Adolescent problem behaviors as predictors of adult alcohol diagnoses. *International Journal of the Addictions, 30*, 507–523.
- Coates, S., & Gaensbauer, T. J. (2009). Event trauma in early childhood: Symptoms, assessment, intervention. *Child and Adolescent Psychiatric Clinics of North America, 18*, 611–626. doi:10.1016/j.chc.2009.03.005
- Cyders, M. A., Smith, G. T., Spillane, N. S., Fischer, S., Annus, A. M., & Peterson, C. (2007). Integration of impulsivity and positive mood to predict risky behavior: Development and validation of a measure of positive urgency. *Psychological Assessment, 19*, 107–118. doi:10.1037/1040-3590.19.1.107
- Danielson, C., Ruggiero, K. J., Daughters, S. B., & Lejuez, C. W. (2010). Distress tolerance, risk-taking propensity, and PTSD symptoms in trauma-exposed youth: Pilot study. *The Behavior Therapist, 33*, 28–34.
- Davidson, J. T., Stein, D. J., Shalev, A. Y., & Yehuda, R. (2004). Post-traumatic stress disorder: Acquisition, recognition, course, and treatment. *The Journal of Neuropsychiatry and Clinical Neurosciences, 16*, 135–147. doi:10.1176/appi.neuropsych.16.2.135
- Dean, A. C., Sugar, C. A., Hellemann, G., & London, E. D. (2011). Is all risk bad? Young adult cigarette smokers fail to take adaptive risk in a laboratory decision-making test. *Psychopharmacology, 215*, 801–811. doi:10.1007/s00213-011-2182-y
- Dougherty, D. M., Mathias, C. W., Marsh-Richard, D. M., Furr, R., Nouvion, S. O., & Dawes, M. A. (2009). Distinctions in behavioral impulsivity: Implications for substance abuse research. *Addictive Disorders and Their Treatment, 8*, 61–73. doi:10.1097/ADT.0b013e318172e488
- Duka, T., & Crews, F. (2009). Impulsivity: Its genetic, neurochemical and brain substrate determinants and the risks it entails for aberrant motivated behavior and psychopathology. *Pharmacology, Biochemistry and Behavior, 93*, 197–198. doi:10.1016/j.pbb.2009.06.011
- Eaton, D. K., Kann, L., Kinchen, S., Shanklin, S., Ross, J., Hawkins, J., . . . Wechsler, H. (2010). Youth risk behavior surveillance—United States, 2009. *Morbidity and Mortality Weekly Report: Surveillance Summaries, 59*, 1–142.
- Fergusson, D. M., Boden, J. M., & Horwood, L. (2008). Exposure to childhood sexual and physical abuse and adjustment in early adulthood. *Child Abuse and Neglect, 32*, 607–619. doi:10.1016/j.chiabu.2006.12.018
- Fischhoff, B. (1992). Risk taking: A developmental perspective. In J. Yates (Ed.), *Risk-taking behavior* (pp. 133–162). Oxford, England: John Wiley.
- Frankel, K. A., Boetsch, E. A., & Harmon, R. J. (2000). Elevated picture completion scores: A possible indicator of hypervigilance in maltreated preschoolers. *Child Abuse and Neglect, 24*, 63–70. doi:10.1016/S0145-2134(99)00110-6
- Gagnon, J., Daelman, S., McDuff, P., & Kocka, A. (2013). UPPS dimensions of impulsivity: Relationships with cognitive distortions

- and childhood maltreatment. *Journal of Individual Differences*, *34*, 48–55. doi:10.1027/1614-0001/a000099
- Giorgetta, C., Grecucci, A., Zuanon, S., Perini, L., Balestrieri, M., Bonini, N., . . . Brambilla, P. (2012). Reduced risk-taking behavior as a trait feature of anxiety. *Emotion*, *12*, 1373–1383. doi:10.1037/a0029119
- Hare, T. A., Tottenham, N., Davidson, M. C., Glover, G. H., & Casey, B. J. (2005). Contributions of amygdala and striatal activity in emotion regulation. *Biological Psychiatry*, *57*, 624–632. doi:10.1016/j.biopsych.2004.12.038
- Harris, A. H. S., Reeder, R., & Hyun, J. K. (2009). Common statistical and research design problems in manuscripts submitted to high-impact psychiatry journals: What editors and reviewers want authors to know. *Journal of Psychiatric Research*, *43*, 1231–1234. doi:10.1016/j.jpsychires.2009.04.007
- Hillberg, T., Hamilton-Giachritsis, C., & Dixon, L. (2011). Review of meta-analyses on the association between child sexual abuse and adult mental health difficulties: A systematic approach. *Trauma, Violence, and Abuse*, *12*, 38–49. doi:10.1177/1524838010386812
- Hovdestad, W. E., Tonmyr, L., Wekerle, C., & Thornton, T. (2011). Why is childhood maltreatment associated with adolescent substance abuse? A critical review of explanatory models. *International Journal of Mental Health and Addiction*, *9*, 525–542. doi:10.1007/s11469-011-9322-9
- Humphreys, K. L., Lee, S. S., & Tottenham, N. (2013). Not all risk-taking behavior is bad: Associative sensitivity predicts learning during risk-taking among high sensation seekers. *Personality and Individual Differences*, *54*, 709–715. doi:10.1016/j.paid.2012.11.031
- Humphreys, K. L., Lee, S. S., Telzer, E. H., Gabard-Durnam, L. J., Goff, B., & Tottenham, N. (2014). Exploration-exploitation trade-off is dependent on early experience. Manuscript under editorial review.
- Jentsch, J. D., Ashenhurst, J. R., Cervantes, M. C., Groman, S. M., James, A. S., & Pennington, Z. T. (2014). Dissecting impulsivity and its relationships to drug addictions. *Annals of the New York Academy of Sciences*. doi:10.1111/nyas.12388
- Joëls, M., & Baram, T. Z. (2009). The neuro-symphony of stress. *Nature Reviews Neuroscience*, *10*, 459–466. doi:10.1038/nrn2632
- Joffe, G. P., Foxman, B., Schmidt, A. J., Farris, K. B., Carter, R. J., Neumann, S., . . . Walters, A. M. (1992). Multiple partners and partner choice as risk factors for sexually transmitted disease among female college students. *Sexually Transmitted Diseases*, *19*, 272–278.
- Kahneman, D., & Treisman, A. (1984). Changing views of attention and automaticity. In R. Parasuraman, D. R. Davies & J. Beatty (Eds.), *Variants of attention* (pp. 29–61). New York, NY: Academic Press.
- Lane, S. D., Cherek, D. R., Rhodes, H. M., Pietras, C. J., & Tcheremissine, O. V. (2003). Relationships among laboratory and psychometric measures of impulsivity: Implications in substance abuse and dependence. *Addictive Disorders and Their Treatment*, *2*, 33–40. doi:10.1097/00132576-200302020-00001
- Leigh, B. C. (1999). Peril, chance, adventure: Concepts of risk, alcohol use and risky behavior in young adults. *Addiction*, *94*, 371–383. doi:10.1046/j.1360-0443.1999.9433717.x
- Lejuez, C. W., Read, J. P., Kahler, C. W., Richards, J. B., Ramsey, S. E., Stuart, G. L., . . . Brown, R. A. (2002). Evaluation of a behavioral measure of risk-taking: The Balloon Analogue Risk Task (BART). *Journal of Experimental Psychology: Applied*, *8*, 75–84. doi:10.1037/1076-898X.8.2.75
- Li, T., Du, J., Yu, S., Jiang, H., Fu, Y., Wang, D., . . . Zhao, M. (2012). Pathways to age of onset of heroin use: A structural model approach exploring the relationship of the COMT gene, impulsivity and childhood trauma. *PLoS ONE*, *7*. doi:10.1371/journal.pone.0048735
- Lynam, D. R., Smith, G. T., Whiteside, S. P., & Cyders, M. A. (2006). *The UPPS-P: Assessing five personality pathways to impulsive behavior*. West Lafayette, IN: Purdue University.
- Maner, J. K., Richey, J., Cromer, K., Mallott, M., Lejuez, C. W., Joiner, T. E., & Schmidt, N. B. (2007). Dispositional anxiety and risk-avoidant decision-making. *Personality and Individual Differences*, *42*, 665–675. doi:10.1016/j.paid.2006.08.016
- Manhart, L. E., & Koutsky, L. A. (2002). Do condoms prevent genital HPV infection, external genital warts, or cervical neoplasia? A meta-analysis. *Sexually Transmitted Diseases*, *29*, 725–735.
- Mezzacappa, E., Kindlon, D., & Earls, F. (2001). Child abuse and performance task assessments of executive functions in boys. *Journal of Child Psychology and Psychiatry*, *42*, 1041–1048. doi:10.1111/1469-7610.00803
- Miller, D. J., Derefinco, K. J., Lynam, D. R., Milich, R., & Fillmore, M. T. (2010). Impulsivity and attention deficit-hyperactivity disorder: Subtype classification using the UPPS Impulsive Behavior Scale. *Journal of Psychopathology and Behavioral Assessment*, *32*, 323–332. doi:10.1007/s10862-009-9155-z
- Mo, F., Wong, T., & Merrick, J. (2007). Adolescent lifestyle, sexual behavior and sexually transmitted infections (STI) in Canada. *International Journal on Disability and Human Development*, *6*, 53–60. doi:10.1515/IJDHD.2007.6.1.53
- Moeller, F., Barratt, E. S., Dougherty, D. M., Schmitz, J. M., & Swann, A. C. (2001). Psychiatric aspects of impulsivity. *The American Journal of Psychiatry*, *158*, 1783–1793. doi:10.1176/appi.ajp.158.11.1783
- Monterosso, J., Ehrman, R., Napier, K. L., O'Brien, C. P., & Childress, A. (2001). Three decision-making tasks in cocaine-dependent patients: do they measure the same construct? *Addiction*, *96*, 1825–1837. doi:10.1080/09652140120089571
- Muris, P., Meesters, C., Bouwman, L., & Notermans, S. (2014). Relations among behavioral inhibition, shame- and guilt-proneness, and anxiety disorders symptoms in non-clinical children. *Child Psychiatry and Human Development*. doi:10.1007/s10578-014-0457-3
- Navalta, C. P., Polcari, A., Webster, D. M., Boghossian, A., & Teicher, M. H. (2006). Effects of childhood sexual abuse on neuropsychological and cognitive function in college women. *The Journal of Neuropsychiatry and Clinical Neurosciences*, *18*, 45–53. doi:10.1176/appi.neuropsych.18.1.45
- Nicholson, N., Soane, E., Fenton-O'Creevy, M., & Willman, P. (2005). Personality and domain-specific risk-taking. *Journal of Risk Research*, *8*, 157–176. doi:10.1080/1366987032000123856
- Nolan, K. A., D'Angelo, D., & Hoptman, M. J. (2011). Self-report and laboratory measures of impulsivity in patients with schizophrenia

- or schizoaffective disorder and healthy controls. *Psychiatry Research*, 187, 301–303. doi:10.1016/j.psychres.2010.10.032
- Pennebaker, J. W., & Susman, J. R. (1988). Disclosure of traumas and psychosomatic processes. *Social Science and Medicine*, 26, 327–332. doi:10.1016/0277-9536(88)90397-8
- Pharo, H., Sim, C., Graham, M., Gross, J., & Hayne, H. (2011). Risky business: Executive function, personality, and reckless behavior during adolescence and emerging adulthood. *Behavioral Neuroscience*, 125, 970–978. doi:10.1037/a0025768
- Rachlin, H., Raineri, A., & Cross, D. (1991). Subjective probability and delay. *Journal of the Experimental Analysis of Behavior*, 55, 233–244. doi:10.1901/jeab.1991.55-233
- Reynolds, B., Ortengren, A., Richards, J. B., & de Wit, H. (2006). Dimensions of impulsive behavior: Personality and behavioral measures. *Personality and Individual Differences*, 40, 305–315. doi:10.1016/j.paid.2005.03.024
- Reynolds, B., Penfold, R. B., & Patak, M. (2008). Dimensions of impulsive behavior in adolescents: Laboratory behavioral assessments. *Experimental and Clinical Psychopharmacology*, 16, 124–131. doi:10.1037/1064-1297.16.2.124
- Robinson, O. J., Krinsky, M., & Grillon, C. (2013). The impact of induced anxiety on response inhibition. *Frontiers in Human Neuroscience*, 7, 69. doi:10.3389/fnhum.2013.00069
- Roy, A. (2005). Childhood trauma and impulsivity. Possible relevance to suicidal behavior. *Archives of Suicide Research*, 9, 147–151. doi:10.1080/13811110590903990
- Shulman, E. P., & Cauffman, E. (2014). Deciding in the dark: Age differences in intuitive risk judgment. *Developmental Psychology*, 50, 167–177. doi:10.1037/a0032778
- Singer, M. J., Humphreys, K. L., & Lee, S. S. (2012). Coping self-efficacy mediates the association between abuse during childhood and ADHD symptoms in adulthood. *Journal of Attention Disorders*. doi:10.1177/1087054712465337
- Tull, M. T., Trotman, A., Duplinsky, M. S., Reynolds, E. K., Daughters, S. B., Potenza, M. N., & Lejuez, C. W. (2009). The effect of posttraumatic stress disorder on risk-taking propensity among crack/cocaine users in residential substance abuse treatment. *Depression and Anxiety*, 26, 1158–1164. doi:10.1002/da.20637
- Tyler, K. A. (2002). Social and emotional outcomes of childhood sexual abuse: A review of recent research. *Aggression and Violent Behavior*, 7, 567–589. doi:10.1016/S1359-1789(01)00047-7
- Tyler, K. M., Normand, S. L. T., & Horton, N. J. (2011). The use and abuse of multiple outcomes in randomized controlled depression trials. *Contemporary Clinical Trials*, 32, 299–304. doi:10.1016/j.cct.2010.12.007
- Whiteside, S. P., Lynam, D. R., Miller, J. D., & Reynolds, S. K. (2005). Validation of the UPPS impulsive behaviour scale: A four-factor model of impulsivity. *European Journal of Personality*, 19, 559–574. doi:10.1002/per.556
- Worthy, D. A., Markman, A. B., & Maddox, W. (2009). Choking and excelling under pressure in experienced classifiers. *Attention, Perception, and Psychophysics*, 71, 924–935. doi:10.3758/APP.71.4.924