

Lawrence Berkeley National Laboratory

Recent Work

Title

THE REAP FAMILY OF COMPUTER PROGRAMS FOR RETRIEVAL OF SOCIO-ECONOMIC-ENVIRONMENTAL-DEMOGRAPHIC INFORMATION

Permalink

<https://escholarship.org/uc/item/2jd399qw>

Author

Gey, Fredric

Publication Date

1977-06-01

0 0 . 3 3 3 3 4 2

To be published in proceedings of
URISA 77 Urban and Regional Information
Systems Association Conference,
Kansas City, MO, August 7 - 11, 1977

UC-32

LBL-6417

c.1

THE REAP FAMILY OF COMPUTER
PROGRAMS FOR RETRIEVAL OF
SOCIO-ECONOMIC-ENVIRONMENTAL-DEMOGRAPHIC INFORMATION

Fredric Gey and Edna Williams

June 23, 1977


RECEIVED
LAWRENCE
BERKELEY LABORATORY

DEC 15 1977

LIBRARY AND
DOCUMENTS SECTION

Prepared for the U. S. Department of Energy
under Contract W-7405-ENG-48

For Reference
Not to be taken from this room



LBL-6417
c.1

DISCLAIMER

This document was prepared as an account of work sponsored by the United States Government. While this document is believed to contain correct information, neither the United States Government nor any agency thereof, nor the Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or the Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof or the Regents of the University of California.

Presented at URISA 77
Urban & Regional Information Systems Association
Conference, Kansas City, August 7-11, 1977

LBL - 6417

The REAP Family of Computer Programs
for Retrieval of
Socio-Economic-Environmental-Demographic Information

Fredric Gey and Edna Williams
Computer Science and Applied Mathematics Department
Lawrence Berkeley Laboratory
Berkeley, Ca 94720

ABSTRACT

REAP is a non-programmer-oriented computerized system for interactive retrieval of a large amount of socio-economic-environmental-demographic information. The REAP data base is mostly maintained at the county level for the entire United States; it has 11 files of information and allows retrieval at the record and data element level for approximately 10,000 named data elements. Thus the data base comprises about 30 million data items, and total size of 250-300 million characters.

This report was prepared for the U. S. Energy Research & Development Administration under Contract W-7405-ENG-48.

TABLE OF CONTENTS 29 JUL 77

1. THE REAP FAMILY OF COMPUTER PROGRAMS	1
1. INTRODUCTION	1
2. INFORMATION AVAILABLE VIA REAP	1
3. ACCESS TO REAP - THE SEEDIS MONITOR	2
4. THE STYLE OF REAP	3
5. TECHNICAL DETAILS	5
6. BATCH RETRIEVAL	6
7. DATA EXTRACTION AND NEW FILE CREATION	6
8. REPORT GENERATION	7
9. PLANS FOR FUTURE DEVELOPMENT	8
-----10. ACCESS / ACKNOWLEDGMENTS	8
11. REFERENCES	9

1. INTRODUCTION

During the last five years the Lawrence Berkeley Laboratory's Computer Science and Applied Mathematics Group has designed a massive Socio-Economic-Environmental-Demographic Information System (SEEDIS) [1] of which REAP is a subsystem. Another such subsystem, the CARTE thematic mapping program was described in in URISA 76 [2].

REAP is intended to provide rapid access to information within SEEDIS where the user wants a limited amount of information (such as can easily be displayed on a teletype or CRT screen); it has been used by nationwide planning offices of the federal government (in particular, Department of Labor, Army Corps of Engineers, and Energy Research and Development Administration) for nearly two years now. The technical details of REAP were presented in [3].

Within the REAP family there are additional programs for batch retrieval of entire or partial records from the data base as well as a general report processor for producing reports complete with automated table of contents and index. The report processor is available within the SEEDIS monitor [4] in an 'online batch' mode of operation (one job control statement at a time) for online report debugging.

The next section of this paper will describe the size of the data base and the information content of REAP files. Section 3 will discuss access to REAP within the SEEDIS monitor, which serves to mask the complexity of job control processing from the non-programmer user. Section 4 will describe REAP from the user viewpoint. Section 5 will briefly discuss the technical approach in both hardware and software utilized by the systems. The next sections will describe batch retrieval, data extraction and new file creation. Section 9 will describe future developments.

2. INFORMATION AVAILABLE VIA REAP

The information available within REAP is, in general, computerized data files made available by public data collection agencies of the United States government (primarily the Bureau of the Census and the Bureau of Labor Statistics, the Bureau of Economic Analysis, and the Economic Development Administration). Currently only one file (the Brookhaven National Laboratory [5] county energy data base) contains derived data from various of these sources. Most data within REAP is maintained at the county level of geographic summary. Some files also contain state and SMSA data as well. The OBERS files (from the U. S. Water Resources Council) contain data for economic planning areas and water resource areas (defined as aggregates of counties).

The following files are currently installed and running under REAP -

<u>File Name</u>	<u>Description</u>	<u>No. of Records</u>	<u>Size (Megabytes)</u>
CCDBMRG	City County Data Book (1952-1972)	3,100	11.0
CNAGR49	1949 U.S. Census of Agriculture	3,100	12.6
CNAGR59	1959 U.S. Census of Agriculture	3,100	12.6
CNAGR64	1964 U.S. Census of Agriculture	3,100	12.6
CNAGR69	1969 + 1964 U.S. Census of Agriculture	3,100	23.7
CTY60PC	1960 U.S. Census of Population	3,100	30.7
OBERS	Series C OBERS Projections	695	4.5
OBERSE	Series E OBERS Projections	1,200	7.6
INCOME	BEA Income Time Series (1929-1969)	3,350	37.0
CNS4CT	Fourth Count Census Extract (1970)	3,400	12.6
ENERGY	Brookhaven County Energy Data Base	3,100	3.1

A general data base load feature is available, and new data files can be incorporated within a few days of their receipt at LBL.

3. ACCESS TO REAP - THE SEEDIS MONITOR

Most non-programmers approach computers with awe and unease; rightly so, for the complexities of job control language (JCL) specification can sometimes overwhelm even sophisticated programmers. In order to serve the access needs of information users as well as programmers, the SEEDIS monitor was created to provide a user-friendly interface to the complex data management, analysis, and display modules within SEEDIS.

The monitor performs many routine tasks by a single user command with a few options. It provides

- .Straightforward access to SEEDIS modules
- .Access to the file storage facilities at LBL
- .Local computer mail service for SEEDIS users
- .Uniform online help

In most cases the user can summon help at any point in the dialogue by typing "?" or "HELP", and instructions will be issued suggesting the appropriate input. Other major modules within SEEDIS include

- FIFPAK - A 1970 Fifth Count Census Retrieval System
- CHART - Graphic Display and Analysis System
- CARTE - Thematic Mapping System
- ESARS - Employment Applicant Data Retrieval System
- LBLIRI - The LBL Interactive Resource Index

4. THE STYLE OF REAP

The major motivation behind REAP was to develop a friendly retrieval system which did not require the intervention of a programmer in the data retrieval process. This was done through a methodology of commands and prompting. Prompting by REAP carries the user gently through the three major steps of

file selection

study area definition

data display

The following global commands are available to the user to interrupt the usual chain of REAP execution at any time

<u>command</u>	<u>meaning</u>
HELP	provide help messages
LIST	list user input to current task
DISCARD	restart current task, discarding previous input
QUIT	stop current processing; begin again at start of program
STOP	end the job
MONITOR	return to the interactive monitor

The following presents a simple REAP scenario for retrieval of housing data for the nine counties of the San Francisco Bay Area. For convenience of understanding, the user input from the teletype has been presented in boldface.

WELCOME TO REAP
 ENTER FILE NAME
 HELP

LIST OF AVAILABLE FILES

LBL-NAME	QUICK QWERY NAME	DESCRIPTION
CCDBMRG	CCDB.MERGE	CITY-COUNTY DATA BOOK (1952-1972)
CNAGR49	49.AGR.SUB	1949 U. S. CENSUS OF AGRICULTURE
CNAGR59	59.AGR.SUB	1959 U. S. CENSUS OF AGRICULTURE
CNAGR64	64.AGR.SUB	1964 U. S. CENSUS OF AGRICULTURE
CNAGR69	69.AG.CENCOM	1969+1964 U. S. CENSUS OF AGRICULTURE
CTY60PC	COUNTY.60.PC	1960 CENSUS OF POPULATION
OBERS	OBERS	SERIES C OBERS PROJECTIONS 1970
OBERSE	OBERS-E	SERIES E OBERS PROJECTIONS 1972
INCOME	INCOME	BEA INCOME TIME SERIES 1929-1969
ENERGY	ENERGY	COUNTY ENERGY DATA BASE
CNS4CT	CENSUS.4CT	FOURTH COUNT CENSUS (1970)

ENTER FILE NAME

CCDBMRG

FILE=CCDBMRG-CCDB.MERGE

CITY-COUNTY DATA BOOK (1952-1972)

DEFINE STUDY AREA

NEW OR OLD?

NEW

ENTER STUDY AREA NAME

BAY AREA

ENTER 5 DIGIT FIPS STATE-COUNTY CODES

06001,06013,06041,06055,06075,06081,06085,06095,06097;

DISPLAY?

STATE.ABBR,COUNTY.NAME,52.CCDB048,52.CCDB049,62.CCDB051,72.CCDB077;

RETRIEVING DATA FROM MSS, PLEASE BE PATIENT

STATE ABBR	COUNTY NAME	1940 DWELLING UNITS	1950 DWELLING UNITS	1960 HOUSING UNITS	1970 HOUSING UNITS
CALIF	ALAMEDA	173031	247145	310312	379723
CALIF	CONTRA COSTA	31297	90641	124279	178329
CALIF	MARIN	16472	28598	49581	70570
CALIF	NAPA	8752	13746	21176	26791
CALIF	SAN FRANCISCO	222176	265726	310559	310383
CALIF	SAN MATEO	37230	76551	141770	190147
CALIF	SANTA CLARA	56406	91670	199922	336192
CALIF	SOLANO	15312	33007	41894	53460
CALIF	SONOMA	26831	39966	59784	77214

TOTALS

 587507 887050 1259277 1622809

MORE QUERIES ON SAME STUDY AREA?

MONITOR

ENTERING MONITOR, PLEASE BE PATIENT

5. TECHNICAL DETAILS

The REAP data base is stored on a unique mass storage hardware device, the IBM-1360 photodigital mass storage system (known as the chipstore) with an online capacity of 50 billion bytes [7,8,9]. The only existing chipstore systems are at LBL, the Lawrence Livermore Laboratory and the Los Alamos Scientific Laboratory. This device is random access addressible to the 200 character segment.

The basic scheme was to use a locally written data base management system [6] called STOFI (for storage file) to manage a directory of addresses for the chipstore. The STOFI system was built to efficiently manage large disk-based data bases. STOFI typically manages 20 million byte files but is working effectively on a 100 million byte file. Ten basic subroutine calls were needed to build the large scale data access system around STOFI.

The system operates in three parts as illustrated in Figure 1. Initially the file or files are stored as data sets on chipstore. Once stored, they are read sequentially and a directory to the records is built based on a preprogrammed hierarchy set up by the user. The data dictionary, and the interactive help commands are also built into the directory file at this time. The third portion of the system is the interactive retrieval program, REAP.

The STOFI system allows logical data structuring in HISAM (Hierarchical Index-Sequential Access Method) similar to IBM's IMS data management system. The structure is illustrated in Figure 2.

The salient features of the system are

1. Data bases are stored in sequential order. The logical file structure is maintained independent of the actual data.
2. The logical structure is a hierarchy of keys taken from the data element values within each record. Keys may be specified either by name (taken from the data dictionary for the file), by position (location within the record) or by user supplied values.
3. Data dictionaries are stored on the index file and used to display individual fields in a record.
4. The interactive code is data driven such that, help commands and promptings will depend on the structure of the user's file directory.
5. Help aids, user lists and job control streams are stored on the user's directory file.
6. The data is archival in nature, i.e., the system is a retrieval not an update system.

For further details the reader is referred to reference [3].

6. BATCH RETRIEVAL

For some applications it is desirable to retrieve more information from a file than is practical to view at an interactive terminal, and in some instances one might wish to build a new data base at the record level to be run on a computer at an installation other than LBL. A program BREAP (Batch REAP retrieval) has been implemented whereby the user may extract from a given file only those records within his realm of interest. The BREAP language is compact and free format. For example the lines -

```
FILE = CNAGR69
CODES = 06001-06999
END
```

will retrieve (from chipstore to disk) all county records within the state of California for the 1969 U.S. Census of Agriculture.

Records extracted using BREAP may then be used as input to other programs and on other computers. The program has been used for data base file transfer across different computers at the LBL computer center.

7. DATA EXTRACTION AND NEW FILE CREATION

One of the more important tasks within the socio-economic-environmental-demographic field is the extraction of data for modeling, graphical displays, mapping, and statistical analysis. With this view in mind, a batch program FILMERG was designed which will retrieve data at the record and data element levels from up to ten different files thus allowing the user to form a new data base consisting only of those records and data elements which meet his specific needs. An example of input to FILMERG is -

```
FILE = CCDBMRG, DE = STATE.ABBR, COUNTY.NAME, 72.CCDB003,
72.CCDB058
FILE = ENERGY, DE = C4, C147, C67, C93
FILE = CNAGR69, DE = 69.AGT01008, 69.AGT01010;
CAT = 3*1
CODE = 3*06001, 3*06013, 3*06041, 3*06055, 3*06075, 3*06081, 3*06085,
3*06095, 3*06097
```

The above example opens the data base and retrieves data for the nine Bay Area counties from the City County Data Book, the County Energy Data Base, and the U.S. Census of Agriculture (1969 + 1964). The data elements of the newly created (merged) data base consist of the state abbreviation, the county name, the total population in each county in 1970, the median family income, the total county personal

income, the population density, the barrels of gasoline used in the county, the total electricity consumption, the approximate acres of land area in 1969, and the percent of land in farms.

Applications of FILMERG

The program has been used to generate a national county-level data base merging 600 elements from 3 files (City County Data Book, 1969 Census of Agriculture, and BEA Income). The new data base is being used at the Department of Interior computerized data center in Denver, Colorado.

In addition, Figure 3 is a map generated from FILMERG-extracted data plotted by the CARTE thematic mapping program. This data and mapping capability is being used by LBL's Energy and Environment division as part of an impact study on the current California drought funded by the California Energy Resources, Conservation and Development Commission.

8. REPORT GENERATION

Since report producing is an integral part of data collection, a program YARG (Yet Another Report Generator) was designed to operate as a completely compatible front-end processor to an in-house LBL text formatting program. Taking advantage of the capabilities of the text processor, YARG provides

- .Automatic placement of \$ (for monetary values) and commas (for demographic data)
- .Automatic table of contents and indexing
- .Mixed textual and tabular reporting
- .Automatic right and left justification

Currently YARG is a report generator only; it offers only data retrieval from existing REAP-style files and may be run in an 'online batch' mode in conjunction with BREAP. Sitting at an interactive terminal, the user may define the geographic areas of interest, retrieve the data records through batch mode, write a report which requires selected data elements within the records, and produce a final report with the desired data inserted.

Figure 4 illustrates input to create the YARG report for California Agriculture, a portion of which is displayed in Figure 5.

9. PLANS FOR FUTURE DEVELOPMENT

Within the next year, the following files should be added to the data base -

- .1972 Census of Mineral Industries
- .1974 Census of Agriculture
- .1960-1970 County migration by Age, Sex, and Race
- .County Cancer Mortality Data by Sex and Race

Plans to extend the methodology to retrieve large data bases stored on 6250 cpi tape will be implemented. In addition, some consideration is being given to a minicomputer version of REAP.

10. ACCESS / ACKNOWLEDGMENTS

REAP is available via dial-up terminal to U. S. Federal government agencies or other users on Federally funded projects. In addition, REAP is available through the ARPANET connection at the Lawrence Berkeley Laboratory computing facility. For further details, contact the authors. REAP development was funded primarily by the U. S. Army Corps of Engineers (Planning Division), with additional funding from the U. S. Department of Labor (Employment and Training Administration) and the U. S. Bureau of Reclamation, under interagency agreements with the Energy Research and Development Administration.


11. REFERENCES

- [1] Austin, Donald, Suzanne Kranz, and Carl Quong, An Overview of the LBL Socio-Economic-Environmental-Demographic Information System, Report LBL-3699, Berkeley, March, 1975.
- [2] Wood, Peter, Interactive Thematic Mapping, A Report, Presented at URISA 76, Atlanta, October, 1976, Report LBL - 5362, Berkeley, October, 1976.
- [3] Gey, F. C., and Marilyn Mantei, Keyword Access to a Mass Storage Device at the Record Level, Proceedings of the First International Conference on Very Large Data Bases, Boston, September 1975.
- [4] Kreps, Peter, and Virginia Sventek, SEEDIS Monitor, Report LBL-6440, Lawrence Berkeley Laboratory, Berkeley, June 1977.
- [5] Calef, Charles, and Frank Drysdale, The Energetics of the United States, An Atlas, Report BNL - 50501, Brookhaven National Laboratory, Upton, New York, July 1976.
- [6] Mantei, M. and Sarna, J., An introductory manual to STOFI, report LBL-2649, LBL, Berkeley, CA (1974).
- [7] Penny, S.J., Fink, R. and Alston-Garnjost, M., Design of a very large storage system, Proc. of AFIPS FJCC, 37 (1970) 45-51.
- [8] Kuehler, J.D. and Kerby, H.R., A photo-digital mass storage system, Proc. of AFIPS FJCC, 29 (1966) 735-742.
- [9] Furman, R.M., IBM 1360 photo-digital mass storage system, IBM technical report, Tr 02.427 (May 15, 1968).

Part I. Data Storage



Part II. Directory Creation



Part III. Data Retrieval




Figure 1 Tripartite System Operation





Figure 2 Sample STOFI Directory file for US Economic Data (City-County Data Book and OBERS Projections)

XBL 758-3722

ACRE-FEET OF WATER USED BY COMMERCIAL FARMS, 1969
PER ACRE OF COUNTY AREA
FROM 1969 CENSUS OF AGRICULTURE
(NO DATA FOR ALPINE OR SAN FRANCISCO COUNTIES)



XBL 775-8805

Figure 3: FILMERG output plotted by CARTE

M5,75,60,72

ZL2

ZF

*

6

W SUMMARY !A!GRICULTURE !R!EPORT

2

W !C!OUNTIES WITHIN !C!ALIFORNIA

2

W 1969 AND 1964 !U!. S. CENSUS OF !A!GRICULTURE

F.

T SUMMARY AGRICULTURE CENSUS REPORT

**

H *COUNTY.NAME* COUNTY, !C!ALIFORNIA

P IN 1969 WITHIN THIS COUNTY, THERE WERE *69.AGT01001* FARMS. THE TOTAL LAND AREA IN FARMS WAS *,69.AGT01003* ACRES, WHICH COMPRISED *69.AGT01010* PERCENT OF THE TOTAL LAND AREA IN THE COUNTY.

THE AVERAGE FARM SIZE WAS *69.AGT01005* ACRES, AND THE AVERAGE VALUE OF LAND AND BUILDINGS PER FARM WAS *\$,69.AGT01013*.

P THE FOLLOWING SUMMARIZES CROP PRODUCTION IN 1969 AND 1964 FOR THE COUNTY.

2

F_L40,C30

K_TABLE 1 - !C!ROP !P!RODUCTION

K_AMOUNT HARVESTED

F_L40,R15,R15

K

U !C!ROP _1964 _1969

2

K

N CORN USED FOR GRAIN (BU) *_*,64.AGT08007*_*,69.AGT08007*

K

N SORGHUMS FOR GRAIN OR SEED (BU) *_*,64.AGT08021*_*,69.AGT08021*

K

N WHEAT FOR GRAINS (BU) *_*,64.AGT08033*_*,69.AGT08033*

K

N SOYBEANS USED FOR BEANS *_*,64.AGT08043*_*,69.AGT08043*

K

N HAY (TONS) *_*,64.AGT08006*_*,69.AGT08006*

K

N COTTON (BALES) *_*,64.AGT08010*_*,69.AGT08010*

K

N PEANUTS FOR NUTS (POUNDS) *_*,64.AGT08015*_*,69.AGT08015*

K

N TOBACCO (POUNDS) *_*,64.AGT08022*_*,69.AGT08022*

E

Z

FIGURE 4 - INPUT TO YARG REPORT

Summary Agriculture Report

Counties within California

1969 and 1964 U. S. Census of Agriculture

1. SUMMARY AGRICULTURE CENSUS REPORT 1

ALAMEDA COUNTY, CALIFORNIA 1

AMADOR COUNTY, CALIFORNIA 2

BUTTE COUNTY, CALIFORNIA 3

CALAVERAS COUNTY, CALIFORNIA 4

COLUSA COUNTY, CALIFORNIA 5

CONTRA COSTA COUNTY, CALIFORNIA 6

DEL NORTE COUNTY, CALIFORNIA 7

EL DORADO COUNTY, CALIFORNIA 8

FRESNO COUNTY, CALIFORNIA 9

GLENN COUNTY, CALIFORNIA 10

HUMBOLDT COUNTY, CALIFORNIA 11

IMPERIAL COUNTY, CALIFORNIA 12

INYO COUNTY, CALIFORNIA 13

KERN COUNTY, CALIFORNIA 14

KINGS COUNTY, CALIFORNIA 15

LAKE COUNTY, CALIFORNIA 16

LASSER COUNTY, CALIFORNIA 17

LOS ANGELES COUNTY, CALIFORNIA 18

MADERA COUNTY, CALIFORNIA 19

MARIN COUNTY, CALIFORNIA 20

MARIPOSA COUNTY, CALIFORNIA 21

MENDOCINO COUNTY, CALIFORNIA 22

MERCED COUNTY, CALIFORNIA 23

MODOC COUNTY, CALIFORNIA 24

MONO COUNTY, CALIFORNIA 25

MONTREY COUNTY, CALIFORNIA 26

NAPA COUNTY, CALIFORNIA 27

NEVADA COUNTY, CALIFORNIA 28

ORANGE COUNTY, CALIFORNIA 29

PLACER COUNTY, CALIFORNIA 30

PLUMAS COUNTY, CALIFORNIA 31

RIVERSIDE COUNTY, CALIFORNIA 32

SACRAMENTO COUNTY, CALIFORNIA 33

SAN BENITO COUNTY, CALIFORNIA 34

SAN BERNARDINO COUNTY, CALIFORNIA 35

SAN DIEGO COUNTY, CALIFORNIA 36

SAN JOAQUIN COUNTY, CALIFORNIA 37

SAN LUIS OBISPO COUNTY, CALIFORNIA 38

SAN MATEO COUNTY, CALIFORNIA 39

SANTA BARBARA COUNTY, CALIFORNIA 40

SANTA CLARA COUNTY, CALIFORNIA 41

SANTA CRUZ COUNTY, CALIFORNIA 42

SHASTA COUNTY, CALIFORNIA 43

SIERRA COUNTY, CALIFORNIA 44

SISKIYOU COUNTY, CALIFORNIA 45

SOLANO COUNTY, CALIFORNIA 46

SONOMA COUNTY, CALIFORNIA 47

STANISLAUS COUNTY, CALIFORNIA 48

SUTTER COUNTY, CALIFORNIA 49

TEHAMA COUNTY, CALIFORNIA 50

TRINITY COUNTY, CALIFORNIA 51

TULARE COUNTY, CALIFORNIA 52

TUOLUMNE COUNTY, CALIFORNIA 53

1. SUMMARY AGRICULTURE CENSUS REPORT 1

ALAMEDA COUNTY, CALIFORNIA

In 1969 within this county, there were 762 farms. The total land area in farms was 291,055 acres, which comprised 62.0 percent of the total land area in the county. The average farm size was 381.8 acres, and the average value of land and buildings per farm was \$297,820.

The following summarizes crop production in 1969 and 1964 for the county.

Table 1 - Crop Production amount harvested

Crop	1964	1969
Corn used for grain (bu)	27,116	526
Sorghums for grain or seed (bu)	21,532	12,677
Wheat for grains (bu)	13,276	2,772
Soybeans used for beans	0	0
Hay (tons)	28,165	27,744
Cotton (bales)	0	0
Peanuts for nuts (pounds)	0	0
Tobacco (pounds)	0	0

1. SUMMARY AGRICULTURE CENSUS REPORT 2

AMADOR COUNTY, CALIFORNIA

In 1969 within this county, there were 206 farms. The total land area in farms was 257,821 acres, which comprised 69.0 percent of the total land area in the county. The average farm size was 1251.5 acres, and the average value of land and buildings per farm was \$238,672.

The following summarizes crop production in 1969 and 1964 for the county.

Table 1 - Crop Production amount harvested

Crop	1964	1969
Corn used for grain (bu)	0	12,031
Sorghums for grain or seed (bu)	3,214	16,349
Wheat for grains (bu)	557	1,421
Soybeans used for beans	0	0
Hay (tons)	4,128	7,249
Cotton (bales)	0	0
Peanuts for nuts (pounds)	0	0
Tobacco (pounds)	0	0

1. SUMMARY AGRICULTURE CENSUS REPORT 3

BUTTE COUNTY, CALIFORNIA

In 1969 within this county, there were 1844 farms. The total land area in farms was 551,254 acres, which comprised 52.3 percent of the total land area in the county. The average farm size was 298.8 acres, and the average value of land and buildings per farm was \$168,334.

The following summarizes crop production in 1969 and 1964 for the county.

Table 1 - Crop Production amount harvested

Crop	1964	1969
Corn used for grain (bu)	156,243	127,316
Sorghums for grain or seed (bu)	853,176	542,265
Wheat for grains (bu)	126,248	229,507
Soybeans used for beans	0	0
Hay (tons)	48,338	46,100
Cotton (bales)	0	0
Peanuts for nuts (pounds)	0	57,232
Tobacco (pounds)	0	0

Figure 5: YARG report example

U S D E A R T M E N T O F E N E R G Y

This report was done with support from the Department of Energy. Any conclusions or opinions expressed in this report represent solely those of the author(s) and not necessarily those of The Regents of the University of California, the Lawrence Berkeley Laboratory or the Department of Energy.

TECHNICAL INFORMATION DEPARTMENT
LAWRENCE BERKELEY LABORATORY
UNIVERSITY OF CALIFORNIA
BERKELEY, CALIFORNIA 94720