

## **UC Merced**

### **Proceedings of the Annual Meeting of the Cognitive Science Society**

#### **Title**

Contribution of the Bilateral Middle Temporal Gyri to the Processing of Lexical Categories

#### **Permalink**

<https://escholarship.org/uc/item/2nr7m32t>

#### **Journal**

Proceedings of the Annual Meeting of the Cognitive Science Society, 31(31)

#### **ISSN**

1069-7977

#### **Authors**

Kambara, Toshimune  
Kawashima, Ryuta  
Miura, Naoki  
et al.

#### **Publication Date**

2009

Peer reviewed

# Contribution of the Bilateral Middle Temporal Gyri to the Processing of Lexical Categories

**Toshimune Kambara**

Department of Functional Brain Imaging, IDAC, Tohoku University, Japan

**Satoru Yokoyama**

Department of Functional Brain Imaging, IDAC, Tohoku University, Japan

**Kei Tahahashi**

Department of Functional Brain Imaging, IDAC, Tohoku University, Japan

**Naoki Miura**

Department of Functional Brain Imaging, IDAC, Tohoku University, Japan Department of Intelligent Mechanical Systems Engineering, Kochi University of Technology, Japan

**Tadao Miyamoto**

Graduate School of International Cultural Studies, Tohoku University, Japan

**Daiko Takahashi**

Graduate School of International Cultural Studies, Tohoku University, Japan

**Shigeru Sato**

Graduate School of International Cultural Studies, Tohoku University, Japan

**Ryuta Kawashima**

Department of Functional Brain Imaging, IDAC, Tohoku University, Japan

**Abstract:** Our previous study has reported difference of activations among four lexical categories (verbs, nouns, adjectives and adverbs). However, there is no evidence of common neural activations during the processing of them. The purpose of this fMRI study was to examine whether there are common neural substrates for processing of lexical categories. In our study, we asked 32 right-handed healthy Japanese subjects to judge whether a presented word is a real Japanese word or not. This experimental protocol was approved by the ethical committee of Tohoku University. Our results showed that the bilateral middle temporal gyri are commonly activated during processing of all four lexical categories as compared with pseudowords. This finding suggests that the bilateral middle temporal gyri play a crucial role to access to information of lexical categories.