Lawrence Berkeley National Laboratory

Recent Work

Title

TYPOGRAPHIC DESIGN FOR INTERFACES OF INFORMATION SYSTEMS

Permalink

https://escholarship.org/uc/item/3401m508

Author

Marcus, A.

Publication Date

1982



Lawrence Berkeley Laboratory

UNIVERSITY OF CALIFORNIA

Physics, Computer Science & BERKELEY LABORATORY Mathematics Division FEB 1 0 1982

To be presented at the Conference "Human Factors in DOCUMENTS SECTION Computer Systems," sponsored by the Washington, DC Chapter of the Association for Computing Machinery and The Institute for Computer Sciences and Technology, National Bureau of Standards, U.S. Department of Commerce, Washington, DC, March 15-17, 1982; and to be published in the proceedings


TYPOGRAPHIC DESIGN FOR INTERFACES OF INFORMATION SYSTEMS

Aaron Marcus

January 1982

TWO-WEEK LOAN COPY

This is a Library Circulating Copy which may be borrowed for two weeks. For a personal retention copy, call Tech. Info. Division, Ext. 6782



DISCLAIMER

This document was prepared as an account of work sponsored by the United States Government. While this document is believed to contain correct information, neither the United States Government nor any agency thereof, nor the Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or the Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof or the Regents of the University of California.

Typographic Design for Interfaces of Information Systems

Aaron Marcus, Staff Scientist

Computer Science and Mathematics Department Lawrence Berkeley Laboratory, 50B-3238 University of California Berkeley, California 94720

Principles of information-oriented graphic design have been utilized in redesigning the interface for a large information management system. These principles are explained and examples of typical screen formats are shown to indicate the nature of improvements.

1. Introduction

Computer-based information systems communicate with human users by means of visual symbols. For most information systems the visible language or coding system employed is the set of alphanumeric characters found on the standard keyboard. Given the crucial role of these characters in the overall effectiveness of an interface, i.e., how well the interface communicates intentions, states, structures, and processes, it is surprising that the graphic design of interfaces for information systems has received relatively little attention. This article focuses on the typography of interface design and will show how careful selection of the appropriate symbols, words, or word groupings, their placement, and their visual attributes can effect improvement in the legibility of an interface. In addition, these changes can affect a user's impression of the 'friendliness' of the system by presenting the viewer with a sequence of orderly, appealing frames which exhibit the proper information at the appropriate time in a consistent manner.

Normally, information specialists and computer scientists must rely upon their own limited expertise in establishing typographic standards and visual hierachies for the frames of information which the system must exhibit. However, there exists a discipline of graphic design, specifically information-oriented graphic design, whose professionals are concerned with the generic task of designing frames of information for other communication media. Such graphic designers are normally involved in making legible, readable textbooks, charts, maps, or diagrams [1]. There also exists a body of literature that can be applied to the typographic communication problems currently facing the builders, users, and managers of information systems. The graphic designer of an interface may eventually be a traditional graphic designer, an information specialist, a computer scientist, or a group of any of these persons.

Within the Computer Science and Mathematics Department of Lawrence Berkeley Laboratory, the author (who has a professional background in graphic design) has begun to apply the principles of good information-oriented typographic design to the redesign of the interface for a large experiemental geographic information management system called Seedis [2]. The interface for Seedis has gone through several stages since its genesis as a series of stand-alone batch programs in 1972, particularly as it expanded its functional capabilities. The current version of Seedis operates in an interactive VAX/VMS environement with a textual (i.e., essentially alphanumeric) interface. Seedis permits a relatively computer-naive person to examine data dictionaries, extract data from databases, to aggregate or disaggregate data between different levels of detail, and to display the selected

data as a labeled table, dot matrix chart, pie chart, line chart, bar chart, or area/symbol choropleth map. A major interface redesign effort is currently underway. It is the intention of this paper to highlight those aspects that are relevant to the typographic design of the human-computer interface.

2. Typographic Design and Graphic Design

The design task concerns determining a relatively high degree of fit among the different requirements of the following:

the sender (the machine or user) the medium (the display device) the receiver (the user or machine) the message (the information content)

By means of the position, color, size, grouping, and temporal sequence of symbols the graphic designer must convey the usual components of an information system's interface: continuous prose (e.g., help messages), interrupted prose (error messages, system status reports, etc.), and tables/lists (menus, data dictionaries, etc.).

Typographic design begins with a concern for the design of individual symbols. Seedis has attempted to remain device independent for both its interface and its display devices. In this context there is almost no control over symbol design. It is assumed that the standard medium for interaction is a display showing 24 lines of 80 alphanumeric characters each. This is a basic capability of almost all terminal types and allows Seedis to be easily portable. However, it also means that the use of reverse video, italic, or levels of brightness can not be assumed. These means of visual emphasis are not used, but other approaches are available. For example, there is a strong reliance on a horizontal line of hyphens to highlight certain titles or to separate divisions of the frame.

Even within these limitations of Seedis, attention to graphic design principles can improve the interface. Consider the use of all upper case words, a typographic approach which many interfaces utilize. The fixed width of the letters are often created by a 7x9 or similar dot matrix. In such conditions lower case letters with occasional capitals are more legible. Research shows [3, 35] that not being able to perceive word shapes (as is true for words set in upper case characters only) may slow reading speed by as much as 13%. Because terminals often have little space between lines in comparison to normal textbook typography, lower case letters are particularly important in providing visual space between lines of type and thereby improve legibility. In the redesign of Seedis, lowercase typography for machine messages and for the echoes of user input are standard. When all capital settings are used, they are intended to highlight a restricted set of primary content elements, e.g., the main title of a frame or the module in which a prompt occurs.

3. The Grid

As for the design of a book page, the graphic designer of an

interface must consider the visual field, the terminal screen, as an entity whose proportion, size, and distance from the viewer are important to the design of information. Information is presented in conceptual frames or screenfulls. To assist the overall organization of elements within the frame and consistency from frame to frame, a reference grid of a few horizontal and vertical lines was determined to locate certain standard positions for elements such as titles, prompts, etc. One of the most important features of the grid is to establish certain basic divisions of the frame. The Seedis grid establishes a major column of text of approximately 60 characters in width (at character positions 21 to 80) and a special position for all user input located at character position 1. In this manner the user's input and the machine's responses are visually distinct. Primary tab settings of 10 characters each and a secondary set every 5 characters divide the entire visual field. Selection of upper or lower case alphanumeric characters and a grid influence other aspects of the typographic design, viz., character spacing, word spacing, line length, justification, line spacing, and the overall spatial structure of the frame.

4. Words, Lines, and Paragraphs

Because character width is constant and letterform design is quite simple on most terminals, word spaces are relatively large and lines of text tend to fall apart into a loose collection of symbols. Wherever possible the typographic design approach for Seedis attempts to keep words that belong together close to each other for word, line, and paragraph groupings. For example, only one word space is sufficient after a period in continuous prose to separate the end of one sentence and the beginning of the next. The graphic design approach also seeks to emphasize clear spatial groupings over the entire visual field in order to make distinctions of content. At the same time these spatial groupings are limited in their variation so that there is an overall visual consistency or rhythm within and between frames.

A typical oversight in most textual displays is using text lines of too great a width. Normally there should be approximately 40-60 characters per text line (about 10-12 words) [3, 29]. The Seedis interface is designed with this principle in mind. Research has shown [3, 33] that unjustified (unequal length) text lines are just as legible as justified text. In the case of fixed width characters, justification usually means that large gaps of empty space appear between words in order to achieve equal width text lins. These large spaces interrupt eye movement and impede reading. Consequently, the Seedis typographic design calls for unjustified paragraphs. This design feature has the added effect of making character position 21 visually the most important in the frame. An implied vertical line of the beginnings of text lines appears at this position. This becomes the location for many key words, text line beginnings, etc. The user quickly develops the habit of scanning this location for most beginnings of messages.

In fixed character width, fixed interline spacing situations, the space between groups of lines has limited variation. Whenever possible Seedis avoids any spacing larger that a single line skip. This is used between paragraphs, line clusters, and individual sets of menu prompts and user responses. In this way a maximum number of text lines per frame can be utilized. Note that the horizontal line made of hyphens replaces a skipped text line and does not add another line to the already limited number of lines in a frame.

5. Tables and Lists

A major design principle is to limit the amount of variation wherever possible. This applies especially to tabular settings for tables and lists. The most important words or word groupings are placed at or near (i.e., before or after) the tab setting at the 21st character position. All tables and lists require headings to describe the contents in general and to identify the parts if there

are many. These titles should not scroll off the screen but should be regenerated as needed so that each frame includes sufficient titles to be comprehendable. All horizontal positioning of tables and lists is governed by the desire to keep codes, page numbers or other symbol groups close to the items to which they refer and to allow easy scanning down and across items.

6. Examples

The principles outlined above are embodied in the current redesigned formats of the Seedis interface. A comparison between old and new versions will clarify how earlier designs for frames were faulty and inconsistent. Improvements in the newer versions should be obvious. The examples appear in the accompanying Figures.

7. Conclusions

Most of the changes in the Seedis interface have been relatively easy to implement within the software. These redesign features are more than a 'cosmetic' facelift to the system. By carefully considering not only what to show, but also when, how, and why to show it, a better understanding of the functionality of the system emerges in the minds of the builders and ultimately in the minds of the users of the information system.

Many of the changes in design constitute working conventions rather than as yet carefully proven standards. However, many of the changes corresponded to recommendations of an independent critique of the system [4, 54-55]. It is also already clear to many of the users and implementors of the system that changes brought about by consideration of typographic design principles have made clear improvements that programmers as well as users have readily perceived. These design principles as well as specifications for the new interface of Seedis are being documented more completely in a graphic design manual [5] for Seedis being prepared separately by the author. This manual will assist future builders of Seedis modules to maintain a consistent, high quality interface to the system.

Acknowledgment

This work was supported by the Applied Mathematical Sciences Research Program of the Office of Energy Reseach, U.S. Department of Energy, under contract W-7405-ENG-48.

References

- 1. Marcus, Aaron, "Computer-Assisted Chart Making From the Graphic Designer's Perspective," *Computer Graphics*, 14:2, 1980, 247-253.
- McCarthy, John, et. al., "The Seedis Project: A Summary Overview", Publication 424, Lawrence Berkeley Laboratory, September 1981.
- 3. Rehe, Rolf F., Typography: How to Make it Most Legible, Design Research International, Carmel, Indiana, 1974.
- 4. Bleser, Terry, Peggy Chan, and Mei Chu, "A Critique of the SEEDIS User Interface," Report GWU-IIST-81-04, Department of Electrical Engineering and Computer Science, The George Washington University, Washington, D.C., March 1981.
- 5. Marcus, Aaron, "A Graphic Design Manual for Seedis", in preparation.

Figure 1a: Undesigned Seedis Welcome Message

Comments: Note the scattered appearance of text groups, the inconsistency in the use of all caps and lower case, and the order of the text, in which the user is told about getting out even before being welcomed.

Figure 1b: Designed Seedis Welcome Message

Comments: Note the order of text elements, the use of rules, lower case, and specific tab settings. The full screen width is equivalent to 80 typewritten characters in width. Information on global commands is introduced in the very first information to the user. Note also the standard form of the menu-prompt which identifies the module (all capital letters) in which the user is currently working and the appropriate commands at this point.

seedis
If you exit abnormally from SEEDIS, continue by typing
@restore
seedis
Welcome to SEEDIS VMS version 1.0
Type ? for expanded menus
Type \$ before VMS commands
(HELP, REVIEW, SUBJECT, AREA, AGG, DISAGG,
PROFILE, DATA, DISPLAY, BUGS, NETSTAT, SHOW, QUIT): subjections.

PROFILE, DATA, DISPLAY, BUGS, NETSTAT, SHOW, QUIT): subject Please select both data and a geographic area. FORTRAN STOP WELCOME TO THE SYSTEM.
YOU CAN ENTER

EXPLAIN : TO SCAN KEYWORDS.
SEARCH : TO LOCATE FILES CONTAINING KEYWORDS.
QUIT : TO TERMINATE.

ENTER COMMAND OR ?COMMAND FOR MORE DETAIL.

WELCOME TO SEEDIS, VERSION 2.0

At any point in Seedis, you can type the following global commands to get these services:

Input Description

? list and describe commands in this menu help describe the purpose of this menu's commands show list and explain items to be selected review list current sessin status and history cancel delete current selections (depends upon context) quit return to previous menu *(comment) enter a comment in Seedis log

shortly. Please stand by. Your menu prompt will appear

SEEDIS: area, data, display, profile

Figure 2a: Undesigned Command Menu Descriptions Frame

Comments: Note the illegibility of all capitals in comparison to upper and lower case and the interrupted list of command definitions.

Figure 2b: Designed Command Menu Descriptions Frame

Comments: The command menu description frame appears when the user types a question mark at any decision point, i.e., if there is some confusion about the proper response to the immediately preceding prompt. Note the continuation of the standard tab settings at position 1 and 21. Note also the consistent use of standardized verbs to describe the input commands. Global commands are separated from local commands appropriate to the particular decision point. The list is labeled to aid identification of its component parts.

```
TYPE ONE OF THE FOLLOWING COMMANDS.
            FOR THIS LIST OF COMMANDS
HELP
            FOR HOW TO GET HELP
MORE
            TO SEE NEXT SCREENFULL
TABLE
            FOR THE TABLE OF CONTENTS
            FOR PAGE (N)
* (COMMENT) TO ENTER A COMMENT IN THE LOG
DATA (SEQUENCE LETTERS)
                                SELECT DATA CODES
CANCEL (SEQUENCE LETTERS)
                                CANCEL DATA CODES
            SUBSTITUTE C FOR X IN DATA CODES -
FOR X (C)
            ALSO XX XXX XXXX Y YY YYY YYYY
REVIEW
            LIST DATA SELECTIONS MADE SO FAR
SAVE
            SAVE DATA SELECTIONS AND RETURN
OUIT
            CANCEL DATA SELECTIONS AND RETURN
READY
```

```
DATA: (line letter(s)), table, (page number), CR
: ?
Input
                     Description
(line letter(s))
                     select one or more data elements by line letter
table
                     display table of contents for this database code
                     display a particular page
(page number)
CR
                     (carriage return) display the next page
                     list avalable commands in this menu
help
                     describe data element selection
show
                     display table of contents for this database
review
                     list current data element selections and history
                    delete current data element selections for this database
cancel
quit
                    return to database selection menu
                    DATA: (line letter(s)), table, (page number), CR
```

Figure 3a: Undesigned Help Messages Frame

Comments: Note the long lines of text, the clutter in the last paragraph caused by clumps of all capital words, the gaps in word spacing caused by justification, and the mixture of small indentations with centered headlines.

Figure 3b: Designed Help Messages Frame

Comments: Help messages are a standard one page description. Note the use of standard tab settings, unjustified text, the use of all capital headline together with hyphen line, removal of all capital keywords (replaced by exdented words, i.e., positional emphasis), and the use of second person in English language style. Further frames of information are available on the four key words listed.

READY

MONITOR.SEEDIS.HELP.

INTRODUCTION TO SEEDIS

The three major processes in SEEDIS are:

AREA: define a geographic study area (composed of states, counties, or census tracts)

DATA: select data appropriate to the geographic study area chosen. For example, for a study area consisting of a group of states, only state level data, and not county or tract level data, are appropriate.

DISPLAY: manipulate and display the data in table, chart, graph, and/or map form.

Normally AREA, DATA, and DISPLAY are performed in the order given. However, once the geographic study area is defined (AREA), one may alternate between DISPLAY and the selection and extraction of additional items in DATA.

TYPE MORE TO SEE NEXT SCREENFULL

TYPE ? FOR A LIST OF COMMANDS

: help

SEEDIS: area, data, display, profile

USING SEEDIS

LBL's Seedis is an experimental information system that includes integrated program modules for retrieving, analyzing, and displaying selected portions of geographically linked databases. Program modules in Seedis include:

area data display profile select geographic area (level and scope of analysis) select, extract, enter, or transform data manipulate and display data in tables, maps, and charts produce standard socio-economic reports for selected areas

Normally Area, Data, and Display are used in the order given. However, once the geographic study area is defined in Area, you may alternate between Display and the selection, extraction, or entering of additional items in Data.

SEEDIS: area, data, display, profile

This report was done with support from the Department of Energy. Any conclusions or opinions expressed in this report represent solely those of the author(s) and not necessarily those of The Regents of the University of California, the Lawrence Berkeley Laboratory or the Department of Energy.

Reference to a company or product name does not imply approval or recommendation of the product by the University of California or the U.S. Department of Energy to the exclusion of others that may be suitable.

TECHNICAL INFORMATION DEPARTMENT
LAWRENCE BERKELEY LABORATORY
UNIVERSITY OF CALIFORNIA
BERKELEY, CALIFORNIA 94720