

UC San Diego

UC San Diego Previously Published Works

Title

High-Efficiency Lithium-Metal Anode Enabled by Liquefied Gas Electrolytes

Permalink

<https://escholarship.org/uc/item/3hk7v4h0>

Journal

Joule, 3(8)

ISSN

2542-4785

Authors

Yang, Yangyuchen
Davies, Daniel M
Yin, Yijie
et al.

Publication Date

2019-08-01

DOI

10.1016/j.joule.2019.07.012

Peer reviewed

Correction

High-Efficiency Lithium-Metal Anode Enabled by Liquefied Gas Electrolytes

Yangyuchen Yang, Daniel M. Davies, Yijie Yin, Oleg Borodin,^{*}
Jungwoo Z. Lee, Chengcheng Fang, Marco Olguin, Yihui Zhang,
Ekaterina S. Sablina, Xuefeng Wang, Cyrus S. Rustomji,^{*}
and Y. Shirley Meng^{*}

*Correspondence:
oleg.a.borodin.civ@mail.mil (O.B.),
crustomji@south8technologies.com (C.S.R.),
shmeng@ucsd.edu (Y.S.M.)
<https://doi.org/10.1016/j.joule.2019.07.012>

(Joule 3, 1–15; August 21, 2019)

In the originally published version of this article, the unit on the y axes of Figures 3B and 3C was incorrectly written as “mV.” The correct unit is “V.” Figure 3 has now been corrected online and is shown below. The authors regret this error.






Figure 3. Li-Metal Low-Temperature Electrochemical Performance in Liquefied Gas Electrolyte (corrected)




Figure 3. Li-Metal Low-Temperature Electrochemical Performance in Liquefied Gas Electrolyte (original)