Lawrence Berkeley National Laboratory

LBL Publications

Title

Corrigendum: Absolute single photoionization cross-section measurements of ions: experiment and theory (2016 J. Phys. B: At. Mol. Opt. Phys. 49 235002)

Permalink

https://escholarship.org/uc/item/3vw4t4h7

Journal

Journal of Physics B Atomic Molecular and Optical Physics, 50(11)

ISSN

0953-4075

Authors

Macaluso, DA Bogolub, K Johnson, A et al.

Publication Date

2017-06-14

DOI

10.1088/1361-6455/aa6d1b

Copyright Information

This work is made available under the terms of a Creative Commons Attribution License, available at https://creativecommons.org/licenses/by/4.0/

Peer reviewed



Home Search Collections Journals About Contact us My IOPscience

Corrigendum: Absolute single photoionization cross-section measurements of Rb²⁺ions: experiment and theory (2016 *J. Phys. B: At. Mol. Opt. Phys.* **49** 235002)

This content has been downloaded from IOPscience. Please scroll down to see the full text.

2017 J. Phys. B: At. Mol. Opt. Phys. 50 119501

(http://iopscience.iop.org/0953-4075/50/11/119501)

View the table of contents for this issue, or go to the journal homepage for more

Download details:

IP Address: 131.243.99.195

This content was downloaded on 16/07/2017 at 03:07

Please note that terms and conditions apply.

You may also be interested in:

Corrigendum: Absolute single photoionization cross-section measurements of Rb²⁺ ions: experiment and theory (2016 *J. Phys. B: At. Mol. Opt. Phys.* 49 235002)

D A Macaluso¹, K Bogolub^{1,6}, A Johnson¹, A Aguilar², A L D Kilcoyne², R C Bilodeau^{2,3}, M Bautista⁴, A B Kerlin⁵ and N C Sterling⁵

E-mail: david.macaluso@umontana.edu

Received 14 March 2017, revised 11 April 2017 Accepted for publication 13 April 2017 Published 5 May 2017



1. Introduction

In our paper 'Absolute single photoionization cross-section measurements of Rb²⁺ ions: experiment and theory' [1] a

formatting error occured in which the data for table 8 was overwritten with values from table 5. The corrected table 8 is shown below. In the process of correcting this error, three typos were discovered in other data tables. In table 6,

Table 6. Rydberg series of resonances due to $4p \rightarrow nd$ transitions from the ${}^2P^o_{3/2}$ ground state of Rb²⁺ converging to the $4s^24p^4$ (1D_2) series limit in Rb³⁺. The coupling splitting of this series is resolved only for the two lowest-energy resonances (n = 8 and 9).

Initial Rb ²⁺ state: $4s^24p^5 (^2P_{3/2}^o)$									
$^{2}P_{3/2}$ Rydberg series					${}^{2}P_{3/2}$ Rydberg series				
$4s^24p^4(^1D_2)nd$					$4s^24p^4(^1D_2)nd$				
n	Energy (eV)	δ	Peak #	n	Energy (eV)	δ	Peak #		
8	39.303	0.357	17	8	39.347	0.275	18		
9	39.760	0.357	27	9	39.790	0.275	28		
10	40.082	0.357	33	10	40.104	0.275	33		
11	40.318	0.357	38	11	40.334	0.275	38		
12	40.496	0.357	40	12	40.508	0.275	40		

1

¹ Department of Physics and Astronomy, University of Montana, Missoula MT 59812, United States of America

² The Advanced Light Source, Lawrence Berkeley National Laboratory, Berkeley CA 94720, United States of America

³ Department of Physics, University of Connecticut, Storrs CT 06269, United States of America

⁴ Department of Physics, Western Michigan University, Kalamazoo MI 49008-5252, United States of America

⁵ Department of Physics, University of West Georgia, Carrolton GA 30118, United States of America

⁶ Present address: Department of Geological Sciences, University of Colorado, Boulder CO 80309-0399.

Table 6. (Continued.) Initial Rb ²⁺ state: $4s^24p^5$ ($^2P_{3/2}^o$)									
14	40.741	0.357	42	14	40.749	0.275	42		
15	40.828	0.357	43	15	40.834	0.275	43		
16	40.899	0.357	44	16	40.904	0.275	44		
17	40.957	0.357	45	17	40.961	0.275	45		
18	41.006	0.357	46	18	41.009	0.275	46		
19	41.047	0.357	47b	19	41.050	0.275	47b		
20	41.082	0.357	48	20	41.084	0.275	48		
21	41.112	0.357	49	21	41.114	0.275	49		
22	41.138	0.357	50	22	41.140	0.275	50		
23	41.160	0.357	51	23	41.162	0.275	51		
24	41.180	0.357	52	24	41.182	0.275	52		
25	41.197	0.357	53	25	41.199	0.275	53		
∞	41.399	_	_	∞	41.399	_	_		

Table 7. Rydberg series of resonances due to $4p \rightarrow nd$ transitions from the ${}^2P^o_{1/2}$ metastable state of Rb²⁺ converging to the $4s^24p^4({}^1D_2)$ series limit in Rb³⁺. The coupling splitting of this series is resolved only for the three lowest-energy resonances (n=8 through 10). The feature associated with the n=11 resonance for the lower energy splitting was not resolvable and is indistinguishable from background thus this resonance lacks a feature number.

		Initial	Rb ²⁺ state	e: 4s ²	$4p^5 (^2P_{1/2}^o)$					
$^{2}P_{1/2}$ Rydberg series					$^2P_{1/2}$ Rydb	erg serie	s			
	$4s^24p^4$ (1	D_2)nd			$4s^24p^4(^1D_2)nd$					
n	Energy (eV)	δ	Peak #	n	Energy (eV)	δ	Peak #			
8	38.388	0.358	2	8	38.446	0.251	3			
9	38.845	0.358	12	9	38.885	0.251	13			
10	39.168	0.358	14	10	39.196	0.251	15			
11	39.403	0.358		11	39.425	0.251	20			
12	39.581	0.358	23	12	39.598	0.251	23			
13	39.719	0.358	26	13	39.731	0.251	26			
14	39.827	0.358	29	14	39.837	0.251	29			
15	39.914	0.358	30	15	39.922	0.251	30			
16	39.984	0.358	31	16	39.991	0.251	31			
17	40.043	0.358	32	17	40.048	0.251	32			
18	40.091	0.358	33	18	40.096	0.251	33			
19	40.132	0.358	34	19	40.136	0.251	34			
20	40.167	0.358	35	20	40.171	0.251	35			
21	40.197	0.358	36	21	40.200	0.251	36			
∞	40.485	_	_	∞	40.485	_	_			

Table 8. Rydberg series of resonances due to $4p \rightarrow nd$ transitions from the ${}^2P^o_{3/2}$ ground and ${}^2P^o_{1/2}$ metastable states of Rb²⁺ converging to the $4s^24p^4$ (1S_0) series limit in Rb³⁺.

Initial Rb ²⁺ state: $4s^24p^5$ ($^2P^o_{3/2,1/2}$)									
² P _{3/2} Rydberg Series					² P _{1/2} Rydberg Series				
$4s^24p^4(^1S_0)nd$					$4s^24p^4(^1S_0)nd$				
n	Energy (eV)	δ	Peak #	n	Energy (eV)	δ	Peak #		
6	40.242	0.305	37	6	39.332	0.303	18		
7	41.286	0.305	55	7	40.374	0.303	39		
8	41.950	0.305	59	8	41.037	0.303	47a		
9	42.398	0.305	63	9	41.485	0.303	56		
10	42.715	0.305	68	10	41.802	0.303	57		

Table 8. (Continued.)

Initial Rb ²⁺ state: $4s^24p^5$ ($^2P^o_{3/2,1/2}$)									
11	42.947	0.305	73	11	42.034	0.303	60		
12	43.127	0.305	74	12	42.209	0.303	61		
13	43.258	0.305	75	13	42.345	0.303	62		
14	43.365	0.305	76	14	42.451	0.303	64		
15	43.451	0.305	77	15	42.537	0.303	65		
16	43.521	0.305	78	16	42.607	0.303	66		
17	43.579	0.305	79	17	42.665	0.303	67		
18	43.627	0.305	80	18	42.713	0.303	68		
19	43.668	0.305	81	19	42.754	0.303	69		
20	43.702	0.305	82	20	42.788	0.303	70		
21	43.732	0.305	83	21	42.818	0.303	71		

resonance number 24 was mistakenly listed twice. The repeated resonance number was removed and the corrected table 6 is shown. In table 7 the series limits have been replaced with the correct value of 40.485 eV as shown in the corrected table.

Reference

[1] Macaluso D A, Bogolub K, Johnson A, Aguilar A, Kilcoyne A L D, Bilodeau R C, Bautista M, Kerlin A B and Sterling N C 2016 Absolute single photoionization crosssection measurements of Rb²⁺ ions: experiment and theory J. Phys. B: At. Mol. Opt. Phys. 49 235002