

Lawrence Berkeley National Laboratory

Recent Work

Title

THE INFRARED SPECTRUM OF CALIFORNIUM-249

Permalink

<https://escholarship.org/uc/item/50k5g5g2>

Author

Conway, John G.

Publication Date

1975-12-01

Submitted to Spectrochimica Acta

LBL-4542
Preprint c.1

THE INFRARED SPECTRUM OF CALIFORNIUM-249


John G. Conway, Earl F. Worden, Jean Blaise, and
Jean Verges

December 1975

Prepared for the U. S. Energy Research and
Development Administration under Contract W-7405-ENG-48

For Reference

Not to be taken from this room



LBL-4542

c.1

DISCLAIMER

This document was prepared as an account of work sponsored by the United States Government. While this document is believed to contain correct information, neither the United States Government nor any agency thereof, nor the Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or the Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof or the Regents of the University of California.

THE INFRARED SPECTRUM OF CALIFORNIUM-249*

John G. Conway

Materials and Molecular Research Division, Lawrence Berkeley Laboratory
and Department of Chemistry, University of California,
Berkeley, California 94720

Earl F. Worden

Lawrence Livermore Laboratory, University of California
Livermore, California 94550

Jean Blaise and Jean Verges

Laboratoire Aimé Cotton, C.N.R.S. II 91405, Orsay, France

The ^{249}Cf spectrum has been reported between 3700 and 12,000 cm^{-1} on a high resolution Fourier Transform spectrometer at the Laboratoire Aimé Cotton. The spectrum was excited in an electrodeless discharge lamp which contained approximately 200 microgram of Cf as the triiodide.

The lamp outside diameter was 5 mm and it was 25 mm long. The lamp was prepared by subliming the triiodide into it under vacuum and sealing it off.¹ It was operated in a cavity at 2450 M Hg with about 80 watts of power. One lamp was used throughout this investigation.

To obtain the best coverage two separate runs were made, one was between 3700 and 9418 cm^{-1} and the second between 9418 and 1200 cm^{-1} . In the first region 810,100 data points were taken in 12 hr and in the second region 500,100 data points were taken in 7 hr and 25 min. The spectrometer was operated in air at atmospheric pressure and the data corrected to vacuum.

A computer program performed the Fourier transformation and also selected the peaks and prints the vacuum wavenumber of the peak and

* Work done under the U. S. Energy Research and Development Administration.

its intensity. A paper chart recording of the spectrum is also produced. The computed peaks are checked against the chart to confirm the presence of the lines. The intensity, on a 0-9 scale, are estimated from the paper chart record.

The line list is in Table I. The first column is the vacuum wavenumber in units of cm^{-1} . The second column is line width information, the values are in units of 10^{-3} cm^{-1} . A E indicates an estimated width, a C indicates off diagonal components or weak components are present and a D is for a complex pattern probably of a low J or possibly a multiple line pattern and a * is where no degradation was observed. Column three is the estimated intensity on a 0-9 scale. Column four is a code to the structure of the line. A sharp line is indicated by 1, a blend by 3, and a wide line by a 4. A 5 indicates the hyperfine structure is degraded to higher wavenumbers, and a 6 is for a structure degraded to lower wavenumbers. A 7 is for a peculiar pattern that is not covered by the other codes.

The ground state of Cf I is 5I_8 of the $5f^{10}7s^2$ configuration and the ground state of Cf II is $^6I_{17/2}$ of the $5f^{10}7s$ configuration. The line 9078.145 cm^{-1} is of special interest as it is a transition between the ground 5I_8 and the first excited state 5I_7 both of the same configuration $5f^{10}7s^2$. Parity forbidden transitions of this type are collisionally induced in relatively high pressure separation of electrodeless lamps and have been observed in Bk and Cm experiments.^{3,4}

The chemical separation was not complete and there was some berkelium³ and curium⁴ in the sample. These lines have been removed from the list.

ACKNOWLEDGEMENTS

We wish to thank Tom Parsons for the help with the chemical preparations and Mrs. J. Chevillard for the computation and George V. Schlimoff for help in preparing the table.

One of us (J.G.C.) wishes to thank Professor P. Jacquinet and the Centre National de la Recherche Scientifique who made possible his portion of the work at Laboratoire Aimé Cotton.

REFERENCES

1. E. F. Worden, R. G. Gatmacher and John G. Conway, Applied Optics 2, 7 (1963).
2. Earl F. Worden and John G. Conway, J. Opt. Soc. Am. 60, 1144 (1970).
3. Earl F. Worden, John G. Conway, Jean Blaise, Pierre Camus and Jean Verges, LBL-4544, submitted to Spectrochimica Acta, Nov. 1975.
4. John G. Conway, Jean Blaise and Jean Verges, Spectrochimica Acta, in press.

Table I. The Cf-249 line list between 3500 and 1200 cm^{-1} .

CF LINE LIST				CF LINE LIST			
WAVE NUMBER	WIDTH	INT	CODE	WAVE NUMBER	WIDTH	INT	CODE
3496.20		0	4	4377.400	506	1	6
3810.591	E 260	0	5	4393.711		2	1
3817.788		0	1	4396.874	E 300	0	5
3934.007		0	1	4419.284	E 150	0	6
3941.128	321	0	6	4426.289		1	4
3950.75	E 300	0	6	4431.050	E 200	0	5
3953.729	E 300	0	7	4468.414		0	5
3954.418		0	4	4473.874		1	4
3974.103		1	1	4480.946		0	1
4004.40	167	2	6	4488.307		0	1
4011.091	231	0	6	4494.529		0	5
4035.810	166	1	6	4496.017		0	1
4037.454	160	1	5	4497.869		0	5
4046.850		0	7	4500.394		0	1
4050.474		0	4	4502.242	211	2	5
4091.751		0	1	4520.430		0	1
4092.581	E 240	0	6	4543.281		0	1
4117.170		0	4	4547.468		2	1
4126.205	E 350	1	6	4552.590	E 150	0	6
4139.037		0	4	4565.505		1	1
4149.742		0	4	4569.701	34	1	6
4168.181		0	4	4573.691	149	3	5
4170.945	E 100	0	6	4589.491		1	1
4178.201	E 100	1	5	4598.968		0	1
4185.873	36	0	5	4608.010	E 100	1	5
4203.867	E 300	0	6	4614.123	E 150	3	6
4211.629		2	1	4625.183		0	4
4214.869		0	1	4629.517	E 160	2	6
4252.563		0	7	4639.434	E 350	1	5
4255.183		1	6	4658.620	201	0	5
4264.773		0	1	4660.260		0	4
4267.986		0	4	4672.495	146	0	5
4299.845		1	7	4676.617		4	1
4308.760		0	4	4719.079		0	1
4316.752	508	4	6	4772.179	E 200	1	6
4317.802		1	1	4770.975	E 140	3	5
4320.208		0	4	4778.533	E 190	0	6
4323.856		0	5	4788.955		2	1
4333.800		1	6	4790.263	66	9	5
4337.221		0	4	4797.093	295	1	5
4344.618	E 220	0	5	4845.433	E 380	0	5
4353.574		1	1	4902.215	372	9	6
4360.667		3	1	4921.508	184	7	6
4370.774		0	4	4925.223	91	3	6
4371.872	E 150	0	6	4936.415	76	4	6

OF LINE LIST				OF LINE LIST			
WAVE NUMBER	WIDTH	INT	CODE	WAVE NUMBER	WIDTH	INT	CODE
4972.329	194	0	5	5010.240	455	8	6
4979.345	E 25	5	6	5011.878	43	2	5
4999.296		0	1	5005.378		0	1
5001.289	E 900	0	5	5071.807	E 100	9	5
5002.771		0	1	5008.056	561	1	5
5040.736	E 400	1	5	5099.280	E 100	0	6
5046.509	E 240	1	6	5707.225	189	0	5
5053.140	186	4	5	5712.899		1	4
5056.812	208	6	6	5717.707		2	4
5060.348		0	1	5723.352	282	0	6
5074.115	E 300	1	5	5725.789	204	0	5
5087.438	E 200	8	6	5705.832		0	1
5090.108	32	3	5	5788.743		0	1
5106.683	99	9	6	5709.933	E 200	3	5
5170.032	264	9	6	5804.550	E 100	0	5
5203.923	E 050	0	5	5810.502	116	1	6
5220.321	E 200	3	6	5810.508	184	0	5
5222.512		1	1	5824.547	E 200	0	6
5222.832	40	1	6	5824.900	E 150	0	5
5234.330		1	4	5847.672		0	1
5242.761		9	4	5857.242		2	4
5245.460	E 200	3	5	5857.808		1	1
5269.525	440	1	6	5858.219	E 40	1	5
5298.740	E 40	1	6	5858.895	E 250	0	5
5322.494	E 400	0	4	5887.002	E 50	0	6
5340.795	330	9	6	5890.509	E 170	7	5
5305.678		0	4	5905.720		1	1
5373.993	82	0	6	5921.831	E 150	1	6
5379.321	75	0	5	5945.732		7	1
5405.490	291	3	6	5952.208	E 200	4	4
5417.839	E 100	1	6	5959.293	373	0	5
5424.542	E 50	1	6	5965.291		9	1
5441.556		0	1	5971.600		0	1
5442.630		1	1	5978.508	156	4	5
5477.344	478	0	5	5985.164		0	4
5491.004	E 200	0	5	5990.745		0	1
5497.975	E 50	1	5	5997.200		0	4
5506.217		0	4	6007.274	E 750	0	5
5522.548	E 30	0	6	6016.882		0	1
5530.869	E 40	0	6	6021.582		2	4
5541.856	E 1000	0	7	6033.948	241	0	5
5557.488		0	4	6037.060	473	2	6
5593.250	57	0	6	6040.281	87	2	5
5599.773	E 100	2	6	6043.713	E 50	1	6
5606.316	E 150	1	5	6048.587		0	4

OF LINE LIST

OF LINE LIST

WAVE NUMBER	WIDTH	INT	CODE	WAVE NUMBER	WIDTH	INT	CODE
6063.660	E 150	1	5	6314.252	124	1	5
6069.062	450	0	6	6341.576		0	4
6075.933	58	4	6	6343.606	207	0	6
6082.842		5	4	6345.056		0	4
6083.369		0	4	6347.744		0	1
6095.605	E 80	0	6	6350.340	200*	0	7
6102.348	403	0	5	6361.371		2	1
6104.750		0	1	6377.468		9	1
6119.654	337	0	6	6403.047		6	1
6122.362	184	5	6	6406.610		1	4
6128.072		0	4	6409.724	E 30	1	5
6132.520	74	0	5	6413.801		9	1
6132.244		0	1	6416.339	E 400	0	6
6153.896		0	4	6417.388	269	1	6
6159.285	E 300	1	6	6422.783		8	1
6165.376	E 450	0	6	6431.688		2	1
6184.050	E 50	1	6	6437.960	E 150	0	5
6186.099	E 250	0	6	6439.781	75	1	5
6189.277		0	4	6455.731	175	1	6
6190.799		0	1	6465.214	E 100	3	5
6196.467		0	4	6481.344	E 30	0	6
6198.124	E 200	4	5	6485.428		0	4
6203.847		7	1	6493.414		1	4
6212.838	54	8	6	6498.350		0	1
6218.091		0	1	6502.470		0	1
6221.018	64	1	5	6505.247	E 300	1	6
6221.472	E 100	1	5	6511.823		0	1
6223.630	235	1	6	6519.309		3	1
6225.208	213	2	5	6521.870		2	1
6232.782	E 50	0	5	6523.864	1670	7	7
6233.740		3	4	6542.149	E 50	9	5
6239.570	E 100	0	6	6548.932	E 50	3	5
6249.399		0	1	6549.254	E 150	4	6
6257.493	E 350	1	5	6565.710		1	1
6261.651	E 50	4	6	6570.291	E 100	0	5
6270.540	E 50	0	5	6572.316	34	1	6
6276.572	E 3000	0	7	6591.590		0	1
6288.551		0	4	6593.469		0	1
6293.042	E 100	0	6	6595.141	E 100	0	6
6293.843		0	4	6596.259		0	1
6295.178	41	2	6	6599.032		0	4
6295.759	E 300	0	5	6604.085		0	1
6298.570		0	1	6607.292	E 150	0	5
6299.462		0	1	6614.169	E 150	1	5
6309.606	73	1	6	6618.823		0	4

CF LINE LIST				CF LINE LIST			
WAVE NUMBER	WIDTH	INT	CODE	WAVE NUMBER	WIDTH	INT	CODE
6634.115	164	2	6	6975.467	E 100	0	4
6644.060		0	4	6986.269	112	2	6
6650.369	E 150C	4	6	6997.450	124	1	5
6651.037		0	1	6999.705	83	0	5
6653.487	71	5	5	7001.280		0	1
6673.205	E 100	1	5	7008.894		2	1
6687.104	E 10J*	0	7	7027.974	E 100	3	5
6691.500		2	1	7045.508	E 200	2	5
6697.648		0	4	7050.562	E 200	0	5
6715.399		0	4	7052.110	61	3	5
6718.081		0	4	7052.357	E 350	1	6
6718.699		3	4	7054.019	229	0	5
6732.295		0	4	7060.682	161	0	5
6737.637		0	1	7063.535		0	1
6741.176	E 100	0	5	7064.434		1	1
6763.342	E 100	3	6	7078.348		1	1
6767.488	84	9	6	7084.467		0	1
6772.266	191	0	6	7100.968	E 40	2	6
6778.390	195	0	5	7101.586	E 100	8	6
6780.088	267	0	5	7103.772	E 500	1	6
6780.916	339	0	6	7114.612	E 150	1	6
6796.974	E 150	2	6	7123.109	100	0	6
6806.636	60	1	5	7120.610	E 100	0	7
6808.038	E 50	2	6	7128.767		0	1
6814.807		3	1	7144.733	E 80	0	5
6820.601	255	3	5	7158.348		0	1
6842.104		0	1	7175.225		0	1
6842.383		0	4	7183.790	E 80	0	5
6854.709	183	3	6	7184.247		0	1
6862.257		0	1	7187.009	58	1	5
6864.672		0	4	7189.486		6	1
6869.617	67	0	5	7209.713	65	0	5
6875.162	100	1	5	7222.072	448	1	5
6892.367		0	1	7226.941		0	4
6903.616		0	1	7250.190		0	1
6913.776	119	1	5	7250.582	E 300	1	6
6921.375		0	1	7257.051	255	0	5
6923.255		0	1	7259.362	231	0	6
6929.216		0	4	7261.927		2	1
6937.317		0	4	7263.608	85	1	6
6951.077	E 100	0	4	7265.815	4630	2	6
6952.068	E 50	2	5	7268.480	E 400	2	6
6958.137	E 200	0	6	7317.751		0	4
6962.980		0	1	7317.975	49	0	5
6968.748	E 100	0	5	7332.777		0	4

CF LINE LIST

CF LINE LIST

WAVE NUMBER	WIDTH	INT	CODE	WAVE NUMBER	WIDTH	INT	CODE
7348.919	68	0	6	7842.323	71	1	5
7356.539		0	1	7847.650		1	1
7380.836	75	5	6	7889.196		0	4
7391.422	E 200	0	5	7930.264		0	1
7404.387	E 250	5	5	7957.313	83	1	5
7419.432	65	9	6	7961.090		0	4
7429.662	E 80	4	6	7966.140		8	1
7443.259		0	1	7973.350		8	1
7444.442	43	0	6	7989.862	E 450	1	6
7469.212		0	4	7997.530		0	4
7473.534	E 50	9	6	7999.546		1	4
7481.315	E 60	9	5	8008.039		1	1
7499.835	78	9	6	8009.90	248	1	5
7500.226	E 150	8	5	8011.777		0	1
7516.756		7	1	8018.910	E 100	0	5
7521.350		3	4	8034.739	E 100	7	6
7568.205		1	1	8036.034	32	1	5
7570.191		0	1	8038.017	200	9	5
7574.447	253	2	5	8044.450		1	1
7582.210		1	1	8057.309	259	7	5
7617.891		2	4	8057.983		3	1
7622.505		6	1	8091.474		1	1
7634.974	3170	2	7	8093.167	85	9	5
7640.256		1	4	8101.527		0	1
7661.859	56	0	6	8104.553		2	1
7665.00	E 200	0	6	8120.530	E 100	3	5
7675.279	39	0	5	8131.904		0	1
7683.102		0	1	8148.925		0	1
7712.579		0	4	8158.538		0	1
7714.316		0	4	8167.023	E 50	2	5
7714.984		1	1	8167.143		1	1
7720.532		0	4	8176.899		1	1
7731.410	127	4	5	8192.555		0	1
7735.403	428	2	6	8205.879	E 50	9	6
7739.154		0	4	8235.615		1	4
7766.415		6	1	8238.30	E 200	6	1
7775.575	E 450	2	5	8247.82	E 200	0	6
7778.562		0	4	8265.944	L 350	2	6
7781.760	37	1	5	8269.936	1700	1	7
7791.222		1	1	8271.540	57	8	5
7794.780	278	4	5	8272.657		0	1
7797.152		2	1	8274.600		0	1
7817.053	86	9	6	8279.347	83	0	5
7821.433		1	1	8280.917		0	1
7822.293	102	5	6	8282.373		1	1

CF LINE LIST				CF LINE LIST			
WAVE NUMBER	WIDTH	INT	CODE	WAVE NUMBER	WIDTH	INT	CODE
8302.379		0	1	8836.768	E 350	0	6
8304.428		0	1	8838.076		0	1
8309.813		1	1	8846.989		9	1
8325.757	104	2	6	8852.290		3	4
8349.236		1	1	8897.182	E 250	4	5
8366.219		0	1	8912.729	74	1	5
8371.988		9	1	8914.244		1	4
8372.943		6	1	8938.685	405	2	5
8375.552	56	5	5	8940.45	E 400	0	5
8381.105	E 150	2	5	8943.685		1	1
8381.766		2	1	8948.529		0	1
8388.832	1820	1	7	8950.711		1	1
8394.833		2	1	8951.829		0	1
8403.948	E 50	3	5	8985.72	704	2	5
8405.681		1	6	8986.644	581	1	6
8406.002		0	1	8988.238		0	4
8432.069	E 350	0	6	9002.376	E 400	0	6
8448.719		4	1	9044.924		1	4
8460.958	E 450*	0	7	9061.371		0	4
8482.903	E 500	3	5	9066.219	E 1500	3	5
8504.261		0	4	9078.145		5	1
8525.666	E 200	3	6	9079.640	E 3500	0	5
8557.945		9	1	9094.053	74	7	5
8560.469		1	1	9118.646	80	3	5
8596.163		1	1	9126.752		0	6
8596.855	31	3	5	9132.612	139	1	6
8629.198		0	1	9142.815	E 50	0	6
8631.371		0	1	9166.525		2	1
8605.091	E 80	1	5	9169.009	E 500	0	5
8667.967		3	1	9174.257		1	4
8670.168	40	5	5	9194.745	100	3	5
8684.036	E 60	3	6	9201.692		0	4
8689.301		0	4	9236.259		0	1
8725.768		0	4	9239.460	131	1	5
8746.434	56	0	5	9244.617		1	1
8767.787	57	1	6	9256.910		0	1
8768.544	34	0	6	9284.250		3	1
8775.405		7	1	9309.765		1	1
8775.743		6	1	9315.378		0	1
8781.750		0	1	9319.770		0	1
8803.258		1	4	9320.474	4350	1	6
8808.099		1	6	9340.011	67	7	5
8814.099	E 250	0	6	9349.753		5	1
8831.300		0	1	9350.188		0	1
8835.364		1	1	9354.04	469	3	5

CF LINE LIST

WAVE NUMBER	WIDTH	INT	CODE
9304.009		3	5
9377.745		0	4
9389.327		0	1
9395.685		4	1
9411.10	E 200	1	6
9418.191	E 450	9	5
9438.652	L 80	1	6
9445.062		1	1
9456.419	312	5	6
9459.197	E 300	9	6
9471.649		3	1
9496.141		7	1
9505.340		0	1
9507.769		0	1
9507.203	E 150	1	6
9511.446		0	1
9513.943		0	1
9516.945		0	4
9524.717		2	1
9531.898		0	1
9538.129	149	2	5
9538.439		0	4
9543.02	262	3	6
9566.030		0	4
9567.338		0	1
9574.265		0	1
9575.317	E 200	2	5
9576.288	121	2	6
9584.288	64	1	6
9587.922		8	1
9593.104	E 200	1	6
9601.269		0	4
9606.615	E 600	2	5
9615.694		2	1
9638.594		5	5
9639.578	256	3	5
9651.342		1	4
9657.664	E 200	1	5
9698.100	97	9	5
9703.800	99	8	5
9716.524		2	1
9722.220		0	4
9722.847	51	0	5
9727.778	90	6	5
9733.842		0	1

CF LINE LIST

WAVE NUMBER	WIDTH	INT	CODE
9734.486		0	1
9744.340		1	1
9768.673		1	4
9769.954		0	1
9781.08	E 400	0	5
9789.124	E 150	3	6
9789.642	143	2	5
9798.648		0	1
9805.161	L 300	0	8
9813.098	465	7	6
9832.349		1	1
9841.843		2	1
9868.150		0	1
9875.263		5	1
9888.692	E 150	9	6
9889.839	E 200	9	5
9909.424		1	4
9914.601		1	1
9922.883	481	2	5
9929.933		0	1
9951.263		1	4
9953.375	E 150	4	6
9957.52	E 300	2	6
9968.081		2	1
9972.698	E 100	3	6
9985.540	248	2	5
9995.311		0	1
9997.276	E 150	1	6
10004.381	L 100	9	5
10005.872		1	1
10011.769	E 150	2	6
10012.917		2	1
10019.163		8	1
10021.937		9	1
10044.729	E 100*	2	4
10052.070		2	1
10058.529		3	1
10072.011		0	1
10076.154	E 100	1	6
10076.805		0	4
10079.709	233	9	6
10109.157		7	1
10116.485	122	9	5
10162.586		0	1
10166.608		0	1

OF LINE LIST				OF LINE LIST			
WAVE NUMBER	WILTH	INT	CODE	WAVE NUMBER	WILTH	INT	CODE
10173.825		0	1	10460.091		0	1
10181.548		0	1	10463.176	E 200	2	5
10188.265		0	1	10464.259		0	1
10189.034		0	1	10462.672		0	4
10190.256		0	1	10495.029	85	1	6
10197.011	E 100	1	6	10503.337		0	4
10224.904	138	9	6	10506.333		0	1
10228.545		0	1	10509.38	E 300	9	6
10234.654		9	1	10510.477		1	4
10244.099	E 300	6	5	10512.645		1	1
10253.079		1	1	10525.196		0	4
10257.317		0	1	10526.342		0	1
10268.487		0	1	10528.415		0	1
10274.186		1	1	10531.359		0	4
10275.314	113	2	6	10547.486		2	1
10279.241		1	4	10553.736		3	4
10286.337		1	1	10553.701		0	4
10287.873		1	4	10578.701		2	1
10292.546		2	1	10628.722		0	4
10295.732	E 200	1	5	10636.406		0	1
10300.427		7	1	10640.542		0	1
10301.173	E 100	9	4	10640.702		0	4
10315.384		4	1	10646.153		0	4
10319.326	E 500	0	6	10651.351		0	1
10325.448	E 200	3	6	10653.125		0	1
10328.669	E 80	0	5	10679.766	181	2	5
10332.494		9	1	10696.453	E 250	0	4
10332.876	E 100	1	6	10699.889		0	1
10340.416		2	1	10706.345		9	1
10340.717		1	4	10734.40	E 500	0	6
10360.385		9	1	10734.866		0	1
10364.058		7	1	10735.699		0	1
10376.333	E 250	1	6	10739.36	E 200*	1	7
10382.566		0	4	10755.196		0	1
10387.088		4	6	10767.561		0	4
10393.466	E 200	2	5	10776.797		0	1
10403.427	274	9	6	10777.034		1	1
10404.573		0	1	10777.475	E 150	2	5
10419.154		0	1	10789.954		0	1
10421.768		4	1	10792.092	E 600	4	5
10448.920		3	1	10795.121		3	1
10450.701		2	1	10811.30	361	2	5
10452.749		0	1	10820.383		0	4
10456.962		0	1	10824.015		0	4
10458.88	E 250	1	5	10827.253		0	4

CF LINE LIST				CF LINE LIST			
WAVE NUMBER	WIDTH	INT	CODE	WAVE NUMBER	WIDTH	INT	CODE
10828.469		2	4	11361.80	E 350	2	6
10833.131	E 450	9	6	11369.540		0	4
10839.153		0	1	11383.101		0	4
10839.741	207	3	5	11415.302		3	1
10856.629		7	1	11420.610		0	1
10857.397		0	4	11446.450		1	4
10858.791		6	1	11470.390		0	1
10861.901		1	1	11485.427	E 250	1	6
10864.792		1	1	11488.190	76	2	5
10872.032		2	4	11500.337		0	1
10874.506		0	1	11502.019		2	1
10879.054		0	4	11523.715		0	4
10891.819	199	2	5	11524.791		0	1
10907.70	E 350	1	6	11541.569		0	4
10927.749		0	1	11541.815		0	1
10938.439		0	1	11602.169		1	4
10946.213	E 250	1	6	11613.970		4	1
10986.50	E 500	1	5	11604.697		0	4
10993.648		3	1	11695.594	E 200	2	6
10997.210		0	4	11744.049		0	4
11020.907		1	4	11700.429		0	4
11038.044		0	4	11835.691		2	1
11048.227		0	4	11837.529		1	1
11048.819		0	1	11868.322		3	4
11051.121		0	1	11887.227	E 200	0	4
11059.025	391	2	5	11905.875		0	4
11061.201		0	4	11916.053		2	1
11074.407		0	4	11925.925		0	4
11079.133		0	1	11926.263		0	4
11082.174		1	1	11952.395		0	4
11087.890	E 300	7	6	11974.409		0	4
11115.879		2	1	11995.344		9	1
11122.30	E 300	0	5	11999.881		3	1
11123.594		0	4				
11167.673		1	1				
11190.506		0	4				
11219.162		0	4				
11221.268		2	1				
11228.061		1	1				
11265.988		2	4				
11293.465		0	4				
11299.078		0	4				
11336.430		0	1				
11337.80	E 400	1	6				
11351.807		0	4				

LEGAL NOTICE

This report was prepared as an account of work sponsored by the United States Government. Neither the United States nor the United States Energy Research and Development Administration, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness or usefulness of any information, apparatus, product or process disclosed, or represents that its use would not infringe privately owned rights.

TECHNICAL INFORMATION DIVISION
LAWRENCE BERKELEY LABORATORY
UNIVERSITY OF CALIFORNIA
BERKELEY, CALIFORNIA 94720