Lawrence Berkeley National Laboratory

Recent Work

Title

TESTA, PEREZ, AND JEFFRIES RESPOND

Permalink

https://escholarship.org/uc/item/54w528nr

Authors

Testa, J. Perez, J.

Jeffries, C.

Publication Date

1982-06-01



Lawrence Berkeley Laboratory

UNIVERSITY OF CALIFORNIA

Materials & Molecular Research Division

RECEIVED

LAV/RENCE

BERKELEY LABORATORY

JAN 1 1 1983

LIBRARY AND DOCUMENTS SECTION

Submitted to Physical Review Letters


TESTA, PEREZ, AND JEFFRIES RESPOND

James Testa, Jose Perez, and Carson Jeffries

June 1982

TWO-WEEK LOAN COPY

This is a Library Circulating Copy which may be borrowed for two weeks. For a personal retention copy, call Tech. Info. Division. Ext. 6782.



DISCLAIMER

This document was prepared as an account of work sponsored by the United States Government. While this document is believed to contain correct information, neither the United States Government nor any agency thereof, nor the Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or the Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof or the Regents of the University of California.

TESTA, PEREZ, AND JEFFRIES RESPOND

James Testa, Jose Perez, and Carson Jeffries

Lawrence Berkeley Laboratory University of California Berkeley, California 94720

June 1982

RESPONSE TO COMMENT BY E. R. HUNT

TESTA et al. RESPOND: The first question we address is: What nonlinear diode properties give rise to the cascade of period-doubling bifurcations in the experiments of Testa et al. 1 While confirming our results, Hunt concludes from other experiments that the dominant nonlinearity may be the reverse recovery characteristic rather than the nonlinear capacitace of the diode. Experiments here indicate that no bifurcation is observed: (1) for a varactor diode always reverse biased; (2) for two identical varactor diodes in series back-to-back. This indicates that forwardreverse switching is essential, but does not show that a nonlinear capacitance is not also required. Two types of capacitance are associated with a junction diode: 2 (1) The junction capacitance, dominant under reverse bias, with dependence $C_j = C_{0,j}[1+V_d/0.6]^{-0.5}$ on the diode voltage ${f V_d}.$ (2) The charge storage capacitance, dominant under forward bias, and given by $C_s = C_{os} I_o \tau_p$, where I_o is the diode d-c current and τ_p is the minority carrier lifetime, essentially the reverse recovery time. Varactor diodes have abrupt junctions usually with $C_i > C_s$; ordinary rectifier diodes usually have $C_i < C_s$. For an LRC circuit the varactor and the rectifier diode should show resonant frequency increasing and decreasing, respectively, with driving voltage; both these effects are observed here. The experiments of Testa et al. correspond to the first case. Gibson and Kusnezov³ have observed period doubling sequences in a rectifier diode, corresponding to the second case.

A general analysis of driven diode dynamics can be made by relinquishing the concept of capacitance and integrating directly with a computer the nonlinear differential equations: $LI + RI + V_d = V_o \cos \omega t$, plus at

least two more integro-differential equations in $V_d(t)$ and I(t), using measured values of parameters C_{oj} , C_{os} , τ_p , etc. The solution could be examined for bifurcation and chaotic behavior, and the relative importance of the parameters determined. This is an interesting and unsolved non-trivial problem.

From another viewpoint, it is not necessary to do this. Instead, we ask a second question more germane to the theory of chaos: Does a complex driven nonlinear diode oscillator behave as if it were modelled by a simple one-dimension recursion relation $x_{n+1} = f(\lambda, x_n)$. The question is answered in the affirmative by the experiments of Testa $et \ al.$, Perez and Jeffries,⁵ and Jeffries and Perez,⁶ for a particular varactor diode (1N953). This system is observed to display the universal chaotic behavior characteristic of a quadratic maximum for f(x). The effects of additive noise⁵ and observation of intermittency⁶ are also in agreement with this assumption. These experiments and interpretations are not invalidated in any way by the above Comment and our Response. Not all diodes can be expected to display this particular route to chaos. not yet possible to predict the chaotic behavior for any real physical system, although once it has been experimentally established that a recognized route is being followed, the behavior appears to be universal, independent of the detailed dynamics.

J. Testa, J. Perez, and C. Jeffries Materials and Molecular Research Division Lawrence Berkeley Laboratory and Department of Physics University of California Berkeley, CA 94720

Received (

PACS numbers: 05.40.+j, 05.20.Dd, 47.25.-c

- ¹J. Testa, J. Perez and C. Jeffries, Phys. Rev. Lett. <u>48</u>, 714 (1982).
- ²B. G. Streetman, <u>Solid State Electronic Devices</u> (Prentice Hall, New Jersey, 1972).
- ³G. Gibson and D. Kusnezov, private communication.
- ⁴M. J. Feigenbaum, J. Stat. Phys. 19, 25 (1978).
- ⁵Jose Perez and Carson Jeffries, Phys. Rev. B, in press.
- ⁶Carson Jeffries and Jose Perez, submitted for publication.

This report was done with support from the Department of Energy. Any conclusions or opinions expressed in this report represent solely those of the author(s) and not necessarily those of The Regents of the University of California, the Lawrence Berkeley Laboratory or the Department of Energy.

Reference to a company or product name does not imply approval or recommendation of the product by the University of California or the U.S. Department of Energy to the exclusion of others that may be suitable.

