

Lawrence Berkeley National Laboratory

Recent Work

Title

LUMINESCENCE FROM THE PEPTIDE GROUP

Permalink

<https://escholarship.org/uc/item/58g7365r>

Authors

Daniels, Malcolm
Jayko, Michael E.

Publication Date

1974-03-01

Presented at the International
Conference on the Excited States
of Biological Molecules, Lisbon,
Portugal, April 18, 1974

LBL-2383
c.d.

LUMINESCENCE FROM THE PEPTIDE GROUP

Malcolm Daniels and Michael E. Jayko

March 1974

RECEIVED
LAWRENCE
RADIATION LABORATORY


JUN 12 1974

LIBRARY AND
DOCUMENTS SECTION

Prepared for the U. S. Atomic Energy Commission
under Contract W-7405-ENG-48

TWO-WEEK LOAN COPY

This is a Library Circulating Copy
which may be borrowed for two weeks.
For a personal retention copy, call
Tech. Info. Division, Ext. 5545



LBL-2383
c.d.

DISCLAIMER

This document was prepared as an account of work sponsored by the United States Government. While this document is believed to contain correct information, neither the United States Government nor any agency thereof, nor the Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or the Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof or the Regents of the University of California.

Session D

Luminescence from the Peptide Group*

Malcolm Daniels
Chemistry Department &
Radiation Center
Oregon State University

&

Michael E. Jayko
Lawrence Berkeley Laboratory
University of California

Previous work in the excited states of proteins has concentrated exclusively on absorption and emission by the "aromatic" group, phenylalanine, tyrosine and tryptophan, and the properties of the peptide group have been studied in absorption only. We report now the detection of emission characteristic of the peptide group using apparatus constructed specifically for this purpose. The excitation source was a 1 kw hydrogen discharge (Hinteregger type), dispersed by a McPherson Model 225 1 meter scanning vacuum UV monochromator. The exciting beam was monitored by a sodium salicylate screen and an RCA 6199-Keithley 417 picoammeter-Speedomax recorder combination. Excitation wavelengths between 1900 Å and 2400 Å were used at a bandwidth of 3.3 nm. The emitted radiation was collected by a 50 mm Spectrosil lens system and analysed by a Jarrel-Ash 0.25 meter scanning monochromator equipped with a grating blazed at 3000 Å, also at a bandwidth of 3.3 nm. The dispersed radiation was detected by an EMI 6256 photomultiplier, cooled with liquid nitrogen and operated in the photon counting mode. Signal counts were then transferred to a 400 channel analyser (RIDL 32-1213) operated in the multiscaling mode. At 1750 Å a dark count rate of 12 counts/sec was observed. Emission spectra have routinely been measured

from 200 nm to 612 nm and excitation spectra from 200 nm to 280 nm.

Very similar spectra have been observed for N-acetylglycine, N-acetylalanine, acetamide and N-methylacetamide. Apart from obvious scatter peaks, the spectra are complex. Most prominent is an emission peaking at 300 nm with a head at ~ 255 nm (4.9 eV). This emission is obtained on exciting at 240 nm and hence is tentatively assigned to an $n\pi^*$ state. At lower energies a broad shoulder is observed from 325 nm-380nm (3.8 eV-3.2eV) and a clear but weak peak at 480 nm (2.6 eV). On exciting at higher energies (1950 \AA) a stronger, narrower peak is observed at 240 nm. Present data do not allow us to determine the head of this emission which indeed may be structured but its position and intensity is consistent with it originating from a $\pi\pi^*$ state.

No emission has been observed from N-diethylacetamide.

* Work performed under the auspices of the U. S. Atomic Energy Commission.

LEGAL NOTICE

This report was prepared as an account of work sponsored by the United States Government. Neither the United States nor the United States Atomic Energy Commission, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness or usefulness of any information, apparatus, product or process disclosed, or represents that its use would not infringe privately owned rights.

TECHNICAL INFORMATION DIVISION
LAWRENCE BERKELEY LABORATORY
UNIVERSITY OF CALIFORNIA
BERKELEY, CALIFORNIA 94720