

UC Irvine

Journal of Education and Teaching in Emergency Medicine

Title

Acute Pericarditis: Electrocardiogram

Permalink

<https://escholarship.org/uc/item/5f17x5r1>

Journal

Journal of Education and Teaching in Emergency Medicine, 1(1)

Authors

Mefford, Jason

Toohey, Shannon

Publication Date

2016

DOI

10.5070/M511031679

Copyright Information

Copyright 2016 by the author(s). This work is made available under the terms of a Creative Commons Attribution License, available at <https://creativecommons.org/licenses/by/4.0/>

Peer reviewed

Acute Pericarditis: Electrocardiogram

Jason Mefford, MD* and Shannon L Toohey, MD*



*University of California, Irvine, Department of Emergency Medicine, Orange, CA

Correspondence should be addressed to Shannon Toohey, MD at stoohy@uci.edu

Submitted: May 31, 2016; Accepted: June 2, 2016; Electronically Published: July 15, 2016; <https://doi.org/10.21980/J8059Q>

Copyright: © 2016 Mefford, et al. This is an open access article distributed in accordance with the terms of the Creative Commons Attribution (CC BY 4.0) License.

See: <http://creativecommons.org/licenses/by/4.0/>



History of present illness: A 22-year-old male presented to the emergency department with a chief complaint of retrosternal chest pain that started yesterday. He described the pain as a constant, sharp and pleuritic. The pain was worsened by lying flat, and improves with leaning forward. He reported having a sore throat and other cold symptoms earlier in the week. The patient's exam was notable for a faint pericardial friction rub. A bedside echocardiogram demonstrated normal cardiac function without pericardial effusion. The patient's electrocardiogram (ECG) is shown.

Significant findings: The ECG shows diffuse ST-elevation. The patient also has mild PR-depression, most notably in the inferior and lateral leads. The patient also has minimal PR elevation in lead aVR. The patient was diagnosed with acute pericarditis, this ECG represents the stage 1 or acute ECG findings.

Discussion: Pericarditis is inflammation or infection of the pericardial sac. There most common etiologies are viral or idiopathic.^{1,2} While it is rarely fatal, acute pericarditis can cause severe, disabling pain.² Furthermore, concomitant myocarditis can cause significant morbidity and mortality. Classic ECG findings include diffuse ST-elevations and PR-segment depression, without reciprocal ST-segment depression (as shown in this image). The ECG of pericarditis may move through various stages when followed over time.^{1,2} These include stage 1: diffuse ST-elevations with concave-upwards contour, PR-depressions (most common in II, aVF, V4-6); stage 2: ST segments become isoelectric and T waves flatten; stage 3: symmetric T wave inversion throughout ECG; and stage 4: ECG normalization.² These ECG changes have variable sensitivity and specificity depending on the stage, with less than 50% of patients progressing through the classic stages.²

Topics: Cardiology, cards, electrocardiogram, ECG, ST elevation, acute pericarditis, abnormal ECG, PR depression.

References:

1. Colletti JE, Tabas JA. Cardiovascular disorders in emergency medicine. In: Schofer JM, Mattu A, Kessler C, Lu LN, Parker T, Rogers R, et al. eds. *A Focused Review of the Core Curriculum*. 2nd ed. Milwaukee, WI: American Academy of Emergency Medicine Resident and Student Association; 2015:237-242.
2. Mattu A, Martinez JP. Pericarditis, pericardial tamponade, and myocarditis. In: Adams JG, Barton ED, Collings JL, DeBlieux PM, Gisoni MA, Nadel ES, eds. *Emergency Medicine: Clinical Essentials*. 2nd ed. Philadelphia, PA: Elsevier; 2013:514-523.