

Lawrence Berkeley National Laboratory

LBL Publications

Title

Particle Motion in the ELF Wiggler

Permalink

<https://escholarship.org/uc/item/5w90m83q>

Authors

Wurtele, Jonathan S

Sessler, Andrew M

Publication Date

1982-06-01

Copyright Information

This work is made available under the terms of a Creative Commons Attribution License, available at <https://creativecommons.org/licenses/by/4.0/>



Lawrence Berkeley Laboratory

UNIVERSITY OF CALIFORNIA

RECEIVED
LAWRENCE
BERKELEY LABORATORY

Accelerator & Fusion Research Division

AUG 7 1982

LIBRARY AND
DOCUMENTS SECTION


Submitted for the International Conference on Lasers
'82, New Orleans, LA, December 13-17, 1982

PARTICLE MOTION IN THE ELF WIGGLER

Jonathan S. Wurtele and Andrew M. Sessler

June 1982

TWO-WEEK LOAN COPY
*This is a Library Circulating Copy
which may be borrowed for two weeks.
For a personal retention copy, call
Tech. Info. Division, Ext. 6782.*



LBL-14635
c.2

DISCLAIMER

This document was prepared as an account of work sponsored by the United States Government. While this document is believed to contain correct information, neither the United States Government nor any agency thereof, nor the Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or the Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof or the Regents of the University of California.

Particle Motion in the ELF Wiggler*

Jonathan S. Wurtele and Andrew M. Sessler

Lawrence Berkeley Laboratory

University of California

Berkeley, CA 94720

June 28, 1982

Particle motion in the ELF wiggler was examined analytically and numerically. Three quadrupole focusing schemes - two quadrupoles per meter, three quadrupoles per meter and continuous focusing - were investigated. The effects of finite wiggler width was included by assuming the magnetic field in the horizontal (wiggle) plane to be

$$\vec{B} = [B_0 \sin(k_w z)(1 - \alpha x^2 - \beta x^4) - q(z)x]\hat{y}.$$

Here B_0 is the maximum wiggler field, $\frac{2\pi}{k_w} = \lambda_w$ is the wiggler wavelength, α and β model a computer generated field based on the actual wiggler design, and $q(z)$ represents the external quadrupole focusing.

In the absence of finite width effects ($\alpha=\beta=0$), the wiggler is neutral in the horizontal plane and external focusing is required to transport the beam ($E = 5$ MeV, $I = 1$ ka, $\epsilon \approx 30 \pi$ mr-cm) through the wiggler ($\lambda_w = 10$ cm, $B_0 \approx 3-5$ kG). This study shows continuous focusing to be superior to the other schemes considered. The external quadrupoles create horizontal betatron oscillations with

$$\lambda_h = 2\pi \sqrt{\frac{m c^2 L_Q}{e B_0}}$$


* This work was supported by the Director, Advanced Energy Systems, Basic Energy Sciences, Office of Energy Research, U. S. Department of Energy under Contract No. DE-AC03-76SF00098.

where B_Q/L_Q is the quadrupole gradient. When $\alpha, \beta, \neq 0$,

$$\lambda_h = 2\pi \sqrt{\frac{2m c^2 L_Q}{e B_Q} - \alpha \left(\frac{\Omega_0}{c k_w}\right)^2 - \frac{3}{2} \frac{\beta}{k_w^2} \left(\frac{\Omega_0}{c k_w}\right)^4}$$

where $\Omega_0 = \frac{e B_0}{\gamma m c}$. The wiggler provides natural small amplitude focusing in the vertical plane which is adequate to overcome the defocusing from the quadrupoles.

Many numerical calculations have been made, an example of which is shown in Fig. 1.



XBL 826-10418

Fig. 1. Electron orbit in wiggler plane, with $\gamma = 8$, $B_0 = 5$ kG, $\lambda_w = 5$ cm, $\frac{dx}{dz}(0) = -0.50$, $\alpha = 1.08 \times 10^{-3}$, $\beta = 6.68 \times 10^{-5}$, and 30 G/cm² quadrupole focusing.

LBL-14635(ABST)

Particle Motion in the ELF Wiggler*

Jonathan S. Wurtele and Andrew M. Sessler

Lawrence Berkeley Laboratory

University of California

Berkeley, CA 94720

June 28, 1982

(415)486-4992

ABSTRACT

Particle motion in the ELF wiggler was investigated numerically and analytically. A transport system was designed using continuous quadrupole focusing in the wiggle plane and natural wiggle focusing in the non-wiggle plane.

* This work was supported by the Director, Advanced Energy Systems, Basic Energy Sciences, Office of Energy Research, U. S. Department of Energy under Contract No. DE-AC03-76SF00098.

This report was done with support from the Department of Energy. Any conclusions or opinions expressed in this report represent solely those of the author(s) and not necessarily those of The Regents of the University of California, the Lawrence Berkeley Laboratory or the Department of Energy.

Reference to a company or product name does not imply approval or recommendation of the product by the University of California or the U.S. Department of Energy to the exclusion of others that may be suitable.

TECHNICAL INFORMATION DEPARTMENT
LAWRENCE BERKELEY LABORATORY
UNIVERSITY OF CALIFORNIA
BERKELEY, CALIFORNIA 94720