

Lawrence Berkeley National Laboratory

LBL Publications

Title

K- -Neutron Elastic Scattering from K-d \otimes -K-d and K-d \otimes K-pn at 1 BeV/C

Permalink

<https://escholarship.org/uc/item/6bg9c19g>

Author

Jew, Nathan Nay Shew

Publication Date

1970-04-01

c. 2

RECEIVED
LAWRENCE
RADIATION LABORATORY

MAY 6 1970

LIBRARY AND
DOCUMENTS SECTION

K^- -NEUTRON ELASTIC SCATTERING FROM
 $K^-d \rightarrow K^-d$ AND $K^-d \rightarrow K^-pn$ AT 1 BeV/c

RECEIVED
LAWRENCE
RADIATION LABORATORY

Nathan Nay Shew Jew

MAY 4 1970

April 1970

LIBRARY AND
DOCUMENTS SECTION

AEC Contract No. W-7405-eng-48

TWO-WEEK LOAN COPY

*This is a Library Circulating Copy
which may be borrowed for two weeks.
For a personal retention copy, call
Tech. Info. Division, Ext. 5545*

LAWRENCE RADIATION LABORATORY
UNIVERSITY of CALIFORNIA BERKELEY

DISCLAIMER

This document was prepared as an account of work sponsored by the United States Government. While this document is believed to contain correct information, neither the United States Government nor any agency thereof, nor the Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or the Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof or the Regents of the University of California.

In this addendum to UCRL-19359, we have extended the analysis described there in the following ways:

1. Experimental charge-exchange data from the literature were used in the fitting.³⁵
2. Instead of fixing the K^-p elastic-scattering amplitude, based on one of the two models previously described, we have used the experimental K^-p elastic angular distributions from Ref. 25. We then used a parameterization for the K^-p elastic amplitude identical to that of the first K^-p model, but we allowed its exponential background amplitudes to vary in order to obtain the best fit.
3. The first K^-n elastic parameterization (exponential background) was used.

Figures 24 through 28 show the results of this analysis.





It should be noted that as in the previous analyses, the fits at 910 MeV/c are generally bad. The fits at the other momenta are generally better, as can be seen from the figures.

Reference

35. R. Armenteros, M. Ferro-Luzzi, D. W. G. S. Leith, R. Levi-Setti, A. Minten, R. D. Tripp, H. Filthuth, V. Hepp, E. Kluge, H. Schneider, R. Barloutaud, P. Granet, J. Meyer and J. P. Porte, Nuclear Phys. 8, 233 (1968).





Figure Captions

24. $K^-d \rightarrow K^-d$ angular distributions. The smooth curves are from this analysis. This figure should be compared with Fig. 16 of this report.
25. $K^-d \rightarrow K^-pn$ angular distributions. The smooth curves are from this analysis. This figure should be compared with Fig. 17.
26. $K^-n \rightarrow K^-n$ angular distributions as calculated from this analysis. This figure should be compared with Fig. 22.
27. $K^-p \rightarrow K^0n$ angular distributions. The data points are from Ref. 35. The smooth curves are calculated from this analysis.
28. $K^-p \rightarrow K^-p$ angular distributions. The data points are from Ref. 25. The smooth curves with little squares are calculated from this analysis. The smooth curves with no marks are calculated from the first K^-p model described in this report.







XBL 703-496

Fig. 24







XBL703-497

Fig. 25







XBL 703-499

Fig. 26



XBL 703-500

Fig. 27



XBL 703-498

Fig. 28

LEGAL NOTICE

This report was prepared as an account of Government sponsored work. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

- A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or*
- B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this report.*

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.

TECHNICAL INFORMATION DIVISION
LAWRENCE RADIATION LABORATORY
UNIVERSITY OF CALIFORNIA
BERKELEY, CALIFORNIA 94720