UC Irvine UC Irvine Previously Published Works

Title

The Hyper-Kamiokande Experiment -- Snowmass LOI

Permalink

https://escholarship.org/uc/item/6st9c9tq

Authors

Collaboration, Hyper-Kamiokande

. Abe, K <u>et al.</u>

Publication Date

2020-09-01

DOI

10.48550/arxiv.2009.00794

Copyright Information

This work is made available under the terms of a Creative Commons Attribution License, available at https://creativecommons.org/licenses/by/4.0/

Peer reviewed

arXiv:2009.00794v1 [physics.ins-det] 2 Sep 2020

The Hyper-Kamiokande Experiment - Snowmass LOI

K. Abe,^{79,81,82} P. Adrich,⁵⁷ H. Aihara,^{83,81,82} R. Akutsu,⁸⁸ I. Alekseev,⁶² A. Ali,⁴² F. Ameli,²⁹ L.H.V. Anthony,¹⁹ A. Araya,^{78,82} Y. Asaoka,^{79,82} V. Aushev,⁴¹ I. Bandac,⁴⁶ M. Barbi,⁶⁴ G. Barr,⁶¹ M. Batkiewicz-Kwasniak,¹⁸ M. Bellato,²⁸ V. Berardi,²⁵ L. Bernard,¹⁰ E. Bernardini,²⁸ L. Berns,⁸⁴ S. Bhadra,¹⁰⁰ J. Bian,⁵ A. Blanchet,⁴⁵ A. Blondel,⁴⁵ A. Boiano,²⁷ S. Bolognesi,³² L. Bonavera,⁶⁰ S. Borjabad,⁴⁶ T. Boschi,³⁷ D. Bose,²² S .B. Boyd,⁹⁶ C. Bozza,⁶⁶ A. Bravar,¹³ C. Bronner,^{79,82} A. Bubak,⁶⁸ A. Buchowicz,⁹⁵ M. Buizza Avanzini,¹⁰ F. S. Cafagna,²⁵ N. F. Calabria,²⁶ J. M. Calvo-Mozota,⁴⁶ S. Cao,^{36,34} M. G. Catanesi,²⁵ S. Chakraborty,²⁰ J. H. Choi,⁸ S. Choubey,⁴⁰ M. Cicerchia,²⁴ J. Coleman,⁴⁸ G. Collazuol,²⁸ S. Cuen-Rochin,^{69,88} M. Danilov,⁶² E. De la Fuente,^{17,16} P. de Perio,⁸⁸ G. De Rosa,²⁶ T. Dealtry,⁴⁷ C. J. Densham,⁷¹ A. Dergacheva,³⁰ N. Deshmukh,⁹² M. M. Devi,⁷⁵ F. Di Lodovico,³⁷ P. Di Meo,²⁷ I. Di Palma,²⁹ T. A. Doyle,⁴⁷ E. Drakopoulou,¹¹ O. Drapier,¹⁰ J. Dumarchez,⁴⁵ L. Eklund,¹⁵ S. El Hedri,¹⁰ J. Ellis,³⁷ S. Emery,³² A. Esmaili,⁶³ S. Fedotov,³⁰ J. Feng,⁴² E. Fernández-Martinez,⁵⁰ P. Ferrario,⁹ B. Ferrazzi,⁶⁴ A. Finch,⁴⁷ C. Finley,⁷³ G. Fiorillo,²⁶ M. Fitton,⁷¹ M. Friend,^{36,34} Y. Fujii,^{36,34} Y. Fukuda,⁵¹ G. Galinski,⁹⁵ J. Gao,³⁷ C. Garde,⁹² A. Garfagnini,²⁸ S. Garode,⁹² L. Gialanella,³ C. Giganti,⁴⁵ J. J. Gomez-Cadenas,⁹ M. Gonin,¹⁰ J. González-Nuevo,⁶⁰ A. Gorin,³⁰ R. Gornea,⁴ F. Gramegna,²⁴ M. Grassi,²⁸ G. Grella,⁶⁶ M. Guigue,⁴⁵ D. R. Hadley,⁹⁶ M. Harada,⁵⁸ M. Hartz,^{81,88,82} S. Hassani,³² N. C. Hastings,^{36,34} Y. Hayato,^{79,81,82} K. Hiraide,^{79,81,82} K. Hoshina,^{78,82} K. Hultqvist,⁷³ F. Iacob,²⁸ A. K. Ichikawa,⁴² W. Idrissi Ibnsalih,³ M. Ikeda,^{79,81,82} M. Inomoto,⁸⁶ A. Ioannisian,³¹ T. Ishida,^{36,34} K. Ishidoshiro,⁷⁶ H. Ishino,⁵⁸ M. Ishitsuka,⁸⁶ H. Ito,⁷⁹ S. Ito,⁵⁸ Y. Itow,^{56,55} K. Iwamoto,⁸³ N. Izumi,⁸⁶ S. Izumiyama,⁸⁴ M. Jakkapu,^{36,70} B. Jamieson,⁹⁷ J. S. Jang,¹⁴ H. S. Jo,⁴⁴ P. Jonsson,¹⁹ K. K. Joo,⁷ T. Kajita,^{80,81,82} H. Kakuno,⁸⁵ J. Kameda,^{79,81,82} Y. Kano,^{78,82} D. Karlen,^{91,88} Y. Kataoka,^{79,82} A. Kato,^{78,82} T. Katori,³⁷ N. Kazarian,³¹ M. Khabibullin,³⁰ A. Khotjantsev,³⁰ T. Kikawa,⁴² J. Y. Kim,⁷ S. B. Kim,⁷⁴ S. King,³⁷ T. Kinoshita,⁸⁶ J. Kisiel,^{18,68} A. Klekotko,⁹⁵ T. Kobayashi,^{36,34} L. Koerich,⁶⁴ N. Kolev,⁶⁴ A. Konaka,⁸⁸ L. L. Kormos,⁴⁷ Y. Koshio,^{58,81} Y. Kotsar,³⁸ K. A. Kouzakov,⁵³ K.L. Kowalik,⁵⁷ L. Kravchuk,³⁰ A. P. Kryukov,⁵³ Y. Kudenko,³⁰ T. Kumita,⁸⁵ R. Kurjata,⁹⁵ T. Kutter,⁴⁹ M. Kuze,⁸⁴ K. Kwak,⁸⁹ M. La Commara,²⁶ L. Labarga,⁵⁰ J. Lagoda,⁵⁷ M. Lamoureux,²⁸ M. Laveder,²⁸ L. Lavitola,²⁶ J. Lee,⁴⁴ R. Leitner,⁶ V. Lezaun,⁴⁶ I. T. Lim,⁷ T. Lindner,⁸⁸ R. P. Litchfield,¹⁵ K. R. Long,¹⁹ A. Longhin,²⁸ P. Loverre,²⁹ X. Lu,⁶¹ L. Ludovici,²⁹ Y. Maekawa,³⁵ L. Magaletti,²⁵ K. Magar,⁹² Y. Makida,^{36,34} M. Malek,⁶⁷ M. Malinský,⁶ T. Marchi,²⁴ C. Mariani,⁹³ A. Marinelli,²⁷ K. Martens,^{81,82} Ll. Marti,^{79,82} J. F. Martin,⁸⁷ D. Martin,¹⁹ J. Marzec,⁹⁵ T. Matsubara,^{36,34} R. Matsumoto,⁸⁶ N. McCauley,⁴⁸ A. Medhi,⁷⁵ P. Mehta,⁴⁸ L. Mellet,⁴⁵ H. Menjo,⁵⁵ M. Mezzetto,²⁸ J. Migenda,³⁷ P. Migliozzi,²⁷ S. Miki,⁷⁹ A. Minamino,⁹⁹ S. Mine,⁵ O. Mineev,³⁰ A. Mitra,⁹⁶ M. Miura,^{79,81,82} R. Moharana,²¹ C. M. Mollo,²⁷ T. Mondal,²² M. Mongelli,²⁵ F. Monrabal,⁹ D. H. Moon,⁷ C. S. Moon,⁴⁴ S. Moriyama,^{79,81,82} T. Mueller,¹⁰ Y. Nagao,⁷⁹ T. Nakadaira,^{36,34} K. Nakagiri,⁸³ M. Nakahata,^{79,81,82} S. Nakai,^{78,82} Y. Nakajima,^{79,81,82} K. Nakamura,^{36,81} KI. Nakamura,⁷⁹ H. Nakamura,⁸⁶ Y. Nakano,³⁸ T. Nakaya,^{42,81} S. Nakayama,^{79,81,82} K. Nakayoshi,^{36,34} L. Nascimento Machado,²⁶ C. E. R. Naseby,¹⁹ B. Navarro-Garcia,¹⁷ M. Needham,¹¹ K. Niewczas,⁹⁸ Y. Nishimura,³⁵ F. Nova,⁷¹ J. C. Nugent,¹⁵ H. Nunokawa,⁶³ W. Obrebski,⁹⁵ J. P. Ochoa-Ricoux,⁵ E. O'Connor,⁷² N. Ogawa,⁸³ T. Ogitsu,^{36,34} K. Okamoto,⁷⁹ H. M. O'Keeffe,⁴⁷ K. Okumura,^{80,81,82} Y. Onishchuk,⁴¹ F. Orozco-Luna,¹⁶ A. Oshlianskyi,⁴¹ N. Ospina,²⁸ M. Ostrowski,³³ E. O'Sullivan,⁹⁰ Y. Oyama,^{36,34} H. Ozaki,³⁸ M.Y. Pac,⁸ P. Paganini,¹⁰ V. Palladino,²⁶ M. Pari,²⁸ J. Pasternak,¹⁹ C. Pastore,²⁵ G. Pastuszak,⁹⁵ D. A. Patel,⁶⁴ M. Pavin,⁸⁸ D. Payne,⁴⁸ C. Peña-Garay,⁴⁶ C. Pidcott,⁶⁷ S. Playfer,¹¹ B. W. Pointon,² A. Popov,⁵³ B. Popov,⁴⁵ K. Porwit,⁶⁸ M. Posiadala-Zezula,⁹⁴ G. Pronost,^{79,82} N.W. Prouse,⁸⁸ B. Quilain,¹⁰ A. A. Quiroga,⁶³ E. Radicioni,²⁵ B. Radics,¹² P. J. Rajda,¹ M. Rescigno,²⁹ G. Ricciardi,²⁶ B. Richards,⁹⁶ E. Rondio,⁵⁷ B. Roskovec, ⁶ S. Roth, ⁶⁵ C. Rott, ⁷⁴ A. Rubbia, ¹² A.C. Ruggeri, ²⁷ S. Russo, ⁴⁵ A. Rychter, ⁹⁵ D. Ryu, ⁸⁹ K. Sakashita, ^{36,34} S. Samani,⁶¹ F. Sánchez,¹³ M. L. Sánchez,⁶⁰ S. Sano,⁹⁹ J. D. Santos,⁶⁰ G. Santucci,¹⁰⁰ P. Sarmah,²⁰ K. Sato,⁵⁴ M. Scott,¹⁹ Y. Seiva,⁵⁹ T. Sekiguchi,^{36,34} H. Sekiya,^{79,81,82} J. W. Seo,⁷⁴ D. Sgalaberna,¹² A. Shaykina,³⁰ I. Shimizu,⁷⁶ C. D. Shin,⁷ M. Shinoki,⁸⁶ M. Shiozawa,^{79,81,82} N.Skrobova,⁶² K. Skwarczynski,⁵⁷ M.B. Smy,^{5,81} J. Sobczyk,⁹⁸ H. W. Sobel,^{5,81} F. J. P. Soler,¹⁵ Y. Sonoda,⁷⁹ R. Spina,²⁵ B. Spisso,²³ P. Spradlin,¹⁵ K. L. Stankevich,⁵³ L. Stawarz,³³ S. M. Stellacci,²³ A. I. Studenikin,⁵³ S. L. Suárez Gómez,⁶⁰ T. Suganuma,⁸⁶ S. Suvorov,³⁰ Y. Suwa,⁴³ A. T. Suzuki,³⁸ S. Suzuki,^{36,34} Y. Suzuki,⁷⁷ D. Svirida,⁶² M. Taani,³⁷ M. Tada,^{36,34} A. Takeda,^{79,81,82} Y. Takemoto,^{79,81,82} A. Takenaka,⁷⁹ A. Taketa,^{78,82} Y. Takeuchi,^{38,81} H. Tanaka,^{79,81,82} H. I. Tanaka,^{78,82} M. Tanaka,^{36,34} T. Tashiro,^{80,82} M. Thiesse,⁶⁷ L. F. Thompson,⁶⁷ A. K. Tomatani-Sánchez,⁵² G. Tortone,²⁷ K. M. Tsui,⁴⁸ T. Tsukamoto,^{36,34} M. Tzanov,⁴⁹ Y. Uchida,¹⁹ M. R. Vagins,^{81,5,82} S. Valder,⁹⁶ V. Valentino,²⁵ G. Vasseur,³² A. Vijayvargi,²¹ W. G. S. Vinning,⁹⁶ D. Vivolo,³ R. B. Vogelaar,⁹³ M. M. Vyalkov,⁵³ T. Wachala,¹⁸ J. Walker,⁹⁷ D. Wark,^{61,71} M. O. Wascko,¹⁹ R. A. Wendell,^{42,81} J. R. Wilson,³⁷ S. Wronka,⁵⁷ J. Xia,⁸⁰ Y. Yamaguchi,⁸⁴ K. Yamamoto,⁵⁹ T. Yano,^{79,82} N. Yershov,³⁰ M. Yokoyama,^{83,81,82} J. Yoo,³⁹ I. Yu,⁷⁴ T. Zakrzewski,⁵⁷ B. Zaldivar,⁵⁰ J. Zalipska,⁵⁷ K. Zaremba,⁹⁵ G. Zarnecki,⁵⁷ M. Ziembicki,⁹⁵ K. Zietara,³³ M. Zito,⁴⁵ and S. Zsoldos³⁷ (Hyper-Kamiokande Collaboration)

¹AGH University of Science and Technology, Faculty of Computer Science, Electronics and Telecommunications, Krakow, Poland

²British Columbia Institute of Technology, Physics Department, Burnaby, British Columbia, Canada

³Università della Campania "L. Vanvitelli" and INFN Sezione di Napoli, Napoli, Italy

⁴Carleton University, Department of Physics, Ottawa, Ontario, Canada

⁵University of California, Irvine, Department of Physics and Astronomy, Irvine, California, USA ⁶Charles University, IPNP, FMF, Prague, Czech

⁷Chonnam National University, Department of Physics, Gwangju, Korea

⁸Dongshin University, Laboratory for High Energy Physics, Naju, Korea

⁹Donostia International Physics Center and Ikerbasque Foundation, Basque Country, Spain

¹⁰Ecole Polytechnique, IN2P3-CNRS, Laboratoire Leprince-Ringuet, Palaiseau, France

¹¹University of Edinburgh, School of Physics and Astronomy, Edinburgh, United Kingdom

¹²ETH Zurich, Institute for Particle and Astroparticle Physics, Zurich, Switzerland

¹³University of Geneva, Section de Physique, DPNC, Geneva, Switzerland

¹⁴GIST College, Gwangju Institute of Science and Technology, Gwangju, Korea

¹⁵University of Glasgow, School of Physics and Astronomy, Glasgow, United Kingdom

¹⁶Universidad de Guadalajara, CUCEA, IT.Ph.D. program, Guadalajara, Jal., Mexico

¹⁷Universidad de Guadalajara, CUCEI, Departamento de Fisica, Guadalajara, Jal., Mexico

¹⁸H. Niewodniczański Institute of Nuclear Physics PAN, Cracow, Poland

¹⁹Imperial College London, Department of Physics, London, United Kingdom

²⁰Indian Institute of Technology Guwahati, Guwahati, India

²¹Indian Institute of Technology Jodhpur, Department of Physics, Karwar, Rajasthan, India

²²Indian Institute of Technology Kharagpur, Department of Physics, Kharagpur, India

²³INFN Gruppo Collegato di Salerno, Fisciano, Italy

²⁴INFN Laboratori Nazionali di Legnaro, Legnaro (PD), Italy

²⁵INFN Sezione di Bari and Università e Politecnico di Bari, Bari Italy

²⁶INFN Sezione di Napoli and Università Federico II di Napoli, Dipartimento di Fisica, Napoli, Italy ²⁷INFN Sezione di Napoli, Napoli, Italy

²⁸INFN Sezione di Padova and Università di Padova, Dipartimento di Fisica, Padova, Italy ²⁹INFN Sezione di Roma, Università Sapienza, Dipartimento di Fisica, Roma, Italy

³⁰Institute for Nuclear Research of the Russian Academy of Sciences, Moscow, Russia

³¹Institute for Theoretical Physics and Modeling, Yerevan, Armenia

³²IRFU, CEA, Universitè Paris-Saclay, Gif-sur-Yvette, France

³³Astronomical Observatory of the Jagiellonian University, Krakow, Poland

³⁴J-PARC Center. Tokai. Japan

³⁵Keio University, Department of Physics, Yokohama, Japan

³⁶High Energy Accelerator Research Organization (KEK), Tsukuba, Japan

³⁷King's College London, Department of Physics, Strand Building, Strand, London, United Kingdom

³⁸Kobe University, Department of Physics, Kobe, Japan

³⁹Korea Institute of Science and Technology, Department of Physics, Daejeon, Korea

⁴⁰KTH Royal Institute of Technology, Department of Physics, Stockholm, Sweden

⁴¹Kyiv National University, Department of Nuclear Physics, Kyiv, Ukraine

⁴²Kyoto University, Department of Physics, Kyoto, Japan

⁴³Kyoto Sangyo University, Department of Astrophysics and Atmospheric Sciences, Kyoto, Japan

⁴⁴Kyungpook National University, Department of Physics, Daegu, Korea

⁴⁵Laboratoire de Physique Nucleaire et de Hautes Energie, IN2P3/CNRS, Sorbonne Universitè, Paris, France

⁴⁶Laboratorio Subterráneo de Canfranc, Canfranc-Estación, Spain

⁴⁷Lancaster University, Physics Department, Lancaster, United Kingdom

⁴⁸University of Liverpool, Department of Physics, Liverpool, United Kingdom

⁴⁹Louisiana State University, Department of Physics and Astronomy, Baton Rouge, Louisiana, USA

⁵⁰University Autonoma Madrid, Department of Theoretical Physics, Madrid, Spain

⁵¹Miyagi University of Education, Department of Physics, Sendai, Japan

⁵²Tecnologico de Monterrey, Escuela de Ingenieria y Ciencias, Zapopan, Jalisco, Mexico

⁵³Moscow State University, Department of Theoretical Physics, Moscow, Russia

⁵⁴Nagoya University, Graduate School of Science, Nagoya, Japan

⁵⁵Nagoya University, Institute for Space-Earth Environmental Research, Nagoya, Japan

⁵⁶Nagoya University, Kobayashi-Maskawa Institute for the Origin of Particles and the Universe, Nagoya, Japan

⁷National Centre for Nuclear Research. Warsaw. Poland

⁵⁸Okavama University, Department of Physics, Okayama, Japan

⁵⁹Osaka City University, Department of Physics, Osaka, Japan

⁶⁰University of Oviedo, Applied Mathematical Modeling Group/Department of Physics, Oviedo, Spain

⁶¹Oxford University, Department of Physics, Oxford, United Kingdom

⁶²P.N.Lebedev Physical Institute of the Russian Academy of Sciences, Moscow, Russia

⁶³Pontifícia Universidade Católica do Rio de Janeiro, Departamento de Física, Rio de Janeiro, Brazil

⁶⁴University of Regina, Department of Physics, Regina, Saskatchewan, Canada

⁶⁵RWTH Aachen University, III. Physikalisches Institut, Aachen, Germany

⁶⁶Università degli Studi di Salerno and INFN Gruppo Collegato di Salerno, Fisciano, Italy

⁶⁷University of Sheffield, Department of Physics and Astronomy, Sheffield, United Kingdom

⁶⁸University of Silesia in Katowice, A. Chełkowski Institute of Physics, Poland ⁶⁹Universidad Autonoma de Sinaloa, Culiacan, Mexico

⁷⁰SOKENDAI (The Graduate University for Advanced Studies), Tokai, Japan

⁷¹STFC, Rutherford Appleton Laboratory, Harwell Oxford, and Daresbury Laboratory, Warrington, United Kingdom

⁷²Stockholm University, Oskar Klein Centre and Department of Astronomy, Stockholm, Sweden

⁷³ Stockholm University, Oskar Klein Centre and Department of Physics, Stockholm, Sweden

⁷⁴Sungkyunkwan University, Department of Physics, Suwon, Korea

⁷⁵Tezpur University, Department of Physics, Sonitpur, India

⁷⁶Tohoku University, Research Center for Neutrino Science, Sendai, Japan

⁷⁷University of Tokyo, Tokyo, Japan

⁷⁸University of Tokyo, Earthquake Research Institute, Tokyo, Japan

⁷⁹University of Tokyo, Institute for Cosmic Ray Research, Kamioka Observatory, Kamioka, Japan

⁸⁰University of Tokyo, Institute for Cosmic Ray Research, Research Center for Cosmic Neutrinos, Kashiwa, Japan

⁸¹University of Tokyo, Kavli Institute for the Physics and Mathematics of the

Universe (WPI), University of Tokyo Institutes for Advanced Study, Kashiwa, Japan

⁸²University of Tokyo, Next-generation Neutrino Science Organization, Kamioka, Japan

⁸³University of Tokyo, Department of Physics, Tokyo, Japan

⁸⁴Tokyo Institute of Technology, Department of Physics, Tokyo, Japan

⁸⁵Tokyo Metropolitan University, Department of Physics, Tokyo, Japan

⁸⁶Tokyo University of Science, Department of Physics, Chiba, Japan

⁸⁷University of Toronto, Department of Physics, Toronto, Ontario, Canada ⁸⁸TRIUMF, Vancouver, British Columbia, Canada

⁸⁹Ulsan National Institute of Science and Technology, Department of Physics, Ulsan, Korea

⁹⁰Uppsala University, Department of Physics and Astronomy, Uppsala, Sweden

⁹¹University of Victoria, Department of Physics and Astronomy, Victoria, British Columbia, Canada

⁹²Vishwakarma Institute of Information Technology, Pune, India

⁹³Virginia Tech, Center for Neutrino Physics, Blacksburg, Virginia, USA

⁹⁴University of Warsaw, Faculty of Physics, Warsaw, Poland

⁹⁵Warsaw University of Technology, Institute of Radioelectronics and Multimedia Technology, Warsaw, Poland

⁹⁶University of Warwick, Department of Physics, Coventry, United Kingdom

⁹⁷University of Winnipeg, Department of Physics, Winnipeg, Manitoba, Canada

⁹⁸Wroclaw University, Faculty of Physics and Astronomy, Wroclaw, Poland

⁹⁹Yokohama National University, Faculty of Engineering, Yokohama, Japan

¹⁰⁰York University, Department of Physics and Astronomy, Toronto, Ontario, Canada

(Dated: September 3, 2020)

Hyper-Kamiokande is the next generation underground water Cherenkov detector that builds on the highly successful Super-Kamiokande experiment. The detector which has an 8.4 times larger effective volume than its predecessor will be located along the T2K neutrino beamline and utilize an upgraded J-PARC beam with 2.6 times beam power. Hyper-K's low energy threshold combined with the very large fiducial volume make the detector unique, that is expected to acquire an unprecedented exposure of 3.8 Mton year over a period of 20 years of operation. Hyper-Kamiokande combines an extremely diverse science program including nucleon decays, long-baseline neutrino oscillations, atmospheric neutrinos, and neutrinos from astrophysical origins. The scientific scope of this program is highly complementary to liquid-argon detectors for example in sensitivity to nucleon decay channels or supernova detection modes.

Hyper-Kamiokande construction has started in early 2020 and the experiment is expected to start operations in 2027. The Hyper-Kamiokande collaboration is presently being formed amongst groups from 19 countries including the United States, whose community has a long history of making significant contributions to the neutrino physics program in Japan. US physicists have played leading roles in the Kamiokande, Super-Kamiokande, EGADS, K2K, and T2K programs.

The Hyper-Kamiokande Experiment

Hyper-Kamiokande (Hyper-K) [1] is based on the highly successful Super-Kamiokande (Super-K) detector and takes full advantage of a well-proven technology. The detector will be located at the Tochibora site, 8 km south of the Super-K detector site. The cavern has a rock overburden of 650 m, corresponding to 1,750 meters of water equivalent (m.w.e.). The detector tank is 71 m in height and 68 m in diameter with a total volume of 258 kt. It is separated into an inner detector region containing 217 kt of water and an outer detector veto region. The inner detector is viewed by an array of 40,000 high QE Box & Line (B&L) PMTs with 50 cm diameter. The new PMT type has twice the photon detection efficiency compared to Super-K PMTs and with a better timing resolution of 2.6 ns (FWHM), and charge resolution of 30%. The dark rate is reduced comparable to the 6 kHz at Super-K.

Hyper-K will receive an intense neutrino beam from J-PARC at an off-axis angle of 2.5°. The beam power of the 30 GeV proton beam from the J-PARC Main Ring synchrotron will be upgraded from 515 kW (currently achieved for T2K) to 1.3 MW by increasing the number of protons per beam pulse and a higher repetition rate. The J-PARC beam power upgrade proceeds in stages and will be completed in 2028. Similar to T2K a v_{μ} and \bar{v}_{μ} flux will be produced.

At the beginning of Hyper-K, three near detectors will precisely characterize the neutrino beam at J-PARC. The existing *ND280* detector will be upgraded [2] with fine-granularity plastic scintillator detectors, high angle TPC, and TOF detectors. With a larger angular acceptance and the 3D reconstruction capability of the new fine-granularity detector a significant reduction in the systematic uncertainty for oscillation analyses is expected. An *Intermediate Water Cherenkov Detector* (IWCD) [1] is proposed to be newly constructed at about 1 km distance from the neutrino production target. This one kiloton-scale water Cherenkov detector can be moved vertically to measure the neutrino beam intensity and energy spectrum at different off-axis angles. The main science goals include neutrino cross section measurements (3% for $\sigma(v_e)/\sigma(v_\mu)$ and 5% for $\sigma(\bar{v}_e)/\sigma(\bar{v}_\mu)$) and measurement of intrinsic electron neutrino backgrounds. The T2K on-axis near detector, *Interactive Neutrino GRID* (IN-GRID) [3], monitors neutrino event rates and measures the neutrino beam direction with a precision better than 1 mrad. INGRID is located at 280 m downstream from the production target will continue to be used for Hyper-K.

Nucleon Decay, Dark Matter, BSM Physics

Hyper-K will be able to provide some of the most stringent tests of the Standard Model. Nucleon decay sensitivities will be extended by one order of magnitude beyond the current limits and could reveal grand unified theories (GUTs) [1]. With 20 years of data, Hyper-K will reach a proton decay sensitivity of 10^{35} years for $p \to \pi^0 e^+$ and 3×10^{34} years for $p \to \bar{\nu}K^+$. These decay modes are highly complementary to those accessible by liquid argon based detectors.

The search for physics beyond the Standard Model of particle physics is one of the priorities of Hyper-K. Following Super-K's success the indirect search for dark matter from the Sun is expected to continue to provide the most sensitive tests for dark matter nucleon scattering for masses of a few a GeV in a model independent way [4–6]. Hyper-K can search for boosted dark matter [7] or test models with predominantly hadronic annihilation channels that remain hidden to other neutrino detectors [8–10]. Sensitivity of searches for dark matter from the Galactic halo will provide some of the best sensitivities to dark matter for annihilation channels with large neutrino yields. Precise oscillation measurements with atmospheric neutrinos can be used to push limits for Lorentz symmetry violation [11, 12], non-standard interaction [13, 14], quantum decoherence [15], sterile neutrino oscillation [16, 17], and various dark sector particle searches such as heavy neutral lepton [18, 19], long lived particle [20], and millicharged particles [21]. Non-standard neutrino interactions can be probed by Hyper-K using the neutrino beam and could be enhanced with a second detector in Korea [22, 23].

Solar Neutrinos

Hyper-K, with its unprecedented statistical power, will be able to measure short-period flux variations in solar neutrinos, realizing a real-time monitoring of the Solar core temperature. Hyper-K could also achieve the first measurement of hep solar neutrinos, providing new insights in solar physics. The upturn at the vacuum-MSW transition region will be detectable at 5σ (3σ) with 10 years of data with an energy threshold of 3.5 MeV (4.5 MeV).

Astrophysics: Supernova Neutrinos, Multi-messenger science

Through the observation of ~ 10 MeV neutrinos with time, energy and directional information, Hyper-K will take a unique role as multi-messenger observatory. Hyper-K will expand on the successful multi-messenger science program of Super-K [24]. It has the potential to detect thermal neutrinos from nearby (< 10 Mpc) neutron star merger events in coincidence with gravitational waves.

Hyper-K provides unique sensitivity to core-collapse supernova neutrinos [25–27] and is expected to detect more than 50,000 events for a Galactic supernova at 10 kpc. Hyper-K's reach extends to the Andromeda Galaxy M31 (\sim 780 kpc) with about 10 to 16 events expected per supernova. The direction of a supernova at 10 kpc can be reconstructed with an accuracy of

about 1° to 1.3° assuming similar event reconstruction performance as Super-K [1], making Hyper-K essential for distributing early alerts and multi-messenger observations. Further, even a few neutrinos from nearby extra-galactic supernovae can reveal the nature of transients whose mechanism is uncertain [28].

The search for diffuse supernova neutrino background (DSNB) [29, 30] will aid our understanding of the rate and spectrum of typical supernova explosions. With the addition of Gd [31], Hyper-K could also separate \bar{v}_e inverse beta reactions from other interactions. With Gd doping to tag \bar{v}_e between 10 and 30 MeV and thereby distinguish supernova neutrinos from atmospheric neutrino backgrounds the sensitivity to DSNB can be significantly enhanced.

CP Violation, Neutrino Mass Ordering, Non-standard interactions

The apparent baryon asymmetry in our Universe is one of the greatest unsolved problems of our time. CP violation in the lepton sector could generate the observed matter-antimatter disparity through leptogenesis [32]. In 2020, the T2K [33] reported a measurement that favors large enhancement of the neutrino oscillation probability, excluding values of δ_{CP} , which result in a large enhancement of the observed anti-neutrino oscillation probability at 3σ . The result follows previous preference in global fits [34] but is in tension with NOvA [35].

With 10 years of running at 1.3 MW and split 1:3 between neutrinos and antineutrinos respectively, more than 65% of δ_{CP} can be excluded at 3σ given $\sin \delta_{CP} = 0$. A reduction in systematic uncertainties can further improve the sensitivity to δ_{CP} .

Using atmospheric neutrinos Hyper-K has sensitivity to determine the neutrino mass ordering due to the matter effects in the Earth. Sensitivity can be significantly enhanced with a detector in Korea [1]. The unitarity of the PMNS matrix can be tested through v_{τ} appearance [36–38]. These oscillation results relies on precise neutrino interaction measurements by new near detectors [39–41]. These new measurement will push current knowledge of neutrino-nucleus scattering physics [42].

In a global context Hyper-K data combined with those from other long-baseline neutrino oscillation experiments will be essential to test non-standard oscillation scenarios, which can only be revealed by combining data from different experiments.

- [1] K. Abe et al. (Hyper-Kamiokande) (2018), 1805.04163.
- [2] K. Abe et al. (T2K) (2019), 1901.03750.
- [3] K. Abe et al. (Hyper-Kamiokande Proto-), PTEP 2015, 053C02 (2015), 1502.05199.
- [4] K. Choi, C. Rott, and Y. Itow, JCAP 05, 049 (2014), 1312.0273.
- [5] K. Choi et al. (Super-Kamiokande), Phys. Rev. Lett. 114, 141301 (2015), 1503.04858.
- [6] M. Danninger and C. Rott, Phys. Dark Univ. 5-6, 35 (2014), 1509.08230.
- [7] C. Kachulis et al. (Super-Kamiokande), Phys. Rev. Lett. 120, 221301 (2018), 1711.05278.
- [8] C. Rott, J. Siegal-Gaskins, and J. F. Beacom, Phys. Rev. D 88, 055005 (2013), 1208.0827.
- [9] N. Bernal, J. Martn-Albo, and S. Palomares-Ruiz, JCAP 08, 011 (2013), 1208.0834.
- [10] C. Rott, S. In, J. Kumar, and D. Yaylali, JCAP 11, 039 (2015), 1510.00170.
- [11] K. Abe et al. (Super-Kamiokande), Phys. Rev. D 91, 052003 (2015), 1410.4267.
- [12] M. Aartsen et al. (IceCube), Nature Phys. 14, 961 (2018), 1709.03434.
- [13] G. Mitsuka et al. (Super-Kamiokande), Phys. Rev. D 84, 113008 (2011), 1109.1889.
- [14] M. Aartsen et al. (IceCube), Phys. Rev. D 97, 072009 (2018), 1709.07079.
- [15] T. Stuttard and M. Jensen (2020), 2007.00068.
- [16] K. Abe et al. (T2K), Phys. Rev. D **99**, 071103 (2019), 1902.06529.
- [17] M. Aartsen et al. (IceCube) (2020), 2005.12943.
- [18] K. Abe et al. (T2K), Phys. Rev. D 100, 052006 (2019), 1902.07598.
- [19] P. Coloma, P. Hernndez, V. Muoz, and I. M. Shoemaker, Eur. Phys. J. C 80, 235 (2020), 1911.09129.
- [20] C. Argelles, P. Coloma, P. Hernndez, and V. Muoz, JHEP 02, 190 (2020), 1910.12839.
- [21] R. Plestid, V. Takhistov, Y.-D. Tsai, T. Bringmann, A. Kusenko, and M. Pospelov (2020), 2002.11732.
- [22] K. Abe et al. (Hyper-Kamiokande), PTEP 2018, 063C01 (2018), 1611.06118.
- [23] J. Liao, D. Marfatia, and K. Whisnant, JHEP 01, 071 (2017), 1612.01443.
- [24] K. Abe et al. (Super-Kamiokande), Astrophys. J. Lett. 830, L11 (2016), 1608.08745.
- [25] K. Hirata et al. (Kamiokande-II), Phys. Rev. Lett. 58, 1490 (1987).
- [26] M. Ikeda et al. (Super-Kamiokande), Astrophys. J. 669, 519 (2007), 0706.2283.
- [27] K. Nakamura, S. Horiuchi, M. Tanaka, K. Hayama, T. Takiwaki, and K. Kotake, Mon. Not. Roy. Astron. Soc. 461, 3296 (2016), 1602.03028.
- [28] T. A. Thompson, J. L. Prieto, K. Stanek, M. D. Kistler, J. F. Beacom, and C. S. Kochanek, Astrophys. J. 705, 1364 (2009), 0809.0510.
- [29] J. F. Beacom, Ann. Rev. Nucl. Part. Sci. 60, 439 (2010), 1004.3311.
- [30] C. Lunardini, Astropart. Phys. 79, 49 (2016), 1007.3252.
- [31] J. F. Beacom and M. R. Vagins, Phys. Rev. Lett. 93, 171101 (2004), hep-ph/0309300.
- [32] M. Fukugita and T. Yanagida, Phys. Lett. B 174, 45 (1986).
- [33] K. Abe et al. (T2K), Nature **580**, 339 (2020), 1910.03887.
- [34] I. Esteban, M. Gonzalez-Garcia, A. Hernandez-Cabezudo, M. Maltoni, and T. Schwetz, JHEP 01, 106 (2019), 1811.05487.

- [35] P. de Salas, D. Forero, S. Gariazzo, P. Martnez-Mirav, O. Mena, C. Ternes, M. Trtola, and J. Valle (2020), 2006.11237.
- [36] S. Parke and M. Ross-Lonergan, Phys. Rev. D 93, 113009 (2016), 1508.05095.
- [37] Z. Li et al. (Super-Kamiokande), Phys. Rev. D 98, 052006 (2018), 1711.09436.
- [38] M. Aartsen et al. (IceCube), Phys. Rev. D 99, 032007 (2019), 1901.05366.
- [39] S. Bhadra et al. (nuPRISM) (2014), 1412.3086.
- [40] A. Blondel et al., JINST 13, P02006 (2018), 1707.01785.
- [41] S. Jones et al., Instruments 4, 21 (2020), 2007.15609.
- [42] L. Alvarez-Ruso et al. (NuSTEC), Prog. Part. Nucl. Phys. 100, 1 (2018), 1706.03621.