

UC Irvine

UC Irvine Previously Published Works

Title

2022 taxonomic update of phylum Negarnaviricota (Riboviria: Orthornavirae), including the large orders Bunyavirales and Mononegavirales.

Permalink

<https://escholarship.org/uc/item/6xp939h0>

Journal

Archives of Virology, 167(12)

Authors

Bukreyev, Alexander

Burt, Felicity

Büttner, Carmen

et al.

Publication Date

2022-12-01

DOI

10.1007/s00705-022-05546-z

Peer reviewed



HHS Public Access

Author manuscript

Arch Virol. Author manuscript; available in PMC 2023 December 01.

Author Manuscript

Author Manuscript

Author Manuscript

Author Manuscript

Published in final edited form as:

Arch Virol. 2022 December ; 167(12): 2857–2906. doi:10.1007/s00705-022-05546-z.

2022 TAXONOMIC UPDATE OF PHYLUM *Negarnaviricota* (*Riboviria*: *Orthornavirae*), INCLUDING THE LARGE ORDERS *Bunyavirales* AND *Mononegavirales*

A full list of authors and affiliations appears at the end of the article.

Abstract

In March 2022, following the annual International Committee on Taxonomy of Viruses (ICTV) ratification vote on newly proposed taxa, the phylum *Negarnaviricota* was amended and emended. The phylum was expanded by two new families (bunyaviral *Discoviridae* and *Tulasviridae*), 41 new genera, and 98 new species. Three hundred forty-nine species were renamed and/or moved. The accidentally misspelled names of seven species were corrected. This article presents the updated taxonomy of *Negarnaviricota* as now accepted by the ICTV.

Keywords

Aliusviridae; *Arenaviridae*; articulaviral; *Articulavirales*; *Artoviridae*; *Aspiviridae*; *Bornaviridae*; bunyaviral; *Bunyavirales*; bunyavirus; *Crepuscuviridae*; *Discoviridae*; *Filoviridae*; *Fimoviridae*; goujianviral; *Goujianvirales*; *Hantaviridae*; ICTV; International Committee on Taxonomy of Viruses; jingchuviral; *Jingchuvirales*; megaclassification; megataxonomy; mononegaviral; *Mononegavirales*; muviral; *Muvirales*; *Mymonaviridae*; *Myriaviridae*; *Nairoviridae*; *Nataviridae*; negarnaviricot; *Negarnaviricota*; *Nyamiviridae*; *Orthomyxoviridae*; *Orthornavirae*; *Paramyxoviridae*; *Peribunyaviridae*; *Phasmaviridae*; *Phenuiviridae*; *Pneumoviridae*; *Rhabdoviridae*; *Riboviria*; serpentoviral; *Serpentovirales*; *Sunviridae*; *Tenuivirus*; *Tospoviridae*; *Tulasviridae*; virus classification; virus nomenclature; virus taxonomy

INTRODUCTION

The phylum *Negarnaviricota* was established in 2019 by the International Committee on Taxonomy of Viruses (ICTV) for negative-sense RNA viruses that can be connected evolutionarily through the possession of virally encoded RNA-directed RNA polymerases (RdRps). The phylum includes two subphyla, *Haploviricotina* and *Polyhaploviricotina*, for

Corresponding author: Jens H. Kuhn, Integrated Research Facility at Fort Detrick (IRF-Frederick), Division of Clinical Research (DCR), National Institute of Allergy and Infectious Diseases (NIAID), National Institutes of Health (NIH), B-8200 Research Plaza, Fort Detrick, Frederick, MD 21702, USA; Phone: +1-301-631-7245; Fax: +1-301-631-7389; kuhnjens@mail.nih.gov.

Conflict of Interest

The authors declare no conflicts of interest.

Ethical approval

This article does not contain any studies with human participants or animals performed by any of the authors.

SUMMARY

A summary of the current, ICTV-accepted taxonomy of the phylum *Negarnaviricota* is presented in Tables 1–7 and in the form of two posters (Supplementary Figure 1).

negative-sense RNA viruses that encode RdRps with or without mRNA capping activity, respectively. The two subphyla include four classes (*Chunqiuviricetes*, *Milneviricetes*, *Monjiviricetes*, and *Yunchangviricetes*) and two classes (*Ellioviricetes* and *Insthoviricetes*), respectively [33, 59, 74]. The phylum was last amended/emended in 2021 [34]. Here we present the changes that were proposed to the phylum via official taxonomic proposals (TaxoProps) in 2021 and accepted by the ICTV in March and May 2022 [23, 70]. These changes are now part of the official ICTV taxonomy [24].

TAXONOMIC CHANGES IN SUBPHYLUM *Haploviricotina*

Chunqiuviricetes—The names of all species in the class were changed to binomials as required by the recently amended International Code of Virus Classification and Nomenclature (ICVCN) [25, 69, 81] (TaxoProp 2021.018M.R.Negarnaviricota_sprename).

Milneviricetes—The names of all species in the class were changed to binomials as required by the recently amended ICVCN [25, 69, 81] (TaxoProp 2021.014P.R.Aspiviridae_rename).

Monjiviricetes

1. Family Aliusviridae: The species name *Olluvirus shayangense* was corrected to *Ollusvirus shayangense* (TaxoProp 2021.042M.R.Corrections_Riboviria_Duplodnaviria).

2. Family Artoviridae: The names of all species in the family were changed to binomials as required by the recently amended ICVCN [25, 69, 81] (TaxoProp 2021.009M.R.Artoviridae_sprename).

Genus *Peropuvirus* was expanded by one new species, *Peropuvirus melongenae*, for Solanum melongena rhabdo-like virus (SmRLV) identified in a metagenomic study of eggplant (*Solanum melongena* L.) leaf tissue sampled in Zhènjiāng (镇江市), Jīng Province (江苏省), China [78] (TaxoProp 2021.029M.R.Peropuvirus_1nsp).

3. Family Bornaviridae: The names of all species in the family were changed to binomials as required by the recently amended ICVCN [25, 69, 81] (2021.010M.R.Bornaviridae_sprename).

Genus *Orthobornavirus* was expanded by one new species, *Orthobornavirus caenophidiae*, for Caribbean watersnake bornavirus (CWBV) and Mexican black-tailed rattlesnake bornavirus (MRBV) identified in archived raw transcriptomic read data of a Caribbean watersnake (colubrid *Tretanorhinus variabilis* A.M.C. Duméril, Bibron & A.H.A. Duméril, 1854) and a Mexican black-tailed rattlesnake (viperid *Crotalus molossus nigrescens* Gloyd, 1936), respectively [49] (TaxoProp 2021.021M.R.Orthobornavirus_1nsp).

4. Family Filoviridae: Family *Filoviridae* was expanded by two genera:

- genus *Oblavirus* was established to include one new species, *Oblavirus percae*, for Oberland virus (OBLV) discovered by high-throughput sequencing (HTS) in

European perch (percid *Perca fluviatilis* Linnaeus, 1758) sampled in Switzerland [20] (TaxoProp 2021.011M.R.Filoviridae_1ngen_3nsp); and

- genus *Tapjovirus* was established to include one new species, *Tapjovirus bothropis*, for Tapajós virus (TAPV) discovered in sequence read archive (SRA) data obtained from a common lancehead (viperid *Bothrops atrox* (Linnaeus, 1758)) sampled in Brazil [21] (TaxoProp 2021.005M.R.Filoviridae_1ngen_1nsp).

Genus *Thamnovirus* was expanded by two new species, *Thamnovirus percae* for Fiwi virus (FIWIV) and *Thamnovirus kanderense* for Kander virus (KNDV), both discovered by HTS in European perch (percid *Perca fluviatilis* Linnaeus, 1758) sampled in Switzerland [20] (TaxoProp 2021.011M.R.Filoviridae_1ngen_3nsp).

5. Family Lispiviridae: Family *Lispiviridae* was thoroughly revised (TaxoProp 2021.016M.R.Lispiviridae_16ngen_13nsp):

- in genus *Arlivirus*, species *Lishi arlivirus* was renamed *Arlivirus arachnae*. Species *Gerrid arlivirus*, *Hubei arlivirus*, *Odonate arlivirus*, *Tacheng arlivirus*, and *Wuchang arlivirus* were renamed *Sanstrivirus gerridis*, *Leocovirus coleopteris*, *Damravirus dentatis*, *Ganiavirus tachengense*, and *Nematovirus wuchangense*, respectively, and moved into the newly created genera *Sanstrivirus*, *Leocovirus*, *Damravirus*, *Ganiavirus*, and *Nematovirus*, respectively;
- genus *Anicalvirus* was created to include the new species *Anicalvirus hangzhouense* for Anisopteromalus calandrae negative-strand RNA virus 2 (AcNSRV-2) discovered by HTS in a parasitoid wasp (pteromalid *Anisopteromalus calandrae* (Howard, 1881)) sampled in Hángzhū (杭州市), Zhèjiāng Province (浙江省), China [72];
- genus *Anidravirus* was created to include the new species *Anidravirus hangzhouense* for Anisopteromalus calandrae negative-strand RNA virus 1 (AcNSRV-1) discovered by HTS in parasitoid wasps (pteromalid *Anisopteromalus calandrae* (Howard, 1881)) sampled in Hángzhū (杭州市), Zhèjiāng Province (浙江省), China [72];
- genus *Copasivirus* was created to include two new species:
 - *Copasivirus manlyvaleense* for Jimsystermes virus (JIMV) discovered by HTS in termites (termitid *Occasitermes* sp.) sampled in Manly Vale, New South Wales, Australia [35]; and
 - *Copasivirus ivindoense* for isopteran arli-related virus OKIAV103 (IARV-103) discovered by HTS in termites (rhinotermitid *Coptotermes* sp.) sampled in Ivindo National Park (Parc national d'Ivindo), Ogooué-Ivindo Province, Gabon [27];
- genus *Cybitervirus* was created to include new species *Cybitervirus niederense* for coleopteran arli-related virus OKIAV107 (CARV-107) discovered by HTS

in beetles (dytiscid *Cybister lateralimarginalis* (De Geer, 1774)) sampled in Lüchow-Dannenberg, Lower Saxony (Niedersachsen), Germany [27];

- genus *Phelinovirus* was created to include new species *Phelinovirus aphidis* for hymenopteran arli-related virus OKIAV99 (HARV-99) discovered by HTS in parasitoid wasps (aphelinid *Aphelinus abdominalis* (Dalman, 1820)) in laboratory culture samples of unknown geographical origin [27];
- genus *Rivapovirus* was created to include new species *Rivapovirus aleyrodidae* for hemipteran arli-related virus OKIAV94 (HARV-94) discovered by HTS in greenhouse whiteflies (aleyrodid *Trialeurodes vaporariorum* Westwood, 1856) of commercial laboratory cultures sampled in Brandenburg, Germany [27];
- genus *Stylovirus* was created to include new species *Stylovirus niedderense* for strepsipteran arli-related virus OKIAV104 (SARV-104) discovered by HTS in endoparasitic insects (stylopid *Stylops melittae* Kirby, 1802) sampled in Osnabrück, Lower Saxony (Niedersachsen), Germany [27];
- genus *Supelovirus* was created to include the new species *Supelovirus thailandense* for blattodean arli-related virus OKIAV102 (BARV-102) discovered by HTS in brown-banded cockroaches (ectobiid *Supella longipalpa* Fabricius, 1798) of laboratory culture samples originating from Thailand [27];
- genus *Synelinevirus* was created to include two new species:
 - *Synelinevirus paranaense* for Linepithema humile rhabdo-like virus 1 (LhuURLV-1) 1 discovered by HTS in Argentine ants (dolichoderine *Linepithema humile* (Mayr, 1868)) sampled in Catalonia (Cataluña), Spain [68]; and
 - *Synelinevirus bonnense* for hymenopteran arli-related virus OKIAV98 (HARV-98) discovered by HTS in gall wasps (cynipid *Synergus umbraculus* Walker, 1874) sampled in Bonn, North Rhine-Westphalia (Nordrhein-Westfalen), Germany [27];
- genus *Usmuvirus* was created to include the new species *Usmuvirus newyorkense* for Amsterdam virus (AMSV) discovered by HTS in house mice (murid *Mus musculus* Linnaeus, 1758) sampled in New York, New York, USA [73]; and
- genus *Xenophyvirus* was created to include the new species *Xenophyvirus mathesonense* for hemipteran arli-related virus OKIAV95 (HARV-95) discovered by HTS in moss bugs (peloridiid *Xenophyes metoponcus* Burckhardt, 2011) sampled in Lake Matheson, South Island Westland District, New Zealand [27].

6. Family Mymonaviridae: Genus *Auricularimonavirus* was expanded by one new species, *Auricularimonavirus bondarzewiae*, for Bondarzewia berkeleyi negative-strand RNA virus 1 (BbNSRV-1) discovered by HTS in stump blossoms (bondarzewiaceen *Bondarzewia berkeleyi* (Fr.) Bondartsev & Singer (1941)) [65] (TaxoProp 2021.041M.R.Mymonaviridae_5nsp).

Genus *Botrytimonavirus* was expanded by one new species, *Botrytimonavirus alphabotrytidis*, for *Botrytis cinerea* negative-stranded RNA virus 5 (BcNSRV-5) and *Sclerotinia sclerotiorum* negative-stranded RNA virus 10 (SsNSRV-10) discovered in metatranscriptomes of sclerotiniacean fungi (*Botrytis cinerea* Pers. (1794) and *Sclerotinia sclerotiorum* (Lib.) de Bary (1884) sampled in Italy/Spain and China, respectively) [26, 53] (TaxoProp 2021.041M.R.Mymonaviridae_5nsp). *Sclerotinia sclerotiorum* negative-stranded RNA virus 11 (SsNSRV-11) discovered in a *Sclerotinia sclerotiorum* (Lib.) de Bary (1884) metatranscriptome data set [26] was assigned to the already established species *Botrytimonavirus botrytidis* (TaxoProp 2021.041M.R.Mymonaviridae_5nsp).

Genus *Sclerotimonavirus* was expanded by three new species (TaxoProp 2021.041M.R.Mymonaviridae_5nsp):

- *Sclerotimonavirus alphabotrytidis* for *Botrytis cinerea* negative-stranded RNA virus 3 (BcNSRV-3) and *Sclerotinia sclerotiorum* negative-stranded RNA virus 9 (SsNSRV-9) discovered in metatranscriptomes of sclerotiniacean fungi (*Botrytis cinerea* Pers. (1794) and *Sclerotinia sclerotiorum* (Lib.) de Bary (1884) sampled in Italy/Spain and China, respectively) [26, 53];
- *Sclerotimonavirus betabotrytidis* for *Botrytis cinerea* negative-stranded RNA virus 4 (BcNSRV-4), discovered in the metatranscriptome of a sclerotiniacean fungus (*Botrytis cinerea* Pers. (1794)) sampled in Italy/Spain [53]; and
- *Sclerotimonavirus cryphonectriae* for *Cryphonectria parasitica* sclerotimonavirus 1 (CpSV-1), discovered by HTS in a cryphonectriacean fungus (*Cryphonectria parasitica* (Murrill) M. E. Barr (1978)) sampled in Azerbaijan [18].

7. Family Nyamiviridae: The names of all species in the family were changed to binomials as required by the recently amended ICVCN [25, 69, 81] (TaxoProp 2021.020M.R.Nyamiviridae_sprenname).

Genus *Formivirus* was expanded by one new species, *Formivirus solenopsi*, for *Solenopsis invicta* virus 15 (SoINV-15) identified in the transcriptome of red fire ants (myrmicine *Solenopsis invicta* Buren, 1972) sampled in the US and Taiwan [77] (TaxoProp 2021.019M.R.Nyamiviridae_3nsp).

Genus *Nyavirus* was expanded by two new species (TaxoProp 2021.019M.R.Nyamiviridae_3nsp):

- *Nyavirus argatis*, for Sekira virus (SEKRV) identified in the RNA virome of a pool of ticks (argasid *Argas japonicus* Yamaguti, Clifford and Tipton, 1968) sampled in Mishima (三島市), Shizuoka Prefecture (静岡県), Japan [28]; and
- *Nyavirus somateriae* for Jeremy Point nyavirus (JPNV) identified in the spleen of a common eider (anatid *Somateria mollissima* (Linnaeus, 1758)) collected at Jeremy Point, Massachusetts, USA, in 2013 (unpublished; GenBank: MN045233).

8. Family Paramyxoviridae: Genus *Jeilongvirus* was expanded by eight new species (TaxoProp: 2021.014M.R.Jeilongvirus_8nsp):

- *Jeilongvirus anhuiense* for Miniopterus schreibersii paramyxovirus (MisPV) discovered by HTS in Schreibers's long-fingered bats (miniopterid *Miniopterus schreibersii* (Kuhl, 1817)) sampled in China [75];
- *Jeilongvirus apodemi* for rodent paramyxovirus (RoPV) discovered by HTS in a Korean field mouse (murid *Apodemus peninsulae* (Thomas, 1907)) sampled in China [76];
- *Jeilongvirus comorosense* for bat paramyxovirus 16797 (BatPV-1) identified in a Comoran long-fingered bat (miniopterid *Miniopterus griveaudi* Harrison, 1959) sampled in Comoros (unpublished; GenBank: MG203877);
- *Jeilongvirus erinacei* for belerina virus (BeV) discovered by HTS in West European hedgehogs (erinaceid *Erinaceus europaeus* Linnaeus, 1758) sampled in Belgium [66];
- *Jeilongvirus felis* for feline paramyxovirus (FPaV) identified in domestic cats (feline *Felis catus* Linnaeus, 1758) sampled in Germany [55, 61];
- *Jeilongvirus madagascarensis* for bat paramyxovirus 17770 (BatPV-2) identified in a Comoran long-fingered bat (miniopterid *Miniopterus griveaudi* Harrison, 1959) sampled in Madagascar (unpublished; GenBank: MG203878);
- *Jeilongvirus murinae* for bat paramyxovirus (BatPV-3) identified in a greater tube-nosed bat (vespertilionid *Murina leucogaster* (Milne-Edwards, 1872) sampled in China [75]; and
- *Jeilongvirus rungweense* for ruloma virus (RulV) detected by HTS in a Machangu's brush-furred rat (murid *Lophuromys machangui* Verheyen, Hulselmans, Dierckx, Mulungu, Leirs, Corti & Verheyen, 2007) sampled in Rungwe District, Mbeya Region, Tanzania [67].

9. Family Rhabdoviridae: The names of all species in the family were changed to binomials as required by the recently amended ICVCN [25, 69, 81] (TaxoProps 2021.036M.R.Rhabdoviridae_sprename, 2021.042M.R.Corrections_Riboviria_Duplodnaviria, and 2021.043M.R.Corrections_Mononegavirales_Bunyavirales).

Five new genera were created and included in the subfamily *Alpharhabdovirinae*:

- genus *Amplylivirus*, including one novel species, *Amplylivirus cinereus*, for frog lyssa-like virus 1 (FLLV-1) detected in an American green tree frog (hylid *Dryophytes cinereus* (Schneider, 1799)) (unpublished; GenBank: MK473367) (2021.035M.R.Rhabdoviridae_2ngen_2nsp);
- genus *Cetarhavirus* for two new species (2021.003M.R.Alpharhabdovirinae_3ngen_7nsp):

- *Cetarhavirus laganorhynchus* for dolphin rhabdovirus (DRV) isolated from a white-beaked dolphin (delphinid *Lagenorhynchus albirostris* (Gray, 1846)) sampled in Schiermonnikoog, Friesland, Holland [45]; and
- *Cetarhavirus phocoena* for harbour porpoise rhabdovirus (HPRV) isolated from a harbour porpoise (phocoenid *Phocoena phocoena* (Linnaeus, 1758)) stranded off the coast of Alaska [15];
- genus *Replylivirus*, including one novel species, *Replylivivirus allogus*, for anole lyssa-like virus 1 (ALLV-1) identified in RNAseq data from a Spanish flag anole (dactyloid *Anolis allogus* Barbour & Ramsden, 1919) [22] (2021.035M.R.Rhabdoviridae_2ngen_2nsp);
- genus *Scophrhavirus* for two new species (2021.003M.R.Alpharhabdovirinae_3ngen_7nsp):
 - *Scophrhavirus chanodichthys* for Wuhan redfin culter dimarhabdovirus (WhRFCRV) detected by high-throughput sequencing in redfin culter (cyprinid *Chanodichthys erythropterus* (Basilewsky, 1855)) collected in Húb i Province (湖北省), China [58];
 - *Scophrhavirus maximus* for Scophthalmus maximus rhabdovirus (SMRV) isolated from turbot fish (scophthalmid *Scophthalmus maximus* (Linnaeus, 1758)) sampled in Sh nd ng Province (山东省), China [82];
- genus *Siniperhavirus* for two new species (2021.003M.R.Alpharhabdovirinae_3ngen_7nsp):
 - *Siniperhavirus chuatsi* for Siniperca chuatsi rhabdovirus (SRCV) isolated from mandarin fish (sinipercid *Siniperca chuatsi* (Basilewsky, 1855)) collected in Guǎngd ng Province (广东省), China [86, 87]; Chinese rice-field eel rhabdovirus (CrERV) isolated from Chinese ricefield eels (synbranchid *Monopterus albus* (Zuiwei, 1793)) sampled in Qiánji ng (潜江市), Húb i Province (湖北省), China [38]; hybrid snakehead rhabdovirus (HSHRV) isolated from hybrid snakehead (channid *Channa maculata* × *Channa argus*) sampled in Fósh n (佛山市), Guǎngd ng Province (广东省), China [80]; and Micropterus salmoides rhabdovirus (MSRV) isolated from largemouth bass (centrarchid *Micropterus salmoides* (Lacépède, 1802)) sampled in Yúháng (余杭区), Zhèj ng Province (浙江省), China [40]; and
 - *Siniperhavirus zoarcis* for harbour eelpout rhabdovirus (EPRV) detected by HTS in eelpout (zoarcid *Zoarcis viviparous* (Linnaeus, 1758)) near Stockholm, Sweden [2];

Genus *Alphanucleorhabdovirus* was expanded by one new species, *Alphanucleorhabdovirus joa*, for joá yellow blotch associated virus (JYBaV) identified in joá (solanaceaeen *Solanum*

aculeatissimum L.) plants sampled in Manaus, State of Amazonas (Estado de Amazonas), Brazil [11] (TaxoProp 2021.001M.A.v1.Betarhabdovirinae_7nsp).

Genus *Betanucleorhabdovirus* was expanded by one new species, *Betanucleorhabdovirus bacopae*, for Bacopa monnieri virus 2 (BmV-2) identified in transcriptomic data of water hyssop (plantaginaceen *Bacopa monnieri* L.) tissues sampled in Lucknow, Uttar Pradesh, India [60] (TaxoProp 2021.001M.A.v1.Betarhabdovirinae_7nsp).

Genus *Cytorhabdovirus* was expanded by five new species (TaxoProp 2021.001M.A.v1.Betarhabdovirinae_7nsp):

- *Cytorhabdovirus bacopae* for Bacopa monnieri virus 1 (BmV-1) identified in transcriptomic data of water hyssop (plantaginaceen *Bacopa monnieri* L.) tissues sampled in Lucknow, Uttar Pradesh, India [60];
- *Cytorhabdovirus chrysanthemi* for chrysanthemum yellow dwarf associated virus (CYDaV) identified in grey-leaved euryops (asteraceaen *Euryops pectinatus* (L.) Cass.) plant sampled in Chóngqìng (重庆市), China [37];
- *Cytorhabdovirus cucurbitae* for cucurbit cytorhabdovirus 1 (CuCV-1) identified in zucchini (cucurbitaceaen *Cucurbita pepo* L.) plants sampled in Greece [44];
- *Cytorhabdovirus broussonetiae* for paper mulberry mosaic associated virus (PMuMaV) identified in paper mulberry (moraceaen *Broussonetia papyrifera* L.) plants sampled in Chóngqìng (重庆市), China [51]; and
- *Cytorhabdovirus rosae* for rose virus R (RVR), identified in a rose ‘Hugh Dickson’ plant from Maryland, USA [5].

Genus *Hapavirus* was expanded by two new species (TaxoProp 2021.004M.R.Alpharhabdovirinae_13nsp):

- *Hapavirus bangoran* for Bangoran virus (BGNV) found in mosquitoes (culicid *Culex perfuscus* Edwards, 1914) sampled in Bangoran, Bamingui-Bangoran Prefecture, Central African Republic [6, 14]; and
- *Hapavirus porton* for Porton virus (PORV) found in mosquitoes (culicid *Mansonia uniformis* (Theobald, 1901)) sampled in Sarawak state, Malaysia [6].

Genus *Ledantivirus* was expanded by one new species, *Ledantivirus taiyi*, for Taiyi bat virus (TYBV) found in Chinese rufous horseshoe bats (rhinolophid *Rhinolophus sinicus* K. Andersen, 1905) sampled in Xiánníng (咸宁市), Húb i Province (湖北省), China [39] (TaxoProp 2021.004M.R.Alpharhabdovirinae_13nsp).

Genus *Perhabdovirus* was expanded by one new species, *Perhabdovirus leman*, for Leman virus (LeRV) isolated from perch fry sampled from Lake Geneva (Lac Léman), France [47] (TaxoProp 2021.003M.R.Alpharhabdovirinae_3ngen_7nsp).

Genus *Sunrhabavirus* was expanded by eight new species (TaxoProp 2021.004M.R.Alpharhabdovirinae_13nsp):

- *Sunrhavirus sandjimba* for Sandjimba virus (SJV) found in sedge warblers (acrocephalid *Acrocephalus schoenobaenus* (Linnaeus, 1758)) collected at the Landjia river, Ombella-M'Poko Prefecture, Central African Republic [6, 14];
- *Sunrhavirus nasoule* for Nasoule virus (NASV) found in little greenbulbs (pycnonotid *Eurillas virens* (Cassin, 1857)) sampled in Nasoule, Mambéré-Kadéï Prefecture, Central African Republic [6, 14];
- *Sunrhavirus boteke* for Boteke virus (BOTV) found in mosquitoes (culicid *Coquillettidia maculipennis* (Theobald, 1911)) sampled in Boteke, Ombella-M'Poko Prefecture, Central African Republic [6, 14];
- *Sunrhavirus bimbo* for Bimbo virus (BBOV) found in yellow-crowned bishop (ploceid *Euplectes afer* (Gmelin, 1789)) sampled in Kolongo, Ombella-M'Poko Prefecture, Central African Republic [6, 14];
- *Sunrhavirus kolongo* for Kolongo virus (KOLV) found in yellow-crowned bishop (ploceid *Euplectes afer* (Gmelin, 1789)) sampled in Bangui, Central African Republic [6, 14];
- *Sunrhavirus ouango* for Ouango virus (OUAV) found in black-headed weaves (ploceid *Ploceus melanocephalus* (Linnaeus, 1758)) collected at the Landjia river, Ombella-M'Poko Prefecture, Central African Republic [6, 14];
- *Sunrhavirus alexandria* for Burg el Arab virus (BEAV) found in lesser whitethroats (sylviid *Curruca curruca* (Linnaeus, 1758)) sampled in Borg El Arab/Burj al-'Arab (قسم برج العرب), Alexandria Governorate (محافظة الإسكندرية), Egypt [6]; and
- *Sunrhavirus matariya* for Matariya virus (MTYV) found in lesser whitethroats (sylviid *Curruca curruca* (Linnaeus, 1758)) sampled in Port Saïd/Borsaïd (بور سعيد), Port Saïd Governorate (محافظة بور سعيد), Egypt [6].

Genus *Vesiculovirus* was expanded by two new species (TaxoProp 2021.004M.R.Alpharabdovirinae_13nsp):

- *Vesiculovirus mediterranean* for Mediterranean bat virus (MBV) found in bats sampled in Algeria, Morocco, and Spain (unpublished; GenBank: MW557331); and
- *Vesiculovirus yinshui* for Yinshui bat virus (YSBV) found in Chinese rufous horseshoe bats (rhinolophid *Rhinolophus sinicus* K. Andersen, 1905) sampled in Xiánníng (咸宁市), Húbì Province (湖北省), China [39].

10. Family Sunviridae: The name of the only species in the family was changed to a binomial as required by the recently amended ICVCN [25, 69, 81] (2021.037M.R.Sunviridae_sprename).

11. Family Xinmoviridae: Family *Xinmoviridae* was thoroughly revised (2021.039M.R.Xinmoviridae_11ngen_8nsp):

- in the genus *Anphevirus*, the species *Shuangao anphevirus* was abolished, and the species *Xincheng anphevirus* was renamed *Anphevirus xinchengense*. Species *Dipteran anphevirus*, *Odonate anphevirus*, *Drosophilid anphevirus*, *Bolahun anphevirus*, and *Orthopteran anphevirus* were renamed *Alasvirus muscae*, *Draselvirus dentati*, *Drunivirus chambonense*, *Gambievirus bolahunense*, and *Hoptevirus orthopteris*, respectively, and moved into the newly created genera *Alasvirus*, *Draselvirus*, *Drunivirus*, *Gambievirus*, and *Hoptevirus*, respectively;
- genus *Dourovirus* was created to include the new species *Dourovirus australiae* for Culex mononega-like virus 2 (CMLV-2) discovered by HTS in mosquitoes (culicid *Culex australicus* Dobrotworsky & Drummond, 1953) sampled in Point Douro, Western Australia, Australia [57];
- genus *Gambievirus* was created to include the new species *Gambievirus senegalense* for Gambie virus (GAMV) discovered by HTS in mosquitoes (culicid *Anopheles gambiae* Giles, 1902) sampled in Senegal [17];
- genus *Gylbovirus* was created to include new species *Gylbovirus aagae* for Aedes anphevirus (AeAV) discovered by HTS in yellow fever mosquitoes (culicid *Aedes aegypti* (Linnaeus in Hasselquist, 1762)) and the Aag2 Aedes albopictus cell line [10, 48];
- genus *Madalivirus* was created to include two new species:
 - *Madalivirus amapaense* for Anopheles marajoara virus (AnMV) discovered by HTS in mosquitoes (culicid *Anopheles marajoara* Galvao & Damesceno 1942) sampled in Macapá, Amapá State, Brazil [56]; and
 - *Madalivirus amazonaense* for Anopheles darlingi virus (AnDV) discovered by HTS in American malaria mosquitoes (culicid *Anopheles darlingi* Root, 1926) sampled in Macapá, Amapá State, and Manaus, Amazonas State, Brazil [56];
- genus *Pelmovirus* was created to include new species *Pelmovirus eymattense* for hymenopteran anphe-related virus OKIAV71 (HARV-71) discovered by HTS in parasitoid wasps (ichneumonid *Heteropelma amictum* (Fabricius, 1775)) sampled in Eymatt, Bern, Switzerland [27];
- genus *Triniovirus* was created to include the new species *Triniovirus yonagoense* for Culex tritaeniorhynchus anphevirus (CtAV) discovered by HTS in mosquitoes (culicid *Culex tritaeniorhynchus* Giles, 1901) sampled in Yonago (米子市), Tottori Prefecture (鳥取県), Japan [16]; and
- genus *Ulegvirus* was created for new species *Ulegvirus freckenfeldense* for odonatan anphe-related virus OKIAV59 (OARV-59) discovered by HTS in golden-ringed dragonflies (cordulegastrid *Cordulegaster boltonii* (Donovan, 1807)) sampled in Freckenfeld, Rhineland-Palatinate (Rheinland-Pfalz), Germany [27].

Yunchangviricetes—The names of all species in the class were changed to binomials as required by the recently amended International Code of Virus Classification and Nomenclature (ICVCN) [25, 69, 81] (TaxoProp 2021.018M.R.Negarnaviricota_sprename).

TAXONOMIC CHANGES IN SUBPHYLUM *Polyploviricotina*

Taxonomic changes within order *Articulavirales* (*Polyploviricotina: Insthoviricetes*)

Family Amnoonviridae—The name of the only species in the family was changed to a binomial as required by the recently amended International Code of Virus Classification and Nomenclature (ICVCN) [25, 69, 81] (TaxoProp 2021.018M.R.Negarnaviricota_sprename).

Family Orthomyxoviridae—The names of all species in the family were changed to binomials as required by the recently amended ICVCN [25, 69, 81] (TaxoProp 2021.024M.R.Orthomyxoviridae_sprename).

One new genus, *Mykissvirus*, was established to include one new species, *Mykissvirus tructae*, for rainbow trout orthomyxovirus (RbtOV) and steelhead trout orthomyxovirus (SttOV-1) first isolated from commercially reared rainbow trout (salmonid *Oncorhynchus mykiss* (Walbaum, 1792)) in Hagerman Valley, Idaho, USA [4] (TaxoProp 2021.022M.R.Orthomyxoviridae_1ngen_1nsp_Mykiss).

One new genus, *Sardinovirus*, was established to include one new species, *Sardinovirus pilchardi*, for pilchard orthomyxovirus (POMV) first isolated from blue pilchards (clupeid *Sardinops sagax* (Jenyns, 1842)) sampled off the coast of South Australia and subsequently Tasmania [19, 41] (TaxoProp 2021.023M.R.Orthomyxoviridae_1ngen_1nsp_Sardino).

Genus *Quaranjavirus* was expanded by four new species (TaxoProp 2021.034M.R.Quaranjavirus_4nsp):

- *Quaranjavirus araguariense* for Araguari virus (ARAV) isolated from a gray four-eyes opossum (didelphid *Philander opossum* (Linnaeus, 1758)) sampled in Serra do Navio, Amapá State, Brazil [9, 79];
- *Quaranjavirus chadense* for Lake Chad virus (LKCV) isolated from a vitelline masked weaver (ploceid *Ploceus vitellinus* (Lichtenstein, 1823)), sampled at Lake Chad, Nigeria [50];
- *Quaranjavirus tyulekense* for Tyulek virus (TLKV) isolated from ticks (argasid *Argas vulgaris* Filippova, 1961) sampled near Tülük/Tölök (Тюлек/Төлөк), Naryn Region (Нарынская область), Kirghiz Soviet Socialist Republic, USSR [85]; and
- *Quaranjavirus wellfleetense* for Wellfleet Bay virus (WFBV) isolated from common eiders (anatid *Somateria mollissima* (Linnaeus, 1758)) sampled at Cape Cod, Massachusetts, USA [1].

Genus *Thogotovirus* was expanded by six new species (TaxoProp 2021.038M.R.Thogotovirus_6nsp):

- *Thogotovirus bourbonense* for Bourbon virus (BRBV) isolated from a human sampled in Bourbon County, Kansas, USA [30];
- *Thogotovirus josense* for Jos virus (JOSV) isolated from a zebu (bovid *Bos indicus* Linnaeus, 1758) and ticks (ixodid *Amblyomma variegatum* (Fabricius, 1794) and *Rhipicephalus decoloratus* Koch, 1844) sampled in Jos, Plateau State, Nigeria [36];
- *Thogotovirus ozense* for Oz virus (OZV) isolated from ticks (ixodid *Amblyomma testudinarium* Koch, 1844) sampled in Ehime Prefecture (愛媛県), Japan [13];
- *Thogotovirus sinuense* for Sinu virus (SINUV) isolated from a pool of mosquitoes collected in San Bernardo del Viento, Córdoba Department, Colombia [8];
- *Thogotovirus thailandense* for Thailand tick thogotovirus (TT-THOV) detected by HTS in ticks (ixodid *Boophilus* sp.) sampled in Tha Wang Pha District (ท่า Wang Pha), Nan Province (น่าน), Thailand [63]; and
- *Thogotovirus upoluense* for Upolu virus (UPOV) isolated from ticks (ixodid *Ornithodoros capensis* Neumann, 1901) sampled on Upolu Cay, Great Barrier Reef, Australia [12].

Taxonomic changes within order Bunyavirales (Polyploviricotina: Ellioviricetes)

The order *Bunyavirales* was expanded by two new families (2021.040M.R.Bunyavirales_2nfam_2ngen_6nsp):

- *Discoviridae*: genus *Orthodiscovirus* was created for five species:
 - *Orthodiscovirus coniellae* for Coniothyrium diplodiella negative-stranded RNA virus 1 (CdNSRV-1) and *Plasmopara viticola* lesion associated mycobunyavirales-like virus 9, discovered by HTS in an isolate of a fungus (melanconidaceen *Coniella diplodiella* (Speg.) Petr. & Syd., (1927)) and in plant lesions caused by grapevine downy mildew (peronosporaceen *Plasmopara viticola* (Berk. & M.A. Curtis) Berl. & De Toni, (1888)), respectively [42];
 - *Orthodiscovirus hispaniae* for *Plasmopara viticola* lesion associated mycobunyavirales-like virus 8 (PvLAM-LV8) discovered by HTS in plant lesions caused by grapevine downy mildew (peronosporaceen *Plasmopara viticola* (Berk. & M.A. Curtis) Berl. & De Toni, (1888)) [7];
 - *Orthodiscovirus iberiae* for *Plasmopara viticola* lesion associated mycobunyavirales-like virus 4 (PvLAM-LV4) discovered by HTS in plant lesions caused by grapevine downy mildew (peronosporaceen *Plasmopara viticola* (Berk. & M.A. Curtis) Berl. & De Toni, (1888)) [7];

- *Orthodiscovirus missouriense* for *Penicillium discovirus* (PDV) discovered by HTS in a fungus (trichocomacean *Penicillium atramentosum* Thom, C. 1910) [31]; and
- *Orthodiscovirus penicillii* for *Penicillium roseopurpureum* negative ssRNA virus 1 (PrNssV-1) discovered by HTS in a fungus (trichocomacean *Penicillium roseopurpureum* Dierckx, R.P. 1901) [42];
- *Tulasviridae*: genus *Orthotulasvirus* was created to include one species, *Orthotulasvirus tulasnella*, for *Tulasnella* bunyavirales-like virus 1 (TB-LV) discovered by HTS in an orchid mycorrhizal virome and confirmed to be present in an isolate of an effused fungus (tulasnellacean *Tulasnella* sp.) by full length Sanger sequencing of its cDNA [62].

Family Arenaviridae—Genus *Mammarenavirus* was expanded by two new species:

- *Mammarenavirus bituense* for Bitu virus (BITV) detected by HTS in Namaqua micaelamys (*Micaelamys namaquensis* (A. Smith, 1834)) sampled in Angola (TaxoProp 2021.006M.R.Mammarenavirus_1ns_Bitu) [64]; and
- *Mammarenavirus kwanzaense*, for Kwanza virus (KWA) detected by HTS in gray-bellied mice (*Mus triton* (Thomas, 1909)) sampled in Angola (TaxoProp 2021.007M.R.Mammarenavirus_1ns_Kwanza) [64].

Family Fimoviridae—The names of all species in the family were changed to binomials as required by the recently amended ICVCN [25, 69, 81] (TaxoProp 2021.013P.R.Fimoviridae_rename).

Genus *Emaravirus* was expanded by three new species:

- *Emaravirus aceris* for maple mottle-associated emaravirus (MaMaV) discovered by HTS in maple (sapindacean *Acer* sp.) sampled in Germany (TaxoProp 2021.010P.R.Emaravirus_1ns) [54];
- *Emaravirus chrysanthemi* for chrysanthemum mosaic-associated emaravirus (ChMaV) discovered by HTS in chrysanthemum (asteracean *Chrysanthemum morifolium* L.) sampled in Japan (TaxoProps 2021.011P.R.Emaravirus_1ns and 2021.043M.R.Corrections_Mononegavirales_Bunyavirales) [32]; and
- *Emaravirus quercus* for common oak ringspot-associated emaravirus (CORaV) discovered by HTS in oak (fagacean *Quercus robur* L.) sampled in Germany and Scandinavia (TaxoProp 2021.012P.R.Emaravirus_1ns) [52].

Family Hantaviridae—The species name *Seewis orthohantavirus* was corrected to *Seewis orthohantavirus* (TaxoProp 2021.042M.R.Corrections_Riboviria_Duplodnaviria).

The species name *Thottopalayam thottimvirus* was corrected to *Thottopalayam thottimvirus* (TaxoProp 2021.042M.R.Corrections_Riboviria_Duplodnaviria).

Family Leishbuviridae—The name of the only species in the family was changed to a binomial as required by the recently amended ICVCN [25, 69, 81] (TaxoProp 2021.018M.R.Negarnaviricota_sprename).

Family Mypoviridae—The name of the only species in the family was changed to a binomial as required by the recently amended ICVCN [25, 69, 81] (TaxoProp 2021.018M.R.Negarnaviricota_sprename).

Family Peribunyaviridae—Family *Peribunyaviridae* was expanded by three new genera (TaxoProp 2021.027M.R.Peribunyaviridae_3ngen_3nsp):

- *Khurdivirus*, including one new species, *Khurdivirus volgaense*, for Khurdun virus (KHURV) isolated from a Eurasian coot (rallid *Fulica atra* Linnaeus, 1758) sampled in Astrakhan Region (Астраханская область), Russia [83, 84];
- *Lakivirus*, including one new species, *Lakivirus lakamhaense*, for Lakamha virus (LAKV) discovered by HTS in a mosquito (culicid *Wyeomyia complosa* (Dyar, 1928)) sampled in Palenque, Chiapas, Mexico [29]; and
- *Lambavirus*, including one new species, *Lambavirus wisconsinense*, for largemouth bass bunyavirus (LBBV) discovered by HTS in largemouth bass (centrarchid *Micropterus salmoides* (Lacépède, 1802)) sampled in the upper Mississippi River, Wisconsin, USA [71].

The species name *Lumbo orthobunyavirus* was corrected to *Lumbo orthobunyavirus* (TaxoProp 2021.042M.R.Corrections_Riboviria_Duplodnaviria).

Family Phasmaviridae—The family was expanded by one new genus, *Cicadellivirus*, to include one new species, *Cicadellivirus scaphoidei*, for Scaphoideus titanus bunya-like virus 1 (StHV) (TaxoProp 2021.030M.R.Phasmaviridae_1ngen_5nsp) [46].

Genus *Orthophasmavirus* was expanded by four new species (TaxoProps 2021.030M.R.Phasmaviridae_1ngen_5nsp and 2021.043M.R.Corrections_Mononegavirales_Bunyavirales):

- *Orthophasmavirus coredoense* for Coredo virus (CORV) discovered by HTS in mosquitoes (culicid *Mansonia titillans* (Walker, 1848)) sampled in Colombia (unpublished; GenBank: MN661021–3);
- *Orthophasmavirus barstukasense* for Barstukas virus (BARV) discovered by HTS in mosquitoes (culicid *Aedes* sp.) sampled in California, USA [3];
- *Orthophasmavirus miglotasense* for Miglotas virus (MIGV) discovered by HTS in mosquitoes (culicid *Aedes* sp. and *Culex* sp.) sampled in California, USA [3]; and
- *Orthophasmavirus flenense* for Flen virus (FLNV) discovered by HTS in mosquitoes (culicid *Aedes cantans* (Meigen, 1818)) sampled in Flen, Södermanland County (Södermanlands län), Sweden [43].

Family *Wupedeviridae*—The name of the only species in the family was changed to a binomial as required by the recently amended ICVCN [25, 69, 81] (TaxoProp 2021.018M.R.Negarnaviricota_sprename).

Supplementary Material

Refer to Web version on PubMed Central for supplementary material.

Authors

- Jens H. Kuhn,
Integrated Research Facility at Fort Detrick (IRF-Frederick), National Institute of Allergy and Infectious Diseases, National Institutes of Health (NIH), Fort Detrick, Frederick, MD, USA
- Scott Adkins,
United States Department of Agriculture, Agricultural Research Service, US Horticultural Research Laboratory, Fort Pierce, FL, USA
- Sergey V. Alkhovsky (Сергей Владимирович Альховский),
D.I. Ivanovsky Institute of Virology of N.F. Gamaleya National Center on Epidemiology and Microbiology of Ministry of Health of Russian Federation, Moscow, Russia
- Tatjana Avši -Županc,
Institute of Microbiology and Immunology, Faculty of Medicine, University of Ljubljana, Ljubljana, Slovenia
- María A. Ayllón,
Centro de Biotecnología y Genómica de Plantas, Universidad Politécnica de Madrid —Instituto Nacional de Investigación y Tecnología Agraria y Alimentaria, Campus de Montegancedo, Pozuelo de Alarcón, Madrid, Spain
- Justin Bahl,
Center for Ecology of Infectious Diseases, Department of Infectious Diseases, Department of Epidemiology and Biostatistics, Institute of Bioinformatics, University of Georgia, Athens, GA, USA
- Anne Balkema-Buschmann,
Friedrich-Loeffler-Institut, Institute of Novel and Emerging Infectious Diseases, Greifswald-Insel Riems, Greifswald, Germany
- Matthew J. Ballinger,
Department of Biological Sciences, Mississippi State University, Mississippi State, Starkville, MS, USA
- Martina Bandte,
Division Phytomedicine, Faculty of Life Sciences, Humboldt-Universität zu Berlin, Berlin, Germany
- Martin Beer,

- Institute of Diagnostic Virology, Friedrich-Loeffler-Institut, Greifswald-Insel Riems, Germany
- Nicolas Bejerman,
UFyMA, INTA-CONICET, Córdoba, Argentina
- Éric Bergeron,
Division of High-Consequence Pathogens and Pathology, Viral Special Pathogens Branch, Centers for Disease Control and Prevention, Atlanta, GA, USA
- Nadine Biedenkopf,
Institute of Virology, Philipps-University Marburg, Marburg, Germany
- Laurent Bigarré,
French Agency for Food, Environmental and Occupational Health Safety ANSES, Laboratory of Ploufragan-Plouzané-Niort, Ploufragan, France
- Carol D. Blair,
Department of Microbiology, Immunology and Pathology, Colorado State University, Fort Collins, CO, USA
- Kim R. Blasdell,
Commonwealth Scientific and Industrial Research Organisation (CSIRO), Australian Centre for Disease Preparedness, Geelong, VIC, Australia
- Steven B. Bradfute,
University of New Mexico Health Sciences Center, Albuquerque, NM, USA
- Thomas Briese,
Center for Infection and Immunity, and Department of Epidemiology, Mailman School of Public Health, Columbia University, New York, New York, USA
- Paul A. Brown,
French Agency for Food, Environmental and Occupational Health Safety ANSES, Laboratory of Ploufragan-Plouzané-Niort, Ploufragan, France
- Rémy Bruggmann,
Interfaculty Bioinformatics Unit, University of Bern, Bern, Switzerland
- Ursula J. Buchholz,
RNA Viruses Section, Laboratory of Infectious Diseases, National Institute of Allergy and Infectious Diseases, National Institutes of Health, Bethesda, MD, USA
- Michael J. Buchmeier,
Department of Molecular Biology and Biochemistry, University of California, Irvine, CA, USA
- Alexander Bukreyev,
The University of Texas Medical Branch at Galveston, Galveston, TX, USA
- Felicity Burt,
Division of Virology, National Health Laboratory Service and Division of Virology, University of the Free State, Bloemfontein, Republic of South Africa

- Carmen Büttner,
Division Phytomedicine, Faculty of Life Sciences, Humboldt-Universität zu Berlin,
Berlin, Germany
- Charles H. Calisher,
Colorado State University, Fort Collins, CO, USA
- Thierry Candresse,
Univ. Bordeaux, INRAE, UMR BFP, Villenave d'Ornon, France
- Jeremy Carson,
Centre for Aquatic Animal Health and Vaccines, Department of Natural Resources
and Environment Tasmania, Launceston, TAS, Australia
- Inmaculada Casas,
Respiratory Virus and Influenza Unit, National Microbiology Center, Instituto de
Salud Carlos III, Madrid, Spain
- Kartik Chandran,
Department of Microbiology and Immunology, Albert Einstein College of Medicine,
Bronx, NY, USA
- Rémi N. Charrel,
Unité des Virus Emergents (Aix-Marseille Univ-IRD 190-Inserm 1207-IHU
Méditerranée Infection), Marseille, France
- Yuya Chiaki (祐也 千秋),
Division of Fruit Tree and Tea Pest Control Research, Institute for Plant Protection,
NARO, Tsukuba, Ibaraki, Japan
- Anya Crane,
Integrated Research Facility at Fort Detrick, National Institute of Allergy and
Infectious Diseases, National Institutes of Health, Frederick, MD, USA
- Mark Crane,
CSIRO Australian Centre for Disease Preparedness, East Geelong, VIC, Australia
- Laurent Dacheux,
Institut Pasteur, Université Paris Cité, Unit Lyssavirus Epidemiology and
Neuropathology, National Reference Center for Rabies, WHO Collaborating Center
for Reference and Research on Rabies, Paris, France
- Elena Dal Bó,
CIDEFI. Facultad de Ciencias Agrarias y Forestales, Universidad de La Plata, La
Plata, Argentina
- Juan Carlos de la Torre,
Department of Immunology and Microbiology IMM-6, The Scripps Research
Institute, La Jolla, CA, USA
- Xavier de Lamballerie,

Unité des Virus Emergents (Aix-Marseille Univ-IRD 190-Inserm 1207-IHU Méditerranée Infection), Marseille, France

William M. de Souza,
World Reference Center for Emerging Viruses and Arboviruses and Department of Microbiology and Immunology, The University of Texas Medical Branch at Galveston, Galveston, TX, USA

Rik L. de Swart,
Department of Virology, Wageningen Bioveterinary Research, Lelystad, The Netherlands

Nolwenn M. Dheilly,
UMR 1161 Virology ANSES/INRAE/ENVA, ANSES Animal Health Laboratory, Maisons-Alfort, France

Nicholas Di Paola,
United States Army Medical Research Institute of Infectious Diseases, Fort Detrick, Frederick, MD, USA

Francesco Di Serio,
Istituto per la Protezione Sostenibile delle Piante, Consiglio Nazionale delle Ricerche, Bari, Italy

Ralf G. Dietzgen,
Queensland Alliance for Agriculture and Food Innovation, The University of Queensland, St. Lucia, QLD, Australia

Michele Digiaro,
CIHEAM, Istituto Agronomico Mediterraneo di Bari, Valenzano, Italy

J. Felix Drexler,
Institute of Virology, Charité-Universitätsmedizin Berlin, corporate member of Freie Universität Berlin, Humboldt-Universität zu Berlin, Berlin, Germany

W. Paul Duprex,
School of Medicine, University of Pittsburgh, Pittsburgh, PA, USA

Ralf Dürrwald,
Robert Koch Institut, Berlin, Germany

Andrew J. Easton,
School of Life Sciences, University of Warwick, Coventry, UK

Toufic Elbeaino,
CIHEAM, Istituto Agronomico Mediterraneo di Bari, Valenzano, Italy

Koray Ergünay,
Department of Medical Microbiology, Virology Unit, Hacettepe University Faculty of Medicine, Ankara, Turkey

Guozhong Feng (国忠 冯),
China National Rice Research Institute, Hangzhou, China

- Claudette Feuvrier,
Departemental Analysis Laboratory, Poligny, France
- Andrew E. Firth,
Department of Pathology, University of Cambridge, Cambridge, UK
- Anthony R. Fooks,
Animal and Plant Health Agency, Weybridge, Surrey, UK
- Pierre B. H. Formenty,
World Health Organization, Geneva, Switzerland
- Juliana Freitas-Astúa,
Embrapa Cassava and Fruits, Cruz das Almas, Bahia, Brazil
- Selma Gago-Zachert,
Institute of Biochemistry and Biotechnology, Martin Luther University Halle-Wittenberg, Halle/Saale, Germany
- García María Laura,
Instituto de Biotecnología y Biología Molecular, Facultad de Ciencias Exactas, CONICET UNLP, La Plata, Argentina
- Adolfo García-Sastre,
Icahn School of Medicine at Mount Sinai, New York, NY, USA
- Aura R. Garrison,
United States Army Medical Research Institute of Infectious Diseases, Fort Detrick, Frederick, MD, USA
- Scott E. Godwin,
Centre for Aquatic Animal Health and Vaccines, Department of Natural Resources and Environment Tasmania, Launceston, TAS, Australia
- Jean-Paul J. Gonzalez,
Department of Microbiology and Immunology, Division of Biomedical Graduate Research Organization, School of Medicine, Georgetown University, Washington, DC, USA
- Joëlle Goüy de Bellocq,
Institute of Vertebrate Biology of the Czech Academy of Sciences, Brno, Czech Republic
- Anthony Griffiths,
Department of Microbiology and National Emerging Infectious Diseases Laboratories, Boston University School of Medicine, Boston, MA, USA
- Martin H. Groschup,
Institute of Novel and Emerging Infectious Diseases, Friedrich-Loeffler-Institut, Greifswald-Insel Riems, Germany
- Stephan Günther,

Department of Virology, WHO Collaborating Centre for Arboviruses and Hemorrhagic Fever Reference and Research, Bernhard-Nocht Institute for Tropical Medicine, Hamburg, Germany

John Hammond,
United States Department of Agriculture, Agricultural Research Service, USNA,
Floral and Nursery Plants Research Unit, Beltsville, MD, USA

Jussi Hepojoki,
Department of Virology, University of Helsinki, Medicum, Helsinki, Finland

Melanie M. Hierweger,
Division of Neurological Sciences, Vetsuisse Faculty, University of Bern, Bern,
Switzerland

Seiji Honsg (誠治 本郷),
Department of Infectious Diseases, Yamagata University Faculty of Medicine,
Yamagata, Japan

Masayuki Horie (真行 堀江),
Graduate School of Veterinary Science, Osaka Metropolitan University, Izumisano,
Osaka, Japan

Hidegori Horikawa (英則 堀川),
Aichi Agricultural Research Center, Nagakute, Aichi, Japan

Holly R. Husghe,
Centers for Disease Control and Prevention, Fort Collins, CO, USA

Adam J. Hume,
Department of Microbiology and National Emerging Infectious Diseases
Laboratories, Boston University School of Medicine, Boston, MA, USA

Timothy H Hyndman,
School of Veterinary Medicine, Murdoch University, Murdoch, WA, Australia

Dàohóng Ji ng (道宏 姜),
State Key Laboratory of Agricultural Microbiology, Huazhong Agricultural University,
Wuhan, Hubei Province, China

Gilda B. Jonson,
International Rice Research Institute, College, Los Baños, 4032, Laguna,
Philippines

Sandra Junglen,
Institute of Virology, Charité-Universitätsmedizin Berlin, corporate member of Freie
Universität Berlin, Humboldt-Universität zu Berlin, Berlin, Germany

Fujio Kadono (富士夫 上遠野),
Clinical Plant Science Center, Hosei University, Tokyo, Japan

David G. Karlin,

Division Phytomedicine, Faculty of Life Sciences, Humboldt-Universität zu Berlin,
Berlin, Germany

Boris Klempa,
Institute of Virology, Biomedical Research Center, Slovak Academy of Sciences,
Bratislava, Slovakia

Jonas Klingström,
Department of Medicine Huddinge, Center for Infectious Medicine, Karolinska
Institutet, Karolinska University Hospital, Stockholm, Sweden

Michel C. Koch,
Division of Neurological Sciences, Vetsuisse Faculty, University of Bern, Bern,
Switzerland

Hideki Kond (秀樹 近藤),
Institute of Plant Science and Resources, Okayama University, Kurashiki, Japan

Eugene V. Koonin,
National Center for Biotechnology Information, National Library of Medicine,
National Institutes of Health, Bethesda, MD, USA

Jamila Krásová,
Institute of Vertebrate Biology of the Czech Academy of Sciences, Brno, Czech
Republic

Mart Krupovic,
Institut Pasteur, Université Paris Cité, CNRS UMR6047, Archaeal Virology Unit,
Paris, France

Kenji Kubosta (健嗣 久保田),
Institute for Plant Protection, NARO, Tsukuba, Ibaraki, Japan

Ivan V. Kuzmin,
The University of Texas Medical Branch at Galveston, Galveston, TX, USA

Lies Laenen,
KU Leuven, Rega Institute, Zoonotic Infectious Diseases unit, Leuven, Belgium

Amy J. Lambert,
Centers for Disease Control and Prevention, Fort Collins, CO, USA

Jiànróng Lǐ (建荣 李),
Department of Veterinary Biosciences, College of Veterinary Medicine, The Ohio
State University, Columbus, OH, USA

Jun-Min Li (俊敏 李),
Institute of Plant Virology, Ningbo University, Ningbo, China

François Lieffrig,
CER Groupe, Fish Disease Laboratory, Marche-En-Famenne, Belgium

Igor S. Lukashevich,

Department of Pharmacology and Toxicology, School of Medicine, and the Center for Predictive Medicine for Biodefense and Emerging Infectious Diseases, University of Louisville, Louisville, KY, USA

Dongsheng Luo,
Institut Pasteur, Université Paris Cité, Unit Lyssavirus Epidemiology and
Neuropathology, Paris, France

Piet Maes,
KU Leuven, Rega Institute, Zoonotic Infectious Diseases unit, Leuven, Belgium

Marco Marklewitz,
FIND, the global alliance for diagnostics, Geneva, Switzerland

Sergio H. Marshall,
Biology Department Faculty of Sciences Pontifical Catholic University of Valparaíso -Curauma Campus-Valparaíso-Chile Instituto de Biología-Laboratorio de Genética Molecular-Campus Curauma, Valparaíso, Chile

Shin-Yi L. Marzano,
United States Department of Agriculture, Agricultural Research Service, Toledo, OH, USA

John W. McCauley,
Worldwide Influenza Centre, Francis Crick Institute, London, UK

Ali Mirazimi,
Folkhalsomyndigheten, Stockholm, Sweden

Peter G. Mohr,
CSIRO Australian Centre for Disease Preparedness, East Geelong, VIC, Australia

Nick J. G. Moody,
CSIRO Australian Centre for Disease Preparedness, East Geelong, VIC, Australia

Yasuaki Morita (泰彰 森田),
Kochi Agricultural Research Center, Kochi, Japan

Richard N. Morrison,
Centre for Aquatic Animal Health and Vaccines, Department of Natural Resources and Environment Tasmania, Launceston, TAS, Australia

Elke Mühlberger,
Department of Microbiology and National Emerging Infectious Diseases Laboratories, Boston University School of Medicine, Boston, MA, USA

Rayapati Naidu,
Department of Plant Pathology, Irrigated Agricultural Research and Extension Center, Washington State University, Prosser, WA, USA

Tomohide Natsuaki (知英 夏秋),
Utsunomiya University, Utsunomiya, Japan

José A. Navarro,

- Instituto de Biología Molecular y Celular de Plantas, Universitat Politècnica de València-Consejo Superior de Investigaciones Científicas, Valencia, Spain
- Yutaro Neriya (裕太朗 煉谷),
School of Agriculture, Utsunomiya University, Utsunomiya, Japan
- Sergey V. Netesov,
Novosibirsk State University, Novosibirsk, Novosibirsk Oblast, Russia
- Gabriele Neumann,
Department of Pathobiological Sciences, Influenza Research Institute, University of Wisconsin-Madison, Madison, USA
- Norbert Nowotny,
Institute of Virology, University of Veterinary Medicine Vienna, Vienna, Austria
- Francisco M. Ochoa-Corona,
Institute for Biosecurity and Microbial Forensics. Stillwater, Oklahoma State University, Oklahoma, USA
- Gustavo Palacios,
Department of Microbiology, Icahn School of Medicine at Mount Sinai, New York, NY, USA
- Laurane Pallandre,
French Agency for Food, Environmental and Occupational Health Safety ANSES, Laboratory of Ploufragan-Plouzané-Niort, Ploufragan, France
- Vicente Pallás,
Instituto de Biología Molecular y Celular de Plantas (IBMCP), Consejo Superior de Investigaciones Científicas-Universitat Politècnica de Valencia, Valencia, Spain
- Anna Papa (Αννα Παπά),
National Reference Centre for Arboviruses and Haemorrhagic Fever viruses, Department of Microbiology, Medical School, Aristotle University of Thessaloniki, Thessaloniki, Greece
- Sofia Paraskevopoulou (Σοφία Παρασκευοπούλου),
Methods Development and Research Infrastructure, Bioinformatics and Systems Biology, Robert Koch Institute, Berlin, Germany
- Colin R. Parrish,
College of Veterinary Medicine, Baker Institute for Animal Health, Cornell University, Ithaca, NY, USA
- Alex Pauvolid-Corrêa,
Departamento de Veterinária, Universidade Federal de Viçosa, Viçosa, MG, Brazil
- Janusz T. Paw ska,
Center for Emerging Zoonotic and Parasitic Diseases, National Institute for Communicable Diseases of the National Health Laboratory Service, Sandringham-Johannesburg, Gauteng, South Africa

- Daniel R. Pérez,
Department of Population Health, College of Veterinary Medicine, University of Georgia, Athens, GA, USA
- Florian Pfaff,
Departemental Analysis Laboratory, Poligny, France
- Richard K. Plemper,
Institute of Diagnostic Virology, Friedrich-Loeffler-Institut, Greifswald-Insel Riems, Germany
- Thomas S. Postler,
Department of Microbiology and Immunology, Vagelos College of Physicians and Surgeons, Columbia University Irving Medical Center, New York, NY, USA
- Françoise Pozet,
Departemental Analysis Laboratory, Poligny, France
- Sheli R. Radoshitzky,
United States Army Medical Research Institute of Infectious Diseases (USAMRIID), Frederick, MD, USA
- Pedro L. Ramos-González,
Instituto Biológico de São Paulo, São Paulo, SP, Brazil
- Marius Rehanek,
Division Phytomedicine, Faculty of Life Sciences, Humboldt-Universität zu Berlin, Berlin, Germany
- Renato O. Resende,
Departamento de Biología Celular, Universidad de Brasília, Brasília, Brazil
- Carina A. Reyes,
Instituto de Biotecnología y Biología Molecular, CONICET-UNLP, Facultad de Ciencias Exactas, Universidad Nacional de La Plata, Buenos Aires, Argentina
- Víctor Romanowski,
Instituto de Biotecnología y Biología Molecular, CONICET-UNLP, Facultad de Ciencias Exactas, Universidad Nacional de La Plata, Buenos Aires, Argentina
- Dennis Rubbenstroth,
Institute of Diagnostic Virology, Friedrich-Loeffler-Institut, Greifswald-Insel Riems, Germany
- Luisa Rubino,
Istituto per la Protezione Sostenibile delle Piante, Consiglio Nazionale delle Ricerche, Bari, Italy
- Artemis Rumbou (Αρτεμις Ρούμπου),
Division Phytomedicine, Faculty of Life Sciences, Humboldt-Universität zu Berlin, Berlin, Germany
- Jonathan A. Runstadler,

Department of Infectious Disease & Global Health, Tufts University Cummings School of Veterinary Medicine, North Grafton, MA, USA

Melanie Rupp,
Institute for Fish and Wildlife Health, Vetsuisse Faculty, University of Bern, Bern, Switzerland

Sead Sabanadzovic,
Department of Biochemistry, Molecular Biology, Entomology and Plant Pathology, Mississippi State University, Mississippi State, MS, USA

Takahide Sasaya (孝英 笹谷),
Institute for Plant Protection, National Agriculture and Food Research Organization, Tsukuba, Japan

Heike Schmidt-Posthaus,
Institute for Fish and Wildlife Health, Vetsuisse Faculty, University of Bern, Bern, Switzerland

Martin Schwemmle,
Faculty of Medicine, University Medical Center-University Freiburg, Freiburg, Germany

Torsten Seuberlich,
Division of Neurological Sciences, Vetsuisse Faculty, University of Bern, Bern, Switzerland

Stephen R. Sharpe,
Hawkesbury Institute for the Environment, Western Sydney University, Sydney, NSW, Australia

Mang Shi (莽 施),
Sun Yat-sen University, Shenzhen, China

Manuela Sironi,
Bioinformatics Unit, Scientific Institute IRCCS “E. Medea”, Bosisio Parini, Italy

Sophie Smither,
CBR Division, Dstl, Porton Down, Salisbury, Wiltshire, UK

Jin-Won Song (진원 송),
Department of Microbiology, College of Medicine, Korea University, Seoul, Republic of Korea

Kirsten M. Spann,
School of Biomedical Sciences, Faculty of Health, Queensland University of Technology, Brisbane, QLD, Australia

Jessica R. Spengler,
Viral Special Pathogens Branch, Division of High-Consequence Pathogens and Pathology, Centers for Disease Control and Prevention, Atlanta, GA, USA

Mark D. Stenglein,

Department of Microbiology, Immunology, and Pathology, College of Veterinary Medicine and Biomedical Sciences, Colorado State University, Fort Collins, CO, USA

Ayato Takada (礼人 高田),
Division of Global Epidemiology, International Institute for Zoonosis Control,
Hokkaido University, Sapporo, Japan

Robert B. Tesh,
The University of Texas Medical Branch at Galveston, Galveston, TX, USA

Jana T šíková,
Institute of Vertebrate Biology of the Czech Academy of Sciences, Brno, Czech Republic

Natalie J. Thornburg,
Centers for Disease Control and Prevention, Atlanta, GA, USA

Nicole D. Tischler,
Laboratorio de Virología Molecular, Centro Ciencia & Vida, Fundación Ciencia & Vida and Facultad de Medicina y Ciencia, Universidad San Sebastián, Santiago, Chile

Yasuhiro Tomitaka (保弘 富高),
Institute for Plant Protection, National Agriculture and Food Research Organization, Tsukuba, Japan

Keiz Tomonaga (啓造 朝長),
Institute for Life and Medical Sciences (LiMe), Kyoto University, Kyoto, Japan

Noël Tordo,
Institut Pasteur de Guinée, BP 4416, Conakry, Guinea

Kenta Tsunekawa,
Aichi Agricultural Research Center, Nagakute, Aichi, Japan

Massimo Turina,
Institute for Sustainable Plant Protection, National Research Council of Italy (IPSP-CNR), Torino, Italy

Ioannis E. Tzanetakis,
Department of Entomology and Plant Pathology, Division of Agriculture, University of Arkansas System, Fayetteville, AR, USA

Anna Maria Vaira,
Institute for Sustainable Plant Protection, National Research Council of Italy (IPSP-CNR), Torino, Italy

Bernadette van den Hoogen,
Department of Viroscience, Erasmus MC, University Medical Centre Rotterdam, Rotterdam, The Netherlands

Bert Vanmechelen,

Department of Microbiology, Immunology and Transplantation, KU Leuven, Leuven, Belgium

Nikos Vasilakis (Νίκος Βασιλάκης),
The University of Texas Medical Branch at Galveston, Galveston, TX, USA

Martin Verbeek,
Wageningen University and Research, Biointeractions and Plant Health,
Wageningen, The Netherlands

Susanne von Bargen,
Division Phytomedicine, Faculty of Life Sciences, Humboldt-Universität zu Berlin,
Berlin, Germany

Jiro Wada (治郎 和田),
Integrated Research Facility at Fort Detrick, National Institute of Allergy and
Infectious Diseases, National Institutes of Health, Frederick, MD, USA

Victoria Wahl,
National Biodefense Analysis and Countermeasures Center, Fort Detrick, Frederick,
MD, USA

Peter J. Walker,
School of Chemistry and Molecular Biosciences, University of Queensland, St.
Lucia, QLD, Australia

Anna E. Whitfield,
Department of Entomology and Plant Pathology, North Carolina State University,
Raleigh, NC, USA

John V. Williams,
School of Medicine, University of Pittsburgh, Pittsburgh, PA, USA

Yuri I. Wolf,
National Center for Biotechnology Information, National Library of Medicine,
National Institutes of Health, Bethesda, MD, USA

Junki Yamasaki (淳紀 山崎),
Environmental Agriculture Promotion Division, Department of Agricultural
Development, Kochi Prefectural Government, Kochi, Kochi, Japan

Hironobu Yanagisawa (澤広宣 柳宣),
Yokohama Plant Protection Station, Yokohama, Kanagawa, Japan

Gongyin Ye (恭银 叶),
Institute of Insect Sciences, Zhejiang University, Hangzhou, China

Yong-Zhen Zhang (永振 张),
National Institute for Communicable Disease Control and Prevention, China Center
for Disease Control and Prevention, Beijing, China

Arnfinn Lodden Økland
Pharmaq Analytiq, Bergen, Norway

Affiliations

Integrated Research Facility at Fort Detrick (IRF-Frederick), National Institute of Allergy and Infectious Diseases, National Institutes of Health (NIH), Fort Detrick, Frederick, MD, USA

United States Department of Agriculture, Agricultural Research Service, US Horticultural Research Laboratory, Fort Pierce, FL, USA

D.I. Ivanovsky Institute of Virology of N.F. Gamaleya National Center on Epidemiology and Microbiology of Ministry of Health of Russian Federation, Moscow, Russia

Institute of Microbiology and Immunology, Faculty of Medicine, University of Ljubljana, Ljubljana, Slovenia

Centro de Biotecnología y Genómica de Plantas, Universidad Politécnica de Madrid —Instituto Nacional de Investigación y Tecnología Agraria y Alimentaria, Campus de Montegancedo, Pozuelo de Alarcón, Madrid, Spain

Center for Ecology of Infectious Diseases, Department of Infectious Diseases, Department of Epidemiology and Biostatistics, Institute of Bioinformatics, University of Georgia, Athens, GA, USA

Friedrich-Loeffler-Institut, Institute of Novel and Emerging Infectious Diseases, Greifswald-Insel Riems, Greifswald, Germany

Department of Biological Sciences, Mississippi State University, Mississippi State, Starkville, MS, USA

Division Phytomedicine, Faculty of Life Sciences, Humboldt-Universität zu Berlin, Berlin, Germany

Institute of Diagnostic Virology, Friedrich-Loeffler-Institut, Greifswald-Insel Riems, Germany

UFyMA, INTA-CONICET, Córdoba, Argentina

Division of High-Consequence Pathogens and Pathology, Viral Special Pathogens Branch, Centers for Disease Control and Prevention, Atlanta, GA, USA

Institute of Virology, Philipps-University Marburg, Marburg, Germany

French Agency for Food, Environmental and Occupational Health Safety ANSES, Laboratory of Ploufragan-Plouzané-Niort, Ploufragan, France

Department of Microbiology, Immunology and Pathology, Colorado State University, Fort Collins, CO, USA

Commonwealth Scientific and Industrial Research Organisation (CSIRO), Australian Centre for Disease Preparedness, Geelong, VIC, Australia

University of New Mexico Health Sciences Center, Albuquerque, NM, USA

- Center for Infection and Immunity, and Department of Epidemiology, Mailman School of Public Health, Columbia University, New York, New York, USA
- French Agency for Food, Environmental and Occupational Health Safety ANSES, Laboratory of Ploufragan-Plouzané-Niort, Ploufragan, France
- Interfaculty Bioinformatics Unit, University of Bern, Bern, Switzerland
- RNA Viruses Section, Laboratory of Infectious Diseases, National Institute of Allergy and Infectious Diseases, National Institutes of Health, Bethesda, MD, USA
- Department of Molecular Biology and Biochemistry, University of California, Irvine, CA, USA
- The University of Texas Medical Branch at Galveston, Galveston, TX, USA
- Division of Virology, National Health Laboratory Service and Division of Virology, University of the Free State, Bloemfontein, Republic of South Africa
- Division Phytomedicine, Faculty of Life Sciences, Humboldt-Universität zu Berlin, Berlin, Germany
- Colorado State University, Fort Collins, CO, USA
- Univ. Bordeaux, INRAE, UMR BFP, Villenave d'Ornon, France
- Centre for Aquatic Animal Health and Vaccines, Department of Natural Resources and Environment Tasmania, Launceston, TAS, Australia
- Respiratory Virus and Influenza Unit, National Microbiology Center, Instituto de Salud Carlos III, Madrid, Spain
- Department of Microbiology and Immunology, Albert Einstein College of Medicine, Bronx, NY, USA
- Unité des Virus Emergents (Aix-Marseille Univ-IRD 190-Inserm 1207-IHU Méditerranée Infection), Marseille, France
- Division of Fruit Tree and Tea Pest Control Research, Institute for Plant Protection, NARO, Tsukuba, Ibaraki, Japan
- Integrated Research Facility at Fort Detrick, National Institute of Allergy and Infectious Diseases, National Institutes of Health, Frederick, MD, USA
- CSIRO Australian Centre for Disease Preparedness, East Geelong, VIC, Australia
- Institut Pasteur, Université Paris Cité, Unit Lyssavirus Epidemiology and Neuropathology, National Reference Center for Rabies, WHO Collaborating Center for Reference and Research on Rabies, Paris, France
- CIDEFI. Facultad de Ciencias Agrarias y Forestales, Universidad de La Plata, La Plata, Argentina
- Department of Immunology and Microbiology IMM-6, The Scripps Research Institute, La Jolla, CA, USA

- Unité des Virus Emergents (Aix-Marseille Univ-IRD 190-Inserm 1207-IHU Méditerranée Infection), Marseille, France
- World Reference Center for Emerging Viruses and Arboviruses and Department of Microbiology and Immunology, The University of Texas Medical Branch at Galveston, Galveston, TX, USA
- Department of Virology, Wageningen Bioveterinary Research, Lelystad, The Netherlands
- UMR 1161 Virology ANSES/INRAE/ENVA, ANSES Animal Health Laboratory, Maisons-Alfort, France
- United States Army Medical Research Institute of Infectious Diseases, Fort Detrick, Frederick, MD, USA
- Istituto per la Protezione Sostenibile delle Piante, Consiglio Nazionale delle Ricerche, Bari, Italy
- Queensland Alliance for Agriculture and Food Innovation, The University of Queensland, St. Lucia, QLD, Australia
- CIHEAM, Istituto Agronomico Mediterraneo di Bari, Valenzano, Italy
- Institute of Virology, Charité-Universitätsmedizin Berlin, corporate member of Freie Universität Berlin, Humboldt-Universität zu Berlin, Berlin, Germany
- School of Medicine, University of Pittsburgh, Pittsburgh, PA, USA
- Robert Koch Institut, Berlin, Germany
- School of Life Sciences, University of Warwick, Coventry, UK
- CIHEAM, Istituto Agronomico Mediterraneo di Bari, Valenzano, Italy
- Department of Medical Microbiology, Virology Unit, Hacettepe University Faculty of Medicine, Ankara, Turkey
- China National Rice Research Institute, Hangzhou, China
- Departemental Analysis Laboratory, Poligny, France
- Department of Pathology, University of Cambridge, Cambridge, UK
- Animal and Plant Health Agency, Weybridge, Surrey, UK
- World Health Organization, Geneva, Switzerland
- Embrapa Cassava and Fruits, Cruz das Almas, Bahia, Brazil
- Institute of Biochemistry and Biotechnology, Martin Luther University Halle-Wittenberg, Halle/Saale, Germany
- Instituto de Biotecnología y Biología Molecular, Facultad de Ciencias Exactas, CONICET UNLP, La Plata, Argentina
- Icahn School of Medicine at Mount Sinai, New York, NY, USA

- United States Army Medical Research Institute of Infectious Diseases, Fort Detrick, Frederick, MD, USA
- Centre for Aquatic Animal Health and Vaccines, Department of Natural Resources and Environment Tasmania, Launceston, TAS, Australia
- Department of Microbiology and Immunology, Division of Biomedical Graduate Research Organization, School of Medicine, Georgetown University, Washington, DC, USA
- Institute of Vertebrate Biology of the Czech Academy of Sciences, Brno, Czech Republic
- Department of Microbiology and National Emerging Infectious Diseases Laboratories, Boston University School of Medicine, Boston, MA, USA
- Institute of Novel and Emerging Infectious Diseases, Friedrich-Loeffler-Institut, Greifswald-Insel Riems, Germany
- Department of Virology, WHO Collaborating Centre for Arboviruses and Hemorrhagic Fever Reference and Research, Bernhard-Nocht Institute for Tropical Medicine, Hamburg, Germany
- United States Department of Agriculture, Agricultural Research Service, USNA, Floral and Nursery Plants Research Unit, Beltsville, MD, USA
- Department of Virology, University of Helsinki, Medicum, Helsinki, Finland
- Division of Neurological Sciences, Vetsuisse Faculty, University of Bern, Bern, Switzerland
- Department of Infectious Diseases, Yamagata University Faculty of Medicine, Yamagata, Japan
- Graduate School of Veterinary Science, Osaka Metropolitan University, Izumisano, Osaka, Japan
- Aichi Agricultural Research Center, Nagakute, Aichi, Japan
- Centers for Disease Control and Prevention, Fort Collins, CO, USA
- Department of Microbiology and National Emerging Infectious Diseases Laboratories, Boston University School of Medicine, Boston, MA, USA
- School of Veterinary Medicine, Murdoch University, Murdoch, WA, Australia
- State Key Laboratory of Agricultural Microbiology, Huazhong Agricultural University, Wuhan, Hubei Province, China
- International Rice Research Institute, College, Los Baños, 4032, Laguna, Philippines
- Institute of Virology, Charité-Universitätsmedizin Berlin, corporate member of Freie Universität Berlin, Humboldt-Universität zu Berlin, Berlin, Germany
- Clinical Plant Science Center, Hosei University, Tokyo, Japan

- Division Phytomedicine, Faculty of Life Sciences, Humboldt-Universität zu Berlin, Berlin, Germany
- Institute of Virology, Biomedical Research Center, Slovak Academy of Sciences, Bratislava, Slovakia
- Department of Medicine Huddinge, Center for Infectious Medicine, Karolinska Institutet, Karolinska University Hospital, Stockholm, Sweden
- Division of Neurological Sciences, Vetsuisse Faculty, University of Bern, Bern, Switzerland
- Institute of Plant Science and Resources, Okayama University, Kurashiki, Japan
- National Center for Biotechnology Information, National Library of Medicine, National Institutes of Health, Bethesda, MD, USA
- Institute of Vertebrate Biology of the Czech Academy of Sciences, Brno, Czech Republic
- Institut Pasteur, Université Paris Cité, CNRS UMR6047, Archaeal Virology Unit, Paris, France
- Institute for Plant Protection, NARO, Tsukuba, Ibaraki, Japan
- The University of Texas Medical Branch at Galveston, Galveston, TX, USA
- KU Leuven, Rega Institute, Zoonotic Infectious Diseases unit, Leuven, Belgium
- Centers for Disease Control and Prevention, Fort Collins, CO, USA
- Department of Veterinary Biosciences, College of Veterinary Medicine, The Ohio State University, Columbus, OH, USA
- Institute of Plant Virology, Ningbo University, Ningbo, China
- CER Groupe, Fish Disease Laboratory, Marche-En-Famenne, Belgium
- Department of Pharmacology and Toxicology, School of Medicine, and the Center for Predictive Medicine for Biodefense and Emerging Infectious Diseases, University of Louisville, Louisville, KY, USA
- Institut Pasteur, Université Paris Cité, Unit Lyssavirus Epidemiology and Neuropathology, Paris, France
- KU Leuven, Rega Institute, Zoonotic Infectious Diseases unit, Leuven, Belgium
- FIND, the global alliance for diagnostics, Geneva, Switzerland
- Biology Department Faculty of Sciences Pontifical Catholic University of Valparaíso -Curauma Campus-Valparaíso-Chile Instituto de Biología-Laboratorio de Genética Molecular-Campus Curauma, Valparaíso, Chile
- United States Department of Agriculture, Agricultural Research Service, Toledo, OH, USA
- Worldwide Influenza Centre, Francis Crick Institute, London, UK

Folkhalsomyndigheten, Stockholm, Sweden
CSIRO Australian Centre for Disease Preparedness, East Geelong, VIC, Australia
CSIRO Australian Centre for Disease Preparedness, East Geelong, VIC, Australia
Kochi Agricultural Research Center, Kochi, Japan
Centre for Aquatic Animal Health and Vaccines, Department of Natural Resources and Environment Tasmania, Launceston, TAS, Australia
Department of Microbiology and National Emerging Infectious Diseases Laboratories, Boston University School of Medicine, Boston, MA, USA
Department of Plant Pathology, Irrigated Agricultural Research and Extension Center, Washington State University, Prosser, WA, USA
Utsunomiya University, Utsunomiya, Japan
Instituto de Biología Molecular y Celular de Plantas, Universitat Politècnica de València-Consejo Superior de Investigaciones Científicas, Valencia, Spain
School of Agriculture, Utsunomiya University, Utsunomiya, Japan
Novosibirsk State University, Novosibirsk, Novosibirsk Oblast, Russia
Department of Pathobiological Sciences, Influenza Research Institute, University of Wisconsin-Madison, Madison, USA
Institute of Virology, University of Veterinary Medicine Vienna, Vienna, Austria
Institute for Biosecurity and Microbial Forensics. Stillwater, Oklahoma State University, Oklahoma, USA
Department of Microbiology, Icahn School of Medicine at Mount Sinai, New York, NY, USA
French Agency for Food, Environmental and Occupational Health Safety ANSES, Laboratory of Ploufragan-Plouzané-Niort, Ploufragan, France
Instituto de Biología Molecular y Celular de Plantas (IBMCP), Consejo Superior de Investigaciones Científicas-Universitat Politècnica de Valencia, Valencia, Spain
National Reference Centre for Arboviruses and Haemorrhagic Fever viruses, Department of Microbiology, Medical School, Aristotle University of Thessaloniki, Thessaloniki, Greece
Methods Development and Research Infrastructure, Bioinformatics and Systems Biology, Robert Koch Institute, Berlin, Germany
College of Veterinary Medicine, Baker Institute for Animal Health, Cornell University, Ithaca, NY, USA
Departamento de Veterinária, Universidade Federal de Viçosa, Viçosa, MG, Brazil

Center for Emerging Zoonotic and Parasitic Diseases, National Institute for Communicable Diseases of the National Health Laboratory Service, Sandringham-Johannesburg, Gauteng, South Africa

Department of Population Health, College of Veterinary Medicine, University of Georgia, Athens, GA, USA

Departemental Analysis Laboratory, Poligny, France

Institute of Diagnostic Virology, Friedrich-Loeffler-Institut, Greifswald-Insel Riems, Germany

Department of Microbiology and Immunology, Vagelos College of Physicians and Surgeons, Columbia University Irving Medical Center, New York, NY, USA

Departemental Analysis Laboratory, Poligny, France

United States Army Medical Research Institute of Infectious Diseases (USAMRIID), Frederick, MD, USA

Instituto Biológico de São Paulo, São Paulo, SP, Brazil

Division Phytomedicine, Faculty of Life Sciences, Humboldt-Universität zu Berlin, Berlin, Germany

Departamento de Biología Celular, Universidad de Brasília, Brasília, Brazil

Instituto de Biotecnología y Biología Molecular, CONICET-UNLP, Facultad de Ciencias Exactas, Universidad Nacional de La Plata, Buenos Aires, Argentina

Instituto de Biotecnología y Biología Molecular, CONICET-UNLP, Facultad de Ciencias Exactas, Universidad Nacional de La Plata, Buenos Aires, Argentina

Institute of Diagnostic Virology, Friedrich-Loeffler-Institut, Greifswald-Insel Riems, Germany

Istituto per la Protezione Sostenibile delle Piante, Consiglio Nazionale delle Ricerche, Bari, Italy

Division Phytomedicine, Faculty of Life Sciences, Humboldt-Universität zu Berlin, Berlin, Germany

Department of Infectious Disease & Global Health, Tufts University Cummings School of Veterinary Medicine, North Grafton, MA, USA

Institute for Fish and Wildlife Health, Vetsuisse Faculty, University of Bern, Bern, Switzerland

Department of Biochemistry, Molecular Biology, Entomology and Plant Pathology, Mississippi State University, Mississippi State, MS, USA

Institute for Plant Protection, National Agriculture and Food Research Organization, Tsukuba, Japan

Institute for Fish and Wildlife Health, Vetsuisse Faculty, University of Bern, Bern, Switzerland

- Faculty of Medicine, University Medical Center-University Freiburg, Freiburg, Germany
- Division of Neurological Sciences, Vetsuisse Faculty, University of Bern, Bern, Switzerland
- Hawkesbury Institute for the Environment, Western Sydney University, Sydney, NSW, Australia
- Sun Yat-sen University, Shenzhen, China
- Bioinformatics Unit, Scientific Institute IRCCS “E. Medea”, Bosisio Parini, Italy
- CBR Division, Dstl, Porton Down, Salisbury, Wiltshire, UK
- Department of Microbiology, College of Medicine, Korea University, Seoul, Republic of Korea
- School of Biomedical Sciences, Faculty of Health, Queensland University of Technology, Brisbane, QLD, Australia
- Viral Special Pathogens Branch, Division of High-Consequence Pathogens and Pathology, Centers for Disease Control and Prevention, Atlanta, GA, USA
- Department of Microbiology, Immunology, and Pathology, College of Veterinary Medicine and Biomedical Sciences, Colorado State University, Fort Collins, CO, USA
- Division of Global Epidemiology, International Institute for Zoonosis Control, Hokkaido University, Sapporo, Japan
- The University of Texas Medical Branch at Galveston, Galveston, TX, USA
- Institute of Vertebrate Biology of the Czech Academy of Sciences, Brno, Czech Republic
- Centers for Disease Control and Prevention, Atlanta, GA, USA
- Laboratorio de Virología Molecular, Centro Ciencia & Vida, Fundación Ciencia & Vida and Facultad de Medicina y Ciencia, Universidad San Sebastián, Santiago, Chile
- Institute for Plant Protection, National Agriculture and Food Research Organization, Tsukuba, Japan
- Institute for Life and Medical Sciences (LiMe), Kyoto University, Kyoto, Japan
- Institut Pasteur de Guinée, BP 4416, Conakry, Guinea
- Aichi Agricultural Research Center, Nagakute, Aichi, Japan
- Institute for Sustainable Plant Protection, National Research Council of Italy (IPSP-CNR), Torino, Italy
- Department of Entomology and Plant Pathology, Division of Agriculture, University of Arkansas System, Fayetteville, AR, USA

Institute for Sustainable Plant Protection, National Research Council of Italy (IPSP-CNR), Torino, Italy

Department of Viroscience, Erasmus MC, University Medical Centre Rotterdam, Rotterdam, The Netherlands

Department of Microbiology, Immunology and Transplantation, KU Leuven, Leuven, Belgium

The University of Texas Medical Branch at Galveston, Galveston, TX, USA

Wageningen University and Research, Biointeractions and Plant Health, Wageningen, The Netherlands

Division Phytomedicine, Faculty of Life Sciences, Humboldt-Universität zu Berlin, Berlin, Germany

Integrated Research Facility at Fort Detrick, National Institute of Allergy and Infectious Diseases, National Institutes of Health, Frederick, MD, USA

National Biodefense Analysis and Countermeasures Center, Fort Detrick, Frederick, MD, USA

School of Chemistry and Molecular Biosciences, University of Queensland, St. Lucia, QLD, Australia

Department of Entomology and Plant Pathology, North Carolina State University, Raleigh, NC, USA

School of Medicine, University of Pittsburgh, Pittsburgh, PA, USA

National Center for Biotechnology Information, National Library of Medicine, National Institutes of Health, Bethesda, MD, USA

Environmental Agriculture Promotion Division, Department of Agricultural Development, Kochi Prefectural Government, Kochi, Kochi, Japan

Yokohama Plant Protection Station, Yokohama, Kanagawa, Japan

Institute of Insect Sciences, Zhejiang University, Hangzhou, China

National Institute for Communicable Disease Control and Prevention, China Center for Disease Control and Prevention, Beijing, China

Pharmaq Analytiq, Bergen, Norway

COMPLIANCE WITH ETHICAL STANDARDS

The views and conclusions contained in this document are those of the authors and should not be interpreted as necessarily representing the official policies, either expressed or implied, of the US Department of the Army, the US Department of Defense, the US Department of Health and Human Services, the US Department of Homeland Security (DHS) Science and Technology Directorate (S&T), or of the institutions and companies affiliated with the authors. In no event shall any of these entities have any responsibility or liability for any use, misuse, inability to use, or reliance upon the information contained herein. The US departments do not endorse any products or commercial services mentioned in this publication. The US Government retains and the publisher, by accepting the article for publication, acknowledges that the US Government retains a non-exclusive, paid up, irrevocable, world-wide license to publish or reproduce the published form of this manuscript, or allow others to do so, for US Government purposes.

Funding

This work was supported in part through Laulima Government Solutions, LLC prime contract with the US National Institute of Allergy and Infectious Diseases (NIAID) under Contract No. HHSN272201800013C. J.H.K. performed this work as an employee of Tunnell Government Services (TGS), a subcontractor of Laulima Government Solutions, LLC under Contract No. HHSN272201800013C. This work was also funded in part by Contract No. HSHQDC-15-C-00064 awarded by DHS S&T for the management and operation of The National Biodefense Analysis and Countermeasures Center, a federally funded research and development center operated by the Battelle National Biodefense Institute (V.W.); and NIH contract HHSN272201000040U/HHSN27200004/D04 and grant R24AI120942 (N.V., R.B.T.). S.S. acknowledges support from the Mississippi Agricultural and Forestry Experiment Station (MAFES), USDA-ARS project 58-6066-9-033 and the National Institute of Food and Agriculture, US Department of Agriculture, Hatch Project, under Accession Number 1021494.

REFERENCES

1. Allison AB, Ballard JR, Tesh RB, Brown JD, Ruder MG, Keel MK, Munk BA, Mickley RM, Gibbs SEJ, Travassos da Rosa APA, Ellis JC, Ip HS, Shearn-Bochsler VI, Rogers MB, Ghedin E, Holmes EC, Parrish CR, Dwyer C (2015) Cyclic avian mass mortality in the northeastern United States is associated with a novel orthomyxovirus. *J Virol* 89:1389–403 [PubMed: 25392223]
2. Axén C, Hakhverdyan M, Boutrup TS, Blomkvist E, Ljunghager F, Alfjorden A, Hagström Å, Olesen NJ, Juremalm M, Leijon M, Valarcher J-F (2017) Emergence of a new rhabdovirus associated with mass mortalities in eelpout (*Zoarces viviparous*) in the Baltic Sea. *J Fish Dis* 40:219–229 [PubMed: 27416895]
3. Batson J, Dudas G, Haas-Stapleton E, Kistler AL, Li LM, Logan P, Ratnayake K, Retallack H (2021) Single mosquito metatranscriptomics identifies vectors, emerging pathogens and reservoirs in one assay. *Elife* 10:e68353
4. Batts WN, LaPatra SE, Katona R, Leis E, Ng TFF, Brieuc MSO, Breyta RB, Purcell MK, Conway CM, Waltzek TB, Delwart E, Winton JR (2017) Molecular characterization of a novel orthomyxovirus from rainbow and steelhead trout (*Oncorhynchus mykiss*). *Virus Res* 230:38–49 [PubMed: 28088362]
5. Bolus S, Al Rwahnih M, Grinstead SC, Mollov D (2021) Rose virus R, a cytorhabdovirus infecting rose. *Arch Virol* 166:655–658 [PubMed: 33394170]
6. Calisher CH, Karabatsos N, Zeller H, Digoutte J-P, Tesh RB, Shope RE, Travassos da Rosa APA, St George TD (1989) Antigenic relationships among rhabdoviruses from vertebrates and hematophagous arthropods. *Intervirology* 30:241–57 [PubMed: 2676900]
7. Chiapello M, Rodríguez-Romero J, Ayllón MA, Turina M (2020) Analysis of the virome associated to grapevine downy mildew lesions reveals new mycovirus lineages. *Virus Evol* 6:veaa058
8. Contreras-Gutiérrez MA, Nunes MRT, Guzman H, Uribe S, Suaza Vasco JD, Cardoso JF, Popov VL, Widen SG, Wood TG, Vasilakis N, Tesh RB (2017) Sinu virus, a novel and divergent orthomyxovirus related to members of the genus *Thogotovirus* isolated from mosquitoes in Colombia. *Virology* 501:166–175 [PubMed: 27936462]
9. Da Silva EVP, Travassos Da Rosa APA, Nunes MRT, Diniz JA, Tesh RB, Cruz ACR, Vieira CMA, Vasconcelos PFC (2005) Araguari virus, a new member of the family *Orthomyxoviridae*: serologic, ultrastructural, and molecular characterization. *Am J Trop Med Hyg* 73:1050–8 [PubMed: 16354811]
10. Di Giallonardo F, Audsley MD, Shi M, Young PR, McGraw EA, Holmes EC (2018) Complete genome of Aedes aegypti anphavirus in the Aag2 mosquito cell line. *J Gen Virol* 99:832–836 [PubMed: 29741476]
11. Dietzgen RG, Bejerman NE, Mei Y, Jee CLJ, Chabi-Jesus C, Freitas-Astúa J, Veras SM, Kitajima EW (2021) Joá yellow blotch-associated virus, a new alphanucleorhabdovirus from a wild solanaceous plant in Brazil. *Arch Virol* 166:1615–1622 [PubMed: 33774730]
12. Doherty RL, Whitehead RH, Wetters EJ (1968) Isolation of viruses from *Ornithodoros capensis* Neumann from a tern colony on the Great Barrier Reef, North Queensland. *Aust J Sci* 31
13. Ejiri H, Lim C-K, Isawa H, Fujita R, Murota K, Sato T, Kobayashi D, Kan M, Hattori M, Kimura T, Yamaguchi Y, Takayama-Ito M, Horiya M, Posadas-Herrera G, Minami S, Kuwata R, Shimoda H, Maeda K, Katayama Y, Mizutani T, Saijo M, Kaku K, Shinomiya H, Sawabe K (2018) Characterization of a novel thogotovirus isolated from *Amblyomma testudinarium* ticks in Ehime,

- Japan: a significant phylogenetic relationship to Bourbon virus. *Virus Res* 249:57–65 [PubMed: 29548745]
14. El Mekki AA, Nieuwenhuysen P, van der Groen G, Pattyn SR (1981) Characterization of some ungrouped viruses. *Trans R Soc Trop Med Hyg* 75:799–806 [PubMed: 7330941]
 15. Emelianchik A, Rodrigues TCS, Subramaniam K, Nielsen O, Burek-Huntington KA, Rotstein D, Popov VL, Stone D, Waltzek TB (2019) Characterization of a novel rhabdovirus isolated from a stranded harbour porpoise (*Phocoena phocoena*). *Virus Res* 273:197742 [PubMed: 31499088]
 16. Faizah AN, Kobayashi D, Isawa H, Amoa-Bosompem M, Murota K, Higa Y, Futami K, Shimada S, Kim KS, Itokawa K, Watanabe M, Tsuda Y, Minakawa N, Miura K, Hirayama K, Sawabe K (2020) Deciphering the virome of *Culex vishnui* subgroup mosquitoes, the major vectors of Japanese encephalitis, in Japan. *Viruses* 12:264 [PubMed: 32121094]
 17. Fauver JR, Grubaugh ND, Krajacich BJ, Weger-Lucarelli J, Lakin SM, Fakoli LS III, Bolay FK, DiClaro JW II, Dabiré KR, Foy BD, Brackney DE, Ebel GD, Stenglein MD (2016) West African *Anopheles gambiae* mosquitoes harbor a taxonomically diverse virome including new insect-specific flaviviruses, mononegaviruses, and totiviruses. *Virology* 498:288–299 [PubMed: 27639161]
 18. Forgia M, Isgandarli E, Aghayeva DN, Huseynova I, Turina M (2021) Virome characterization of *Cryphonectria parasitica* isolates from Azerbaijan unveiled a new mymnavirus and a putative new RNA virus unrelated to described viral sequences. *Virology* 553:51–61 [PubMed: 33221630]
 19. Godwin SE, Morrison RN, Knowles G, Cornish MC, Hayes D, Carson J (2020) Pilchard orthomyxovirus (POMV). II. Causative agent of salmon orthomyxoviral necrosis, a new disease of farmed Atlantic salmon *Salmo salar*. *Dis Aquat Organ* 139:51–68 [PubMed: 32351236]
 20. Hierweger MM, Koch MC, Rupp M, Maes P, Di Paola N, Bruggmann R, Kuhn JH, Schmidt-Posthaus H, Seuberlich T (2021) Novel filoviruses, hantavirus, and rhabdovirus in freshwater fish, Switzerland, 2017. *Emerg Infect Dis* 27:3082–3091 [PubMed: 34808081]
 21. Horie M (2021) Identification of a novel filovirus in a common lancehead (*Bothrops atrox* (Linnaeus, 1758)). *J Vet Med Sci* 83:1485–1488 [PubMed: 34275961]
 22. Horie M, Akashi H, Kawata M, Tomonaga K (2021) Identification of a reptile lyssavirus in *Anolis allogus* provided novel insights into lyssavirus evolution. *Virus Genes* 57:40–49 [PubMed: 33159637]
 23. International Committee on Taxonomy of Viruses (ICTV) (2022) Approved Proposals. <https://ictv.global/files/proposals/approved>.
 24. International Committee on Taxonomy of Viruses (ICTV) (2022) Virus Taxonomy: 2021 Release (MSL #37). https://ictv.global/news/news_082322.
 25. International Committee on Taxonomy of Viruses (ICTV) (2022) ICTV Code. The International Code of Virus Classification and Nomenclature (ICVCN). March 2021. <https://ictv.global/about/code>.
 26. Jia J, Fu Y, Jiang D, Mu F, Cheng J, Lin Y, Li B, Marzano S-YL, Xie J (2021) Interannual dynamics, diversity and evolution of the virome in *Sclerotinia sclerotiorum* from a single crop field. *Virus Evol* 7:veab032
 27. Käfer S, Paraskevopoulou S, Zirkel F, Wieseke N, Donath A, Petersen M, Jones TC, Liu S, Zhou X, Middendorf M, Junglen S, Misof B, Drosten C (2019) Re-assessing the diversity of negative strand RNA viruses in insects. *PLoS Pathog* 15:e1008224
 28. Kobayashi D, Komatsu N, Faizah AN, Amoa-Bosompem M, Sawabe K, Isawa H (2021) A novel nyavirus lacking matrix and glycoprotein genes from *Argas japonicus* ticks. *Virus Res* 292:198254
 29. Kopp A, Hübner A, Zirkel F, Hobelsberger D, Estrada A, Jordan I, Gillespie TR, Drosten C, Junglen S (2019) Detection of two highly diverse peribunyaviruses in mosquitoes from Palenque, Mexico. *Viruses* 11:832 [PubMed: 31500304]
 30. Kosoy OI, Lambert AJ, Hawkinson DJ, Pastula DM, Goldsmith CS, Hunt DC, Staples JE (2015) Novel thogotovirus associated with febrile illness and death, United States, 2014. *Emerg Infect Dis* 21:760–4 [PubMed: 25899080]
 31. Krishnamurthy SR (2017) The reduction of viral dark matter by expanding of viral diversity. PhD dissertation, Washington University, Saint Louis, Missouri, USA.

32. Kubota K, Yanagisawa H, Chiaki Y, Yamasaki J, Horikawa H, Tsunekawa K, Morita Y, Kadono F (2021) Complete nucleotide sequence of chrysanthemum mosaic-associated virus, a novel emaravirus infecting chrysanthemum. *Arch Virol* 166:1241–1245 [PubMed: 33566195]
33. Kuhn JH, Wolf YI, Krupovic M, Zhang Y-Z, Maes P, Dolja VV, Koonin EV (2019) Classify viruses—the gain is worth the pain. *Nature* 566:318–20 [PubMed: 30787460]
34. Kuhn JH, Adkins S, Agwanda BR, Al Kubrusli R, Alkhovsky SV, Amarasinghe GK, Tatjana AŽ, Ayllón MA, Bahl J, Balkema-Buschmann A, Ballinger MJ, Basler CF, Bavari S, Beer M, Bejerman N, Bennett AJ, Bente DA, Bergeron É, Bird BH, Blair CD, Blasdell KR, Blystad D-R, Bojko J, Borth WB, Bradfute S, Breyta R, Briese T, Brown PA, Brown JK, Buchholz UJ, Buchmeier MJ, Bukreyev A, Burt F, Büttner C, Calisher CH, Cao M, Casas I, Chandran K, Charrel RN, Cheng Q, Chiaki Y, Chiapello M, Choi I-R, Ciuffo M, Clegg JCS, Crozier I, Dal Bó E, de la Torre JC, de Lamballerie X, de Swart RL, Debat H, Dheilly NM, Di Cicco E, Di Paola N, Di Serio F, Dietzgen RG, Digiaro M, Dolnik O, Drebolt MA, Drexler JF, Dundon WG, Duprex WP, Dürrwald R, Dye JM, Easton AJ, Ebihara H, Elbeaino T, Ergünay K, Ferguson HW, Fooks AR, Forgia M, Formenty PBH, Fránová J, Freitas-Astúa J, Fu J, Fürl S, Gago-Zachert S, G o GF, García ML, García-Sastre A, Garrison AR, Gaskin T, Gonzalez J-PJ, Griffiths A, Goldberg TL, Groschup MH, Günther S, Hall RA, Hammond J, Han T, Hepojoki J, Hewson R, Hong J, Hong N, Hongo S, Horie M, Hu JS, Hu T, Hughes HR, Hüttner F, Hyndman TH, Ilyas M, Jalkanen R, Jing D, Jonson GB, Junglen S, Kadono F, Kaukinen KH, Kawate M, Klempa B, Klingström J, Kobinger G, Koloniuk I, Kond H, Koonin EV, Krupovic M, Kubota K, Kurath G, Laenen L, Lambert AJ, Langevin SL, Lee B, Lefkowitz EJ, Leroy EM, Li S, Li L, Li J, Liu H, Lukashevich IS, Maes P, de Souza WM, Markleitz M, Marshall SH, Marzano S-YL, Massart S, McCauley JW, Melzer M, Mielke-Ehret N, Miller KM, Ming TJ, Mirazimi A, Mordecai GJ, Mühlbach H-P, Mühlberger E, Naidu R, Natsuaki T, Navarro JA, Netesov SV, Neumann G, Nowotny N, Nunes MRT, Olmedo-Velarde A, Palacios G, Pallás V, Pályi B, Papa A, Paraskevopoulou S, Park AC, Parrish CR, Patterson DA, Pauvolid-Corréa A, Paw ska JT, Payne S, Peracchio C, Pérez DR, Postler TS, Qi L, Radoshitzy SR, Resende RO, Reyes CA, Rima BK, Luna GR, Romanowski V, Rota P, Rubbenstroth D, Rubino L, Runstadler JA, Sabanadzovic S, Sall AA, Salvato MS, Sang R, Sasaya T, Schulze AD, Schwemmle M, Shi M, Shí X, Shí Z, Shimomoto Y, Shirako Y, Siddell SG, Simmonds P, Sironi M, Smaghe G, Smithers S, Song J-W, Spann K, Spengler JR, Stenglein MD, Stone DM, Sugano J, Suttle CA, Tabata A, Takada A, Takeuchi S, Tchouassi DP, Teffer A, Tesh RB, Thornburg NJ, Tomitaka Y, Tomonaga K, Tordo N, Torto B, Towner JS, Tsuda S, Tu C, Turina M, Tzanetakis IE, Uchida J, Usugi T, Vaira AM, Vallino M, van den Hoogen B, Varsani A, Vasilakis N, Verbeek M, von Bargen S, Wada J, Wahl V, Walker PJ, Wang L-F, Wang G, Wang Y, Wang Y, Waqas M, Wèi T, Wen S, Whitfield AE, Williams JV, Wolf YI, Wu J, Xu L, Yanagisawa H, Yang C, Yang Z, Zerbini FM, Zhai L, Zhang Y-Z, Zhang S, Zhang J, Zhang Z, Zhou X (2021) 2021 Taxonomic update of phylum Negarnaviricota (*Riboviria: Orthornavirae*), including the large orders *Bunyavirales* and *Mononegavirales*. *Arch Virol* 166:3513–3566 [PubMed: 34463877]
35. Lay CL, Shi M, Bu ek A, Bourguignon T, Lo N, Holmes EC (2020) Unmapped RNA virus diversity in termites and their symbionts. *Viruses* 12:1145 [PubMed: 33050289]
36. Lee VH, Kemp GE, Madbouly MH, Moore DL, Causey OR, Casals J (1974) Jos, a new tick-borne virus from Nigeria. *Am J Vet Res* 35:1165–7 [PubMed: 4416978]
37. Liu Q, Jin J, Yang L, Zhang S, Cao M (2021) Molecular characterization of a novel cytorhabdovirus associated with chrysanthemum yellow dwarf disease. *Arch Virol* 166:1253–1257 [PubMed: 33575895]
38. Liu W, Fan Y, Li Z, Zhao J, Zhou Y, Jiang N, Zeng J, Cain K, Zeng L (2019) Isolation, identification, and classification of a novel rhabdovirus from diseased Chinese rice-field eels (*Monopterus albus*). *Arch Virol* 164:105–116 [PubMed: 30284632]
39. Luo DS, Li B, Shen X-R, Jiang R-D, Zhu Y, Wu J, Fan Y, Bourhy H, Hu B, Ge X-Y, Shi Z-L, Dacheux L (2021) Characterization of novel rhabdoviruses in Chinese bats. *Viruses* 13:64 [PubMed: 33466539]
40. Lyu S-j Yuan X-m, Zhang H-q Shi W-d, Hang X-y, Liu L, Wu Y-l (2019) Isolation and characterization of a novel strain (YH01) of *Micropterus salmoides* rhabdovirus and expression of its glycoprotein by the baculovirus expression system. *J Zhejiang Univ Sci B* 20:728–739 [PubMed: 31379143]

41. Mohr PG, Crane MSJ, Hoad J, Williams LM, Cummins D, Neave MJ, Shiell B, Beddome G, Michalski WP, Peck GR, Samsing F, Wynne JW, Crameri SG, Hyatt AD, Moody NJG (2020) Pilchard orthomyxovirus (POMV). I. Characterisation of an emerging virus isolated from pilchards *Sardinops sagax* and Atlantic salmon *Salmo salar*. *Dis Aquat Organ* 139:35–50 [PubMed: 32351235]
42. Nerva L, Forgia M, Ciuffo M, Chitarra W, Chiapello M, Vallino M, Varese GC, Turina M (2019) The mycovirome of a fungal collection from the sea cucumber *Holothuria polii*. *Virus Res* 273:197737 [PubMed: 31479695]
43. Öhlund P, Hayer J, Lundén H, Hesson JC, Blomström AL (2019) Viromics reveal a number of novel RNA viruses in Swedish mosquitoes. *Viruses* 11:1027 [PubMed: 31694175]
44. Orfanidou CG, Beta C, Reynard J-S, Tsoliakis G, Katis NI, Maliogka VI (2020) Identification, molecular characterization and prevalence of a novel cytorhabdovirus infecting zucchini crops in Greece. *Virus Res* 287:198095
45. Osterhaus ADME Broeders HWJ, Teppema JS, Kuiken T, House JA, Vos HW, Visser IKG (1993) Isolation of a virus with rhabdovirus morphology from a white-beaked dolphin (*Lagenorhynchus albirostris*). *Arch Virol* 133:189–93 [PubMed: 8240009]
46. Ottati S, Chiapello M, Galetto L, Bosco D, Marzachì C, Abbà S (2020) New viral sequences identified in the flavescent dorée phytoplasma vector *Scaphoideus titanus*. *Viruses* 12:287 [PubMed: 32155753]
47. Pallandre L, Luo D, Feuvrier C, Lieffrig F, Pozet F, Dacheux L, Bigarré L (2020) Revisiting the classification of percid perhabdoviruses using new full-length genomes. *Viruses* 12:649 [PubMed: 32560066]
48. Parry R, Asgari S (2018) Aedes anophelevirus: an insect-specific virus distributed worldwide in *Aedes aegypti* mosquitoes that has complex interplays with *Wolbachia* and dengue virus infection in cells. *J Virol* 92:e00224–18 [PubMed: 29950416]
49. Pfaff F, Rubbenstroth D (2021) Two novel bornaviruses identified in colubrid and viperid snakes. *Arch Virol* 166:2611–2614 [PubMed: 34128103]
50. Presti RM, Zhao G, Beatty WL, Mihindukulasuriya KA, Travassos da Rosa APA, Popov VL, Tesh RB, Virgin HW, Wang D (2009) Quaranfil, Johnston Atoll, and Lake Chad viruses are novel members of the family *Orthomyxoviridae*. *J Virol* 83:11599–606 [PubMed: 19726499]
51. Qiu Y, Zhang S, Jin J, Xie J, Cao Y, Cao M (2020) Molecular characterization of a novel cytorhabdovirus associated with paper mulberry mosaic disease. *Arch Virol* 165:2703–2707 [PubMed: 32851432]
52. Rehanek M, von Bargen S, Bandte M, Karlin DG, Büttner C (2021) A novel emaravirus comprising five RNA segments is associated with ringspot disease in oak. *Arch Virol* 166:987–990 [PubMed: 33462672]
53. Ruiz-Padilla A, Rodríguez-Romero J, Gómez-Cid I, Pacifico D, Ayllón MA (2021) Novel mycoviruses discovered in the mycovirome of a necrotrophic fungus. *MBio* 12:e03705–20 [PubMed: 33975945]
54. Rumbou A, Candresse T, von Bargen S, Büttner C (2020) Next-generation sequencing reveals a novel emaravirus in diseased maple trees from a German urban forest. *Front Microbiol* 11:621179 [PubMed: 33488565]
55. Sakaguchi S, Nakagawa S, Mitsuhashi S, Ogawa M, Sugiyama K, Tamukai K, Koide R, Katayama Y, Nakano T, Makino S, Imanishi T, Miyazawa T, Mizutani T (2020) Molecular characterization of feline paramyxovirus in Japanese cat populations. *Arch Virol* 165:413–418 [PubMed: 31823012]
56. Scarpassa VM, Debat HJ, Alencar RB, Saraiva JF, Calvo E, Arcà B, Ribeiro JMC (2019) An insight into the sialotranscriptome and virome of Amazonian anophelines. *BMC Genomics* 20:166 [PubMed: 30832587]
57. Shi M, Neville P, Nicholson J, Eden J-S, Imrie A, Holmes EC (2017) High-resolution metatranscriptomics reveals the ecological dynamics of mosquito-associated RNA viruses in Western Australia. *J Virol* 91:e00680-17
58. Shi M, Lin X-D, Chen X, Tian J-H, Chen L-J, Li K, Wang W, Eden J-S, Shen J-J, Liu L, Holmes EC, Zhang Y-Z (2018) The evolutionary history of vertebrate RNA viruses. *Nature* 556:197–202 [PubMed: 29618816]

59. Siddell SG, Walker PJ, Lefkowitz EJ, Mushegian AR, Adams MJ, Dutilh BE, Gorbatenya AE, Harrach Bz, Harrison RL, Junglen S, Knowles NJ, Kropinski AM, Krupovic M, Kuhn JH, Nibert M, Rubino L, Sabanadzovic S, Sanfaçon H, Simmonds P, Varsani A, Zerbini FM, Davison AJ (2019) Additional changes to taxonomy ratified in a special vote by the International Committee on Taxonomy of Viruses (October 2018). *Arch Virol* 164:943–6 [PubMed: 30663020]
60. Sidharthan VK, Baranwal VK (2021) Mining of the water hyssop (*Bacopa monnieri*) transcriptome reveals genome sequences of two putative novel rhabdoviruses and a solendovirus. *Arch Virol* 166:1985–1990 [PubMed: 33881618]
61. Sieg M, Heenemann K, Rückner A, Burgener I, Oechtering G, Vahlenkamp TW (2015) Discovery of new feline paramyxoviruses in domestic cats with chronic kidney disease. *Virus Genes* 51:294–7 [PubMed: 26265247]
62. Sutela S, Forgia M, Vainio EJ, Chiapello M, Daghino S, Vallino M, Martino E, Girlanda M, Perotto S, Turina M (2020) The virome from a collection of endomycorrhizal fungi reveals new viral taxa with unprecedented genome organization. *Virus Evol* 6:veaa076
63. Temmam S, Chrétien D, Bigot T, Dufour E, Petres S, Desquesnes M, Devillers E, Dumarest M, Yousfi L, Jittapalapong S, Karnchanabanthoeng A, Chaisiri K, Gagnier L, Cosson JF, Vayssié-Taussat M, Morand S, Moutailler S, Eloit M (2019) Monitoring silent spillovers before emergence: a pilot study at the tick/human interface in Thailand. *Front Microbiol* 10:2315 [PubMed: 31681195]
64. T Šíková J, Krásová J, Goüy de Bellocq J (2021) Multiple mammarenaviruses circulating in Angolan rodents. *Viruses* 13:982 [PubMed: 34070551]
65. Vainio EJ, Sutela S (2020) Mixed infection by a partitivirus and a negative-sense RNA virus related to myomonaviruses in the polypore fungus *Bondarzewia berkeleyi*. *Virus Res* 286:198079
66. Vanmechelen B, Vergote V, Merino M, Verbeken E, Maes P (2020) Common occurrence of Belerina virus, a novel paramyxovirus found in Belgian hedgehogs. *Sci Rep* 10:19341 [PubMed: 33168902]
67. Vanmechelen B, Meurs S, Zisi Z, Goüy de Bellocq J, Bletsas M, Lemey P, Maes P (2021) Genome sequence of ruloma Virus, a novel paramyxovirus clustering basally to members of the genus *Jeilongvirus*. *Microbiol Resour Announc* 10:e00325–21 [PubMed: 33958404]
68. Viljakainen L, Holmberg I, Abril S, Jurvansuu J (2018) Viruses of invasive Argentine ants from the European Main supercolony: characterization, interactions and evolution. *J Gen Virol* 99:1129–1140 [PubMed: 29939128]
69. Walker PJ, Siddell SG, Lefkowitz EJ, Mushegian AR, Adriaenssens EM, Alfenas-Zerbini P, Davison AJ, Dempsey DM, Dutilh BE, García ML, Harrach B, Harrison RL, Hendrickson RC, Junglen S, Knowles NJ, Krupovic M, Kuhn JH, Lambert AJ, Łobocka M, Nibert ML, Oksanen HM, Orton RJ, Robertson DL, Rubino L, Sabanadzovic S, Simmonds P, Smith DB, Suzuki N, Van Dooerslaer K, Vandamme AM, Varsani A, Zerbini FM (2021) Changes to virus taxonomy and to the International Code of Virus Classification and Nomenclature ratified by the International Committee on Taxonomy of Viruses (2021). *Arch Virol* 166:2633–2648 [PubMed: 34231026]
70. Walker PJ, Siddell SG, Lefkowitz EJ, Mushegian AR, Adriaenssens EM, Alfenas-Zerbini P, Dempsey DM, Dutilh BE, García ML, Hendrickson RC, Junglen S, Krupovic M, Kuhn JH, Lambert AJ, Łobocka M, Oksanen HM, Orton RJ, Robertson DL, Rubino L, Sabanadzovic S, Simmonds P, Smith DB, Suzuki N, Van Dooerslaer K, Vandamme A-M, Varsani A, Zerbini FM (2022) Recent changes to virus taxonomy ratified by the International Committee on Taxonomy of Viruses (2022). *Arch Virol* 167:2429–2440. [PubMed: 35999326]
71. Waltzek TB, Subramaniam K, Leis E, Katona R, Fan Ng TF, Delwart E, Barbknecht M, Rock K, Hoffman MA (2019) Characterization of a peribunyavirus isolated from largemouth bass (*Micropterus salmoides*). *Virus Res* 273:197761 [PubMed: 31539558]
72. Wang F, Yuan B, Xiao S, Zhang J, Jia W, Fang Q, Wang F, Song Q, Ye G (2021) Diverse RNA viruses discovered in three parasitoid wasps of the rice weevil *Sitophilus oryzae*. *mSphere* 6:e00331-21
73. Williams SH, Che X, Oleynik A, Garcia JA, Muller D, Zabka TS, Firth C, Corrigan RM, Briese T, Jain K, Lipkin WI (2019) Discovery of two highly divergent negative-sense RNA viruses associated with the parasitic nematode, *Capillaria hepatica*, in wild *Mus musculus* from New York City. *J Gen Virol* 100:1350–1362 [PubMed: 31513008]

74. Wolf YI, Kazlauskas D, Iranzo J, Lucía-Sanz A, Kuhn JH, Krupovic M, Dolja VV, Koonin EV (2018) Origins and Evolution of the Global RNA Virome. *MBio* 9:e02329–18 [PubMed: 30482837]
75. Wu Z, Yang L, Ren X, He G, Zhang J, Yang J, Qian Z, Dong J, Sun L, Zhu Y, Du J, Yang F, Zhang S, Jin Q (2016) Deciphering the bat virome catalog to better understand the ecological diversity of bat viruses and the bat origin of emerging infectious diseases. *ISME J* 10:609–20 [PubMed: 26262818]
76. Wu Z, Lu L, Du J, Yang L, Ren X, Liu B, Jiang J, Yang J, Dong J, Sun L, Zhu Y, Li Y, Zheng D, Zhang C, Su H, Zheng Y, Zhou H, Zhu G, Li H, Chmura A, Yang F, Daszak P, Wang J, Liu Q, Jin Q (2018) Comparative analysis of rodent and small mammal viromes to better understand the wildlife origin of emerging infectious diseases. *Microbiome* 6:178 [PubMed: 30285857]
77. Xavier CAD, Allen ML, Whitfield AE (2021) Ever-increasing viral diversity associated with the red imported fire ant *Solenopsis invicta* (Formicidae: Hymenoptera). *Virol J* 18:5 [PubMed: 33407622]
78. Yang S, Shan T, Wang Y, Yang J, Chen X, Xiao Y, You Z, He Y, Zhao M, Lu J, Yang Z, Dai Z, Liu Q, Yao Y, Lu X, Li H, Zhou R, Li W, Zhou C, Wang X, Shen Q, Xu H, Deng X, Delwart E, Zhang W (2020) Virome of riverside phytocommunity ecosystem of an ancient canal. ResearchSquare:<https://www.researchsquare.com/article/rs-25620/v1>
79. Zeller HG, Karabatsos N, Calisher CH, Digoutte J-P, Murphy FA, Shope RE (1989) Electron microscopy and antigenic studies of uncharacterized viruses. I. Evidence suggesting the placement of viruses in families *Arenaviridae*, *Paramyxoviridae*, or *Poxviridae*. *Arch Virol* 108:191–209 [PubMed: 2690775]
80. Zeng W, Wang Q, Wang Y, Liu C, Liang H, Fang X, Wu S (2014) Genomic characterization and taxonomic position of a rhabdovirus from a hybrid snakehead. *Arch Virol* 159:2469–73 [PubMed: 24748006]
81. Zerbini FM, Siddell SG, Mushegian AR, Walker PJ, Lefkowitz EJ, Adriaenssens EM, Alfenas-Zerbini P, Dutilh BE, García ML, Junglen S, Krupovic M, Kuhn JH, Lambert AJ, Łobocka M, Oksanen HM, Robertson DL, Rubino L, Sabanadzovic S, Simmonds P, Suzuki N, Van Doorslaer K, Vandamme AM, Varsani A (2022) Differentiating between viruses and virus species by writing their names correctly. *Arch Virol* 167:1231–1234 [PubMed: 35043230]
82. Zhang Q-Y, Tao J-J, Gui L, Zhou G-Z, Ruan H-M, Li Z-Q, Gui J-F (2007) Isolation and characterization of *Scophthalmus maximus* rhabdovirus. *Dis Aquat Organ* 74:95–105 [PubMed: 17432038]
83. Альховский СВ, Щетинин АМ, Львов ДК, Щелканов МЮ, Дерябин ПГ, Львов ДН, Самохвалов ЕИ, Гительман АК, Ботиков АГ (2013) Вирус Хурдун (KHURV): новый вирус рода *Orthobunyavirus* (*Bunyaviridae*). Вопр вирусол 58:10–3
84. Галкина ИВ, Львов ДН, Громашевский ВЛ, Москвина ТМ (2005) Вирус Хурдун (Khurdun), предположительно новый РНК-содержащий вирус, связанный с лысухами (*Fulica atra*), изолированный в дельте Волги. Вопр вирусол 50:29–31
85. Карась ФР (1979) Экология арбовирусов горной системы Среднеазиатского региона СССР. Автореферат диссертации на соискание ученой степени доктора медицинских наук. Москва, РСФСР, СССР.
86. 张奇亚 李正秋 (1999) 在患病鳜鱼组织中观察到 3 种病毒 科学通报 44:192–195
87. 张奇亚、陶建军、黄晓红、李正秋、袁秀平 (2005) 两种鳜病毒的共感染现象及引起感染细胞的超微变化。水生生物学报 29:473–478

Table 1.

ICTV-accepted taxonomy of the order *Mavirusales* (*Negarnaviricota: Haploviricotina: Chunqiuviricetes*) as of March 2022.

Genus	Species [#]	Virus (Abbreviation) &
Family <i>Qinviridae</i>		
<i>Yingvirus</i>	<i>Yingvirus behaiense</i>	B ihái sesarmid crab virus 4 (BhSCV-4)
	<i>Yingvirus chayvidis</i>	W nzh u qínvirus-like virus 2 (WzQLV-2)
	<i>Yingvirus hubeiense</i>	Húb i qínvirus-like virus 1 (HbQLV-1)
	<i>Yingvirus sanxiense</i>	S nxíá qínvirus-like virus 1 (SxQLV-1)
	<i>Yingvirus shanheense</i>	Sh hé qínvirus-like virus 1 (ShQLV-1)
	<i>Yingvirus wenzhouense</i>	W nzh u qínvirus-like virus 1 (WzQLV-1)
	<i>Yingvirus whuanense</i>	Wúhàn insect virus 15 (WhIV-15)
	<i>Yingvirus xinzhouense</i>	X nzh u nematode virus 3 (XzNV-3)

Note that viruses are real objects that are assigned to concepts that are called taxa. Species, genera, families, and orders are taxa.

[#]Taxon names are always italicized and always begin with a capital letter.

&Virus names are not italicized and are not capitalized, except if the name or a name component is a proper noun. This column lists the virus names with their correct (lack of) capitalization.

Table 2.

ICTV-accepted taxonomy of the order *Serpentovirales* (*Negarnaviricota: Haploviricotina: Milneviricetes*) as of March 2022.

Genus	Species [#]	Virus (Abbreviation) ^{&}
Family <i>Aスピビリダエ</i>		
<i>Ophiovirus</i>	<i>Ophiovirus citri</i>	citrus psorosis virus (CPsV)
	<i>Ophiovirus freesiae</i>	freesia sneak virus (FreSV)
	<i>Ophiovirus lactucae</i>	lettuce ring necrosis virus (LRNV)
	<i>Ophiovirus mirafioriense</i>	Mirafiori lettuce big-vein virus (MLBVV)
	<i>Ophiovirus ranunculi</i>	ranunculus white mottle virus (RWMV)
	<i>Ophiovirus tulipae</i>	tulip mild mottle mosaic virus (TMMMV)
	<i>Ophiovirus vaccinii</i>	blueberry mosaic associated virus (BIMaV)

Note that viruses are real objects that are assigned to concepts that are called taxa. Species, genera, families, and orders are taxa.

[#]Taxon names are always italicized and always begin with a capital letter.

[&]Virus names are not italicized and are not capitalized, except if the name or a name component is a proper noun. This column lists the virus names with their correct (lack of) capitalization.

Table 3.

ICTV-accepted taxonomy of the order *Jingchuvirales* (*Negarnaviricota*: *Haploviricotina*: *Monjiviricetes*) as of March 2022.

Genus	Species [#]	Virus (Abbreviation) ^{&}
Family <i>Altisviridae</i>		
<i>Obscurivirus</i>	<i>Obscurivirus quinatum</i>	Atrato chu-like virus 5 (ACIV-5)
<i>Ollusvirus</i>	<i>Ollusvirus coleopteri</i>	Húb i coleoptera virus 3 (HbCV-3)
	<i>Ollusvirus culvertonense</i>	Culverton virus (CvV)
	<i>Ollusvirus hanchengense</i>	Hánchéng leafhopper virus (HLMV)
	<i>Ollusvirus hymenopteri</i>	hymenopteran chu-related virus 123 (HCtV-123)
	<i>Ollusvirus insecti</i>	hymenopteran chu-related virus 126 (HCtV-126)
	<i>Ollusvirus scaldiseuse</i>	Scaldis River bee virus (SRBV)
	<i>Ollusvirus shayangeense</i>	Sh yáng fly virus 1 (SyFV-1)
	<i>Ollusvirus taiyuancense</i>	Tàiyúan leafhopper virus (TYLV)
Family <i>Chuviridae</i>		
<i>Boscovirus</i>	<i>Boscovirus hippoboscidae</i>	Wūhàn louse fly virus 7 (WhLFV-7)
	<i>Boscovirus hypoboscidae</i>	Wūhàn louse fly virus 6 (WhLFV-6)
<i>Chuvivirus</i>	<i>Chuvivirus brunichi</i>	W níng crustacean virus 14 (WCcv-14)
	<i>Chuvivirus canceris</i>	W nzh u crab virus 2 (WzCV-2)
<i>Culicidavirus</i>	<i>Culicidavirus culicidae</i>	Wūhàn mosquito virus 8 (WhMV-8)
	<i>Culicidavirus culicis</i>	Culex mosquito virus 5 (CIMV-5)
	<i>Culicidavirus injinense</i>	Imjin River virus 1 (IjRV-1)
	<i>Culicidavirus quitoense</i>	Culex mosquito virus 4 (CIMV-4)
<i>Demaperavirus</i>	<i>Demaperavirus demapteri</i>	demapteran chu-related virus 142 (DCtV-142)
<i>Dolivivirus</i>	<i>Dolivivirus culicetae</i>	Mos8Chu0 chuvirus (MoCV)
<i>Mivivirus</i>	<i>Mivivirus ambyommiae</i>	lone star tick chuvirus 1 (LSTCV-1)
	<i>Mivivirus boleense</i>	Bòlè tick virus 3 (BTv-3)
	<i>Mivivirus changpingense</i>	Ch ngping tick virus 2 (CpTv-2)
	<i>Mivivirus dermacentoris</i>	Ch ngping tick virus 3 (CpTv-3)
		Tāchéng tick virus 5 (TctV-5)

Note that viruses are real objects that are assigned to concepts that are called taxa. Species, genera, families, and orders are taxa.

Genus	Species [#]	Virus (Abbreviation) &
	<i>Mirivirus genovense</i>	Genoa virus (GeV)
	<i>Mirivirus kaukeraense</i>	Kaukera tick virus (KtV)
	<i>Mirivirus rhipicephali</i>	brown dog tick mirivirus 1 (BDTMV-1)
	<i>Mirivirus suffolkense</i>	Suffolk virus (SFKV)
	<i>Mirivirus wuhanense</i>	Wuhan tick virus 2 (WhTV-2)
<i>Morsusvirus</i>	<i>Morsusvirus argais</i>	Tâchéng tick virus 4 (TcTV-4)
<i>Nigecrovirus</i>	<i>Nigecrovirus ixodes</i>	blacklegged tick chuvirus-2 (BTTC-2)
<i>Odonatavirus</i>	<i>Odonatavirus draconis</i>	odonatan chu-related virus 137 (OCrV-137)
	<i>Odonatavirus fabricii</i>	Hub i odonate virus 11 (HbOV-11)
	<i>Odonatavirus odontis</i>	odonatan chu-related virus 136 (OCrV-136)
<i>Pedavirus</i>	<i>Pedavirus cimicidis</i>	B ihai barnacle virus 9 (BhBV-9)
<i>Piscichivirus</i>	<i>Piscichivirus franki</i>	Herr Frank virus 1 (HFV-1)
	<i>Piscichivirus lycodonis</i>	Guângdong red-banded snake chuvirus-like virus (GRSCV)
	<i>Piscichivirus sauninctense</i>	S nxiá ayid shrimp virus 4 (SxASC-4)
	<i>Piscichivirus wehlingense</i>	W ning fish chu-like virus (WFCIV)
<i>Pterovirus</i>	<i>Pterovirus chulinense</i>	hymenopteran chu-related virus OKIAV147 (HCrV-147)
<i>Scarabeovirus</i>	<i>Scarabeovirus blattae</i>	Wüch ng cockroach virus 3 (WeLFV-3)
	<i>Scarabeovirus dentai</i>	Hdb i chuvirus-like virus 3 (HbCLV-3)
	<i>Scarabeovirus hubeiense</i>	Hdb i chuvirus-like virus 1 (HbCLV-1)
	<i>Scarabeovirus lampyris</i>	Lampyris noctiluca chuvirus-like virus 1 (LNCIV-1)
	<i>Scarabeovirus lisiense</i>	Lishi spider virus 1 (LsSV-1)
<i>Taceavirus</i>	<i>Taceavirus wenlingense</i>	W ning crustacean virus 15 (WICV-15)
Family <i>Crepescaviridae</i>		
	<i>Aquilaravirus</i>	<i>Aquilaravirus sialis</i>
		megalopteran chu-related virus 119 (MCrV-119)
	Family <i>Myriaviridae</i>	
<i>Myriavirus</i>	<i>Myriavirus myriapedis</i>	Hub i myriapoda virus 8 (HbMV-8)
	Family <i>Natureviridae</i>	
<i>Charybdivirus</i>	<i>Charybdivirus charybdis</i>	W nzhu crab virus 3 (WzCV-3)

*Taxon names are always italicized and always begin with a capital letter.

**Virus names are not italicized and are not capitalized, except if the name or a name component is a proper noun. This column lists the virus names with their correct (lack of) capitalization. Lists of viruses within a given species are provisional at this point and will likely be amended in the near future.

Table 4.

ICTV-accepted taxonomy of the order *Mononegavirales* (*Negarnaviricota*: *Haploviricotina*: *Monjiviricetes*) as of March 2022.

Genus	Species [#]	Virus (Abbreviation) &
Family Arteriviridae		
<i>Hexartovirus</i>	<i>Hexartovirus cirripedis</i>	Bihai barnacle virus 8 (BhBV-8)
	<i>Hexartovirus leucophtheiri</i>	Lepophtheirus salmonis negative-stranded RNA virus 1 (LsNSRV-1)
<i>Petropavirus</i>	<i>Petropavirus belairensense</i>	Bihai rhabdo-like virus 1 (BhRLV-1)
	<i>Petropavirus dentati</i>	Huib i rhabdo-like virus 8 (HbRLV-8)
	<i>Petropavirus huberense</i>	Huib i rhabdo-like virus 6 (HbRLV-6)
	<i>Petropavirus julii</i>	Huib i rhabdo-like virus 5 (HbRLV-5)
	<i>Petropavirus lignarii</i>	Bihai rhabdo-like virus 2 (BhRLV-2)
	<i>Petropavirus melongenae</i>	Solanum melongena rhabdo-like virus (SmRLV)
	<i>Petropavirus pectorali</i>	Pteromalus puparum negative-strand RNA virus 1 (PpNSRV-1)
Family Bornaviridae		
<i>Carbovirus</i>	<i>Carbovirus queenslandense</i>	jungle carpet python virus (JCPV)
	<i>Carbovirus tapeti</i>	southwest carpet python virus (SWCPV)
<i>Culterivirus</i>	<i>Culterivirus hemimultri</i>	Wuhan sharphelly bornavirus (WhSBV)
<i>Orthobornavirus</i>	<i>Orthobornavirus alphapsittaciiforme</i>	parrot bornavirus 1 (PaBV-1)
		parrot bornavirus 2 (PaBV-2)
		parrot bornavirus 3 (PaBV-3)
		parrot bornavirus 4 (PaBV-4)
		parrot bornavirus 7 (PaBV-7)
	<i>Orthobornavirus avisquaticae</i>	aquatic bird bornavirus 1 (ABBV-1)
		aquatic bird bornavirus 2 (ABBV-2)
	<i>Orthobornavirus betapsittaciiforme</i>	parrot bornavirus 5 (PaBV-5)
	<i>Orthobornavirus bornacense</i>	Borna disease virus 1 (BoDV-1)
		Borna disease virus 2 (BoDV-2)
	<i>Orthobornavirus caenophidiae</i>	Caribbean watersnake bornavirus (CWBV)
		Mexican black-tailed rattlesnake bornavirus (MRBV)

Genus	Species	Virus (Abbreviation) &
	<i>Orthobornavirus elapsoideae</i>	Loveridge's garter snake virus 1 (LGSV-1)
	<i>Orthobornavirus estrididae</i>	estrildid finch bornavirus 1 (EsBV-1)
	<i>Orthobornavirus sciuri</i>	variegated squirrel bornavirus 1 (VSBV-1)
	<i>Orthobornavirus senini</i>	canary bornavirus 1 (ChBV-1)
		canary bornavirus 2 (ChBV-2)
		canary bornavirus 3 (ChBV-3)
Family Filoviridae		
<i>Cuevavirus</i>	<i>Lloviu cuevavirus</i>	Lloviu virus (LLOV)
<i>Dianlovirus</i>	<i>Mengla dianlovirus</i>	M ngla virus (MLAV)
<i>Ebolavirus</i>	<i>Bonballi ebolavirus</i>	Bonballi virus (BOMV)
	<i>Bundibugyo ebolavirus</i>	Bundibugyo virus (BDBV)
	<i>Reston ebolavirus</i>	Reston virus (RESTV)
	<i>Sudan ebolavirus</i>	Sudan virus (SUDV)
	<i>Tai Forest ebolavirus</i>	Tai Forest virus (TAFV)
	<i>Zaire ebolavirus</i>	Ebola virus (EBOV)
<i>Marburgvirus</i>	<i>Marburg marburgvirus</i>	Marburg virus (MARV)
		Ravn virus (RAVV)
<i>Oblavirus</i>	<i>Oblavirus percae</i>	Oberland virus (OBLV)
<i>Striaviris</i>	<i>Xilang striaviris</i>	X láng virus (XILV)
<i>Tapiovirus</i>	<i>Tapiovirus bohropis</i>	Tapajós virus (TAPV)
<i>Thamnovirus</i>	<i>Huangjiao thamnovirus</i>	Huángjiào virus (HUV)
	<i>Thamnovirus kanderense</i>	Kander virus (KNDV)
	<i>Thamnovirus percae</i>	Fiwi virus (FIWIV)
Family Lispiviridae		
<i>Anicavivirus</i>	<i>Anicavirus hangzhouense</i>	Anisopteromalus calandriæ negative-strand RNA virus 2 (AcNSRV-2)
<i>Anidavirus</i>	<i>Anidavirus hangzhouense</i>	Anisopteromalus calandriæ negative-strand RNA virus 1 (AcNSRV-1)
<i>Arlivirus</i>	<i>Arlivirus arachnae</i>	Lishii spider virus 2 (LsSV-2)
<i>Copasivirus</i>	<i>Copasivirus iindoense</i>	isopteran arthropod-related virus OKIAV103 (IARV-103)
	<i>Copasivirus manlyvaleense</i>	Jimsystems virus (JMV)

Genus	Species	Virus (Abbreviation) &
<i>Cyberivirus</i>	<i>Cyberivirus niederense</i>	coleopteran arli-related virus OKIAV107 (CARY-107)
<i>Damavirus</i>	<i>Damavirus dentatis</i>	Hib i odonate virus 10 (HbOV-10)
<i>Ganavirus</i>	<i>Ganavirus tachengense</i>	Tächeng tick virus 6 (TcTV-6)
<i>Leocovirus</i>	<i>Leocovirus coleoptriis</i>	Hib i rhabdo-like virus 3 (HbRLV-3)
<i>Nematovirus</i>	<i>Nematovirus wuchangense</i>	Wüch ng romanomermis nematode virus 2 (WcRNV-2)
<i>Phelinovirus</i>	<i>Phelinovirus aphidis</i>	hymenopteran arli-related virus OKIAV99 (HARV-99)
<i>Rivapovirus</i>	<i>Rivapovirus aleurodidae</i>	hemipteran arli-related virus OKIAV94 (HARV-94)
<i>Sastrivirus</i>	<i>Sastrivirus gerridis</i>	S inxiá water strider virus 4 (SxWSV-4)
<i>Stylovirus</i>	<i>Stylovirus niederense</i>	strepsipteran arli-related virus OKIAV104 (SARV-104)
<i>Supelovirus</i>	<i>Supelovirus thailandense</i>	blattodean arli-related virus OKIAV102 (BDRV-102)
<i>Synelinevirus</i>	<i>Synelinevirus bonnense</i>	hymenopteran arli-related virus OKIAV98 (HARV-98)
	<i>Synelinevirus paranaense</i>	Lineepithema humile rhabdo-like virus 1 (LhuRLV-1)
<i>Usmavirus</i>	<i>Usmavirus newyorkense</i>	Amsterdam virus (AMSV)
<i>Xenophyavirus</i>	<i>Xenophyavirus mathesonense</i>	hemipteran arli-related virus OKIAV95 (HARV-95)
Family <i>Mymonaviridae</i>		
<i>Auricularinonavirus</i>	<i>Auricularinonavirus auriculariae</i>	Auricularia heimuer negative-stranded RNA virus 1 (AhNRSV-1)
	<i>Auricularinonavirus bondarzewiae</i>	Bondarzewia berkeleyi negative-stranded RNA virus 1 (BbNRSV-1)
<i>Botrytimonavirus</i>	<i>Botrytimonavirus alphabotrytidis</i>	Botrytis cinerea negative-stranded RNA virus 5 (BcNSRV-5)
	<i>Botrytimonavirus botrytidis</i>	Sclerotinia sclerotiorum negative-stranded RNA virus 10 (SsNSRV-10)
	<i>Botrytimonavirus glycincis</i>	Botrytis cinerea negative-stranded RNA virus 7 (BcNSRV-7)
	<i>Botrytimonavirus sclerotiniaiae</i>	Sclerotinia sclerotiorum negative-stranded RNA virus 11 (SsNSRV-11)
		soybean leaf-associated negative-stranded RNA virus 3 (SLaNSRV-3)
		Sclerotinia sclerotiorum negative-stranded RNA virus 2 (SsNSRV-2)
		Sclerotinia sclerotiorum negative-stranded RNA virus 2-A (SsNSRV-2-A)
		Sclerotinia sclerotiorum negative-stranded RNA virus 4 (SsNSRV-4)
<i>Hubramonavirus</i>	<i>Hubramonavirus hubense</i>	Hib i rhabdo-like virus 4 (HbRLV-4)
	<i>Hubramonavirus terra</i>	H2BulkLitter1223 virus
<i>Lentimonavirus</i>	<i>Lentimonavirus lentinulae</i>	Lentinula edodes negative-strand RNA virus 1 (LeNSRV-1)

Genus	Species [#]	Virus (Abbreviation) &
<i>Penicillimnavirus</i>	<i>Penicillimnavirus alphapenicillii</i>	Penicillium adanetzioides negative-stranded RNA virus 1 (PaNsRV-1)
	<i>Penicillimnavirus alphaplasmoparae</i>	Plasmopara viticola lesion associated mononegaaambivirus 1 (PvaMV-1)
	<i>Penicillimnavirus betapenicillii</i>	Penicillium glabrum negative-stranded RNA virus 1 (PgRIV-1)
	<i>Penicillimnavirus betaplasmoparae</i>	Plasmopara viticola lesion associated mononegaaambivirus 2 (PvaMV-2)
		Plasmopara viticola lesion associated mononegaaambivirus 4 (PvaMV-4)
	<i>Penicillimnavirus deltaplasmoparae</i>	Plasmopara viticola lesion associated mononegaaambivirus 5 (PvaMV-5)
	<i>Penicillimnavirus epsilonplasmoparae</i>	Plasmopara viticola lesion associated mononegaaambivirus 6 (PvaMV-6)
	<i>Penicillimnavirus etaplasmoparae</i>	Plasmopara viticola lesion associated mononegaaambivirus 9 (PvaMV-9)
	<i>Penicillimnavirus gammaplasmopara</i>	Plasmopara viticola lesion associated mononegaaambivirus 3 (PvaMV-3)
	<i>Penicillimnavirus kilhamense</i>	Kiln Barn virus (KBV)
	<i>Penicillimnavirus zetaplasmoparae</i>	Plasmopara viticola lesion associated mononegaaambivirus 7 (PvaMV-7)
<i>Plasmopamonavirus</i>	<i>Plasmopamonavirus plasmoparae</i>	Plasmopara viticola lesion associated mononegaaambivirus 8 (PvaMV-8)
<i>Phylomonavirus</i>	<i>Phylomonavirus gysingense</i>	Gysinge virus (GYSV)
	<i>Phylomonavirus phyllospherae</i>	soybean leaf-associated negative-stranded RNA virus 4 (SLaNSRV-4)
<i>Rhizomonavirus</i>	<i>Rhizomonavirus malii</i>	apple virus B (APPy-B)
<i>Sclerotimnavirus</i>	<i>Sclerotimnavirus alphabotrytidis</i>	Botrytis cinerea negative-stranded RNA virus 3 (BcNSRV-3)
	<i>Sclerotimnavirus alphachairneediae</i>	Sclerotinia sclerotiorum negative-stranded RNA virus 9 (SsNSRV-9)
		Sclerotinia homoeocarpa TSA contig 1 (ShtSA-1)
		Sclerotinia homoeocarpa TSA contig 2 (ShtSA-2)
	<i>Sclerotimnavirus alphaplasmoparae</i>	Plasmopara viticola lesion associated mymonavirus 1 (PvaMV-1)
	<i>Sclerotimnavirus alternariae</i>	Alternaria tenuissima negative-stranded RNA virus 1 (AtNsRV-1)
	<i>Sclerotimnavirus betabotrytidis</i>	Botrytis cinerea negative-stranded RNA virus 4 (BcNSRV-4)
	<i>Sclerotimnavirus betacalcarireediae</i>	Sclerotinia homoeocarpa TSA contig 3 (ShtSA-3)
	<i>Sclerotimnavirus betaplasmoparae</i>	Plasmopara viticola lesion associated mononegaaambivirus 2 (PvaMV-2)
	<i>Sclerotimnavirus botrytidis</i>	Botrytis cinerea mymonavirus 1 (BcMyV-1)
		Sclerotinia sclerotiorum negative-stranded RNA virus 7 (SsNSRV-7)
	<i>Sclerotimnavirus cyphonectriae</i>	Cryphonectria parasitica sclerotimonavirus 1 (CpSV-1)
	<i>Sclerotimnavirus fusarii</i>	Fusarium graminearum negative-stranded RNA virus 1 (FgNSRV-1)
		soybean leaf-associated negative-stranded RNA virus 1 (SLaNSRV-1)

Genus	Species	Virus (Abbreviation) &
	<i>Sclerotimovirus illinoiense</i>	soybean leaf-associated negative-stranded RNA virus 2 (SLaNSRV-2)
	<i>Sclerotimovirus penicillii</i>	Penicillium cairnsense negative-stranded RNA virus 1 (PcNSRV-1)
	<i>Sclerotimovirus sclerotinae</i>	Sclerotinia sclerotiorum negative-stranded RNA virus 1 (SSNSRV-1)
		Sclerotinia sclerotiorum negative-stranded RNA virus 1-A (SSNSRV-1-A)
		Sclerotinia sclerotiorum negative-stranded RNA virus 3 (SSNSRV-3)
		Sclerotinia sclerotiorum negative-stranded RNA virus 3-A (SSNSRV-3-A)
	<i>Sclerotimovirus terra</i>	H4BulkLitter234 virus
Family <i>Nyamiviridae</i>		
<i>Berhavirus</i>	<i>Berhavirus beihaiense</i>	B ihăi rhabdo-like virus 4 (BhRLV-4)
	<i>Berhavirus radialis</i>	B ihăi rhabdo-like virus 5 (BhRLV-5)
	<i>Berhavirus siapuculi</i>	B ihăi rhabdo-like virus 3 (BhRLV-3)
<i>Crustavirus</i>	<i>Crustavirus beihaiense</i>	B ihăi rhabdo-like virus 6 (BhRLV-6)
	<i>Crustavirus wenlingense</i>	W nling crustacean virus 12 (WICV-12)
	<i>Crustavirus wenzhouense</i>	W nzhu crab virus 1 (WzCV-1)
<i>Formivirus</i>	<i>Formivirus angliae</i>	Formica fusca virus 1 (FlusV-1)
	<i>Formivirus chalybii</i>	hymenopteran oriole-related virus OKIAV87 (HORYV-87)
	<i>Formivirus finnniae</i>	Formica exsecta virus 4 (FeV-4)
	<i>Formivirus gorytis</i>	hymenopteran oriole-related virus OKIAV85 (HORYV-85)
	<i>Formivirus solenopsi</i>	Solenopsis invicta virus 1.5 (SoINV-15)
<i>Nyavirus</i>	<i>Nyavirus agatis</i>	Sekira virus (SEKRV)
	<i>Nyavirus midwayense</i>	Midway virus (MIDWV)
	<i>Nyavirus nyamaniniense</i>	Nyamanini virus (NYMV)
	<i>Nyavirus satjaciocnense</i>	San Jacinto virus (SJCV)
	<i>Nyavirus sierranevadense</i>	Sierra Nevada virus (SNVV)
	<i>Nyavirus somateriae</i>	Jeremy Point nyavirus (JPNV)
<i>Orinovirus</i>	<i>Orinovirus pasiphilae</i>	Orinoco virus (ONCV)
<i>Socyvirus</i>	<i>Socyvirus heteroderae</i>	soybean cyst nematode virus 1 (SbCNYV-1)
<i>Tapuvovirus</i>	<i>Tapuvovirus cesti</i>	W nzhu tapeworm virus 1 (WzTWV-1)
Family <i>Paramyxoviridae</i>		

Genus	Species	Virus (Abbreviation) &
Subfamily <i>Avulavirinae</i>		
<i>Metavulavirus</i>	<i>Avian metavulavirus 2</i>	avian paramyxovirus 2 (APMV-2)
	<i>Avian metavulavirus 5</i>	avian paramyxovirus 5 (APMV-5)
	<i>Avian metavulavirus 6</i>	avian paramyxovirus 6 (APMV-6)
	<i>Avian metavulavirus 7</i>	avian paramyxovirus 7 (APMV-7)
	<i>Avian metavulavirus 8</i>	avian paramyxovirus 8 (APMV-8)
	<i>Avian metavulavirus 10</i>	avian paramyxovirus 10 (APMV-10)
	<i>Avian metavulavirus 11</i>	avian paramyxovirus 11 (APMV-11)
	<i>Avian metavulavirus 14</i>	avian paramyxovirus 14 (APMV-14)
	<i>Avian metavulavirus 15</i>	avian paramyxovirus 15 (APMV-15)
	<i>Avian metavulavirus 20</i>	avian paramyxovirus 20 (APMV-20)
	<i>Avian metavulavirus 22</i>	avian paramyxovirus 22 (APMV-22)
<i>Orthoavulavirus</i>	<i>Avian orthoavulavirus 1</i>	avian paramyxovirus 1 (APMV-1) ¹
	<i>Avian orthoavulavirus 9</i>	avian paramyxovirus 9 (APMV-9)
	<i>Avian orthoavulavirus 12</i>	avian paramyxovirus 12 (APMV-12)
	<i>Avian orthoavulavirus 13</i>	avian paramyxovirus 13 (APMV-13)
	<i>Avian orthoavulavirus 16</i>	avian paramyxovirus 16 (APMV-16)
	<i>Avian orthoavulavirus 17</i>	Antarctic penguin virus A (APV-A)
	<i>Avian orthoavulavirus 18</i>	Antarctic penguin virus B (APV-B)
	<i>Avian orthoavulavirus 19</i>	Antarctic penguin virus C (APV-C)
	<i>Avian orthoavulavirus 21</i>	avian paramyxovirus 21 (APMV-21)
<i>Paraavulavirus</i>	<i>Avian paraavulavirus 3</i>	avian paramyxovirus 3 (APMV-3)
	<i>Avian paraavulavirus 4</i>	avian paramyxovirus 4 (APMV-4)
Subfamily <i>Metaparamyxovirinae</i>		
<i>Synodovirus</i>	<i>Synodus synodonivirus</i>	Waling triplecross lizardfish paramyxovirus (WTLPV)
Subfamily <i>Orthoparamyxovirinae</i>		
<i>Aquaparamyxovirus</i>	<i>Oncorhynchus aquaparamyxovirus</i>	Pacific salmon paramyxovirus (PSPV)
	<i>Salmo aquaparamyxovirus</i>	Atlantic salmon paramyxovirus (AsaPV)
<i>Felivirinae</i>	<i>Reptilian felivirus</i>	fer-de-lance virus (FDLV)

Genus	Species	Virus (Abbreviation) &
<i>Henipavirus</i>	<i>Cedar henipavirus</i>	Cedar virus (CedV)
	<i>Ghanaian bat henipavirus</i>	Ghana virus (GhV)
	<i>Hendra henipavirus</i>	Hendra virus (HeV)
	<i>Mojing henipavirus</i>	Mojing virus (MojV)
	<i>Nipah henipavirus</i>	Nipah virus (NiV)
<i>Jeilongvirus</i>	<i>Beilong jeilongvirus</i>	Beilong virus (BeiV)
	<i>Jeilongvirus anhuiense</i>	Miniopterus schreibersii paramyxovirus (MisPV)
	<i>Jeilongvirus apodemi</i>	rodent paramyxovirus (RoPV)
	<i>Jeilongvirus comorensis</i>	bat paramyxovirus 16797 (BatPV-1)
	<i>Jeilongvirus erinacei</i>	belemera virus (BeV)
	<i>Jeilongvirus felis</i>	feline paramyxovirus (FPaV)
	<i>Jeilongvirus madagascarensis</i>	bat paramyxovirus 17770 (BatPV-2)
	<i>Jeilongvirus murinae</i>	bat paramyxovirus (BatPV-3)
	<i>Jeilongvirus rungweense</i>	ruloma virus (RuLV)
	<i>Jun jeilongvirus</i>	J virus (JV)
	<i>Lophuronyx jeilongvirus 1</i>	Mount Mabu Lophuronyx virus 1 (MMLV-1)
	<i>Lophuronyx jeilongvirus 2</i>	Mount Mabu Lophuronyx virus 2 (MMLV-2)
<i>Miniopteran jeilongvirus</i>		Shaan virus (ShaV)
	<i>Myodes jeilongvirus</i>	Pohorje Myodes paramyxovirus 1 (PMPV-1)
	<i>Tailam jeilongvirus</i>	Tailam virus (TaiV)
<i>Morbillivirus</i>	<i>Canine morbillivirus</i>	canine distemper virus (CDV)
	<i>Cetacean morbillivirus</i>	cetacean morbillivirus (CeMV)
	<i>Feline morbillivirus</i>	feline morbillivirus (FeMV)
	<i>Measles morbillivirus</i>	measles virus (MeV)
	<i>Phocine morbillivirus</i>	phocine distemper virus (PDV)
	<i>Rinderpest morbillivirus</i>	rinderpest virus (RPV)
	<i>Small ruminant morbillivirus</i>	peste-des-petits-ruminants virus (PPRV)
<i>Narmovirus</i>	<i>Mossman narmovirus</i>	Mossman virus (MossV)
	<i>Myodes narmovirus</i>	bank vole virus 1 (BaV-1)

Genus	Species ¶	Virus (Abbreviation) &
	<i>Nariva narnovirus</i>	Nariva virus (NarV)
	<i>Tupaia narnovirus</i>	Tupaia paranyxovirus (TupV)
<i>Respirovirus</i>	<i>Bovine respirovirus 3</i>	bovine parainfluenza virus 3 (BPIV-3)
	<i>Caprine respirovirus 3</i>	caprine parainfluenzavirus 3 (CPIV-3)
	<i>Human respirovirus 1</i>	human parainfluenza virus 1 (HPIV-1)
	<i>Human respirovirus 3</i>	human parainfluenza virus 3 (HPIV-3)
	<i>Murine respirovirus</i>	Sendai virus (SeV)
	<i>Porcine respirovirus 1</i>	porcine parainfluenza virus 1 (PPIV-1)
	<i>Squirrel respirovirus</i>	giant squirrel virus (GSqV)
<i>Salemivirus</i>	<i>Salem salmenivirus</i>	Salem virus (SalV)
Subfamily <i>Rubulavirinae</i>		
<i>Orthorubulavirus</i>	<i>Human orthorubulavirus 2</i>	human parainfluenza virus 2 (HPIV-2)
	<i>Human orthorubulavirus 4</i>	human parainfluenza virus 4a (HPIV-4a)
		human parainfluenza virus 4b (HPIV-4b)
	<i>Mammalian orthorubulavirus 5</i>	parainfluenza virus 5 (PIV-5)
	<i>Mammalian orthorubulavirus 6</i>	Alston virus (AlsV)
	<i>Mapuera orthorubulavirus</i>	Mapuera virus (MapV)
	<i>Mumps orthorubulavirus</i>	mumps virus (MuV)
	<i>Porcine orthorubulavirus</i>	La Piedad Michoacán Mexico virus (LPMV)
	<i>Simian orthorubulavirus</i>	simian virus 41 (SV-41)
<i>Pararubulavirus</i>	<i>Achimota pararubulavirus 1</i>	Achimota virus 1 (AchIPV-1)
	<i>Achimota pararubulavirus 2</i>	Achimota virus 2 (AchIPV-2)
	<i>Hervey pararubulavirus</i>	Hervey virus (HerV)
	<i>Menangle pararubulavirus</i>	Menangle virus (MenPV)
	<i>Sosuga pararubulavirus</i>	Sosuga virus (SOSV)
	<i>Teviot pararubulavirus</i>	Teviot virus (TevPV)
	<i>Tioman pararubulavirus</i>	Tioman virus (TioPV)
	<i>Tuhoko pararubulavirus 1</i>	Tuhoko virus 1 (ThkPV-1)
	<i>Tuhoko pararubulavirus 2</i>	Tuhoko virus 2 (ThkPV-2)

Genus	Species	Virus (Abbreviation) &
	<i>Tuhoko pararubulavirus 3</i>	Tuhoko virus 3 (ThkPV-3)
		Unassigned (to subfamilies)
<i>Cynoglossusvirus</i>	<i>Cynoglossus cynoglossusvirus</i>	W nling tongue sole paramyxovirus (WTSPV)
<i>Hoplichthysvirus</i>	<i>Hoplichthys hoplichthysvirus</i>	W nling hoplichthys paramyxovirus (WHPV)
<i>Scoliodonvirus</i>	<i>Scoliodon scoliodonvirus</i>	W nzhu pacific spadefish shark paramyxovirus (WPSSPV)
Family Pneumoviridae		
<i>Metapneumovirus</i>	<i>Avian metapneumovirus</i>	avian metapneumovirus (AMPV)
	<i>Human metapneumovirus</i>	human metapneumovirus (HMPV)
<i>Orthopneumovirus</i>	<i>Bovine orthopneumovirus</i>	bovine respiratory syncytial virus (BRSV)
	<i>Human orthopneumovirus</i>	human respiratory syncytial virus (RSV)
	<i>Murine orthopneumovirus</i>	murine pneumonia virus (MPV)
Family Rhabdoviridae		
Subfamily <i>Alphaherabdovirinae</i>		
<i>Almendravirus</i>	<i>Almendravirus almendras</i>	Puerto Almendras virus (PTAMV)
	<i>Almendravirus arboreum</i>	Arboretum virus (ABTV)
	<i>Almendravirus balsa</i>	Balsa virus (BALV)
	<i>Almendravirus chico</i>	Rio Chico virus (RCHV)
	<i>Almendravirus coothay</i>	Coot Bay virus (CBV)
	<i>Almendravirus menghai</i>	Menghai virus (MRV)
<i>Alphanemrovirus</i>	<i>Alphanemrovirus xingshan</i>	Xingshan nematode virus 4 (XsNV-4)
	<i>Alphanemrovirus xinzhou</i>	Xinzhou nematode virus 4 (XzNV-4)
<i>Alphapapthavirus</i>	<i>Alphapapthavirus hubei</i>	Hubei lepidoptera virus 2 (HbLV-2)
	<i>Alphapapthavirus parage</i>	Parage aegeria rhabdovirus (PAeRV)
<i>Alpharicticinnavirus</i>	<i>Alpharicticinnavirus blanchseco</i>	Blanchseco virus (BCOV)
	<i>Alpharicticinnavirus bole</i>	Bole tick virus 2 (BTBV-2)
	<i>Alpharicticinnavirus wuhan</i>	Wuhan tick virus 1 (WhTV-1)
<i>Amphylovirus</i>	<i>Amphylovirus cinereus</i>	frog lyssa-like virus 1 (FLLV-1)
<i>Anuravivirus</i>	<i>Anuravivirus aruac</i>	Aruac virus (ARUV)
	<i>Anuravivirus inhangapi</i>	Inhangapi virus (INHV)

Genus	Species	Virus (Abbreviation) &
	<i>Anurhavirus santabarbara</i>	Santa Barbara virus (SBaV)
	<i>Anurhavirus xiburema</i>	Xiburema virus (XiBV)
<i>Bathavirus</i>	<i>Bathavirus bahia</i>	Bahia Grande virus (BGV)
		Härlingen virus (HARV)
	<i>Bathavirus muir</i>	Muir Springs virus (MSV)
<i>Caligivirus</i>	<i>Caligivirus caligus</i>	Caligus rogercresseyi rhabdovirus (CRogRV)
	<i>Caligivirus lepeophtheirus</i>	Lepeophtheirus salmonis rhabdovirus 127 (LSalRV-127)
	<i>Caligivirus salmonis</i>	Lepeophtheirus salmonis rhabdovirus 9 (LSalRV-9)
<i>Cetaravirus</i>	<i>Cetaravirus laganorhynchus</i>	dolphin rhabdovirus (DRV)
	<i>Cetaravirus phocoena</i>	harbour porpoise rhabdovirus (HPRV)
	<i>Cuniovirus curionopolis</i>	Curionopolis virus (CURV)
	<i>Cuniovirus irii</i>	Irii virus (IRIV)
	<i>Curiovirus faciumas</i>	Itacaiunas virus (ITAV)
	<i>Curiovirus rochambeau</i>	Rochambeau virus (RBUV)
<i>Ephemerovirus</i>	<i>Ephemerovirus adelaide</i>	Adelaide River virus (ARV)
	<i>Ephemerovirus berrimah</i>	Berrimah virus (BRMV)
	<i>Ephemerovirus febris</i>	bovine ephemeral fever virus (BEFV)
	<i>Ephemerovirus hayes</i>	Hayes Yard virus (HYV)
	<i>Ephemerovirus kent</i>	New Kent County virus (NKCV)
	<i>Ephemerovirus kimberley</i>	Kimberley virus (KIMV)
		Malakai virus (MALV)
	<i>Ephemerovirus koolpinyah</i>	Koolpinyah virus (KOOLV)
	<i>Ephemerovirus kotonkan</i>	kotonkan virus (KOTV)
	<i>Ephemerovirus obodhang</i>	Obodhang virus (OBOV)
	<i>Ephemerovirus puchong</i>	Puchong virus (PUCV)
	<i>Ephemerovirus yata</i>	Yata virus (YATV)
<i>Hapavirus</i>	<i>Hapavirus bangoran</i>	Bangoran virus (BGNV)
	<i>Hapavirus flanders</i>	Flanders virus (FLAV)
	<i>Hapavirus graylodge</i>	Gray Lodge virus (GLOV)

Genus	Species	Virus (Abbreviation) &
	<i>Hapavirus harppark</i>	Hart Park virus (HPV)
	<i>Hapavirus holmes</i>	Holmes Jungle virus (HOJV)
	<i>Hapavirus joinjakaka</i>	Joinjakaka virus (JOIV)
	<i>Hapavirus kamese</i>	Kamese virus (KAMV)
	<i>Hapavirus lajoya</i>	La Joya virus (LJV)
	<i>Hapavirus landjia</i>	Landjia virus (LANV = LJAV)
	<i>Hapavirus manitoba</i>	Manitoba virus (MANV = MNTBV)
	<i>Hapavirus maco</i>	Marco virus (MCOV)
	<i>Hapavirus mosquito</i>	Mosqueiro virus (MQOV)
	<i>Hapavirus mossuril</i>	Mossuril virus (MOSV)
	<i>Hapavirus ngingan</i>	Ngaingan virus (NGAV)
	<i>Hapavirus ord</i>	Ord River virus (ORV)
	<i>Hapavirus party</i>	Parry Creek virus (PCV)
	<i>Hapavirus porton</i>	Porton virus (PORV)
	<i>Hapavirus wongabel</i>	Wongabel virus (WONV)
<i>Ledanevirus</i>	<i>Ledanevirus barur</i>	Barur virus (BARV)
	<i>Ledanevirus bugenhdera</i>	Bughendera virus (BUGV)
	<i>Ledanevirus elgon</i>	Mount Elgon bat virus (MEBV)
	<i>Ledanevirus fikirini</i>	Fikirini virus (FKRV)
	<i>Ledanevirus fukuoka</i>	Fukuoka virus (FUKV)
	<i>Ledanevirus kanyawara</i>	Kanyawara virus (KYAV)
	<i>Ledanevirus kern</i>	Kern Canyon virus (KCV)
	<i>Ledanevirus keuraliba</i>	Keuraliba virus (KEUV)
	<i>Ledanevirus kolete</i>	Kolente virus (KOLEV)
	<i>Ledanevirus kamasi</i>	Kumasi rhabdovirus (KRV)
	<i>Ledanevirus ledanec</i>	Le Dantec virus (LDV)
	<i>Ledanevirus nishimuro</i>	Nishimuro virus (NISV)
	<i>Ledanevirus nkobisson</i>	Nkolbisson virus (NKOV)
	<i>Ledanevirus oita</i>	Oita virus (OITAV)

Genus	Species	Virus (Abbreviation) &
	<i>Ledantivirus taiyi</i>	Taiyi bat virus (TYBV)
	<i>Ledantivirus vaprio</i>	Vaprio virus (VAPV)
	<i>Ledantivirus wuhan</i>	Wuhan louise fly virus 5 (WLFW-5)
	<i>Ledantivirus yongjia</i>	Yongjia tick virus 2 (YTIV-2)
<i>Lostithavirus</i>	<i>Lostithavirus hyalomma</i>	Xinjiang tick rhabdovirus (XJTRV)
	<i>Lostithavirus lonestar</i>	lone star tick rhabdovirus (LITRV)
<i>Lyssavirus</i>	<i>Lyssavirus aravan</i>	Aravan virus (ARAV)
	<i>Lyssavirus australis</i>	Australian bat lyssavirus (ABLV)
	<i>Lyssavirus bokeloh</i>	Bokeloh bat lyssavirus (BBLV)
	<i>Lyssavirus caucasicus</i>	West Caucasian bat virus (WCBV)
	<i>Lyssavirus duvenhage</i>	Duvenhage virus (DUVV)
	<i>Lyssavirus formosa</i>	Taiwan bat lyssavirus (TWBLV)
	<i>Lyssavirus gammaoruwa</i>	Gannoruwa bat lyssavirus (GBLV)
	<i>Lyssavirus hambug</i>	European bat lyssavirus 1 (EBLV-1)
	<i>Lyssavirus helsinki</i>	European bat lyssavirus 2 (EBLV-2)
	<i>Lyssavirus ikoma</i>	Ikoma lyssavirus (IKOV)
	<i>Lyssavirus irkut</i>	Irkut virus (IRKV)
	<i>Lyssavirus khuijand</i>	Khuijand virus (KHUV)
	<i>Lyssavirus lagos</i>	Lagos bat virus (LBV)
	<i>Lyssavirus lleida</i>	Lleida bat lyssavirus (LEBV)
	<i>Lyssavirus mokola</i>	Mokola virus (MOKV)
	<i>Lyssavirus rabies</i>	rabies virus (RABV)
	<i>Lyssavirus shimoni</i>	Shimoni bat virus (SHBV)
<i>Merhavirus</i>	<i>Merhavirus merida</i>	Merida virus (MERDV)
	<i>Merhavirus triaeniorhynchus</i>	Culex triaeniorhynchus rhabdovirus (CTRV)
<i>Moushravirus</i>	<i>Moushravirus moussa</i>	Moussa virus (MOUV)
<i>Ohlsivirus</i>	<i>Ohlsivirus angeles</i>	Culex thabdo-like virus Los Angeles (CRLVLA)
	<i>Ohlsivirus culex</i>	Culex thabdo-like virus (CRLV)
	<i>Ohlsivirus lobeira</i>	Lobeira virus (LOBV)

Genus	Species	Virus (Abbreviation) &
	<i>Ohlshavirus northcreek</i>	North Creek virus (NORCV)
	<i>Ohlshavirus ohlsdorf</i>	Ohlsdorf virus (OHLDV)
	<i>Ohlshavirus pseudovishnui</i>	Culex pseudovishnui rhabdo-like virus (CpRLV)
	<i>Ohlshavirus riverside</i>	Riverside virus (RISV)
	<i>Ohlshavirus tongilchon</i>	Tongilchon virus 1 (TCHV-1)
<i>Perhabdovirus</i>	<i>Perhabdovirus anguilla</i>	eel virus American (EVA)
		eel virus European X (EVEX)
	<i>Perhabdovirus leman</i>	Leman virus (LeRV)
	<i>Perhabdovirus perca</i>	perch rhabdovirus (PRV)
	<i>Perhabdovirus trutta</i>	lake trout rhabdovirus (LTRV)
<i>Rephyivirus</i>	<i>Rephyivirus allodus</i>	anole lyssalike virus 1 (ALLV-1)
	<i>Sawgerhavirus connecticut</i>	Connecticut virus (CNTV)
	<i>Sawgerhavirus longisland</i>	Long Island tick rhabdovirus (LITRV)
	<i>Sawgerhavirus minio</i>	New Minto virus (NMV)
	<i>Sawgerhavirus sawgrass</i>	Sawgrass virus (SAWV)
<i>Scophthalmavirus</i>	<i>Scophthalmavirus chanoptychthys</i>	Wuhan redfin cultur dimarhabdovirus (WhRFCRV)
	<i>Scophthalmavirus maximus</i>	Scophthalmus maximus rhabdovirus (SMRV)
<i>Sigmavirus</i>	<i>Sigmavirus affinis</i>	Drosophila affinis sigmavirus (DAfSV)
	<i>Sigmavirus ananasae</i>	Drosophila ananasae sigmavirus (DAnaSV)
	<i>Sigmavirus capitata</i>	Ceratitis capitata sigmavirus (CCapSV)
	<i>Sigmavirus domestica</i>	Wuhan fly virus 2 (WhFV-2)
	<i>Sigmavirus hippoboscid</i>	Wuhan louse fly virus 9 (WhLFV-9)
	<i>Sigmavirus hubei</i>	Hubei diptera virus 9 (HbDV-9)
	<i>Sigmavirus immigrans</i>	Drosophila immigrans sigmavirus (DiMmSV)
	<i>Sigmavirus lousefly</i>	Wuhan louse fly virus 10 (WhLFV-10)
	<i>Sigmavirus melanogaster</i>	Drosophila melanogaster sigmavirus (DMeSV)
	<i>Sigmavirus muscina</i>	Muscina stabulans sigmavirus (MStaSV)
	<i>Sigmavirus myga</i>	Hubei diptera virus 10 (HbDV-10)
	<i>Sigmavirus obscura</i>	Drosophila obscura sigmavirus (DObsSV)

Genus	Species	Virus (Abbreviation) &
	<i>Sigmavirus shayang</i>	Shayang fly virus 2 (SyFV-1)
	<i>Sigmavirus sturtevanti</i>	Drosophila sturtevanti sigmavirus (DSuSV)
	<i>Sigmavirus tristis</i>	Drosophila tristis sigmavirus (DTriSV)
	<i>Sigmavirus wuhan</i>	Wuhan house fly virus 1 (WhHFV-1)
	<i>Sigmavirus ying</i>	Hubei dimarhabdovirus 1 (HbDRV-1)
<i>Siniperhevirus</i>	<i>Siniperhevirus chuatsi</i>	Chinese rice-field eel rhabdovirus (CeERV)
		hybrid snakehead rhabdovirus (HSFRV)
		Siniperca chuatsi rhabdovirus (SCRV)
		Micropodus salmoides rhabdovirus (MSRV)
	<i>Siniperhevirus zoarcis</i>	eelpout rhabdovirus (EPRV)
<i>Sprivivirus</i>	<i>Sprivivirus cyprinus</i>	spring virenia of carp virus (SVCV)
	<i>Sprivivirus esox</i>	grass carp rhabdovirus (GrCRV)
		pike fry rhabdovirus (PFRV)
		tench rhabdovirus (TenRV)
<i>Stripivirus</i>	<i>Stripivirus alimpwar</i>	Alimpwar virus (ALMV)
	<i>Stripivirus chaco</i>	Chaco virus (CHOV)
	<i>Stripivirus charleville</i>	Charleville virus (CHVV)
	<i>Stripivirus cuiaba</i>	Cuiaba virus (CUV)
	<i>Stripivirus hainan</i>	Hainan black-spectacled toad rhabdovirus (HnBSTRV)
	<i>Stripivirus madureira</i>	Sena Madureira virus (SMV)
	<i>Stripivirus niakha</i>	Niakha virus (NIAV)
	<i>Stripivirus sripur</i>	Sripur virus (SRIV)
<i>Sunhavirus</i>	<i>Sunhavirus alexandria</i>	Burg el Arab virus (BEAV)
	<i>Sunhavirus binbo</i>	Binbo virus (BBOV)
	<i>Sunhavirus boke</i>	Boteke virus (BOTV)
	<i>Sunhavirus dillard</i>	Dillard's Draw virus (DDRV)
	<i>Sunhavirus garba</i>	Garba virus (GARV)
	<i>Sunhavirus harrison</i>	Harrison Dam virus (HARDV)
	<i>Sunhavirus kolongo</i>	Kolongo virus (KOLV)

Genus	Species	Virus (Abbreviation) &
	<i>Sunthavirus kwatta</i>	Kwatta virus (KWAV)
	<i>Sunthavirus matariya</i>	Matariya virus (MTYV)
	<i>Sunthavirus nasoule</i>	Nasoule virus (NASV)
	<i>Sunthavirus oakvale</i>	Oak Vale virus (OVV)
	<i>Sunthavirus ouango</i>	Ouango virus (OUAV)
	<i>Sunthavirus sandjimba</i>	Sandjimba virus (SIAV)
	<i>Sunthavirus sanguru</i>	Sanguru virus (SUNV)
	<i>Sunthavirus walkabout</i>	Walkabout Creek virus (WACV)
<i>Tibrovirus</i>	<i>Tibrovirus alphaeckpoma</i>	Ekpoma virus 1 (EKV-1)
	<i>Tibrovirus beatrice</i>	Beatrice Hill virus (BHV)
	<i>Tibrovirus betaekpoma</i>	Ekpoma virus 2 (EKV-2)
	<i>Tibrovirus coastal</i>	Coastal Plains virus (CPV)
	<i>Tibrovirus congo</i>	Bas-Congo virus (BASV)
	<i>Tibrovirus sweetwater</i>	Sweetwater Branch virus (SWBV)
	<i>Tibrovirus ubroorganan</i>	Bivens Arm virus (BAV)
		Tibrogargan virus (TIBV)
<i>Tupavirus</i>	<i>Tupavirus durham</i>	Durham virus (DURV)
	<i>Tupavirus klanath</i>	Klanath virus (KLAV)
	<i>Tupavirus tupaia</i>	tupaia rhabdovirus (TUPV)
<i>Vesiculovirus</i>	<i>Vesiculovirus alagoas</i>	vesicular stomatitis Alagoas virus (VSAGV)
	<i>Vesiculovirus bogdanovae</i>	Yug Bogdanovae virus (YBV)
	<i>Vesiculovirus carajas</i>	Carajás virus (CJSV)
	<i>Vesiculovirus chandipura</i>	Chandipura virus (CHPV)
	<i>Vesiculovirus coel</i>	Cocal virus (COCV)
	<i>Vesiculovirus epiesicus</i>	American bat vesiculovirus (ABVV)
	<i>Vesiculovirus indiana</i>	vesicular stomatitis Indiana virus (VSIV)
	<i>Vesiculovirus isfahan</i>	Isfahan virus (ISFV)
	<i>Vesiculovirus jurona</i>	Jurona virus (JURV)
	<i>Vesiculovirus malpais</i>	Malpais Spring virus (MSPV)

Genus	Species	Virus (Abbreviation) &
	<i>Vesiculovirus maraba</i>	Maraba virus (MARAV)
	<i>Vesiculovirus mediterraneum</i>	Mediterranean bat virus (MBV)
	<i>Vesiculovirus morreton</i>	Morreton virus (MORV)
	<i>Vesiculovirus newjersey</i>	vesicular stomatitis New Jersey virus (VSJV)
	<i>Vesiculovirus perinet</i>	Perinet virus (PERV)
	<i>Vesiculovirus piry</i>	Piry virus (PIRYV)
	<i>Vesiculovirus radi</i>	Radi virus (RADV)
	<i>Vesiculovirus rhinolophus</i>	Jinghong bat virus (JhBV)
		Qiongzhong bat virus (QZBV)
	<i>Vesiculovirus yinshui</i>	Yinshui bat virus (YSBV)
<i>Zaharvirus</i>	<i>Zaharvirus zahedan</i>	Zahedan rhabdovirus (ZARV)
		Subfamily <i>Betarhabdovirinae</i>
<i>Alphanucleorhabdo virus</i>	<i>Alphanucleorhabdovirus colocasiiae</i>	taro vein chlorosis virus (TaVCV)
	<i>Alphanucleorhabdovirus constrictae</i>	constricta yellow dwarf virus (CYDV)
	<i>Alphanucleorhabdovirus joa</i>	joa yellow blotch associated virus (JYBaV)
	<i>Alphanucleorhabdovirus maydis</i>	maize mosaic virus (MMV)
	<i>Alphanucleorhabdovirus melongenae</i>	eggplant mottled dwarf virus (EMDV)
	<i>Alphanucleorhabdovirus monogorayensis</i>	Morogoro maize-associated virus (MMAv)
	<i>Alphanucleorhabdovirus oryzae</i>	rice transitory yellowing virus (RTYV)
		rice yellow stunt virus (RYSV)
	<i>Alphanucleorhabdovirus physostegiae</i>	Physostegia chlorotic mottle virus (PhCMoV)
	<i>Alphanucleorhabdovirus pruni</i>	peach virus 1 (PeV1)
	<i>Alphanucleorhabdovirus tritici</i>	wheat yellow striate virus (WYSV)
	<i>Alphanucleorhabdovirus tuberosum</i>	potato yellow dwarf virus (PYDV)
	<i>Alphanucleorhabdovirus zebranense</i>	maize Iranian mosaic virus (MIMV)
<i>Betanucleorhabdovirus</i>	<i>Betanucleorhabdovirus bacopae</i>	Bacopa nomieri virus 2 (BnV-2)
<i>nis</i>	<i>Betanucleorhabdovirus cardamomi</i>	cardamom vein clearing virus (CdVCV)

Genus	Species	Virus (Abbreviation) &
	<i>Betanucleorhabdovirus datura</i>	datura yellow vein virus (DYVV)
	<i>Betanucleorhabdovirus loti</i>	birds'-foot trefoil-associated virus (BFTV)
	<i>Betanucleorhabdovirus mali</i>	apple rootstock virus A (ApRVA)
	<i>Betanucleorhabdovirus medicaginis</i>	alfalfa-associated nucleorhabdovirus (AaNV)
	<i>Betanucleorhabdovirus retesonchi</i>	Sonchus yellow net virus (SYNV)
	<i>Betanucleorhabdovirus riles</i>	blackcurrant-associated rhabdovirus (BCaRV)
	<i>Betanucleorhabdovirus venasonchi</i>	sowthistle yellow vein virus (SYVV)
	<i>Betanucleorhabdovirus zanthoxyli</i>	Zhuye pepper nucleorhabdovirus (ZPNRV)
<i>Cytorhabdovirus</i>	<i>Cytorhabdovirus alphatrifolii</i>	Trifolium pratense virus A (TpVA)
	<i>Cytorhabdovirus alphawuhaninsectum</i>	Wuhan insect virus 4 (WuIV-4)
	<i>Cytorhabdovirus bacopae</i>	Bacopa monnieri virus 1 (BmV-1)
	<i>Cytorhabdovirus betatriloli</i>	Trifolium pratense virus B (TpVB)
	<i>Cytorhabdovirus betawuhaninsectum</i>	Wuhan insect virus 5 (WuIV-5)
	<i>Cytorhabdovirus brassicae</i>	broccoli necrotic yellows virus (BNYV)
	<i>Cytorhabdovirus brassicicola</i>	cabbage cytorhabdovirus 1 (CCyV-1)
	<i>Cytorhabdovirus broussonetiae</i>	paper mulberry mosaic associated virus (PMuMaV)
	<i>Cytorhabdovirus caricae</i>	papaya virus E (PpVE)
	<i>Cytorhabdovirus chrysanthemi</i>	chrysanthemum yellow dwarf associated virus (CYDaV)
	<i>Cytorhabdovirus colocasiae</i>	Colocasia bobone disease-associated virus (CBDAv)
	<i>Cytorhabdovirus cucurbitae</i>	cucurbit cytorhabdovirus 1 (CuCV-1)
	<i>Cytorhabdovirus festucae</i>	Festuca leaf streak virus (FLSV)
	<i>Cytorhabdovirus flaverbamale</i>	yerba mate chlorosis-associated virus (YmCaV)
	<i>Cytorhabdovirus fragariae</i>	strawberry-associated virus 1 (SaV-1)
	<i>Cytorhabdovirus fragariae</i>	strawberry virus 1 (StrV-1)
	<i>Cytorhabdovirus fragariae</i>	strawberry crinkle virus (SCV)
	<i>Cytorhabdovirus gammauhaniinsectum</i>	Wuhan insect virus 6 (WuIV-6)
	<i>Cytorhabdovirus gramineae</i>	northern cereal mosaic virus (NCMV)
	<i>Cytorhabdovirus hordei</i>	barley yellow striate mosaic virus (BYSMV)

Genus	Species	Virus (Abbreviation) &
	<i>Cytorhabdovirus lactucanaculame</i>	lettuce yellow mottle virus (LYMoV)
	<i>Cytorhabdovirus lactucaepane</i>	lettuce necrotic yellows virus (LNYV)
	<i>Cytorhabdovirus lycopersici</i>	tomato yellow mottle-associated virus (TYMaV)
	<i>Cytorhabdovirus maydis</i>	maize-associated cytorhabdovirus (MacV)
	<i>Cytorhabdovirus mayssflavostriatidis</i>	maize yellow striate virus (MYSV)
	<i>Cytorhabdovirus medicaginis</i>	alfalfa dwarf virus (ADV)
	<i>Cytorhabdovirus oryzae</i>	rice stripe mosaic virus (RSMV)
	<i>Cytorhabdovirus persimmon</i>	persimmon virus A (PeVA)
	<i>Cytorhabdovirus rosae</i>	rose virus R (RVR)
	<i>Cytorhabdovirus rubus</i>	raspberry vein chlorosis virus (RVCV)
	<i>Cytorhabdovirus sonchi</i>	Sonchus virus (SonV)
	<i>Cytorhabdovirus trichosanthei</i>	Trichosanthes associated rhabdovirus 1 (TrARV1)
	<i>Cytorhabdovirus tritici</i>	wheat American striate mosaic virus (WASMV)
	<i>Cytorhabdovirus verbame</i>	yerba mate virus A (YmVA)
<i>Dichorthavirus</i>	<i>Dichorthavirus citri</i>	citrus chlorotic spot virus (CCSV)
	<i>Dichorthavirus clerodendri</i>	clerodendrum chlorotic spot virus (CICSV)
	<i>Dichorthavirus coffeeae</i>	coffee ringspot virus (CoRSV)
	<i>Dichorthavirus leprosis</i>	citrus leprosis virus N (CLV-N)
	<i>Dichorthavirus orchidaceae</i>	orchid fleaek virus (OFV)
<i>Gammarnucleorhabdovirus</i>	<i>Gammarnucleorhabdovirus maydis</i>	maize fine streak virus (MFSV)
<i>Varicosavirus</i>	<i>Varicosavirus alopecuri</i>	Alopeurus myosuroides varicosavirus 1 (AMVV-1)
	<i>Varicosavirus lactucae</i>	lettuce big-vein associated virus (LBVav)
	<i>Varicosavirus trifolii</i>	red clover associated varicosavirus (RCaVV)
	Subfamily <i>Gammarrhabdovirinae</i>	
<i>Novirhabdovirus</i>	<i>Novirhabdovirus hirame</i>	hirame rhabdovirus (HIRRV = HIRV)
	<i>Novirhabdovirus piscine</i>	viral hemorrhagic septicemia virus (VHSV)
	<i>Novirhabdovirus salmonid</i>	infectious hematopoietic necrosis virus (IHNV)
	<i>Novirhabdovirus snakehead</i>	snakehead rhabdovirus (SHRV)

Genus	Species	Virus (Abbreviation) &
Unassigned (to subfamilies)		
<i>Alphacrusthavirus</i>	<i>Alphacrusthavirus wenling</i>	Wenling crustacean virus 10 (WICV-10)
	<i>Alphacrusthavirus zhejiang</i>	Wenling crustacean virus 11 (WICV-11)
<i>Alphadrosrvirus</i>	<i>Alphadrosrvirus hubei</i>	Wuhan house fly virus 2 (WhHFV-2)
	<i>Alphadrosrvirus shayang</i>	Shayang fly virus 3 (SyFV-3)
<i>Alphahymnrvirus</i>	<i>Alphahymnrvirus cinereus</i>	hymenopteran rhabdo-related virus 38 (HyRRV-38)
	<i>Alphahymnrvirus hirum</i>	hymenopteran rhabdo-related virus 109 (HyRRV-109)
<i>Betahymnrvirus</i>	<i>Alphahymnrvirus neglectus</i>	Lasius neglectus virus 2 (LnegV-2)
	<i>Alphahymnrvirus radians</i>	hymenopteran rhabdo-related virus 46 (HyRRV-46)
	<i>Betahymnrvirus austriaca</i>	hymenopteran rhabdo-related virus 23 (HyRRV-23)
	<i>Betahymnrvirus heterodontonyx</i>	hymenopteran rhabdo-related virus 24 (HyRRV-24)
<i>Betanemrvirus</i>	<i>Betanemrvirus hubei</i>	Hubei rhabdo-like virus 9 (HbRLV-9)
	<i>Betanemrvirus shayang</i>	Shayang ascarida galli virus 2 (SyAGV-2)
<i>Betapaprivirus</i>	<i>Betapaprivirus frugiperda</i>	Spodoptera frugiperda rhabdovirus (SfruRV)
	<i>Betapaprivirus sylvina</i>	lepidopteran rhabdo-related virus 34 (LeRRV-34)
<i>Betaricinhravirus</i>	<i>Betaricinhravirus chinay</i>	Chimay rhabdovirus (CRV)
	<i>Betaricinhravirus scapularis</i>	blacklegged tick rhabdovirus 1 (BLTRV-1)
Family <i>Sumiviridae</i>		
<i>Sunshinevirus</i>	<i>Sunshinevirus reptilis</i>	Sunshine Coast virus (SunCV)
Family <i>Ximmoviridae</i>		
<i>Alasvirus</i>	<i>Alasvirus muscae</i>	Hib i diptera virus 11 (HbDV-11)
<i>Anphevirus</i>	<i>Anphevirus xinchengense</i>	X nchéng mosquito virus (XeMV)
<i>Douporvirus</i>	<i>Douporvirus australiae</i>	Culex mononega-like virus 2 (CMLV-2)
<i>Draselvirus</i>	<i>Draselvirus dentatai</i>	Hib i rhabdo-like virus 7 (HbRLV-7)
<i>Dranivirus</i>	<i>Dranivirus chambonense</i>	Drosophila unispina virus 1 (DuniV-1)
<i>Gambievirus</i>	<i>Gambievirus boluhunense</i>	Bolkun virus (BLHV)
	<i>Gambievirus senegalense</i>	Gambie virus (GAMV)
<i>Gylbovirus</i>	<i>Gylbovirus angae</i>	Acedes anphelirus (AeAV)
<i>Hopievirus</i>	<i>Hopievirus orthopteris</i>	Hib i orthoptera virus 5 (HbOV-5)

Genus	Species [#]	Virus (Abbreviation) &
<i>Madalivirus</i>	<i>Madalivirus amapaense</i>	Anopheles marajoara virus (AnMV)
	<i>Madalivirus amazonense</i>	Anopheles darlingi virus (AnDV)
<i>Peltivirus</i>	<i>Peltivirus eymannense</i>	hymenopteran anphe-related virus OKIAV71 (HARV-71)
<i>Triniovirus</i>	<i>Triniovirus yonagoense</i>	Culex tritaeniorhynchus anphievirus (CIAV)
<i>Ulegavirus</i>	<i>Ulegavirus freckenfeldense</i>	odonatan anphe-related virus OKIAV59 (OARV-59)

Note that viruses are real objects that are assigned to concepts that are called taxa. Species, genera, subfamilies, families, and orders are taxa.

[#]Includes: Newcastle disease virus (NDV).

[#]Taxon names are always italicized and always begin with a capital letter.

& Virus names are not italicized and are not capitalized, except if the name or a name component is a proper noun. This column lists the virus names with their correct (lack of) capitalization. Lists of viruses within a given species are provisional at this point and will likely be amended in the near future.

Table 5.

ICTV-accepted taxonomy of the order *Goujianvirales* (*Negarnaviricota*: *Haploviricotina*: *Yunchangvirocetes*) as of March 2022.

Genus	Species [#]	Virus (Abbreviation) ^{&}
Family <i>Yueviridae</i>		
<i>Yuyuevirus</i>	<i>Yuyuevirus beihaiense</i>	B ihái sesamid crab virus 3 (BhSCV-3)
	<i>Yuyuevirus shahense</i>	Sh hé yuèvirus-like virus 1 (ShYLV-1)

Note that viruses are real objects that are assigned to concepts that are called taxa. Species, genera, families, and orders are taxa.

[#]Taxon names are always italicized and always begin with a capital letter.

[&]Virus names are not italicized and are not capitalized, except if the name or a name component is a proper noun. This column lists the virus names with their correct (lack of) capitalization.

Table 6.
ICTV-accepted taxonomy of the order Bunyavirales (*Negarnaviricota: Polyphlovinicotina: Ellioviricetes*) as of March 2022.

Genus	Species [#]	Virus (Abbreviation) ^{&}
Family Arenaviridae		
<i>Antennavirus</i>	<i>Hairy antennavirus</i>	W nling frogfish arenavirus 2 (WFNAV-2)
	<i>Salmon antennavirus</i>	salmon pescarenavirus 1 (SPAV-1)
		salmon pescarenavirus 2 (SPAV-2)
	<i>Striated antennavirus</i>	W nling frogfish arenavirus 1 (WFNAV-1)
<i>Hartmanivirus</i>	<i>Hartman hartmanivirus</i>	Haartman Institute snake virus 1 (HSV-1)
	<i>Heimat hartmanivirus</i>	Haartman Institute snake virus 2 (HSV-2)
	<i>Maiikunen hartmanivirus</i>	andere Heimat virus 1 (aHeV-1)
	<i>Schoollhouse hartmanivirus</i>	Dante Maiikunen virus 1 (DaMV-1)
	<i>Seipatvet hartmanivirus</i>	old schoolhouse virus 1 (OScV-1)
		old schoolhouse virus 2 (OScV-2)
		SeipatVet virus 1 (SPVV-1)
	<i>Zurich hartmanivirus</i>	veterinary pathology Zurich virus 1 (VPZV-1)
		veterinary pathology Zurich virus 2 (VPZV-2)
<i>Mammarenavirus</i>	<i>Alphahayo mammarenavirus</i>	Allpahuayo virus (ALLV)
	<i>Alxa mammarenavirus</i>	Alxa virus (ALXV)
	<i>Argentinian mammarenavirus</i>	Junín virus (JUNV)
	<i>Bear Canyon mammarenavirus</i>	Bear Canyon virus (BCNV)
	<i>Brazilian mammarenavirus</i>	Sabiá virus (SBAV)
	<i>Cali mammarenavirus</i>	Pichindé virus (PICHV)
	<i>Chapare mammarenavirus</i>	Chapare virus (CHAPV)
	<i>Chevrier mammarenavirus</i>	Liji ng virus (LJIV)
	<i>Cupixi mammarenavirus</i>	Cupixi virus (CUPXV)
	<i>Flexal mammarenavirus</i>	Flexal virus (FLEV)
	<i>Gairo mammarenavirus</i>	Gairo virus (GAIV)
	<i>Guanarito mammarenavirus</i>	Guanarito virus (GTOV)

Genus	Species	Virus (Abbreviation) &
	<i>Ippy mammarenavirus</i>	Ippy virus (IPPYV)
	<i>Kitale mammarenavirus</i>	Kitale virus (KTLV)
	<i>Lassa mammarenavirus</i>	Lassa virus (LASV)
	<i>Latino mammarenavirus</i>	Latino virus (LATV)
	<i>Loei River mammarenavirus</i>	Loei River virus (LORV)
	<i>Lujö mammarenavirus</i>	Lujö virus (LUJV)
	<i>Luli mammarenavirus</i>	Luli virus (LULV)
	<i>Luna mammarenavirus</i>	Luna virus (LUAV)
	<i>Lunk mammarenavirus</i>	Lunk virus (LNKV)
	<i>Lymphocytic choriomeningitis mammarenavirus</i>	Dandenong virus (DANV) lymphocytic choriomeningitis virus (LCMV)
	<i>Machupo mammarenavirus</i>	Machupo virus (MACV)
	<i>Mammarenavirus bintense</i>	Bintu virus (BITV)
	<i>Mammarenavirus kwanzaense</i>	Kwanza virus (KWAV)
	<i>Mariental mammarenavirus</i>	Mariental virus (MRLV)
	<i>Merino Walk mammarenavirus</i>	Merino Walk virus (MRWWV)
	<i>Mobala mammarenavirus</i>	Mobala virus (MOBV)
	<i>Mopeia mammarenavirus</i>	Mopeia virus (MPOV)
	<i>Okahandja mammarenavirus</i>	Okahandja virus (OKAV)
	<i>Oliveros mammarenavirus</i>	Oliveros virus (OLVV)
	<i>Paraguayan mammarenavirus</i>	Paraná virus (PRAV)
	<i>Planalto mammarenavirus</i>	Aporé virus (APOV)
	<i>Pirital mammarenavirus</i>	Pirital virus (PIRV)
	<i>Ryukyu mammarenavirus</i>	Ryukyu virus (RYKV)
	<i>Serra do Navio mammarenavirus</i>	Amapari virus (AMAV)
	<i>Solwezi mammarenavirus</i>	Solwezi virus (SOLV)
	<i>Souris mammarenavirus</i>	souris virus (SOUV)
	<i>Tacaribe mammarenavirus</i>	Tacaribe virus (TCRV)

Genus	Species	Virus (Abbreviation) &
	<i>Tamiami mammarenavirus</i>	Tamiami virus (TMMV)
	<i>Wenzhou mammarenavirus</i>	W nzhu u virus (WENV)
	<i>Whitewater Atroyo mammarenavirus</i>	Big Brushy Tank virus (BBRTV)
		Catania virus (CTNV)
		Skinner Tank virus (SKTV)
		Tonto Creek virus (TTCV)
		Whitewater Atroyo virus (WWAV)
	<i>Xapuri mammarenavirus</i>	Xapuri virus (XAPV)
<i>Reptarenavirus</i>	<i>California reptarenavirus</i>	CAS virus (CASV)
	<i>Giessen reptarenavirus</i>	University of Giessen virus 1 (UGV-1)
		University of Giessen virus 2 (UGV-2)
		University of Giessen virus 3 (UGV-3)
	<i>Golden Gate reptarenavirus</i>	Golden Gate virus (GOGV)
	<i>Ordinary reptarenavirus</i>	tavallinen suomalainen mies virus 2 (TSMV-2)
	<i>Rotterdam reptarenavirus</i>	ROUT virus (ROUTV)
		University of Helsinki virus 1 (UHV-1)
Family Crutiviridae		
<i>Lincravirus</i>	<i>Lincravirus europeus</i>	European shore crab virus 1 (EscV-1)
	<i>Lincravirus sinense</i>	Chinese mitten crab virus 1 (CmcV-1)
	<i>Lincravirus wehlingense</i>	W ning crustacean virus 9 (WICV-9)
Family Discorididae		
<i>Orthodiscovirus</i>	<i>Orthodiscovirus coniellae</i>	Coniothyrium diplodiella negative-stranded RNA virus 1 (CdNSRV-1)
		Plasmopara viticola lesion associated mycobunyavirales-like virus 9 (PvLAM-LV-9)
	<i>Orthodiscovirus hispaniae</i>	Plasmopara viticola lesion associated mycobunyavirales-like virus 8 (PvLAM-LV8)
	<i>Orthodiscovirus iberiae</i>	Plasmopara viticola lesion associated mycobunyavirales-like virus 4 (PvLAM-LV4)
	<i>Orthodiscovirus missouriense</i>	Penicillium discovirus (PDV)
	<i>Orthodiscovirus penicillii</i>	Penicillium roseopurpureum negative ssRNA virus 1 (PrNssV-1)
Family Fimoviridae		
<i>Emaravirus</i>	<i>Emaravirus aceris</i>	maple mottle-associated virus (MaMaV)

Genus	Species	Virus (Abbreviation) &
	<i>Emaravirus actiniae</i>	Actinidia chlorotic ringspot-associated virus (AcCRaV)
	<i>Emaravirus cajani</i>	pigeonpea sterility mosaic virus 1 (PPSMV-1)
	<i>Emaravirus camelliae</i>	Camellia japonica-associated virus 1 (CjaV-1)
	<i>Emaravirus cereidis</i>	redbud yellow ringspot-associated virus (RYRaV)
	<i>Emaravirus chrysanthemi</i>	chrysanthemum mosaic-associated virus (ChMaV)
	<i>Emaravirus cordifoliae</i>	ti ringspot-associated virus (TiRSaV)
	<i>Emaravirus fici</i>	fig mosaic virus (FMV)
	<i>Emaravirus idaeobutii</i>	raspberry leaf blotch virus (RLBV)
	<i>Emaravirus kiwii</i>	Actinidia virus 2 (AcV-2)
	<i>Emaravirus parkinsoniae</i>	palo verde broom virus (PVBV)
	<i>Emaravirus perillae</i>	perilla mosaic virus (PerMV)
	<i>Emaravirus pistaciae</i>	Pistacia virus B (PiV-B)
	<i>Emaravirus populi</i>	aspen mosaic-associated virus (AsMaV)
	<i>Emaravirus pyri</i>	pear chlorotic leaf spot-associated virus (PCLSaV)
	<i>Emaravirus quercus</i>	common oak ringspot-associated virus (CORaV)
	<i>Emaravirus rosae</i>	rose rosette virus (RRV)
	<i>Emaravirus rubi</i>	blackberry leaf mottle-associated virus (BLMaV)
	<i>Emaravirus sorbi</i>	European mountain ash ringspot-associated virus (EMARaV)
	<i>Emaravirus syringae</i>	lilac chlorotic ringspot-associated virus (LiCRaV)
	<i>Emaravirus tordali</i>	pigeonpea sterility mosaic virus 2 (PPSMV-2)
	<i>Emaravirus tritici</i>	High Plains wheat mosaic virus (HPWMoV)
	<i>Emaravirus verbanni</i>	Camellia japonica-associated virus 2 (CjaV-2)
	<i>Emaravirus ziziphi</i>	jujube yellow mottle-associated virus (JYMaV)
Family Hananiridae		
Subfamily Actantavirinae		
<i>Actinovirus</i>	<i>Batfish actinovirus</i>	Wning minipizza batfish virus (WEMBV)
	<i>Goosefish actinovirus</i>	Wning yellow goatfish virus (WEYGv)
	<i>Perch actinovirus</i>	Bern perch virus (BRPV)
	<i>Spikefish actinovirus</i>	Wning red spikefish virus (WERSv)

Genus	Species [#]	Virus (Abbreviation) &
		Subfamily <i>Agantavirinae</i>
<i>Agnathovirus</i>	<i>Hagfish agnathovirus</i>	W ning hagfish virus (WEHV)
		Subfamily <i>Mammantavirinae</i>
<i>Loanivirus</i>	<i>Bromo loanivirus</i>	Bromo virus (BRNV)
	<i>Longquán loanivirus</i>	Lóngquán virus (LQUV)
<i>Mobavirus</i>	<i>Laiib n mobavirus</i>	Láib n virus (LAIV)
	<i>Lena mobavirus</i>	Lena virus (LENV)
	<i>Nova mobavirus</i>	Nova virus (NVAV)
	<i>Quezon mobavirus</i>	Quezon virus (QZNV)
	<i>Xuan Son mobavirus</i>	Xuân Sòn virus (XSV)
<i>Orthohantavirins</i>	<i>Andes orthohantavirus</i>	Andes virus (ANDV)
		Castelo dos Sonhos virus (CASV)
		Lechignanas virus (LECV = LECHV)
		Orán virus (ORNV)
	<i>Asama orthohantavirus</i>	Asama virus (ASAV)
	<i>Asikkala orthohantavirus</i>	Asikkala virus (ASIV)
	<i>Bayou orthohantavirus</i>	bayou virus (BAYV)
		Cataganas virus (CATV)
	<i>Black Creek Canal orthohantavirus</i>	Black Creek Canal virus (BCCV)
	<i>Bowe orthohantavirus</i>	Bowé virus (BOWV)
	<i>Bruges orthohantavirus</i>	Bruges virus (BRGV)
	<i>Cano Delgado orthohantavirus</i>	Caño Delgadito virus (CADV)
	<i>Cao Bang orthohantavirus</i>	Cao Bằng virus (CBNV)
		Liánghé virus (LHEV)
	<i>Choclo orthohantavirus</i>	Chocho virus (CHOV)
	<i>Dabieshan orthohantavirus</i>	Dàbìshān virus (DBSV)
	<i>Dobrava-Belgrade orthohantavirus</i>	Dobrava virus (DOBV)
		Kurkino virus (KURV)
		Saaremaa virus (SAAV)

Genus	Species [#]	Virus (Abbreviation) &
	Sochi virus (SOCV)	
	<i>El Moro Canyon orthohantavirus</i>	Cartizal virus (CARV)
		El Moro Canyon virus (ELMCV)
	Huitzilac virus (HUV)	
	Fugong orthohantavirus	Fugong virus (FUGV)
	Fusong orthohantavirus	Fusong virus (FUSV)
	<i>Hantaan orthohantavirus</i>	Amur virus (AMRV)
		Hantaan virus (HTNV)
		Soochong virus (SOOV)
	<i>Jeju orthohantavirus</i>	Jeju virus (JUUV)
	<i>Kenkeme orthohantavirus</i>	Kenkeme virus (KKMV)
	<i>Khabarovsk orthohantavirus</i>	Khabarovsk virus (KHAV)
		Topografov virus (TOPV)
	<i>Laguna Negra orthohantavirus</i>	Laguna Negra virus (LANV)
		Maripa virus (MARV)
		Rio Mamoré virus (ROMV)
	<i>Laki orthohantavirus</i>	Laki virus (LUXV)
	<i>Maporal orthohantavirus</i>	Maporal virus (MAPV)
	<i>Montano orthohantavirus</i>	Montaño virus (MTNV)
	<i>Necocli orthohantavirus</i>	Necocli virus (NECV)
	<i>Oxbow orthohantavirus</i>	Oxbow virus (OXBV)
	<i>Prospect Hill orthohantavirus</i>	Prospect Hill virus (PHV)
	<i>Puunala orthohantavirus</i>	Hokkaido virus (HOKV)
		Muju virus (MUJV)
		Puumala virus (PUUV)
	<i>Robina orthohantavirus</i>	Robina virus (ROBV)
	<i>Rockport orthohantavirus</i>	Rockport virus (RKPV)
	<i>Sangassou orthohantavirus</i>	Sangassou virus (SANGV)
	<i>Seewis orthohantavirus</i>	Seewis virus (SWSV)

Genus	Species	Virus (Abbreviation) &
	<i>Seoul orthohantavirus</i>	g u virus (GOUV)
	<i>Sin Nombre orthohantavirus</i>	Seoul virus (SEOV)
	<i>New York virus (NYV)</i>	New York virus (NYV)
	<i>Sin Nombre virus (SNV)</i>	Sin Nombre virus (SNV)
	<i>Tatenale orthohantavirus</i>	Tatenale virus (TATV)
	<i>Thailand orthohantavirus</i>	Anjorobe virus (ANJV)
	<i>Tigray orthohantavirus</i>	Serang virus (SERV)
	<i>Tula orthohantavirus</i>	Thailand virus (THAV)
	<i>Tigray orthohantavirus</i>	Tigray virus (TIGV)
	<i>Tula orthohantavirus</i>	Adler virus (ADLV)
	<i>Tula virus (TULV)</i>	Tula virus (TULV)
	<i>Yakéshí orthohantavirus</i>	Yakéshí virus (YKSV)
	<i>Imjin thottivirus</i>	Imjin virus (MJNV)
	<i>Thottapalayam thottivirus</i>	Thottapalayam virus (TPMV)
		Subfamily <i>Rephanitavirinae</i>
<i>Reptiliovirus</i>	<i>Gecko reptiliovirus</i>	Hainan oriental leaf-toed gecko virus (HOLGV)
		Family <i>Leishbuviridae</i>
<i>Shilevirus</i>	<i>Shilevirus leptomonadis</i>	Leptomonas moramanga virus (LEMV)
		Family <i>Myoponividae</i>
<i>Hubavirus</i>	<i>Hubavirus myriapedis</i>	Hub i myriapoda virus 5 (HbMV-5)
		Family <i>Nairoviridae</i>
<i>Norwavirus</i>	<i>Grotenhout norwavirus</i>	Grotenhout virus (GRHV)
<i>Oceteivirus</i>	<i>Blattodean oceteivirus</i>	red goblin roach virus 1 (RGRV-1)
	<i>Orthonairovirus</i>	
	<i>Abu Hammad orthonairovirus</i>	Ab Hamm d virus (AHV)
	<i>Abu Mina orthonairovirus</i>	Ab M n virus (AMV)
	<i>Artashat orthonairovirus</i>	Artashat virus (ARTSV)
	<i>Avalon orthonairovirus</i>	Avalon virus (AVAV)
	<i>Chim orthonairovirus</i>	Chim virus (CHIMV)
	<i>Bandia orthonairovirus</i>	Bandia virus (BDAV)

Genus	Species [#]	Virus (Abbreviation) &
	<i>Burana orthonairovirus</i>	Burana virus (BURV)
	<i>Congoid orthonairovirus</i>	Aigai virus (AIGV)
	<i>Crimean-Congo hemorrhagic fever orthonairovirus</i>	Crimean-Congo hemorrhagic fever virus (CCHFV)
	<i>Dera Ghazi Khan orthonairovirus</i>	Dera Ghazi Khan virus (DGKV)
	<i>Dugbe orthonairovirus</i>	Dugbe virus (DUGV)
	<i>Ervé orthonairovirus</i>	Ervé virus (ERVEV)
	<i>Ester Real orthonairovirus</i>	Ester Real virus (ERV)
	<i>Gossas orthonairovirus</i>	Gossas virus (GOSV)
	<i>Hazara orthonairovirus</i>	Hazara virus (HAZV)
	<i>Huangpi orthonairovirus</i>	Huángpí tick virus 1 (HpTV-1)
	<i>Hughes orthonairovirus</i>	Caspiv virus (CASV)
		Farallon virus (FARV)
		Great Saltee virus (GRSV)
		Hughes virus (HUGV)
		Raza virus (RAZAV)
	<i>Issyk-kul orthonairovirus</i>	Issyk-kul virus (ISKV)
	<i>Kasokero orthonairovirus</i>	Kasokero virus (KASV = KASOV)
	<i>Keterah orthonairovirus</i>	Keterah virus (KTRV)
	<i>Kupe orthonairovirus</i>	kupe virus (KUPEV)
	<i>Leopards Hill orthonairovirus</i>	Leopards Hill virus (LPHV)
	<i>Meram orthonairovirus</i>	Meram virus (MEMV)
	<i>Nairobi sheep disease orthonairovirus</i>	Nairobi sheep disease virus (NSDV)
	<i>Pacific Coast orthonairovirus</i>	Pacific Coast tick nairovirus (PCTNV)
	<i>Punta orthonairovirus</i>	Punta Salinas virus (PSV)
	<i>Qalyub orthonairovirus</i>	Geran virus (GERV)
	<i>Sakhalin orthonairovirus</i>	Qalyub virus (QYBV)
		Sakhalin virus (SAKV)

Genus	Species [#]	Virus (Abbreviation) &	
	<i>Sappho orthonairovirus</i>	Tillanook virus (TLLV)	
	<i>Scot orthonairovirus</i>	Sappho II virus (SAPV)	
	<i>Soldado orthonairovirus</i>	Clo Mor virus (CMV = CLMV)	
	<i>Tacheng orthonairovirus</i>	Soldado virus (SOLV)	
	<i>Taggart orthonairovirus</i>	Tāchéng tick virus 1 (TcTV-1)	
	<i>Tamdy orthonairovirus</i>	Taggart virus (TAGV)	
	<i>Thiafora orthonairovirus</i>	Tamdy virus (TAMV)	
	<i>Tofila orthonairovirus</i>	Thiafora virus (TFAV)	
	<i>Tunis orthonairovirus</i>	tofla virus (TFLV)	
	<i>Vinegar Hill orthonairovirus</i>	Tunis virus (TUNV)	
	<i>Wenzhou orthonairovirus</i>	Vinegar Hill virus (VINHV)	
	<i>Yogue orthonairovirus</i>	W nzh u tick virus (WzTV)	
	<i>Zirqa orthonairovirus</i>	Yogue virus (YOGV)	
	<i>Sabavirus</i>	Zirqa virus (ZIRV)	
	<i>Shaspirivirus</i>	South Bay virus (SBV)	
	<i>Striwarivirus</i>	Sh yáng spider virus 1 (SySV-1)	
	<i>Xinspirivirus</i>	S nxíá water strider virus 1 (SxWSV-1)	
		X nzh u spider virus (XSV)	
		Family Peribunyaviridae	
	<i>Herbevirus</i>	<i>Herbert herbevirus</i>	
		Herbert virus (HEBV)	
		Kibale herbevirus	
		Tai herbevirus	
	<i>Khundivirus</i>	Tai virus (TAIV)	
		Khurdun virus (KURV)	
	<i>Lakivirus</i>	Khurdun virus (KURV)	
	<i>Lambavirus</i>	Lakamha virus (LAKV)	
	<i>Orthobunyavirus</i>	Largemouth bass bunyavirus (LBBV)	
		Abras virus (ABRV)	
		Acará virus (ACAV)	
		Moriche virus (MORV)	
		Aino virus (AINOV)	

Genus	Species [#]	Virus (Abbreviation) &
	<i>Akabane orthobunyavirus</i>	Akabane virus (AKAV)
		Tinaroo virus (TINV)
		Yaba-7 virus (Y7V)
	<i>Alajuela orthobunyavirus</i>	Alajuela virus (ALJV)
		San Juan virus (SJV)
	<i>Anadyr orthobunyavirus</i>	Anadyr virus (ANADV)
	<i>Ananindeua orthobunyavirus</i>	Ananindeua virus (ANUV)
	<i>Anhembi orthobunyavirus</i>	Anhembi virus (AMBV)
	<i>Anopheles A orthobunyavirus</i>	Anopheles A virus (ANAV)
		Arumateua virus (ARTV = ARMTV)
		Carapé virus (CPEV = CRPV)
		Las Maloyas virus (LMV)
		Lukuni virus (LUKV)
		Trombetas virus (TRMV)
		Tucurui virus (TUCV = TUCRV)
	<i>Anopheles B orthobunyavirus</i>	Anopheles B virus (ANBV)
		Boracéia virus (BORV)
	<i>Apou orthobunyavirus</i>	Apéu virus (APEUV)
	<i>Bakau orthobunyavirus</i>	Bakau virus (BAKV)
		Ketapang virus (KETV)
		Nola virus (NOLAV)
		Tanjong Rabok virus (TRV)
		Telok Forest virus (TFV)
	<i>Batai orthobunyavirus</i>	Batai virus (BATV)
	<i>Batama orthobunyavirus</i>	Batama virus (BMAV)
	<i>Bellavista orthobunyavirus</i>	Bellavista virus (BELV)
	<i>Benevides orthobunyavirus</i>	Benevides virus (B/SV = BENV)
	<i>Bertioga orthobunyavirus</i>	Bertioga virus (BERV)
		Cananéia virus (CNAV)

Genus	Species	Virus (Abbreviation) &
		Guaratuba virus (GBTBV)
		Iúmirim virus (ITIV)
		Minim virus (MIRV)
	<i>Bimini orthobunyavirus</i>	bimini virus (BIMV)
	<i>Birao orthobunyavirus</i>	Birao virus (BIRV)
	<i>Botambi orthobunyavirus</i>	Botambi virus (BOTV)
	<i>Bozo orthobunyavirus</i>	Bozo virus (BOZOV)
	<i>Brazorian orthobunyavirus</i>	brazorian virus (BRAZV)
	<i>Bruconha orthobunyavirus</i>	Bruconha virus (BRUV)
	<i>Buffalo Creek orthobunyavirus</i>	Buffalo Creek virus (BUCV)
	<i>Bunyaannwera orthobunyavirus</i>	Bunyaannwera virus (BUNV)
		Germiston virus (GERV)
		Lokern virus (LOKV)
		Mboké virus (MBOV)
		Ngari virus (NRIV)
		Northway virus (NORV)
		Santa Rosa virus (SARV)
		Shokwe virus (SHOV)
		Stanfield virus (STAV)
		Xingu virus (XINV)
	<i>Bushbush orthobunyavirus</i>	Benica virus (BENV = BNFV)
		Bushbush virus (BSBV)
		Juan Díaz virus (JDV)
	<i>Buttonwillow orthobunyavirus</i>	Buttonwillow virus (BUTV)
	<i>Bwamba orthobunyavirus</i>	Bwamba virus (BWAV)
		Pongola virus (PGAV)
	<i>Cache Valley orthobunyavirus</i>	Cache Valley virus (CVV)
		Cholul virus (CHLV)
		Tiacotlapan virus (TLAV)

Genus	Species [#]	Virus (Abbreviation) &
	<i>Cachoeira Porteira orthobunyavirus</i>	Cachoeira Porteira virus (CPOV)
	<i>California encephalitis orthobunyavirus</i>	California encephalitis virus (CEV)
		Morro Bay virus (MBV)
	<i>Capim orthobunyavirus</i>	Capim virus (CAFV)
	<i>Canaparu orthobunyavirus</i>	Canaparu virus (CARV)
		El Huayo virus (EHUV)
		Itaya virus (ITYV)
		Ossa virus (OSSAV)
		Vinces virus (VINV)
	<i>Caú Que orthobunyavirus</i>	Catú Qué virus (CQV)
		Oya virus (OYAV)
	<i>Caú orthobunyavirus</i>	Catú virus (CATUV)
	<i>Enseada orthobunyavirus</i>	Enseada virus (EHSV)
	<i>Fahey's paddock orthobunyavirus</i>	Fahey's paddock virus (FPV)
	<i>Fort Sherman orthobunyavirus</i>	Fort Sherman virus (FSV)
	<i>Gamboa orthobunyavirus</i>	Brus Laguna virus (BLAV)
		Calchadquí virus (CQIV)
		Ganboa virus (GAMV)
		Pueblo Viejo virus (PVV)
		Soberanía virus (SOBV)
	<i>Gan Gan orthobunyavirus</i>	Gan Gan virus (GGV)
	<i>Guajajara orthobunyavirus</i>	Guajajára virus (GJAV)
	<i>Guama orthobunyavirus</i>	Guamá virus (GMAV)
	<i>Guaroua orthobunyavirus</i>	Guaroua virus (GROV)
	<i>Iaco orthobunyavirus</i>	Iaco virus (IACOV)
	<i>Illesha orthobunyavirus</i>	Illesha virus (ILEV)
	<i>Ingawaruma orthobunyavirus</i>	Ingawaruma virus (INGV)
	<i>Jamestown Canyon orthobunyavirus</i>	Inkoo virus (INKV)
		Jamestown Canyon virus (JCV)

Genus	Species [#]	Virus (Abbreviation) &
	Jerry Slough virus (JSV)	
	South River virus (SCRV)	
	Jatobal virus (JATV)	
	Kaeng Khoi virus (KKV)	
	kairi virus (KRIV)	
	Keystone virus (KEYV)	
	Kaeng Khoi orthobunyavirus	Kaeng Khoi virus (KKV)
	Kairi orthobunyavirus	kairi virus (KRIV)
	Keystone orthobunyavirus	Keystone virus (KEYV)
	Koongol orthobunyavirus	kongo virus (KOONV)
	wongal virus (WONV)	
	La Crosse orthobunyavirus	La Crosse virus (LACV)
	Leanyer orthobunyavirus	Leanyer virus (LEAV)
	Lumbo orthobunyavirus	Lumbo virus (LUMV)
	Macaua orthobunyavirus	Macaua virus (MCAV)
	Madrid orthobunyavirus	Madrid virus (MADV)
	Magnari orthobunyavirus	Magnari virus (MAGV)
		Playas virus (PLAV)
	Mahogany Hammock orthobunyavirus	Mahogany Hammock virus (MHV)
	Main Drain orthobunyavirus	Main Drain virus (MDV)
	Manzanilla orthobunyavirus	Manzanilla virus (MANV)
		Inini virus (INV)
	Mapputa orthobunyavirus	Mapputa virus (MAFV)
	Maprik orthobunyavirus	Maprik virus (MPKV)
	Mariuba orthobunyavirus	Gumbo Limbo virus (GLV)
		Marituba virus (MTBV)
		Murutucá virus (MURV)
		Nepuyo virus (NEPV)
		Restan virus (RESV)
		Zungarcocha virus (ZUNV)
	Matruh orthobunyavirus	Matruh virus (MTRV)
	Melao orthobunyavirus	Melao virus (MELV)

Genus	Species	Virus (Abbreviation) &
	<i>Mojun orthobunyavirus</i>	Moju virus (MOJUV)
	<i>Memnet orthobunyavirus</i>	Memnet virus (MERV)
	<i>Minaitián orthobunyavirus</i>	Minaitián virus (MNTV)
		Palestina virus (PLSV)
	<i>MPoko orthobunyavirus</i>	MPoko virus (MPOV)
		Yaba-1 virus (Y1V)
	<i>Nyando orthobunyavirus</i>	Eremapodites virus (ERETV)
		Mojui dos Campos virus (MDCV)
		Nyando virus (NDV)
	<i>Olfantsvlei orthobunyavirus</i>	Bobia virus (BIAV)
		Dabakala virus (DABV)
		Olfantsvlei virus (OLIV)
	<i>Oriboca orthobunyavirus</i>	Oubi virus (OUBIV)
		Itaqui virus (ITQV)
	<i>Oropouche orthobunyavirus</i>	Oriboca virus (ORIV)
		Iquitos virus (IQTIV)
		Madre de Dios virus (MDDV)
		Oropouche virus (OROV)
		Perdões virus (PDEV)
		Pintupo virus (PINTV)
	<i>Oyo orthobunyavirus</i>	Oyo virus (OYOV)
	<i>Patois orthobunyavirus</i>	Babahoya virus (BABV)
		Pahayokee virus (PAHV)
		Patois virus (PATV)
	<i>Peaton orthobunyavirus</i>	peaton virus (PEAV)
	<i>Potosí orthobunyavirus</i>	Potosí virus (POTV)
	<i>Salo orthobunyavirus</i>	Salo virus (SABOV)
	<i>San Angelo orthobunyavirus</i>	San Angelo virus (SAV)
	<i>Sango orthobunyavirus</i>	Sango virus (SANV)

Genus	Species [#]	Virus (Abbreviation) &
	<i>Schmalenberg orthobunyavirus</i>	Douglas virus (DOUV)
		Sathuperi virus (SATV)
		Schmalenberg virus (SBV)
		Shamonda virus (SHAV)
	<i>Sedlec orthobunyavirus</i>	Sedlec virus (SEDV)
		Serra do Navio virus (SDNV)
	<i>Shark River orthobunyavirus</i>	Shark River virus (SRV)
	<i>Shuni orthobunyavirus</i>	Kaikur virus (KAIV)
		Shuni virus (SHUV)
	<i>Sinbu orthobunyavirus</i>	Para virus (PARAV)
		Simbu virus (SIMV)
	<i>Snowshoe hare orthobunyavirus</i>	Khatanga virus (KHATV)
		snowshoe hare virus (SSHV)
	<i>Sororoça orthobunyavirus</i>	Sororoça virus (SORV)
	<i>Tacaiuna orthobunyavirus</i>	CoAr 1071 virus (CA1071V)
		CoAr 3627 virus (CA3626V)
		Tacaiuna virus (TCMV)
		Virgin River virus (VRV)
	<i>Tahyna orthobunyavirus</i>	ahy a virus (TAHV)
	<i>Tataguine orthobunyavirus</i>	Tataguine virus (TATV)
	<i>Tensaw orthobunyavirus</i>	Tensaw virus (TENV)
	<i>Tete orthobunyavirus</i>	Bahig virus (BAHV)
		Tete virus (TETEV)
		Tsuruse virus (TSUV)
		Weldon virus (WEV)
	<i>Thimiri orthobunyavirus</i>	Thimiri virus (THIV)
	<i>Tinbotela orthobunyavirus</i>	Timboleta virus (TBTV)
	<i>Triniti orthobunyavirus</i>	Triniti virus (TNTV)
	<i>Trivitatus orthobunyavirus</i>	Achiote virus (ACHOV)

Genus	Species [#]	Virus (Abbreviation) &
		Trivittalus virus (TVTV)
	<i>Turlock orthobunyavirus</i>	Lednica virus (LEDV)
		Turlock virus (TURV)
		Umbre virus (UMBV)
	<i>Utinga orthobunyavirus</i>	Utinga virus (UTIV)
		Witwatersrand orthobunyavirus
		Witwatersrand virus (WITV)
	<i>Wolkberg orthobunyavirus</i>	Wolkberg virus (WBV)
	<i>Wyomyia orthobunyavirus</i>	Rio Pracipi virus
		Taiassui virus (TAIAV)
		Tucunduba virus (TUCV)
		Wyeomyia virus (WYOV)
<i>Pacivirus</i>	<i>Cainito pacuvirus</i>	Cainito virus (CAIV)
	<i>Chilibre pacuvirus</i>	Chilibre virus (CHIV)
	<i>Pacui pacuvirus</i>	Pacui virus (PACV)
	<i>Rio Preto da Eva pacuvirus</i>	Rio Preto da Eva virus (RPEV)
	<i>Tapirape pacuvirus</i>	Tapirapé virus (TAPV)
	<i>Insect shangavirus</i>	Shu ngão insect virus 1 (SgIV-1)
Family <i>Phasmaviridae</i>		
<i>Feravirus</i>	<i>Ferak feravirus</i>	Ferak virus (FRKV)
	<i>Hemipteran feravirus</i>	hemipteran phasma-related virus OKIAV247 (HeFV)
	<i>Neuropteran feravirus</i>	neuropteran phasma-related virus OKIAV248 (NeFV)
<i>Hymovirus</i>	<i>Hymenopteran hymovirus 1</i>	hymenopteran phasma-related virus OKIAV252 (HyHV-1)
	<i>Hymenopteran hymovirus 2</i>	hymenopteran phasma-related virus OKIAV250 (HyHV-2)
<i>Jonvirus</i>	<i>Jonchet jonivirus</i>	jonchet virus (JONV)
<i>Orthophasmavirus</i> <i>s</i>	<i>Anopheles orthophasmavirus</i>	Anopheles triannulatus orthophasmavirus (AtOPV)
	<i>Coleopteran orthophasmavirus</i>	coleopteran phasma-related virus OKIAV235 (CPRV)
	<i>Culex orthophasmavirus</i>	Culex phasma-like virus (CPLV)
	<i>Ganda orthophasmavirus</i>	Ganda bee virus (GBEEV)

Genus	Species	Virus (Abbreviation) &
	<i>Hymenopteran orthophasmavirus 1</i>	hymenopteran phasmid-related virus OKIAV228 (HyOV-1)
	<i>Hymenopteran orthophasmavirus 2</i>	hymenopteran phasmid-related virus OKIAV227 (HyOV-2)
	<i>Kigluak phantom orthophasmavirus</i>	Kigluak phantom virus (KIGV)
	<i>Niukluk phantom orthophasmavirus</i>	Niukluk phantom virus (NUKV)
	<i>Odonate orthophasmavirus</i>	Hub i odonate virus 8 (HbOV-8)
	<i>Orthophasmavirus barsukasense</i>	Barsukas virus (BARV)
	<i>Orthophasmavirus coreoense</i>	Coredo virus (CORV)
	<i>Orthophasmavirus flenense</i>	Flen virus (FLNV)
	<i>Orthophasmavirus miglotasense</i>	Miglotas virus (MIGV)
	<i>Qingling orthophasmavirus</i>	Hub i odonate virus 9 (HbOV-9)
	<i>Wuchang cockroach orthophasmavirus 1</i>	Wuchang cockroach virus 1 (WcCV-1)
	<i>Wuhan mosquito orthophasmavirus 1</i>	Wuhan mosquito virus 1 (WhMV-1)
	<i>Wuhan mosquito orthophasmavirus 2</i>	Wuhan mosquito virus 2 (WhMV-2)
<i>Sawastivirus</i>	<i>Saxia sawastivirus</i>	Saxia water strider virus 2 (SxWSV-2)
<i>Wuhivirus</i>	<i>Insect wuhivirus</i>	Wuhan insect virus 2 (WhlV-2)
Family Phenuiviridae		
<i>Bandavirus</i>	<i>Bhanja bandavirus</i>	Bhanja virus (BHAV)
	<i>Dalbie bandavirus</i>	severe fever with thrombocytopenia syndrome virus (SFTSV)
	<i>Guertu bandavirus</i>	Gu rtu virus (GTV)
	<i>Heartland bandavirus</i>	Heartland virus (HRTV)
	<i>Hunter Island bandavirus</i>	Albatross Island virus (ABIV)
	<i>Kismaayo bandavirus</i>	Kismaayo virus (KLSV)
	<i>Lone star bandavirus</i>	lone star virus (LSV)
	<i>Razdan bandavirus</i>	Razdan virus (RAZV)
<i>Beidivirus</i>	<i>Dipteran betdivirus</i>	Hub i diptera virus 3 (HbDV-3)
<i>Cogavirus</i>	<i>Citrus cogavirus</i>	citrus concave gum-associated virus (CCGaV)
	<i>Cogavirus eburi</i>	citrus virus A (CiV-A)
	<i>Grapevine cogavirus</i>	grapevine associated cogu-like virus 1 (GaCLV-1)
<i>Enivirus</i>	<i>Entoleuca entovirus</i>	Entoleuca phenui-like virus 1 (EnPLV-1)

Genus	Species	Virus (Abbreviation) &
<i>Goukovirus</i>	<i>Cumuto goukovirus</i>	Cumuto virus (CUMV)
	<i>Gouleako goukovirus</i>	Gouleako virus (GOLV)
	<i>Yichang insect goukovirus</i>	Yich ng insect virus (YcIV)
<i>Horwavirus</i>	<i>Horsell horwavirus</i>	Wūhan horsell virus (WhHV)
	<i>Kimberley horwavirus</i>	Fitzroy Crossing tenui-like virus 1 (FCTenV1)
<i>Hudivirus</i>	<i>Dipteran hudivirus</i>	Hub i diptera virus 4 (HbDV-4)
	<i>Lepidopteran hudovirus</i>	Hub i lepidoptera virus 1 (HbLV-1)
<i>Ikovirus</i>	<i>Blackleg ixovirus</i>	blacklegged tick virus 1 (BLTV-1)
	<i>Norway ixovirus</i>	Fairhair virus (FHAV)
	<i>Scapularis ixovirus</i>	blacklegged tick virus 3 (BLTV-3)
<i>Laulavirus</i>	<i>Grapevine laulavirus 2</i>	grapevine associated cogu-like virus 2 (GaCLV-2)
	<i>Grapevine laulavirus 3</i>	grapevine associated cogu-like virus 3 (GaCLV-3)
	<i>Grapevine laulavirus 4</i>	grapevine associated cogu-like virus 4 (GaCLV-4)
	<i>Laurel Lake kaulavirus</i>	Laurel Lake virus (LLV)
<i>Lentivirus</i>	<i>Lentinula lentivirus</i>	Lentinula edodes negative-strand RNA virus 2 (LNSRV-2)
<i>Mobivirus</i>	<i>Mothra mobivirus</i>	Mothra virus (MTHV)
	<i>Narangue mobivirus</i>	Narangue virus (NRGV)
<i>Phasivirus</i>	<i>Budu phasivirus</i>	Budu virus (BADUV)
	<i>Dipteran phasivirus</i>	Hub i diptera virus 5 (HbDV-5)
	<i>Fly phasivirus</i>	Wūhan fly virus 1 (WhFV-1)
	<i>Guadeloupe phasivirus</i>	Guadeloupe mosquito phasivirus (GMPV)
	<i>Kimberley phasivirus</i>	Parry's Creek phasivirus 1 (PCPhasV1)
	<i>Phasi Charoen-like phasivirus</i>	Phasi Charoen-like virus (PCLV)
	<i>Wutai mosquito phasivirus</i>	Wūtai mosquito virus (WtMV)
<i>Phlebovirus</i>	<i>Adana phlebovirus</i>	Adana virus (ADAV)
	<i>Aguacate phlebovirus</i>	Aguacate virus (AGUV)
	<i>Alcubie phlebovirus</i>	Alcubie virus (ACBV)
	<i>Alenquer phlebovirus</i>	Alenquer virus (ALEV)
	<i>Ambe phlebovirus</i>	Ambé virus (ABEV)

Genus	Species [#]	Virus (Abbreviation) &
	<i>Anhangá phlebovirus</i>	Anhangá virus (ANHV)
	<i>Arumowot phlebovirus</i>	Arumowot virus (AMTV)
	<i>Buenaventura phlebovirus</i>	Buenaventura virus (BUEV)
	<i>Bogotá phlebovirus</i>	Bogotá virus (BGRV)
	<i>Buijarru phlebovirus</i>	Buijarru virus (BUJV)
	<i>Cacao phlebovirus</i>	Cacao virus (CACV)
	<i>Campana phlebovirus</i>	Campana virus (CMAV)
	<i>Candirú phlebovirus</i>	Ariquemes virus (ARQV)
		Candirú virus (CDUV)
		Jacundá virus (JCNV)
		Morumbi virus (MR(M)BV)
		Mucurá virus (MCRV/MRAV)
		Serra Norte virus (SRNV)
	<i>Chigres phlebovirus</i>	Chagres virus (CHGV)
	<i>Cocle phlebovirus</i>	Coclé virus (CCLV)
	<i>Corfou phlebovirus</i>	Corfou virus (CFUV)
	<i>Dashli phlebovirus</i>	D shl virus (DASV)
	<i>Durania phlebovirus</i>	Durania virus (DRNV)
	<i>Echarate phlebovirus</i>	Echarate virus (ECHV)
	<i>Embossos phlebovirus</i>	Embossos virus (EMBV)
	<i>Gabek phlebovirus</i>	Gabek forest virus (GFV)
	<i>Gordil phlebovirus</i>	Gordil virus (GORV)
	<i>Icoaraci phlebovirus</i>	Icoaraci virus (ICOV)
	<i>Itaituba phlebovirus</i>	Itaituba virus (ITAV)
	<i>Itaporanga phlebovirus</i>	Iaporanga virus (ITPV)
	<i>Ixcanal phlebovirus</i>	Ixcanal virus (IXCV)
	<i>Karinabad phlebovirus</i>	Karinabad virus (KARV)
	<i>Kiborgoch phlebovirus</i>	Kiborgoch virus (KBGV)
	<i>La Gloria phlebovirus</i>	La Gloria virus (LAGV)

Genus	Species	Virus (Abbreviation) &
	<i>Lara phlebovirus</i>	Rio Claro virus (RICV)
	<i>Leticia phlebovirus</i>	Leticia virus (LTCV)
	<i>Maldonado phlebovirus</i>	Maldonado virus (MLOV)
	<i>Massilia phlebovirus</i>	Massilia virus (MASV)
	<i>Medjerda phlebovirus</i>	Medjerda Valley virus (MIVV)
	<i>Mona Grita phlebovirus</i>	Mona Grita virus (MOGV)
	<i>Mukawa phlebovirus</i>	Mukawa virus (MKWV)
	<i>Munguba phlebovirus</i>	Munguba virus (MUNV)
	<i>Naples phlebovirus</i>	Atràbida virus (ARRV)
		Balkan virus (BALKV)
		Fermo virus (FERV)
		Granada virus (GRV = GRAV)
		Saddagia virus (SADV)
		sandfly fever Naples virus (SFNV)
	<i>Nigue phlebovirus</i>	Nigue virus (NIQV)
	<i>Nepes phlebovirus</i>	Nepes virus (NTPV)
	<i>Odenistrou phlebovirus</i>	Odénisrou virus (ODRV)
	<i>Oriximiná phlebovirus</i>	Oriximiná virus (ORXV)
	<i>Pena Blanca phlebovirus</i>	Peña Blanca virus (PEBV)
	<i>Penshurst phlebovirus</i>	Penshurst virus (PEHV)
	<i>Perkerra phlebovirus</i>	Perkerra virus (PKEV)
	<i>Punique phlebovirus</i>	Punique virus (PUNV)
	<i>Punta Toro phlebovirus</i>	Capira virus (CAPIV)
		Punta Toro virus (PTV)
	<i>Rift Valley fever phlebovirus</i>	Rift Valley fever virus (RVFV)
	<i>Rio Grande phlebovirus</i>	Rio Grande virus (RGV)
	<i>Saint-Floris phlebovirus</i>	Saint-Floris virus (SAFV)
	<i>Salanga phlebovirus</i>	Salanga virus (SLGV)
	<i>Salехабад phlebovirus</i>	Adria virus (ADRV)

Genus	Species [#]	Virus (Abbreviation) &
	<i>Arbia virus (ARBV)</i>	Arbia virus (ARBV)
	<i>Bregalaka virus (BREV)</i>	Bregalaka virus (BREV)
	<i>Olbia virus (OLBV)</i>	Olbia virus (OLBV)
	<i>Salehabad virus (SAW)</i>	Salehabad virus (SAW)
	<i>Zaba virus (ZABAV)</i>	Zaba virus (ZABAV)
	<i>Salobo virus (SLBOV)</i>	Salobo virus (SLBOV)
	<i>Sicilian phlebovirus</i>	sandfly fever Sicilian virus (SFSV)
	<i>Taparà phlebovirus</i>	Taparà virus (TPRV)
	<i>Tehran phlebovirus</i>	Tehran virus (THEV)
	<i>Tico phlebovirus</i>	Tico virus (TICV)
	<i>Toros phlebovirus</i>	Toros virus (TORV)
	<i>Toscana phlebovirus</i>	Toscana virus (TOSV)
	<i>Tres Almendas phlebovirus</i>	Tres Almendas virus (TRAV)
	<i>Tununa phlebovirus</i>	Turuna virus (TUAV)
	<i>Uriurana phlebovirus</i>	Uriurana virus (URIV)
	<i>Urucuri phlebovirus</i>	Urucuri virus (URUV)
	<i>Viola phlebovirus</i>	viola virus (VIOV)
	<i>Zerdeli phlebovirus</i>	Zerdeli virus (ZERV)
<i>Pidchovirus</i>	<i>Coleoptieran pidchovirus</i>	coleoptieran phenui-related virus 308 (CoPrV-308)
	<i>Pidgey pidchovirus</i>	Pidgey virus (PGYV)
<i>Rubodivirus</i>	<i>Apple rubodivirus 1</i>	apple rubbery wood virus 1 (ARWV-1)
	<i>Apple rubodivirus 2</i>	apple rubbery wood virus 2 (ARWV-2)
	<i>Grapevine rubodivirus 1</i>	grapevine Gairan dmak virus (GGDV)
	<i>Grapevine rubodivirus 2</i>	grapevine Muscat rose virus (GMRV)
<i>Tanzavirus</i>	<i>Human tanzavirus</i>	Dar es Salalam virus (DeSV)
<i>Tenuivirus</i>	<i>Echinochloa hoja blanca tenuivirus</i>	Echinochloa hoja blanca virus (EHBV)
	<i>European wheat striate mosaic tenuivirus</i>	European wheat striate mosaic virus (EWSMV)
	<i>Iranian wheat stripe tenuivirus</i>	Iranian wheat stripe virus (IWSV)
	<i>Maize stripe tenuivirus</i>	maize stripe virus (MSIV = MSpV)

Genus	Species	Virus (Abbreviation) &
	<i>Melon tenuivirus</i>	melon chlorotic spot virus (MeCSV)
	<i>Rice grassy stunt tenuivirus</i>	rice grassy stunt virus (RGSV)
	<i>Rice hoja blanca tenuivirus</i>	rice hoja blanca virus (RHBV)
	<i>Rice stripe tenuivirus</i>	rice stripe virus (RSV = RSV)
	<i>Urochloa hoja blanca tenuivirus</i>	Urochloa hoja blanca virus (UHBV)
<i>Uukavirus</i>	<i>American dog uukavirus</i>	American dog tick virus (ADAV)
	<i>Dabieshan uukavirus</i>	Dabiéshān n tick virus (DBSH)
	<i>Grand Arbaud uukavirus</i>	Grand Arbaud virus (GAV)
	<i>Huangpi uukavirus</i>	Huángpí tick virus 2 (HpTV-2)
	<i>Kabuto mountain uukavirus</i>	Kabuto mountain virus (KAMV)
	<i>Kaisodi uukavirus</i>	Kaisodi virus (KASDV)
	<i>Lihuan uukavirus</i>	Líhán tick virus (LITV)
	<i>Murre uukavirus</i>	murre virus (MURV)
	<i>Pacific coast uukavirus</i>	Pacific coast tick virus (PACV)
	<i>Precarious Point uukavirus</i>	Precarious Point virus (PPV)
	<i>Rukutama uukavirus</i>	Rukutama virus (RUKV)
	<i>Schmid uukavirus</i>	Nile Warbler virus (NIWV)
	<i>Silverwater uukavirus</i>	Silverwater virus (SILV)
	<i>Tacheng uukavirus</i>	Tāchéng tick virus 2 (TCGV)
	<i>Uukumtemi uukavirus</i>	Chizé virus (CHZV)
		Fin V 707 virus (F1NV)
		Oceanside virus (OCV = OCEV)
		Pontevès virus (PTVV)
		St. Abbs Head virus (SAHV)
		Unukuniemi virus (UUKV)
	<i>Yongjia uukavirus</i>	Yōngji tick virus (YONV)
	<i>Zaliv Terpeniya uukavirus</i>	Zaliv Terpeniya virus (ZTV)
<i>Wenivirus</i>	<i>Shrimp wenivirus</i>	Mourilyan virus (MoV)
		Family <i>Tospoviridae</i>

Genus	Species [#]	Virus (Abbreviation) &
<i>Orthotospovirus</i>	<i>Astroemeria necrotic streak orthotospovirus</i>	Astroemeria necrotic streak virus (ANSV)
	<i>Astroemeria yellow spot orthotospovirus</i>	Astroemeria yellow spot virus (AYSV)
	<i>Bean necrotic mosaic orthotospovirus</i>	bean necrotic mosaic virus (BeNMV)
	<i>Calla lily chlorotic spot orthotospovirus</i>	calla lily chlorotic spot virus (CCSV)
	<i>Capsicum chlorosis orthotospovirus</i>	Capsicum chlorosis virus (CaCV)
	<i>Chrysanthemum stem necrosis orthotospovirus</i>	Chrysanthemum stem necrosis virus (CSNV)
	<i>Groundnut bud necrosis orthotospovirus</i>	groundnut bud necrosis virus (GBNV)
	<i>Groundnut chlorotic fan spot orthotospovirus</i>	groundnut chlorotic fan-spot virus (GCFSV)
	<i>Groundnut ringspot orthotospovirus</i>	groundnut ringspot virus (GRSV)
	<i>Groundnut yellow spot orthotospovirus</i>	groundnut yellow spot virus (GYSV)
	<i>Hippocrateum chlorotic ringspot orthotospovirus</i>	Hippocrateum chlorotic spot virus (HCRV)
	<i>Impatiens necrotic spot orthotospovirus</i>	impatiens necrotic spot virus (INSV)
	<i>Iris yellow spot orthotospovirus</i>	iris yellow spot virus (IYSV)
	<i>Melon severe mosaic orthotospovirus</i>	melon severe mosaic virus (MSMV)
	<i>Melon yellow spot orthotospovirus</i>	melon yellow spot virus (MYSV)
	<i>Mulberry vein banding associated orthotospovirus</i>	mulberry vein banding-associated virus (MVBaV)
	<i>Pepper chlorotic spot orthotospovirus</i>	pepper chlorotic spot virus (PCSV)
	<i>Polygonum ringspot orthotospovirus</i>	Polygonum ringspot virus (PoRSV)
	<i>Soybean vein necrosis orthotospovirus</i>	soybean vein necrosis virus (SVNV)
	<i>Tomato chlorotic spot orthotospovirus</i>	tomato chlorotic spot virus (TCSV)
	<i>Tomato spotted wilt orthotospovirus</i>	tomato spotted wilt virus (TSWV)
	<i>Tomato yellow ring orthotospovirus</i>	tomato yellow ring virus (TYRV)
	<i>Tomato zonate spot orthotospovirus</i>	tomato zonate spot virus (TZSV)
	<i>Watermelon bud necrosis orthotospovirus</i>	watermelon bud necrosis virus (WBNV)
	<i>Watermelon silver mottle orthotospovirus</i>	watermelon silver mottle virus (WSMoV)
	<i>Zucchini lethal chlorosis orthotospovirus</i>	zucchini lethal chlorosis virus (ZLCV)
Family <i>Tulasviridae</i>		
<i>Orthotulasvirus</i>	<i>Orthotulasvirus tulasnellae</i>	Tulasnella banyavirales-like virus 1 (TB-LV)

Genus	Species	Virus (Abbreviation) & Family <i>Wupedeviridae</i>
<i>Wumivirus</i>	<i>Wumivirus millepediae</i>	Within millipede virus 2 (WhMV-2)

Note that viruses are real objects that are assigned to concepts that are called taxa. Species, genera, subfamilies, families, and orders are taxa.

[¶]Taxon names are always italicized and always begin with a capital letter.

[¶]Virus names are not italicized and are not capitalized, except if the name or a name component is a proper noun. This column lists the virus names with their correct (lack of) capitalization. Lists of viruses within a given species are provisional at this point and will likely be amended in the near future.

ICTV-accepted taxonomy of the order *Articulavirales* (*Negarnaviricota: Polyploviricotina: Insthoviricetes*) as of March 2022.

Table 7.

Genus	Species [#]	Virus (Abbreviation) ^{&}
Family <i>Ammooviridae</i>		
<i>Tilapinevirus</i>	<i>Tilapinevirus tilapiae</i>	tilapia lake virus (TLV)
Family <i>Orthomixoviridae</i>		
<i>Alphainfluenzavirus</i>	<i>Alphainfluenzavirus influenzae</i>	influenza A virus (FLUAV)
<i>Betainfluenzavirus</i>	<i>Betainfluenzavirus influenzae</i>	influenza B virus (FLUBV)
<i>Deltainfluenzavirus</i>	<i>Deltainfluenzavirus influenzae</i>	influenza D virus (FLUDV)
<i>Gammainfluenzavirus</i>	<i>Gammainfluenzavirus influenzae</i>	influenza C virus (FLUCV)
<i>Isavirus</i>	<i>Isavirus salaris</i>	infectious salmon anemia virus (ISAV)
<i>Mykissvirus</i>	<i>Mykissvirus truttae</i>	rainbow trout orthomyxovirus (RbQOV)
		steelhead trout orthomyxovirus (SttOV-1)
<i>Quaranjavirus</i>	<i>Quaranjavirus araguairensense</i>	Araguari virus (ARAV)
	<i>Quaranjavirus chadense</i>	Lake Chad virus (LKCV)
	<i>Quaranjavirus johnstonense</i>	Johnston Atoll virus (JAV)
	<i>Quaranjavirus quarantinense</i>	Quarantin virus (QRFV)
	<i>Quaranjavirus tyulekense</i>	Tyulek (Tjuloc) virus (TLKV)
	<i>Quaranjavirus wellfleetense</i>	Wellfleet Bay virus (WFBV)
<i>Sardinivirus</i>	<i>Sardinivirus pilchardi</i>	pilchard orthomyxovirus (POMV)
<i>Thogotovirus</i>	<i>Thogotovirus bournense</i>	Bourbon virus (BRBV)
	<i>Thogotovirus ahorense</i>	Dhori virus (DHOV)
	<i>Thogotovirus josense</i>	Jos virus (JOSV)
	<i>Thogotovirus ozense</i>	Oz virus (OZV)
	<i>Thogotovirus sinense</i>	Sinu virus (SINUV)
	<i>Thogotovirus thailandense</i>	Thailand tick thogotovirus (TT-THOV)
	<i>Thogotovirus thogotoense</i>	Thogoto virus (THOV)
	<i>Thogotovirus upoluense</i>	Upolu virus (UPOV)

Note that viruses are real objects that are assigned to concepts that are called taxa. Species, genera, families, and orders are taxa.

 Taxon names are always italicized and always begin with a capital letter.
 Virus names are not italicized and are not capitalized, except if the name or a name component is a proper noun. This column lists the virus names with their correct (lack of) capitalization.