

UC Merced

Proceedings of the Annual Meeting of the Cognitive Science Society

Title

Humans measure algorithmic complexity to guide engagement with eventsequences

Permalink

<https://escholarship.org/uc/item/75w8t3zg>

Journal

Proceedings of the Annual Meeting of the Cognitive Science Society, 42(0)

Authors

Raz, Gal

Radkani, Setayesh

Tenenbaum, Josh

et al.

Publication Date

2020

Copyright Information

This work is made available under the terms of a Creative Commons Attribution License, available at <https://creativecommons.org/licenses/by/4.0/>

Peer reviewed

Humans measure algorithmic complexity to guide engagement with event sequences

Gal Raz

MIT, Cambridge, Massachusetts, United States

Setayesh Radkani

MIT, Cambridge, Massachusetts, United States

Josh Tenenbaum

MIT, Cambridge, Massachusetts, United States

Rebecca Saxe

MIT, Cambridge, Massachusetts, United States

Abstract

The criteria for guiding endogenous attention are largely unknown. A prominent view is that humans preferentially engage with information of intermediate complexity, and minimize engagement with too simple or too complex events. Here, we operationalize the notions of engagement and complexity to test this hypothesis. We asked participants to engage with differentially complex sequences of symbols shown one-by-one and disengage when they 1) could predict the next element of the sequence, or 2) felt the sequence was unpredictable. We define sequence complexity as a function of the probability of obtaining that sequence from a particular Hidden Markov Model. This extends previous measures of complexity to respect sequential structure and closely relates to the algorithmic complexity of sequence-generating programs. We construct different measures using this operationalization of sequence complexity to predict the probability of disengagement at each event. We assess under which definitions intermediate complexity is preferred.