

UC Irvine

Western Journal of Emergency Medicine: Integrating Emergency Care with Population Health

Title

Dolor de Pecho

Permalink

<https://escholarship.org/uc/item/7gq9p036>

Journal

Western Journal of Emergency Medicine: Integrating Emergency Care with Population Health, 11(5)

ISSN

1936-900X

Author

Arguija, Anthony F

Publication Date

2010

Supplemental Material

<https://escholarship.org/uc/item/7gq9p036#supplemental>

Copyright Information

Copyright 2010 by the author(s). This work is made available under the terms of a Creative Commons Attribution-NonCommercial License, available at <https://creativecommons.org/licenses/by-nc/4.0/>

Peer reviewed

Dolor de Pecho

Anthony F. Arguija, DO

Long Beach Memorial Medical Center, Long Beach, California

Supervising Section Editor: Sean Henderson MD

Submission history: Submitted July 6 2010; Revision Received July 27 2010; Accepted August 9 2010


Reprints available through open access at http://escholarship.org/uc/uciem_westjem

[West J Emerg Med. 2010; 11(5):514-515.]

A 44-year-old Hispanic male with a history of Wolff-Parkinson-White Syndrome (WPW) presented with chest pain and palpitations that had been constant for three hours. He denied any other complaints. He reported drinking one cup of coffee daily and stated he had used cocaine about one month earlier, but denied any recent drug use. On physical exam he was sitting comfortably with a heart rate between 230 - 250 and a blood pressure of 129/58mmHg. Cardiac monitor showed a wide-complex tachycardia. The rest of his physical exam was unremarkable. Initial electrocardiogram (ECG) revealed an irregular wide-complex tachycardia, consistent with atrial fibrillation with a rapid ventricular response. The patient was started on intravenous procainamide. He remained normotensive with no QRS prolongation. After approximately 30 minutes of infusion, a repeat ECG showed resolution of his wide-complex tachycardia. The patient was admitted and

taken to the electrophysiology lab, where he underwent successful radiofrequency catheter ablation of his right posterior septal accessory pathway. No further antegrade or retrograde pre-excitation was documented afterwards.

WPW is a pre-excitation syndrome resulting from a structural abnormality of the heart in the form of an accessory pathway that conducts current along this aberrant path in a reentry mechanism which can lead to ventricular dysrhythmias. All cases of wide-complex tachycardias should be presumed to be ventricular tachycardia until proven otherwise. In the case of hemodynamic compromise, cardioversion is the treatment of choice.^{1,2} If the patient is stable, medical management may be considered. Procainamide is the initial drug of choice.^{1,2} Care must be taken to monitor for potential side effects such as hypotension and QRS prolongation.



Dept: 3rd Floor - West
 Room: M351-B
 Oper: AM

HR 57 . SINUS RHYTHM
 * WOLFF-PARKINSON-WHITE SYNDROME, TYPE B

PR 124
 QRSD 142
 QT 444
 QTc 433

Encounter
 Indication:ARRHYTHMIA
 Type of ECG:ECG ROUTINE 12 + LEA

-- AXIS --
 P 54
 QRS -33
 T 2


Previous ECG

- ABNORMAL ECG -

Edited

Reason: ARRHYTHMIA
 Standard 12+
 Requested By:

Confirmed by



Address for Correspondence: Anthony Arguija, DO, Long Beach Memorial Medical Center Dept. of Emergency Medicine 2801 Atlantic Ave. Long Beach, CA 90806. Email: aarguija@gmail.com.

Conflicts of Interest: By the WestJEM article submission agreement, all authors are required to disclose all affiliations, funding sources and financial or management relationships that could be perceived as potential sources of bias.

REFERENCES

1. Fuster V, Ryden LE, Cannon DS, et al. ACC/AHA/ESC 2006 guidelines for the management of patients with atrial fibrillation: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines and the European Society of Cardiology Committee for Practice Guidelines. *J Am Coll Cardiol.* 2006;18:e149-246.
2. Zipes DP, Camm AJ, Borggrefe M, et al. ACC/AHA/ESC 2006 guidelines for management of patients with ventricular arrhythmias and the prevention of sudden cardiac death: a report of the American College of Cardiology/American Heart Association Task Force and the European Society of Cardiology Committee for Practice Guidelines. *J Am Coll Cardiol.* 2006 Sep 5;48(5):e247-346