

UC Santa Cruz

UC Santa Cruz Previously Published Works

Title

A search for resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at TeV with the ATLAS detector

Permalink

<https://escholarship.org/uc/item/7nf1m19f>

Journal

Journal of High Energy Physics, 2012(9)

ISSN

1126-6708

Authors

The ATLAS collaboration

Aad, G

Abajyan, T

et al.

Publication Date

2012-09-01

DOI

10.1007/jhep09(2012)041

Copyright Information

This work is made available under the terms of a Creative Commons Attribution License, available at <https://creativecommons.org/licenses/by/4.0/>

Peer reviewed

A search for $t\bar{t}$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector

The ATLAS collaboration

E-mail: atlas.publications@cern.ch

ABSTRACT: A search for resonant production of high-mass top-quark pairs is performed on 2.05 fb^{-1} of proton-proton collisions at $\sqrt{s} = 7$ TeV collected in 2011 with the ATLAS experiment at the Large Hadron Collider. This analysis of the lepton+jets final state is specifically designed for the particular topology that arises from the decay of highly boosted top quarks. The observed $t\bar{t}$ invariant mass spectrum is found to be compatible with the Standard Model prediction and 95% credibility level upper limits are derived on the $t\bar{t}$ production rate through new massive states. An upper limit of 0.7 pb is set on the production cross section times branching fraction of a narrow 1 TeV resonance. A Kaluza-Klein gluon with a mass smaller than 1.5 TeV is excluded.

KEYWORDS: Hadron-Hadron Scattering

Contents

1	Introduction	1
2	The ATLAS detector	2
3	Data and Monte Carlo samples	3
4	Physics object reconstruction and selection	5
5	Event selection and reconstruction of the $t\bar{t}$ system	6
6	Estimate of the multijet background from data	9
7	W+jets production normalization and control regions	11
8	Systematic uncertainties	11
9	Comparison of data to the Standard Model prediction	14
10	Interpretation	14
11	Summary	19
	The ATLAS collaboration	24

1 Introduction

The Large Hadron Collider (LHC) opens up a new kinematic regime, where pairs of Standard Model (SM) particles can be produced with an invariant mass of several TeV. Such high-mass final states are of particular interest for searches for massive states predicted by a number of extensions of the Standard Model. High-mass pairs of top quarks are among the most interesting of the final states explored by the ATLAS [1] experiment, but also represent a considerable experimental challenge.

The topology that forms when these Lorentz-boosted top quarks decay differs in important respects from that encountered when top quarks are produced approximately at rest. New tools have been developed to fully exploit the potential of these states. We adopt a solution proposed by Seymour [2] for the reconstruction and identification of highly boosted, hadronically decaying, massive particles, where these *boosted objects* are reconstructed as a single *fat* jet. An overview of the tools developed for the reconstruction of boosted objects is found in refs. [3, 4].

In this paper results are presented of a resonance search in the lepton+jets final state that arises in the reaction $pp \rightarrow t\bar{t} \rightarrow b\bar{b}q\bar{q}'\ell\nu_\ell$, where one of the W bosons from the top quarks decays to a charged lepton and a neutrino, and the other to jets of hadrons. Events are classified as belonging to the “ e +jets” or “ μ +jets” channel, depending on whether the charged lepton is an electron or a muon. We search for the distinct shape of a resonant signal in the reconstructed $t\bar{t}$ invariant mass distribution.

Compared to searches for $t\bar{t}$ resonances carried out by the CDF [5–9] and D0 [10, 11] collaborations at Run II of the Fermilab Tevatron Collider and a previous search by ATLAS [12] using the present data set, this analysis is specifically designed for top-quark pairs with an invariant mass beyond 1 TeV [13]. Jets are reconstructed with the anti- k_t algorithm [14] with a larger radius parameter ($R = 1.0$) than is usually employed in ATLAS. The highly energetic top quark decaying to three jets of hadrons ($t \rightarrow Wb \rightarrow bq\bar{q}'$) is reconstructed as a single fat jet. The selection relies strongly on an analysis of the jet substructure. Also the reconstruction of the second top quark candidate (with the decay $t \rightarrow Wb \rightarrow b\ell\nu_\ell$) relies on the large boost of the top quarks; the jet assignment is based on the vicinity to the charged lepton originating from the top quark decay.

While $t\bar{t}$ resonance searches are relevant for any extension of the Standard Model that leads to an enhanced top quark pair production rate at large $t\bar{t}$ invariant mass, we interpret the result within two specific benchmark models. The leptophobic topcolor Z' boson¹ [15] represents an example of a narrow resonance, where the experimental resolution dominates the width of the reconstructed mass peak. The Tevatron searches have set a 95% credibility level (CL) limit on the mass of the leptophobic topcolor Z' boson [16] at $m_{Z'} > 900$ GeV [8]. The second benchmark model envisages a Kaluza-Klein (KK) excitation of the gluon g_{KK} , as predicted in models with warped extra dimensions [17, 18]. For the choice of parameters of Lillie et al. [19] used here, the KK gluon manifests itself as a relatively broad resonance ($\Gamma/m = 15.3\%$) with a branching fraction $BR(g_{KK} \rightarrow t\bar{t}) = 92.5\%$. The first $t\bar{t}$ resonance searches on LHC data [12, 20] exclude Kaluza-Klein gluons [17, 18] with a mass smaller than 1.13 TeV [12] at 95% CL.

2 The ATLAS detector

The ATLAS detector [1] is a multi-purpose particle detector with a forward-backward symmetric cylindrical geometry and almost 4π coverage in solid angle.

The inner detector (ID), composed of a silicon pixel detector, a silicon microstrip detector and a transition radiation tracker, provides efficient reconstruction of the trajectories of charged particles in the pseudorapidity² range up to $|\eta| = 2.5$.

¹The specific case considered here corresponds to model IV in ref. [15] with $f_1 = 1$ and $f_2 = 0$ and a width of 1.2% of the Z' boson mass.

²ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point in the centre of the detector and the z -axis along the beampipe. The azimuthal angle ϕ is measured with respect to the x -axis, which points towards the centre of the LHC ring. The y -axis points up. The pseudorapidity η is defined in terms of the polar angle θ as $\eta = -\ln \tan \theta/2$. The transverse momentum p_T is defined as $p_T = p \sin \theta$.

The ID is surrounded by a thin superconducting solenoid producing a 2 T magnetic field and by a hermetic calorimeter system, which provides three-dimensional reconstruction of particle showers up to $|\eta| = 4.9$. A highly granular lead and liquid-argon (LAr) sampling calorimeter provides a precise measurement of the energy of electrons and photons. The hadronic calorimeter uses steel and scintillating tiles in the barrel region ($|\eta| < 1.7$), while the endcaps use LAr as the active material and copper as absorber. The forward calorimeter ($|\eta| > 3.1$) also uses LAr as the active medium, with copper and tungsten as absorber.

The muon spectrometer consists of one barrel and two endcap air-core toroidal magnets, each consisting of eight superconducting coils arranged symmetrically in azimuth around the calorimeter. Three layers of precision tracking chambers, consisting of drift tubes and cathode strip chambers, allow precise muon momentum measurement up to $|\eta| = 2.7$. Resistive plate and thin-gap chambers provide muon triggering capability up to $|\eta| = 2.4$.

The trigger system is composed of three consecutive levels. The level-1 trigger is based on custom-built hardware that processes coarse detector information to reduce the event rate to a design value of at most 75 kHz. This is followed by two software-based trigger levels, level-2 and the event filter, which together reduce the event rate to a few hundred Hz which is recorded for analysis.

3 Data and Monte Carlo samples

The data used in this search were collected by the ATLAS detector at the LHC in 2011 using a single-muon or single-electron trigger with transverse momentum (p_T) thresholds set at 18 GeV for muons and 20 GeV or 22 GeV for electrons. The object requirements used in the offline selection are more stringent than those used in the trigger, and the offline p_T thresholds are chosen on the efficiency plateau for the trigger. Only data recorded under stable beam conditions between March and August 2011 are used. Moreover, all subdetectors are required to be operational. The resulting data sample corresponds to an integrated luminosity of $2.05 \pm 0.08 \text{ fb}^{-1}$ [21, 22].

Simulated samples are used to predict the contribution of the Standard Model backgrounds, the most important of which are $t\bar{t}$ production, vector boson production in association with jets and multijet production. Monte Carlo (MC) simulations are also used to evaluate the impact of systematic uncertainties on the modelling of initial- and final-state radiation, the $t\bar{t}$ production process, as well as on parton showering and hadronization.

The irreducible “continuum” $t\bar{t}$ background and electroweak single top quark production are generated using MC@NLO v3.41 [23–26] with CTEQ6.6 [27] parton distribution functions (PDFs). Parton showering and hadronization are performed using HERWIG v6.5 [28, 29] in association with JIMMY [30] to model effects due to the underlying event and multiple parton interactions. The total production cross sections are based on approximate next-to-next-to-leading-order (NNLO) calculations. The pair production cross section is taken to be 165 pb [31–33]. For single top quark production, 65 pb (t -channel [34]), 4.6 pb (s -channel [35]) and 15.7 pb (Wt associated production [36]) are used. Samples generated with ACERMC [37] and POWHEG [38], showered with either HERWIG or PYTHIA [39], are

Mass [GeV]	600	700	800	900	1000	1200	1400	1600	1800	2000
$\sigma_{Z'} \times \text{BR}$ [pb]	10.3	5.6	3.2	1.9	1.2	0.46	0.19	0.068	0.039	0.018
$\sigma_{g_{KK}} \times \text{BR}$ [pb]	39.4	20.8	11.6	6.8	4.1	1.7	0.73	0.35	0.18	0.095

Table 1. Production cross sections times branching fraction for the resonant signal processes $pp \rightarrow Z' \rightarrow t\bar{t}$ in the topcolor model and $pp \rightarrow g_{KK} \rightarrow t\bar{t}$ for the KK gluon in Randall-Sundrum models with warped extra dimensions.

used to evaluate systematic uncertainties on the modelling of initial- and final-state radiation, the $t\bar{t}$ production process, as well as on the parton showering and hadronization.

Vector boson production with associated jets (V +jets) is simulated with the ALPGEN v2.13 [40] generator with CTEQ6L1 [41] PDFs. Only leptonic vector boson decays ($W \rightarrow \ell\nu_\ell$, $Z \rightarrow \ell^+\ell^-$) are considered for these backgrounds. Events are generated in exclusive bins of parton multiplicity up to four, and inclusively for larger multiplicity. The events are showered with HERWIG and JIMMY. Matching of parton showers to the matrix elements avoids double counting of parton emissions in both parts of the calculation. The normalization of the W +jets yield is derived from data, as described in section 7. The Z +jets sample, which has a much smaller contribution to the signal region, is normalized to the inclusive NNLO cross section [42].

Diboson samples are produced using HERWIG v6.5 with MRST2007LO* [43] PDFs and JIMMY. A filter is applied at the generator level that requires the presence of one lepton with $p_T > 10$ GeV and $|\eta| < 2.8$. K-factors are applied such that the production cross sections agree with results obtained using the MC@NLO Monte Carlo generator and the MSTW2008 PDF set [44]. The cross sections (K-factors) used for these filtered samples are: 11.5 pb (1.48) for WW production, 3.46 pb (1.60) for WZ production, and 0.97 pb (1.30) for ZZ production.

Signal samples for the $pp \rightarrow Z' \rightarrow t\bar{t}$ process are generated using PYTHIA v6.421 with CTEQ6L1 PDFs. Kaluza-Klein gluons are generated with MADGRAPH v4.4.51 [45, 46] with CTEQ6L1 PDFs, and showered with PYTHIA. Interference with Standard Model $t\bar{t}$ production is not taken into account. The production cross sections times branching fraction used for both benchmark signal models are presented in table 1. The production cross sections for the Z' boson samples are evaluated as in ref. [47] and a K-factor of 1.3 is applied to account for next-to-leading-order (NLO) effects [48]. The KK gluon production cross sections are determined using PYTHIA v8.1 [49].

All generated samples are processed using a GEANT4-based [50] simulation of the ATLAS detector [51] and reconstructed with the reconstruction software used also for data. The trigger response is emulated in the offline software. A varying number of simulated minimum-bias events are overlaid on the hard process to account for the effect of multiple pp interactions per bunch-crossing, which are quantified by the variable μ . Then the simulated events are reweighted so that the data and the simulated sample have the same μ distribution.

4 Physics object reconstruction and selection

Electron candidates must have an electromagnetic (EM) shower shape consistent with expectations based on simulation, test beam and reconstructed $Z \rightarrow ee$ events in data, and must have a matching track in the ID [52]. The EM cluster must be within $|\eta_{\text{cluster}}| < 2.47$, excluding the calorimeter transition region at $1.37 < |\eta_{\text{cluster}}| < 1.52$. The isolation transverse energy is determined as the transverse component of the sum of the energy deposits found in the calorimeter in an $\eta - \phi$ cone of radius $\Delta R = \sqrt{(\Delta\phi)^2 + (\Delta\eta)^2} = 0.2$ around the electron position. The energy of the electron is subtracted and the energy deposited by particles from additional pp interactions is accounted for by applying a correction that depends on the number of primary vertices. The contamination by non-isolated electrons due to decays of hadrons (including heavy flavour) in jets is reduced by requiring the corrected isolation transverse energy to be less than 3.5 GeV.

Muon candidates are reconstructed from track segments in different layers of the muon chambers. These segments are then combined, starting from the outermost layer, with a procedure that takes material effects into account, and matched with tracks found in the inner detector. The candidate trajectories are refitted using the complete track information from both detector systems, and are required to satisfy $|\eta| < 2.5$. Non-isolated muons are rejected by requiring that the energy deposited in the calorimeter and the scalar sum of track transverse momenta in a cone of $\Delta R = 0.3$ around the muon candidate, after subtraction of the muon energy deposit or p_T , are both less than 4 GeV.

The isolation requirement on the leptons results in some loss of signal efficiency at high $t\bar{t}$ masses, as shown in section 5.

Calorimeter cells are clustered using a three-dimensional representation of the energy depositions in the calorimeter with a nearest-neighbour noise-suppression algorithm [53, 54]. Such topological clusters form the input to the jet reconstruction algorithm. Two types of jets are used, both reconstructed with the anti- k_t algorithm [14]. For the first type, a radius parameter $R = 0.4$ is used. The input to the jet algorithm is formed by topological clusters calibrated at the EM energy scale, appropriate for the energy deposited by electrons or photons. A second set of jets is created with a radius parameter $R = 1.0$. These jets are henceforth referred to as fat jets. The input to this second jet reconstruction is formed by locally calibrated topological clusters [55]. In the *local* calibration, clusters are classified as hadronic or electromagnetic based on the cluster shape, depth and energy density. A correction is applied to the cluster that depends on this classification. Locally calibrated topological clusters are thus corrected for calorimeter non-compensation and are typically within 10% of the energy scale of the corresponding particles. In both cases the jet transverse momentum and pseudorapidity are corrected using p_T - and η - dependent calibration factors obtained from simulation [54] and validated with collision data [54, 56]. The validity of the calibration of fat jets is limited to absolute rapidity smaller than 2 and jets outside this region are not considered. For the fat jets a further correction is applied to the jet invariant mass.³

³The jet four-vector is obtained by summing the four-vectors of the (massless) clusters in the calorimeter associated with the jets. As the jet components have non-zero opening angle, even jets that result from the hadronization of massless gluons or light quarks acquire a non-zero mass [56].

The magnitude E_T^{miss} of the missing transverse momentum is constructed from the vector sum of the energy deposits in calorimeter cells associated with topological clusters. Calorimeter cells are associated with a parent physics object in a chosen order: electrons, jets reconstructed with $R = 0.4$, and muons, such that a cell is uniquely associated with a single physics object. Cells belonging to electrons are calibrated at the electron energy scale, and double counting of cell-energies is avoided, while cells belonging to jets are taken at the corrected energy scale used for jets. Finally, the track p_T of muons passing the event selection is included, and the contributions from any calorimeter cells associated with the muons are subtracted. The remaining clusters not associated with electrons or jets are included at the EM energy scale.

Overlap between the different object categories is avoided by the following procedure. Jets within $\Delta R = 0.2$ of an electron passing the electron selection cuts are removed from the jet collection. Muons within $\Delta R = 0.4$ of any $R = 0.4$ jet with $p_T > 20$ GeV are rejected. Subsequently, events where the selected electron is separated by less than $\Delta R = 0.4$ of any jet reconstructed with $R = 0.4$ and with $p_T > 20$ GeV are rejected.

For all reconstructed objects in the simulation, scale factors and additional smearing are applied to compensate for the difference in reconstruction efficiencies between data and simulation. The uncertainties on these scale factors are used to determine the corresponding systematic uncertainties.

5 Event selection and reconstruction of the $t\bar{t}$ system

Events accepted by the single-electron or single-muon trigger are required to have at least one reconstructed primary vertex with at least five associated tracks with $p_T > 400$ MeV. Events are discarded if any jet with $p_T > 20$ GeV is identified as out-of-time activity, calorimeter noise, or is located in a problematic area of the calorimeter [54].

A single isolated charged lepton that meets the quality criteria of section 4 is required. Selected electrons must match the online lepton candidate responsible for the trigger decision. Events where an electron shares an inner detector track with a non-isolated muon are discarded. Muons are required to have a transverse momentum greater than 20 GeV and electrons must have $E_T > 25$ GeV.

The escaping neutrino from the leptonic W boson decay leaves a signature in the p_T balance of the event. Different selections, optimized to suppress multijet events, are applied in the two channels. In the e +jets channel, the magnitude of the missing transverse momentum E_T^{miss} must be larger than 35 GeV and the transverse mass⁴ $m_T(\ell, E_T^{\text{miss}}) > 25$ GeV. In the μ +jets channel, $E_T^{\text{miss}} > 20$ GeV is required, as well as $E_T^{\text{miss}} + m_T(\ell, E_T^{\text{miss}}) > 60$ GeV.

Assuming the missing transverse momentum is dominated by the escaping neutrino from the W boson decay, the neutrino momentum can be reconstructed by imposing a W mass constraint on the lepton- E_T^{miss} system. If the quadratic equation yields two real solutions, the solution with the smallest $|p_z|$ is chosen. If the discriminant of the quadratic equation is negative, the magnitude of the missing transverse energy is adjusted to get

⁴The transverse mass is defined as $m_T = \sqrt{2p_T^\ell E_T^{\text{miss}}(1 - \cos \Delta\phi)}$, where p_T^ℓ is the charged lepton p_T and $\Delta\phi$ is the azimuthal angle between the lepton and the missing transverse momentum.




Figure 1. Event display for a $t\bar{t}$ candidate event with large $t\bar{t}$ invariant mass: $m_{t\bar{t}} = 2.5$ TeV. The left panel displays a transverse view of the charged particle tracks and calorimeter energy deposits. An $\eta - \phi$ view of the same event is shown in the upper right panel. Jets reconstructed with $R = 0.4$ are indicated in green, jets with $R = 1.0$ in red (colour online).

a null discriminant. The selection steps based on the reconstructed charged lepton and the signature of the escaping neutrino, and the reconstruction of the leptonic W boson candidate follow closely that of a previous analysis of the same final state [12].

The selection of jets and their assignment to top quark candidates is designed specifically for the collimated topology of the decay products of highly boosted top quarks. The lepton and jet from the semi-leptonically decaying top quark ($t \rightarrow Wb \rightarrow b\nu_\ell$) are expected to be collimated in a relatively small area of the detector. A search region with $0.4 < \Delta R(l, j) < 1.5$ is defined around the direction of the charged lepton. Events are accepted if at least one jet with $p_T > 30$ GeV is found in this region. If several jets with $p_T > 30$ GeV are found, the one with smallest angular distance $\Delta R(l, j)$ to the lepton is retained. The semi-leptonic top candidate is then constructed by adding the four-momenta of the reconstructed lepton, the neutrino candidate and the selected jet.

The decay products from a highly-boosted hadronically decaying top quark form a single fat jet that is expected to be found approximately *back-to-back* in ϕ to the semi-leptonic top decay (i.e. the two top quarks are emitted in opposite directions in the transverse plane, and the top quark boost ensures that their decay products retain the approximate direction of the top quarks). We require at least one ($R = 1.0$) jet at a minimum distance $\Delta R(j, j) > 1.5$ from the jet associated with the semi-leptonic top candidate. With this $\Delta R(j, j)$ requirement, moreover, we avoid that clusters of energy




Figure 2. Estimate from Monte Carlo simulation of the selection efficiency for the leptophobic Z' benchmark model. Only events with the targeted final state are considered ($t\bar{t} \rightarrow W^+bW^-\bar{b} \rightarrow \ell\nu_\ell b\bar{b}j\bar{j}$, where ℓ is either an electron or a muon, corresponding to approximately 30% of $t\bar{t}$ events). The error bars shown correspond to the Monte Carlo statistical uncertainty.

deposits in the calorimeter are shared between the two types of jets. The fat jet is required to have $p_T > 250$ GeV. The fat jet mass m_j is expected to reflect the large top quark mass, and is required to be greater than 100 GeV. Finally, the jet components are reclustered using the k_t algorithm in FASTJET [57], and the last splitting scale $\sqrt{d_{12}}$ [56] is required to be greater than 40 GeV. If more than one fat jet is found, the leading p_T jet is retained as the hadronic top candidate. The four-vector momentum associated with the $t\bar{t}$ system is reconstructed by adding the four-momenta of the semi-leptonically decaying top quark candidate and the hadronically decaying top quark candidate.

The sample event display in figure 1 illustrates the reconstruction procedure. Of the three jets reconstructed with $R = 0.4$, the jet closest to the lepton is associated with the leptonic top quark candidate. The two remaining $R = 0.4$ jets in the opposite hemisphere merge into a single fat jet ($p_T = 641$ GeV, jet mass $m_j = 138$ GeV, $\sqrt{d_{12}} = 107$ GeV) when the event is reclustered with $R = 1.0$. The invariant mass of the system formed by the two top quark candidates is approximately 2.5 TeV.

The efficiency times acceptance for signal events due to resonant $pp \rightarrow Z' \rightarrow t\bar{t}$ production is shown in figure 2 and is seen to depend strongly on the resonance mass, with a relatively steep turn-on at approximately 800 GeV. For resonances with a mass greater than 2 TeV the acceptance is degraded, primarily due to the lepton isolation and the requirement on the minimum distance between the lepton and the nearest jet, because the top quarks are so highly boosted.

After this selection, the dominant background is Standard Model top-quark pair production. Two further Standard Model processes are expected to have an important contribution. The yield due to multijet production, where the isolated lepton signature




Figure 3. Estimate from Monte Carlo simulation of the reconstructed $t\bar{t}$ invariant mass distribution for the leptophobic Z' . The natural width of the resonance is small ($\Gamma/m = 1.2\%$) compared to the experimental mass resolution. For the highest mass points a considerable tail towards smaller mass appears due to the convolution with the rapidly falling parton luminosity.

is faked by leptons from heavy-flavour decays, muons from π^\pm and K^\pm decays in flight, electrons from photon conversions, or misidentified hadrons, is estimated in section 6. The contribution of W boson production in association with jets is normalized using data, as reported in section 7. Further contributions from Standard Model processes are expected to be small, and their prediction is based on Monte Carlo estimates.

The reconstructed $t\bar{t}$ mass distribution for four benchmark samples is shown in figure 3. For resonance masses between 1 TeV and 1.6 TeV the mass resolution, from a Gaussian fit to the distribution of reconstructed $t\bar{t}$ mass minus the true resonance mass, is approximately 10%. The tail that extends to lower masses is present to a lesser degree also in the generated $t\bar{t}$ mass distribution, as a result of the convolution of the steeply falling parton luminosity with the resonance line shape. This effect is especially pronounced for the 1.6 TeV and 2 TeV points.

The reduced high-mass tail compared to Reference [12] shows that this approach is intrinsically robust against the confusion that arises from the presence of additional jets due to initial-state radiation [13]. Thus, migration from the low-mass region into the high-mass region is minimal.

6 Estimate of the multijet background from data

To avoid the large systematic and statistical uncertainties in the MC prediction of events from multijet production, the contribution to the signal region is estimated from data using the Matrix Method [58]. It exploits control regions with leptons satisfying looser identification requirements to disentangle the contributions from multijet production,

which yields non-prompt leptons and jets misidentified as leptons, and sources of prompt leptons such as the production of a vector boson plus jets.

The *loose* electrons have less stringent quality criteria. The electron isolation requirement is also modified: the total energy in a cone of $\Delta R = 0.2$ around the electron is required to be smaller than 6 GeV (instead of 3.5 GeV for standard *tight* electrons), after correcting for energy deposits from event pile-up interactions and for the energy associated with the electron. The loose muon definition requires candidates to satisfy all criteria applied in the standard, tight selection except the muon isolation requirements and the muon-jet overlap removal.

The total number of events with loose leptons, N_L , is defined as

$$N_L = N_{\text{prompt}} + N_{\text{multijets}} \tag{6.1}$$

The subset of events with tight leptons should satisfy

$$N_T = \epsilon \times N_{\text{prompt}} + f \times N_{\text{multijets}}, \tag{6.2}$$

where ϵ (f) indicates the probability that a prompt (multijet) lepton with loose selection criteria passes the standard, tight selection. Solving these two equations for N_{prompt} and $N_{\text{multijets}}$, we estimate the multijets contribution to the signal region as:

$$f \times N_{\text{multijets}} = \frac{(\epsilon - 1) f}{\epsilon - f} N_T + \frac{\epsilon f}{\epsilon - f} N_A, \tag{6.3}$$

where N_T is the number of events with a tight lepton, and N_A is the number of events with a loose lepton which fail the tighter cuts of the standard selection. The fake rate f is measured on a control sample rich in multijet events. The contamination of the control region by prompt leptons is estimated from MC simulation. The systematic uncertainties on f include contributions from the uncertainty in the yield of the subtracted background sources and from the differences in the definition of the signal and multijet control regions.

The probability ϵ is estimated using a tag-and-probe technique on a sample enriched in $Z \rightarrow \ell\ell$. Events with exactly two loose leptons of the same flavour and opposite electric charge are selected. At least one of the leptons must satisfy the tight quality criteria and the invariant mass of the two leptons is required to be between 86 GeV and 96 GeV. The systematic uncertainties on ϵ cover the differences between the efficiency for $Z \rightarrow ee$ events and other sources of electrons, i.e. the background and signal processes considered in this analysis.

Kinematic distributions for the multijet background are constructed by assigning a weight to the events according to Equation 6.3, with $(N_T, N_A) = (1, 0)$ for events with a tight lepton or $(0, 1)$ with a loose lepton that fails the tight cuts. f and ϵ are largely independent of the kinematic variables of interest. Variations of the cuts on jet p_T , mass or split scale have no impact on f within the statistical and systematic uncertainties. The efficiency ϵ is found to be constant for the invariant mass of the top quark candidates.

7 W +jets production normalization and control regions

The W +jets contribution to the signal region is predicted using the ALPGEN sample described in section 3. To reduce the uncertainty on the normalization, the total contribution to the signal region is estimated in situ using the observed charge asymmetry in data and the ratio in MC r_{MC} of W +jets events with positive leptons to those with negative leptons [59]:

$$(N_{W^+} + N_{W^-})^{\text{pred}} = \left(\frac{r_{\text{MC}} + 1}{r_{\text{MC}} - 1} \right) (N_{W^+} - N_{W^-})^{\text{data}}, \quad (7.1)$$

where $N_{W^{+(-)}}$ is the number of predicted or observed events with a positive (negative) lepton. The method is applied to a control region without jet mass and splitting scale requirements and a looser ($p_{\text{T}} > 150$ GeV) cut on the transverse momentum of the hadronically decaying top quark candidate. All processes other than W +jets and SM $t\bar{t}$ production have small contributions to this region and are subtracted. The fraction of W +jets events in the sample is determined using Equation 7.1. The resulting scale factors, 0.77 (0.75) for the e +jets (μ +jets) channel, are compatible with unity within the uncertainty. In the remainder of this paper, the W +jets MC prediction is scaled by the factors derived here. The uncertainty in the normalization and shape of the W +jets background are discussed in section 8.

As a cross-check, a second W +jets enriched control region is constructed, which differs from the signal region in that the jet mass and splitting scale requirements are removed. A b -jet veto is furthermore applied to reduce contamination due to $t\bar{t}$ production, either from SM production or hypothetical sources beyond the Standard Model. The veto requires that a multivariate b -tagging algorithm [60] operated at a nominal b -tagging efficiency of 60% in simulated $t\bar{t}$ events yields no positive tags for the jets reconstructed with $R = 0.4$. The observed invariant mass spectrum is compared to the SM prediction in figure 4. The W +jets contribution to the control region is over 70%. After application of the data-driven scale factor, the observed and predicted number of events agree to within 3% for both e +jets and μ +jets channels, well within the uncertainty. The shape predicted by Monte Carlo is in good agreement with the observed distribution.

8 Systematic uncertainties

A total of 30 sources of systematic uncertainty are taken into account. An overview is presented in table 2. Systematic uncertainties with negligible impact on the sensitivity are omitted from the table, even if they are taken into account in the interpretation of the result. Groups of related uncertainties are combined. The relative impacts on the total expected background yield and signal yield are given for each source. Most uncertainties affect both the yield and the shape of the reconstructed mass distribution. To estimate the impact of shape uncertainties, the effect on the limit on the production rate of a 1.3 TeV Z' boson is presented.

Normalization and shape uncertainties on the most important Standard Model sources are estimated using a combination of in situ and Monte Carlo techniques. Following ref. [58],




Figure 4. The reconstructed $t\bar{t}$ invariant mass distribution of candidate events in the W +jets enriched control region. The e +jets and μ +jets channels are combined. The scale factors derived in this section have been applied to the W +jets Monte Carlo distribution. The hatched area indicates the normalization uncertainty on the Standard Model prediction, but the shape uncertainty is not included.

three different systematic uncertainties take into account the imperfections in the modelling of the SM $t\bar{t}$ background: the initial- and final-state radiation (ISR/FSR) systematic uncertainty, the fragmentation and parton shower (PS) systematic uncertainty based on a comparison of PYTHIA and HERWIG, and the generator systematic uncertainty based on a comparison of MC@NLO and POWHEG. These uncertainties individually lead to 3–6% variations in the total background yield. In addition, the $t\bar{t}$ normalization is affected by the uncertainty in the theoretical prediction of the $t\bar{t}$ production cross section.

The impact of the luminosity uncertainty (nominally 3.7%) is reduced for the background, compared with the signal, because two of the backgrounds, W +jets and multijets, are determined from data.

The normalization of the W +jets background using the charge asymmetry method is described in section 7. The statistical uncertainty on the W +jets yield amounts to less than 10%. A systematic uncertainty of 14% is assigned to account for systematic uncertainties in the background subtraction (normalization of the subtracted backgrounds is varied by 100%), the PDFs, the jet energy scale uncertainty and the W +jets modelling. The uncertainty in normalization and shape of the W +jets contribution due to the extrapolation from the control region to the signal region is accounted for in the jet scale and resolution uncertainty in table 2. If this contribution is added, the total uncertainty on the W +jets

Systematic effect	Impact on yield [%]		Impact on sensitivity [%]
	background	Z' 1.3 TeV	
Luminosity	2.5	3.7	0.4
PDF uncertainty	3.1	1.0	0.2
$t\bar{t}$ normalization	4.9	—	0.7
$t\bar{t}$ ISR, FSR	6.3	—	0.7
$t\bar{t}$ fragmentation & parton shower	3.4	—	0.9
$t\bar{t}$ generator dependence	2.8	—	2.2
W + jets normalization	4.3	—	1.4
W + jets shape	<i>norm.</i>	—	0.1
Multijets normalization	2.1	—	0.2
Multijets shape	<i>norm.</i>	—	1.1
Z + jets normalization	2.0	—	0.5
Jet energy and mass scale	6.7	2.0	5.2
Jet energy and mass resolution	4.7	4.0	1.2
Electron ID and reconstruction	1.1	1.3	1.0
Muon ID and reconstruction	2.2	2.1	4.8

Table 2. Systematic uncertainties and their impact on the sensitivity. All uncertainties except “luminosity” and those labelled “normalization” affect the yield and the shape of the reconstructed mass distribution. In the first two columns the relative impact (in percent) is shown on the total expected background yield (nominally 1840 events) and on the number of selected signal events (a Z' with a mass 1.3 TeV is chosen as the benchmark). The shape variations do not affect the overall normalization. The third column lists the relative variation for this benchmark of the expected limit on the production cross section times branching fraction if the corresponding systematic effect is ignored. The limit-setting procedure is explained in detail in section 10.

yield amounts to approximately 35%. Repeating the normalization procedure on several W +jets validation regions we find that the result is always consistent within the assigned systematic uncertainty. The shape of the W +jets contribution to the $m_{t\bar{t}}$ distribution is estimated from simulation. The shape uncertainty includes the impact of the systematic uncertainties on jets and a W +jets modelling uncertainty obtained by varying a number of parameters in ALPGEN, such as the factorization scale and the scale governing the value of the strong coupling constant α_s used in the parton splittings.

A constant normalization uncertainty of 50% is applied to the data-driven multijet background estimation, as well as a shape uncertainty derived by comparing two different loose lepton selection criteria.

The uncertainties related to charged lepton reconstruction are labelled as “Electron” and “Muon” in the table. The E_T^{miss} uncertainty is negligible and is not listed in table 2.

Type	e +jets	μ +jets	Sum
$t\bar{t}$	510 ± 40	620 ± 50	1130 ± 90
W +jets	202 ± 34	300 ± 50	500 ± 80
Multijets	45 ± 23	30 ± 15	75 ± 38
Z +jets	41 ± 20	34 ± 16	75 ± 36
Single top	21 ± 2	27 ± 3	48 ± 5
Dibosons	3.4 ± 0.2	4.5 ± 0.2	7.9 ± 0.4
Total	830 ± 60	1010 ± 70	1840 ± 130
Data	803	1034	1837

Table 3. Selected data events and expected background yields after the full selection. The uncertainties on the normalization of the expected background yield are also listed.

Among the uncertainties on reconstructed objects, those related to jets are the most important. The uncertainty on the scales for the jet energy and mass measurements is estimated from a combination of in situ measurements, test beam data and Monte Carlo studies [54]. The energy scale uncertainty for anti- k_t jets with $R = 0.4$ is less than 3% in the range of energies relevant for this search. The energy scale for $R = 1.0$ jets is only slightly larger, while the uncertainty on the jet mass scale (JMS) is approximately 4–5% [56]. Energy deposits due to additional proton-proton interactions (pile-up) have a strong impact on the measured mass of fat jets. An additional 1% uncertainty on the JMS accounts for imperfections in the pile-up model and non-closure of the Monte Carlo reweighting procedure. The effects of these uncertainties on the event yields and sensitivity are shown in table 2.


9 Comparison of data to the Standard Model prediction

The selection described in section 5 yields a total of 1837 data events, in agreement with the Standard Model prediction (1840 ± 130 events). The background expectation is broken down by source in table 3, separately for e +jets and μ +jets channels.


The distributions of two key observables, the transverse momentum and the invariant mass of the fat $R = 1.0$ jet that is selected as the hadronically decaying top quark candidate, are compared with the Standard Model predictions in figure 5. The data are found to agree with the expectation within the error band that indicates the normalization uncertainty. The reconstructed $t\bar{t}$ mass spectrum is presented in figure 6.

10 Interpretation

The compatibility of the data with the SM-only (null) hypothesis is evaluated with the BumpHunter code [61], a tool that searches for local data excesses or deficits of varying width compared to the expected background. The most significant excess is found in the $t\bar{t}$ mass region between 1.8 and 2.5 TeV. It is most pronounced in the electron channel. When the systematic uncertainties are accounted for, the p -value or probability that the observed excess is found under the assumption that the null hypothesis (Standard



(a)



(b)

Figure 5. Comparison of the data and the Standard Model prediction for two kinematic distributions: (a) transverse momentum and (b) jet mass of the fat $R = 1.0$ jets selected as the hadronically decaying top quark candidate. The e +jets and μ +jets channels are combined. The shaded band indicates the normalization uncertainty on the Standard Model prediction, but does not include the shape uncertainty or the impact of uncertainties on reconstructed objects.

Model) is true, is 0.08 (1.4σ), including the look-elsewhere effect evaluated over the full mass range. No other deviations with respect to the Standard Model prediction with a significance beyond 1σ are found.




Figure 6. Reconstructed invariant mass distribution of the $t\bar{t}$ candidates after signal selection. The e +jets and μ +jets channels are combined. The shaded band indicates the uncertainty in the normalization of the Standard Model prediction, but does not include the shape uncertainty or the impact of uncertainties on reconstructed objects. The variable bin size is chosen to match the mass resolution for a resonant signal.

We set 95% CL upper limits on the production cross section times branching fraction of new massive states using Bayesian techniques [62]. The prior probability distribution used in this method, which is flat in the cross section, is a good approximation of the reference prior [63], and the likelihood is calculated using a Poisson function. The systematic uncertainties described in section 8 are found to have a significant impact on the sensitivity: in the 1.0–1.5 TeV mass range the limit on the rate including all systematic uncertainties is typically a factor two weaker than the limit that would be derived with statistical uncertainties only. The systematic uncertainties are accounted for by assuming they are normally distributed and convolving a Gaussian with the posterior probability distribution for each one. They are only weakly constrained by the data. Two exceptions are the jet energy scale and the $t\bar{t}$ generator dependence, which are constrained to about a half or a third, respectively, of their prior uncertainty. The result has been cross-checked with the so-called CL_s method [64, 65] and is in good agreement with it. Not allowing the data to constrain the systematic uncertainties in the CL_s method reduces the sensitivity on the signal cross section by no more than 20%, which is less than the expected 1σ variation.

The resulting limits for narrow Z' resonances and broad coloured resonances are presented in figure 7 and table 4. Upper limits on the production cross section times branching fraction of a narrow Z' resonance range from approximately 8 pb for a Z' mass of 0.6 TeV to 610 fb at 1 TeV and 220 fb at 1.6 TeV, in good agreement with the expected limits. These lead to exclusion of the mass range between 0.6 TeV and 1.15 TeV for the leptophobic topcolor Z' model considered here. The upper value of the excluded mass range


$Z' \rightarrow t\bar{t}$ limits				
Z' Mass [GeV]	Observed [pb]	Expected [pb]	-1σ [pb]	$+1\sigma$ [pb]
600	7.7	10.4	7.0	15.6
700	2.2	2.7	1.8	4.0
800	1.4	1.6	1.0	2.3
1000	0.61	0.72	0.49	1.0
1300	0.56	0.39	0.27	0.57
1600	0.22	0.25	0.17	0.36
2000	0.34	0.18	0.12	0.25
3000	0.27	0.27	0.19	0.41
$g_{KK} \rightarrow t\bar{t}$ limits				
g_{KK} Mass [GeV]	Observed [pb]	Expected [pb]	-1σ [pb]	$+1\sigma$ [pb]
700	2.8	2.9	2.0	4.2
800	2.3	2.1	1.4	3.0
900	1.0	1.5	0.97	2.2
1000	0.65	0.99	0.69	1.4
1150	0.53	0.64	0.45	0.94
1300	0.80	0.60	0.42	0.87
1600	0.37	0.40	0.28	0.58
1800	0.49	0.38	0.26	0.55
2000	0.61	0.38	0.26	0.55

Table 4. Observed and expected upper limits on the production cross section times branching fraction for $Z' \rightarrow t\bar{t}$ and $g_{KK} \rightarrow t\bar{t}$ respectively, including systematic and statistical uncertainties. The expected limit $\pm 1\sigma$ variation is also given.


agrees with the expected sensitivity within the estimated precision. The observed upper cross section limits for a Z' and a Kaluza-Klein gluon at 2 TeV are about 1.5σ higher than the expected value, reflecting the small data excess at 1.8-2.5 TeV, seen in figure 6.

The observed limits on the broad ($\Gamma/m = 15.3\%$) Kaluza-Klein gluon are slightly weaker than those on the Z' boson: 650 fb at 1 TeV and 370 fb at 1.6 TeV. The impact of the width is observed also in the expected limits and is most pronounced for large resonance masses: at 1 TeV the expected limit on the Z' boson is stronger by approximately 30%, but the ratio of the Z' limit to the KK gluon limit reaches two at 2 TeV. The KK gluon model of Lillie et al. [19] is excluded for a resonance mass below 1.5 TeV, again in good agreement with the expectation.

To establish the potential of a selection and reconstruction scheme specifically designed for $t\bar{t}$ events with highly boosted top quarks, it is instructive to compare the



(a)



(b)

Figure 7. Expected (dashed line) and observed (solid line) upper limits on the production cross section times the $t\bar{t}$ branching fraction of (a) Z' and (b) Kaluza-Klein gluons. The dark (green) and light (yellow) bands show the range in which the limit is expected to lie in 68% and 95% of pseudo-experiments, respectively, and the smooth solid (red) lines correspond to the predicted production cross section times branching fraction for the Z' (a) and Randall-Sundrum (b) models. The band around the signal cross section curve is based on the effect of the PDF uncertainty on the prediction.

current result to a previous analysis of the same data set [12]. We observe that the current search leads to significantly better limits in the 1–2 TeV range, where the expected

limit on the production cross section times branching fraction for a narrow resonance is improved by a factor 1.5 to 2. It should be noted that the current result represents a partial implementation of the algorithm designed for highly boosted top quarks [13], especially in the isolation requirement in the lepton selection.

11 Summary

We present results of a search for resonances in the $t\bar{t}$ mass spectrum in a 2.05 fb^{-1} data set collected with the ATLAS detector during the 2011 proton-proton runs of the Large Hadron Collider at a centre-of-mass energy of 7 TeV. The analysis focuses on the lepton+jets final state obtained when one W boson decays to a charged lepton and a neutrino, and the other decays to a quark and an anti-quark pair. The selection and reconstruction are specifically designed for the collimated topology that arises from the decay of boosted top quarks. The hadronically decaying top quark candidate is identified as a single jet with radius parameter $R = 1.0$ that is required to have significant substructure, as measured by the jet mass and k_t splitting scale.

The reconstructed $t\bar{t}$ mass spectrum is compared with a template for the Standard Model prediction constructed using a combination of Monte Carlo simulations and measurements using control samples. The data are found to be compatible with the SM within uncertainties. Upper limits at 95% CL on the production cross section times branching ratio of the narrow Z' resonance range from approximately 8 pb for a mass of 600 GeV to 220 fb for a mass of 1.6 TeV, in good agreement with the expected limits. These lead to exclusion of the mass range between 600 GeV and 1.15 TeV for the leptophobic top-color Z' model considered here. Slightly weaker limits are derived on a broad resonance ($\Gamma/m = 15.3\%$). The KK gluon model of Lillie et al. [19] is excluded for a resonance mass below 1.5 TeV. These resonance searches reach the sensitivity in the high-mass region that they can verify or exclude recent proposals such as that of Djouadi et al. [66]. The sensitivity of this search geared to highly boosted top quarks is significantly enhanced in the 1–2 TeV region with respect to a previously published search using the same data set [12]. The limit on the KK gluon is the most stringent limit on this model to date.

Acknowledgments

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF, DNSRC and Lundbeck Foundation, Denmark; EPLANET and ERC, European Union; IN2P3-CNRS, CEA-DSM/IRFU, France; GNAS, Georgia; BMBF, DFG, HGF, MPG and AvH Foundation, Germany; GSRT, Greece; ISF, MINERVA, GIF, DIP and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM

and NWO, Netherlands; RCN, Norway; MNiSW, Poland; GRICES and FCT, Portugal; MERYs (MECTS), Romania; MES of Russia and ROSATOM, Russian Federation; JINR; MSTD, Serbia; MSSR, Slovakia; ARRS and MVZT, Slovenia; DST/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SER, SNSF and Cantons of Bern and Geneva, Switzerland; NSC, Taiwan; TAEK, Turkey; STFC, the Royal Society and Leverhulme Trust, United Kingdom; DOE and NSF, United States of America.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN and the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (U.K.) and BNL (U.S.A.) and in the Tier-2 facilities worldwide.

Open Access. This article is distributed under the terms of the Creative Commons Attribution License which permits any use, distribution and reproduction in any medium, provided the original author(s) and source are credited.

References

- [1] ATLAS collaboration, *The ATLAS experiment at the CERN Large Hadron Collider*, [2008 JINST **3** S08003](#) [[INSPIRE](#)].
- [2] M.H. Seymour, *Searches for new particles using cone and cluster jet algorithms: a comparative study*, *Z. Phys. C* **62** (1994) 127 [[INSPIRE](#)].
- [3] A. Abdesselam et al., *Boosted objects: a probe of beyond the Standard Model physics*, *Eur. Phys. J. C* **71** (2011) 1661 [[arXiv:1012.5412](#)] [[INSPIRE](#)].
- [4] A. Altheimer et al., *Jet substructure at the Tevatron and LHC: new results, new tools, new benchmarks*, *J. Phys. G* **39** (2012) 063001 [[arXiv:1201.0008](#)] [[INSPIRE](#)].
- [5] CDF collaboration, T. Aaltonen et al., *Search for resonant $t\bar{t}$ production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV*, *Phys. Rev. Lett.* **100** (2008) 231801 [[arXiv:0709.0705](#)] [[INSPIRE](#)].
- [6] CDF collaboration, T. Aaltonen et al., *Limits on the production of narrow $t\bar{t}$ resonances in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV*, *Phys. Rev. D* **77** (2008) 051102 [[arXiv:0710.5335](#)] [[INSPIRE](#)].
- [7] CDF collaboration, T. Aaltonen et al., *Search for new color-octet vector particle decaying to $t\bar{t}$ in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV*, *Phys. Lett. B* **691** (2010) 183 [[arXiv:0911.3112](#)] [[INSPIRE](#)].
- [8] CDF collaboration, T. Aaltonen et al., *A search for resonant production of $t\bar{t}$ pairs in 4.8 fb^{-1} of integrated luminosity of $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV*, *Phys. Rev. D* **84** (2011) 072004 [[arXiv:1107.5063](#)] [[INSPIRE](#)].
- [9] CDF collaboration, T. Aaltonen et al., *Search for resonant production of $t\bar{t}$ decaying to jets in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV*, *Phys. Rev. D* **84** (2011) 072003 [[arXiv:1108.4755](#)] [[INSPIRE](#)].
- [10] DØ collaboration, V. Abazov et al., *Search for $t\bar{t}$ resonances in the lepton plus jets final state in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV*, *Phys. Lett. B* **668** (2008) 98 [[arXiv:0804.3664](#)] [[INSPIRE](#)].

- [11] DØ collaboration, V.M. Abazov et al., *Search for a narrow $t\bar{t}$ resonance in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV*, *Phys. Rev. D* **85** (2012) 051101 [[arXiv:1111.1271](#)] [[INSPIRE](#)].
- [12] ATLAS collaboration, *A search for $t\bar{t}$ resonances with the ATLAS detector in 2.05 fb⁻¹ of proton-proton collisions at $\sqrt{s} = 7$ TeV*, *Eur. Phys. J. C* **72** (2012) 2083 [[arXiv:1205.5371](#)] [[INSPIRE](#)].
- [13] ATLAS collaboration, *Prospects for $t\bar{t}$ resonance searches using early ATLAS data*, [ATL-PHYS-PUB-2010-008](#), CERN, Geneva Switzerland (2010).
- [14] M. Cacciari, G.P. Salam and G. Soyez, *The anti- k_t jet clustering algorithm*, *JHEP* **04** (2008) 063 [[arXiv:0802.1189](#)] [[INSPIRE](#)].
- [15] R.M. Harris, C.T. Hill and S.J. Parke, *Cross-section for topcolor Z'_t decaying to $t\bar{t}$: version 2.6*, [hep-ph/9911288](#) [[INSPIRE](#)].
- [16] C.T. Hill and S.J. Parke, *Top production: sensitivity to new physics*, *Phys. Rev. D* **49** (1994) 4454 [[hep-ph/9312324](#)] [[INSPIRE](#)].
- [17] K. Agashe, A. Belyaev, T. Krupovnickas, G. Perez and J. Virzi, *LHC signals from warped extra dimensions*, *Phys. Rev. D* **77** (2008) 015003 [[hep-ph/0612015](#)] [[INSPIRE](#)].
- [18] B. Lillie, J. Shu and T.M. Tait, *Kaluza-Klein gluons as a diagnostic of warped models*, *Phys. Rev. D* **76** (2007) 115016 [[arXiv:0706.3960](#)] [[INSPIRE](#)].
- [19] B. Lillie, L. Randall and L.-T. Wang, *The bulk RS KK-gluon at the LHC*, *JHEP* **09** (2007) 074 [[hep-ph/0701166](#)] [[INSPIRE](#)].
- [20] CMS collaboration, *Search for anomalous $t\bar{t}$ production in the highly-boosted all-hadronic final state*, [arXiv:1204.2488](#) [[INSPIRE](#)].
- [21] ATLAS collaboration, *Luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector at the LHC*, *Eur. Phys. J. C* **71** (2011) 1630 [[arXiv:1101.2185](#)] [[INSPIRE](#)].
- [22] ATLAS collaboration, *Luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector in 2011*, [ATLAS-CONF-2011-116](#), CERN, Geneva Switzerland (2011).
- [23] S. Frixione and B.R. Webber, *Matching NLO QCD computations and parton shower simulations*, *JHEP* **06** (2002) 029 [[hep-ph/0204244](#)] [[INSPIRE](#)].
- [24] S. Frixione, P. Nason and B.R. Webber, *Matching NLO QCD and parton showers in heavy flavor production*, *JHEP* **08** (2003) 007 [[hep-ph/0305252](#)] [[INSPIRE](#)].
- [25] S. Frixione, E. Laenen, P. Motylinski and B.R. Webber, *Single-top production in MC@NLO*, *JHEP* **03** (2006) 092 [[hep-ph/0512250](#)] [[INSPIRE](#)].
- [26] S. Frixione, E. Laenen, P. Motylinski, B.R. Webber and C.D. White, *Single-top hadroproduction in association with a W boson*, *JHEP* **07** (2008) 029 [[arXiv:0805.3067](#)] [[INSPIRE](#)].
- [27] P.M. Nadolsky et al., *Implications of CTEQ global analysis for collider observables*, *Phys. Rev. D* **78** (2008) 013004 [[arXiv:0802.0007](#)] [[INSPIRE](#)].
- [28] G. Corcella et al., *HERWIG 6: an event generator for hadron emission reactions with interfering gluons (including supersymmetric processes)*, *JHEP* **01** (2001) 010 [[hep-ph/0011363](#)] [[INSPIRE](#)].
- [29] G. Corcella et al., *HERWIG 6.5 release note*, [hep-ph/0210213](#) [[INSPIRE](#)].

- [30] J. Butterworth, J.R. Forshaw and M. Seymour, *Multiparton interactions in photoproduction at HERA*, *Z. Phys. C* **72** (1996) 637 [[hep-ph/9601371](#)] [[INSPIRE](#)].
- [31] S. Moch and P. Uwer, *Theoretical status and prospects for top-quark pair production at hadron colliders*, *Phys. Rev. D* **78** (2008) 034003 [[arXiv:0804.1476](#)] [[INSPIRE](#)].
- [32] M. Beneke, M. Czakon, P. Falgari, A. Mitov and C. Schwinn, *Threshold expansion of the $gg(q\bar{q}) \rightarrow Q\bar{Q} + X$ cross section at $\mathcal{O}(\alpha_s^4)$* , *Phys. Lett. B* **690** (2010) 483 [[arXiv:0911.5166](#)] [[INSPIRE](#)].
- [33] M. Aliev et al., *HATHOR: HAdronic Top and Heavy quarks crOss section calculatoR*, *Comput. Phys. Commun.* **182** (2011) 1034 [[arXiv:1007.1327](#)] [[INSPIRE](#)].
- [34] N. Kidonakis, *Next-to-next-to-leading-order collinear and soft gluon corrections for t-channel single top quark production*, *Phys. Rev. D* **83** (2011) 091503 [[arXiv:1103.2792](#)] [[INSPIRE](#)].
- [35] N. Kidonakis, *NNLL resummation for s-channel single top quark production*, *Phys. Rev. D* **81** (2010) 054028 [[arXiv:1001.5034](#)] [[INSPIRE](#)].
- [36] N. Kidonakis, *Two-loop soft anomalous dimensions for single top quark associated production with a W^- or H^-* , *Phys. Rev. D* **82** (2010) 054018 [[arXiv:1005.4451](#)] [[INSPIRE](#)].
- [37] B.P. Kersevan and E. Richter-Was, *The Monte Carlo event generator AcerMC version 2.0 with interfaces to PYTHIA 6.2 and HERWIG 6.5*, [hep-ph/0405247](#) [[INSPIRE](#)].
- [38] S. Frixione, P. Nason and C. Oleari, *Matching NLO QCD computations with parton shower simulations: the POWHEG method*, *JHEP* **11** (2007) 070 [[arXiv:0709.2092](#)] [[INSPIRE](#)].
- [39] T. Sjöstrand, S. Mrenna and P.Z. Skands, *PYTHIA 6.4 physics and manual*, *JHEP* **05** (2006) 026 [[hep-ph/0603175](#)] [[INSPIRE](#)].
- [40] M.L. Mangano et al., *ALPGEN, a generator for hard multiparton processes in hadronic collisions*, *JHEP* **07** (2003) 001 [[hep-ph/0206293](#)] [[INSPIRE](#)].
- [41] J. Pumplin et al., *New generation of parton distributions with uncertainties from global QCD analysis*, *JHEP* **07** (2002) 012 [[hep-ph/0201195](#)] [[INSPIRE](#)].
- [42] R. Hamberg, W. van Neerven and T. Matsuura, *A complete calculation of the order α_s^2 correction to the Drell-Yan K factor*, *Nucl. Phys. B* **359** (1991) 343 [Erratum *ibid.* **B 644** (2002) 403] [[INSPIRE](#)].
- [43] A. Sherstnev and R. Thorne, *Parton distributions for LO generators*, *Eur. Phys. J. C* **55** (2008) 553 [[arXiv:0711.2473](#)] [[INSPIRE](#)].
- [44] A. Martin, W. Stirling, R. Thorne and G. Watt, *Parton distributions for the LHC*, *Eur. Phys. J. C* **63** (2009) 189 [[arXiv:0901.0002](#)] [[INSPIRE](#)].
- [45] F. Maltoni and T. Stelzer, *MadEvent: automatic event generation with MadGraph*, *JHEP* **02** (2003) 027 [[hep-ph/0208156](#)] [[INSPIRE](#)].
- [46] J. Alwall et al., *MadGraph/MadEvent v4: the new web generation*, *JHEP* **09** (2007) 028 [[arXiv:0706.2334](#)] [[INSPIRE](#)].
- [47] R.M. Harris and S. Jain, *Cross sections for leptophobic topcolor Z' decaying to top-antitop*, *Eur. Phys. J. C* **72** (2012) 2072 [[arXiv:1112.4928](#)] [[INSPIRE](#)].
- [48] J. Gao, C.S. Li, B.H. Li, C.-P. Yuan and H.X. Zhu, *Next-to-leading order QCD corrections to the heavy resonance production and decay into top quark pair at the LHC*, *Phys. Rev. D* **82** (2010) 014020 [[arXiv:1004.0876](#)] [[INSPIRE](#)].

- [49] T. Sjöstrand, S. Mrenna and P.Z. Skands, *A brief introduction to PYTHIA 8.1*, *Comput. Phys. Commun.* **178** (2008) 852 [[arXiv:0710.3820](#)] [[INSPIRE](#)].
- [50] GEANT4 collaboration, S. Agostinelli et al., *GEANT4: a simulation toolkit*, *Nucl. Instrum. Meth. A* **506** (2003) 250 [[INSPIRE](#)].
- [51] ATLAS collaboration, *The ATLAS simulation infrastructure*, *Eur. Phys. J. C* **70** (2010) 823 [[arXiv:1005.4568](#)] [[INSPIRE](#)].
- [52] ATLAS collaboration, *Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data*, *Eur. Phys. J. C* **72** (2012) 1909 [[arXiv:1110.3174](#)] [[INSPIRE](#)].
- [53] W. Lampl et al., *Calorimeter clustering algorithms: description and performance*, [ATL-LARG-PUB-2008-002](#), CERN, Geneva Switzerland (2008).
- [54] ATLAS collaboration, *Jet energy measurement with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7$ TeV*, [arXiv:1112.6426](#) [[INSPIRE](#)].
- [55] C. Issever, K. Borras and D. Wegener, *An improved weighting algorithm to achieve software compensation in a fine grained LAr calorimeter*, *Nucl. Instrum. Meth. A* **545** (2005) 803 [[physics/0408129](#)] [[INSPIRE](#)].
- [56] ATLAS collaboration, *Jet mass and substructure of inclusive jets in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS experiment*, *JHEP* **05** (2012) 128 [[arXiv:1203.4606](#)] [[INSPIRE](#)].
- [57] M. Cacciari, G.P. Salam and G. Soyez, *FastJet user manual*, *Eur. Phys. J. C* **72** (2012) 1896 [[arXiv:1111.6097](#)] [[INSPIRE](#)].
- [58] ATLAS collaboration, *Measurement of the top quark pair production cross-section with ATLAS in the single lepton channel*, *Phys. Lett. B* **711** (2012) 244 [[arXiv:1201.1889](#)] [[INSPIRE](#)].
- [59] ATLAS collaboration, *Measurement of the charge asymmetry in top quark pair production in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector*, *Eur. Phys. J. C* **72** (2012) 2039 [[arXiv:1203.4211](#)] [[INSPIRE](#)].
- [60] ATLAS collaboration, *Commissioning of the ATLAS high-performance b-tagging algorithms in the 7 TeV collision data*, [ATLAS-CONF-2011-102](#), CERN, Geneva Switzerland (2011).
- [61] G. Choudalakis, *On hypothesis testing, trials factor, hypertexts and the BumpHunter*, [arXiv:1101.0390](#) [[INSPIRE](#)].
- [62] DØ collaboration, I. Bertram et al., *A recipe for the construction of confidence limits*, [FERMILAB-TM-2104](#), Fermilab, Batavia U.S.A. (2000) [[INSPIRE](#)].
- [63] D. Casadei, *Reference analysis of the signal + background model in counting experiments*, *2012 JINST* **7** P01012 [[arXiv:1108.4270](#)] [[INSPIRE](#)].
- [64] T. Junk, *Confidence level computation for combining searches with small statistics*, *Nucl. Instrum. Meth. A* **434** (1999) 435 [[hep-ex/9902006](#)] [[INSPIRE](#)].
- [65] A.L. Read, *Presentation of search results: the CL_s technique*, *J. Phys. G* **28** (2002) 2693 [[INSPIRE](#)].
- [66] A. Djouadi, G. Moreau and F. Richard, *Forward-backward asymmetries of the bottom and top quarks in warped extra-dimensional models: LHC predictions from the LEP and Tevatron anomalies*, *Phys. Lett. B* **701** (2011) 458 [[arXiv:1105.3158](#)] [[INSPIRE](#)].

The ATLAS collaboration

G. Aad⁴⁷, T. Abajyan²⁰, B. Abbott¹¹⁰, J. Abdallah¹¹, S. Abdel Khalek¹¹⁴, A.A. Abdelalim⁴⁸, O. Abidinov¹⁰, R. Aben¹⁰⁴, B. Abi¹¹¹, M. Abolins⁸⁷, O.S. AbouZeid¹⁵⁷, H. Abramowicz¹⁵², H. Abreu¹³⁵, E. Acerbi^{88a,88b}, B.S. Acharya^{163a,163b}, L. Adamczyk³⁷, D.L. Adams²⁴, T.N. Addy⁵⁵, J. Adelman¹⁷⁵, S. Adomeit⁹⁷, P. Adragna⁷⁴, T. Adye¹²⁸, S. Aefsky²², J.A. Aguilar-Saavedra^{123b,a}, M. Agustoni¹⁶, M. Aharrouche⁸⁰, S.P. Ahlen²¹, F. Ahles⁴⁷, A. Ahmad¹⁴⁷, M. Ahsan⁴⁰, G. Aielli^{132a,132b}, T. Akdogan^{18a}, T.P.A. Åkesson⁷⁸, G. Akimoto¹⁵⁴, A.V. Akimov⁹³, M.S. Alam¹, M.A. Alam⁷⁵, J. Albert¹⁶⁸, S. Albrand⁵⁴, M. Aleksa²⁹, I.N. Aleksandrov⁶³, F. Alessandria^{88a}, C. Alexa^{25a}, G. Alexander¹⁵², G. Alexandre⁴⁸, T. Alexopoulos⁹, M. Alhroob^{163a,163c}, M. Aliev¹⁵, G. Alimonti^{88a}, J. Alison¹¹⁹, B.M.M. Allbrooke¹⁷, P.P. Allport⁷², S.E. Allwood-Spiers⁵², J. Almond⁸¹, A. Aloisio^{101a,101b}, R. Alon¹⁷¹, A. Alonso⁷⁸, F. Alonso⁶⁹, B. Alvarez Gonzalez⁸⁷, M.G. Alviggi^{101a,101b}, K. Amako⁶⁴, C. Amelung²², V.V. Ammosov^{127,*}, A. Amorim^{123a,b}, N. Amram¹⁵², C. Anastopoulos²⁹, L.S. Ancu¹⁶, N. Andari¹¹⁴, T. Andeen³⁴, C.F. Anders^{57b}, G. Anders^{57a}, K.J. Anderson³⁰, A. Andreazza^{88a,88b}, V. Andrei^{57a}, X.S. Anduaga⁶⁹, P. Anger⁴³, A. Angerami³⁴, F. Anghinolfi²⁹, A. Anisenkov¹⁰⁶, N. Anjos^{123a}, A. Annovi⁴⁶, A. Antonaki⁸, M. Antonelli⁴⁶, A. Antonov⁹⁵, J. Antos^{143b}, F. Anulli^{131a}, M. Aoki¹⁰⁰, S. Aoun⁸², L. Aperio Bella⁴, R. Apolle^{117,c}, G. Arabidze⁸⁷, I. Aracena¹⁴², Y. Arai⁶⁴, A.T.H. Arce⁴⁴, S. Arfaoui¹⁴⁷, J-F. Arguin¹⁴, E. Arik^{18a,*}, M. Arik^{18a}, A.J. Armbruster⁸⁶, O. Arnaez⁸⁰, V. Arnal⁷⁹, C. Arnault¹¹⁴, A. Artamonov⁹⁴, G. Artoni^{131a,131b}, D. Arutinov²⁰, S. Asai¹⁵⁴, R. Asfandiyarov¹⁷², S. Ask²⁷, B. Åsman^{145a,145b}, L. Asquith⁵, K. Assamagan²⁴, A. Astbury¹⁶⁸, B. Aubert⁴, E. Auge¹¹⁴, K. Augsten¹²⁶, M. Aurousseau^{144a}, G. Avolio¹⁶², R. Avramidou⁹, D. Axen¹⁶⁷, G. Azuelos^{92,d}, Y. Azuma¹⁵⁴, M.A. Baak²⁹, G. Baccaglioni^{88a}, C. Bacci^{133a,133b}, A.M. Bach¹⁴, H. Bachacou¹³⁵, K. Bachas²⁹, M. Backes⁴⁸, M. Backhaus²⁰, E. Badescu^{25a}, P. Bagnaia^{131a,131b}, S. Bahinipati², Y. Bai^{32a}, D.C. Bailey¹⁵⁷, T. Bain¹⁵⁷, J.T. Baines¹²⁸, O.K. Baker¹⁷⁵, M.D. Baker²⁴, S. Baker⁷⁶, E. Banas³⁸, P. Banerjee⁹², Sw. Banerjee¹⁷², D. Banfi²⁹, A. Bangert¹⁴⁹, V. Bansal¹⁶⁸, H.S. Bansil¹⁷, L. Barak¹⁷¹, S.P. Baranov⁹³, A. Barbaro Galtieri¹⁴, T. Barber⁴⁷, E.L. Barberio⁸⁵, D. Barberis^{49a,49b}, M. Barbero²⁰, D.Y. Bardin⁶³, T. Barillari⁹⁸, M. Barisonzi¹⁷⁴, T. Barklow¹⁴², N. Barlow²⁷, B.M. Barnett¹²⁸, R.M. Barnett¹⁴, A. Baroncelli^{133a}, G. Barone⁴⁸, A.J. Barr¹¹⁷, F. Barreiro⁷⁹, J. Barreiro Guimarães da Costa⁵⁶, P. Barrillon¹¹⁴, R. Bartoldus¹⁴², A.E. Barton⁷⁰, V. Bartsch¹⁴⁸, R.L. Bates⁵², L. Batkova^{143a}, J.R. Batley²⁷, A. Battaglia¹⁶, M. Battistin²⁹, F. Bauer¹³⁵, H.S. Bawa^{142,e}, S. Beale⁹⁷, T. Beau⁷⁷, P.H. Beauchemin¹⁶⁰, R. Beccherle^{49a}, P. Bechtel²⁰, H.P. Beck¹⁶, A.K. Becker¹⁷⁴, S. Becker⁹⁷, M. Beckingham¹³⁷, K.H. Becks¹⁷⁴, A.J. Beddall^{18c}, A. Beddall^{18c}, S. Bedikian¹⁷⁵, V.A. Bednyakov⁶³, C.P. Bee⁸², L.J. Beemster¹⁰⁴, M. Begel²⁴, S. Behar Harpaz¹⁵¹, M. Beimforde⁹⁸, C. Belanger-Champagne⁸⁴, P.J. Bell⁴⁸, W.H. Bell⁴⁸, G. Bella¹⁵², L. Bellagamba^{19a}, F. Bellina²⁹, M. Bellomo²⁹, A. Belloni⁵⁶, O. Beloborodova^{106,f}, K. Belotskiy⁹⁵, O. Beltramello²⁹, O. Benary¹⁵², D. Benchekroun^{134a}, K. Bendtz^{145a,145b}, N. Benekos¹⁶⁴, Y. Benhammou¹⁵², E. Benhar Nocchioli⁴⁸, J.A. Benitez Garcia^{158b}, D.P. Benjamin⁴⁴, M. Benoit¹¹⁴, J.R. Bensinger²², K. Benslama¹²⁹, S. Bentvelsen¹⁰⁴, D. Berge²⁹, E. Bergeaas Kuutmann⁴¹, N. Berger⁴, F. Berghaus¹⁶⁸, E. Berglund¹⁰⁴, J. Beringer¹⁴,

P. Bernat⁷⁶, R. Bernhard⁴⁷, C. Bernius²⁴, T. Berry⁷⁵, C. Bertella⁸², A. Bertin^{19a,19b}, F. Bertolucci^{121a,121b}, M.I. Besana^{88a,88b}, G.J. Besjes¹⁰³, N. Besson¹³⁵, S. Bethke⁹⁸, W. Bhimji⁴⁵, R.M. Bianchi²⁹, M. Bianco^{71a,71b}, O. Biebel⁹⁷, S.P. Bieniek⁷⁶, K. Bierwagen⁵³, J. Biesiada¹⁴, M. Biglietti^{133a}, H. Bilokon⁴⁶, M. Bindi^{19a,19b}, S. Binet¹¹⁴, A. Bingul^{18c}, C. Bini^{131a,131b}, C. Biscarat¹⁷⁷, U. Bitenc⁴⁷, K.M. Black²¹, R.E. Blair⁵, J.-B. Blanchard¹³⁵, G. Blanchot²⁹, T. Blazek^{143a}, C. Blocker²², J. Blocki³⁸, A. Blondel⁴⁸, W. Blum⁸⁰, U. Blumenschein⁵³, G.J. Bobbink¹⁰⁴, V.B. Bobrovnikov¹⁰⁶, S.S. Bocchetta⁷⁸, A. Bocci⁴⁴, C.R. Boddy¹¹⁷, M. Boehler⁴⁷, J. Boek¹⁷⁴, N. Boelaert³⁵, J.A. Bogaerts²⁹, A. Bogdanchikov¹⁰⁶, A. Bogouch^{89,*}, C. Bohm^{145a}, J. Bohm¹²⁴, V. Boisvert⁷⁵, T. Bold³⁷, V. Boldea^{25a}, N.M. Bolnet¹³⁵, M. Bomben⁷⁷, M. Bona⁷⁴, M. Boonekamp¹³⁵, C.N. Booth¹³⁸, S. Bordoni⁷⁷, C. Borer¹⁶, A. Borisov¹²⁷, G. Borissov⁷⁰, I. Borjanovic^{12a}, M. Borri⁸¹, S. Borroni⁸⁶, V. Bortolotto^{133a,133b}, K. Bos¹⁰⁴, D. Boscherini^{19a}, M. Bosman¹¹, H. Boterenbrood¹⁰⁴, J. Bouchami⁹², J. Boudreau¹²², E.V. Bouhova-Thacker⁷⁰, D. Boumediene³³, C. Bourdarios¹¹⁴, N. Bousson⁸², A. Boveia³⁰, J. Boyd²⁹, I.R. Boyko⁶³, I. Bozovic-Jelisavcic^{12b}, J. Bracinik¹⁷, P. Branchini^{133a}, A. Brandt⁷, G. Brandt¹¹⁷, O. Brandt⁵³, U. Bratzler¹⁵⁵, B. Brau⁸³, J.E. Brau¹¹³, H.M. Braun^{174,*}, S.F. Brazzale^{163a,163c}, B. Brelief¹⁵⁷, J. Bremer²⁹, K. Brendlinger¹¹⁹, R. Brenner¹⁶⁵, S. Bressler¹⁷¹, D. Britton⁵², F.M. Brochu²⁷, I. Brock²⁰, R. Brock⁸⁷, F. Broggi^{88a}, C. Bromberg⁸⁷, J. Bronner⁹⁸, G. Brooijmans³⁴, T. Brooks⁷⁵, W.K. Brooks^{31b}, G. Brown⁸¹, H. Brown⁷, P.A. Bruckman de Renstrom³⁸, D. Bruncko^{143b}, R. Bruneliere⁴⁷, S. Brunet⁵⁹, A. Bruni^{19a}, G. Bruni^{19a}, M. Bruschi^{19a}, T. Buanes¹³, Q. Buat⁵⁴, F. Bucci⁴⁸, J. Buchanan¹¹⁷, P. Buchholz¹⁴⁰, R.M. Buckingham¹¹⁷, A.G. Buckley⁴⁵, S.I. Buda^{25a}, I.A. Budagov⁶³, B. Budick¹⁰⁷, V. Buescher⁸⁰, L. Bugge¹¹⁶, O. Bulekov⁹⁵, A.C. Bundock⁷², M. Bunse⁴², T. Buran¹¹⁶, H. Burckhart²⁹, S. Burdin⁷², T. Burgess¹³, S. Burke¹²⁸, E. Busato³³, P. Bussey⁵², C.P. Buszello¹⁶⁵, B. Butler¹⁴², J.M. Butler²¹, C.M. Buttar⁵², J.M. Butterworth⁷⁶, W. Buttinger²⁷, S. Cabrera Urbán¹⁶⁶, D. Caforio^{19a,19b}, O. Cakir^{3a}, P. Calafiura¹⁴, G. Calderini⁷⁷, P. Calfayan⁹⁷, R. Calkins¹⁰⁵, L.P. Caloba^{23a}, R. Caloi^{131a,131b}, D. Calvet³³, S. Calvet³³, R. Camacho Toro³³, P. Camarri^{132a,132b}, D. Cameron¹¹⁶, L.M. Caminada¹⁴, S. Campana²⁹, M. Campanelli⁷⁶, V. Canale^{101a,101b}, F. Canelli^{30,g}, A. Canepa^{158a}, J. Cantero⁷⁹, R. Cantrill⁷⁵, L. Capasso^{101a,101b}, M.D.M. Capeans Garrido²⁹, I. Caprini^{25a}, M. Caprini^{25a}, D. Capriotti⁹⁸, M. Capua^{36a,36b}, R. Caputo⁸⁰, R. Cardarelli^{132a}, T. Carli²⁹, G. Carlino^{101a}, L. Carminati^{88a,88b}, B. Caron⁸⁴, S. Caron¹⁰³, E. Carquin^{31b}, G.D. Carrillo Montoya¹⁷², A.A. Carter⁷⁴, J.R. Carter²⁷, J. Carvalho^{123a,h}, D. Casadei¹⁰⁷, M.P. Casado¹¹, M. Cascella^{121a,121b}, C. Caso^{49a,49b,*}, A.M. Castaneda Hernandez^{172,i}, E. Castaneda-Miranda¹⁷², V. Castillo Gimenez¹⁶⁶, N.F. Castro^{123a}, G. Cataldi^{71a}, P. Catastini⁵⁶, A. Catinaccio²⁹, J.R. Catmore²⁹, A. Cattai²⁹, G. Cattani^{132a,132b}, S. Caughron⁸⁷, P. Cavalleri⁷⁷, D. Cavalli^{88a}, M. Cavalli-Sforza¹¹, V. Cavasinni^{121a,121b}, F. Ceradini^{133a,133b}, A.S. Cerqueira^{23b}, A. Cerri²⁹, L. Cerrito⁷⁴, F. Cerutti⁴⁶, S.A. Cetin^{18b}, A. Chafaq^{134a}, D. Chakraborty¹⁰⁵, I. Chalupkova¹²⁵, K. Chan², B. Chapleau⁸⁴, J.D. Chapman²⁷, J.W. Chapman⁸⁶, E. Chareyre⁷⁷, D.G. Charlton¹⁷, V. Chavda⁸¹, C.A. Chavez Barajas²⁹, S. Cheatham⁸⁴, S. Chekanov⁵, S.V. Chekulaev^{158a}, G.A. Chelkov⁶³, M.A. Chelstowska¹⁰³, C. Chen⁶², H. Chen²⁴, S. Chen^{32c}, X. Chen¹⁷², Y. Chen³⁴, A. Cheplakov⁶³,

R. Cherkaoui El Moursli^{134e}, V. Chernyatin²⁴, E. Cheu⁶, S.L. Cheung¹⁵⁷, L. Chevalier¹³⁵, G. Chiefari^{101a,101b}, L. Chikovani^{50a,*}, J.T. Childers²⁹, A. Chilingarov⁷⁰, G. Chiodini^{71a}, A.S. Chisholm¹⁷, R.T. Chislett⁷⁶, A. Chitan^{25a}, M.V. Chizhov⁶³, G. Choudalakis³⁰, S. Chouridou¹³⁶, I.A. Christidi⁷⁶, A. Christov⁴⁷, D. Chromek-Burckhart²⁹, M.L. Chu¹⁵⁰, J. Chudoba¹²⁴, G. Ciapetti^{131a,131b}, A.K. Ciftci^{3a}, R. Ciftci^{3a}, D. Cinca³³, V. Cindro⁷³, C. Ciocca^{19a,19b}, A. Ciocio¹⁴, M. Cirilli⁸⁶, P. Cirkovic^{12b}, M. Citterio^{88a}, M. Ciubancan^{25a}, A. Clark⁴⁸, P.J. Clark⁴⁵, R.N. Clarke¹⁴, W. Cleland¹²², J.C. Clemens⁸², B. Clement⁵⁴, C. Clement^{145a,145b}, Y. Coadou⁸², M. Cobal^{163a,163c}, A. Coccaro¹³⁷, J. Cochran⁶², J.G. Cogan¹⁴², J. Coggeshall¹⁶⁴, E. Cogneras¹⁷⁷, J. Colas⁴, S. Cole¹⁰⁵, A.P. Colijn¹⁰⁴, N.J. Collins¹⁷, C. Collins-Tooth⁵², J. Collot⁵⁴, T. Colombo^{118a,118b}, G. Colon⁸³, P. Conde Muiño^{123a}, E. Coniavitis¹¹⁷, M.C. Conidi¹¹, S.M. Consonni^{88a,88b}, V. Consorti⁴⁷, S. Constantinescu^{25a}, C. Conta^{118a,118b}, G. Conti⁵⁶, F. Conventi^{101a,j}, M. Cooke¹⁴, B.D. Cooper⁷⁶, A.M. Cooper-Sarkar¹¹⁷, K. Copic¹⁴, T. Cornelissen¹⁷⁴, M. Corradi^{19a}, F. Corriveau^{84,k}, A. Cortes-Gonzalez¹⁶⁴, G. Cortiana⁹⁸, G. Costa^{88a}, M.J. Costa¹⁶⁶, D. Costanzo¹³⁸, T. Costin³⁰, D. Côté²⁹, L. Courneyea¹⁶⁸, G. Cowan⁷⁵, C. Cowden²⁷, B.E. Cox⁸¹, K. Cranmer¹⁰⁷, F. Crescioli^{121a,121b}, M. Cristinziani²⁰, G. Crosetti^{36a,36b}, S. Crépe-Renaudin⁵⁴, C.-M. Cuciuc^{25a}, C. Cuenca Almenar¹⁷⁵, T. Cuhadar Donszelmann¹³⁸, M. Curatolo⁴⁶, C.J. Curtis¹⁷, C. Cuthbert¹⁴⁹, P. Cwetanski⁵⁹, H. Czirr¹⁴⁰, P. Czodrowski⁴³, Z. Czyczula¹⁷⁵, S. D'Auria⁵², M. D'Onofrio⁷², A. D'Orazio^{131a,131b}, M.J. Da Cunha Sargedas De Sousa^{123a}, C. Da Via⁸¹, W. Dabrowski³⁷, A. Dafinca¹¹⁷, T. Dai⁸⁶, C. Dallapiccola⁸³, M. Dam³⁵, M. Dameri^{49a,49b}, D.S. Damiani¹³⁶, H.O. Danielsson²⁹, V. Dao⁴⁸, G. Darbo^{49a}, G.L. Darlea^{25b}, J.A. Dassoulas⁴¹, W. Davey²⁰, T. Davidek¹²⁵, N. Davidson⁸⁵, R. Davidson⁷⁰, E. Davies^{117,c}, M. Davies⁹², O. Davignon⁷⁷, A.R. Davison⁷⁶, Y. Davygora^{57a}, E. Dawe¹⁴¹, I. Dawson¹³⁸, R.K. Daya-Ishmukhametova²², K. De⁷, R. de Asmundis^{101a}, S. De Castro^{19a,19b}, S. De Cecco⁷⁷, J. de Graat⁹⁷, N. De Groot¹⁰³, P. de Jong¹⁰⁴, C. De La Taille¹¹⁴, H. De la Torre⁷⁹, F. De Lorenzi⁶², L. de Mora⁷⁰, L. De Nooij¹⁰⁴, D. De Pedis^{131a}, A. De Salvo^{131a}, U. De Sanctis^{163a,163c}, A. De Santo¹⁴⁸, J.B. De Vivie De Regie¹¹⁴, G. De Zorzi^{131a,131b}, W.J. Dearnaley⁷⁰, R. Debbé²⁴, C. Debenedetti⁴⁵, B. Dechenaux⁵⁴, D.V. Dedovich⁶³, J. Degenhardt¹¹⁹, C. Del Papa^{163a,163c}, J. Del Peso⁷⁹, T. Del Prete^{121a,121b}, T. Delemontex⁵⁴, M. Deliyergiyev⁷³, A. Dell'Acqua²⁹, L. Dell'Asta²¹, M. Della Pietra^{101a,j}, D. della Volpe^{101a,101b}, M. Delmastro⁴, P.A. Delsart⁵⁴, C. Deluca¹⁰⁴, S. Demers¹⁷⁵, M. Demichev⁶³, B. Demirköz^{11,l}, J. Deng¹⁶², S.P. Denisov¹²⁷, D. Derendarz³⁸, J.E. Derkaoui^{134d}, F. Derue⁷⁷, P. Dervan⁷², K. Desch²⁰, E. Devetak¹⁴⁷, P.O. Deviveiros¹⁰⁴, A. Dewhurst¹²⁸, B. DeWilde¹⁴⁷, S. Dhaliwal¹⁵⁷, R. Dhullipudi^{24,m}, A. Di Ciaccio^{132a,132b}, L. Di Ciaccio⁴, A. Di Girolamo²⁹, B. Di Girolamo²⁹, S. Di Luise^{133a,133b}, A. Di Mattia¹⁷², B. Di Micco²⁹, R. Di Nardo⁴⁶, A. Di Simone^{132a,132b}, R. Di Sipio^{19a,19b}, M.A. Diaz^{31a}, E.B. Diehl⁸⁶, J. Dietrich⁴¹, T.A. Dietzsch^{57a}, S. Diglio⁸⁵, K. Dindar Yagci³⁹, J. Dingfelder²⁰, F. Dinut^{25a}, C. Dionisi^{131a,131b}, P. Dita^{25a}, S. Dita^{25a}, F. Dittus²⁹, F. Djama⁸², T. Djobava^{50b}, M.A.B. do Vale^{23c}, A. Do Valle Wemans^{123a,n}, T.K.O. Doan⁴, M. Dobbs⁸⁴, R. Dobinson^{29,*}, D. Dobos²⁹, E. Dobson^{29,o}, J. Dodd³⁴, C. Doglioni⁴⁸, T. Doherty⁵², Y. Doi^{64,*}, J. Dolejsi¹²⁵, I. Dolenc⁷³, Z. Dolezal¹²⁵, B.A. Dolgoshein^{95,*}, T. Dohmae¹⁵⁴, M. Donadelli^{23d}, J. Donini³³, J. Dopke²⁹, A. Doria^{101a}, A. Dos Anjos¹⁷²,

A. Dotti^{121a,121b}, M.T. Dova⁶⁹, A.D. Doxiadis¹⁰⁴, A.T. Doyle⁵², M. Dris⁹, J. Dubbert⁹⁸, S. Dube¹⁴, E. Duchovni¹⁷¹, G. Duckeck⁹⁷, A. Dudarev²⁹, F. Dudziak⁶², M. Dührssen²⁹, I.P. Duerdoth⁸¹, L. Duflot¹¹⁴, M-A. Dufour⁸⁴, L. Duguid⁷⁵, M. Dunford²⁹, H. Duran Yildiz^{3a}, R. Duxfield¹³⁸, M. Dwuznik³⁷, F. Dydak²⁹, M. Düren⁵¹, J. Ebke⁹⁷, S. Eckweiler⁸⁰, K. Edmonds⁸⁰, W. Edson¹, C.A. Edwards⁷⁵, N.C. Edwards⁵², W. Ehrenfeld⁴¹, T. Eifert¹⁴², G. Eigen¹³, K. Einsweiler¹⁴, E. Eisenhandler⁷⁴, T. Ekelof¹⁶⁵, M. El Kacimi^{134c}, M. Ellert¹⁶⁵, S. Elles⁴, F. Ellinghaus⁸⁰, K. Ellis⁷⁴, N. Ellis²⁹, J. Elmsheuser⁹⁷, M. Elsing²⁹, D. Emelianov¹²⁸, R. Engelmann¹⁴⁷, A. Engl⁹⁷, B. Epp⁶⁰, J. Erdmann⁵³, A. Ereditato¹⁶, D. Eriksson^{145a}, J. Ernst¹, M. Ernst²⁴, J. Ernwein¹³⁵, D. Errede¹⁶⁴, S. Errede¹⁶⁴, E. Ertel⁸⁰, M. Escalier¹¹⁴, H. Esch⁴², C. Escobar¹²², X. Espinal Curull¹¹, B. Esposito⁴⁶, F. Etienne⁸², A.I. Etievre¹³⁵, E. Etzion¹⁵², D. Evangelakou⁵³, H. Evans⁵⁹, L. Fabbri^{19a,19b}, C. Fabre²⁹, R.M. Fakhrutdinov¹²⁷, S. Falciano^{131a}, Y. Fang¹⁷², M. Fanti^{88a,88b}, A. Farbin⁷, A. Farilla^{133a}, J. Farley¹⁴⁷, T. Farooque¹⁵⁷, S. Farrell¹⁶², S.M. Farrington¹⁶⁹, P. Farthouat²⁹, P. Fassnacht²⁹, D. Fassouliotis⁸, B. Fatholahzadeh¹⁵⁷, A. Favareto^{88a,88b}, L. Fayard¹¹⁴, S. Fazio^{36a,36b}, R. Febbraro³³, P. Federic^{143a}, O.L. Fedin¹²⁰, W. Fedorko⁸⁷, M. Fehling-Kaschek⁴⁷, L. Feligioni⁸², D. Fellmann⁵, C. Feng^{32d}, E.J. Feng⁵, A.B. Fenyuk¹²⁷, J. Ferencei^{143b}, W. Fernando⁵, S. Ferrag⁵², J. Ferrando⁵², V. Ferrara⁴¹, A. Ferrari¹⁶⁵, P. Ferrari¹⁰⁴, R. Ferrari^{118a}, D.E. Ferreira de Lima⁵², A. Ferrer¹⁶⁶, D. Ferrere⁴⁸, C. Ferretti⁸⁶, A. Ferretto Parodi^{49a,49b}, M. Fiascaris³⁰, F. Fiedler⁸⁰, A. Filipčić⁷³, F. Filthaut¹⁰³, M. Fincke-Keeler¹⁶⁸, M.C.N. Fiolhais^{123a,h}, L. Fiorini¹⁶⁶, A. Firan³⁹, G. Fischer⁴¹, M.J. Fisher¹⁰⁸, M. Flechl⁴⁷, I. Fleck¹⁴⁰, J. Fleckner⁸⁰, P. Fleischmann¹⁷³, S. Fleischmann¹⁷⁴, T. Flick¹⁷⁴, A. Floderus⁷⁸, L.R. Flores Castillo¹⁷², M.J. Flowerdew⁹⁸, T. Fonseca Martin¹⁶, A. Formica¹³⁵, A. Forti⁸¹, D. Fortin^{158a}, D. Fournier¹¹⁴, H. Fox⁷⁰, P. Francavilla¹¹, M. Franchini^{19a,19b}, S. Franchino^{118a,118b}, D. Francis²⁹, T. Frank¹⁷¹, S. Franz²⁹, M. Fraternali^{118a,118b}, S. Fratina¹¹⁹, S.T. French²⁷, C. Friedrich⁴¹, F. Friedrich⁴³, R. Froeschl²⁹, D. Froidevaux²⁹, J.A. Frost²⁷, C. Fukunaga¹⁵⁵, E. Fullana Torregrosa²⁹, B.G. Fulson¹⁴², J. Fuster¹⁶⁶, C. Gabaldon²⁹, O. Gabizon¹⁷¹, T. Gadfort²⁴, S. Gadomski⁴⁸, G. Gagliardi^{49a,49b}, P. Gagnon⁵⁹, C. Galea⁹⁷, E.J. Gallas¹¹⁷, V. Gallo¹⁶, B.J. Gallop¹²⁸, P. Gallus¹²⁴, K.K. Gan¹⁰⁸, Y.S. Gao^{142,e}, A. Gaponenko¹⁴, F. Garberson¹⁷⁵, M. Garcia-Sciveres¹⁴, C. García¹⁶⁶, J.E. García Navarro¹⁶⁶, R.W. Gardner³⁰, N. Garelli²⁹, H. Garitaonandia¹⁰⁴, V. Garonne²⁹, J. Garvey¹⁷, C. Gatti⁴⁶, G. Gaudio^{118a}, B. Gaur¹⁴⁰, L. Gauthier¹³⁵, P. Gauzzi^{131a,131b}, I.L. Gavrilenko⁹³, C. Gay¹⁶⁷, G. Gaycken²⁰, E.N. Gazis⁹, P. Ge^{32d}, Z. Gecse¹⁶⁷, C.N.P. Gee¹²⁸, D.A.A. Geerts¹⁰⁴, Ch. Geich-Gimbel²⁰, K. Gellerstedt^{145a,145b}, C. Gemme^{49a}, A. Gemmell⁵², M.H. Genest⁵⁴, S. Gentile^{131a,131b}, M. George⁵³, S. George⁷⁵, P. Gerlach¹⁷⁴, A. Gershon¹⁵², C. Geweniger^{57a}, H. Ghazlane^{134b}, N. Ghodbane³³, B. Giacobbe^{19a}, S. Giagu^{131a,131b}, V. Giakoumopoulou⁸, V. Giangiobbe¹¹, F. Gianotti²⁹, B. Gibbard²⁴, A. Gibson¹⁵⁷, S.M. Gibson²⁹, D. Gillberg²⁸, A.R. Gillman¹²⁸, D.M. Gingrich^{2,d}, J. Ginzburg¹⁵², N. Giokaris⁸, M.P. Giordani^{163c}, R. Giordano^{101a,101b}, F.M. Giorgi¹⁵, P. Giovannini⁹⁸, P.F. Giraud¹³⁵, D. Giugni^{88a}, M. Giunta⁹², P. Giusti^{19a}, B.K. Gjelsten¹¹⁶, L.K. Gladilin⁹⁶, C. Glasman⁷⁹, J. Glatzer⁴⁷, A. Glazov⁴¹, K.W. Glitza¹⁷⁴, G.L. Glonti⁶³, J.R. Goddard⁷⁴, J. Godfrey¹⁴¹, J. Godlewski²⁹, M. Goebel⁴¹, T. Göpfert⁴³, C. Goeringer⁸⁰, C. Gössling⁴²,

S. Goldfarb⁸⁶, T. Golling¹⁷⁵, A. Gomes^{123a,b}, L.S. Gomez Fajardo⁴¹, R. Gonalo⁷⁵, J. Goncalves Pinto Firmino Da Costa⁴¹, L. Gonella²⁰, S. Gonzalez¹⁷², S. Gonzalez de la Hoz¹⁶⁶, G. Gonzalez Parra¹¹, M.L. Gonzalez Silva²⁶, S. Gonzalez-Sevilla⁴⁸, J.J. Goodson¹⁴⁷, L. Goossens²⁹, P.A. Gorbounov⁹⁴, H.A. Gordon²⁴, I. Gorelov¹⁰², G. Gorfine¹⁷⁴, B. Gorini²⁹, E. Gorini^{71a,71b}, A. Gorišek⁷³, E. Gornicki³⁸, B. Gosdzik⁴¹, A.T. Goshaw⁵, M. Gosselink¹⁰⁴, M.I. Gostkin⁶³, I. Gough Eschrich¹⁶², M. Gouighri^{134a}, D. Goujdami^{134c}, M.P. Goulette⁴⁸, A.G. Goussiou¹³⁷, C. Goy⁴, S. Gozpinar²², I. Grabowska-Bold³⁷, P. Grafstrom^{19a,19b}, K.-J. Grahn⁴¹, F. Grancagnolo^{71a}, S. Grancagnolo¹⁵, V. Grassi¹⁴⁷, V. Gratchev¹²⁰, N. Grau³⁴, H.M. Gray²⁹, J.A. Gray¹⁴⁷, E. Graziani^{133a}, O.G. Grebenyuk¹²⁰, T. Greenshaw⁷², Z.D. Greenwood^{24,m}, K. Gregersen³⁵, I.M. Gregor⁴¹, P. Grenier¹⁴², J. Griffiths¹³⁷, N. Grigalashvili⁶³, A.A. Grillo¹³⁶, S. Grinstein¹¹, Y.V. Grishkevich⁹⁶, J.-F. Grivaz¹¹⁴, E. Gross¹⁷¹, J. Grosse-Knetter⁵³, J. Groth-Jensen¹⁷¹, K. Grybel¹⁴⁰, D. Guest¹⁷⁵, C. Guicheney³³, S. Guindon⁵³, U. Gul⁵², H. Guler^{84,p}, J. Gunther¹²⁴, B. Guo¹⁵⁷, J. Guo³⁴, P. Gutierrez¹¹⁰, N. Guttman¹⁵², O. Gutzwiller¹⁷², C. Guyot¹³⁵, C. Gwenlan¹¹⁷, C.B. Gwilliam⁷², A. Haas¹⁴², S. Haas²⁹, C. Haber¹⁴, H.K. Hadavand³⁹, D.R. Hadley¹⁷, P. Haefner²⁰, F. Hahn²⁹, S. Haider²⁹, Z. Hajduk³⁸, H. Hakobyan¹⁷⁶, D. Hall¹¹⁷, J. Haller⁵³, K. Hamacher¹⁷⁴, P. Hamal¹¹², M. Hamer⁵³, A. Hamilton^{144b,q}, S. Hamilton¹⁶⁰, L. Han^{32b}, K. Hanagaki¹¹⁵, K. Hanawa¹⁵⁹, M. Hance¹⁴, C. Handel⁸⁰, P. Hanke^{57a}, J.R. Hansen³⁵, J.B. Hansen³⁵, J.D. Hansen³⁵, P.H. Hansen³⁵, P. Hansson¹⁴², K. Hara¹⁵⁹, G.A. Hare¹³⁶, T. Harenberg¹⁷⁴, S. Harkusha⁸⁹, D. Harper⁸⁶, R.D. Harrington⁴⁵, O.M. Harris¹³⁷, J. Hartert⁴⁷, F. Hartjes¹⁰⁴, T. Haruyama⁶⁴, A. Harvey⁵⁵, S. Hasegawa¹⁰⁰, Y. Hasegawa¹³⁹, S. Hassani¹³⁵, S. Haug¹⁶, M. Hauschild²⁹, R. Hauser⁸⁷, M. Havranek²⁰, C.M. Hawkes¹⁷, R.J. Hawkings²⁹, A.D. Hawkins⁷⁸, D. Hawkins¹⁶², T. Hayakawa⁶⁵, T. Hayashi¹⁵⁹, D. Hayden⁷⁵, C.P. Hays¹¹⁷, H.S. Hayward⁷², S.J. Haywood¹²⁸, M. He^{32d}, S.J. Head¹⁷, V. Hedberg⁷⁸, L. Heelan⁷, S. Heim⁸⁷, B. Heinemann¹⁴, S. Heisterkamp³⁵, L. Helary²¹, C. Heller⁹⁷, M. Heller²⁹, S. Hellman^{145a,145b}, D. Hellmich²⁰, C. Helsen¹¹, R.C.W. Henderson⁷⁰, M. Henke^{57a}, A. Henrichs⁵³, A.M. Henriques Correia²⁹, S. Henrot-Versille¹¹⁴, C. Hensel⁵³, T. Henß¹⁷⁴, C.M. Hernandez⁷, Y. Hernandez Jimenez¹⁶⁶, R. Herrberg¹⁵, G. Herten⁴⁷, R. Hertenberger⁹⁷, L. Hervas²⁹, G.G. Hesketh⁷⁶, N.P. Hessey¹⁰⁴, E. Higon-Rodriguez¹⁶⁶, J.C. Hill²⁷, K.H. Hiller⁴¹, S. Hillert²⁰, S.J. Hillier¹⁷, I. Hinchliffe¹⁴, E. Hines¹¹⁹, M. Hirose¹¹⁵, F. Hirsch⁴², D. Hirschbuehl¹⁷⁴, J. Hobbs¹⁴⁷, N. Hod¹⁵², M.C. Hodgkinson¹³⁸, P. Hodgson¹³⁸, A. Hoecker²⁹, M.R. Hoferkamp¹⁰², J. Hoffman³⁹, D. Hoffmann⁸², M. Hohlfeld⁸⁰, M. Holder¹⁴⁰, S.O. Holmgren^{145a}, T. Holy¹²⁶, J.L. Holzbauer⁸⁷, T.M. Hong¹¹⁹, L. Hooft van Huysduynen¹⁰⁷, C. Horn¹⁴², S. Horner⁴⁷, J.-Y. Hostachy⁵⁴, S. Hou¹⁵⁰, A. Hoummada^{134a}, J. Howard¹¹⁷, J. Howarth⁸¹, I. Hristova¹⁵, J. Hrivnac¹¹⁴, T. Hryn'ova⁴, P.J. Hsu⁸⁰, S.-C. Hsu¹⁴, Z. Hubacek¹²⁶, F. Hubaut⁸², F. Huegging²⁰, A. Huettmann⁴¹, T.B. Huffman¹¹⁷, E.W. Hughes³⁴, G. Hughes⁷⁰, M. Huhtinen²⁹, M. Hurwitz¹⁴, U. Husemann⁴¹, N. Huseynov^{63,r}, J. Huston⁸⁷, J. Huth⁵⁶, G. Iacobucci⁴⁸, G. Iakovidis⁹, M. Ibbotson⁸¹, I. Ibragimov¹⁴⁰, L. Iconomidou-Fayard¹¹⁴, J. Idarraga¹¹⁴, P. Iengo^{101a}, O. Igonkina¹⁰⁴, Y. Ikegami⁶⁴, M. Ikeno⁶⁴, D. Iliadis¹⁵³, N. Ilic¹⁵⁷, T. Ince²⁰, J. Inigo-Golfin²⁹, P. Ioannou⁸, M. Iodice^{133a}, K. Iordanidou⁸, V. Ippolito^{131a,131b}, A. Irlles Quiles¹⁶⁶, C. Isaksson¹⁶⁵, M. Ishino⁶⁶, M. Ishitsuka¹⁵⁶, R. Ishmukhametov³⁹, C. Issever¹¹⁷, S. Istin^{18a}, A.V. Ivashin¹²⁷, W. Iwanski³⁸, H. Iwasaki⁶⁴,

J.M. Izen⁴⁰, V. Izzo^{101a}, B. Jackson¹¹⁹, J.N. Jackson⁷², P. Jackson¹⁴², M.R. Jaekel²⁹, V. Jain⁵⁹, K. Jakobs⁴⁷, S. Jakobsen³⁵, T. Jakoubek¹²⁴, J. Jakubek¹²⁶, D.K. Jana¹¹⁰, E. Jansen⁷⁶, H. Jansen²⁹, A. Jantsch⁹⁸, M. Janus⁴⁷, G. Jarlskog⁷⁸, L. Jeanty⁵⁶, I. Jen-La Plante³⁰, D. Jennens⁸⁵, P. Jenni²⁹, P. Jez³⁵, S. Jézéquel⁴, M.K. Jha^{19a}, H. Ji¹⁷², W. Ji⁸⁰, J. Jia¹⁴⁷, Y. Jiang^{32b}, M. Jimenez Belenguer⁴¹, S. Jin^{32a}, O. Jinnouchi¹⁵⁶, M.D. Joergensen³⁵, D. Joffe³⁹, M. Johansen^{145a,145b}, K.E. Johansson^{145a}, P. Johansson¹³⁸, S. Johnert⁴¹, K.A. Johns⁶, K. Jon-And^{145a,145b}, G. Jones¹⁶⁹, R.W.L. Jones⁷⁰, T.J. Jones⁷², C. Joram²⁹, P.M. Jorge^{123a}, K.D. Joshi⁸¹, J. Jovicevic¹⁴⁶, T. Jovin^{12b}, X. Ju¹⁷², C.A. Jung⁴², R.M. Jungst²⁹, V. Juranek¹²⁴, P. Jussel⁶⁰, A. Juste Rozas¹¹, S. Kabana¹⁶, M. Kaci¹⁶⁶, A. Kaczmarska³⁸, P. Kadlecik³⁵, M. Kado¹¹⁴, H. Kagan¹⁰⁸, M. Kagan⁵⁶, E. Kajomovitz¹⁵¹, S. Kalinin¹⁷⁴, L.V. Kalinovskaya⁶³, S. Kama³⁹, N. Kanaya¹⁵⁴, M. Kaneda²⁹, S. Kaneti²⁷, T. Kanno¹⁵⁶, V.A. Kantserov⁹⁵, J. Kanzaki⁶⁴, B. Kaplan¹⁷⁵, A. Kapliy³⁰, J. Kaplon²⁹, D. Kar⁵², M. Karagounis²⁰, K. Karakostas⁹, M. Karnevskiy⁴¹, V. Kartvelishvili⁷⁰, A.N. Karyukhin¹²⁷, L. Kashif¹⁷², G. Kasieczka^{57b}, R.D. Kass¹⁰⁸, A. Kastanas¹³, M. Kataoka⁴, Y. Kataoka¹⁵⁴, E. Katsoufis⁹, J. Katzy⁴¹, V. Kaushik⁶, K. Kawagoe⁶⁸, T. Kawamoto¹⁵⁴, G. Kawamura⁸⁰, M.S. Kayl¹⁰⁴, V.A. Kazanin¹⁰⁶, M.Y. Kazarinov⁶³, R. Keeler¹⁶⁸, R. Kehoe³⁹, M. Keil⁵³, G.D. Kekelidze⁶³, J.S. Keller¹³⁷, M. Kenyon⁵², O. Kepka¹²⁴, N. Kerschen²⁹, B.P. Kerševan⁷³, S. Kersten¹⁷⁴, K. Kessoku¹⁵⁴, J. Keung¹⁵⁷, F. Khalil-zada¹⁰, H. Khandanyan¹⁶⁴, A. Khanov¹¹¹, D. Kharchenko⁶³, A. Khodinov⁹⁵, A. Khomich^{57a}, T.J. Khoo²⁷, G. Khoriauli²⁰, A. Khoroshilov¹⁷⁴, V. Khovanskiy⁹⁴, E. Khramov⁶³, J. Khubua^{50b}, H. Kim^{145a,145b}, S.H. Kim¹⁵⁹, N. Kimura¹⁷⁰, O. Kind¹⁵, B.T. King⁷², M. King⁶⁵, R.S.B. King¹¹⁷, J. Kirk¹²⁸, A.E. Kiryunin⁹⁸, T. Kishimoto⁶⁵, D. Kisielewska³⁷, T. Kitamura⁶⁵, T. Kittelmann¹²², E. Kladiva^{143b}, M. Klein⁷², U. Klein⁷², K. Kleinknecht⁸⁰, M. Klemetti⁸⁴, A. Klier¹⁷¹, P. Klimek^{145a,145b}, A. Klimentov²⁴, R. Klingenberg⁴², J.A. Klinger⁸¹, E.B. Klinkby³⁵, T. Klioutchnikova²⁹, P.F. Klok¹⁰³, S. Klous¹⁰⁴, E.-E. Kluge^{57a}, T. Kluge⁷², P. Kluit¹⁰⁴, S. Kluth⁹⁸, N.S. Knecht¹⁵⁷, E. Kneringer⁶⁰, E.B.F.G. Knoops⁸², A. Knue⁵³, B.R. Ko⁴⁴, T. Kobayashi¹⁵⁴, M. Kobel⁴³, M. Kocian¹⁴², P. Kodys¹²⁵, K. Köneke²⁹, A.C. König¹⁰³, S. Koenig⁸⁰, L. Köpke⁸⁰, F. Koetsveld¹⁰³, P. Koevesarki²⁰, T. Koffas²⁸, E. Koffeman¹⁰⁴, L.A. Kogan¹¹⁷, S. Kohlmann¹⁷⁴, F. Kohn⁵³, Z. Kohout¹²⁶, T. Kohriki⁶⁴, T. Koi¹⁴², G.M. Kolachev^{106,*}, H. Kolanoski¹⁵, V. Kolesnikov⁶³, I. Koletsou^{88a}, J. Koll⁸⁷, M. Kollefrath⁴⁷, A.A. Komar⁹³, Y. Komori¹⁵⁴, T. Kondo⁶⁴, T. Kono^{41,s}, A.I. Kononov⁴⁷, R. Konoplich^{107,t}, N. Konstantinidis⁷⁶, S. Koperny³⁷, K. Korcyl³⁸, K. Kordas¹⁵³, A. Korn¹¹⁷, A. Korol¹⁰⁶, I. Korolkov¹¹, E.V. Korolkova¹³⁸, V.A. Korotkov¹²⁷, O. Kortner⁹⁸, S. Kortner⁹⁸, V.V. Kostyukhin²⁰, S. Kotov⁹⁸, V.M. Kotov⁶³, A. Kotwal⁴⁴, C. Kourkoumelis⁸, V. Kouskoura¹⁵³, A. Koutsman^{158a}, R. Kowalewski¹⁶⁸, T.Z. Kowalski³⁷, W. Kozanecki¹³⁵, A.S. Kozhin¹²⁷, V. Kral¹²⁶, V.A. Kramarenko⁹⁶, G. Kramberger⁷³, M.W. Krasny⁷⁷, A. Krasznahorkay¹⁰⁷, J.K. Kraus²⁰, S. Kreiss¹⁰⁷, F. Krejci¹²⁶, J. Kretzschmar⁷², N. Krieger⁵³, P. Krieger¹⁵⁷, K. Kroeninger⁵³, H. Kroha⁹⁸, J. Kroll¹¹⁹, J. Kroseberg²⁰, J. Krstic^{12a}, U. Kruchonak⁶³, H. Krüger²⁰, T. Kruker¹⁶, N. Krumnack⁶², Z.V. Krumshteyn⁶³, T. Kubota⁸⁵, S. Kuday^{3a}, S. Kuehn⁴⁷, A. Kugel^{57c}, T. Kuhl⁴¹, D. Kuhn⁶⁰, V. Kukhtin⁶³, Y. Kulchitsky⁸⁹, S. Kuleshov^{31b}, C. Kummer⁹⁷, M. Kuna⁷⁷, J. Kunkle¹¹⁹, A. Kupco¹²⁴, H. Kurashige⁶⁵, M. Kurata¹⁵⁹, Y.A. Kurochkin⁸⁹, V. Kus¹²⁴,

E.S. Kuwertz¹⁴⁶, M. Kuze¹⁵⁶, J. Kvita¹⁴¹, R. Kwee¹⁵, A. La Rosa⁴⁸, L. La Rotonda^{36a,36b},
 L. Labarga⁷⁹, J. Labbe⁴, S. Lablak^{134a}, C. Lacasta¹⁶⁶, F. Lacava^{131a,131b}, H. Lacker¹⁵,
 D. Lacour⁷⁷, V.R. Lacuesta¹⁶⁶, E. Ladygin⁶³, R. Lafaye⁴, B. Laforge⁷⁷, T. Lagouri⁷⁹,
 S. Lai⁴⁷, E. Laisne⁵⁴, M. Lamanna²⁹, L. Lambourne⁷⁶, C.L. Lampen⁶, W. Lampl⁶,
 E. Lancon¹³⁵, U. Landgraf⁴⁷, M.P.J. Landon⁷⁴, J.L. Lane⁸¹, V.S. Lang^{57a}, C. Lange⁴¹,
 A.J. Lankford¹⁶², F. Lanni²⁴, K. Lantzsich¹⁷⁴, S. Laplace⁷⁷, C. Lapoire²⁰, J.F. Laporte¹³⁵,
 T. Lari^{88a}, A. Larner¹¹⁷, M. Lassnig²⁹, P. Laurelli⁴⁶, V. Lavorini^{36a,36b}, W. Lavrijsen¹⁴,
 P. Laycock⁷², O. Le Dortz⁷⁷, E. Le Guirriec⁸², C. Le Maner¹⁵⁷, E. Le Menedeu¹¹,
 T. LeCompte⁵, F. Ledroit-Guillon⁵⁴, H. Lee¹⁰⁴, J.S.H. Lee¹¹⁵, S.C. Lee¹⁵⁰, L. Lee¹⁷⁵,
 M. Lefebvre¹⁶⁸, M. Legendre¹³⁵, F. Legger⁹⁷, C. Leggett¹⁴, M. Lehmacher²⁰,
 G. Lehmann Miotto²⁹, X. Lei⁶, M.A.L. Leite^{23d}, R. Leitner¹²⁵, D. Lellouch¹⁷¹,
 B. Lemmer⁵³, V. Lendermann^{57a}, K.J.C. Leney^{144b}, T. Lenz¹⁰⁴, G. Lenzen¹⁷⁴,
 B. Lenzi²⁹, K. Leonhardt⁴³, S. Leontsinis⁹, F. Lepold^{57a}, C. Leroy⁹², J-R. Lessard¹⁶⁸,
 C.G. Lester²⁷, C.M. Lester¹¹⁹, J. Levêque⁴, D. Levin⁸⁶, L.J. Levinson¹⁷¹, A. Lewis¹¹⁷,
 G.H. Lewis¹⁰⁷, A.M. Leyko²⁰, M. Leyton¹⁵, B. Li⁸², H. Li^{172,u}, S. Li^{32b,v}, X. Li⁸⁶,
 Z. Liang^{117,w}, H. Liao³³, B. Liberti^{132a}, P. Lichard²⁹, M. Lichtnecker⁹⁷, K. Lie¹⁶⁴,
 W. Liebig¹³, C. Limbach²⁰, A. Limosani⁸⁵, M. Limper⁶¹, S.C. Lin^{150,x}, F. Linde¹⁰⁴,
 J.T. Linnemann⁸⁷, E. Lipeles¹¹⁹, A. Lipniacka¹³, T.M. Liss¹⁶⁴, D. Lissauer²⁴, A. Lister⁴⁸,
 A.M. Litke¹³⁶, C. Liu²⁸, D. Liu¹⁵⁰, H. Liu⁸⁶, J.B. Liu⁸⁶, L. Liu⁸⁶, M. Liu^{32b}, Y. Liu^{32b},
 M. Livan^{118a,118b}, S.S.A. Livermore¹¹⁷, A. Lleres⁵⁴, J. Llorente Merino⁷⁹, S.L. Lloyd⁷⁴,
 E. Lobodzinska⁴¹, P. Loch⁶, W.S. Lockman¹³⁶, T. Loddenkoetter²⁰, F.K. Loebinger⁸¹,
 A. Loginov¹⁷⁵, C.W. Loh¹⁶⁷, T. Lohse¹⁵, K. Lohwasser⁴⁷, M. Lokajicek¹²⁴, V.P. Lombardo⁴,
 R.E. Long⁷⁰, L. Lopes^{123a}, D. Lopez Mateos⁵⁶, J. Lorenz⁹⁷, N. Lorenzo Martinez¹¹⁴,
 M. Losada¹⁶¹, P. Loscutoff¹⁴, F. Lo Sterzo^{131a,131b}, M.J. Losty^{158a}, X. Lou⁴⁰, A. Lounis¹¹⁴,
 K.F. Loureiro¹⁶¹, J. Love²¹, P.A. Love⁷⁰, A.J. Lowe^{142,e}, F. Lu^{32a}, H.J. Lubatti¹³⁷,
 C. Luci^{131a,131b}, A. Lucotte⁵⁴, A. Ludwig⁴³, D. Ludwig⁴¹, I. Ludwig⁴⁷, J. Ludwig⁴⁷,
 F. Luehring⁵⁹, G. Luijkx¹⁰⁴, W. Lukas⁶⁰, D. Lumb⁴⁷, L. Luminari^{131a}, E. Lund¹¹⁶,
 B. Lund-Jensen¹⁴⁶, B. Lundberg⁷⁸, J. Lundberg^{145a,145b}, O. Lundberg^{145a,145b},
 J. Lundquist³⁵, M. Lungwitz⁸⁰, D. Lynn²⁴, E. Lytken⁷⁸, H. Ma²⁴, L.L. Ma¹⁷²,
 G. Maccarrone⁴⁶, A. Macchiolo⁹⁸, B. Maček⁷³, J. Machado Miguens^{123a}, R. Mackeprang³⁵,
 R.J. Madaras¹⁴, H.J. Maddocks⁷⁰, W.F. Mader⁴³, R. Maenner^{57c}, T. Maeno²⁴,
 P. Mättig¹⁷⁴, S. Mättig⁴¹, L. Magnoni²⁹, E. Magradze⁵³, K. Mahboubi⁴⁷, S. Mahmoud⁷²,
 G. Mahout¹⁷, C. Maiani¹³⁵, C. Maidantchik^{23a}, A. Maio^{123a,b}, S. Majewski²⁴, Y. Makida⁶⁴,
 N. Makovec¹¹⁴, P. Mal¹³⁵, B. Malaescu²⁹, Pa. Malecki³⁸, P. Malecki³⁸, V.P. Maleev¹²⁰,
 F. Malek⁵⁴, U. Mallik⁶¹, D. Malon⁵, C. Malone¹⁴², S. Maltezos⁹, V. Malyshev¹⁰⁶,
 S. Malyukov²⁹, R. Mameghani⁹⁷, J. Mamuzic^{12b}, A. Manabe⁶⁴, L. Mandelli^{88a},
 I. Mandić⁷³, R. Mandrysch¹⁵, J. Maneira^{123a}, P.S. Mangeard⁸⁷, L. Manhaes de An-
 drade Filho^{23b}, J.A. Manjarres Ramos¹³⁵, A. Mann⁵³, P.M. Manning¹³⁶, A. Manousakis-
 Katsikakis⁸, B. Mansoulie¹³⁵, A. Mapelli²⁹, L. Mapelli²⁹, L. March⁷⁹, J.F. Marchand²⁸,
 F. Marchese^{132a,132b}, G. Marchiori⁷⁷, M. Marcisovsky¹²⁴, C.P. Marino¹⁶⁸, F. Marroquim^{23a},
 Z. Marshall²⁹, F.K. Martens¹⁵⁷, L.F. Marti¹⁶, S. Marti-Garcia¹⁶⁶, B. Martin²⁹,
 B. Martin⁸⁷, J.P. Martin⁹², T.A. Martin¹⁷, V.J. Martin⁴⁵, B. Martin dit Latour⁴⁸,
 S. Martin-Haugh¹⁴⁸, M. Martinez¹¹, V. Martinez Outschoorn⁵⁶, A.C. Martyniuk¹⁶⁸,

M. Marx⁸¹, F. Marzano^{131a}, A. Marzin¹¹⁰, L. Masetti⁸⁰, T. Mashimo¹⁵⁴, R. Mashinistov⁹³, J. Masik⁸¹, A.L. Maslennikov¹⁰⁶, I. Massa^{19a,19b}, G. Massaro¹⁰⁴, N. Massol⁴, P. Mastrandrea¹⁴⁷, A. Mastroberardino^{36a,36b}, T. Masubuchi¹⁵⁴, P. Matricon¹¹⁴, H. Matsunaga¹⁵⁴, T. Matsushita⁶⁵, C. Mattravers^{117,c}, J. Maurer⁸², S.J. Maxfield⁷², A. Mayne¹³⁸, R. Mazini¹⁵⁰, M. Mazur²⁰, L. Mazzaferro^{132a,132b}, M. Mazzanti^{88a}, S.P. Mc Kee⁸⁶, A. McCarn¹⁶⁴, R.L. McCarthy¹⁴⁷, T.G. McCarthy²⁸, N.A. McCubbin¹²⁸, K.W. McFarlane^{55,*}, J.A. Mcfayden¹³⁸, G. Mchedlidze^{50b}, T. McLaughlan¹⁷, S.J. McMahan¹²⁸, R.A. McPherson^{168,k}, A. Meade⁸³, J. Mechnich¹⁰⁴, M. Mechtel¹⁷⁴, M. Medinnis⁴¹, R. Meera-Lebbai¹¹⁰, T. Meguro¹¹⁵, R. Mehdiyev⁹², S. Mehlhase³⁵, A. Mehta⁷², K. Meier^{57a}, B. Meirose⁷⁸, C. Melachrinou³⁰, B.R. Mellado Garcia¹⁷², F. Meloni^{88a,88b}, L. Mendoza Navas¹⁶¹, Z. Meng^{150,u}, A. Mengarelli^{19a,19b}, S. Menke⁹⁸, E. Meoni¹⁶⁰, K.M. Mercurio⁵⁶, P. Mermod⁴⁸, L. Merola^{101a,101b}, C. Meroni^{88a}, F.S. Merritt³⁰, H. Merritt¹⁰⁸, A. Messina^{29,y}, J. Metcalfe¹⁰², A.S. Mete¹⁶², C. Meyer⁸⁰, C. Meyer³⁰, J-P. Meyer¹³⁵, J. Meyer¹⁷³, J. Meyer⁵³, T.C. Meyer²⁹, J. Miao^{32d}, S. Michal²⁹, L. Micu^{25a}, R.P. Middleton¹²⁸, S. Migas⁷², L. Mijovic¹³⁵, G. Mikenberg¹⁷¹, M. Mikestikova¹²⁴, M. Mikuz⁷³, D.W. Miller³⁰, R.J. Miller⁸⁷, W.J. Mills¹⁶⁷, C. Mills⁵⁶, A. Milov¹⁷¹, D.A. Milstead^{145a,145b}, D. Milstein¹⁷¹, A.A. Minaenko¹²⁷, M. Miñano Moya¹⁶⁶, I.A. Minashvili⁶³, A.I. Mincer¹⁰⁷, B. Mindur³⁷, M. Mineev⁶³, Y. Ming¹⁷², L.M. Mir¹¹, G. Mirabelli^{131a}, J. Mitrevski¹³⁶, V.A. Mitsou¹⁶⁶, S. Mitsui⁶⁴, P.S. Miyagawa¹³⁸, J.U. Mjörnmark⁷⁸, T. Moa^{145a,145b}, V. Moeller²⁷, K. Mönig⁴¹, N. Möser²⁰, S. Mohapatra¹⁴⁷, W. Mohr⁴⁷, R. Moles-Valls¹⁶⁶, J. Monk⁷⁶, E. Monnier⁸², J. Montejo Berlingen¹¹, F. Monticelli⁶⁹, S. Monzani^{19a,19b}, R.W. Moore², G.F. Moorhead⁸⁵, C. Mora Herrera⁴⁸, A. Moraes⁵², N. Morange¹³⁵, J. Morel⁵³, G. Morello^{36a,36b}, D. Moreno⁸⁰, M. Moreno Llácer¹⁶⁶, P. Morettini^{49a}, M. Morgenstern⁴³, M. Morii⁵⁶, A.K. Morley²⁹, G. Mornacchi²⁹, J.D. Morris⁷⁴, L. Morvaj¹⁰⁰, H.G. Moser⁹⁸, M. Mosidze^{50b}, J. Moss¹⁰⁸, R. Mount¹⁴², E. Mountricha^{9,z}, S.V. Mouraviev^{93,*}, E.J.W. Moyse⁸³, F. Mueller^{57a}, J. Mueller¹²², K. Mueller²⁰, T.A. Müller⁹⁷, T. Mueller⁸⁰, D. Muenstermann²⁹, Y. Munwes¹⁵², W.J. Murray¹²⁸, I. Mussche¹⁰⁴, E. Musto^{101a,101b}, A.G. Myagkov¹²⁷, M. Myska¹²⁴, J. Nadal¹¹, K. Nagai¹⁵⁹, R. Nagai¹⁵⁶, K. Nagano⁶⁴, A. Nagarkar¹⁰⁸, Y. Nagasaka⁵⁸, M. Nagel⁹⁸, A.M. Nairz²⁹, Y. Nakahama²⁹, K. Nakamura¹⁵⁴, T. Nakamura¹⁵⁴, I. Nakano¹⁰⁹, G. Nanava²⁰, A. Napier¹⁶⁰, R. Narayan^{57b}, M. Nash^{76,c}, T. Nattermann²⁰, T. Naumann⁴¹, G. Navarro¹⁶¹, H.A. Neal⁸⁶, P.Yu. Nechaeva⁹³, T.J. Neep⁸¹, A. Negri^{118a,118b}, G. Negri²⁹, M. Negrini^{19a}, S. Nektarijevic⁴⁸, A. Nelson¹⁶², T.K. Nelson¹⁴², S. Nemecek¹²⁴, P. Nemethy¹⁰⁷, A.A. Nepomuceno^{23a}, M. Nessi^{29,aa}, M.S. Neubauer¹⁶⁴, A. Neusiedl⁸⁰, R.M. Neves¹⁰⁷, P. Nevski²⁴, P.R. Newman¹⁷, V. Nguyen Thi Hong¹³⁵, R.B. Nickerson¹¹⁷, R. Nicolaidou¹³⁵, B. Nicquevert²⁹, F. Niedercorn¹¹⁴, J. Nielsen¹³⁶, N. Nikiforou³⁴, A. Nikiforov¹⁵, V. Nikolaenko¹²⁷, I. Nikolic-Audit⁷⁷, K. Nikolics⁴⁸, K. Nikolopoulos¹⁷, H. Nilsen⁴⁷, P. Nilsson⁷, Y. Ninomiya¹⁵⁴, A. Nisati^{131a}, R. Nisius⁹⁸, T. Nobe¹⁵⁶, L. Nodulman⁵, M. Nomachi¹¹⁵, I. Nomidis¹⁵³, S. Norberg¹¹⁰, M. Nordberg²⁹, P.R. Norton¹²⁸, J. Novakova¹²⁵, M. Nozaki⁶⁴, L. Nozka¹¹², I.M. Nugent^{158a}, A.-E. Nuncio-Quiroz²⁰, G. Nunes Hanninger⁸⁵, T. Nunnemann⁹⁷, E. Nurse⁷⁶, B.J. O'Brien⁴⁵, S.W. O'Neale^{17,*}, D.C. O'Neil¹⁴¹, V. O'Shea⁵², L.B. Oakes⁹⁷, F.G. Oakham^{28,d}, H. Oberlack⁹⁸, J. Ocariz⁷⁷, A. Ochi⁶⁵, S. Oda⁶⁸, S. Odaka⁶⁴,

J. Odier⁸², H. Ogren⁵⁹, A. Oh⁸¹, S.H. Oh⁴⁴, C.C. Ohm²⁹, T. Ohshima¹⁰⁰, H. Okawa²⁴, Y. Okumura³⁰, T. Okuyama¹⁵⁴, A. Olariu^{25a}, A.G. Olchevski⁶³, S.A. Olivares Pino^{31a}, M. Oliveira^{123a,h}, D. Oliveira Damazio²⁴, E. Oliver Garcia¹⁶⁶, D. Olivito¹¹⁹, A. Olszewski³⁸, J. Olszowska³⁸, A. Onofre^{123a,ab}, P.U.E. Onyisi³⁰, C.J. Oram^{158a}, M.J. Oreglia³⁰, Y. Oren¹⁵², D. Orestano^{133a,133b}, N. Orlando^{71a,71b}, I. Orlov¹⁰⁶, C. Oropeza Barrera⁵², R.S. Orr¹⁵⁷, B. Osculati^{49a,49b}, R. Ospanov¹¹⁹, C. Osuna¹¹, G. Otero y Garzon²⁶, J.P. Ottersbach¹⁰⁴, M. Ouchrif^{134d}, E.A. Ouellette¹⁶⁸, F. Ould-Saada¹¹⁶, A. Ouraou¹³⁵, Q. Ouyang^{32a}, A. Ovcharova¹⁴, M. Owen⁸¹, S. Owen¹³⁸, V.E. Ozcan^{18a}, N. Ozturk⁷, A. Pacheco Pages¹¹, C. Padilla Aranda¹¹, S. Pagan Griso¹⁴, E. Paganis¹³⁸, C. Pahl⁹⁸, F. Paige²⁴, P. Pais⁸³, K. Pajchel¹¹⁶, G. Palacino^{158b}, C.P. Paleari⁶, S. Palestini²⁹, D. Pallin³³, A. Palma^{123a}, J.D. Palmer¹⁷, Y.B. Pan¹⁷², E. Panagiotopoulou⁹, P. Pani¹⁰⁴, N. Panikashvili⁸⁶, S. Panitkin²⁴, D. Pantea^{25a}, A. Papadelis^{145a}, Th.D. Papadopoulou⁹, A. Paramonov⁵, D. Paredes Hernandez³³, W. Park^{24,ac}, M.A. Parker²⁷, F. Parodi^{49a,49b}, J.A. Parsons³⁴, U. Parzefall⁴⁷, S. Pashapour⁵³, E. Pasqualucci^{131a}, S. Passaggio^{49a}, A. Passeri^{133a}, F. Pastore^{133a,133b,*}, Fr. Pastore⁷⁵, G. Pásztor^{48,ad}, S. Pataraja¹⁷⁴, N. Patel¹⁴⁹, J.R. Pater⁸¹, S. Patricelli^{101a,101b}, T. Pauly²⁹, M. Pecsny^{143a}, M.I. Pedraza Morales¹⁷², S.V. Peleganchuk¹⁰⁶, D. Pelikan¹⁶⁵, H. Peng^{32b}, B. Penning³⁰, A. Penson³⁴, J. Penwell⁵⁹, M. Perantoni^{23a}, K. Perez^{34,ae}, T. Perez Cavalcanti⁴¹, E. Perez Codina^{158a}, M.T. Pérez García-Estañ¹⁶⁶, V. Perez Reale³⁴, L. Perini^{88a,88b}, H. Pernegger²⁹, R. Perrino^{71a}, P. Perrodo⁴, V.D. Peshekhonov⁶³, K. Peters²⁹, B.A. Petersen²⁹, J. Petersen²⁹, T.C. Petersen³⁵, E. Petit⁴, A. Petridis¹⁵³, C. Petridou¹⁵³, E. Petrolu^{131a}, F. Petrucci^{133a,133b}, D. Petschull⁴¹, M. Petteni¹⁴¹, R. Pezoa^{31b}, A. Phan⁸⁵, P.W. Phillips¹²⁸, G. Piacquadio²⁹, A. Picazio⁴⁸, E. Piccaro⁷⁴, M. Piccinini^{19a,19b}, S.M. Piec⁴¹, R. Piegai²⁶, D.T. Pignotti¹⁰⁸, J.E. Pilcher³⁰, A.D. Pilkington⁸¹, J. Pina^{123a,b}, M. Pinamonti^{163a,163c}, A. Pinder¹¹⁷, J.L. Pinfold², B. Pinto^{123a}, C. Pizio^{88a,88b}, M. Plamondon¹⁶⁸, M.-A. Pleier²⁴, E. Plotnikova⁶³, A. Poblaguev²⁴, S. Poddar^{57a}, F. Podlyski³³, L. Poggioli¹¹⁴, M. Pohl⁴⁸, G. Polesello^{118a}, A. Policicchio^{36a,36b}, A. Polini^{19a}, J. Poll⁷⁴, V. Polychronakos²⁴, D. Pomeroy²², K. Pommès²⁹, L. Pontecorvo^{131a}, B.G. Pope⁸⁷, G.A. Popeneciu^{25a}, D.S. Popovic^{12a}, A. Poppleton²⁹, X. Portell Bueso²⁹, G.E. Pospelov⁹⁸, S. Pospisil¹²⁶, I.N. Potrap⁹⁸, C.J. Potter¹⁴⁸, C.T. Potter¹¹³, G. Poulard²⁹, J. Poveda⁵⁹, V. Pozdnyakov⁶³, R. Prabhu⁷⁶, P. Pralavorio⁸², A. Pranko¹⁴, S. Prasad²⁹, R. Pravahan²⁴, S. Prell⁶², K. Pretzl¹⁶, D. Price⁵⁹, J. Price⁷², L.E. Price⁵, D. Prieur¹²², M. Primavera^{71a}, K. Prokofiev¹⁰⁷, F. Prokoshin^{31b}, S. Protopopescu²⁴, J. Proudfoot⁵, X. Prudent⁴³, M. Przybycien³⁷, H. Przysiezniak⁴, S. Psoroulas²⁰, E. Ptacek¹¹³, E. Pueschel⁸³, J. Purdham⁸⁶, M. Purohit^{24,ac}, P. Puzo¹¹⁴, Y. Pylypchenko⁶¹, J. Qian⁸⁶, A. Quadt⁵³, D.R. Quarrie¹⁴, W.B. Quayle¹⁷², F. Quinonez^{31a}, M. Raas¹⁰³, V. Radescu⁴¹, P. Radloff¹¹³, T. Rador^{18a}, F. Ragusa^{88a,88b}, G. Rahal¹⁷⁷, A.M. Rahimi¹⁰⁸, D. Rahm²⁴, S. Rajagopalan²⁴, M. Rammensee⁴⁷, M. Rammes¹⁴⁰, A.S. Randle-Conde³⁹, K. Randrianarivony²⁸, F. Rauscher⁹⁷, T.C. Rave⁴⁷, M. Raymond²⁹, A.L. Read¹¹⁶, D.M. Rebuzzi^{118a,118b}, A. Redelbach¹⁷³, G. Redlinger²⁴, R. Reece¹¹⁹, K. Reeves⁴⁰, E. Reinherz-Aronis¹⁵², A. Reinsch¹¹³, I. Reisinger⁴², C. Rembser²⁹, Z.L. Ren¹⁵⁰, A. Renaud¹¹⁴, M. Rescigno^{131a}, S. Resconi^{88a}, B. Resende¹³⁵, P. Reznicek⁹⁷, R. Rezvani¹⁵⁷, R. Richter⁹⁸, E. Richter-Was^{4,af}, M. Ridel⁷⁷, M. Rijpstra¹⁰⁴, M. Rijssenbeek¹⁴⁷,

A. Rimoldi^{118a,118b}, L. Rinaldi^{19a}, R.R. Rios³⁹, I. Riu¹¹, G. Rivoltella^{88a,88b}, F. Rizatdinova¹¹¹, E. Rizvi⁷⁴, S.H. Robertson^{84,k}, A. Robichaud-Veronneau¹¹⁷, D. Robinson²⁷, J.E.M. Robinson⁸¹, A. Robson⁵², J.G. Rocha de Lima¹⁰⁵, C. Roda^{121a,121b}, D. Roda Dos Santos²⁹, A. Roe⁵³, S. Roe²⁹, O. Røhne¹¹⁶, S. Rolli¹⁶⁰, A. Romaniouk⁹⁵, M. Romano^{19a,19b}, G. Romeo²⁶, E. Romero Adam¹⁶⁶, L. Roos⁷⁷, E. Ros¹⁶⁶, S. Rosati^{131a}, K. Rosbach⁴⁸, A. Rose¹⁴⁸, M. Rose⁷⁵, G.A. Rosenbaum¹⁵⁷, E.I. Rosenberg⁶², P.L. Rosendahl¹³, O. Rosenthal¹⁴⁰, L. Rosselet⁴⁸, V. Rossetti¹¹, E. Rossi^{131a,131b}, L.P. Rossi^{49a}, M. Rotaru^{25a}, I. Roth¹⁷¹, J. Rothberg¹³⁷, D. Rousseau¹¹⁴, C.R. Royon¹³⁵, A. Rozanov⁸², Y. Rozen¹⁵¹, X. Ruan^{32a,ag}, F. Rubbo¹¹, I. Rubinskiy⁴¹, B. Ruckert⁹⁷, N. Ruckstuhl¹⁰⁴, V.I. Rud⁹⁶, C. Rudolph⁴³, G. Rudolph⁶⁰, F. Rühr⁶, A. Ruiz-Martinez⁶², L. Rumyantsev⁶³, Z. Rurikova⁴⁷, N.A. Rusakovich⁶³, J.P. Rutherford⁶, C. Ruwiedel^{14,*}, P. Ruzicka¹²⁴, Y.F. Ryabov¹²⁰, P. Ryan⁸⁷, M. Rybar¹²⁵, G. Rybkin¹¹⁴, N.C. Ryder¹¹⁷, A.F. Saavedra¹⁴⁹, I. Sadeh¹⁵², H.F-W. Sadrozinski¹³⁶, R. Sadykov⁶³, F. Safai Tehrani^{131a}, H. Sakamoto¹⁵⁴, G. Salamanna⁷⁴, A. Salamon^{132a}, M. Saleem¹¹⁰, D. Salek²⁹, D. Salihagic⁹⁸, A. Salnikov¹⁴², J. Salt¹⁶⁶, B.M. Salvachua Ferrando⁵, D. Salvatore^{36a,36b}, F. Salvatore¹⁴⁸, A. Salvucci¹⁰³, A. Salzburger²⁹, D. Sampsonidis¹⁵³, B.H. Samset¹¹⁶, A. Sanchez^{101a,101b}, V. Sanchez Martinez¹⁶⁶, H. Sandaker¹³, H.G. Sander⁸⁰, M.P. Sanders⁹⁷, M. Sandhoff¹⁷⁴, T. Sandoval²⁷, C. Sandoval¹⁶¹, R. Sandstroem⁹⁸, D.P.C. Sankey¹²⁸, A. Sansoni⁴⁶, C. Santamarina Rios⁸⁴, C. Santoni³³, R. Santonico^{132a,132b}, H. Santos^{123a}, J.G. Saraiva^{123a}, T. Sarangi¹⁷², E. Sarkisyan-Grinbaum⁷, F. Sarri^{121a,121b}, G. Sartisohn¹⁷⁴, O. Sasaki⁶⁴, N. Sasao⁶⁶, I. Satsounkevitch⁸⁹, G. Sauvage^{4,*}, E. Sauvan⁴, J.B. Sauvan¹¹⁴, P. Savard^{157,d}, V. Savinov¹²², D.O. Savu²⁹, L. Sawyer^{24,m}, D.H. Saxon⁵², J. Saxon¹¹⁹, C. Sbarra^{19a}, A. Sbrizzi^{19a,19b}, D.A. Scannicchio¹⁶², M. Scarcella¹⁴⁹, J. Schaarschmidt¹¹⁴, P. Schacht⁹⁸, D. Schaefer¹¹⁹, U. Schäfer⁸⁰, S. Schaepe²⁰, S. Schaetzel^{57b}, A.C. Schaffer¹¹⁴, D. Schaile⁹⁷, R.D. Schamberger¹⁴⁷, A.G. Schamov¹⁰⁶, V. Scharf^{57a}, V.A. Schegelsky¹²⁰, D. Scheirich⁸⁶, M. Schernau¹⁶², M.I. Scherzer³⁴, C. Schiavi^{49a,49b}, J. Schieck⁹⁷, M. Schioppa^{36a,36b}, S. Schlenker²⁹, E. Schmidt⁴⁷, K. Schmieden²⁰, C. Schmitt⁸⁰, S. Schmitt^{57b}, M. Schmitz²⁰, B. Schneider¹⁶, U. Schnoor⁴³, A. Schoening^{57b}, A.L.S. Schorlemmer⁵³, M. Schott²⁹, D. Schouten^{158a}, J. Schovancova¹²⁴, M. Schram⁸⁴, C. Schroeder⁸⁰, N. Schroer^{57c}, M.J. Schultens²⁰, J. Schultes¹⁷⁴, H.-C. Schultz-Coulon^{57a}, H. Schulz¹⁵, M. Schumacher⁴⁷, B.A. Schumm¹³⁶, Ph. Schune¹³⁵, C. Schwanenberger⁸¹, A. Schwartzman¹⁴², Ph. Schwemling⁷⁷, R. Schwienhorst⁸⁷, R. Schwierz⁴³, J. Schwindling¹³⁵, T. Schwindt²⁰, M. Schwoerer⁴, G. Sciolla²², W.G. Scott¹²⁸, J. Searcy¹¹³, G. Sedov⁴¹, E. Sedykh¹²⁰, S.C. Seidel¹⁰², A. Seiden¹³⁶, F. Seifert⁴³, J.M. Seixas^{23a}, G. Sekhniaidze^{101a}, S.J. Sekula³⁹, K.E. Selbach⁴⁵, D.M. Seliverstov¹²⁰, B. Sellden^{145a}, G. Sellers⁷², M. Seman^{143b}, N. Semprini-Cesari^{19a,19b}, C. Serfon⁹⁷, L. Serin¹¹⁴, L. Serkin⁵³, R. Seuster⁹⁸, H. Severini¹¹⁰, A. Sfyrila²⁹, E. Shabalina⁵³, M. Shamim¹¹³, L.Y. Shan^{32a}, J.T. Shank²¹, Q.T. Shao⁸⁵, M. Shapiro¹⁴, P.B. Shatalov⁹⁴, K. Shaw^{163a,163c}, D. Sherman¹⁷⁵, P. Sherwood⁷⁶, A. Shibata¹⁰⁷, S. Shimizu²⁹, M. Shimojima⁹⁹, T. Shin⁵⁵, M. Shiyakova⁶³, A. Shmeleva⁹³, M.J. Shochet³⁰, D. Short¹¹⁷, S. Shrestha⁶², E. Shulga⁹⁵, M.A. Shupe⁶, P. Sicho¹²⁴, A. Sidoti^{131a}, F. Siegert⁴⁷, Dj. Sijacki^{12a}, O. Silbert¹⁷¹, J. Silva^{123a}, Y. Silver¹⁵², D. Silverstein¹⁴², S.B. Silverstein^{145a}, V. Simak¹²⁶, O. Simard¹³⁵, Lj. Simic^{12a}, S. Simion¹¹⁴, E. Simioni⁸⁰, B. Simmons⁷⁶, R. Simoniello^{88a,88b}, M. Simonyan³⁵,

P. Sinervo¹⁵⁷, N.B. Sinev¹¹³, V. Sipica¹⁴⁰, G. Siragusa¹⁷³, A. Sircar²⁴, A.N. Sisakyan^{63,*}, S.Yu. Sivoklokov⁹⁶, J. Sjölin^{145a,145b}, T.B. Sjusen¹³, L.A. Skinnari¹⁴, H.P. Skottowe⁵⁶, K. Skovpen¹⁰⁶, P. Skubic¹¹⁰, M. Slater¹⁷, T. Slavicek¹²⁶, K. Sliwa¹⁶⁰, V. Smakhtin¹⁷¹, B.H. Smart⁴⁵, S.Yu. Smirnov⁹⁵, Y. Smirnov⁹⁵, L.N. Smirnova⁹⁶, O. Smirnova⁷⁸, B.C. Smith⁵⁶, D. Smith¹⁴², K.M. Smith⁵², M. Smizanska⁷⁰, K. Smolek¹²⁶, A.A. Snesev⁹³, S.W. Snow⁸¹, J. Snow¹¹⁰, S. Snyder²⁴, R. Sobie^{168,k}, J. Sodomka¹²⁶, A. Soffer¹⁵², C.A. Solans¹⁶⁶, M. Solar¹²⁶, J. Solc¹²⁶, E.Yu. Soldatov⁹⁵, U. Soldevila¹⁶⁶, E. Solfaroli Camillocci^{131a,131b}, A.A. Solodkov¹²⁷, O.V. Solovyanov¹²⁷, V. Solovyev¹²⁰, N. Soni⁸⁵, V. Sopko¹²⁶, B. Sopko¹²⁶, M. Sosebee⁷, R. Soualah^{163a,163c}, A. Soukharev¹⁰⁶, S. Spagnolo^{71a,71b}, F. Spanò⁷⁵, R. Spighi^{19a}, G. Spigo²⁹, R. Spiwoks²⁹, M. Spousta^{125,ah}, T. Spreitzer¹⁵⁷, B. Spurlock⁷, R.D. St. Denis⁵², J. Stahlman¹¹⁹, R. Stamen^{57a}, E. Stanecka³⁸, R.W. Stanek⁵, C. Stanescu^{133a}, M. Stanescu-Bellu⁴¹, S. Stapnes¹¹⁶, E.A. Starchenko¹²⁷, J. Stark⁵⁴, P. Staroba¹²⁴, P. Starovoitov⁴¹, R. Staszewski³⁸, A. Stauder⁹⁷, P. Stavina^{143a,*}, G. Steele⁵², P. Steinbach⁴³, P. Steinberg²⁴, I. Stekl¹²⁶, B. Stelzer¹⁴¹, H.J. Stelzer⁸⁷, O. Stelzer-Chilton^{158a}, H. Stenzel⁵¹, S. Stern⁹⁸, G.A. Stewart²⁹, J.A. Stillings²⁰, M.C. Stockton⁸⁴, K. Stoerig⁴⁷, G. Stoica^{25a}, S. Stonjek⁹⁸, P. Strachota¹²⁵, A.R. Stradling⁷, A. Straessner⁴³, J. Strandberg¹⁴⁶, S. Strandberg^{145a,145b}, A. Strandlie¹¹⁶, M. Strang¹⁰⁸, E. Strauss¹⁴², M. Strauss¹¹⁰, P. Strizenec^{143b}, R. Ströhmer¹⁷³, D.M. Strom¹¹³, J.A. Strong^{75,*}, R. Stroynowski³⁹, J. Strube¹²⁸, B. Stugu¹³, I. Stumer^{24,*}, J. Stupak¹⁴⁷, P. Sturm¹⁷⁴, N.A. Styles⁴¹, D.A. Soh^{150,w}, D. Su¹⁴², H.S. Subramania², A. Succurro¹¹, Y. Sugaya¹¹⁵, C. Suhr¹⁰⁵, M. Suk¹²⁵, V.V. Sulin⁹³, S. Sultansoy^{3d}, T. Sumida⁶⁶, X. Sun⁵⁴, J.E. Sundermann⁴⁷, K. Suruliz¹³⁸, G. Susinno^{36a,36b}, M.R. Sutton¹⁴⁸, Y. Suzuki⁶⁴, Y. Suzuki⁶⁵, M. Svatos¹²⁴, S. Swedish¹⁶⁷, I. Sykora^{143a}, T. Sykora¹²⁵, J. Sánchez¹⁶⁶, D. Ta¹⁰⁴, K. Tackmann⁴¹, A. Taffard¹⁶², R. Tafirout^{158a}, N. Taiblum¹⁵², Y. Takahashi¹⁰⁰, H. Takai²⁴, R. Takashima⁶⁷, H. Takeda⁶⁵, T. Takeshita¹³⁹, Y. Takubo⁶⁴, M. Talby⁸², A. Talyshev^{106,f}, M.C. Tamsett²⁴, J. Tanaka¹⁵⁴, R. Tanaka¹¹⁴, S. Tanaka¹³⁰, S. Tanaka⁶⁴, A.J. Tanasijczuk¹⁴¹, K. Tani⁶⁵, N. Tannoury⁸², S. Tapprogge⁸⁰, D. Tardif¹⁵⁷, S. Tarem¹⁵¹, F. Tarrade²⁸, G.F. Tartarelli^{88a}, P. Tas¹²⁵, M. Tasevsky¹²⁴, E. Tassi^{36a,36b}, M. Tatarkhanov¹⁴, Y. Tayalati^{134d}, C. Taylor⁷⁶, F.E. Taylor⁹¹, G.N. Taylor⁸⁵, W. Taylor^{158b}, M. Teinturier¹¹⁴, M. Teixeira Dias Castanheira⁷⁴, P. Teixeira-Dias⁷⁵, K.K. Temming⁴⁷, H. Ten Kate²⁹, P.K. Teng¹⁵⁰, S. Terada⁶⁴, K. Terashi¹⁵⁴, J. Terron⁷⁹, M. Testa⁴⁶, R.J. Teuscher^{157,k}, J. Therhaag²⁰, T. Theveneaux-Pelzer⁷⁷, S. Thoma⁴⁷, J.P. Thomas¹⁷, E.N. Thompson³⁴, P.D. Thompson¹⁷, P.D. Thompson¹⁵⁷, A.S. Thompson⁵², L.A. Thomsen³⁵, E. Thomson¹¹⁹, M. Thomson²⁷, W.M. Thong⁸⁵, R.P. Thun⁸⁶, F. Tian³⁴, M.J. Tibbetts¹⁴, T. Tic¹²⁴, V.O. Tikhomirov⁹³, Y.A. Tikhonov^{106,f}, S. Timoshenko⁹⁵, P. Tipton¹⁷⁵, S. Tisserant⁸², T. Todorov⁴, S. Todorova-Nova¹⁶⁰, B. Toggerson¹⁶², J. Tojo⁶⁸, S. Tokár^{143a}, K. Tokushuku⁶⁴, K. Tollefson⁸⁷, M. Tomoto¹⁰⁰, L. Tompkins³⁰, K. Toms¹⁰², A. Tonoyan¹³, C. Topfel¹⁶, N.D. Topilin⁶³, I. Torchiani²⁹, E. Torrence¹¹³, H. Torres⁷⁷, E. Torrón Pastor¹⁶⁶, J. Toth^{82,ad}, F. Touchard⁸², D.R. Tovey¹³⁸, T. Trefzger¹⁷³, L. Tremblet²⁹, A. Tricoli²⁹, I.M. Trigger^{158a}, S. Trincaz-Duvoid⁷⁷, M.F. Tripiana⁶⁹, N. Triplett²⁴, W. Trischuk¹⁵⁷, B. Trocme⁵⁴, C. Troncon^{88a}, M. Trottier-McDonald¹⁴¹, M. Trzebinski³⁸, A. Trzupek³⁸, C. Tsarouchas²⁹, J.C-L. Tseng¹¹⁷, M. Tsiakiris¹⁰⁴,

P.V. Tsiareshka⁸⁹, D. Tsionou^{4,ai}, G. Tsipolitis⁹, S. Tsiskaridze¹¹, V. Tsiskaridze⁴⁷, E.G. Tskhadadze^{50a}, I.I. Tsukerman⁹⁴, V. Tsulaia¹⁴, J.-W. Tsung²⁰, S. Tsuno⁶⁴, D. Tsybychev¹⁴⁷, A. Tua¹³⁸, A. Tudorache^{25a}, V. Tudorache^{25a}, J.M. Tuggle³⁰, M. Turala³⁸, D. Turecek¹²⁶, I. Turk Cakir^{3e}, E. Turlay¹⁰⁴, R. Turra^{88a,88b}, P.M. Tuts³⁴, A. Tykhonov⁷³, M. Tylmad^{145a,145b}, M. Tyndel¹²⁸, G. Tzanakos⁸, K. Uchida²⁰, I. Ueda¹⁵⁴, R. Ueno²⁸, M. Uglan¹³, M. Uhlenbrock²⁰, M. Uhrmacher⁵³, F. Ukegawa¹⁵⁹, G. Unal²⁹, A. Undrus²⁴, G. Unel¹⁶², Y. Unno⁶⁴, D. Urbaniec³⁴, G. Usai⁷, M. Uslenghi^{118a,118b}, L. Vacavant⁸², V. Vacek¹²⁶, B. Vachon⁸⁴, S. Vahsen¹⁴, J. Valenta¹²⁴, S. Valentineti^{19a,19b}, A. Valero¹⁶⁶, S. Valkar¹²⁵, E. Valladolid Gallego¹⁶⁶, S. Vallecorsa¹⁵¹, J.A. Valls Ferrer¹⁶⁶, P.C. Van Der Deijl¹⁰⁴, R. van der Geer¹⁰⁴, H. van der Graaf¹⁰⁴, R. Van Der Leeuw¹⁰⁴, E. van der Poel¹⁰⁴, D. van der Ster²⁹, N. van Eldik²⁹, P. van Gemmeren⁵, I. van Vulpen¹⁰⁴, M. Vanadia⁹⁸, W. Vandelli²⁹, A. Vaniachine⁵, P. Vankov⁴¹, F. Vannucci⁷⁷, R. Vari^{131a}, T. Varol⁸³, D. Varouchas¹⁴, A. Vartapetian⁷, K.E. Varvell¹⁴⁹, V.I. Vassilakopoulos⁵⁵, F. Vazeille³³, T. Vazquez Schroeder⁵³, G. Vegni^{88a,88b}, J.J. Veillet¹¹⁴, F. Veloso^{123a}, R. Veness²⁹, S. Veneziano^{131a}, A. Ventura^{71a,71b}, D. Ventura⁸³, M. Venturi⁴⁷, N. Venturi¹⁵⁷, V. Vercesi^{118a}, M. Verducci¹³⁷, W. Verkerke¹⁰⁴, J.C. Vermeulen¹⁰⁴, A. Vest⁴³, M.C. Vetterli^{141,d}, I. Vichou¹⁶⁴, T. Vickey^{144b,aj}, O.E. Vickey Boeriu^{144b}, G.H.A. Viehhauser¹¹⁷, S. Viel¹⁶⁷, M. Villa^{19a,19b}, M. Villaplana Perez¹⁶⁶, E. Vilucchi⁴⁶, M.G. Vincter²⁸, E. Vinek²⁹, V.B. Vinogradov⁶³, M. Virchaux^{135,*}, J. Virzi¹⁴, O. Vitells¹⁷¹, M. Viti⁴¹, I. Vivarelli⁴⁷, F. Vives Vaque², S. Vlachos⁹, D. Vladoiu⁹⁷, M. Vlasak¹²⁶, A. Vogel²⁰, P. Vokac¹²⁶, G. Volpi⁴⁶, M. Volpi⁸⁵, G. Volpini^{88a}, H. von der Schmitt⁹⁸, H. von Radziewski⁴⁷, E. von Toerne²⁰, V. Vorobel¹²⁵, V. Vorwerk¹¹, M. Vos¹⁶⁶, R. Voss²⁹, T.T. Voss¹⁷⁴, J.H. Vossebeld⁷², N. Vranjes¹³⁵, M. Vranjes Milosavljevic¹⁰⁴, V. Vrba¹²⁴, M. Vreeswijk¹⁰⁴, T. Vu Anh⁴⁷, R. Vuillermet²⁹, I. Vukotic³⁰, W. Wagner¹⁷⁴, P. Wagner¹¹⁹, H. Wahlen¹⁷⁴, S. Wahrenmund⁴³, J. Wakabayashi¹⁰⁰, S. Walch⁸⁶, J. Walder⁷⁰, R. Walker⁹⁷, W. Walkowiak¹⁴⁰, R. Wall¹⁷⁵, P. Waller⁷², B. Walsh¹⁷⁵, C. Wang⁴⁴, H. Wang¹⁷², H. Wang^{32b,ak}, J. Wang¹⁵⁰, J. Wang⁵⁴, R. Wang¹⁰², S.M. Wang¹⁵⁰, T. Wang²⁰, A. Warburton⁸⁴, C.P. Ward²⁷, M. Warsinsky⁴⁷, A. Washbrook⁴⁵, C. Wasicki⁴¹, I. Watanabe⁶⁵, P.M. Watkins¹⁷, A.T. Watson¹⁷, I.J. Watson¹⁴⁹, M.F. Watson¹⁷, G. Watts¹³⁷, S. Watts⁸¹, A.T. Waugh¹⁴⁹, B.M. Waugh⁷⁶, M. Weber¹²⁸, M.S. Weber¹⁶, P. Weber⁵³, A.R. Weidberg¹¹⁷, P. Weigell⁹⁸, J. Weingarten⁵³, C. Weiser⁴⁷, H. Wellenstein²², P.S. Wells²⁹, T. Wenaus²⁴, D. Wendland¹⁵, Z. Weng^{150,w}, T. Wengler²⁹, S. Wenig²⁹, N. Vermes²⁰, M. Werner⁴⁷, P. Werner²⁹, M. Werth¹⁶², M. Wessels^{57a}, J. Wetter¹⁶⁰, C. Weydert⁵⁴, K. Whalen²⁸, S.J. Wheeler-Ellis¹⁶², A. White⁷, M.J. White⁸⁵, S. White^{121a,121b}, S.R. Whitehead¹¹⁷, D. Whiteson¹⁶², D. Whittington⁵⁹, F. Wicke¹¹⁴, D. Wicke¹⁷⁴, F.J. Wickens¹²⁸, W. Wiedenmann¹⁷², M. Wielers¹²⁸, P. Wienemann²⁰, C. Wiglesworth⁷⁴, L.A.M. Wiik-Fuchs⁴⁷, P.A. Wijeratne⁷⁶, A. Wildauer¹⁶⁶, M.A. Wildt^{41,s}, I. Wilhelm¹²⁵, H.G. Wilkens²⁹, J.Z. Will⁹⁷, E. Williams³⁴, H.H. Williams¹¹⁹, W. Willis³⁴, S. Willocq⁸³, J.A. Wilson¹⁷, M.G. Wilson¹⁴², A. Wilson⁸⁶, I. Wingerter-Seez⁴, S. Winkelmann⁴⁷, F. Winklmeier²⁹, M. Wittgen¹⁴², S.J. Wollstadt⁸⁰, M.W. Wolter³⁸, H. Wolters^{123a,h}, W.C. Wong⁴⁰, G. Wooden⁸⁶, B.K. Wosiek³⁸, J. Wotschack²⁹, M.J. Woudstra⁸¹, K.W. Wozniak³⁸, K. Wraight⁵², C. Wright⁵², M. Wright⁵², B. Wrona⁷², S.L. Wu¹⁷², X. Wu⁴⁸, Y. Wu^{32b,al}, E. Wulf³⁴, B.M. Wynne⁴⁵, S. Xella³⁵,

M. Xiao¹³⁵, S. Xie⁴⁷, C. Xu^{32b,z}, D. Xu¹³⁸, B. Yabsley¹⁴⁹, S. Yacoob^{144b}, M. Yamada⁶⁴, H. Yamaguchi¹⁵⁴, A. Yamamoto⁶⁴, K. Yamamoto⁶², S. Yamamoto¹⁵⁴, T. Yamamura¹⁵⁴, T. Yamanaka¹⁵⁴, J. Yamaoka⁴⁴, T. Yamazaki¹⁵⁴, Y. Yamazaki⁶⁵, Z. Yan²¹, H. Yang⁸⁶, U.K. Yang⁸¹, Y. Yang⁵⁹, Z. Yang^{145a,145b}, S. Yanush⁹⁰, L. Yao^{32a}, Y. Yao¹⁴, Y. Yasu⁶⁴, G.V. Ybeles Smit¹²⁹, J. Ye³⁹, S. Ye²⁴, M. Yilmaz^{3c}, R. Yoosoofmiya¹²², K. Yorita¹⁷⁰, R. Yoshida⁵, C. Young¹⁴², C.J. Young¹¹⁷, S. Youssef²¹, D. Yu²⁴, J. Yu⁷, J. Yu¹¹¹, L. Yuan⁶⁵, A. Yurkewicz¹⁰⁵, M. Byszewski²⁹, B. Zabinski³⁸, R. Zaidan⁶¹, A.M. Zaitsev¹²⁷, Z. Zajacova²⁹, L. Zanello^{131a,131b}, A. Zaytsev¹⁰⁶, C. Zeitnitz¹⁷⁴, M. Zeman¹²⁴, A. Zemla³⁸, C. Zender²⁰, O. Zenin¹²⁷, T. Ženiš^{143a}, Z. Zinonos^{121a,121b}, S. Zenz¹⁴, D. Zerwas¹¹⁴, G. Zevi della Porta⁵⁶, Z. Zhan^{32d}, D. Zhang^{32b,ak}, H. Zhang⁸⁷, J. Zhang⁵, X. Zhang^{32d}, Z. Zhang¹¹⁴, L. Zhao¹⁰⁷, T. Zhao¹³⁷, Z. Zhao^{32b}, A. Zhemchugov⁶³, J. Zhong¹¹⁷, B. Zhou⁸⁶, N. Zhou¹⁶², Y. Zhou¹⁵⁰, C.G. Zhu^{32d}, H. Zhu⁴¹, J. Zhu⁸⁶, Y. Zhu^{32b}, X. Zhuang⁹⁷, V. Zhuravlov⁹⁸, D. Zieminska⁵⁹, N.I. Zimin⁶³, R. Zimmermann²⁰, S. Zimmermann²⁰, S. Zimmermann⁴⁷, M. Ziolkowski¹⁴⁰, R. Zitoun⁴, L. Živković³⁴, V.V. Zmouchko^{127,*}, G. Zoernig¹⁷², A. Zoccoli^{19a,19b}, M. zur Nedden¹⁵, V. Zutshi¹⁰⁵ and L. Zwalinski²⁹

- 1: Physics Department, SUNY Albany, Albany NY, United States of America
- 2: Department of Physics, University of Alberta, Edmonton AB, Canada
- 3: ^(a)Department of Physics, Ankara University, Ankara; ^(b)Department of Physics, Dumlupinar University, Kutahya; ^(c)Department of Physics, Gazi University, Ankara; ^(d)Division of Physics, TOBB University of Economics and Technology, Ankara; ^(e)Turkish Atomic Energy Authority, Ankara, Turkey
- 4: LAPP, CNRS/IN2P3 and Université de Savoie, Annecy-le-Vieux, France
- 5: High Energy Physics Division, Argonne National Laboratory, Argonne IL, United States of America
- 6: Department of Physics, University of Arizona, Tucson AZ, United States of America
- 7: Department of Physics, The University of Texas at Arlington, Arlington TX, United States of America
- 8: Physics Department, University of Athens, Athens, Greece
- 9: Physics Department, National Technical University of Athens, Zografou, Greece
- 10: Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan
- 11: Institut de Física d'Altes Energies and Departament de Física de la Universitat Autònoma de Barcelona and ICREA, Barcelona, Spain
- 12: ^(a)Institute of Physics, University of Belgrade, Belgrade; ^(b)Vinca Institute of Nuclear Sciences, University of Belgrade, Belgrade, Serbia
- 13: Department for Physics and Technology, University of Bergen, Bergen, Norway
- 14: Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley CA, United States of America
- 15: Department of Physics, Humboldt University, Berlin, Germany
- 16: Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland

- 17: School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom
- 18: ^(a)Department of Physics, Bogazici University, Istanbul; ^(b)Division of Physics, Dogus University, Istanbul; ^(c)Department of Physics Engineering, Gaziantep University, Gaziantep; ^(d)Department of Physics, Istanbul Technical University, Istanbul, Turkey
- 19: ^(a)INFN Sezione di Bologna; ^(b)Dipartimento di Fisica, Università di Bologna, Bologna, Italy
- 20: Physikalisches Institut, University of Bonn, Bonn, Germany
- 21: Department of Physics, Boston University, Boston MA, United States of America
- 22: Department of Physics, Brandeis University, Waltham MA, United States of America
- 23: ^(a)Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; ^(b)Federal University of Juiz de Fora (UFJF), Juiz de Fora; ^(c)Federal University of Sao Joao del Rei (UFSJ), Sao Joao del Rei; ^(d)Instituto de Fisica, Universidade de Sao Paulo, Sao Paulo, Brazil
- 24: Physics Department, Brookhaven National Laboratory, Upton NY, United States of America
- 25: ^(a)National Institute of Physics and Nuclear Engineering, Bucharest; ^(b)University Politehnica Bucharest, Bucharest; ^(c)West University in Timisoara, Timisoara, Romania
- 26: Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina
- 27: Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom
- 28: Department of Physics, Carleton University, Ottawa ON, Canada
- 29: CERN, Geneva, Switzerland
- 30: Enrico Fermi Institute, University of Chicago, Chicago IL, United States of America
- 31: ^(a)Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b)Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile
- 32: ^(a)Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; ^(b)Department of Modern Physics, University of Science and Technology of China, Anhui; ^(c)Department of Physics, Nanjing University, Jiangsu; ^(d)School of Physics, Shandong University, Shandong, China
- 33: Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal and CNRS/IN2P3, Aubiere Cedex, France
- 34: Nevis Laboratory, Columbia University, Irvington NY, United States of America
- 35: Niels Bohr Institute, University of Copenhagen, Kobenhavn, Denmark
- 36: ^(a)INFN Gruppo Collegato di Cosenza; ^(b)Dipartimento di Fisica, Università della Calabria, Arcavata di Rende, Italy
- 37: AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow, Poland
- 38: The Henryk Niewodniczanski Institute of Nuclear Physics, Polish Academy of Sciences, Krakow, Poland
- 39: Physics Department, Southern Methodist University, Dallas TX, United States of America

- 40: Physics Department, University of Texas at Dallas, Richardson TX, United States of America
- 41: DESY, Hamburg and Zeuthen, Germany
- 42: Institut für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany
- 43: Institut für Kern-und Teilchenphysik, Technical University Dresden, Dresden, Germany
- 44: Department of Physics, Duke University, Durham NC, United States of America
- 45: SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom
- 46: INFN Laboratori Nazionali di Frascati, Frascati, Italy
- 47: Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany
- 48: Section de Physique, Université de Genève, Geneva, Switzerland
- 49: ^(a)INFN Sezione di Genova; ^(b)Dipartimento di Fisica, Università di Genova, Genova, Italy
- 50: ^(a)E. Andronikashvili Institute of Physics, Tbilisi State University, Tbilisi; ^(b)High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia
- 51: II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany
- 52: SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom
- 53: II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany
- 54: Laboratoire de Physique Subatomique et de Cosmologie, Université Joseph Fourier and CNRS/IN2P3 and Institut National Polytechnique de Grenoble, Grenoble, France
- 55: Department of Physics, Hampton University, Hampton VA, United States of America
- 56: Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA, United States of America
- 57: ^(a)Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b)Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(c)ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany
- 58: Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan
- 59: Department of Physics, Indiana University, Bloomington IN, United States of America
- 60: Institut für Astro-und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
- 61: University of Iowa, Iowa City IA, United States of America
- 62: Department of Physics and Astronomy, Iowa State University, Ames IA, United States of America
- 63: Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
- 64: KEK, High Energy Accelerator Research Organization, Tsukuba, Japan

- 65: Graduate School of Science, Kobe University, Kobe, Japan
- 66: Faculty of Science, Kyoto University, Kyoto, Japan
- 67: Kyoto University of Education, Kyoto, Japan
- 68: Department of Physics, Kyushu University, Fukuoka, Japan
- 69: Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
- 70: Physics Department, Lancaster University, Lancaster, United Kingdom
- 71: ^(a)INFN Sezione di Lecce; ^(b)Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
- 72: Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
- 73: Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia
- 74: School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
- 75: Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
- 76: Department of Physics and Astronomy, University College London, London, United Kingdom
- 77: Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
- 78: Fysiska institutionen, Lunds universitet, Lund, Sweden
- 79: Departamento de Física Teórica C-15, Universidad Autónoma de Madrid, Madrid, Spain
- 80: Institut für Physik, Universität Mainz, Mainz, Germany
- 81: School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
- 82: CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
- 83: Department of Physics, University of Massachusetts, Amherst MA, United States of America
- 84: Department of Physics, McGill University, Montreal QC, Canada
- 85: School of Physics, University of Melbourne, Victoria, Australia
- 86: Department of Physics, The University of Michigan, Ann Arbor MI, United States of America
- 87: Department of Physics and Astronomy, Michigan State University, East Lansing MI, United States of America
- 88: ^(a)INFN Sezione di Milano; ^(b)Dipartimento di Fisica, Università di Milano, Milano, Italy
- 89: B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Republic of Belarus
- 90: National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Republic of Belarus
- 91: Department of Physics, Massachusetts Institute of Technology, Cambridge MA, United States of America

- 92: Group of Particle Physics, University of Montreal, Montreal QC, Canada
- 93: P.N. Lebedev Institute of Physics, Academy of Sciences, Moscow, Russia
- 94: Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
- 95: Moscow Engineering and Physics Institute (MEPhI), Moscow, Russia
- 96: Skobeltsyn Institute of Nuclear Physics, Lomonosov Moscow State University, Moscow, Russia
- 97: Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
- 98: Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
- 99: Nagasaki Institute of Applied Science, Nagasaki, Japan
- 100: Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan
- 101: ^(a)INFN Sezione di Napoli; ^(b)Dipartimento di Scienze Fisiche, Università di Napoli, Napoli, Italy
- 102: Department of Physics and Astronomy, University of New Mexico, Albuquerque NM, United States of America
- 103: Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
- 104: Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
- 105: Department of Physics, Northern Illinois University, DeKalb IL, United States of America
- 106: Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia
- 107: Department of Physics, New York University, New York NY, United States of America
- 108: Ohio State University, Columbus OH, United States of America
- 109: Faculty of Science, Okayama University, Okayama, Japan
- 110: Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK, United States of America
- 111: Department of Physics, Oklahoma State University, Stillwater OK, United States of America
- 112: Palacký University, RCPTM, Olomouc, Czech Republic
- 113: Center for High Energy Physics, University of Oregon, Eugene OR, United States of America
- 114: LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France
- 115: Graduate School of Science, Osaka University, Osaka, Japan
- 116: Department of Physics, University of Oslo, Oslo, Norway
- 117: Department of Physics, Oxford University, Oxford, United Kingdom
- 118: ^(a)INFN Sezione di Pavia; ^(b)Dipartimento di Fisica, Università di Pavia, Pavia, Italy
- 119: Department of Physics, University of Pennsylvania, Philadelphia PA, United States of America
- 120: Petersburg Nuclear Physics Institute, Gatchina, Russia
- 121: ^(a)INFN Sezione di Pisa; ^(b)Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy

- 122: Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA, United States of America
- 123: ^(a)Laboratorio de Instrumentacao e Fisica Experimental de Particulas - LIP, Lisboa, Portugal; ^(b)Departamento de Fisica Teorica y del Cosmos and CAFPE, Universidad de Granada, Granada, Spain
- 124: Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic
- 125: Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic
- 126: Czech Technical University in Prague, Praha, Czech Republic
- 127: State Research Center Institute for High Energy Physics, Protvino, Russia
- 128: Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
- 129: Physics Department, University of Regina, Regina SK, Canada
- 130: Ritsumeikan University, Kusatsu, Shiga, Japan
- 131: ^(a)INFN Sezione di Roma I; ^(b)Dipartimento di Fisica, Università La Sapienza, Roma, Italy
- 132: ^(a)INFN Sezione di Roma Tor Vergata; ^(b)Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
- 133: ^(a)INFN Sezione di Roma Tre; ^(b)Dipartimento di Fisica, Università Roma Tre, Roma, Italy
- 134: ^(a)Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université Hassan II, Casablanca; ^(b)Centre National de l'Energie des Sciences Techniques Nucleaires, Rabat; ^(c)Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; ^(d)Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; ^(e)Faculté des sciences, Université Mohammed V-Agdal, Rabat, Morocco
- 135: DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat a l'Energie Atomique), Gif-sur-Yvette, France
- 136: Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA, United States of America
- 137: Department of Physics, University of Washington, Seattle WA, United States of America
- 138: Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
- 139: Department of Physics, Shinshu University, Nagano, Japan
- 140: Fachbereich Physik, Universität Siegen, Siegen, Germany
- 141: Department of Physics, Simon Fraser University, Burnaby BC, Canada
- 142: SLAC National Accelerator Laboratory, Stanford CA, United States of America
- 143: ^(a)Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; ^(b)Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic

- 144: ^(a)Department of Physics, University of Johannesburg, Johannesburg; ^(b)School of Physics, University of the Witwatersrand, Johannesburg, South Africa
- 145: ^(a)Department of Physics, Stockholm University; ^(b)The Oskar Klein Centre, Stockholm, Sweden
- 146: Physics Department, Royal Institute of Technology, Stockholm, Sweden
- 147: Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook NY, United States of America
- 148: Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
- 149: School of Physics, University of Sydney, Sydney, Australia
- 150: Institute of Physics, Academia Sinica, Taipei, Taiwan
- 151: Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel
- 152: Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
- 153: Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
- 154: International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan
- 155: Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
- 156: Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
- 157: Department of Physics, University of Toronto, Toronto ON, Canada
- 158: ^(a)TRIUMF, Vancouver BC; ^(b)Department of Physics and Astronomy, York University, Toronto ON, Canada
- 159: Institute of Pure and Applied Sciences, University of Tsukuba, 1-1-1 Tennodai, Tsukuba, Ibaraki 305-8571, Japan
- 160: Science and Technology Center, Tufts University, Medford MA, United States of America
- 161: Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia
- 162: Department of Physics and Astronomy, University of California Irvine, Irvine CA, United States of America
- 163: ^(a)INFN Gruppo Collegato di Udine; ^(b)ICTP, Trieste; ^(c)Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy
- 164: Department of Physics, University of Illinois, Urbana IL, United States of America
- 165: Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
- 166: Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain
- 167: Department of Physics, University of British Columbia, Vancouver BC, Canada
- 168: Department of Physics and Astronomy, University of Victoria, Victoria BC, Canada
- 169: Department of Physics, University of Warwick, Coventry, United Kingdom
- 170: Waseda University, Tokyo, Japan
- 171: Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel

- 172: Department of Physics, University of Wisconsin, Madison WI, United States of America
- 173: Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany
- 174: Fachbereich C Physik, Bergische Universität Wuppertal, Wuppertal, Germany
- 175: Department of Physics, Yale University, New Haven CT, United States of America
- 176: Yerevan Physics Institute, Yerevan, Armenia
- 177: Domaine scientifique de la Doua, Centre de Calcul CNRS/IN2P3, Villeurbanne Cedex, France
- a*: Also at Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa, Portugal
- b*: Also at Faculdade de Ciências and CFNUL, Universidade de Lisboa, Lisboa, Portugal
- c*: Also at Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
- d*: Also at TRIUMF, Vancouver BC, Canada
- e*: Also at Department of Physics, California State University, Fresno CA, United States of America
- f*: Also at Novosibirsk State University, Novosibirsk, Russia
- g*: Also at Fermilab, Batavia IL, United States of America
- h*: Also at Department of Physics, University of Coimbra, Coimbra, Portugal
- i*: Also at Department of Physics, UASLP, San Luis Potosi, Mexico
- j*: Also at Università di Napoli Parthenope, Napoli, Italy
- k*: Also at Institute of Particle Physics (IPP), Canada
- l*: Also at Department of Physics, Middle East Technical University, Ankara, Turkey
- m*: Also at Louisiana Tech University, Ruston LA, United States of America
- n*: Also at Dep Física and CEFITEC of Faculdade de Ciências e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal
- o*: Also at Department of Physics and Astronomy, University College London, London, United Kingdom
- p*: Also at Group of Particle Physics, University of Montreal, Montreal QC, Canada
- q*: Also at Department of Physics, University of Cape Town, Cape Town, South Africa
- r*: Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan
- s*: Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg, Germany
- t*: Also at Manhattan College, New York NY, United States of America
- u*: Also at School of Physics, Shandong University, Shandong, China
- v*: Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
- w*: Also at School of Physics and Engineering, Sun Yat-sen University, Guanzhou, China
- x*: Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan
- y*: Also at Dipartimento di Fisica, Università La Sapienza, Roma, Italy
- z*: Also at DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Énergie Atomique), Gif-sur-Yvette, France
- aa*: Also at section de Physique, Université de Genève, Geneva, Switzerland

- ab*: Also at Departamento de Fisica, Universidade de Minho, Braga, Portugal
- ac*: Also at Department of Physics and Astronomy, University of South Carolina, Columbia SC, United States of America
- ad*: Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary
- ae*: Also at California Institute of Technology, Pasadena CA, United States of America
- af*: Also at Institute of Physics, Jagiellonian University, Krakow, Poland
- ag*: Also at LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France
- ah*: Also at Nevis Laboratory, Columbia University, Irvington NY, United States of America
- ai*: Also at Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
- aj*: Also at Department of Physics, Oxford University, Oxford, United Kingdom
- ak*: Also at Institute of Physics, Academia Sinica, Taipei, Taiwan
- al*: Also at Department of Physics, The University of Michigan, Ann Arbor MI, United States of America
- *: Deceased