UC Irvine

UC Irvine Previously Published Works

Title

Search for new high-mass phenomena in the dilepton final state using 36 fb−1 of protonproton collision data at s=13 TeV with the ATLAS detector

Permalink <https://escholarship.org/uc/item/8208b2xj>

Journal

Journal of High Energy Physics, 2017(10)

ISSN

1126-6708

Authors

The ATLAS collaboration Aaboud, M Aad, G [et al.](https://escholarship.org/uc/item/8208b2xj#author)

Publication Date

2017-10-01

DOI 10.1007/jhep10(2017)182

Copyright Information

This work is made available under the terms of a Creative Commons Attribution License, available at <https://creativecommons.org/licenses/by/4.0/>

Peer reviewed

PUBLISHED FOR SISSA BY 2 SPRINGER

Received: July 11, 2017 Revised: September 8, 2017 Accepted: October 6, 2017 PUBLISHED: October 26, 2017

Search for new high-mass phenomena in the dilepton final state using 36 fb⁻¹ of proton-proton collision $\frac{1}{\sqrt{2}}$ and $\frac{1}{\sqrt{2}}$ = 13 TeV with the ATLAS detector

The ATLAS collaboration

E-mail: atlas.publications@cern.ch

ABSTRACT: A search is conducted for new resonant and non-resonant high-mass phenomena in dielectron and dimuon final states. The search uses 36.1 fb^{-1} of proton-proton collision data, collected at $\sqrt{s} = 13 \text{ TeV}$ by the ATLAS experiment at the LHC in 2015 and 2016. No significant deviation from the Standard Model prediction is observed. Upper limits at 95% credibility level are set on the cross-section times branching ratio for resonances decaying into dileptons, which are converted to lower limits on the resonance mass, up to 4.1 TeV for the E₆-motivated Z'_{χ} . Lower limits on the $qq\ell\ell$ contact interaction scale are set between 2.4 TeV and 40 TeV, depending on the model.

Keywords: Beyond Standard Model, Hadron-Hadron scattering (experiments)

ArXiv ePrint: [1707.02424](https://arxiv.org/abs/1707.02424)

Contents

1 Introduction

This article presents a search for resonant and non-resonant new phenomena, based on the analysis of dilepton final states (ee and $\mu\mu$) in proton-proton (pp) collisions with the ATLAS detector at the Large Hadron Collider (LHC) operating at $\sqrt{s} = 13 \text{ TeV}$. The data set was collected during 2015 and 2016, and corresponds to an integrated luminosity of 36.1 fb⁻¹. In the search for new physics carried out at hadron colliders, the study of

dilepton final states provides excellent sensitivity to a large variety of phenomena. This experimental signature benefits from a fully reconstructed final state, high signal-selection efficiencies and relatively small, well-understood backgrounds, representing a powerful test for a wide range of theories beyond the Standard Model (SM).

Models with extended gauge groups often feature additional $U(1)$ symmetries with corresponding heavy spin-1 bosons. These bosons, generally referred to as Z' , would manifest as a narrow resonance through its decay, in the dilepton mass spectrum. Among these models are those inspired by Grand Unified Theories, which are motivated by gauge unification or a restoration of the left-right symmetry violated by the weak interaction. Examples considered in this article include the Z' bosons of the E_6 -motivated [\[1,](#page-41-0) [2\]](#page-41-1) theories as well as Minimal models [\[3\]](#page-41-2). The Sequential Standard Model (SSM) [\[2\]](#page-41-1) is also considered due to its inherent simplicity and usefulness as a benchmark model. The SSM manifests a $Z'_{\rm SSM}$ boson with couplings to fermions equal to those of the SM Z boson.

The most sensitive previous searches for a Z' boson decaying into the dilepton final state were carried out by the ATLAS and CMS collaborations [\[4,](#page-41-3) [5\]](#page-41-4). Using 3.2 fb⁻¹ of pp collision data at $\sqrt{s} = 13 \text{ TeV}$ collected in 2015, ATLAS set a lower exclusion limit at 95% credibility level (CL) on the $Z'_{\rm SSM}$ pole mass of 3.4 TeV for the combined ee and $\mu\mu$ channels. Similar limits were set by CMS using the 2015 data sample.

This search is also sensitive to a series of other models that predict the presence of narrow dilepton resonances. These models include the Randall-Sundrum (RS) model [\[6\]](#page-41-5) with a warped extra dimension giving rise to spin-2 graviton excitations, the quantum black-hole model $[7]$, the Z^* model $[8]$, and the minimal walking technicolour model $[9]$. In order to facilitate interpretation of the results in the context of these or any other model predicting a new dilepton resonance, limits are set on the production of a generic Z' -like excess.

In addition to the search for narrow resonances, results for non-resonant phenomena are also reported. Such models of these phenomena include an effective four-fermion contact interaction (CI) between two initial-state quarks and two final-state leptons $(qq\ell\ell)$. Unlike resonance models, which require sufficient energy to produce the new gauge boson, the presence of a new interaction in the non-resonant regime can be detected at a much lower energy.

The most stringent constraints from CI searches are also provided by the ATLAS and CMS collaborations [\[4,](#page-41-3) [10\]](#page-41-9), for couplings between quarks and leptons. Using 3.2 fb^{-1} of pp collision data at $\sqrt{s} = 13 \text{ TeV}$ collected in 2015, ATLAS set lower limits on the *qq\l* CI scale of $\Lambda = 25 \,\text{TeV}$ and $\Lambda = 18 \,\text{TeV}$ at 95% CL for constructive and destructive interference, respectively, in the case of left-left interactions and assuming a uniform positive prior probability in $1/\Lambda^2$. Similar limits were set by CMS using the 2015 data set. Both the resonant and non-resonant models considered as the benchmark for this search are further discussed in section [2.](#page-4-0)

The presented search utilises the invariant mass spectra of the observed dilepton final states as discriminating variables. The analysis and interpretation of these spectra rely primarily on simulated samples of signal and background processes. The interpretation is performed taking into account the expected shape of different signals in the dilepton mass distribution. The use of the shape of the full dilepton invariant mass distribution reduces the uncertainties in the background modelling, thereby increasing the sensitivity of this search at high masses. This article is structured as follows: section [2](#page-4-0) covers the theoretical motivation of the models considered in this search, followed by a description of the ATLAS detector in section [3,](#page-6-0) and a summary in section [4](#page-6-1) of the data and Monte Carlo (MC) samples used. The event selection is motivated and described in section [5,](#page-7-0) with details of the background estimation given in section [6,](#page-9-0) and an overview of the systematic uncertainty treatment given in section [7.](#page-11-0) The event yields and main kinematic distributions are presented in section [8,](#page-14-0) followed by a description of the statistical analysis in section [9,](#page-14-1) and the results in section [10.](#page-17-0)

2 Theoretical models

2.1 E₆-motivated Z' models

In the class of models based on the E_6 gauge group $[1, 2]$ $[1, 2]$, the unified symmetry group can break to the SM in a number of different ways. In many of them, E_6 is first broken to $SO(10) \times U(1)_{\psi}$, with $SO(10)$ then breaking either to $SU(4) \times SU(2)_{L} \times SU(2)_{R}$ or $SU(5) \times U(1)_\chi$. In the first of these two possibilities, a Z'_{3R} coming from $SU(2)_R$, where 3R stands for the right-handed third component of weak isospin, or a Z'_{B-L} from the breaking of SU(4) into SU(3)_C × U(1)_{B−L} could exist at the TeV scale, where B (L) is the baryon (lepton) number and $(B - L)$ is the conserved quantum number. Both of these Z' bosons appear in the Minimal Z' models discussed in the next section. In the SU(5) case, the presence of $U(1)_\psi$ and $U(1)_\chi$ symmetries implies the existence of associated gauge bosons Z'_{ψ} and Z'_{χ} that can mix. When SU(5) is broken down to the SM, one of the U(1) can remain unbroken down to intermediate energy scales. Therefore, the precise model is governed by a mixing angle θ_{E_6} , with the new potentially observable Z' boson defined by $Z'(\theta_{E_6}) = Z'_\psi \cos \theta_{E_6} + Z'_\chi \sin \theta_{E_6}$. The value of θ_{E_6} specifies the Z' boson's coupling strength to SM fermions as well as its intrinsic width. In comparison to the benchmark $Z'_{\rm SSM}$, which has a width of approximately 3% of its mass, the E_6 models predict narrower Z' signals. The Z'_ψ considered here has a width of 0.5% of its mass, and the Z'_χ has a width of 1.2% of its mass [\[11,](#page-41-10) [12\]](#page-41-11). All other Z' signals in this model, including $Z'_{\rm S}$, Z'_{I} , Z'_{η} , and Z'_{N} , are defined by specific values of θ_{E_6} ranging from 0 to π , and have widths between those of the Z'_{ψ} and Z'_{χ} .

2.2 Minimal Z' models

In the Minimal Z' models [\[3\]](#page-41-2), the phenomenology of Z' boson production and decay is characterised by three parameters: two effective coupling constants, g_{BL} and g_Y , and the Z' boson mass. This parameterisation encompasses Z' bosons from many models, including the Z'_{χ} belonging to the E₆-motivated model of the previous section, the Z'_{3R} in a left-right symmetric model [\[13,](#page-41-12) [14\]](#page-41-13) and the Z'_{B-L} of the pure $(B - L)$ model [\[15\]](#page-41-14). The minimal models are therefore particularly interesting for their generality, and because couplings are being directly constrained by the search. The coupling parameter g_{BL} defines the coupling of a new Z' boson to the $(B - L)$ current, while the g_Y parameter represents the coupling

	$Z'_{\rm B-L}$		$Z'_{\rm 3R}$
		$\sqrt{\frac{5}{8}}\sin\theta_{\rm W}$ $\sqrt{\frac{41}{24}}\sin\theta_{\rm W}$ $\sqrt{\frac{5}{12}}\sin\theta_{\rm W}$	
$\cos\theta_{\rm Min}$		$\frac{25}{41}$	$\overline{\sqrt{5}}$
$\sin \theta_{\rm Min}$		$\frac{16}{41}$	

Table 1. Values for γ' and θ_{Min} in the Minimal Z' models corresponding to three specific Z' bosons: $Z'_{\rm B-L}$, Z'_{χ} and $Z'_{\rm 3R}$. The SM weak mixing angle is denoted by $\theta_{\rm W}$.

to the weak hypercharge Y. It is convenient to refer to the ratios $\tilde{g}_{BL} \equiv g_{BL}/g_Z$ and $\tilde{g}_{\rm Y} \equiv g_{\rm Y}/g_Z$, where g_Z is related to the coupling of the SM Z boson to fermions defined by $g_Z = 2M_Z/v$. Here $v = 246 \,\text{GeV}$ is the SM Higgs vacuum expectation value. To simplify further, the additional parameters γ' and θ_{Min} are chosen as independent parameters with the following definitions: $\tilde{g}_{BL} = \gamma' \cos \theta_{Min}, \ \tilde{g}_Y = \gamma' \sin \theta_{Min}.$ The γ' parameter measures the strength of the Z' boson coupling relative to that of the SM Z boson, while θ_{Min} determines the mixing between the generators of the $(B - L)$ and weak hypercharge Y gauge groups. Specific values of γ' and θ_{Min} correspond to Z' bosons in various models, as is shown in table [1](#page-5-1) for the three cases mentioned in this section.

For the Minimal Z' models, the width depends on γ' and θ_{Min} , and the Z' interferes with the SM Z/γ^* process. For example, taking the 3R and B – L models investigated in this search, the width varies from less than 1% up to 12.8% and 39.5% respectively, for the γ' range considered. The branching fraction to leptons is the same as for the other Z' models considered in this search. Couplings to hypothetical right-handed neutrinos, the Higgs boson, and to W boson pairs are not considered. Previous limits on the Z' mass versus γ' were set by the ATLAS experiment. For $\gamma' = 0.2$, the range of Z' mass limits at 95% CL corresponding to $\theta_{\text{Min}} \in [0, \pi]$ is 1.11 TeV to 2.10 TeV [\[16\]](#page-41-15).

2.3 Contact interactions

Some models of physics beyond the SM result in non-resonant deviations from the predicted SM dilepton mass spectrum. Compositeness models motivated by the repeated pattern of quark and lepton generations predict new interactions involving their constituents. These interactions may be represented as a contact interaction between initial-state quarks and final-state leptons [\[17,](#page-42-0) [18\]](#page-42-1). Other models producing non-resonant effects are models with large extra dimensions [\[19\]](#page-42-2) motivated by the hierarchy problem. This search is sensitive to non-resonant new physics in these scenarios; however, constraints on these models are not evaluated in this article.

The following four-fermion CI Lagrangian [\[17,](#page-42-0) [18\]](#page-42-1) is used to describe a new interaction in the process $q\overline{q} \to \ell^+ \ell^-$:

$$
\mathcal{L} = \frac{g^2}{\Lambda^2} \left[\eta_{\mathrm{LL}} \left(\overline{q}_{\mathrm{L}} \gamma_{\mu} q_{\mathrm{L}} \right) \left(\overline{\ell}_{\mathrm{L}} \gamma^{\mu} \ell_{\mathrm{L}} \right) + \eta_{\mathrm{RR}} \left(\overline{q}_{\mathrm{R}} \gamma_{\mu} q_{\mathrm{R}} \right) \left(\overline{\ell}_{\mathrm{R}} \gamma^{\mu} \ell_{\mathrm{R}} \right) \right. \\ \left. + \eta_{\mathrm{LR}} \left(\overline{q}_{\mathrm{L}} \gamma_{\mu} q_{\mathrm{L}} \right) \left(\overline{\ell}_{\mathrm{R}} \gamma^{\mu} \ell_{\mathrm{R}} \right) + \eta_{\mathrm{RL}} \left(\overline{q}_{\mathrm{R}} \gamma_{\mu} q_{\mathrm{R}} \right) \left(\overline{\ell}_{\mathrm{L}} \gamma^{\mu} \ell_{\mathrm{L}} \right) \right],
$$

where g is a coupling constant set to be $\sqrt{4\pi}$ by convention, Λ is the CI scale, and $q_{L,R}$ and $\ell_{\rm L,R}$ are left-handed and right-handed quark and lepton fields, respectively. The symbol γ_μ denotes the gamma matrices, and the parameters η_{ij} , where i and j are L or R (left or right), define the chiral structure of the new interaction. Different chiral structures are investigated here, with the left-right (right-left) model obtained by setting $\eta_{LR} = \pm 1$ ($\eta_{RL} = \pm 1$) and all other parameters to zero. Likewise, the left-left and right-right models are obtained by setting the corresponding parameters to ± 1 , and the others to zero. The sign of η_{ij} determines whether the interference between the SM Drell-Yan (DY) $q\bar{q} \to Z/\gamma^* \to \ell^+ \ell^$ process and the CI process is constructive $(\eta_{ij} = -1)$ or destructive $(\eta_{ij} = +1)$.

3 ATLAS detector

The ATLAS experiment [\[20,](#page-42-3) [21\]](#page-42-4) at the LHC is a multipurpose particle detector with a forward-backward symmetric cylindrical geometry and a near 4π coverage in solid angle.^{[1](#page-6-2)} It consists of an inner detector for tracking surrounded by a thin superconducting solenoid providing a 2 T axial magnetic field, electromagnetic and hadronic calorimeters, and a muon spectrometer. The inner detector (ID) covers the pseudorapidity range $|\eta| < 2.5$. It consists of silicon pixel, silicon microstrip, and transition-radiation tracking detectors. Lead/liquid-argon (LAr) sampling calorimeters provide electromagnetic (EM) energy measurements with high granularity. A hadronic (steel/scintillator-tile) calorimeter covers the central pseudorapidity range ($|\eta|$ < 1.7). The endcap and forward regions are instrumented with LAr calorimeters for EM and hadronic energy measurements up to $|\eta| = 4.9$. The total thickness of the EM calorimeter is more than twenty radiation lengths. The muon spectrometer (MS) surrounds the calorimeters and is based on three large superconducting air-core toroids with eight coils each. The field integral of the toroids ranges between 2.0 and 6.0 T m for most of the detector. The MS includes a system of precision tracking chambers and fast detectors for triggering. A dedicated trigger system is used to select events. The first-level trigger is implemented in hardware and uses the calorimeter and muon detectors to reduce the accepted rate to below 100 kHz. This is followed by a software-based trigger that reduces the accepted event rate to 1 kHz on average [\[22\]](#page-42-5).

4 Data and Monte Carlo samples

This analysis uses data collected at the LHC during 2015 and 2016 pp collisions at \sqrt{s} = 13 TeV. The total integrated luminosity corresponds to 36.1 fb^{-1} , considering the periods of data-taking with all sub-detectors functioning nominally. The event quality is also checked to remove events which contain noise bursts or coherent noise in the calorimeters.

Modelling of the various background sources primarily relies on MC simulation. The dominant background contribution arises from the DY process, which was simulated using

¹ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y-axis points upwards. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z-axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta \eta)^2 + (\Delta \phi)^2}$.

the next-to-leading-order (NLO) Powheg Box [\[23\]](#page-42-6) event generator, implementing the CT10 [\[24\]](#page-42-7) parton distribution function (PDF), in conjunction with Pythia 8.186 [\[25\]](#page-42-8) for event showering, and the ATLAS AZNLO set of tuned parameters [\[26\]](#page-42-9). A more detailed description of this process is provided in ref. [\[27\]](#page-42-10). The DY event yields are corrected with a rescaling that depends on the dilepton invariant mass from NLO to next-to-next-toleading order (NNLO) in the strong coupling constant, computed with VRAP 0.9 [\[28\]](#page-42-11) and the CT14NNLO PDF set [\[29\]](#page-42-12). The NNLO quantum chromodynamic (QCD) corrections are a factor of ~ 0.98 at a dilepton invariant mass $(m_{\ell\ell})$ of 3 TeV. Mass-dependent electroweak (EW) corrections were computed at NLO with Mcsanc 1.20 [\[30\]](#page-42-13). The NLO EW corrections are a factor of ~ 0.86 at $m_{\ell\ell} = 3$ TeV. Those include photon-induced contributions ($\gamma \gamma \rightarrow \ell \ell$ via t- and u-channel processes) computed with the MRST2004QED PDF set [\[31\]](#page-42-14).

Other backgrounds originate from top-quark [\[32\]](#page-42-15) and diboson (WW, WZ, ZZ) [\[33\]](#page-42-16) production. The diboson processes were simulated using Sherpa 2.2.1 [\[34\]](#page-43-0) with the CT10 PDF. The $t\bar{t}$ and single-top-quark MC samples were simulated using the POWHEG BOX generator with the CT10 PDF, and are normalised to a cross-section as calculated with the Top $++$ 2.0 program [\[35\]](#page-43-1), which is accurate to NNLO in perturbative QCD, including resummation of next-to-next-to-leading logarithmic soft gluon terms. Background processes involving W and Z bosons decaying into τ lepton(s) were found to have a negligible contribution, and are not included. In the case of the dielectron channel, multi-jet and $W+$ jets processes (which contribute due to the misidentification of jets as electrons) are estimated using a data-driven method, described in section [6.](#page-9-0)

Signal processes were produced at leading-order (LO) using Pythia 8.186 with the NNPDF23LO PDF set [\[36\]](#page-43-2) and the ATLAS A14 set of tuned parameters [\[37\]](#page-43-3) for event generation, parton showering and hadronisation. Interference effects (with DY production) are not included for the SSM and E_6 model Z' signal due to large model dependence, but are included for the CI signal and for the Minimal model approach. Higher-order QCD corrections for the signal were computed with the same methodology as for the DY background. EW corrections were not applied to the Z' signal samples also due to the large model dependence. However, the EW corrections are applied to the CI signal samples, because interference effects are included.

The detector response is simulated with Geant 4 [\[38\]](#page-43-4), and the events are processed with the same reconstruction software [\[39\]](#page-43-5) as used for the data. Furthermore, the distribution of the number of additional simulated pp collisions in the same or neighbouring beam crossings (pile-up) is accounted for by overlaying minimum-bias events simulated with Pythia 8.186 using the ATLAS A2 set of tuned parameters [\[37\]](#page-43-3) and the MSTW2008LO PDF set [\[40\]](#page-43-6), reweighting the MC simulation to match the distribution observed in the data.

5 Event selection

Dilepton candidates are selected in the data and simulated events by requiring at least one pair of reconstructed same-flavour lepton candidates (electrons or muons) and at least one reconstructed pp interaction vertex, with the primary vertex defined as the one with the highest sum of track transverse momenta (p_T) squared.

Electron candidates are identified in the central region of the ATLAS detector ($|\eta|$) 2.47) by combining calorimetric and tracking information in a likelihood discriminant with four operating points: Very Loose, Loose, Medium and Tight each with progressively higher threshold for the discriminant, and stronger background rejection, as described in ref. [\[41\]](#page-43-7). The transition region between the central and forward regions of the calorimeters, in the range $1.37 \le |\eta| \le 1.52$, exhibits poorer energy resolution and is therefore excluded. Electron candidates are required to have transverse energy (E_T) greater than 30 GeV, and a track consistent with the primary vertex both along the beamline and in the transverse plane. The Medium working point of the likelihood discrimination is used to select electron candidates while the Very Loose and Loose working points are used in the data-driven background estimation described in section [6.](#page-9-0) In addition to the likelihood discriminant, selection criteria based on track quality are applied. The selection efficiency is approximately 96% for electrons with E_T between $30 \,\text{GeV}$ and $500 \,\text{GeV}$, and decreases to approximately 95% for electrons with $E_T = 1.5 \text{ TeV}$. The selection efficiency is evaluated in the data using a tag-and-probe method [\[42\]](#page-43-8) up to E_T of 500 GeV and the uncertainties due to the modelling of the shower shape variables are estimated for electrons with higher E_T using MC events, as described in section [7.](#page-11-0) The electron energy scale and resolution have been calibrated up to E_T of 1 TeV using data collected at $\sqrt{s} = 8 \text{ TeV}$ and $\sqrt{s} = 13 \text{ TeV}$ [\[43\]](#page-43-9). The energy resolution extrapolated for high- E_T electrons (greater than 1 TeV) is approximately 1%.

Muon candidate tracks are, at first, reconstructed independently in the ID and the MS [\[44\]](#page-43-10). The two tracks are then used as input to a combined fit (for p_T less than 300 GeV) or to a statistical combination (for p_T greater than 300 GeV). The combined fit takes into account the energy loss in the calorimeter and multiple-scattering effects. The statistical combination for high transverse momenta is performed to mitigate the effects of relative ID and MS misalignments.

In order to optimise momentum resolution, muon tracks are required to have at least three hits in each of three precision chambers in the MS and not to traverse regions of the MS which are poorly aligned. This requirement reduces the muon reconstruction efficiency by about 20% for muons with a p_T greater than 1.5 TeV. Furthermore, muon candidates in the overlap of the MS barrel and endcap region $(1.01 < |\eta| < 1.10)$ are rejected due to the potential relative misalignment between barrel and endcap. Measurements of the ratio of charge to momentum (q/p) performed independently in the ID and MS must agree within seven standard deviations, calculated from the sum in quadrature of the ID and MS momentum uncertainties. Finally, in order to reject events that contain a muon with poor track resolution in the MS, due to a low magnetic field integral and other effects, an event veto based on the MS track momentum measurement uncertainty is also applied. Muons are required to have p_T greater than 30 GeV, $|\eta| < 2.5$, and to be consistent with the primary vertex both along the beamline and in the transverse plane.

To further suppress background from misidentified jets as well as from light-flavour and heavy-flavour hadron decays inside jets, lepton candidates are required to satisfy calorimeter-based (only for electrons) and track-based (for both electrons and muons) isolation criteria. The calorimeter-based isolation relies on the ratio of the $E_{\rm T}$ deposited in a cone of size $\Delta R = 0.2$, centered at the electron cluster barycentre, to the total E_T measured for the electron. The track-based isolation relies on the ratio of the summed scalar p_T of tracks within a variable-cone of size $\Delta R = 10 \,\text{GeV}/p_\text{T}$ to the p_T of the track associated with the candidate lepton. This variable-cone has no minimum size, meaning that the track-based isolation requirement effectively vanishes at very high lepton p_T . The tracks are required to have $p_T > 1 \text{ GeV}, |\eta| < 2.5$, meet all track quality criteria, and originate from the primary vertex. In all cases the contribution to the E_T or p_T ascribed to the lepton candidate is removed from the isolation cone. The isolation criteria, applied to both leptons, have a fixed efficiency of 99% over the full range of lepton momenta.

Calibration corrections are applied to electron (muon) candidates to match energy (momentum) scale and resolution between data and simulation [\[44,](#page-43-10) [45\]](#page-43-11).

Triggers were chosen to maximise the overall signal efficiency. In the dielectron channel, a two-electron trigger based on the *Loose* identification criteria with an E_T threshold of 17 GeV for each electron is used. Events in the dimuon channel are required to pass at least one of two single-muon triggers with p_T thresholds of 26 GeV and 50 GeV, with the former also requiring the muon to be isolated. These triggers select events from a simulated sample of Z'_{χ} bosons with a pole mass of 3 TeV with an efficiency of approximately 86% and 91% for the dielectron and dimuon channels, respectively.

Data-derived corrections are applied in the samples to match the trigger, reconstruction and isolation efficiencies between data and MC simulation. For each event with at least two same-flavour leptons, the dilepton candidate is built. If more than two electrons (muons) are found, the ones with the highest $E_T(p_T)$ are chosen. In the muon channel, only opposite-charge candidates are retained. This requirement is not applied in the electron channel due to a higher chance of charge misidentification for high- E_T electrons. There is no explicit overlap removal between the dielectron and dimuon channel, but a negligible number of common events at low dilepton masses enter the combination.

Representative values of the total acceptance times efficiency for a Z'_{χ} boson with a pole mass of 3 TeV are 71% in the dielectron channel and 40% in the dimuon channel.

6 Background estimation

The backgrounds from processes including two real leptons in the final state $(DY, t\bar{t})$, single top quark, WW, WZ , and ZZ production) are modelled using the MC samples described in section [4.](#page-6-1) In the mass range $120 \,\text{GeV} < m_{\ell\ell} < 1 \,\text{TeV}$ the corrected DY background is smoothed to remove statistical fluctuations due to the limited MC sample size compared to the large integrated luminosity of the data, by fitting the spectrum and using the resulting fitted function to set the expected event yields in that mass region. The chosen fit function consists of a relativistic Breit-Wigner function with mean and width fixed to M_Z and Γ_Z respectively [\[46\]](#page-43-12), multiplied by an analytic function taking into account detector resolution, selection efficiency, parton distribution function effects, and contributions from the photoninduced process and virtual photons. At higher dilepton invariant masses the statistical

uncertainty of the MC simulation is much smaller than that of the data through the use of mass-binned MC samples.

An additional background arises from $W+$ jets and multi-jet events from which at most one real lepton is produced. This background contributes to the selected samples due to having one or more jets satisfying the lepton selection criteria (so called "fakes"). In the dimuon channel, contributions from $W+$ jets and multi-jet production are found to be negligible, and therefore are not included in the expected yield. In the dielectron channel the contributions from these processes are determined with a data-driven technique, the matrix method, in two steps. In the first step, the probabilities that a jet and a real electron satisfy the electron identification requirements are evaluated, for both the nominal and a loosened selection criteria. The loosened selection differs from the nominal one by the use of the Loose electron identification criteria and no isolation criterion. Then, in the second step these probabilities are used to estimate the level of contamination, due to fakes, in the selected sample of events.

A probability r that a real electron passing the loosened selection satisfies the nominal electron selection criteria is estimated from MC simulated DY samples in several regions of E_T and $|\eta|$. The probability f that a jet passing the loosened selection satisfies the nominal electron selection criteria is determined in regions of E_T and $|\eta|$ in data samples triggered on the presence of a Very Loose or a Loose electron candidate. Contributions to these samples from the production of W and Z bosons are suppressed by vetoing events with large missing transverse energy $(E_{\rm T}^{\rm miss} > 25 \,\rm GeV)$ or with two *Loose* electron candidates compatible with Z boson mass, or two candidates passing the *Medium* identification criteria. The $E_{\rm T}^{\rm miss}$ is reconstructed as the negative vectorial sum of the calibrated momenta of the electrons, muons, and jets, in the event. Residual contributions from processes with real electrons in the calculation of f are accounted for by using the MC simulated samples.

The selected events are grouped according to the identification criteria satisfied by the electrons. A system of equations between numbers of paired objects (N_{ab} , with $E_T^a > E_T^b$) is used to solve for the unknown contribution to the background in each of the kinematic regions from events with one or more fake electrons:

$$
\begin{pmatrix}\nN_{\text{TT}} \\
N_{\text{TL}} \\
N_{\text{LT}} \\
N_{\text{LL}}\n\end{pmatrix} = \begin{pmatrix}\nr^2 & rf & fr & f^2 \\
r(1-r) & r(1-f) & f(1-r) & f(1-f) \\
(1-r)r & (1-r)f & (1-f)r & (1-f)f \\
(1-r)^2 & (1-r)(1-f) & (1-f)(1-r) & (1-f)^2\n\end{pmatrix} \begin{pmatrix}\nN_{\text{RR}} \\
N_{\text{RF}} \\
N_{\text{FR}} \\
N_{\text{FF}}\n\end{pmatrix} .
$$
\n(6.1)

Here the subscripts R and F refer to real electrons and fakes (jets), respectively. The subscript T refers to electrons that satisfy the nominal selection criteria. The subscript L corresponds to electrons that pass the loosened requirements described above but fail the nominal requirements.

The background is given as the part of N_{TT} that originates from a pair of objects with at least one fake electron:

$$
N^{\text{Multi-jet \& W+jets}} = rf(N_{\text{RF}} + N_{\text{FR}}) + f^2 N_{\text{FF}}.
$$
\n(6.2)

The true paired objects on the right-hand side of eq. [\(6.2\)](#page-10-0) can be expressed in terms of measureable quantities $(N_{\text{TT}}, N_{\text{TL}}, N_{\text{LT}}, N_{\text{LL}})$ by inverting the matrix in eq. [\(6.1\)](#page-10-1).

The estimate is extrapolated to the full mass range considered by fitting an analytic function to the dielectron invariant mass (m_{ee}) distribution above ~ 125 GeV to mitigate effects of limited event counts in the high-mass region and of method instabilities due to a negligible contribution from fakes in the Z peak region. The fit is repeated by increasing progressively the lower edge of the fit range by $\sim 10 \,\text{GeV}$ per step until $\sim 195 \,\text{GeV}$. The weighted mean of all fits is taken as the central value and the envelope as the uncertainty. Additional uncertainties in this background estimate are evaluated by considering differences between the estimates for events with same-charge and opposite-charge electrons as well as by varying the electron identification probabilities. The uncertainty on this background can, due to the extrapolation, become very large at high mass, but has only a negligible impact on the final results of this analysis.

7 Systematic uncertainties

Systematic uncertainties estimated to have a non-negligible impact on the expected crosssection limit are considered as nuisance parameters in the statistical interpretation and include both the theoretical and experimental effects on the total background and experimental effects on the signal.

Theoretical uncertainties in the background prediction are dominated by the DY background, throughout the entire dilepton invariant mass range. They arise from the eigenvector variations of the nominal PDF set, as well as variations of PDF scales, the strong coupling $(\alpha_S (M_Z))$, EW corrections, and photon-induced (PI) corrections. The effect of choosing different PDF sets are also considered. The theoretical uncertainties are the same for both channels at generator level, but they result in different uncertainties at reconstruction level due to the differing resolutions between the dielectron and dimuon channels.

The PDF variation uncertainty is obtained using the 90% CL CT14NNLO PDF error set and by following the procedure described in refs. [\[16,](#page-41-15) [47,](#page-43-13) [48\]](#page-43-14). Rather than using a single nuisance parameter to describe the 28 eigenvectors of this PDF error set, which could lead to an underestimation of its effect, a re-diagonalised set of 7 PDF eigenvectors was used [\[29\]](#page-42-12), which are treated as separate nuisance parameters. This represents the minimal set of PDF eigenvectors that maintains the necessary correlations, and the sum in quadrature of these eigenvectors matches the original CT14NNLO error envelope well. The uncertainties due to the variation of PDF scales and $\alpha_{\rm S}$ are derived using VRAP with the former obtained by varying the renormalisation and factorisation scales of the nominal CT14NNLO PDF up and down simultaneously by a factor of two. The value of $\alpha_{\rm S}$ used (0.118) is varied by ± 0.003 . The EW correction uncertainty was assessed by comparing the nominal additive $(1+\delta_{\text{EW}}+\delta_{\text{QCD}})$ treatment with the multiplicative approximation $((1+\delta_{\text{EW}})(1+\delta_{\text{QCD}}))$ treatment of the EW correction in the combination of the higher-order EW and QCD effects. The uncertainty in the photon-induced correction is calculated based on the uncertainties in the quark masses and the photon PDF. Following the recommendations of the PDF4LHC forum [\[48\]](#page-43-14), an additional uncertainty due to the choice of nominal PDF set is derived by comparing the central values of CT14NNLO with those from other PDF sets, namely MMHT14 [\[49\]](#page-43-15) and NNPDF3.0 [\[50\]](#page-43-16). The maximum absolute deviation from the envelope of these comparisons is used as the PDF choice uncertainty, where it is larger than the CT14NNLO PDF eigenvector variation envelope. Theoretical uncertainties are not applied to the signal prediction in the statistical interpretation.

Theoretical uncertainties on the estimation of the top quark and diboson backgrounds were also considered, both from the independent variation of the factorisation (μ_F) and renormalisation (μ_R) scales, and from the variations in the PDF and α_S , following the PDF4LHC prescription. Normalisation uncertainties in the top quark and diboson background are shown in the "Top Quarks Theoretical" and "Dibosons Theoretical" entry in table [2.](#page-13-0)

The following sources of experimental uncertainty are accounted for: lepton efficiencies due to triggering, identification, reconstruction, and isolation, lepton energy scale and resolution, pile-up effects, as well as the multi-jet and $W+$ jets background estimate. The same sources of experimental uncertainty are considered for the DY background and signal treatment. Efficiencies are evaluated using events from the $Z \to \ell \ell$ peak and then extrapolated to high energies. The uncertainty in the muon reconstruction efficiency is the largest experimental uncertainty in the dimuon channel. It includes the uncertainty obtained from $Z \to \mu\mu$ data studies and a high- p_T extrapolation uncertainty corresponding to the decrease in the muon reconstruction and selection efficiency with increasing p_T which is predicted by the MC simulation. The effect on the muon reconstruction efficiency was found to be approximately 3% per TeV as a function of muon p_T . The uncertainty in the electron identification efficiency extrapolation is based on the differences in the electron shower shapes in the EM calorimeters between data and MC simulation in the $Z \rightarrow ee$ peak, which are propagated to the high- E_T electron sample. The effect on the electron identification efficiency was found to be 2.0% and is independent of E_T for electrons with E_T above 150 GeV. For the isolation efficiencies, uncertainties were estimated for 150 \lt $p_{\rm T}$ < 500 GeV and above 500 GeV separately, using DY candidates in data. The larger isolation uncertainty that is observed for electrons is due to the uncertainty inherent in calorimeter-based isolation for electrons (track-based isolation is also included), compared to the solely track-based only isolation for muons. Mismodelling of the muon momentum resolution due to residual misalignments in the MS can alter the steeply falling background shape at high dilepton mass and can significantly modify the width of the signals line shape. This uncertainty is obtained by studying the muon momentum resolution in dedicated data-taking periods with no magnetic field in the MS [\[44\]](#page-43-10). For the dielectron channel, the uncertainty includes a contribution from the multi-jet and $W+$ jets data-driven estimate that is obtained by varying both the overall normalisation and the extrapolation methodology, which is explained in section 6 . The systematic uncertainty from pile-up effects is assessed by inducing a variation in the pile-up reweighting of MC events and is included to cover the uncertainty on the ratio of the predicted and measured inelastic cross-section in the fiducial volume defined by $M_X > 13$ GeV, where M_X is the mass of the non-diffractive hadronic system $[51]$. An uncertainty on the beam energy of 0.65% is estimated and included. The uncertainty on the combined 2015 and 2016 integrated lumi-

Source		Dielectron channel $[\%]$		Dimuon channel $[\%]$
	Signal	Background	Signal	Background
Luminosity	3.2(3.2)	3.2(3.2)	3.2(3.2)	3.2(3.2)
MC statistical	<1.0 (<1.0)	<1.0 (<1.0)	<1.0 (<1.0)	<1.0 (<1.0)
Beam energy	2.0(4.1)	2.0(4.1)	1.9(3.1)	1.9(3.1)
$\operatorname{Pile-up}$ effects	<1.0 (<1.0)	$<\!\!1.0$ $(<\!\!1.0)$	<1.0 (<1.0)	<1.0 (<1.0)
DY PDF choice		<1.0(8.4)		<1.0(1.9)
DY PDF variation		8.7(19)		7.7(13)
DY PDF scales		1.0(2.0)		<1.0(1.5)
DY α s		1.6(2.7)		1.4(2.2)
DY EW corrections		2.4(5.5)		2.1(3.9)
DY γ -induced corrections		3.4(7.6)		3.0(5.4)
Top quarks theoretical		<1.0 (<1.0)		<1.0 (<1.0)
Dibosons theoretical		<1.0 (<1.0)		<1.0 (<1.0)
Reconstruction efficiency	<1.0 (<1.0)	<1.0 (<1.0)	10(17)	10(17)
Isolation efficiency	9.1(9.7)	9.1(9.7)	1.8(2.0)	1.8(2.0)
Trigger efficiency	<1.0 (<1.0)	<1.0 (<1.0)	<1.0 (<1.0)	<1.0 (<1.0)
Identification efficiency	2.6(2.4)	2.6(2.4)		
Lepton energy scale	<1.0 (<1.0)	4.1(6.1)	<1.0 (<1.0)	<1.0 (<1.0)
Lepton energy resolution	<1.0 (<1.0)	<1.0 (<1.0)	2.7(2.7)	<1.0(6.7)
Multi-jet & $W + jets$		10(129)		
Total	10(11)	18 (132)	11(18)	14(24)

Table 2. Summary of the pre-marginalised relative systematic uncertainties in the expected number of events at dilepton masses of 2 TeV and 4 TeV. The values reported in parenthesis correspond to the 4 TeV mass. The values quoted for the background represent the relative change in the total expected number of events in the corresponding $m_{\ell\ell}$ histogram bin containing the reconstructed $m_{\ell\ell}$ mass of 2 TeV (4 TeV). For the signal uncertainties the values were computed using a Z'_{χ} signal model with a pole mass of 2 TeV (4 TeV) by comparing yields in the core of the mass peak (within the full width at half maximum) between the distribution varied due to a given uncertainty and the nominal distribution. "—" represents cases where the uncertainty is not applicable.

nosity is 3.2%. It is derived, following a methodology similar to that detailed in ref. [\[52\]](#page-43-18), from a calibration of the luminosity scale using $x-y$ beam-separation scans performed in August 2015 and May 2016. Systematic uncertainties used in the statistical analysis of the results are summarised in table [2](#page-13-0) at dilepton mass values of 2 TeV and 4 TeV. The systematic uncertainties are constrained in the likelihood during the statistical interpretation through a marginalisation procedure, as described in section [9.](#page-14-1)

Table 3. Expected and observed event yields in the dielectron channel in different dilepton mass intervals. The quoted errors correspond to the combined statistical, theoretical, and experimental systematic uncertainties. Expected event yields are reported for the Z'_{χ} model, for two values of the pole mass. All numbers shown are obtained before the marginalisation procedure.

8 Event yields

Expected and observed event yields, in bins of invariant mass, are shown in table [3](#page-14-2) for the dielectron channel, and in table [4](#page-15-0) for the dimuon channel. Expected event yields are split into the different background sources and the yields for two signal scenarios are also provided. In general, the observed data are in good agreement with the SM prediction, taking into account the uncertainties as described in section [7.](#page-11-0)

Distributions of $m_{\ell\ell}$ in the dielectron and dimuon channels are shown in figure [1.](#page-16-0) No clear excess is observed, but significances are quantified and discussed in section [9.](#page-14-1) The highest dilepton invariant mass event is 2.90 TeV in the dielectron channel, and 1.99 TeV in the dimuon channel. Both of these events are well-measured with little other detector activity.

9 Statistical analysis

The $m_{\ell\ell}$ distributions are scrutinised for a resonant or non-resonant new physics excess using two methods and are used to set limits on resonant and non-resonant new physics models, as well as on generic resonances. Tabulated values of all the observed results, along with their uncertainties, are also provided in the Durham HEP database.^{[2](#page-14-3)} The signal search and limit setting rely on a likelihood function, dependent on the parameter of interest, such

²A complete set of tables with the full results are available at the Durham HepData repository, [https://hepdata.net.](https://hepdata.net)

$m_{\mu\mu}$ [GeV]	$80 - 120$	$120 - 250$	$250 - 400$	$400 - 500$	$500 - 700$
Drell-Yan	$10\,700\,000 \pm 600\,000$	177900 ± 10000	$12\,200 \pm 700$	1770 ± 120	1060 ± 80
Top quarks	$24\,700 \pm 1700$	$34\,200 \pm 2400$	6100 ± 500	830 ± 70	401 ± 33
Dibosons	26000 ± 2800	5400 ± 600	910 ± 100	155 ± 17	93 ± 11
Total SM	10800000 ± 600000	218000 ± 10000	$19\,200 \pm 900$	2760 ± 140	1550 ± 90
Data	11 321 561	224703	19239	2766	1532
Z'_{χ} (4 TeV)	0.00873 ± 0.00032	0.0334 ± 0.0015	0.0441 ± 0.0021	0.0246 ± 0.0014	0.052 ± 0.004
Z'_{χ} (5 TeV)	0.00347 ± 0.00014	0.0137 ± 0.0006	0.0151 ± 0.0007	0.0105 ± 0.0006	0.0176 ± 0.0012
$m_{\mu\mu}$ [GeV]	$700 - 900$	$900 - 1200$	$1200 - 1800$	1800-3000	$3000 - 6000$
Drell-Yan	263 ± 23	110 ± 11	37 ± 4	5.4 ± 0.8	0.30 ± 0.07
Top quarks	68 ± 6	24.5 ± 3.0	5.3 ± 0.9	0.11 ± 0.08	< 0.001
Dibosons	24.3 ± 2.9	9.8 ± 1.2	3.2 ± 0.4	0.45 ± 0.07	0.0184 ± 0.0035
Total SM	355 ± 24	144 ± 11	45 ± 4	6.0 ± 0.8	0.32 ± 0.07
Data	322	141	48	4	θ
$Z'_{\rm Y}$ (4 TeV)	0.0362 ± 0.0026	0.048 ± 0.004	0.067 ± 0.006	0.186 ± 0.022	1.24 ± 0.19
Z'_{χ} (5 TeV)	0.0153 ± 0.0011	0.0185 ± 0.0015	0.0233 ± 0.0021	0.0258 ± 0.0029	0.118 ± 0.020

Table 4. Expected and observed event yields in the dimuon channel in different dilepton mass intervals. The quoted errors correspond to the combined statistical, theoretical, and experimental systematic uncertainties. Expected event yields are reported for the Z'_{χ} model, for two values of the pole mass. All numbers shown are obtained before the marginalisation procedure.

as the signal cross-section, signal strength, coupling constant or the contact interaction scale. The likelihood function also depends on nuisance parameters which describe the systematic uncertainties. In this analysis the data are assumed to be Poisson-distributed in each bin of the $m_{\ell\ell}$ distribution and the likelihood is constructed as a product of individual bin likelihoods. In case of the individual channel results, the product is taken over the bins of the $m_{\ell\ell}$ histogram in the given channel, while for combined results the product is taken over bins of histograms in dielectron and dimuon channels. The logarithmic $m_{\ell\ell}$ histogram binning shown in figure [1](#page-16-0) uses 66 mass bins and is chosen for setting limits on resonant signals. This binning is optimal for resonances with a width of 3%, therefore the chosen bin width for the $m_{\ell\ell}$ histogram in the search phase corresponds to the resolution in the dielectron (dimuon) channel, which varies from 10 (60) GeV at $m_{\ell\ell} = 1 \text{ TeV}$ to 15 (200) GeV at $m_{\ell\ell} = 2 \text{TeV}$, and 20 (420) GeV at $m_{\ell\ell} = 3 \text{TeV}$. For setting limits on the contact interaction scale, the $m_{\ell\ell}$ distribution has eight bins above 400 GeV with bin widths varying from 100 to 1500 GeV. The $m_{\ell\ell}$ region from 80 to 120 GeV is included in the likelihood as a single bin in the limit setting on resonant signals to help constrain mass-independent components of systematic uncertainties, but that region is not searched for a new-physics signal.

The parameter μ is defined as the ratio of the signal production cross-section times branching ratio into the dilepton final state (σB) to its theoretically predicted value. Upper limits on σB for specific Z' boson models and generic Z' bosons, γ' of the Minimal Z' boson, and lower limit on the CI scale Λ are set in a Bayesian approach. The calculations are performed with the Bayesian Analysis Toolkit (BAT) [\[53\]](#page-44-0), which uses a Markov Chain MC

Figure 1. Distributions of [\(a\)](#page-16-1) dielectron and [\(b\)](#page-16-2) dimuon reconstructed invariant mass $(m_{\ell\ell})$ after selection, for data and the SM background estimates as well as their ratio before and after marginalisation. Selected Z'_{χ} signals with a pole mass of 3, 4 and 5 TeV are overlaid. The bin width of the distributions is constant in $\log(m_{\ell\ell})$ and the shaded band in the lower panels illustrates the total systematic uncertainty, as explained in section [7.](#page-11-0) The data points are shown together with their statistical uncertainty. Exact bin edges and contents are provided in table [8](#page-24-0) and table [9](#page-25-0) in the appendix.

(MCMC) technique to compute the marginal posterior probability density of the parameter of interest (so-called "marginalisation"). Limit values obtained using the experimental data are quoted as observed limits, while median values of the limits obtained from a large number of simulated experiments, where only SM background is present, are quoted as the expected limits. The upper limits on σB are interpreted as lower limits on the Z' pole mass using the relationship between the pole mass and the theoretical Z' cross-section. In the context of the Minimal Z' model or CI scenarios, limits are set on the parameter of interest. In the case of the Minimal Z' model the parameter of interest is γ^4 . For a CI the parameter of interest is set either to $1/\Lambda^2$ or to $1/\Lambda^4$ as this corresponds to the scaling of the CI-SM interference contribution or the pure CI contribution respectively. In both the Minimal Z' and the CI cases, the nominal Poisson expectation in each $m_{\ell\ell}$ bin is expressed as a function of the parameter of interest. As in the context of the Z' limit setting, the Poisson mean is modified by shifts due to systematic uncertainties, but in both the Minimal Z' and the CI cases, these shifts are non-linear functions of the parameter of interest. A prior uniform in the parameter of interest is used for all limits.

Two complementary approaches are used in the search for a new-physics signal. The first approach, which does not rely on a specific signal model and therefore is sensitive to a wide range of new physics, uses the BUMPHUNTER (BH) [\[54\]](#page-44-1) utility. In this approach, all

consecutive intervals in the $m_{\ell\ell}$ histogram ranging from two bins to half of the bins in the histogram are searched for an excess. In each such interval a Poisson probability $(p\text{-value})$ is computed for an event count greater or equal to the number observed found in data, given the SM prediction. The modes of marginalised posteriors of the nuisance parameters from the MCMC method are used to construct the SM prediction. The negative logarithm of the smallest p -value is the BH statistic. The BH statistic is then interpreted as a global p-value utilising simulated experiments where, in each simulated experiment, simulated data is generated from SM background model. The dielectron and dimuon channels are tested separately.

A search for Z'_{χ} signals as well as generic Z' signals with widths from 1% to 12% is performed utilising the log-likelihood ratio (LLR) test described in ref. [\[55\]](#page-44-2). This second approach is specifically sensitive to narrow Z' -like signals, and is thus complementary to the more general BH approach. To perform the LLR search, the Histfactory [\[56\]](#page-44-3) package is used together with the RooStats [\[57\]](#page-44-4) and RooFit [\[58\]](#page-44-5) packages. The *p*-value for finding a Z'_{χ} signal excess (at a given pole mass), or a variable width generic Z' excess (at a given central mass and with a given width), more significant than that observed in the data, is computed analytically, using a test statistic q_0 . The test statistic q_0 is based on the logarithm of the profile likelihood ratio $\lambda(\mu)$. The test statistic is modified for signal masses below 1.5 TeV to also quantify the significance of potential deficits in the data. As in the BH search the SM background model is constructed using the modes of marginalised posteriors of the nuisance parameters from the MCMC method, and these nuisance parameters are not included in the likelihood at this stage. Therefore, in the search-phase the background estimate and signal shapes are fixed to their post-marginalisation estimates, and systematic uncertainties are not included in the computation of the p-value. Starting with $M_{Z'} = 150$ GeV, multiple mass hypotheses are tested in pole-mass steps corresponding to the histogram bin width to compute the local p -values \cdots i.e. p -values corresponding to specific signal mass hypotheses. Simulated experiments (for $M_{Z'} > 1.5 \,\text{TeV}$) and asymptotic relations (for $M_{Z'} < 1.5 \,\text{TeV}$) in ref. $[55]$ are used to estimate the global p-value, which is the probability to find anywhere in the $m_{\ell\ell}$ distribution a Z'-like excess more significant than that observed in the data.

10 Results

The data, scrutinised using the statistical tests described in the previous section, show no significant excesses. The LLR tests for a Z'_{χ} resonance find global p-values of 58%, 91% and 83% in the dielectron, dimuon, and combined channels, respectively. The local and global p-values as a function of the Z' pole mass are shown in figure [2.](#page-18-1) The un-capped p-value, is used below a pole mass of 1.5 TeV, which quantifies both excesses and deficits, while above 1.5 TeV the signal strength parameter is constrained to be positive, yielding a capped pvalue. This constraint is used in the high mass region where the expected background is very low, to avoid ill-defined configurations of the probability density function in the likelihood fit, with negative probabilities.

The largest deviation from the background-only hypothesis using the LLR tests for a Z'_{χ} is observed at 2.37 TeV in the dielectron mass spectrum with a local significance of

Figure 2. The local p-value derived assuming Z'_{χ} signal shapes with pole masses between 0.15 and 4.0 TeV for the combined dilepton channel. Accompanying local and global significance levels are shown as dashed lines. The uncapped p_0 value is used for pole masses below 1.5 TeV, while the capped p_0 value is used for higher pole masses.

Figure 3. Dilepton mass distribution in the [\(a\)](#page-18-2) dielectron and [\(b\)](#page-18-3) dimuon channel, showing the observed data together with their statistical uncertainty, combined background prediction, and corresponding bin-by-bin significance. The most significant interval is indicated by the vertical blue lines. Exact bin edges and contents are provided in table [10](#page-27-0) and table [11](#page-37-0) in the appendix.

2.5 σ , but globally the excess is not significant. The BUMPHUNTER [\[54\]](#page-44-1) test, which scans the mass spectrum with varying intervals to find the most significant excess in data, finds pvalues of 71% and 94% in the dielectron and dimuon channels, respectively. Figure [3](#page-18-4) shows the dilepton mass distribution in the dielectron and dimuon channels with the observed data overlaid on the combined background prediction, and also the local significance. The interval with the largest upward deviation is indicated by a pair of blue lines.

10.1 Z' cross-section and mass limits

Upper limits on the cross-section times branching ratio (σB) for Z' bosons are presented in figure [4.](#page-19-2) The observed and expected lower limits on the pole mass for various Z' scenarios,

Figure 4. Upper 95% CL limits on the Z' production cross-section times branching ratio to two leptons of a single flavour as a function of Z' pole mass $(M_{Z'})$. Results are shown for the combined dilepton channel. The signal theoretical σB are calculated with PYTHIA 8 using the NNPDF23LO PDF set [\[36\]](#page-43-2), and corrected to next-to-next-to-leading order in QCD using VRAP [\[28\]](#page-42-11) and the CT14NNLO PDF set [\[29\]](#page-42-12). The signals theoretical uncertainties are shown as a band on the Z'_{SSM} theory line for illustration purposes, but are not included in the σB limit calculation.

as described in section [2.1,](#page-4-1) are summarised in table [5.](#page-20-1) The Z'_{χ} signal is used to extract the limits, which is over-conservative for the other E_6 models presented, but slightly underconservative for the Z'_{SSM} , although only by $100 \,\text{GeV}$ in the mass limit at most. The upper limits on σB for Z' bosons start to weaken above a pole mass of $\sim 3.5 \,\text{TeV}$. The effect is more pronounced in the dimuon channel due to worse mass resolution than in the dielectron channel. The weakening is mainly due to the combined effect of a rapidly falling signal cross-section as the kinematic limit is approached, with an increasing proportion of the signal being produced off-shell in the low-mass tail, and the natural width of the resonance. The selection efficiency also starts to slowly decrease at very high pole masses, but this is a subdominant effect.

10.2 Limits on Minimal Z' models

Limits are set on the relative coupling strength of the Z' boson relative to that of the SM Z boson (γ') as a function of the Z'_{Min} boson mass, and as a function of the mixing angle θ_{Min} , as shown in figure [5,](#page-21-0) and described in section [2.2.](#page-4-2) The two θ_{Min} values yielding the minimum and maximum cross-sections are used to define a band of limits in the (γ', γ') $M_{Z_{\text{Min}}}$) plane. It is possible to put lower mass limits on specific models which are covered by the $(\gamma', \theta_{\text{Min}})$ parameterisation as in table [6.](#page-20-2) The structure observed in the limits as a function of θ_{Min} , such as the maximum around $\theta_{\text{Min}} = 2.2$, is due to the changing shape of the resonance at a given pole mass, from narrow to wide.

10.3 Generic Z' limits

In order to derive more general limits, an approach which compares the data to signals that are more model-independent was developed. This was achieved by applying fiducial cuts to the signal (lepton $p_T > 30 \,\text{GeV}$, and lepton $|\eta| < 2.5$) and a mass window of

			Lower limits on $M_{Z'}$ [TeV]					
Model	Width $[\%]$	θ_{E_6} [rad]		ee		$\mu\mu$		$\ell\ell$
			Obs	Exp	Obs	Exp	Obs	Exp
$Z'_{\rm SSM}$	3.0		4.3	4.3	4.0	3.9	4.5	4.5
Z'_χ	1.2	$0.50~\pi$	3.9	3.9	3.6	3.6	4.1	4.0
$Z'_{\rm S}$	1.2	$0.63~\pi$	3.9	3.8	3.6	3.5	4.0	4.0
Z_I'	1.1	$0.71~\pi$	3.8	3.8	3.5	3.4	4.0	3.9
Z'_η	0.6	$0.21~\pi$	3.7	3.7	3.4	3.3	3.9	3.8
Z'_N	0.6	-0.08π	3.6	3.6	3.4	3.3	3.8	3.8
Z'_ψ	0.5	0π	3.6	3.6	3.3	3.2	3.8	3.7

Table 5. Observed and expected 95% CL lower mass limits for various Z' gauge boson models. The widths are quoted as a percentage of the resonance mass.

			Lower limits on $M_{Z'_{\text{Min}}}$ [TeV]					
Model		$\tan \theta_{\text{Min}}$		ee		$\mu\mu$		$\ell\ell$
			Obs	Exp	Obs	Exp	Obs	Exp
Z'_χ	$\sqrt{\frac{41}{24}}\sin\theta_{\rm Min}$	$-\frac{4}{5}$				3.7 3.7 3.4 3.3 3.9		$3.8\,$
Z'_{3R}	$\sqrt{\frac{5}{8}}\sin\theta_{\rm Min}$	-2				4.0 3.9 3.6 3.6	4.1	4.1
Z^\prime_{B-L}	$\sqrt{\frac{25}{12}}\sin\theta_{\rm Min}$	$\boldsymbol{0}$	4.0	4.0		3.6 3.6	4.2	4.1

Table 6. Observed and expected 95% CL lower mass limits for various Z'_{Min} models.

two times the true signal width (width of the Breit-Wigner) around the pole mass of the signal. This is expected to give limits that are more model independent since any effect on the sensitivity due to the tails of the resonance, foremost the parton luminosity tail and interference effects, are removed. The resulting limits can be seen in figure [6.](#page-21-1) For other models to be interpreted with these cross-section limits, the acceptance for a given model in the same fiducial region should be calculated, multiplied by the total cross-section, and the resulting acceptance-corrected cross-section theory curve overlaid, to extract the mass limit for that model. The dilepton invariant mass shape, and angular distributions for the chosen model, should be sufficiently close to a generic Z' resonance, such as those presented in this article, so as not to induce additional efficiency differences.

10.4 Limits on the energy scale of contact interactions

Lower limits are set at 95% CL on the energy scale Λ, for the LL, LR, RL, and RR Contact Interaction model, as described in section [2.3.](#page-5-0) Both the constructive and destructive

Figure 5. [\(a\)](#page-21-2) Expected (dotted and dashed lines) and observed (filled area and lines) limits are set at 95% CL on the relative coupling strength γ' for the dilepton channel as a function of the Z'_{Min} mass in the Minimal Z' model. Limit curves are shown for three representative values of the mixing angle, θ_{Min} , between the generators of the $(B - L)$ and the weak hypercharge Y gauge groups. These are: $\tan \theta_{\text{Min}} = 0$, $\tan \theta_{\text{Min}} = -2$ and $\tan \theta_{\text{Min}} = -0.8$, which correspond respectively to the Z'_{B-L} , Z'_{3R} and Z'_{χ} models at specific values of γ' . The region above each line is excluded. The grey band envelops all observed limit curves, which depend on the choice of $\theta_{\text{Min}} \in [0, \pi]$. The corresponding expected limit curves are within the area delimited by the two dotted lines. [\(b\)](#page-21-3) Expected (empty markers and dashed lines) and observed (filled markers and lines) limits at 95% CL on γ' for the dilepton channel as a function of $\theta_{\rm Min}$. The limits are set for several representative values of the mass of the Z' boson, $M_{Z'_{\text{Min}}}$. The region above each line is excluded.

Figure 6. Upper 95% CL limits on the acceptance times Z' production cross-section times branching ratio to two leptons of a single flavour as a function of Z' pole mass $(M_{Z'})$. [\(a\)](#page-21-4) Expected and [\(b\)](#page-21-5) observed limits in the combined dilepton channel for different widths with an applied mass window of two times the true width of the signal around the pole mass.

Figure 7. Lower limits on the energy scale Λ at 95% CL, for the Contact Interaction model with constructive (const) and destructive (dest) interference, and all considered chiral structures with left-handed (L) and right-handed (R) couplings. Results are shown for the combined dilepton channel.

interference scenarios are explored, as well as priors of $1/\Lambda^2$ and $1/\Lambda^4$. Limits are presented for the combined dilepton channel in figure [7](#page-22-1) using a $1/\Lambda^2$ prior. All of the CI exclusion limits are summarised in table [7.](#page-23-1)

11 Conclusion

The ATLAS detector at the LHC has been used to search for both resonant and nonresonant new phenomena in the dilepton invariant mass spectrum above the Z boson's pole. The search is conducted with 36.1 fb^{-1} of pp collision data at $\sqrt{s} = 13 \text{ TeV}$, recorded during 2015 and 2016. The highest invariant mass event is found at 2.90 TeV in the dielectron channel, and 1.99 TeV in the dimuon channel. The observed dilepton invariant mass spectrum is consistent with the Standard Model prediction, within systematic and statistical uncertainties. Among a choice of different models, the data are interpreted in terms of resonant spin-1 Z' gauge boson production and non-resonant qq $\ell\ell$ contact interactions. For the resonant interpretation, upper limits are set on the cross-section times branching ratio for a spin-1 Z' gauge boson. The resulting 95% CL lower mass limits are 4.5 TeV for the Z'_{SSM} , 4.1 TeV for the Z'_{χ} , and 3.8 TeV for the Z'_{ψ} . Other E₆ Z' models are also constrained in the range between those quoted for the Z'_{χ} and Z'_{ψ} . This result is more stringent than the previous ATLAS result at $\sqrt{s} = 13$ TeV obtained with 2015 data, by up to 700 GeV. Lower mass limits are also set on the Minimal Z' model, up to 4.1 TeV for the Z'_{3R} , and 4.2 TeV for the Z'_{B-L} . Generic Z' cross-section limits are also provided for a range of true signal widths. The lower limits on the energy scale Λ for various $q\theta\ell\ell$ contact interaction models range between 24 TeV and 40 TeV, which are more stringent than the previous ATLAS result obtained at $\sqrt{s} = 13 \text{ TeV}$, by up to 4 TeV.

		Lower limits on Λ [TeV]							
Channel	Prior	Left-Left		Left-Right		Right-Left		Right-Right	
		Const	Dest	Const	Dest	Const	Dest	Const	Dest
Obs: ee	$1/\Lambda^2$	37	24	33	26	33	26	33	26
Exp: ee		28	22	26	23	26	23	25	23
Obs: ee	$1/\Lambda^4$	32	22	29	24	29	24	29	24
Exp: ee		26	20	24	21	24	21	24	21
Obs: $\mu\mu$	$1/\Lambda^2$	30	20	28	22	28	22	28	20
Exp: $\mu\mu$		26	20	24	21	24	21	24	20
Obs: $\mu\mu$	$1/\Lambda^4$	27	19	25	21	25	21	25	19
Exp: $\mu\mu$		24	18	23	20	22	20	22	18
Obs: $\ell\ell$	$1/\Lambda^2$	40	25	36	28	35	28	35	28
Exp: $\ell\ell$		31	23	28	24	28	24	28	24
Obs: $\ell\ell$	$1/\Lambda^4$	35	24	32	25	32	25	31	25
Exp: $\ell\ell$		28	21	26	22	26	23	26	22

Table 7. Observed and expected 95% CL lower limits on Λ for the LL, LR, RL, and RR chiral coupling scenarios, for both the constructive (const) and destructive (dest) interference cases using a uniform positive prior in $1/\Lambda^2$ or $1/\Lambda^4$. The dielectron, dimuon, and combined dilepton channel limits are shown, rounded to two significant figures.

A Dilepton invariant mass tables

This appendix provides the exact bin edges and contents of the dilepton invariant mass plots presented in figures [1a,](#page-16-1) [1b,](#page-16-2) [3a,](#page-18-2) and [3b.](#page-18-3) These correspond to tables [8,](#page-24-0) [9,](#page-25-0) [10,](#page-27-0) and [11,](#page-37-0) respectively. Even more detailed information can be found in the Durham HEP database.[2](#page-14-3)

Table 8. Expected and observed event yields in the dielectron channel, directly corresponding to the non-linear binning presented in figure [1a.](#page-16-1) The expected yield is given up to at most 4 digit precision.

Lower edge $[GeV]$	Upper edge $[GeV]$	Data $[N]$	Total Background [N]
80	85.549	826504	786600
85.549	91.482	5730639	5465000
91.482	97.828	4062661	3848000
97.828	104.61	430822	405500
104.61	111.87	149927	141800
111.87	119.63	82971	79230
119.63	127.93	54641	52110
127.93	136.8	39501	37890
136.8	146.29	29742	28940

2138.7	2287.1	θ	0.763
2287.1	2445.7	$\overline{0}$	0.538
2445.7	2615.3	$\overline{0}$	0.375
2615.3	2796.7	θ	0.250
2796.7	2990.7	θ	0.165
2990.7	3198.1	$\overline{0}$	0.112
3198.1	3420	θ	0.078
3420	3657.2	$\overline{0}$	0.049
3657.2	3910.8	$\overline{0}$	0.031
3910.8	4182.1	Ω	0.022
4182.1	4472.1	θ	0.013
4472.1	4782.3	$\overline{0}$	0.010
4782.3	5114	θ	0.006
5114	5468.7	$\overline{0}$	0.005
5468.7	5848	$\overline{0}$	0.002
5848	6253.7	$\boldsymbol{0}$	0.002

Table 9. Expected and observed event yields in the dimuon channel, directly corresponding to the non-linear binning presented in figure [1b.](#page-16-2) The expected yield is given up to at most 4 digit precision.

Table 10. Expected and observed event yields in the dielectron channel, directly corresponding to the non-linear binning presented in figure [3a.](#page-18-2) The expected yield is given up to at most 4 digit precision.

	Lower edge $[TeV]$ Upper edge $[TeV]$ Data $[N]$		Total Background [N]
0.12016	0.12264	18410	18200
0.12264	0.12518	16432	16330
0.12518	0.12779	14813	14840
0.12779	0.13047	13545	13540
0.13047	0.13322	12246	12410

2.8794	3.2131		0.188	
3.2131	3.6149	0	0.104	
3.6149	4.1068	$^{(1)}$	0.049	
4.1068	4.7222	$^{(1)}$	0.025	
4.7222	5.5164		0.010	

Table 11. Expected and observed event yields in the dimuon channel, directly corresponding to the non-linear binning presented in figure [3b.](#page-18-3) The expected yield is given up to at most 4 digit precision.

Acknowledgments

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS, CEA-DSM/IRFU, France; SRNSF, Georgia; BMBF, HGF, and MPG, Germany; GSRT, Greece; RGC, Hong Kong SAR, China; ISF, I-CORE and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MNiSW and NCN, Poland; FCT, Portugal; MNE/IFA, Romania; MES of Russia and NRC KI, Russian Federation; JINR; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZS, Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TAEK, Turkey; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, the Canada Council, CANARIE, CRC, Compute Canada, FQRNT, and the Ontario Innovation Trust, Canada; EPLANET, ERC, ERDF, FP7, Horizon 2020 and Marie Sklodowska-Curie Actions, European Union; Investissements d'Avenir Labex and Idex, ANR, R´egion Auvergne and Fondation Partager le Savoir, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF; BSF, GIF and Minerva, Israel; BRF, Norway; CERCA Programme Generalitat de Catalunya, Generalitat Valenciana, Spain; the Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (U.K.) and BNL (U.S.A.), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in ref. [\[59\]](#page-44-6).

Open Access. This article is distributed under the terms of the Creative Commons Attribution License [\(CC-BY 4.0\)](https://creativecommons.org/licenses/by/4.0/), which permits any use, distribution and reproduction in any medium, provided the original author(s) and source are credited.

References

- [1] D. London and J.L. Rosner, Extra Gauge Bosons in E6, Phys. Rev. D 34 [\(1986\) 1530](https://doi.org/10.1103/PhysRevD.34.1530) [IN[SPIRE](https://inspirehep.net/search?p=find+J+%22Phys.Rev.,D34,1530%22)].
- [2] P. Langacker, The Physics of Heavy Z' Gauge Bosons, [Rev. Mod. Phys.](https://doi.org/10.1103/RevModPhys.81.1199) 81 (2009) 1199 [[arXiv:0801.1345](https://arxiv.org/abs/0801.1345)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+arXiv:0801.1345)].
- [3] E. Salvioni, G. Villadoro and F. Zwirner, Minimal Z' models: Present bounds and early LHC reach, JHEP 11 [\(2009\) 068](https://doi.org/10.1088/1126-6708/2009/11/068) [[arXiv:0909.1320](https://arxiv.org/abs/0909.1320)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+arXiv:0909.1320)].
- [4] ATLAS collaboration, Search for high-mass new phenomena in the dilepton final state using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector, [Phys. Lett.](https://doi.org/10.1016/j.physletb.2016.08.055) **B 761** (2016) [372](https://doi.org/10.1016/j.physletb.2016.08.055) [[arXiv:1607.03669](https://arxiv.org/abs/1607.03669)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+arXiv:1607.03669)].
- [5] CMS collaboration, Search for narrow resonances in dilepton mass spectra in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ and combination with 8 TeV data, [Phys. Lett.](https://doi.org/10.1016/j.physletb.2017.02.010) **B** 768 (2017) 57 [[arXiv:1609.05391](https://arxiv.org/abs/1609.05391)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+arXiv:1609.05391)].
- [6] L. Randall and R. Sundrum, A Large mass hierarchy from a small extra dimension, [Phys.](https://doi.org/10.1103/PhysRevLett.83.3370) Rev. Lett. 83 [\(1999\) 3370](https://doi.org/10.1103/PhysRevLett.83.3370) [[hep-ph/9905221](https://arxiv.org/abs/hep-ph/9905221)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+hep-ph/9905221)].
- [7] P. Meade and L. Randall, Black Holes and Quantum Gravity at the LHC, JHEP 05 [\(2008\)](https://doi.org/10.1088/1126-6708/2008/05/003) [003](https://doi.org/10.1088/1126-6708/2008/05/003) [[arXiv:0708.3017](https://arxiv.org/abs/0708.3017)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+arXiv:0708.3017)].
- [8] M.V. Chizhov, V.A. Bednyakov and J.A. Budagov, Proposal for chiral bosons search at LHC via their unique new signature, [Phys. Atom. Nucl.](https://doi.org/10.1134/S1063778808120107) 71 (2008) 2096 [[arXiv:0801.4235](https://arxiv.org/abs/0801.4235)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+arXiv:0801.4235)].
- [9] F. Sannino and K. Tuominen, Orientifold theory dynamics and symmetry breaking, [Phys.](https://doi.org/10.1103/PhysRevD.71.051901) Rev. D 71 [\(2005\) 051901](https://doi.org/10.1103/PhysRevD.71.051901) [[hep-ph/0405209](https://arxiv.org/abs/hep-ph/0405209)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+hep-ph/0405209)].
- [10] CMS collaboration, Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$, JHEP 04 [\(2015\) 025](https://doi.org/10.1007/JHEP04(2015)025) [[arXiv:1412.6302](https://arxiv.org/abs/1412.6302)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+arXiv:1412.6302)].
- [11] M. Dittmar, A.-S. Nicollerat and A. Djouadi, Z' studies at the LHC: An Update, [Phys. Lett.](https://doi.org/10.1016/j.physletb.2003.09.103) B 583 [\(2004\) 111](https://doi.org/10.1016/j.physletb.2003.09.103) [[hep-ph/0307020](https://arxiv.org/abs/hep-ph/0307020)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+hep-ph/0307020)].
- [12] E. Accomando, A. Belyaev, L. Fedeli, S.F. King and C. Shepherd-Themistocleous, Z' physics with early LHC data, Phys. Rev. D 83 [\(2011\) 075012](https://doi.org/10.1103/PhysRevD.83.075012) $\left[$ [arXiv:1010.6058](https://arxiv.org/abs/1010.6058) $\right]$ [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+arXiv:1010.6058)].
- [13] G. Senjanović and R.N. Mohapatra, *Exact Left-Right Symmetry and Spontaneous Violation* of Parity, Phys. Rev. \bf{D} 12 [\(1975\) 1502](https://doi.org/10.1103/PhysRevD.12.1502) [IN[SPIRE](https://inspirehep.net/search?p=find+J+%22Phys.Rev.,D12,1502%22)].
- [14] R.N. Mohapatra and J.C. Pati, Left-Right Gauge Symmetry and an Isoconjugate Model of CP -violation, *Phys. Rev.* **D** 11 (1975) 566 [INSPIRE]. CP -violation, *Phys. Rev.* **D** 11 (1975) 566 [INSPIRE]. CP -violation, *Phys. Rev.* **D** 11 (1975) 566 [INSPIRE]. CP -violation, *Phys. Rev.* **D** 11 (1975) 566 [INSPIRE]. CP -violation, *Phys. Rev.* **D** 11 (1975) 566 [INSPIRE].
- [15] L. Basso, A. Belyaev, S. Moretti and C.H. Shepherd-Themistocleous, Phenomenology of the minimal $B - L$ extension of the Standard model: Z' and neutrinos, [Phys. Rev.](https://doi.org/10.1103/PhysRevD.80.055030) D 80 (2009) [055030](https://doi.org/10.1103/PhysRevD.80.055030) [[arXiv:0812.4313](https://arxiv.org/abs/0812.4313)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+arXiv:0812.4313)].
- [16] ATLAS collaboration, Search for high-mass dilepton resonances in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector, Phys. Rev. **D** 90 [\(2014\) 052005](https://doi.org/10.1103/PhysRevD.90.052005) [[arXiv:1405.4123](https://arxiv.org/abs/1405.4123)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+arXiv:1405.4123)].
- [17] E. Eichten, K.D. Lane and M.E. Peskin, New Tests for Quark and Lepton Substructure, [Phys. Rev. Lett.](https://doi.org/10.1103/PhysRevLett.50.811) 50 (1983) 811 [IN[SPIRE](https://inspirehep.net/search?p=find+J+%22Phys.Rev.Lett.,50,811%22)].
- [18] E. Eichten, I. Hinchliffe, K.D. Lane and C. Quigg, Super Collider Physics, [Rev. Mod. Phys.](https://doi.org/10.1103/RevModPhys.56.579) 56 [\(1984\) 579](https://doi.org/10.1103/RevModPhys.56.579) [IN[SPIRE](https://inspirehep.net/search?p=find+J+%22Rev.Mod.Phys.,56,579%22)].
- [19] N. Arkani-Hamed, S. Dimopoulos and G.R. Dvali, Phenomenology, astrophysics and cosmology of theories with submillimeter dimensions and TeV scale quantum gravity, [Phys.](https://doi.org/10.1103/PhysRevD.59.086004) Rev. D 59 [\(1999\) 086004](https://doi.org/10.1103/PhysRevD.59.086004) [[hep-ph/9807344](https://arxiv.org/abs/hep-ph/9807344)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+hep-ph/9807344)].
- [20] ATLAS collaboration, The ATLAS Experiment at the CERN Large Hadron Collider, [2008](https://doi.org/10.1088/1748-0221/3/08/S08003) JINST 3 [S08003](https://doi.org/10.1088/1748-0221/3/08/S08003) [IN[SPIRE](https://inspirehep.net/search?p=find+J+%22JINST,3,S08003%22)].
- [21] ATLAS collaboration, ATLAS Insertable B-Layer Technical Design Report, [CERN-LHCC-2010-013](http://cds.cern.ch/record/1291633) (2010) [ATLAS-TDR-19] [Addendum [ATLAS-TDR-19-ADD-1](http://cds.cern.ch/record/1451888) (2012) [IN[SPIRE](http://inspirehep.net/record/1609508)].
- [22] ATLAS collaboration, Performance of the ATLAS Trigger System in 2015, [Eur. Phys. J.](https://doi.org/10.1140/epjc/s10052-017-4852-3) C 77 [\(2017\) 317](https://doi.org/10.1140/epjc/s10052-017-4852-3) [[arXiv:1611.09661](https://arxiv.org/abs/1611.09661)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+arXiv:1611.09661)].
- [23] S. Alioli, P. Nason, C. Oleari and E. Re, A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX, JHEP 06 [\(2010\) 043](https://doi.org/10.1007/JHEP06(2010)043) [[arXiv:1002.2581](https://arxiv.org/abs/1002.2581)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+arXiv:1002.2581)].
- [24] H.-L. Lai et al., New parton distributions for collider physics, Phys. Rev. D 82 [\(2010\) 074024](https://doi.org/10.1103/PhysRevD.82.074024) [[arXiv:1007.2241](https://arxiv.org/abs/1007.2241)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+arXiv:1007.2241)].
- [25] T. Sjöstrand, S. Mrenna and P.Z. Skands, A Brief Introduction to PYTHIA 8.1, [Comput.](https://doi.org/10.1016/j.cpc.2008.01.036) [Phys. Commun.](https://doi.org/10.1016/j.cpc.2008.01.036) 178 (2008) 852 [[arXiv:0710.3820](https://arxiv.org/abs/0710.3820)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+arXiv:0710.3820)].
- [26] ATLAS collaboration, Measurement of the Z/γ^* boson transverse momentum distribution in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector, JHEP 09 [\(2014\) 145](https://doi.org/10.1007/JHEP09(2014)145) [[arXiv:1406.3660](https://arxiv.org/abs/1406.3660)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+arXiv:1406.3660)].
- [27] ATLAS collaboration, Monte Carlo Generators for the Production of a W or Z/γ^* Boson in Association with Jets at ATLAS in Run 2, [ATL-PHYS-PUB-2016-003](http://cds.cern.ch/record/2120133) (2016).
- [28] C. Anastasiou, L.J. Dixon, K. Melnikov and F. Petriello, High precision QCD at hadron colliders: Electroweak gauge boson rapidity distributions at NNLO, [Phys. Rev.](https://doi.org/10.1103/PhysRevD.69.094008) D 69 (2004) [094008](https://doi.org/10.1103/PhysRevD.69.094008) [[hep-ph/0312266](https://arxiv.org/abs/hep-ph/0312266)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+hep-ph/0312266)].
- [29] S. Dulat et al., New parton distribution functions from a global analysis of quantum chromodynamics, Phys. Rev. D 93 [\(2016\) 033006](https://doi.org/10.1103/PhysRevD.93.033006) $arXiv:1506.07443$ [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+arXiv:1506.07443)].
- [30] S.G. Bondarenko and A.A. Sapronov, NLO EW and QCD proton-proton cross section calculations with mcsanc-v1.01, [Comput. Phys. Commun.](https://doi.org/10.1016/j.cpc.2013.05.010) 184 (2013) 2343 [[arXiv:1301.3687](https://arxiv.org/abs/1301.3687)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+arXiv:1301.3687)].
- [31] A.D. Martin, R.G. Roberts, W.J. Stirling and R.S. Thorne, Parton distributions incorporating QED contributions, [Eur. Phys. J.](https://doi.org/10.1140/epjc/s2004-02088-7) C 39 (2005) 155 [[hep-ph/0411040](https://arxiv.org/abs/hep-ph/0411040)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+hep-ph/0411040)].
- [32] ATLAS collaboration, Studies on top-quark Monte Carlo modelling for Top2016, [ATL-PHYS-PUB-2016-020](http://cds.cern.ch/record/2216168) (2016).
- [33] ATLAS collaboration, *Multi-Boson Simulation for* 13 TeV ATLAS Analyses, [ATL-PHYS-PUB-2016-002](http://cds.cern.ch/record/2119986) (2016).
- [34] T. Gleisberg et al., Event generation with SHERPA 1.1, JHEP 02 [\(2009\) 007](https://doi.org/10.1088/1126-6708/2009/02/007) [[arXiv:0811.4622](https://arxiv.org/abs/0811.4622)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+arXiv:0811.4622)].
- [35] M. Czakon and A. Mitov, $Top++:$ A Program for the Calculation of the Top-Pair Cross-Section at Hadron Colliders, [Comput. Phys. Commun.](https://doi.org/10.1016/j.cpc.2014.06.021) 185 (2014) 2930 [[arXiv:1112.5675](https://arxiv.org/abs/1112.5675)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+arXiv:1112.5675)].
- [36] R.D. Ball et al., *Parton distributions with LHC data, [Nucl. Phys.](https://doi.org/10.1016/j.nuclphysb.2012.10.003)* **B 867** (2013) 244 [[arXiv:1207.1303](https://arxiv.org/abs/1207.1303)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+arXiv:1207.1303)].
- [37] ATLAS collaboration, ATLAS Run 1 PYTHIA8 tunes, [ATL-PHYS-PUB-2014-021](http://cds.cern.ch/record/1966419) (2014).
- [38] GEANT4 collaboration, S. Agostinelli et al., GEANT4: A Simulation toolkit, [Nucl.](https://doi.org/10.1016/S0168-9002(03)01368-8) [Instrum. Meth.](https://doi.org/10.1016/S0168-9002(03)01368-8) A 506 (2003) 250 [IN[SPIRE](https://inspirehep.net/search?p=find+J+%22Nucl.Instrum.Meth.,A506,250%22)].
- [39] ATLAS collaboration, The ATLAS Simulation Infrastructure, [Eur. Phys. J.](https://doi.org/10.1140/epjc/s10052-010-1429-9) C 70 (2010) [823](https://doi.org/10.1140/epjc/s10052-010-1429-9) [[arXiv:1005.4568](https://arxiv.org/abs/1005.4568)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+arXiv:1005.4568)].
- [40] A.D. Martin, W.J. Stirling, R.S. Thorne and G. Watt, Parton distributions for the LHC, [Eur. Phys. J.](https://doi.org/10.1140/epjc/s10052-009-1072-5) C 63 (2009) 189 arXiv: 0901.0002 [insPIRE] .
- [41] ATLAS collaboration, *Electron efficiency measurements with the ATLAS detector using* 2012 LHC proton-proton collision data, [Eur. Phys. J.](https://doi.org/10.1140/epjc/s10052-017-4756-2) C 77 (2017) 195 $arXiv:1612.01456$ [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+arXiv:1612.01456)].
- [42] ATLAS collaboration, Electron efficiency measurements with the ATLAS detector using the 2015 LHC proton-proton collision data, [ATLAS-CONF-2016-024](http://cds.cern.ch/record/2157687) (2016) [IN[SPIRE](http://inspirehep.net/record/1467063)].
- [43] ATLAS collaboration, Electron and photon energy calibration with the ATLAS detector $u\sin\theta$ data collected in 2015 at $\sqrt{s} = 13 \text{ TeV}$, [ATL-PHYS-PUB-2016-015](http://cds.cern.ch/record/2203514) (2016).
- [44] ATLAS collaboration, Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$, [Eur. Phys. J.](https://doi.org/10.1140/epjc/s10052-016-4120-y) C 76 (2016) 292 [[arXiv:1603.05598](https://arxiv.org/abs/1603.05598)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+arXiv:1603.05598)].
- [45] ATLAS collaboration, Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data, [Eur. Phys. J.](https://doi.org/10.1140/epjc/s10052-014-3071-4) C 74 (2014) 3071 [[arXiv:1407.5063](https://arxiv.org/abs/1407.5063)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+arXiv:1407.5063)].
- [46] Particle Data Group collaboration, C. Patrignani et al., Review of Particle Physics, Chin. Phys. C 40 [\(2016\) 100001](https://doi.org/10.1088/1674-1137/40/10/100001) [IN[SPIRE](https://inspirehep.net/search?p=find+J+%22Chin.Phys.,C40,100001%22)].
- [47] J. Gao and P. Nadolsky, A meta-analysis of parton distribution functions, JHEP 07 [\(2014\)](https://doi.org/10.1007/JHEP07(2014)035) [035](https://doi.org/10.1007/JHEP07(2014)035) [[arXiv:1401.0013](https://arxiv.org/abs/1401.0013)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+arXiv:1401.0013)].
- [48] J. Butterworth et al., *PDF4LHC recommendations for LHC Run II, [J. Phys.](https://doi.org/10.1088/0954-3899/43/2/023001)* **G 43** (2016) [023001](https://doi.org/10.1088/0954-3899/43/2/023001) [[arXiv:1510.03865](https://arxiv.org/abs/1510.03865)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+arXiv:1510.03865)].
- [49] P. Motylinski, L. Harland-Lang, A.D. Martin and R.S. Thorne, Updates of PDFs for the 2nd LHC run, [Nucl. Part. Phys. Proc.](https://doi.org/10.1016/j.nuclphysBPS.2015.09.347) 273-275 (2016) 2136 [[arXiv:1411.2560](https://arxiv.org/abs/1411.2560)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+arXiv:1411.2560)].
- [50] NNPDF collaboration, R.D. Ball et al., *Parton distributions for the LHC Run II, [JHEP](https://doi.org/10.1007/JHEP04(2015)040)* 04 [\(2015\) 040](https://doi.org/10.1007/JHEP04(2015)040) [[arXiv:1410.8849](https://arxiv.org/abs/1410.8849)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+arXiv:1410.8849)].
- [51] ATLAS collaboration, Measurement of the Inelastic Proton-Proton Cross section at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS Detector at the LHC, [Phys. Rev. Lett.](https://doi.org/10.1103/PhysRevLett.117.182002) 117 (2016) 182002 [[arXiv:1606.02625](https://arxiv.org/abs/1606.02625)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+arXiv:1606.02625)].
- [52] ATLAS collaboration, Luminosity determination in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector at the LHC, [Eur. Phys. J.](https://doi.org/10.1140/epjc/s10052-016-4466-1) C 76 (2016) 653 [[arXiv:1608.03953](https://arxiv.org/abs/1608.03953)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+arXiv:1608.03953)].
- [53] A. Caldwell, D. Kollar and K. Kroninger, BAT: The Bayesian Analysis Toolkit, [Comput.](https://doi.org/10.1016/j.cpc.2009.06.026) [Phys. Commun.](https://doi.org/10.1016/j.cpc.2009.06.026) 180 (2009) 2197 [[arXiv:0808.2552](https://arxiv.org/abs/0808.2552)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+arXiv:0808.2552)].
- [54] G. Choudalakis, On hypothesis testing, trials factor, hypertests and the BumpHunter, [arXiv:1101.0390](https://arxiv.org/abs/1101.0390) [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+arXiv:1101.0390)].
- [55] G. Cowan, K. Cranmer, E. Gross and O. Vitells, Asymptotic formulae for likelihood-based tests of new physics, [Eur. Phys. J.](https://doi.org/10.1140/epjc/s10052-011-1554-0) C 71 (2011) 1554 [Erratum ibid. C 73 (2013) 2501] [[arXiv:1007.1727](https://arxiv.org/abs/1007.1727)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+arXiv:1007.1727)].
- [56] ROOT collaboration, K. Cranmer, G. Lewis, L. Moneta, A. Shibata and W. Verkerke, HistFactory: A tool for creating statistical models for use with RooFit and RooStats, [CERN-OPEN-2012-016](http://cds.cern.ch/record/1456844) (2012) [IN[SPIRE](http://inspirehep.net/record/1236448)].
- [57] L. Moneta et al., *The RooStats Project*, [PoS\(ACAT2010\)057](https://pos.sissa.it/contribution?id=PoS(ACAT2010)057) [[arXiv:1009.1003](https://arxiv.org/abs/1009.1003)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+arXiv:1009.1003)].
- [58] W. Verkerke and D.P. Kirkby, The RooFit toolkit for data modeling, eConf C 0303241 (2003) MOLT007 [[physics/0306116](https://arxiv.org/abs/physics/0306116)] [IN[SPIRE](https://inspirehep.net/search?p=find+EPRINT+physics/0306116)].
- [59] ATLAS collaboration, ATLAS Computing Acknowledgements 2016–2017, [ATL-GEN-PUB-2016-002](http://cds.cern.ch/record/2202407) (2016).

The ATLAS collaboration

M. Aaboud^{137d}, G. Aad⁸⁸, B. Abbott¹¹⁵, O. Abdinov^{12,*}, B. Abeloos¹¹⁹, S.H. Abidi¹⁶¹, O.S. AbouZeid¹³⁹, N.L. Abraham¹⁵¹, H. Abramowicz¹⁵⁵, H. Abreu¹⁵⁴, R. Abreu¹¹⁸, Y. Abulaiti^{148a,148b}, B.S. Acharya^{167a,167b,a}, S. Adachi¹⁵⁷, L. Adamczyk^{41a}, J. Adelman¹¹⁰, M. Adersberger¹⁰², T. Adye¹³³, A.A. Affolder¹³⁹, T. Agatonovic-Jovin¹⁴, C. Agheorghiesei^{28c}, J.A. Aguilar-Saavedra^{128a,128f}, S.P. Ahlen²⁴, F. Ahmadov^{68,b}, G. Aielli^{135a,135b}, S. Akatsuka⁷¹, H. Akerstedt^{148a,148b}, T.P.A. Åkesson⁸⁴, E. Akilli⁵², A.V. Akimov⁹⁸, G.L. Alberghi^{22a,22b}, J. Albert¹⁷², P. Albicocco⁵⁰, M.J. Alconada Verzini⁷⁴, S.C. Alderweireldt¹⁰⁸, M. Aleksa³², I.N. Aleksandrov⁶⁸, C. Alexa^{28b}, G. Alexander¹⁵⁵, T. Alexopoulos¹⁰, M. Alhroob¹¹⁵, B. Ali¹³⁰, M. Aliev^{76a,76b}, G. Alimonti^{94a}, J. Alison³³, S.P. Alkire³⁸, B.M.M. Allbrooke¹⁵¹, B.W. Allen¹¹⁸, P.P. Allport¹⁹, A. Aloisio^{106a,106b}, A. Alonso³⁹, F. Alonso⁷⁴, C. Alpigiani¹⁴⁰, A.A. Alshehri⁵⁶, M.I. Alstaty⁸⁸, B. Alvarez Gonzalez³², D. Álvarez Piqueras¹⁷⁰, M.G. Alviggi^{106a,106b}, B.T. Amadio¹⁶, Y. Amaral Coutinho^{26a}, C. Amelung²⁵, D. Amidei⁹², S.P. Amor Dos Santos^{128a,128c}, A. Amorim^{128a,128b}, S. Amoroso³², G. Amundsen²⁵, C. Anastopoulos¹⁴¹, L.S. Ancu⁵², N. Andari¹⁹, T. Andeen¹¹, C.F. Anders^{60b}, J.K. Anders⁷⁷, K.J. Anderson³³, A. Andreazza^{94a,94b}, V. Andrei^{60a}, S. Angelidakis⁹, I. Angelozzi¹⁰⁹, A. Angerami³⁸, A.V. Anisenkov^{111,c}, N. Anjos¹³, A. Annovi^{126a,126b}, C. Antel^{60a}, M. Antonelli⁵⁰, A. Antonov^{100,∗}, D.J. Antrim¹⁶⁶, F. Anulli^{134a}, M. Aoki⁶⁹, L. Aperio Bella³², G. Arabidze⁹³, Y. Arai 69 , J.P. Araque 128a , V. Araujo Ferraz 26a , A.T.H. Arce 48 , R.E. Ardell 80 , F.A. Arduh 74 , J-F. Arguin⁹⁷, S. Argyropoulos⁶⁶, M. Arik^{20a}, A.J. Armbruster³², L.J. Armitage⁷⁹, O. Arnaez¹⁶¹, H. Arnold⁵¹, M. Arratia³⁰, O. Arslan²³, A. Artamonov⁹⁹, G. Artoni¹²², S. Artz⁸⁶, S. Asai¹⁵⁷, N. Asbah⁴⁵, A. Ashkenazi¹⁵⁵, L. Asquith¹⁵¹, K. Assamagan²⁷, R. Astalos^{146a}, M. Atkinson¹⁶⁹, N.B. Atlay¹⁴³, K. Augsten¹³⁰, G. Avolio³², B. Axen¹⁶, M.K. Ayoub¹¹⁹, G. Azuelos^{97,d}, A.E. Baas^{60a}, M.J. Baca¹⁹, H. Bachacou¹³⁸, K. Bachas^{76a,76b}, M. Backes¹²², M. Backhaus³², P. Bagnaia^{134a,134b}, M. Bahmani⁴², H. Bahrasemani¹⁴⁴, J.T. Baines¹³³, M. Bajic³⁹, O.K. Baker¹⁷⁹, E.M. Baldin^{111,c}, P. Balek¹⁷⁵, F. Balli¹³⁸, W.K. Balunas¹²⁴, E. Banas⁴², A. Bandyopadhyay²³, Sw. Banerjee^{176,e}, A.A.E. Bannoura¹⁷⁸, L. Barak³², E.L. Barberio⁹¹, D. Barberis^{53a,53b}, M. Barbero⁸⁸, T. Barillari¹⁰³, M-S Barisits³², J.T. Barkeloo¹¹⁸, T. Barklow¹⁴⁵, N. Barlow³⁰, S.L. Barnes^{36c}, B.M. Barnett¹³³, R.M. Barnett¹⁶, Z. Barnovska-Blenessy 36a , A. Baroncelli 136a , G. Barone 25 , A.J. Barr 122 , L. Barranco Navarro 170 , F. Barreiro⁸⁵, J. Barreiro Guimarães da Costa^{35a}, R. Bartoldus¹⁴⁵, A.E. Barton⁷⁵, P. Bartos^{146a}, A. Basalaev¹²⁵, A. Bassalat^{119,f}, R.L. Bates⁵⁶, S.J. Batista¹⁶¹, J.R. Batley³⁰, M. Battaglia¹³⁹, M. Bauce^{134a,134b}, F. Bauer¹³⁸, H.S. Bawa^{145,g}, J.B. Beacham¹¹³, M.D. Beattie⁷⁵, T. Beau⁸³, P.H. Beauchemin¹⁶⁵, P. Bechtle²³, H.P. Beck^{18,h}, H.C. Beck⁵⁷, K. Becker¹²², M. Becker⁸⁶, M. Beckingham¹⁷³, C. Becot¹¹², A.J. Beddall^{20e}, A. Beddall^{20b}, V.A. Bednyakov⁶⁸, M. Bedognetti¹⁰⁹, C.P. Bee¹⁵⁰, T.A. Beermann³², M. Begalli^{26a}, M. Begel²⁷, J.K. Behr⁴⁵, A.S. Bell⁸¹, G. Bella¹⁵⁵, L. Bellagamba^{22a}, A. Bellerive³¹, M. Bellomo¹⁵⁴, K. Belotskiy¹⁰⁰, O. Beltramello³², N.L. Belyaev¹⁰⁰, O. Benary^{155,*}, D. Benchekroun^{137a}, M. Bender¹⁰², K. Bendtz^{148a,148b}, N. Benekos¹⁰, Y. Benhammou¹⁵⁵, E. Benhar Noccioli¹⁷⁹, J. Benitez⁶⁶, D.P. Benjamin⁴⁸, M. Benoit⁵², J.R. Bensinger²⁵, S. Bentvelsen¹⁰⁹, L. Beresford¹²², M. Beretta⁵⁰, D. Berge¹⁰⁹, E. Bergeaas Kuutmann¹⁶⁸, N. Berger⁵, J. Beringer¹⁶, S. Berlendis⁵⁸, N.R. Bernard⁸⁹, G. Bernardi⁸³, C. Bernius¹⁴⁵, F.U. Bernlochner²³, T. Berry⁸⁰, P. Berta¹³¹, C. Bertella^{35a}, G. Bertoli^{148a,148b}, F. Bertolucci^{126a,126b}, I.A. Bertram⁷⁵, C. Bertsche⁴⁵, D. Bertsche¹¹⁵, G.J. Besjes³⁹, O. Bessidskaia Bylund^{148a,148b}, M. Bessner⁴⁵, N. Besson¹³⁸, C. Betancourt⁵¹, A. Bethani⁸⁷, S. Bethke¹⁰³, A.J. Bevan⁷⁹, J. Beyer¹⁰³, R.M. Bianchi¹²⁷, O. Biebel¹⁰², D. Biedermann¹⁷, R. Bielski⁸⁷, K. Bierwagen⁸⁶, N.V. Biesuz^{126a,126b},

M. Biglietti^{136a}, T.R.V. Billoud⁹⁷, H. Bilokon⁵⁰, M. Bindi⁵⁷, A. Bingul^{20b}, C. Bini^{134a,134b},

S. Biondi^{22a,22b}, T. Bisanz⁵⁷, C. Bittrich⁴⁷, D.M. Bjergaard⁴⁸, C.W. Black¹⁵², J.E. Black¹⁴⁵, K.M. Black²⁴, R.E. Blair⁶, T. Blazek^{146a}, I. Bloch⁴⁵, C. Blocker²⁵, A. Blue⁵⁶, W. Blum^{86,*}, U. Blumenschein⁷⁹, S. Blunier^{34a}, G.J. Bobbink¹⁰⁹, V.S. Bobrovnikov^{111,c}, S.S. Bocchetta⁸⁴, A. Bocci⁴⁸, C. Bock¹⁰², M. Boehler⁵¹, D. Boerner¹⁷⁸, D. Bogavac¹⁰², A.G. Bogdanchikov¹¹¹, C. Bohm^{148a}, V. Boisvert⁸⁰, P. Bokan^{168,i}, T. Bold^{41a}, A.S. Boldyrev¹⁰¹, A.E. Bolz^{60b}, M. Bomben⁸³, M. Bona⁷⁹, M. Boonekamp¹³⁸, A. Borisov¹³², G. Borissov⁷⁵, J. Bortfeldt³², D. Bortoletto¹²², V. Bortolotto^{62a,62b,62c}, D. Boscherini^{22a}, M. Bosman¹³, J.D. Bossio Sola²⁹, J. Boudreau¹²⁷, J. Bouffard², E.V. Bouhova-Thacker⁷⁵, D. Boumediene³⁷, C. Bourdarios¹¹⁹, S.K. Boutle⁵⁶, A. Boveia¹¹³, J. Boyd³², I.R. Boyko⁶⁸, J. Bracinik¹⁹, A. Brandt⁸, G. Brandt⁵⁷, O. Brandt 60a , U. Bratzler¹⁵⁸, B. Brau⁸⁹, J.E. Brau¹¹⁸, W.D. Breaden Madden⁵⁶, K. Brendlinger⁴⁵, A.J. Brennan⁹¹, L. Brenner¹⁰⁹, R. Brenner¹⁶⁸, S. Bressler¹⁷⁵, D.L. Briglin¹⁹, T.M. Bristow⁴⁹, D. Britton⁵⁶, D. Britzger⁴⁵, F.M. Brochu³⁰, I. Brock²³, R. Brock⁹³, G. Brooijmans³⁸, T. Brooks⁸⁰, W.K. Brooks^{34b}, J. Brosamer¹⁶, E. Brost¹¹⁰, J.H Broughton¹⁹, P.A. Bruckman de Renstrom⁴², D. Bruncko^{146b}, A. Bruni^{22a}, G. Bruni^{22a}, L.S. Bruni¹⁰⁹, BH Brunt³⁰, M. Bruschi^{22a}, N. Bruscino²³, P. Bryant³³, L. Bryngemark⁴⁵, T. Buanes¹⁵, Q. Buat¹⁴⁴, P. Buchholz¹⁴³, A.G. Buckley⁵⁶, I.A. Budagov⁶⁸, F. Buehrer⁵¹, M.K. Bugge¹²¹, O. Bulekov¹⁰⁰, D. Bullock⁸, T.J. Burch¹¹⁰, S. Burdin⁷⁷, C.D. Burgard⁵¹, A.M. Burger⁵, B. Burghgrave¹¹⁰, K. Burka⁴², S. Burke¹³³, I. Burmeister⁴⁶, J.T.P. Burr¹²², E. Busato³⁷, D. Büscher⁵¹, V. Büscher⁸⁶, P. Bussey⁵⁶, J.M. Butler²⁴, C.M. Buttar⁵⁶, J.M. Butterworth⁸¹, P. Butti³², W. Buttinger²⁷, A. Buzatu^{35c}, A.R. Buzykaev^{111,c}, S. Cabrera Urbán¹⁷⁰, D. Caforio¹³⁰, V.M. Cairo^{40a,40b}, O. Cakir^{4a}, N. Calace⁵², P. Calafiura¹⁶, A. Calandri⁸⁸, G. Calderini⁸³, P. Calfayan⁶⁴, G. Callea^{40a,40b}, L.P. Caloba^{26a}, S. Calvente Lopez⁸⁵, D. Calvet³⁷, S. Calvet³⁷, T.P. Calvet⁸⁸, R. Camacho Toro³³, S. Camarda³², P. Camarri^{135a,135b}, D. Cameron¹²¹, R. Caminal Armadans¹⁶⁹, C. Camincher⁵⁸, S. Campana³², M. Campanelli⁸¹, A. Camplani^{94a,94b}, A. Campoverde¹⁴³, V. Canale^{106a,106b}, M. Cano Bret^{36c}, J. Cantero¹¹⁶, T. Cao¹⁵⁵, M.D.M. Capeans Garrido³², I. Caprini^{28b}, M. Caprini^{28b}, M. Capua^{40a,40b}, R.M. Carbone³⁸, R. Cardarelli^{135a}, F. Cardillo⁵¹, I. Carli¹³¹, T. Carli³², G. Carlino^{106a}, B.T. Carlson¹²⁷, L. Carminati^{94a,94b}, R.M.D. Carney^{148a,148b}, S. Caron¹⁰⁸, E. Carquin^{34b}, S. Carrá^{94a,94b}, G.D. Carrillo-Montoya³², J. Carvalho^{128a,128c}, D. Casadei¹⁹, M.P. Casado^{13,j}, M. Casolino¹³, D.W. Casper¹⁶⁶, R. Castelijn¹⁰⁹, V. Castillo Gimenez¹⁷⁰, N.F. Castro^{128a,k}, A. Catinaccio³², J.R. Catmore¹²¹, A. Cattai³², J. Caudron²³, V. Cavaliere¹⁶⁹, E. Cavallaro¹³, D. Cavalli^{94a}, M. Cavalli-Sforza¹³, V. Cavasinni^{126a,126b}, E. Celebi^{20d}, F. Ceradini^{136a,136b}, L. Cerda Alberich¹⁷⁰, A.S. Cerqueira^{26b}, A. Cerri¹⁵¹, L. Cerrito^{135a,135b}, F. Cerutti¹⁶, A. Cervelli¹⁸, S.A. Cetin^{20d}, A. Chafaq^{137a}, D. Chakraborty¹¹⁰, S.K. Chan⁵⁹, W.S. Chan¹⁰⁹, Y.L. Chan^{62a}, P. Chang¹⁶⁹, J.D. Chapman³⁰, D.G. Charlton¹⁹, C.C. Chau³¹, C.A. Chavez Barajas¹⁵¹, S. Che¹¹³, S. Cheatham^{167a,167c}, A. Chegwidden⁹³, S. Chekanov⁶, S.V. Chekulaev^{163a}, G.A. Chelkov^{68,*l*}, M.A. Chelstowska³², C. Chen⁶⁷, H. Chen²⁷, J. Chen^{36a}, S. Chen^{35b}, S. Chen¹⁵⁷, X. Chen^{35c,m}, Y. Chen⁷⁰, H.C. Cheng⁹², H.J. Cheng^{35a}, A. Cheplakov⁶⁸, E. Cheremushkina¹³², R. Cherkaoui El Moursli^{137e}, E. Cheu⁷, K. Cheung⁶³, L. Chevalier¹³⁸, V. Chiarella⁵⁰, G. Chiarelli^{126a,126b}, G. Chiodini^{76a}, A.S. Chisholm³², A. Chitan^{28b}, Y.H. Chiu¹⁷², M.V. Chizhov⁶⁸, K. Choi⁶⁴, A.R. Chomont³⁷, S. Chouridou¹⁵⁶, Y.S. Chow^{62a}, V. Christodoulou⁸¹, M.C. Chu^{62a}, J. Chudoba¹²⁹, A.J. Chuinard⁹⁰, J.J. Chwastowski⁴², L. Chytka¹¹⁷, A.K. Ciftci^{4a}, D. Cinca⁴⁶, V. Cindro⁷⁸, I.A. Cioara²³, C. Ciocca^{22a,22b}, A. Ciocio¹⁶, F. Cirotto^{106a,106b}, Z.H. Citron¹⁷⁵, M. Citterio^{94a}, M. Ciubancan^{28b}, A. Clark⁵², B.L. Clark⁵⁹, M.R. Clark³⁸, P.J. Clark⁴⁹, R.N. Clarke¹⁶, C. Clement^{148a,148b}, Y. Coadou⁸⁸, M. Cobal^{167a,167c}, A. Coccaro⁵², J. Cochran⁶⁷, L. Colasurdo¹⁰⁸, B. Cole³⁸, A.P. Colijn¹⁰⁹, J. Collot⁵⁸, T. Colombo¹⁶⁶, P. Conde Muiño^{128a,128b}, E. Coniavitis⁵¹, S.H. Connell^{147b}, I.A. Connelly⁸⁷,

S. Constantinescu^{28b}, G. Conti³², F. Conventi^{106a,n}, M. Cooke¹⁶, A.M. Cooper-Sarkar¹²²,

F. Cormier¹⁷¹, K.J.R. Cormier¹⁶¹, M. Corradi^{134a,134b}, F. Corriveau^{90,o}, A. Cortes-Gonzalez³², G. Cortiana¹⁰³, G. Costa^{94a}, M.J. Costa¹⁷⁰, D. Costanzo¹⁴¹, G. Cottin³⁰, G. Cowan⁸⁰, B.E. Cox⁸⁷, K. Cranmer¹¹², S.J. Crawley⁵⁶, R.A. Creager¹²⁴, G. Cree³¹, S. Crépé-Renaudin⁵⁸, F. Crescioli⁸³, W.A. Cribbs^{148a,148b}, M. Cristinziani²³, V. Croft¹⁰⁸, G. Crosetti^{40a,40b}, A. Cueto⁸⁵, T. Cuhadar Donszelmann¹⁴¹, A.R. Cukierman¹⁴⁵, J. Cummings¹⁷⁹, M. Curatolo⁵⁰, J. Cúth 86 , S. Czekierda⁴², P. Czodrowski³², G. D'amen^{22a,22b}, S. D'Auria⁵⁶, L. D'eramo⁸³, M. D'Onofrio⁷⁷, M.J. Da Cunha Sargedas De Sousa^{128a,128b}, C. Da Via⁸⁷, W. Dabrowski^{41a}, T. Dado^{146a}, T. Dai⁹², O. Dale¹⁵, F. Dallaire⁹⁷, C. Dallapiccola⁸⁹, M. Dam³⁹, J.R. Dandoy¹²⁴, M.F. Daneri²⁹, N.P. Dang¹⁷⁶, A.C. Daniells¹⁹, N.S. Dann⁸⁷, M. Danninger¹⁷¹, M. Dano Hoffmann¹³⁸, V. Dao¹⁵⁰, G. Darbo^{53a}, S. Darmora⁸, J. Dassoulas³, A. Dattagupta¹¹⁸, T. Daubney⁴⁵, W. Davey²³, C. David⁴⁵, T. Davidek¹³¹, D.R. Davis⁴⁸, P. Davison⁸¹, E. Dawe⁹¹, I. Dawson¹⁴¹, K. De⁸, R. de Asmundis^{106a}, A. De Benedetti¹¹⁵, S. De Castro^{22a,22b}, S. De Cecco⁸³, N. De Groot¹⁰⁸, P. de Jong¹⁰⁹, H. De la Torre⁹³, F. De Lorenzi⁶⁷, A. De Maria⁵⁷, D. De Pedis^{134a}, A. De Salvo^{134a}, U. De Sanctis^{135a,135b}, A. De Santo¹⁵¹, K. De Vasconcelos Corga⁸⁸, J.B. De Vivie De Regie¹¹⁹, W.J. Dearnaley⁷⁵, R. Debbe²⁷, C. Debenedetti¹³⁹, D.V. Dedovich⁶⁸, N. Dehghanian³, I. Deigaard¹⁰⁹, M. Del Gaudio^{40a,40b}, J. Del Peso 85 , D. Delgove 119 , F. Deliot 138 , C.M. Delitzsch⁷, A. Dell'Acqua 32 , L. Dell'Asta 24 , M. Dell'Orso^{126a,126b}, M. Della Pietra^{106a,106b}, D. della Volpe⁵², M. Delmastro⁵, C. Delporte¹¹⁹, P.A. Delsart⁵⁸, D.A. DeMarco¹⁶¹, S. Demers¹⁷⁹, M. Demichev⁶⁸, A. Demilly⁸³, S.P. Denisov¹³², D. Denysiuk¹³⁸, D. Derendarz⁴², J.E. Derkaoui^{137d}, F. Derue⁸³, P. Dervan⁷⁷, K. Desch²³, C. Deterre⁴⁵, K. Dette⁴⁶, M.R. Devesa²⁹, P.O. Deviveiros³², A. Dewhurst¹³³, S. Dhaliwal²⁵, F.A. Di Bello⁵², A. Di Ciaccio^{135a,135b}, L. Di Ciaccio⁵, W.K. Di Clemente¹²⁴, C. Di Donato^{106a,106b}, A. Di Girolamo³², B. Di Girolamo³², B. Di Micco^{136a,136b}, R. Di Nardo³², K.F. Di Petrillo⁵⁹, A. Di Simone⁵¹, R. Di Sipio¹⁶¹, D. Di Valentino³¹, C. Diaconu⁸⁸, M. Diamond¹⁶¹, F.A. Dias³⁹, M.A. Diaz^{34a}, E.B. Diehl⁹², J. Dietrich¹⁷, S. Díez Cornell⁴⁵, A. Dimitrievska¹⁴, J. Dingfelder²³, P. Dita^{28b}, S. Dita^{28b}, F. Dittus³², F. Djama⁸⁸, T. Djobava^{54b}, J.I. Djuvsland^{60a}, M.A.B. do Vale^{26c}, D. Dobos³², M. Dobre^{28b}, C. Doglioni⁸⁴, J. Dolejsi¹³¹, Z. Dolezal¹³¹, M. Donadelli^{26d}, S. Donati^{126a,126b}, P. Dondero^{123a,123b}, J. Donini³⁷, J. Dopke¹³³, A. Doria^{106a}, M.T. Dova⁷⁴, A.T. Doyle⁵⁶, E. Drechsler⁵⁷, E. Dreyer¹⁴⁴, M. Dris¹⁰, Y. Du^{36b}, J. Duarte-Campderros¹⁵⁵, A. Dubreuil⁵², E. Duchovni¹⁷⁵, G. Duckeck¹⁰², A. Ducourthial⁸³, O.A. Ducu^{97, p}, D. Duda¹⁰⁹, A. Dudarev³², A.Chr. Dudder⁸⁶, E.M. Duffield¹⁶, L. Duflot¹¹⁹, M. Dührssen³², M. Dumancic¹⁷⁵, A.E. Dumitriu^{28b}, A.K. Duncan⁵⁶, M. Dunford^{60a}, H. Duran Yildiz^{4a}, M. Düren⁵⁵, A. Durglishvili^{54b}, D. Duschinger⁴⁷, B. Dutta⁴⁵, D. Duvnjak¹, M. Dyndal⁴⁵, B.S. Dziedzic⁴², C. Eckardt⁴⁵, K.M. Ecker¹⁰³, R.C. Edgar⁹², T. Eifert³², G. Eigen¹⁵, K. Einsweiler¹⁶, T. Ekelof¹⁶⁸, M. El Kacimi^{137c}, R. El Kosseifi⁸⁸, V. Ellajosyula⁸⁸, M. Ellert¹⁶⁸, S. Elles⁵, F. Ellinghaus¹⁷⁸, A.A. Elliot¹⁷², N. Ellis³², J. Elmsheuser²⁷, M. Elsing³², D. Emeliyanov¹³³, Y. Enari¹⁵⁷, O.C. Endner⁸⁶, J.S. Ennis¹⁷³, J. Erdmann⁴⁶, A. Ereditato¹⁸, M. Ernst²⁷, S. Errede¹⁶⁹, M. Escalier¹¹⁹, C. Escobar¹⁷⁰, B. Esposito⁵⁰, O. Estrada Pastor¹⁷⁰, A.I. Etienvre¹³⁸, E. Etzion¹⁵⁵, H. Evans⁶⁴, A. Ezhilov¹²⁵, M. Ezzi^{137e}, F. Fabbri^{22a,22b}, L. Fabbri^{22a,22b}, V. Fabiani¹⁰⁸, G. Facini⁸¹, R.M. Fakhrutdinov¹³², S. Falciano^{134a}, P.J. Falke⁵, R.J. Falla⁸¹, J. Faltova³², Y. Fang^{35a}, M. Fanti^{94a,94b}, A. Farbin⁸, A. Farilla^{136a}, C. Farina¹²⁷, E.M. Farina^{123a,123b}, T. Farooque⁹³, S. Farrell¹⁶, S.M. Farrington¹⁷³, P. Farthouat³², F. Fassi^{137e}, P. Fassnacht³², D. Fassouliotis⁹, M. Faucci Giannelli⁸⁰, A. Favareto^{53a,53b}, W.J. Fawcett¹²², L. Fayard¹¹⁹, O.L. Fedin^{125,q}, W. Fedorko¹⁷¹, S. Feigl¹²¹, L. Feligioni⁸⁸, C. Feng^{36b}, E.J. Feng³², H. Feng⁹², M.J. Fenton⁵⁶, A.B. Fenyuk¹³², L. Feremenga⁸, P. Fernandez Martinez¹⁷⁰, S. Fernandez Perez¹³, J. Ferrando⁴⁵, A. Ferrari¹⁶⁸, P. Ferrari¹⁰⁹, R. Ferrari^{123a}, D.E. Ferreira de Lima^{60b}, A. Ferrer¹⁷⁰, D. Ferrere⁵²,

C. Ferretti⁹², F. Fiedler⁸⁶, A. Filipčič⁷⁸, M. Filipuzzi⁴⁵, F. Filthaut¹⁰⁸, M. Fincke-Keeler¹⁷²,

K.D. Finelli¹⁵², M.C.N. Fiolhais^{128a,128c,r}, L. Fiorini¹⁷⁰, A. Fischer², C. Fischer¹³, J. Fischer¹⁷⁸, W.C. Fisher⁹³, N. Flaschel⁴⁵, I. Fleck¹⁴³, P. Fleischmann⁹², R.R.M. Fletcher¹²⁴, T. Flick¹⁷⁸, B.M. Flierl¹⁰², L.R. Flores Castillo^{62a}, M.J. Flowerdew¹⁰³, G.T. Forcolin⁸⁷, A. Formica¹³⁸, F.A. Förster¹³, A. Forti⁸⁷, A.G. Foster¹⁹, D. Fournier¹¹⁹, H. Fox⁷⁵, S. Fracchia¹⁴¹, P. Francavilla⁸³, M. Franchini^{22a,22b}, S. Franchino^{60a}, D. Francis³², L. Franconi¹²¹, M. Franklin⁵⁹, M. Frate¹⁶⁶, M. Fraternali^{123a,123b}, D. Freeborn⁸¹, S.M. Fressard-Batraneanu³², B. Freund⁹⁷, D. Froidevaux³², J.A. Frost¹²², C. Fukunaga¹⁵⁸, T. Fusayasu¹⁰⁴, J. Fuster¹⁷⁰, C. Gabaldon⁵⁸, O. Gabizon¹⁵⁴, A. Gabrielli^{22a,22b}, A. Gabrielli¹⁶, G.P. Gach^{41a}, S. Gadatsch³², S. Gadomski⁸⁰, G. Gagliardi^{53a,53b}, L.G. Gagnon⁹⁷, C. Galea¹⁰⁸, B. Galhardo^{128a,128c}, E.J. Gallas¹²², B.J. Gallop¹³³, P. Gallus¹³⁰, G. Galster³⁹, K.K. Gan¹¹³, S. Ganguly³⁷, Y. Gao⁷⁷, Y.S. Gao $^{145,g},$ F.M. Garay Walls⁴⁹, C. García¹⁷⁰, J.E. García Navarro¹⁷⁰, J.A. García Pascual^{35a}, M. Garcia-Sciveres¹⁶, R.W. Gardner³³, N. Garelli¹⁴⁵, V. Garonne¹²¹, A. Gascon Bravo⁴⁵, K. Gasnikova⁴⁵, C. Gatti⁵⁰, A. Gaudiello^{53a,53b}, G. Gaudio^{123a}, I.L. Gavrilenko⁹⁸, C. Gay¹⁷¹, G. Gaycken²³, E.N. Gazis¹⁰, C.N.P. Gee¹³³, J. Geisen⁵⁷, M. Geisen⁸⁶, M.P. Geisler^{60a}, K. Gellerstedt^{148a,148b}, C. Gemme^{53a}, M.H. Genest⁵⁸, C. Geng⁹², S. Gentile^{134a,134b}, C. Gentsos¹⁵⁶, S. George⁸⁰, D. Gerbaudo¹³, A. Gershon¹⁵⁵, G. Geßner⁴⁶, S. Ghasemi¹⁴³, M. Ghneimat²³, B. Giacobbe^{22a}, S. Giagu^{134a,134b}, N. Giangiacomi^{22a,22b}, P. Giannetti^{126a,126b}, S.M. Gibson⁸⁰, M. Gignac¹⁷¹, M. Gilchriese¹⁶, D. Gillberg³¹, G. Gilles¹⁷⁸, D.M. Gingrich^{3,d}, N. Giokaris^{9,∗}, M.P. Giordani^{167a,167c}, F.M. Giorgi^{22a}, P.F. Giraud¹³⁸, P. Giromini⁵⁹, G. Giugliarelli^{167a,167c}, D. Giugni^{94a}, F. Giuli¹²², C. Giuliani¹⁰³, M. Giulini^{60b}, B.K. Gjelsten¹²¹, S. Gkaitatzis¹⁵⁶, I. Gkialas^{9,s}, E.L. Gkougkousis¹³⁹, P. Gkountoumis¹⁰, L.K. Gladilin¹⁰¹, C. Glasman⁸⁵, J. Glatzer¹³, P.C.F. Glaysher⁴⁵, A. Glazov⁴⁵, M. Goblirsch-Kolb²⁵, J. Godlewski⁴², S. Goldfarb⁹¹, T. Golling⁵², D. Golubkov¹³², A. Gomes^{128a,128b,128d}, R. Gonçalo^{128a}, R. Goncalves Gama^{26a}, J. Goncalves Pinto Firmino Da Costa¹³⁸, G. Gonella⁵¹, L. Gonella¹⁹, A. Gongadze⁶⁸, S. González de la Hoz¹⁷⁰, S. Gonzalez-Sevilla⁵², L. Goossens³², P.A. Gorbounov⁹⁹, H.A. Gordon²⁷, I. Gorelov¹⁰⁷, B. Gorini³², E. Gorini^{76a,76b}, A. Gorišek⁷⁸, A.T. Goshaw⁴⁸, C. Gössling⁴⁶, M.I. Gostkin⁶⁸, C.A. Gottardo²³, C.R. Goudet¹¹⁹, D. Goujdami^{137c}, A.G. Goussiou¹⁴⁰, N. Govender^{147b,t}, E. Gozani¹⁵⁴, L. Graber⁵⁷, I. Grabowska-Bold^{41a}, P.O.J. Gradin¹⁶⁸, J. Gramling¹⁶⁶, E. Gramstad¹²¹, S. Grancagnolo¹⁷, V. Gratchev¹²⁵, P.M. Gravila^{28f}, C. Gray⁵⁶, H.M. Gray¹⁶, Z.D. Greenwood^{82,*u*}, C. Grefe²³, K. Gregersen 81 , I.M. Gregor⁴⁵, P. Grenier¹⁴⁵, K. Grevtsov⁵, J. Griffiths⁸, A.A. Grillo¹³⁹, K. Grimm⁷⁵, S. Grinstein^{13,}^v, Ph. Gris³⁷, J.-F. Grivaz¹¹⁹, S. Groh⁸⁶, E. Gross¹⁷⁵, J. Grosse-Knetter⁵⁷, G.C. Grossi⁸², Z.J. Grout⁸¹, A. Grummer¹⁰⁷, L. Guan⁹², W. Guan¹⁷⁶, J. Guenther⁶⁵, F. Guescini^{163a}, D. Guest¹⁶⁶, O. Gueta¹⁵⁵, B. Gui¹¹³, E. Guido^{53a,53b}, T. Guillemin⁵, S. Guindon², U. Gul⁵⁶, C. Gumpert³², J. Guo^{36c}, W. Guo⁹², Y. Guo^{36a}, R. Gupta⁴³, S. Gupta¹²², G. Gustavino¹¹⁵, P. Gutierrez¹¹⁵, N.G. Gutierrez Ortiz⁸¹, C. Gutschow⁸¹, C. Guyot¹³⁸, M.P. Guzik^{41a}, C. Gwenlan¹²², C.B. Gwilliam⁷⁷, A. Haas¹¹², C. Haber¹⁶, H.K. Hadavand⁸, N. Haddad^{137e}, A. Hadef⁸⁸, S. Hageböck²³, M. Hagihara¹⁶⁴, H. Hakobyan^{180,∗}, M. Haleem⁴⁵, J. Haley¹¹⁶, G. Halladjian⁹³, G.D. Hallewell⁸⁸, K. Hamacher¹⁷⁸, P. Hamal¹¹⁷, K. Hamano¹⁷², A. Hamilton^{147a}, G.N. Hamity¹⁴¹, P.G. Hamnett⁴⁵, L. Han^{36a}, S. Han^{35a}, K. Hanagaki^{69,w}, K. Hanawa¹⁵⁷, M. Hance¹³⁹, B. Haney¹²⁴, P. Hanke^{60a}, J.B. Hansen³⁹, J.D. Hansen³⁹, M.C. Hansen²³, P.H. Hansen³⁹, K. Hara¹⁶⁴, A.S. Hard¹⁷⁶, T. Harenberg¹⁷⁸, F. Hariri¹¹⁹, S. Harkusha⁹⁵, R.D. Harrington⁴⁹, P.F. Harrison¹⁷³, N.M. Hartmann¹⁰², M. Hasegawa⁷⁰, Y. Hasegawa¹⁴², A. Hasib⁴⁹, S. Hassani¹³⁸, S. Haug¹⁸, R. Hauser⁹³, L. Hauswald⁴⁷, L.B. Havener³⁸, M. Havranek¹³⁰, C.M. Hawkes¹⁹, R.J. Hawkings³², D. Hayakawa¹⁵⁹, D. Hayden⁹³, C.P. Hays¹²², J.M. Hays⁷⁹, H.S. Hayward⁷⁷, S.J. Haywood¹³³, S.J. Head¹⁹, T. Heck⁸⁶, V. Hedberg⁸⁴, L. Heelan⁸, S. Heer²³, K.K. Heidegger⁵¹, S. Heim⁴⁵,

T. Heim¹⁶, B. Heinemann^{45,x}, J.J. Heinrich¹⁰², L. Heinrich¹¹², C. Heinz⁵⁵, J. Hejbal¹²⁹,

L. Helary³², A. Held¹⁷¹, S. Hellman^{148a,148b}, C. Helsens³², R.C.W. Henderson⁷⁵, Y. Heng¹⁷⁶, S. Henkelmann¹⁷¹, A.M. Henriques Correia³², S. Henrot-Versille¹¹⁹, G.H. Herbert¹⁷, H. Herde²⁵, V. Herget¹⁷⁷, Y. Hernández Jiménez^{147c}, H. Herr⁸⁶, G. Herten⁵¹, R. Hertenberger¹⁰², L. Hervas³², T.C. Herwig¹²⁴, G.G. Hesketh⁸¹, N.P. Hessey^{163a}, J.W. Hetherly⁴³, S. Higashino⁶⁹, E. Higón-Rodriguez¹⁷⁰, K. Hildebrand³³, E. Hill¹⁷², J.C. Hill³⁰, K.H. Hiller⁴⁵, S.J. Hillier¹⁹, M. Hils⁴⁷, I. Hinchliffe¹⁶, M. Hirose⁵¹, D. Hirschbuehl¹⁷⁸, B. Hiti⁷⁸, O. Hladik¹²⁹, X. Hoad⁴⁹, J. Hobbs¹⁵⁰, N. Hod^{163a}, M.C. Hodgkinson¹⁴¹, P. Hodgson¹⁴¹, A. Hoecker³², M.R. Hoeferkamp¹⁰⁷, F. Hoenig¹⁰², D. Hohn²³, T.R. Holmes³³, M. Homann⁴⁶, S. Honda¹⁶⁴, T. Honda⁶⁹, T.M. Hong¹²⁷, B.H. Hooberman¹⁶⁹, W.H. Hopkins¹¹⁸, Y. Horii¹⁰⁵, A.J. Horton¹⁴⁴, J-Y. Hostachy⁵⁸, S. Hou¹⁵³, A. Hoummada^{137a}, J. Howarth⁸⁷, J. Hoya⁷⁴, M. Hrabovsky¹¹⁷, J. Hrdinka³², I. Hristova¹⁷, J. Hrivnac¹¹⁹, T. Hryn'ova⁵, A. Hrynevich⁹⁶, P.J. Hsu⁶³, S.-C. Hsu¹⁴⁰, Q. Hu^{36a}, S. Hu^{36c}, Y. Huang^{35a}, Z. Hubacek¹³⁰, F. Hubaut⁸⁸, F. Huegging²³, T.B. Huffman¹²², E.W. Hughes³⁸, G. Hughes⁷⁵, M. Huhtinen³², P. Huo¹⁵⁰, N. Huseynov^{68,b}, J. Huston⁹³, J. Huth⁵⁹, G. Iacobucci⁵², G. Iakovidis²⁷, I. Ibragimov¹⁴³, L. Iconomidou-Fayard¹¹⁹, Z. Idrissi^{137e}, P. Iengo³², O. Igonkina^{109,y}, T. Iizawa¹⁷⁴, Y. Ikegami⁶⁹, M. Ikeno⁶⁹, Y. Ilchenko^{11,z}, D. Iliadis¹⁵⁶, N. Ilic¹⁴⁵, G. Introzzi^{123a,123b}, P. Ioannou^{9,*}, M. Iodice^{136a}, K. Iordanidou³⁸, V. Ippolito⁵⁹, M.F. Isacson¹⁶⁸, N. Ishijima¹²⁰, M. Ishino¹⁵⁷, M. Ishitsuka¹⁵⁹, C. Issever¹²², S. Istin^{20a}, F. Ito¹⁶⁴, J.M. Iturbe Ponce^{62a}, R. Iuppa^{162a,162b}, H. Iwasaki⁶⁹, J.M. Izen⁴⁴, V. Izzo^{106a}, S. Jabbar³, P. Jackson¹, R.M. Jacobs²³, V. Jain², K.B. Jakobi⁸⁶, K. Jakobs 51 , S. Jakobsen 65 , T. Jakoubek 129 , D.O. Jamin 116 , D.K. Jana 82 , R. Jansky 52 , J. Janssen²³, M. Janus⁵⁷, P.A. Janus^{41a}, G. Jarlskog⁸⁴, N. Javadov^{68,b}, T. Javůrek⁵¹, M. Javurkova 51 , F. Jeanneau 138 , L. Jeanty 16 , J. Jejelava 54a,aa , A. Jelinskas 173 , P. Jenni 51,ab , C. Jeske¹⁷³, S. Jézéquel⁵, H. Ji¹⁷⁶, J. Jia¹⁵⁰, H. Jiang⁶⁷, Y. Jiang^{36a}, Z. Jiang¹⁴⁵, S. Jiggins⁸¹, J. Jimenez Pena¹⁷⁰, S. Jin^{35a}, A. Jinaru^{28b}, O. Jinnouchi¹⁵⁹, H. Jivan^{147c}, P. Johansson¹⁴¹, K.A. Johns⁷, C.A. Johnson⁶⁴, W.J. Johnson¹⁴⁰, K. Jon-And^{148a,148b}, R.W.L. Jones⁷⁵, S.D. Jones¹⁵¹, S. Jones⁷, T.J. Jones⁷⁷, J. Jongmanns^{60a}, P.M. Jorge^{128a,128b}, J. Jovicevic^{163a}, X. Ju¹⁷⁶, A. Juste Rozas^{13,}^v, M.K. Köhler¹⁷⁵, A. Kaczmarska⁴², M. Kado¹¹⁹, H. Kagan¹¹³, M. Kagan 145 , S.J. Kahn 88 , T. Kaji 174 , E. Kajomovitz 48 , C.W. Kalderon 84 , A. Kaluza 86 , S. Kama 43 , A. Kamenshchikov 132 , N. Kanaya 157 , L. Kanjir⁷⁸, V.A. Kantserov 100 , J. Kanzaki 69 , B. Kaplan¹¹², L.S. Kaplan¹⁷⁶, D. Kar^{147c}, K. Karakostas¹⁰, N. Karastathis¹⁰, M.J. Kareem⁵⁷, E. Karentzos¹⁰, S.N. Karpov⁶⁸, Z.M. Karpova⁶⁸, K. Karthik¹¹², V. Kartvelishvili⁷⁵, A.N. Karyukhin¹³², K. Kasahara¹⁶⁴, L. Kashif¹⁷⁶, R.D. Kass¹¹³, A. Kastanas¹⁴⁹, Y. Kataoka¹⁵⁷, C. Kato¹⁵⁷, A. Katre⁵², J. Katzy⁴⁵, K. Kawade⁷⁰, K. Kawagoe⁷³, T. Kawamoto¹⁵⁷, G. Kawamura⁵⁷, E.F. Kay⁷⁷, V.F. Kazanin^{111,c}, R. Keeler¹⁷², R. Kehoe⁴³, J.S. Keller³¹, E. Kellermann 84 , J.J. Kempster 80 , J Kendrick 19 , H. Keoshkerian 161 , O. Kepka 129 , B.P. Kerševan⁷⁸, S. Kersten¹⁷⁸, R.A. Keyes⁹⁰, M. Khader¹⁶⁹, F. Khalil-zada¹², A. Khanov¹¹⁶, A.G. Kharlamov^{111,c}, T. Kharlamova^{111,c}, E.E. Khoda¹⁷¹, A. Khodinov¹⁶⁰, T.J. Khoo⁵², V. Khovanskiy^{99,*}, E. Khramov⁶⁸, J. Khubua^{54b,ac}, S. Kido⁷⁰, C.R. Kilby⁸⁰, H.Y. Kim⁸, S.H. Kim¹⁶⁴, Y.K. Kim³³, N. Kimura¹⁵⁶, O.M. Kind¹⁷, B.T. King⁷⁷, D. Kirchmeier⁴⁷, J. Kirk¹³³, A.E. Kiryunin¹⁰³, T. Kishimoto¹⁵⁷, D. Kisielewska^{41a}, V. Kitali⁴⁵, K. Kiuchi¹⁶⁴, O. Kivernyk⁵, E. Kladiva^{146b}, T. Klapdor-Kleingrothaus⁵¹, M.H. Klein³⁸, M. Klein⁷⁷, U. Klein⁷⁷, K. Kleinknecht 86 , P. Klimek 110 , A. Klimentov 27 , R. Klingenberg 46 , T. Kling l^{23} , T. Klioutchnikova³², E.-E. Kluge^{60a}, P. Kluit¹⁰⁹, S. Kluth¹⁰³, E. Kneringer⁶⁵, E.B.F.G. Knoops⁸⁸, A. Knue¹⁰³, A. Kobayashi¹⁵⁷, D. Kobayashi¹⁵⁹, T. Kobayashi¹⁵⁷, M. Kobel⁴⁷, M. Kocian¹⁴⁵, P. Kodys¹³¹, T. Koffas³¹, E. Koffeman¹⁰⁹, N.M. Köhler¹⁰³, T. Koi¹⁴⁵, M. Kolb^{60b}, I. Koletsou⁵, A.A. Komar^{98,*}, Y. Komori¹⁵⁷, T. Kondo⁶⁹, N. Kondrashova^{36c},

- K. Köneke⁵¹, A.C. König¹⁰⁸, T. Kono^{69,ad}, R. Konoplich^{112,ae}, N. Konstantinidis⁸¹,
- R. Kopeliansky 64 , S. Koperny 41a , A.K. Kopp 51 , K. Korcyl 42 , K. Kordas 156 , A. Korn 81 ,

A.A. Korol^{111,c}, I. Korolkov¹³, E.V. Korolkova¹⁴¹, O. Kortner¹⁰³, S. Kortner¹⁰³, T. Kosek¹³¹, V.V. Kostyukhin²³, A. Kotwal⁴⁸, A. Koulouris¹⁰, A. Kourkoumeli-Charalampidi^{123a,123b}, C. Kourkoumelis⁹, E. Kourlitis¹⁴¹, V. Kouskoura²⁷, A.B. Kowalewska⁴², R. Kowalewski¹⁷², T.Z. Kowalski 41a , C. Kozakai 157 , W. Kozanecki 138 , A.S. Kozhin 132 , V.A. Kramarenko 101 , G. Kramberger⁷⁸, D. Krasnopevtsev¹⁰⁰, M.W. Krasny⁸³, A. Krasznahorkay³², D. Krauss¹⁰³, J.A. Kremer^{41a}, J. Kretzschmar⁷⁷, K. Kreutzfeldt⁵⁵, P. Krieger¹⁶¹, K. Krizka³³, K. Kroeninger⁴⁶, H. Kroha 103 , J. Kroll 129 , J. Kroll 124 , J. Kroseberg 23 , J. Krstic 14 , U. Kruchonak 68 , H. Krüger 23 , N. Krumnack 67 , M.C. Kruse 48 , T. Kubota 91 , H. Kucuk 81 , S. Kuday 4b , J.T. Kuechler 178 , S. Kuehn 32 , A. Kugel 60a , F. Kuger 177 , T. Kuhl 45 , V. Kukhtin 68 , R. Kukla 88 , Y. Kulchitsky 95 , S. Kuleshov^{34b}, Y.P. Kulinich¹⁶⁹, M. Kuna^{134a,134b}, T. Kunigo⁷¹, A. Kupco¹²⁹, T. Kupfer⁴⁶, O. Kuprash¹⁵⁵, H. Kurashige⁷⁰, L.L. Kurchaninov^{163a}, Y.A. Kurochkin⁹⁵, M.G. Kurth^{35a}, V. Kus¹²⁹, E.S. Kuwertz¹⁷², M. Kuze¹⁵⁹, J. Kvita¹¹⁷, T. Kwan¹⁷², D. Kyriazopoulos¹⁴¹, A. La Rosa¹⁰³, J.L. La Rosa Navarro^{26d}, L. La Rotonda^{40a,40b}, F. La Ruffa^{40a,40b}, C. Lacasta¹⁷⁰, F. Lacava^{134a,134b}, J. Lacey⁴⁵, H. Lacker¹⁷, D. Lacour⁸³, E. Ladygin⁶⁸, R. Lafaye⁵, B. Laforge⁸³, T. Lagouri¹⁷⁹, S. Lai⁵⁷, S. Lammers⁶⁴, W. Lampl⁷, E. Lançon²⁷, U. Landgraf⁵¹, M.P.J. Landon⁷⁹, M.C. Lanfermann⁵², V.S. Lang^{60a}, J.C. Lange¹³, R.J. Langenberg³², A.J. Lankford¹⁶⁶, F. Lanni²⁷, K. Lantzsch²³, A. Lanza^{123a}, A. Lapertosa^{53a,53b}, S. Laplace⁸³, J.F. Laporte¹³⁸, T. Lari^{94a}, F. Lasagni Manghi^{22a,22b}, M. Lassnig³², P. Laurelli⁵⁰, W. Lavrijsen¹⁶, A.T. Law¹³⁹, P. Laycock⁷⁷, T. Lazovich⁵⁹, M. Lazzaroni^{94a,94b}, B. Le⁹¹, O. Le Dortz⁸³, E. Le Guirriec⁸⁸, E.P. Le Quilleuc¹³⁸, M. LeBlanc¹⁷², T. LeCompte⁶, F. Ledroit-Guillon⁵⁸, C.A. Lee²⁷, G.R. Lee^{133,af}, S.C. Lee¹⁵³, L. Lee⁵⁹, B. Lefebvre⁹⁰, G. Lefebvre⁸³, M. Lefebvre¹⁷², F. Legger¹⁰², C. Leggett¹⁶, G. Lehmann Miotto³², X. Lei⁷, W.A. Leight⁴⁵, M.A.L. Leite^{26d}, R. Leitner¹³¹, D. Lellouch¹⁷⁵, B. Lemmer⁵⁷, K.J.C. Leney⁸¹, T. Lenz²³, B. Lenzi³², R. Leone⁷, S. Leone^{126a,126b}, C. Leonidopoulos⁴⁹, G. Lerner¹⁵¹, C. Leroy⁹⁷, A.A.J. Lesage¹³⁸, C.G. Lester³⁰, M. Levchenko¹²⁵, J. Levêque⁵, D. Levin⁹², L.J. Levinson¹⁷⁵, M. Levy¹⁹, D. Lewis⁷⁹, B. Li^{36a,ag}, Changqiao Li^{36a}, H. Li¹⁵⁰, L. Li^{36c}, Q. Li^{35a}, S. Li⁴⁸, X. Li^{36c}, Y. Li¹⁴³, Z. Liang^{35a}, B. Liberti^{135a}, A. Liblong¹⁶¹, K. Lie^{62c}, J. Liebal²³, W. Liebig¹⁵, A. Limosani¹⁵², S.C. Lin¹⁸², T.H. Lin⁸⁶, R.A. Linck⁶⁴, B.E. Lindquist¹⁵⁰, A.E. Lionti⁵², E. Lipeles¹²⁴, A. Lipniacka¹⁵, M. Lisovyi^{60b}, T.M. Liss^{169,ah}, A. Lister¹⁷¹, A.M. Litke¹³⁹, B. Liu^{153,ai}, H. Liu⁹², H. Liu²⁷, J.K.K. Liu¹²², J. Liu^{36b}, J.B. Liu^{36a}, K. Liu⁸⁸, L. Liu¹⁶⁹, M. Liu^{36a}, Y.L. Liu^{36a}, Y. Liu^{36a}, M. Livan^{123a,123b}, A. Lleres⁵⁸, J. Llorente Merino^{35a}, S.L. Lloyd⁷⁹, C.Y. Lo^{62b}, F. Lo Sterzo¹⁵³, E.M. Lobodzinska⁴⁵, P. Loch⁷, F.K. Loebinger⁸⁷, A. Loesle⁵¹, K.M. Loew²⁵, A. Loginov^{179,*}, T. Lohse¹⁷, K. Lohwasser¹⁴¹, M. Lokajicek¹²⁹, B.A. Long²⁴, J.D. Long¹⁶⁹, R.E. Long⁷⁵, L. Longo^{76a,76b}, K.A. Looper¹¹³, J.A. Lopez^{34b}, D. Lopez Mateos⁵⁹, I. Lopez Paz¹³, A. Lopez Solis⁸³, J. Lorenz¹⁰², N. Lorenzo Martinez⁵, M. Losada²¹, P.J. Lösel¹⁰², X. Lou^{35a}, A. Lounis¹¹⁹, J. Love⁶, P.A. Love⁷⁵, H. Lu^{62a}, N. Lu⁹², Y.J. Lu⁶³, H.J. Lubatti¹⁴⁰, C. Luci^{134a,134b}, A. Lucotte⁵⁸, C. Luedtke⁵¹, F. Luehring⁶⁴, W. Lukas⁶⁵, L. Luminari^{134a}, O. Lundberg^{148a,148b}, B. Lund-Jensen¹⁴⁹, M.S. Lutz⁸⁹, P.M. Luzi⁸³, D. Lynn²⁷, R. Lysak¹²⁹, E. Lytken⁸⁴, F. Lyu^{35a}, V. Lyubushkin⁶⁸, H. Ma²⁷, L.L. Ma^{36b}, Y. Ma^{36b}, G. Maccarrone⁵⁰, A. Macchiolo¹⁰³, C.M. Macdonald¹⁴¹, B. Maček⁷⁸, J. Machado Miguens^{124,128b}, D. Madaffari¹⁷⁰, R. Madar³⁷, W.F. Mader⁴⁷, A. Madsen⁴⁵, J. Maeda⁷⁰, S. Maeland¹⁵, T. Maeno²⁷, A.S. Maevskiy¹⁰¹, V. Magerl⁵¹, J. Mahlstedt¹⁰⁹, C. Maiani¹¹⁹, C. Maidantchik^{26a}, A.A. Maier¹⁰³, T. Maier 102 , A. Maio 128a,128b,128d , O. Majersky 146a , S. Majewski 118 , Y. Makida 69 , N. Makovec¹¹⁹, B. Malaescu⁸³, Pa. Malecki⁴², V.P. Maleev¹²⁵, F. Malek⁵⁸, U. Mallik⁶⁶, D. Malon 6 , C. Malone³⁰, S. Maltezos¹⁰, S. Malyukov³², J. Mamuzic¹⁷⁰, G. Mancini⁵⁰, I. Mandić⁷⁸, J. Maneira^{128a,128b}, L. Manhaes de Andrade Filho^{26b}, J. Manjarres Ramos⁴⁷, K.H. Mankinen 84 , A. Mann 102 , A. Manousos 32 , B. Mansoulie¹³⁸, J.D. Mansour 35a , R. Mantifel 90 , M. Mantoani⁵⁷, S. Manzoni^{94a,94b}, L. Mapelli³², G. Marceca²⁹, L. March⁵², L. Marchese¹²²,

G. Marchiori⁸³, M. Marcisovsky¹²⁹, M. Marjanovic³⁷, D.E. Marley⁹², F. Marroquim^{26a}, S.P. Marsden⁸⁷, Z. Marshall¹⁶, M.U.F Martensson¹⁶⁸, S. Marti-Garcia¹⁷⁰, C.B. Martin¹¹³, T.A. Martin¹⁷³, V.J. Martin⁴⁹, B. Martin dit Latour¹⁵, M. Martinez^{13,*v*}, V.I. Martinez Outschoorn¹⁶⁹, S. Martin-Haugh¹³³, V.S. Martoiu^{28b}, A.C. Martyniuk⁸¹, A. Marzin³², L. Masetti⁸⁶, T. Mashimo¹⁵⁷, R. Mashinistov⁹⁸, J. Masik⁸⁷, A.L. Maslennikov^{111,c}, L. Massa^{135a,135b}, P. Mastrandrea⁵, A. Mastroberardino^{40a,40b}, T. Masubuchi¹⁵⁷, P. Mättig¹⁷⁸, J. Maurer^{28b}, S.J. Maxfield⁷⁷, D.A. Maximov^{111,c}, R. Mazini¹⁵³, I. Maznas¹⁵⁶, S.M. Mazza^{94a,94b}, N.C. Mc Fadden¹⁰⁷, G. Mc Goldrick¹⁶¹, S.P. Mc Kee⁹², A. McCarn⁹², R.L. McCarthy¹⁵⁰, T.G. McCarthy¹⁰³, L.I. McClymont⁸¹, E.F. McDonald⁹¹, J.A. Mcfayden⁸¹, G. Mchedlidze⁵⁷, S.J. McMahon¹³³, P.C. McNamara⁹¹, R.A. McPherson^{172,}^o, S. Meehan¹⁴⁰, T.J. Megy⁵¹, S. Mehlhase¹⁰², A. Mehta⁷⁷, T. Meideck⁵⁸, K. Meier^{60a}, B. Meirose⁴⁴, D. Melini^{170,aj}, B.R. Mellado Garcia^{147c}, J.D. Mellenthin⁵⁷, M. Melo^{146a}, F. Meloni¹⁸, A. Melzer²³, S.B. Menary⁸⁷, L. Meng⁷⁷, X.T. Meng⁹², A. Mengarelli^{22a,22b}, S. Menke¹⁰³, E. Meoni^{40a,40b}, S. Mergelmeyer¹⁷, P. Mermod⁵², L. Merola^{106a,106b}, C. Meroni^{94a}, F.S. Merritt³³, A. Messina^{134a,134b}, J. Metcalfe⁶, A.S. Mete¹⁶⁶, C. Meyer¹²⁴, J-P. Meyer¹³⁸, J. Meyer¹⁰⁹, H. Meyer Zu Theenhausen^{60a}, F. Miano¹⁵¹, R.P. Middleton¹³³, S. Miglioranzi^{53a,53b}, L. Mijović⁴⁹, G. Mikenberg¹⁷⁵, M. Mikestikova¹²⁹, M. Mikuž⁷⁸, M. Milesi⁹¹, A. Milic¹⁶¹, D.W. Miller³³, C. Mills⁴⁹, A. Milov¹⁷⁵, D.A. Milstead^{148a,148b}, A.A. Minaenko¹³², Y. Minami¹⁵⁷, I.A. Minashvili⁶⁸, A.I. Mincer¹¹², B. Mindur^{41a}, M. Mineev⁶⁸, Y. Minegishi¹⁵⁷, Y. Ming¹⁷⁶, L.M. Mir¹³, K.P. Mistry¹²⁴, T. Mitani¹⁷⁴, J. Mitrevski¹⁰², V.A. Mitsou¹⁷⁰, A. Miucci¹⁸, P.S. Miyagawa¹⁴¹, A. Mizukami⁶⁹, J.U. Mjörnmark⁸⁴, T. Mkrtchyan¹⁸⁰, M. Mlynarikova¹³¹, T. Moa^{148a,148b}, K. Mochizuki⁹⁷, P. Mogg⁵¹, S. Mohapatra³⁸, S. Molander^{148a,148b}, R. Moles-Valls²³, R. Monden⁷¹, M.C. Mondragon⁹³, K. Mönig⁴⁵, J. Monk³⁹, E. Monnier⁸⁸, A. Montalbano¹⁵⁰, J. Montejo Berlingen³², F. Monticelli⁷⁴, S. Monzani^{94a,94b}, R.W. Moore³, N. Morange¹¹⁹, D. Moreno²¹, M. Moreno Llácer³², P. Morettini^{53a}, S. Morgenstern³², D. Mori¹⁴⁴, T. Mori 157 , M. Morii 59 , M. Morinaga 157 , V. Morisbak¹²¹, A.K. Morley³², G. Mornacchi³², J.D. Morris⁷⁹, L. Morvaj¹⁵⁰, P. Moschovakos¹⁰, M. Mosidze^{54b}, H.J. Moss¹⁴¹, J. Moss^{145,ak}, K. Motohashi¹⁵⁹, R. Mount¹⁴⁵, E. Mountricha²⁷, E.J.W. Moyse⁸⁹, S. Muanza⁸⁸, F. Mueller¹⁰³, J. Mueller¹²⁷, R.S.P. Mueller¹⁰², D. Muenstermann⁷⁵, P. Mullen⁵⁶, G.A. Mullier¹⁸, F.J. Munoz Sanchez⁸⁷, W.J. Murray^{173,133}, H. Musheghyan³², M. Muškinja⁷⁸, A.G. Myagkov^{132,al}, M. Myska¹³⁰, B.P. Nachman¹⁶, O. Nackenhorst⁵², K. Nagai¹²², R. Nagai 69,ad , K. Nagano 69 , Y. Nagasaka 61 , K. Nagata 164 , M. Nagel 51 , E. Nagy 88 , A.M. Nairz 32 , Y. Nakahama 105 , K. Nakamura 69 , T. Nakamura 157 , I. Nakano 114 , R.F. Naranjo Garcia 45 , R. Narayan¹¹, D.I. Narrias Villar^{60a}, I. Naryshkin¹²⁵, T. Naumann⁴⁵, G. Navarro²¹, R. Nayyar⁷, H.A. Neal⁹², P.Yu. Nechaeva⁹⁸, T.J. Neep¹³⁸, A. Negri^{123a,123b}, M. Negrini^{22a}, S. Nektarijevic¹⁰⁸, C. Nellist¹¹⁹, A. Nelson¹⁶⁶, M.E. Nelson¹²², S. Nemecek¹²⁹, P. Nemethy¹¹², M. Nessi^{32,am}, M.S. Neubauer¹⁶⁹, M. Neumann¹⁷⁸, P.R. Newman¹⁹, T.Y. Ng^{62c}, T. Nguyen Manh⁹⁷, R.B. Nickerson¹²², R. Nicolaidou¹³⁸, J. Nielsen¹³⁹, V. Nikolaenko^{132,al}, I. Nikolic-Audit⁸³, K. Nikolopoulos¹⁹, J.K. Nilsen¹²¹, P. Nilsson²⁷, Y. Ninomiya¹⁵⁷, A. Nisati^{134a}, N. Nishu^{35c}, R. Nisius¹⁰³, I. Nitsche⁴⁶, T. Nitta¹⁷⁴, T. Nobe¹⁵⁷, Y. Noguchi⁷¹, M. Nomachi¹²⁰, I. Nomidis³¹, M.A. Nomura²⁷, T. Nooney⁷⁹, M. Nordberg³², N. Norjoharuddeen¹²², O. Novgorodova⁴⁷, S. Nowak 103 , M. Nozaki 69 , L. Nozka 117 , K. Ntekas 166 , E. Nurse 81 , F. Nuti 91 , K. O'connor 25 , D.C. O'Neil¹⁴⁴, A.A. O'Rourke⁴⁵, V. O'Shea⁵⁶, F.G. Oakham^{31,d}, H. Oberlack¹⁰³, T. Obermann²³, J. Ocariz⁸³, A. Ochi⁷⁰, I. Ochoa³⁸, J.P. Ochoa-Ricoux^{34a}, S. Oda⁷³, S. Odaka⁶⁹, A. \rm{Oh}^{87} , S.H. \rm{Oh}^{48} , C.C. \rm{Ohm}^{16} , H. \rm{Ohman}^{168} , H. $\rm{Oide}^{53a,53b}$, H. \rm{Okawa}^{164} , Y. $\rm{Okumura}^{157}$, T. Okuyama⁶⁹, A. Olariu^{28b}, L.F. Oleiro Seabra^{128a}, S.A. Olivares Pino^{34a}, D. Oliveira Damazio²⁷, A. Olszewski⁴², J. Olszowska⁴², A. Onofre^{128a,128e}, K. Onogi¹⁰⁵,

P.U.E. Onyisi^{11,z}, H. Oppen¹²¹, M.J. Oreglia³³, Y. Oren¹⁵⁵, D. Orestano^{136a,136b}, N. Orlando^{62b},

R.S. Orr¹⁶¹, B. Osculati^{53a,53b,*}, R. Ospanov^{36a}, G. Otero y Garzon²⁹, H. Otono⁷³, M. Ouchrif^{137d}, F. Ould-Saada¹²¹, A. Ouraou¹³⁸, K.P. Oussoren¹⁰⁹, Q. Ouyang^{35a}, M. Owen⁵⁶, R.E. Owen¹⁹, V.E. Ozcan^{20a}, N. Ozturk⁸, K. Pachal¹⁴⁴, A. Pacheco Pages¹³, L. Pacheco Rodriguez¹³⁸, C. Padilla Aranda¹³, S. Pagan Griso¹⁶, M. Paganini¹⁷⁹, F. Paige²⁷, G. Palacino⁶⁴, S. Palazzo^{40a, 40b}, S. Palestini³², M. Palka^{41b}, D. Pallin³⁷, E.St. Panagiotopoulou¹⁰, I. Panagoulias¹⁰, C.E. Pandini^{126a,126b}, J.G. Panduro Vazquez⁸⁰, P. Pani³², S. Panitkin²⁷, D. Pantea^{28b}, L. Paolozzi⁵², Th.D. Papadopoulou¹⁰, K. Papageorgiou^{9,s}, A. Paramonov⁶, D. Paredes Hernandez¹⁷⁹, A.J. Parker⁷⁵, M.A. Parker³⁰, K.A. Parker⁴⁵, F. Parodi^{53a,53b}, J.A. Parsons³⁸, U. Parzefall⁵¹, V.R. Pascuzzi¹⁶¹, J.M. Pasner¹³⁹, E. Pasqualucci^{134a}, S. Passaggio^{53a}, Fr. Pastore⁸⁰, S. Pataraia⁸⁶, J.R. Pater⁸⁷, T. Pauly³², B. Pearson¹⁰³, S. Pedraza Lopez¹⁷⁰, R. Pedro^{128a,128b}, S.V. Peleganchuk^{111,c}, O. Penc¹²⁹, C. Peng^{35a}, H. Peng^{36a}, J. Penwell⁶⁴, B.S. Peralva^{26b}, M.M. Perego¹³⁸, D.V. Perepelitsa²⁷, F. Peri¹⁷, L. Perini^{94a,94b}, H. Pernegger³², S. Perrella^{106a,106b}, R. Peschke⁴⁵, V.D. Peshekhonov^{68,*}, K. Peters⁴⁵, R.F.Y. Peters⁸⁷, B.A. Petersen³², T.C. Petersen³⁹, E. Petit⁵⁸, A. Petridis¹, C. Petridou¹⁵⁶, P. Petroff¹¹⁹, E. Petrolo^{134a}, M. Petrov¹²², F. Petrucci^{136a,136b}, N.E. Pettersson⁸⁹, A. Peyaud¹³⁸, R. Pezoa^{34b}, F.H. Phillips⁹³, P.W. Phillips¹³³, G. Piacquadio¹⁵⁰, E. Pianori¹⁷³, A. Picazio⁸⁹, E. Piccaro⁷⁹, M.A. Pickering¹²², R. Piegaia²⁹, J.E. Pilcher³³, A.D. Pilkington⁸⁷, A.W.J. Pin⁸⁷, M. Pinamonti^{135a,135b}, J.L. Pinfold³, H. Pirumov⁴⁵, M. Pitt¹⁷⁵, L. Plazak^{146a}, M.-A. Pleier²⁷, V. Pleskot⁸⁶, E. Plotnikova⁶⁸, D. Pluth⁶⁷, P. Podberezko¹¹¹, R. Poettgen⁸⁴, R. Poggi^{123a,123b}, L. Poggioli¹¹⁹, D. Pohl²³, G. Polesello^{123a}, A. Poley⁴⁵, A. Policicchio^{40a,40b}, R. Polifka³², A. Polini^{22a}, C.S. Pollard⁵⁶, V. Polychronakos²⁷, K. Pommès³², D. Ponomarenko¹⁰⁰, L. Pontecorvo^{134a}, G.A. Popeneciu^{28d}, S. Pospisil¹³⁰, K. Potamianos¹⁶, I.N. Potrap⁶⁸, C.J. Potter³⁰, T. Poulsen⁸⁴, J. Poveda³², M.E. Pozo Astigarraga³², P. Pralavorio⁸⁸, A. Pranko¹⁶, S. Prell⁶⁷, D. Price⁸⁷, M. Primavera^{76a}, S. Prince⁹⁰, N. Proklova¹⁰⁰, K. Prokofiev^{62c}, F. Prokoshin^{34b}, S. Protopopescu²⁷, J. Proudfoot⁶, M. Przybycien^{41a}, A. Puri¹⁶⁹, P. Puzo¹¹⁹, J. Qian⁹², G. Qin⁵⁶, Y. Qin⁸⁷, A. Quadt⁵⁷, M. Queitsch-Maitland⁴⁵, D. Quilty⁵⁶, S. Raddum¹²¹, V. Radeka²⁷, V. Radescu¹²², S.K. Radhakrishnan¹⁵⁰, P. Radloff¹¹⁸, P. Rados⁹¹, F. Ragusa^{94a,94b}, G. Rahal¹⁸¹, J.A. Raine⁸⁷, S. Rajagopalan²⁷, C. Rangel-Smith¹⁶⁸, T. Rashid¹¹⁹, S. Raspopov⁵, M.G. Ratti^{94a,94b}, D.M. Rauch⁴⁵, F. Rauscher¹⁰², S. Rave⁸⁶, I. Ravinovich¹⁷⁵, J.H. Rawling⁸⁷, M. Raymond³², A.L. Read¹²¹, N.P. Readioff⁵⁸, M. Reale^{76a,76b}, D.M. Rebuzzi^{123a,123b}, A. Redelbach¹⁷⁷, G. Redlinger²⁷, R. Reece¹³⁹, R.G. Reed^{147c}, K. Reeves⁴⁴, L. Rehnisch¹⁷, J. Reichert¹²⁴, A. Reiss⁸⁶, C. Rembser³², H. Ren^{35a}, M. Rescigno^{134a}, S. Resconi^{94a}, E.D. Resseguie¹²⁴, S. Rettie¹⁷¹, E. Reynolds¹⁹, O.L. Rezanova^{111,c}, P. Reznicek¹³¹, R. Rezvani⁹⁷, R. Richter¹⁰³, S. Richter⁸¹, E. Richter-Was^{41b}, O. Ricken²³, M. Ridel⁸³, P. Rieck¹⁰³, C.J. Riegel¹⁷⁸, J. Rieger⁵⁷, O. Rifki¹¹⁵, M. Rijssenbeek¹⁵⁰, A. Rimoldi^{123a,123b}, M. Rimoldi¹⁸, L. Rinaldi^{22a}, G. Ripellino¹⁴⁹, B. Ristić 32 , E. Ritsch 32 , I. Riu 13 , F. Rizatdinova 116 , E. Rizvi 79 , C. Rizzi 13 , R.T. Roberts 87 , S.H. Robertson^{90,}^o, A. Robichaud-Veronneau⁹⁰, D. Robinson³⁰, J.E.M. Robinson⁴⁵, A. Robson⁵⁶, E. Rocco⁸⁶, C. Roda^{126a,126b}, Y. Rodina^{88,an}, S. Rodriguez Bosca¹⁷⁰, A. Rodriguez Perez¹³, D. Rodriguez Rodriguez¹⁷⁰, S. Roe³², C.S. Rogan⁵⁹, O. Røhne¹²¹, J. Roloff⁵⁹, A. Romaniouk¹⁰⁰, M. Romano^{22a,22b}, S.M. Romano Saez³⁷, E. Romero Adam¹⁷⁰, N. Rompotis⁷⁷, M. Ronzani⁵¹, L. Roos⁸³, S. Rosati^{134a}, K. Rosbach⁵¹, P. Rose¹³⁹, N.-A. Rosien⁵⁷, E. Rossi^{106a,106b}, L.P. Rossi^{53a}, J.H.N. Rosten³⁰, R. Rosten¹⁴⁰, M. Rotaru^{28b}, J. Rothberg¹⁴⁰, D. Rousseau¹¹⁹, A. Rozanov⁸⁸, Y. Rozen¹⁵⁴, X. Ruan^{147c}, F. Rubbo¹⁴⁵, F. Rühr⁵¹, A. Ruiz-Martinez³¹, Z. Rurikova⁵¹, N.A. Rusakovich⁶⁸, H.L. Russell⁹⁰, J.P. Rutherfoord⁷, N. Ruthmann³², Y.F. Ryabov¹²⁵, M. Rybar¹⁶⁹, G. Rybkin¹¹⁹, S. Ryu⁶, A. Ryzhov¹³², G.F. Rzehorz⁵⁷, A.F. Saavedra¹⁵², G. Sabato¹⁰⁹, S. Sacerdoti²⁹, H.F-W. Sadrozinski¹³⁹, R. Sadykov⁶⁸,

F. Safai Tehrani^{134a}, P. Saha¹¹⁰, M. Sahinsoy^{60a}, M. Saimpert⁴⁵, M. Saito¹⁵⁷, T. Saito¹⁵⁷,

H. Sakamoto¹⁵⁷, Y. Sakurai¹⁷⁴, G. Salamanna^{136a,136b}, J.E. Salazar Loyola^{34b}, D. Salek¹⁰⁹, P.H. Sales De Bruin¹⁶⁸, D. Salihagic¹⁰³, A. Salnikov¹⁴⁵, J. Salt¹⁷⁰, D. Salvatore^{40a,40b}, F. Salvatore¹⁵¹, A. Salvucci^{62a,62b,62c}, A. Salzburger³², D. Sammel⁵¹, D. Sampsonidis¹⁵⁶, D. Sampsonidou¹⁵⁶, J. Sánchez¹⁷⁰, V. Sanchez Martinez¹⁷⁰, A. Sanchez Pineda^{167a,167c}, H. Sandaker¹²¹, R.L. Sandbach⁷⁹, C.O. Sander⁴⁵, M. Sandhoff¹⁷⁸, C. Sandoval²¹, D.P.C. Sankey¹³³, M. Sannino^{53a,53b}, Y. Sano¹⁰⁵, A. Sansoni⁵⁰, C. Santoni³⁷, H. Santos^{128a}, I. Santoyo Castillo¹⁵¹, A. Sapronov⁶⁸, J.G. Saraiva^{128a,128d}, B. Sarrazin²³, O. Sasaki⁶⁹, K. Sato¹⁶⁴, E. Sauvan⁵, G. Savage⁸⁰, P. Savard^{161,d}, N. Savic¹⁰³, C. Sawyer¹³³, L. Sawyer^{82,u}, J. Saxon³³, C. Sbarra^{22a}, A. Sbrizzi^{22a,22b}, T. Scanlon⁸¹, D.A. Scannicchio¹⁶⁶, M. Scarcella¹⁵², J. Schaarschmidt¹⁴⁰, P. Schacht¹⁰³, B.M. Schachtner¹⁰², D. Schaefer³², L. Schaefer¹²⁴, R. Schaefer⁴⁵, J. Schaeffer⁸⁶, S. Schaepe²³, S. Schaetzel^{60b}, U. Schäfer⁸⁶, A.C. Schaffer¹¹⁹, D. Schaile¹⁰², R.D. Schamberger¹⁵⁰, V.A. Schegelsky¹²⁵, D. Scheirich¹³¹, M. Schernau¹⁶⁶, C. Schiavi^{53a,53b}, S. Schier¹³⁹, L.K. Schildgen²³, C. Schillo⁵¹, M. Schioppa^{40a,40b}, S. Schlenker³², K.R. Schmidt-Sommerfeld¹⁰³, K. Schmieden³², C. Schmitt⁸⁶, S. Schmitt⁴⁵, S. Schmitz⁸⁶, U. Schnoor⁵¹, L. Schoeffel¹³⁸, A. Schoening^{60b}, B.D. Schoenrock⁹³, E. Schopf²³, M. Schott⁸⁶, J.F.P. Schouwenberg¹⁰⁸, J. Schovancova³², S. Schramm⁵², N. Schuh⁸⁶, A. Schulte⁸⁶, M.J. Schultens²³, H.-C. Schultz-Coulon^{60a}, H. Schulz¹⁷, M. Schumacher⁵¹, B.A. Schumm¹³⁹, Ph. Schune¹³⁸, A. Schwartzman¹⁴⁵, T.A. Schwarz⁹², H. Schweiger⁸⁷, Ph. Schwemling¹³⁸, R. Schwienhorst⁹³, J. Schwindling¹³⁸, A. Sciandra²³, G. Sciolla²⁵, M. Scornajenghi^{40a,40b}, F. Scuri^{126a,126b}, F. Scutti⁹¹, J. Searcy⁹², P. Seema²³, S.C. Seidel¹⁰⁷, A. Seiden¹³⁹, J.M. Seixas^{26a}, G. Sekhniaidze^{106a}, K. Sekhon⁹², S.J. Sekula⁴³, N. Semprini-Cesari^{22a,22b}, S. Senkin³⁷, C. Serfon¹²¹, L. Serin¹¹⁹, L. Serkin^{167a,167b}, M. Sessa^{136a,136b}, R. Seuster¹⁷², H. Severini¹¹⁵, T. Sfiligoj⁷⁸, F. Sforza³², A. Sfyrla⁵², E. Shabalina⁵⁷, N.W. Shaikh^{148a,148b}, L.Y. Shan^{35a}, R. Shang¹⁶⁹, J.T. Shank²⁴, M. Shapiro¹⁶, P.B. Shatalov⁹⁹, K. Shaw^{167a,167b}, S.M. Shaw⁸⁷, A. Shcherbakova^{148a,148b}, C.Y. Shehu¹⁵¹, Y. Shen¹¹⁵, N. Sherafati³¹, P. Sherwood⁸¹, L. Shi^{153,ao}, S. Shimizu⁷⁰, C.O. Shimmin¹⁷⁹, M. Shimojima¹⁰⁴, I.P.J. Shipsey¹²², S. Shirabe⁷³, M. Shiyakova^{68,ap}, J. Shlomi¹⁷⁵, A. Shmeleva⁹⁸, D. Shoaleh Saadi⁹⁷, M.J. Shochet³³, S. Shojaii^{94a}, D.R. Shope¹¹⁵, S. Shrestha¹¹³, E. Shulga¹⁰⁰, M.A. Shupe⁷, P. Sicho¹²⁹, A.M. Sickles¹⁶⁹, P.E. Sidebo¹⁴⁹, E. Sideras Haddad^{147c}, O. Sidiropoulou¹⁷⁷, A. Sidoti^{22a,22b}, F. Siegert⁴⁷, Dj. Sijacki¹⁴, J. Silva^{128a,128d}, S.B. Silverstein^{148a}, V. Simak¹³⁰, Lj. Simic 14 , S. Simion 119 , E. Simioni 86 , B. Simmons 81 , M. Simon 86 , P. Sinervo 161 , N.B. Sinev 118 , M. Sioli 22a,22b , G. Siragusa 177 , I. Siral 92 , S.Yu. Sivoklokov 101 , J. Sjölin 148a,148b , M.B. Skinner 75 , P. Skubic¹¹⁵, M. Slater¹⁹, T. Slavicek¹³⁰, M. Slawinska⁴², K. Sliwa¹⁶⁵, R. Slovak¹³¹, V. Smakhtin¹⁷⁵, B.H. Smart⁵, J. Smiesko^{146a}, N. Smirnov¹⁰⁰, S.Yu. Smirnov¹⁰⁰, Y. Smirnov¹⁰⁰, L.N. Smirnova^{101,aq}, O. Smirnova⁸⁴, J.W. Smith⁵⁷, M.N.K. Smith³⁸, R.W. Smith³⁸, M. Smizanska⁷⁵, K. Smolek¹³⁰, A.A. Snesarev⁹⁸, I.M. Snyder¹¹⁸, S. Snyder²⁷, R. Sobie^{172,0}, F. Socher⁴⁷, A. Soffer¹⁵⁵, A. Søgaard⁴⁹, D.A. Soh¹⁵³, G. Sokhrannyi⁷⁸, C.A. Solans Sanchez³², M. Solar¹³⁰, E.Yu. Soldatov¹⁰⁰, U. Soldevila¹⁷⁰, A.A. Solodkov¹³², A. Soloshenko⁶⁸, O.V. Solovyanov¹³², V. Solovyev¹²⁵, P. Sommer⁵¹, H. Son¹⁶⁵, A. Sopczak¹³⁰, D. Sosa^{60b}, C.L. Sotiropoulou^{126a,126b}, R. Soualah^{167a,167c}, A.M. Soukharev^{111,c}, D. South⁴⁵, B.C. Sowden⁸⁰, S. Spagnolo^{76a,76b}, M. Spalla^{126a,126b}, M. Spangenberg¹⁷³, F. Spanò⁸⁰, D. Sperlich¹⁷, F. Spettel¹⁰³, T.M. Spieker^{60a}, R. Spighi^{22a}, G. Spigo³², L.A. Spiller⁹¹, M. Spousta¹³¹, R.D. St. Denis^{56,*}, A. Stabile^{94a}, R. Stamen^{60a}, S. Stamm¹⁷, E. Stanecka⁴², R.W. Stanek⁶, C. Stanescu^{136a}, M.M. Stanitzki⁴⁵, B.S. Stapf¹⁰⁹, S. Stapnes¹²¹, E.A. Starchenko¹³², G.H. Stark³³, J. Stark⁵⁸, S.H Stark³⁹, P. Staroba¹²⁹, P. Starovoitov^{60a}, S. Stärz³², R. Staszewski⁴², P. Steinberg²⁷, B. Stelzer¹⁴⁴, H.J. Stelzer³², O. Stelzer-Chilton^{163a}, H. Stenzel⁵⁵, G.A. Stewart⁵⁶, M.C. Stockton¹¹⁸, M. Stoebe⁹⁰, G. Stoicea^{28b}, P. Stolte⁵⁷, S. Stonjek¹⁰³, A.R. Stradling⁸, A. Straessner⁴⁷, M.E. Stramaglia¹⁸, J. Strandberg¹⁴⁹, S. Strandberg^{148a,148b},

M. Strauss¹¹⁵, P. Strizenec^{146b}, R. Ströhmer¹⁷⁷, D.M. Strom¹¹⁸, R. Stroynowski⁴³, A. Strubig⁴⁹, S.A. Stucci²⁷, B. Stugu¹⁵, N.A. Styles⁴⁵, D. Su¹⁴⁵, J. Su¹²⁷, S. Suchek^{60a}, Y. Sugaya¹²⁰, M. Suk¹³⁰, V.V. Sulin⁹⁸, DMS Sultan^{162a,162b}, S. Sultansoy^{4c}, T. Sumida⁷¹, S. Sun⁵⁹, X. Sun³, K. Suruliz¹⁵¹, C.J.E. Suster¹⁵², M.R. Sutton¹⁵¹, S. Suzuki⁶⁹, M. Svatos¹²⁹, M. Swiatlowski³³, S.P. Swift², I. Sykora^{146a}, T. Sykora¹³¹, D. Ta⁵¹, K. Tackmann⁴⁵, J. Taenzer¹⁵⁵, A. Taffard¹⁶⁶, R. Tafirout^{163a}, E. Tahirovic⁷⁹, N. Taiblum¹⁵⁵, H. Takai²⁷, R. Takashima⁷², E.H. Takasugi¹⁰³, T. Takeshita¹⁴², Y. Takubo⁶⁹, M. Talby⁸⁸, A.A. Talyshev^{111,c}, J. Tanaka¹⁵⁷, M. Tanaka¹⁵⁹, R. Tanaka 119 , S. Tanaka 69 , R. Tanioka 70 , B.B. Tannenwald 113 , S. Tapia Araya $^{34\mathrm{b}},$ S. Tapprogge⁸⁶, S. Tarem¹⁵⁴, G.F. Tartarelli^{94a}, P. Tas¹³¹, M. Tasevsky¹²⁹, T. Tashiro⁷¹, E. Tassi^{40a,40b}, A. Tavares Delgado^{128a,128b}, Y. Tayalati^{137e}, A.C. Taylor¹⁰⁷, G.N. Taylor⁹¹, P.T.E. Taylor⁹¹, W. Taylor^{163b}, P. Teixeira-Dias⁸⁰, D. Temple¹⁴⁴, H. Ten Kate³², P.K. Teng¹⁵³, J.J. Teoh¹²⁰, F. Tepel¹⁷⁸, S. Terada⁶⁹, K. Terashi¹⁵⁷, J. Terron⁸⁵, S. Terzo¹³, M. Testa⁵⁰, R.J. Teuscher^{161,}^o, T. Theveneaux-Pelzer⁸⁸, F. Thiele³⁹, J.P. Thomas¹⁹, J. Thomas-Wilsker⁸⁰, P.D. Thompson¹⁹, A.S. Thompson⁵⁶, L.A. Thomsen¹⁷⁹, E. Thomson¹²⁴, M.J. Tibbetts¹⁶, R.E. Ticse Torres⁸⁸, V.O. Tikhomirov^{98,ar}, Yu.A. Tikhonov^{111,c}, S. Timoshenko¹⁰⁰, P. Tipton¹⁷⁹, S. Tisserant 88 , K. Todome 159 , S. Todorova-Nova⁵, S. Todt⁴⁷, J. Tojo⁷³, S. Tokár 146a , K. Tokushuku⁶⁹, E. Tolley⁵⁹, L. Tomlinson⁸⁷, M. Tomoto¹⁰⁵, L. Tompkins^{145,as}, K. Toms¹⁰⁷, B. Tong⁵⁹, P. Tornambe⁵¹, E. Torrence¹¹⁸, H. Torres¹⁴⁴, E. Torró Pastor¹⁴⁰, J. Toth^{88,at}, F. Touchard⁸⁸, D.R. Tovey¹⁴¹, C.J. Treado¹¹², T. Trefzger¹⁷⁷, F. Tresoldi¹⁵¹, A. Tricoli²⁷, I.M. Trigger^{163a}, S. Trincaz-Duvoid⁸³, M.F. Tripiana¹³, W. Trischuk¹⁶¹, B. Trocmé⁵⁸, A. Trofymov⁴⁵, C. Troncon^{94a}, M. Trottier-McDonald¹⁶, M. Trovatelli¹⁷², L. Truong^{147b}, M. Trzebinski 42 , A. Trzupek 42 , K.W. Tsang 62a , J.C-L. Tseng 122 , P.V. Tsiareshka 95 , G. Tsipolitis¹⁰, N. Tsirintanis⁹, S. Tsiskaridze¹³, V. Tsiskaridze⁵¹, E.G. Tskhadadze^{54a}, K.M. Tsui 62a , I.I. Tsukerman 99 , V. Tsulaia 16 , S. Tsuno 69 , D. Tsybychev 150 , Y. Tu 62b , A. Tudorache^{28b}, V. Tudorache^{28b}, T.T. Tulbure^{28a}, A.N. Tuna⁵⁹, S.A. Tupputi^{22a,22b}, S. Turchikhin⁶⁸, D. Turgeman¹⁷⁵, I. Turk Cakir^{4b,au}, R. Turra^{94a}, P.M. Tuts³⁸, G. Ucchielli^{22a,22b}, I. Ueda⁶⁹, M. Ughetto^{148a,148b}, F. Ukegawa¹⁶⁴, G. Unal³², A. Undrus²⁷, G. Unel¹⁶⁶, F.C. Ungaro⁹¹, Y. Unno⁶⁹, C. Unverdorben¹⁰², J. Urban^{146b}, P. Urquijo⁹¹, P. Urrejola⁸⁶, G. Usai⁸, J. Usui⁶⁹, L. Vacavant⁸⁸, V. Vacek¹³⁰, B. Vachon⁹⁰, K.O.H. Vadla¹²¹, A. Vaidya⁸¹, C. Valderanis¹⁰², E. Valdes Santurio^{148a,148b}, M. Valente⁵², S. Valentinetti^{22a,22b}, A. Valero¹⁷⁰, L. Valéry¹³, S. Valkar¹³¹, A. Vallier⁵, J.A. Valls Ferrer¹⁷⁰, W. Van Den Wollenberg¹⁰⁹, H. van der Graaf¹⁰⁹, P. van Gemmeren⁶, J. Van Nieuwkoop¹⁴⁴, I. van Vulpen¹⁰⁹, M.C. van Woerden¹⁰⁹, M. Vanadia^{135a,135b}, W. Vandelli³², A. Vaniachine¹⁶⁰, P. Vankov¹⁰⁹, G. Vardanyan¹⁸⁰, R. Vari^{134a}, E.W. Varnes⁷, C. Varni^{53a,53b}, T. Varol⁴³, D. Varouchas¹¹⁹, A. Vartapetian⁸, K.E. Varvell¹⁵², J.G. Vasquez¹⁷⁹, G.A. Vasquez^{34b}, F. Vazeille³⁷, T. Vazquez Schroeder⁹⁰, J. Veatch⁵⁷, V. Veeraraghavan⁷, L.M. Veloce¹⁶¹, F. Veloso^{128a,128c}, S. Veneziano^{134a}, A. Ventura^{76a,76b}, M. Venturi¹⁷², N. Venturi³², A. Venturini²⁵, V. Vercesi^{123a}, M. Verducci^{136a,136b}, W. Verkerke¹⁰⁹, A.T. Vermeulen¹⁰⁹, J.C. Vermeulen¹⁰⁹, M.C. Vetterli^{144,d}, N. Viaux Maira^{34b}, O. Viazlo⁸⁴, I. Vichou^{169,*}, T. Vickey¹⁴¹, O.E. Vickey Boeriu¹⁴¹, G.H.A. Viehhauser¹²², S. Viel¹⁶, L. Vigani¹²², M. Villa^{22a,22b}, M. Villaplana Perez^{94a,94b}, E. Vilucchi⁵⁰, M.G. Vincter³¹, V.B. Vinogradov⁶⁸, A. Vishwakarma⁴⁵, C. Vittori^{22a,22b}, I. Vivarelli¹⁵¹, S. Vlachos¹⁰, M. Vogel¹⁷⁸, P. Vokac¹³⁰, G. Volpi^{126a,126b}, H. von der Schmitt¹⁰³, E. von Toerne²³, V. Vorobel¹³¹, K. Vorobev¹⁰⁰, M. Vos 170 , R. Voss 32 , J.H. Vossebeld 77 , N. Vranjes¹⁴, M. Vranjes Milosavljevic¹⁴, V. Vrba¹³⁰, M. Vreeswijk 109 , R. Vuillermet 32 , I. Vukotic 33 , P. Wagner 23 , W. Wagner 178 , J. Wagner-Kuhr 102 , H. Wahlberg⁷⁴, S. Wahrmund⁴⁷, J. Wakabayashi¹⁰⁵, J. Walder⁷⁵, R. Walker¹⁰²,

W. Walkowiak¹⁴³, V. Wallangen^{148a,148b}, C. Wang^{35b}, C. Wang^{36b,av}, F. Wang¹⁷⁶, H. Wang¹⁶,

 $H.$ Wang³, J. Wang⁴⁵, J. Wang¹⁵², Q. Wang¹¹⁵, R. Wang⁶, S.M. Wang¹⁵³, T. Wang³⁸,

W. Wang^{153,aw}, W. Wang^{36a}, Z. Wang^{36c}, C. Wanotayaroj¹¹⁸, A. Warburton⁹⁰, C.P. Ward³⁰, D.R. Wardrope 81 , A. Washbrook⁴⁹, P.M. Watkins¹⁹, A.T. Watson¹⁹, M.F. Watson¹⁹, G. Watts¹⁴⁰, S. Watts⁸⁷, B.M. Waugh⁸¹, A.F. Webb¹¹, S. Webb⁸⁶, M.S. Weber¹⁸, S.W. Weber¹⁷⁷, S.A. Weber³¹, J.S. Webster⁶, A.R. Weidberg¹²², B. Weinert⁶⁴, J. Weingarten⁵⁷, M. Weirich⁸⁶, C. Weiser⁵¹, H. Weits¹⁰⁹, P.S. Wells³², T. Wenaus²⁷, T. Wengler³², S. Wenig³², N. Wermes²³, M.D. Werner⁶⁷, P. Werner³², M. Wessels^{60a}, T.D. Weston¹⁸, K. Whalen¹¹⁸, N.L. Whallon¹⁴⁰, A.M. Wharton⁷⁵, A.S. White⁹², A. White⁸, M.J. White¹, R. White^{34b}, D. Whiteson¹⁶⁶, B.W. Whitmore⁷⁵, F.J. Wickens¹³³, W. Wiedenmann¹⁷⁶, M. Wielers¹³³, C. Wiglesworth³⁹, L.A.M. Wiik-Fuchs⁵¹, A. Wildauer¹⁰³, F. Wilk⁸⁷, H.G. Wilkens³², H.H. Williams¹²⁴, S. Williams¹⁰⁹, C. Willis⁹³, S. Willocq⁸⁹, J.A. Wilson¹⁹, I. Wingerter-Seez⁵, E. Winkels¹⁵¹, F. Winklmeier¹¹⁸, O.J. Winston¹⁵¹, B.T. Winter²³, M. Wittgen¹⁴⁵, M. Wobisch 82,u , T.M.H. Wolf 109 , R. Wolff 88 , M.W. Wolter 42 , H. Wolters 128a,128c , V.W.S. Wong¹⁷¹, S.D. Worm¹⁹, B.K. Wosiek⁴², J. Wotschack³², K.W. Wozniak⁴², M. Wu³³, S.L. Wu¹⁷⁶, X. Wu⁵², Y. Wu⁹², T.R. Wyatt⁸⁷, B.M. Wynne⁴⁹, S. Xella³⁹, Z. Xi⁹², L. Xia^{35c}, D. Xu^{35a} , L. Xu^{27} , T. Xu^{138} , B. Yabsley¹⁵², S. Yacoob^{147a}, D. Yamaguchi¹⁵⁹, Y. Yamaguchi¹²⁰, A. Yamamoto⁶⁹, S. Yamamoto¹⁵⁷, T. Yamanaka¹⁵⁷, M. Yamatani¹⁵⁷, K. Yamauchi¹⁰⁵, Y. Yamazaki 70 , Z. Yan 24 , H. Yang 36c , H. Yang 16 , Y. Yang 153 , Z. Yang 15 , W-M. Yao 16 , Y.C. Yap⁸³, Y. Yasu⁶⁹, E. Yatsenko⁵, K.H. Yau Wong²³, J. Ye⁴³, S. Ye²⁷, I. Yeletskikh⁶⁸, E. Yigitbasi²⁴, E. Yildirim⁸⁶, K. Yorita¹⁷⁴, K. Yoshihara¹²⁴, C. Young¹⁴⁵, C.J.S. Young³², J. Yu⁸, J. Yu⁶⁷, S.P.Y. Yuen²³, I. Yusuff^{30,ax}, B. Zabinski⁴², G. Zacharis¹⁰, R. Zaidan¹³, A.M. Zaitsev 132,al , N. Zakharchuk 45 , J. Zalieckas¹⁵, A. Zaman¹⁵⁰, S. Zambito⁵⁹, D. Zanzi⁹¹, C. Zeitnitz¹⁷⁸, G. Zemaityte¹²², A. Zemla^{41a}, J.C. Zeng¹⁶⁹, Q. Zeng¹⁴⁵, O. Zenin¹³², T. Ženiš^{146a}, D. Zerwas¹¹⁹, D. Zhang⁹², F. Zhang¹⁷⁶, G. Zhang^{36a,ay}, H. Zhang^{35b}, J. Zhang⁶, L. Zhang 51 , L. Zhang 36a , M. Zhang 169 , P. Zhang 35b , R. Zhang 23 , R. Zhang 36a,av , X. Zhang 36b , Y. Zhang^{35a}, Z. Zhang¹¹⁹, X. Zhao⁴³, Y. Zhao^{36b,az}, Z. Zhao^{36a}, A. Zhemchugov⁶⁸, B. Zhou⁹², C. Zhou¹⁷⁶, L. Zhou⁴³, M. Zhou^{35a}, M. Zhou¹⁵⁰, N. Zhou^{35c}, C.G. Zhu^{36b}, H. Zhu^{35a}, J. Zhu⁹², Y. Zhu^{36a}, X. Zhuang^{35a}, K. Zhukov⁹⁸, A. Zibell¹⁷⁷, D. Zieminska⁶⁴, N.I. Zimine⁶⁸, C. Zimmermann 86 , S. Zimmermann 51 , Z. Zinonos 103 , M. Zinser 86 , M. Ziolkowski 143 , L. Živković¹⁴, G. Zobernig¹⁷⁶, A. Zoccoli^{22a,22b}, R. Zou³³, M. zur Nedden¹⁷, L. Zwalinski³².

¹ Department of Physics, University of Adelaide, Adelaide, Australia

- ² Physics Department, SUNY Albany, Albany NY, United States of America
- ³ Department of Physics, University of Alberta, Edmonton AB, Canada
- ^{4 (a)} Department of Physics, Ankara University, Ankara; ^(b) Istanbul Aydin University, Istanbul; ^(c) Division of Physics, TOBB University of Economics and Technology, Ankara, Turkey
- 5 LAPP, CNRS/IN2P3 and Université Savoie Mont Blanc, Annecy-le-Vieux, France
- ⁶ High Energy Physics Division, Argonne National Laboratory, Argonne IL, United States of America
- ⁷ Department of Physics, University of Arizona, Tucson AZ, United States of America
- ⁸ Department of Physics, The University of Texas at Arlington, Arlington TX, United States of America
- 9 Physics Department, National and Kapodistrian University of Athens, Athens, Greece
- ¹⁰ Physics Department, National Technical University of Athens, Zografou, Greece
- ¹¹ Department of Physics, The University of Texas at Austin, Austin TX, United States of America
- ¹² Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan
- 13 Institut de Física d'Altes Energies (IFAE), The Barcelona Institute of Science and Technology, Barcelona, Spain
- ¹⁴ Institute of Physics, University of Belgrade, Belgrade, Serbia
- 15 Department for Physics and Technology, University of Bergen, Bergen, Norway
- ¹⁶ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley CA, United States of America
- 17 Department of Physics, Humboldt University, Berlin, Germany
- ¹⁸ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland
- ¹⁹ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom
- 20 (a) Department of Physics, Bogazici University, Istanbul; ^(b) Department of Physics Engineering, Gaziantep University, Gaziantep; ^(d) Istanbul Bilgi University, Faculty of Engineering and Natural Sciences, Istanbul; ^(e) Bahcesehir University, Faculty of Engineering and Natural Sciences, Istanbul, Turkey
- ²¹ Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia
- ^{22 (a)} INFN Sezione di Bologna; ^(b) Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy
- 23 Physikalisches Institut, University of Bonn, Bonn, Germany
- ²⁴ Department of Physics, Boston University, Boston MA, United States of America
- 25 Department of Physics, Brandeis University, Waltham MA, United States of America
- ^{26 (a)} Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; ^(b) Electrical Circuits Department, Federal University of Juiz de Fora (UFJF), Juiz de Fora; ^(c) Federal University of Sao Joao del Rei (UFSJ), Sao Joao del Rei; ^(d) Instituto de Fisica, Universidade de Sao Paulo, Sao Paulo, Brazil
- ²⁷ Physics Department, Brookhaven National Laboratory, Upton NY, United States of America
- 28 ^(a) Transilvania University of Brasov, Brasov; ^(b) Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; ^(c) Department of Physics, Alexandru Ioan Cuza University of *Iasi, Iasi;* ^(d) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj Napoca; ^(e) University Politehnica Bucharest, Bucharest; (f) West University in Timisoara, Timisoara, Romania
- ²⁹ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina
- ³⁰ Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom
- ³¹ Department of Physics, Carleton University, Ottawa ON, Canada
- ³² CERN, Geneva, Switzerland
- ³³ Enrico Fermi Institute, University of Chicago, Chicago IL, United States of America
- 34 ^(a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile
- 35 ^(a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; ^(b) Department of Phusics, Nanjing University, Jiangsu; ^(c) Physics Department, Tsinghua University, Beijing 100084, China
- ³⁶ (a) Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Anhui; (b) School of Physics, Shandong University, Shandong; $^{(c)}$ Department of Physics and Astronomy, Key Laboratory for Particle Physics, Astrophysics and Cosmology, Ministry of Education; Shanghai Key Laboratory for Particle Physics and Cosmology, Shanghai Jiao Tong University, Shanghai(also at PKU-CHEP), China
- ³⁷ Université Clermont Auvergne, CNRS/IN2P3, LPC, Clermont-Ferrand, France
- ³⁸ Nevis Laboratory, Columbia University, Irvington NY, United States of America
- ³⁹ Niels Bohr Institute, University of Copenhagen, Kobenhavn, Denmark
- ^{40 (a)} INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; ^(b) Dipartimento di Fisica, Università della Calabria, Rende, Italy
- $^{41-(a)}$ AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; (b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland
- ⁴² Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland
- ⁴³ Physics Department, Southern Methodist University, Dallas TX, United States of America
- ⁴⁴ Physics Department, University of Texas at Dallas, Richardson TX, United States of America
- ⁴⁵ DESY, Hamburg and Zeuthen, Germany
- 46 Lehrstuhl für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany
- 47 Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany
- ⁴⁸ Department of Physics, Duke University, Durham NC, United States of America
- ⁴⁹ SUPA School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom
- ⁵⁰ INFN e Laboratori Nazionali di Frascati, Frascati, Italy
- 51 Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany
- 52 Departement de Physique Nucleaire et Corpusculaire, Université de Genève, Geneva, Switzerland
- 53 ^(a) INFN Sezione di Genova; ^(b) Dipartimento di Fisica, Università di Genova, Genova, Italy
- 54 ^(a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia
- 55 II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany
- ⁵⁶ SUPA School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom
- 57 II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany
- 58 Laboratoire de Physique Subatomique et de Cosmologie, Université Grenoble-Alpes, CNRS/IN2P3, Grenoble, France
- ⁵⁹ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA, United States of America
- $\overset{(a)}{=}$ Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; $\overset{(b)}{=}$ Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany
- 61 Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan
- 62 (a) Department of Physics, The Chinese University of Hong Kong, Shatin, N.T., Hong Kong; (b) Department of Physics, The University of Hong Kong, Hong Kong; $^{(c)}$ Department of Physics and Institute for Advanced Study, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China
- ⁶³ Department of Physics, National Tsing Hua University, Taiwan
- 64 Department of Physics, Indiana University, Bloomington IN, United States of America
- Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
- ⁶⁶ University of Iowa, Iowa City IA, United States of America
- ⁶⁷ Department of Physics and Astronomy, Iowa State University, Ames IA, United States of America
- ⁶⁸ Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
- ⁶⁹ KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
- ⁷⁰ Graduate School of Science, Kobe University, Kobe, Japan
- ⁷¹ Faculty of Science, Kyoto University, Kyoto, Japan
- ⁷² Kyoto University of Education, Kyoto, Japan
- ⁷³ Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka, Japan
- 74 Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
- ⁷⁵ Physics Department, Lancaster University, Lancaster, United Kingdom
- ^{76 (a)} INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
- ⁷⁷ Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
- 78 Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana, Slovenia
- ⁷⁹ School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
- ⁸⁰ Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
- ⁸¹ Department of Physics and Astronomy, University College London, London, United Kingdom
- ⁸² Louisiana Tech University, Ruston LA, United States of America
⁸³ Lehantsing de Physique Needling at the United Francisco HDMC
- Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
- ⁸⁴ Fysiska institutionen, Lunds universitet, Lund, Sweden
- ⁸⁵ Departamento de Fisica Teorica C-15, Universidad Autonoma de Madrid, Madrid, Spain
- 86 Institut für Physik, Universität Mainz, Mainz, Germany
- ⁸⁷ School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
- 88 CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
- ⁸⁹ Department of Physics, University of Massachusetts, Amherst MA, United States of America
- ⁹⁰ Department of Physics, McGill University, Montreal QC, Canada
- 91 School of Physics, University of Melbourne, Victoria, Australia
- 92 Department of Physics, The University of Michigan, Ann Arbor MI, United States of America
- ⁹³ Department of Physics and Astronomy, Michigan State University, East Lansing MI, United States of America
- ^{94 (a)} INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano, Italy
- ⁹⁵ B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Republic of Belarus
- ⁹⁶ Research Institute for Nuclear Problems of Byelorussian State University, Minsk, Republic of Belarus
- ⁹⁷ Group of Particle Physics, University of Montreal, Montreal QC, Canada
- ⁹⁸ P.N. Lebedev Physical Institute of the Russian Academy of Sciences, Moscow, Russia
- ⁹⁹ Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
- ¹⁰⁰ National Research Nuclear University MEPhI, Moscow, Russia
- ¹⁰¹ D.V. Skobeltsyn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow, Russia
- 102 Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
 103 Max Planck Institut für Physik (Werner Heisenberg Institut) München, Germany
- 103 Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
- ¹⁰⁴ Nagasaki Institute of Applied Science, Nagasaki, Japan
- ¹⁰⁵ Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan
- $106\,$ α ^(a) INFN Sezione di Napoli; ^(b) Dipartimento di Fisica, Università di Napoli, Napoli, Italy
- ¹⁰⁷ Department of Physics and Astronomy, University of New Mexico, Albuquerque NM, United States of America
- ¹⁰⁸ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
- ¹⁰⁹ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
- ¹¹⁰ Department of Physics, Northern Illinois University, DeKalb IL, United States of America
- ¹¹¹ Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia
- ¹¹² Department of Physics, New York University, New York NY, United States of America
- ¹¹³ Ohio State University, Columbus OH, United States of America
 $\frac{114}{114}$ Example of States of Okument University Okument January
- ¹¹⁴ Faculty of Science, Okayama University, Okayama, Japan
¹¹⁵ Hamon L. Dodge Department of Physics and Astronomy
- ¹¹⁵ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK, United States of America
- ¹¹⁶ Department of Physics, Oklahoma State University, Stillwater OK, United States of America
- 117 Palacký University, RCPTM, Olomouc, Czech Republic
- ¹¹⁸ Center for High Energy Physics, University of Oregon, Eugene OR, United States of America
¹¹⁹ $I A I$ University Paris Sud. CNRS/UN9P3. Université Paris-Saclau, Orsau, France
- ¹¹⁹ LAL, Univ. Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay, France
¹²⁰ Craduate School of Science, Orska University, Oscho, Japan
- Graduate School of Science, Osaka University, Osaka, Japan
- ¹²¹ Department of Physics, University of Oslo, Oslo, Norway
¹²² Department of Physics, Orford University, Orford United
- ¹²² Department of Physics, Oxford University, Oxford, United Kingdom
- ^{123 (a)} INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia, Italy
- ¹²⁴ Department of Physics, University of Pennsylvania, Philadelphia PA, United States of America
- ¹²⁵ National Research Centre "Kurchatov Institute" B.P. Konstantinov Petersburg Nuclear Physics Institute, St. Petersburg, Russia
- ^{126 (a)} INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
- ¹²⁷ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA, United States of America
- ^{128 (a)} Laboratório de Instrumentação e Física Experimental de Partículas LIP, Lisboa; ^(b) Faculdade de Ciências, Universidade de Lisboa, Lisboa; (c) Department of Physics, University of Coimbra, Coimbra; ^(d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; ^(e) Departamento de

Fisica, Universidade do Minho, Braga; $^{(f)}$ Departamento de Fisica Teorica y del Cosmos and $CAFPE$, Universidad de Granada, Granada; $^{(g)}$ Dep Fisica and CEFITEC of Faculdade de Ciencias e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal

- ¹²⁹ Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic
¹³⁰ Charl Technical University in Prague, Praha, Creek Republic,
- ¹³⁰ Czech Technical University in Prague, Praha, Czech Republic $\frac{131}{\sqrt{6}}$ Charles Huisenity Franklin of Mathematics and Physics Pra
- ¹³¹ Charles University, Faculty of Mathematics and Physics, Prague, Czech Republic 132 State Represent Center Institute for High Fascau Physics (Protiving), NBC KL Republic
- ¹³² State Research Center Institute for High Energy Physics (Protvino), NRC KI, Russia
¹³³ Buttish Physics Department Putherfuel Angleting Lebentrum Didnet Haited Kingdom
- ¹³³ Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
- ^{134 (a)} INFN Sezione di Roma; ^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy
- ^{135 (a)} INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
- ^{136 (a)} INFN Sezione di Roma Tre; ^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy
- 137 (a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies -Université Hassan II, Casablanca; ^(b) Centre National de l'Energie des Sciences Techniques $Nucleaires, Rabat; {}^{(c)}$ Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; (d) Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; $^{(e)}$ Faculté des sciences, Université Mohammed V, Rabat, Morocco
- ¹³⁸ DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat `a l'Energie Atomique et aux Energies Alternatives), Gif-sur-Yvette, France
- ¹³⁹ Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA, United States of America
- ¹⁴⁰ Department of Physics, University of Washington, Seattle WA, United States of America
- ¹⁴¹ Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
¹⁴² Department of Physics Shinghy University Negation Jensen
- ¹⁴² Department of Physics, Shinshu University, Nagano, Japan
¹⁴³ Department Physik University Sissan Sissan Company
- Department Physik, Universität Siegen, Siegen, Germany
- ¹⁴⁴ Department of Physics, Simon Fraser University, Burnaby BC, Canada
- ¹⁴⁵ SLAC National Accelerator Laboratory, Stanford CA, United States of America
- ¹⁴⁶ ^(a) Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; ^(b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic
- ¹⁴⁷ (a) Department of Physics, University of Cape Town, Cape Town; ^(b) Department of Physics, University of Johannesburg, Johannesburg; $\left(\text{c} \right)$ School of Physics, University of the Witwatersrand, Johannesburg, South Africa
- ¹⁴⁸ (a) Department of Physics, Stockholm University; ^(b) The Oskar Klein Centre, Stockholm, Sweden
- ¹⁴⁹ Physics Department, Royal Institute of Technology, Stockholm, Sweden
- 150 Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook NY, United States of America
- ¹⁵¹ Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
- ¹⁵² School of Physics, University of Sydney, Sydney, Australia
- ¹⁵³ Institute of Physics, Academia Sinica, Taipei, Taiwan
- ¹⁵⁴ Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel
- ¹⁵⁵ Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
- ¹⁵⁶ Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
- ¹⁵⁷ International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan
- ¹⁵⁸ Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
- ¹⁵⁹ Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
- ¹⁶⁰ Tomsk State University, Tomsk, Russia
- ¹⁶¹ Department of Physics, University of Toronto, Toronto ON, Canada
- 162 (a) INFN-TIFPA; (b) University of Trento, Trento, Italy
- ¹⁶³ (a) TRIUMF, Vancouver BC; ^(b) Department of Physics and Astronomy, York University, Toronto ON, Canada
- ¹⁶⁴ Faculty of Pure and Applied Sciences, and Center for Integrated Research in Fundamental Science and Engineering, University of Tsukuba, Tsukuba, Japan
- ¹⁶⁵ Department of Physics and Astronomy, Tufts University, Medford MA, United States of America
- ¹⁶⁶ Department of Physics and Astronomy, University of California Irvine, Irvine CA, United States of America
- ^{167 (a)} INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; ^(b) ICTP, Trieste; ^(c) Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy
- ¹⁶⁸ Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
- ¹⁶⁹ Department of Physics, University of Illinois, Urbana IL, United States of America
¹⁷⁰ Institute de Eisies Commonular (IEC), Centre Minte Universided de Velencia, City
- ¹⁷⁰ Instituto de Fisica Corpuscular (IFIC), Centro Mixto Universidad de Valencia CSIC, Spain
- ¹⁷¹ Department of Physics, University of British Columbia, Vancouver BC, Canada
- ¹⁷² Department of Physics and Astronomy, University of Victoria, Victoria BC, Canada
- ¹⁷³ Department of Physics, University of Warwick, Coventry, United Kingdom
- ¹⁷⁴ Waseda University, Tokyo, Japan
- ¹⁷⁵ Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel
- ¹⁷⁶ Department of Physics, University of Wisconsin, Madison WI, United States of America
- 177 Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany
- 1^{178} Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal, Germany
- ¹⁷⁹ Department of Physics, Yale University, New Haven CT, United States of America
- ¹⁸⁰ Yerevan Physics Institute, Yerevan, Armenia
- 181 Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France
- ¹⁸² Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan
- ^a Also at Department of Physics, King's College London, London, United Kingdom
- ^b Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan
- ^c Also at Novosibirsk State University, Novosibirsk, Russia
- ^d Also at TRIUMF, Vancouver BC, Canada
- ^e Also at Department of Physics & Astronomy, University of Louisville, Louisville, KY, United States of America
- f Also at Physics Department, An-Najah National University, Nablus, Palestine
- ^g Also at Department of Physics, California State University, Fresno CA, United States of America
- ^h Also at Department of Physics, University of Fribourg, Fribourg, Switzerland
- Also at II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany
- ^j Also at Departament de Fisica de la Universitat Autonoma de Barcelona, Barcelona, Spain
- ^k Also at Departamento de Fisica e Astronomia, Faculdade de Ciencias, Universidade do Porto, Portugal
- ^l Also at Tomsk State University, Tomsk, Russia
- Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing, China
- ⁿ Also at Universita di Napoli Parthenope, Napoli, Italy
- Also at Institute of Particle Physics (IPP), Canada
- P Also at Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest, Romania
- ^q Also at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg, Russia
- ^r Also at Borough of Manhattan Community College, City University of New York, New York City, United States of America
- Also at Department of Financial and Management Engineering, University of the Aegean, Chios, Greece
- ^t Also at Centre for High Performance Computing, CSIR Campus, Rosebank, Cape Town, South Africa
- u Also at Louisiana Tech University, Ruston LA, United States of America
- ^v Also at Institucio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain
- ^w Also at Graduate School of Science, Osaka University, Osaka, Japan
- Also at Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany
- ^y Also at Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
- ^z Also at Department of Physics, The University of Texas at Austin, Austin TX, United States of America
- aa Also at Institute of Theoretical Physics, Ilia State University, Tbilisi, Georgia
- ab Also at CERN, Geneva, Switzerland
- ac Also at Georgian Technical University (GTU),Tbilisi, Georgia
- ad Also at Ochadai Academic Production, Ochanomizu University, Tokyo, Japan
- Also at Manhattan College, New York NY, United States of America
- Also at Departamento de Física, Pontificia Universidad Católica de Chile, Santiago, Chile
- ^{ag} Also at Department of Physics, The University of Michigan, Ann Arbor MI, United States of America
- a^h Also at The City College of New York, New York NY, United States of America
- ai Also at School of Physics, Shandong University, Shandong, China
- a_j Also at Departamento de Fisica Teorica y del Cosmos and CAFPE, Universidad de Granada, Granada, Portugal
- ak Also at Department of Physics, California State University, Sacramento CA, United States of America
- al Also at Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia
- a^{an} Also at Departement de Physique Nucleaire et Corpusculaire, Université de Genève, Geneva, Switzerland
- a_n Also at Institut de Física d'Altes Energies (IFAE), The Barcelona Institute of Science and Technology, Barcelona, Spain
- ao Also at School of Physics, Sun Yat-sen University, Guangzhou, China
- a^p Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia, Bulgaria
- ^{aq} Also at Faculty of Physics, M.V. Lomonosov Moscow State University, Moscow, Russia
- α r Also at National Research Nuclear University MEPhI, Moscow, Russia
- Also at Department of Physics, Stanford University, Stanford CA, United States of America
- at Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary
- au Also at Giresun University, Faculty of Engineering, Turkey
- a^{iv} Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
- aw Also at Department of Physics, Nanjing University, Jiangsu, China
- a^x Also at University of Malaya, Department of Physics, Kuala Lumpur, Malaysia
- ay Also at Institute of Physics, Academia Sinica, Taipei, Taiwan
- Also at LAL, Univ. Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay, France
- Deceased