UC Irvine UC Irvine Previously Published Works

Title

Search for an invisibly decaying Higgs boson or dark matter candidates produced in association with a Z boson in pp collisions at s = 13 TeV with the ATLAS detector

Permalink

https://escholarship.org/uc/item/8q64j6wz

Authors

Collaboration, The ATLAS Aaboud, M Aad, G <u>et al.</u>

Publication Date 2018

DOI

10.1016/j.physletb.2017.11.049

Peer reviewed

Physics Letters B 776 (2018) 318-337

Contents lists available at ScienceDirect

Physics Letters B

www.elsevier.com/locate/physletb

Search for an invisibly decaying Higgs boson or dark matter candidates produced in association with a *Z* boson in *pp* collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector

The ATLAS Collaboration*

ARTICLE INFO

Article history: Received 31 August 2017 Received in revised form 8 November 2017 Accepted 21 November 2017 Available online 26 November 2017 Editor: M. Doser

ABSTRACT

A search for an invisibly decaying Higgs boson or dark matter candidates produced in association with a leptonically decaying *Z* boson in proton–proton collisions at $\sqrt{s} = 13$ TeV is presented. This search uses 36.1 fb⁻¹ of data collected by the ATLAS experiment at the Large Hadron Collider. No significant deviation from the expectation of the Standard Model backgrounds is observed. Assuming the Standard Model *ZH* production cross-section, an observed (expected) upper limit of 67% (39%) at the 95% confidence level is set on the branching ratio of invisible decays of the Higgs boson with mass $m_H = 125$ GeV. The corresponding limits on the production cross-section of the *ZH* process with the invisible Higgs boson decays are also presented. Furthermore, exclusion limits on the dark matter candidate and mediator masses are reported in the framework of simplified dark matter models.

© 2017 The Author(s). Published by Elsevier B.V. This is an open access article under the CC BY license (http://creativecommons.org/licenses/by/4.0/). Funded by SCOAP³.

1. Introduction

The observation of the Higgs boson at the LHC [1,2] not only signified a success of the Standard Model (SM), but also opened a unique opportunity to search for new physics. In the SM, the invisible decay of the Higgs boson $(H \rightarrow ZZ \rightarrow \nu\nu\nu\nu\nu)$ has a branching ratio $B_{H\rightarrow in\nu}$ of 1.06×10^{-3} for $m_H = 125$ GeV [3]. A larger $B_{H\rightarrow in\nu}$ can exist in many extensions of the SM. For example, a Higgs boson can decay to light neutralinos [4,5], graviscalars in extradimension models [6,7], Majorons [8–10], neutrinos [8,11,12], or dark matter (DM) through the Higgs portal model [13,14]. Observation of a $B_{H\rightarrow in\nu}$ significantly above the SM value would give a strong indication for physics beyond the SM (BSM).

The existence of DM is supported by a large body of astrophysical measurements, however its nature still remains mysterious. One of the hypotheses assumes that DM is composed of weakly interacting massive particles (WIMPs) [15] that are nearly invisible to particle detectors. Experiments at the LHC can search for WIMPs produced in association with a detectable final state, and provide sensitive constraints on low-mass WIMP production [16–18]. Moreover, models with a sizable $B_{H\rightarrow inv}$ often involve a Higgs boson decaying into WIMPs, and thus, studying $B_{H\rightarrow inv}$ gives a unique probe into DM through its coupling to the Higgs boson.

The study of LEP data found no evidence of an invisibly decaying Higgs boson with $m_H < 114.4$ GeV [19], assuming a neutral CP-even Higgs boson produced at the SM rate and decaying with $B_{H\rightarrow inv} = 100\%$. Both the ATLAS and CMS Collaborations have extended the study to a higher mass range and reported their search results in multiple final states [20–27]. Currently, the most stringent upper limit on $B_{H\rightarrow inv}$ is around 24% at the 95% confidence level (CL) [23,25] with $m_H = 125$ GeV. With certain assumptions, constraints on $B_{H\rightarrow inv}$ can be inferred from the visible decay channels, and an upper limit of 34% was obtained using LHC Run-1 data [28]. Similarly, DM has been searched for in a range of final states at the LHC [29–43], and no hints have been found to date.

This Letter reports a search for an invisibly decaying Higgs boson with $m_H = 125$ GeV or WIMPs produced in association with a Z boson using 36.1 fb⁻¹ of data collected by the ATLAS detector in 13 TeV pp collisions. The search is carried out in a final state with two isolated electrons or muons from a Z boson decay and large missing transverse momentum (E_T^{miss}) due to an invisible Higgs boson decay or a WIMP pair ($\ell\ell + E_T^{miss}$). The BSM signal processes typically result in larger E_T^{miss} than in background events. If no obvious deviation from the SM prediction is found, the observed E_T^{miss} distribution is used to constrain the existence of new phenomena. An upper limit on $B_{H\rightarrow inv}$ for $m_H = 125$ GeV can be derived assuming the SM ZH production cross-section. In simplified DM models [17,44,45], WIMP production is mediated by a spin-0 or spin-1 BSM particle (mediator) giving coupling constants to quarks (g_q) and WIMPs (g_χ). Fixing the coupling constants, exclusion limits on the WIMP mass (m_χ) and the mediator mass (m_{med}) can be set. This search adopts a benchmark scenario where

* *E-mail address:* atlas.publications@cern.ch. https://doi.org/10.1016/j.physletb.2017.11.049

0370-2693/© 2017 The Author(s). Published by Elsevier B.V. This is an open access article under the CC BY license (http://creativecommons.org/licenses/by/4.0/). Funded by SCOAP³.





Check f



Fig. 1. Leading tree-level diagrams for the *ZH* production (left) and the WIMP pair production in the benchmark model (right).

the WIMP pair is produced through the *s*-channel exchange of an axial-vector mediator. This choice is motivated by the findings in Ref. [16], which indicated that LHC searches can be more sensitive than direct searches to WIMP production in this particular model with an axial-vector mediator. Fig. 1 gives the leading tree-level diagrams for both ZH production and WIMP production in the benchmark model.

2. ATLAS detector

The ATLAS detector [46,47] is a large multi-purpose apparatus with a forward-backward symmetric cylindrical geometry¹ and nearly 4π coverage in solid angle. The collision point is encompassed by an inner tracking detector (ID) surrounded by a 2 T superconducting solenoid, electromagnetic (EM) and hadronic calorimeters, and a muon spectrometer (MS) with a toroidal magnetic field. The ID provides tracking for charged particles for $|\eta| <$ 2.5. It consists of silicon pixel and strip detectors surrounded by a straw tube tracker that also provides transition radiation measurements for electron identification. The EM and hadronic calorimeter system covers the pseudorapidity range $|\eta| < 4.9$. For $|\eta| < 2.5$, the liquid-argon EM calorimeter is finely segmented and plays an important role in electron and photon identification. The MS includes fast trigger chambers ($|\eta| < 2.4$) and high-precision tracking chambers covering $|\eta| < 2.7$. A two-level trigger system selects events to be recorded for offline physics analysis [48].

3. Data and simulation

This search utilises data collected with single-lepton triggers by the ATLAS detector during the 2015 and 2016 data-taking periods. A combination of a lower p_T threshold trigger with an isolation requirement and a higher p_T threshold trigger without any isolation requirement is used. The p_T threshold of the isolated electron (muon) trigger ranges from 24 (20) to 26 GeV depending on the instantaneous luminosity. The higher p_T threshold is 50 (60) GeV for the electron (muon) case over all the data-taking periods. The overall trigger efficiency is above 98% for the BSM signal processes after the full event selection described in Section 4.

To study the invisible Higgs boson decays, Monte Carlo events are produced for the SM *ZH* process with a subsequent *Z* boson decay into a dilepton pair and the $H \rightarrow ZZ \rightarrow \nu\nu\nu\nu$ decay $(ZH \rightarrow \ell\ell + inv)$. The *ZH* signal processes from both the quarkantiquark (*qqZH*) and gluon–gluon (*ggZH*) initial states are modelled with PowHEG-Box v2 [49,50] using the CT10 [51] parton distribution function (PDF) and interfaced to PYTHIA8.186 [52] for parton showering. The kinematic distributions of *ZH* $\rightarrow \ell\ell$ + inv events are described at next-to-leading-order (NLO) in OCD. Additionally, for the qqZH process, the MINLO [53] method is applied to improve the gluon resummation calculation, and the p_T^Z distribution is corrected to NLO electroweak (EW) accuracy with a reweighting approach detailed in Ref. [3]. The SM ZH production cross-section is computed with next-to-next-to-leading-order (NNLO) QCD and NLO EW precision and found to be 884 fb [3] with $m_H = 125$ GeV at 13 TeV. The DM signal is modelled with the leading-order MADGRAPH5_AMC@NLO matrix element [54] using NNPDF3.0 [55] and showered with Pythia8.186. DM signal events with an axial-vector mediator and fermionic WIMPs are produced for different $m_{\rm med}$ and m_{χ} , both in a range from 10 to 1000 GeV. As recommended in Ref. [44], the DM events are generated by choosing $g_q = 0.25$, $g_{\chi} = 1$, and a minimal mediator width. The AZNLO [56] and A14 [57] parameter sets are used to tune the Pythia8.186 parton-shower for the simulation of the $ZH \rightarrow \ell\ell + \text{inv}$ and DM signals, respectively.

The backgrounds to this search include various diboson processes (*ZZ*, *WZ*, *WW*), the production of $t\bar{t}$, *Wt*, a *W* or *Z* boson in association with jets (*W* + jets, *Z* + jets), and rare processes such as three-boson production (denoted by *VVV* with *V* = *W* or *Z*) and the production of $t\bar{t}$ accompanied by one or two vector bosons ($t\bar{t}V(V)$). These background processes can result in the $\ell\ell + E_{\rm T}^{\rm miss}$ final state with at least one boson decaying leptonically.

Production of ZZ events is modelled with POWHEG-BOX v2 and GG2vv3.1.6 [58,59] for the quark-antiquark (qqZZ) and gluongluon (ggZZ) initial states, respectively. The qqZZ and ggZZevents are described at NLO and LO QCD accuracies, respectively. The qqZZ production cross-section is corrected to NNLO QCD and NLO EW precision using K-factors binned in the invariant mass of the ZZ system, provided by the authors of Refs. [60,61]. The QCD and EW corrections to the qqZZ cross-section are assumed to factorise, as suggested in Ref. [62]. In addition, the ggZZ production cross-section is scaled to account for the NLO QCD correction [63]. The WZ and WW processes are generated with POWHEG-BOX v2, and their production cross-sections are predicted at NLO in QCD. All the diboson events are generated with the CT10 PDF set and showered using PYTHIA8.186 with the AZNLO tune.

SHERPA2.2.1 [64] is used to model the Z + jets process, and the Z boson p_T distribution is matched to data. The W + jets events are generated with POWHEG-BOX v2 interfaced to PYTHIA8.186. Both the $t\bar{t}$ and Wt events are simulated with POWHEG-BOX v2 and showered with PYTHIA6.428 [65]. The cross-sections of these processes are all calculated at NNLO in QCD. The rare VVV background, consisting of WWW, WWZ, WZZ and ZZZ production processes, is modelled with SHERPA2.1.1. MADGRAPH5_AMC@NLO interfaced to PYTHIA8.186 is used to generate the $t\bar{t}V(V)$ background events that account for $t\bar{t}W$, $t\bar{t}Z$ and $t\bar{t}WW$ production processes.

Generated events are processed through the ATLAS detector simulation [66] based on GEANT4 [67]. Additional *pp* collisions in the same proton bunch crossing (pile-up) are simulated with PYTHIA8.186 and overlaid to simulated events to mimic the real collision environment. The distribution of the average number of interactions per bunch crossing in the simulation is weighted to reflect that in data. Simulated events are processed with the same reconstruction algorithms as for the data. Furthermore, the lepton momentum scale and resolution, the lepton reconstruction and identification efficiencies, and the trigger efficiencies in the simulation are corrected to match that measured in data.

4. Selection criteria

This search is carried out in a $\ell\ell + E_T^{miss}$ final state, which contains large E_T^{miss} and a pair of high- p_T isolated electrons (*ee*) or

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the *z*-axis along the beam pipe. The *x*-axis points from the IP to the centre of the LHC ring, and the *y*-axis points upward. Cylindrical coordinates (*r*, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the *z*-axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$.

Table 1							
Event selection c	riteria	in	the	$\ell\ell +$	$E_{\rm T}^{\rm miss}$	search.	

	Selection criteria
Two leptons	Two opposite-sign leptons, leading (subleading) $p_T > 30$ (20) GeV
Third lepton veto	Veto events if any additional lepton with $p_{\rm T} > 7 {\rm ~GeV}$
$m_{\ell\ell}$	$76 < m_{\ell\ell} < 106 { m GeV}$
$E_{\rm T}^{\rm miss}$ and $E_{\rm T}^{\rm miss}/H_{\rm T}$	$E_{\rm T}^{\rm miss} > 90$ GeV and $E_{\rm T}^{\rm miss}/H_{\rm T} > 0.6$
$\Delta \phi(\vec{p}_{\rm T}^{\ell\ell},\vec{E}_{\rm T}^{\rm miss})$	$\Delta \phi(\vec{p}_{\rm T}^{\ell\ell}, \vec{E}_{\rm T}^{\rm miss}) > 2.7$ radians
$\Delta R_{\ell\ell}$	$\Delta R_{\ell\ell} < 1.8$
Fractional $p_{\rm T}$ difference	$\left p_{\mathrm{T}}^{\ell\ell} - p_{\mathrm{T}}^{\mathrm{miss, jets}} \right / p_{\mathrm{T}}^{\ell\ell} < 0.2$
<i>b</i> -jets veto	$N(b\text{-jets}) = 0$ with $b\text{-jet} p_{\mathrm{T}} > 20$ GeV and $ \eta < 2.5$

muons ($\mu\mu$). Backgrounds are reduced by removing events with extra leptons or any jets containing *b*-hadrons ("*b*-jets") and by requiring a boosted *Z* boson which is back to back with the missing transverse momentum vector (\vec{E}_T^{miss}). Therefore, this search requires good measurement and identification of the leptons and jets and precise understanding of the E_T^{miss} .

Electrons are reconstructed from energy deposits in the EM calorimeter matched to a track reconstructed in the ID. Candidate electrons must have $p_{\rm T} > 7$ GeV and pseudorapidity $|\eta| < 2.47$. Electrons must satisfy a set of likelihood-based identification criteria which are chosen to be approximately 90% efficient and are referred to as the "medium" operating point [68]. Muons are reconstructed from a combined fit of tracks reconstructed independently in the ID and in the MS. Candidate muons must have $p_T > 7$ GeV and $|\eta| < 2.5$. Muons are required to satisfy a set of identification criteria, which are referred to as the "medium" criteria [69]. To suppress cosmic-ray and non-prompt contributions, the absolute value of the longitudinal impact parameter of leptons must be smaller than 0.5 mm, and the transverse impact parameter divided by its error must be less than 5 (3) for electrons (muons). "Loose" isolation criteria [69,68] are applied to remove jets misidentified as leptons or leptons from *b*-hadron decays, and the isolation selection varies as a function of $p_{\rm T}$ to maintain a uniform efficiency of 99% for signal leptons.

Jets are reconstructed with the anti- k_t algorithm [70] with the radius parameter R = 0.4 [71–73]. Candidate jets must have $p_T > 20$ GeV and $|\eta| < 4.5$. Additional requirements using the track and vertex information inside a jet [74] are applied for jets with $p_T < 60$ GeV and $|\eta| < 2.5$ to suppress pile-up contributions. Candidate *b*-jets ($p_T > 20$ GeV and $|\eta| < 2.5$) are identified with an algorithm providing 85% signal efficiency and a rejection factor of 33 for light-flavor jets [75]. The \vec{E}_T^{miss} vector is computed as the negative of the vector sum of transverse momenta of all the leptons and jets, as well as the tracks originating from the primary vertex but not associated with any of the leptons or jets ("soft-term") [76]. Usage of the track-based soft-term, rather than the calorimeter-based one, minimises the impact of pile-up on the E_T^{miss} reconstruction.

Events are required to have a collision vertex associated with at least two tracks each with $p_T > 0.4$ GeV. Candidate events must have exactly two selected electrons or muons with opposite charges and $p_T > 20$ GeV, and the leading lepton is further required to have $p_T > 30$ GeV. To suppress the *WZ* background, events that contain an extra "soft" lepton are rejected, where the soft leptons satisfy the corresponding "loose" identification criteria and all other lepton selection criteria. The dilepton invariant mass $(m_{\ell\ell})$ is required to be in the range between 76 and 106 GeV to reject background processes with two leptons that do not originate from the prompt decay of a *Z* boson (non-resonant- $\ell\ell$).

After the above selection ("preselection"), the data sample is still dominated by the *Z* + jets and non-resonant- $\ell\ell$ processes, and further requirements on $E_{\rm T}^{\rm miss}$ and event topology are applied to suppress these backgrounds. Candidate events are required to have

 $E_{\rm T}^{\rm miss} > 90$ GeV and $E_{\rm T}^{\rm miss}/H_{\rm T} > 0.6$, where $H_{\rm T}$ is calculated as the scalar sum of the $p_{\rm T}$ of the selected leptons and jets. Since the signal processes tend to have a boosted *Z* boson produced in the direction opposite to $\vec{E}_{\rm T}^{\rm miss}$, the azimuthal angle difference between the dilepton system and $\vec{E}_{\rm T}^{\rm miss}$, $\Delta \phi (\vec{p}_{\rm T}^{\ell \ell}, \vec{E}_{\rm T}^{\rm miss})$, must be larger than 2.7 radians, and the selected leptons must be close to each other, with $\Delta R_{\ell\ell} = \sqrt{(\Delta \phi_{\ell\ell})^2 + (\Delta \eta_{\ell\ell})^2} < 1.8$. Some of the remaining Z + jets background events have large $E_{\rm T}^{\rm miss}$ because of a significant soft-term contribution. To remove these Z + jets events, the absolute difference between the dilepton $p_{\rm T}$ ($p_{\rm T}^{\ell \ell}$) and the magnitude of the vector sum of $\vec{E}_{\rm T}^{\rm miss}$ and $\vec{p}_{\rm T}$ of all the selected jets ($p_{\rm T}^{\rm miss,jets}$) must be no more than 20% of $p_{\rm T}^{\ell \ell}$. Finally, events containing one or more *b*-jets are vetoed to suppress the $t\bar{t}$ and Wt backgrounds. The event selection criteria are summarised in Table 1.

The selection efficiency, defined as the product of the kinematic acceptance and the detector-level reconstruction and selection efficiency, is 10.0% (10.6%) for the $ZH \rightarrow \ell\ell$ + inv signal with $m_H = 125$ GeV in the $ee \ (\mu\mu)$ channel. For a typical DM signal ($m_{med} = 500$ GeV and $m_{\chi} = 100$ GeV) to which this search is sensitive, the efficiency is 13.4% (13.7%) for the $ee \ (\mu\mu)$ channel. The signal contribution from the $Z \rightarrow \tau\tau$ decay is found to be negligible, and therefore, only the prompt $Z \rightarrow ee \ (Z \rightarrow \mu\mu)$ decay is considered for the denominator in the efficiency calculation for the $ee \ (\mu\mu)$ channel.

5. Uncertainties and background estimation

The selection efficiencies for the signal processes are subject to theoretical and experimental uncertainties. These systematic uncertainties are also evaluated for the E_T^{miss} distributions, which are used to constrain the existence of new phenomena in this search.

The theoretical uncertainties originate from the PDF choice, the perturbative calculation, and the parton-shower modelling. These uncertainties are estimated in the same manner for both the $ZH \rightarrow \ell \ell + inv$ and DM signals. The PDF uncertainty covers the 68% CL eigenvector uncertainty [51,55] of the nominal PDF set used in generating the signal events, as well as the difference between the nominal and alternative PDF sets. The alternative PDF sets used for the $ZH \rightarrow \ell\ell + inv$ (DM) signal are NNPDF3.0 and MSTW2008NLO [77] (CT14lo [78] and MMHT2014lo68cl [79]). The perturbative uncertainty covers the variations from changing the QCD renormalisation and factorisation scales independently by factors ranging from one half to two. The parton-shower uncertainty is evaluated by varying parameters in the parton shower tunes according to Refs. [56,57]. In addition, the uncertainty in the NLO EW correction to the p_T^Z distribution is considered for the $ZH \rightarrow \ell\ell + inv$ process. The total theoretical uncertainty is around 5% on the selection efficiencies of both the $ZH \rightarrow \ell\ell + inv$ and DM signals. The SM ZH production cross-section is assumed in the study of $B_{H \rightarrow inv}$, and an uncertainty of 5% [3] is assigned to this prediction. The theoretical uncertainties on the signal E_{T}^{miss} distributions are found to be minor.

The major experimental uncertainties relate to the luminosity uncertainty, the momentum scale and resolution of leptons and jets, and the lepton reconstruction and selection efficiencies. Smaller experimental uncertainties that are also considered include uncertainties due to the trigger selection efficiency, the determination of the $E_{\rm T}^{\rm miss}$ soft-term, the pile-up correction, and the *b*-jet identification efficiency. All the experimental uncertainties are included in the simulation-based predictions of the signal efficiencies, background yields, and $E_{\rm T}^{\rm miss}$ shapes. Overall, the total experimental uncertainty on the signal selection efficiency is around 5%, dominated by the jet, lepton and pile-up components. The uncertainty on the combined 2015 and 2016 integrated luminosity is 3.2%, derived following a methodology similar to that detailed in Ref. [80], from a preliminary calibration of the luminosity scale using x-y beam-separation scans performed in August 2015 and May 2016. The luminosity uncertainty is considered for the background contributions estimated from simulation and for the $ZH \rightarrow \ell\ell + inv$ signal prediction when studying $B_{H \rightarrow inv}$.

Background contributions are either estimated from simulation or determined using data, as described below. Production of *ZZ* events constitutes the dominant fraction (59%) of the total background. Some *WZ* events can be selected if the *W* boson decay results in an electron or muon escaping detection or a hadronically decaying τ , and this background accounts for 25% of the total background. The *Z* + jets process with the *Z* boson decaying to an *ee* or $\mu\mu$ pair and poorly reconstructed $E_{\rm T}^{\rm miss}$ amounts to about 8% of the total background, and a similar contribution originates from the non-resonant- $\ell\ell$ processes consisting of $t\bar{t}$, Wt, WW and $Z \rightarrow \tau\tau$ production. Minor contributions (< 1%) are expected from the W + jets, VVV, and $t\bar{t}V(V)$ backgrounds.

In this search, the ZZ background is estimated from simulation, because the data sample with four charged leptons, which could be used to constrain the ZZ background normalisation, is statistically limited. Overall, the NNLO QCD (pprox +10%) and NLO EW corrections ($\approx -10\%$) to the *qqZZ* yield are found to cancel each other out. The perturbative uncertainty and the PDF uncertainty (estimated as the CT10 eigenvector uncertainty at the 68% CL) on the qqZZ yield are estimated using the simulated sample, which has NLO accuracy in QCD. These uncertainties are found to be 4% and 2%, respectively. Both the perturbative and PDF uncertainties on the E_{τ}^{miss} shape are also considered for the qqZZ process. In addition, a smaller uncertainty due to the parton-shower modelling is also assigned to the qqZZ yield. An uncertainty of 60% is assigned to the ggZZ yield to cover the perturbative uncertainty on the NLO correction to the production cross-section and the theoretical uncertainty on the selection acceptance. The total experimental uncertainty on the ZZ estimate is about 7%, and the total uncertainty amounts to 10%.

The WZ background contribution predicted by simulation is scaled by a data-driven scale factor that accounts for potential missing higher-order calculations in the simulation. To derive the scale factor, a data control region enriched in WZ events is defined with the preselection criteria, except that a third lepton with $p_{\rm T}$ > 20 GeV and satisfying the medium identification criteria is allowed. In addition, a requirement of $m_T^W > 60$ GeV is imposed in the control region to suppress non-WZ contributions, where m_T^W is constructed from the third lepton's momentum and the $\vec{E}_{T}^{\text{miss}}$ vector. The scale factor is then calculated in the control region as the number of data events, after subtracting the non-WZ contributions (estimated from simulation), divided by the predicted WZyield, and is found to be 1.29. The statistical uncertainty on the WZ estimate is about 2%, due to the limited size of the data control sample. The systematic uncertainty is evaluated for the ratio of the simulated WZ yields in the signal and control regions. The experimental uncertainty on this ratio is about 4%, while the theoretical uncertainty is negligible. The total uncertainty on the WZ estimate is about 5%. Moreover, theoretical uncertainties on the simulation-based E_T^{miss} shape due to PDF and QCD scales are taken into consideration for the WZ process.

A data-driven method is used to estimate the Z + jets background. This method defines three independent Z-enriched regions (B, C and D) that are disjoint from the signal region A. Then the data yields after subtracting the non-Z contributions in these regions ($N_{\rm B}$, $N_{\rm C}$ and $N_{\rm D}$) are used to predict the Z + jets contribution in the signal region (N_A), calculated as $N_B \times N_C/N_D$. An intrinsic assumption of $N_A/N_B = N_C/N_D$ is made for the Z + jets process. To ensure that this assumption is valid, the control regions are defined so as to have the closure factor $N_A/N_B \times N_D/N_C$ close to unity. The control regions are defined after the preselection, and a requirement of $E_T^{\text{miss}} > 60$ GeV and $E_T^{\text{miss}}/H_T > 0.12$ ("cleaning cut") is imposed to remove the low- E_T^{miss} phase space that is far away from the signal region. Since the E_T^{miss} and the topological variables used in the event selection are expected to have only a small correlation, they are used to define regions B, C and D. Events are sorted into region B if $E_{\rm T}^{\rm miss} < 90$ GeV or $E_{T}^{\text{miss}}/H_{T}$ < 0.6 and into region C if satisfying both the E_{T}^{miss} and $E_{T}^{\text{miss}}/H_{T}$ selections but failing to satisfy any of the remaining criteria, and the rest of the events constitute region D. The closure factor $N_A/N_B \times N_D/N_C$ is estimated using the simulated Z + jets events and found to be 1.3 (1.1) for the *ee* ($\mu\mu$) final state, and both factors are consistent with unity, considering the large statistical uncertainties of the simulated samples and the experimental uncertainties. The major uncertainties on the Z + jets estimate include the difference between the closure factor and unity ("nonclosure") and the experimental and modelling uncertainties on the closure factor. The experimental uncertainty on the closure factor is dominated by the uncertainties on the jet energy scale and resolution. The modelling uncertainty covers the variations from changing the cleaning cut's values conservatively by 40%. Smaller uncertainties due to the statistical uncertainty of the data and the subtraction of non-Z contributions in the control regions are also considered. A total uncertainty of $^{+90\%}_{-55\%}$ ($^{+37\%}_{-49\%}$) is assigned to the Z + jets estimate in the ee ($\mu\mu$) channel. Overall, the Z + jets background contribution in the ee channel has a larger uncertainty than in the $\mu\mu$ channel, due to the larger non-closure and the larger modelling uncertainties in the ee channel. Additionally, an alternative method, which corrects the simulated Z + jets contribution in the signal region by a data-driven scale factor derived in a sideband region defined by reversing the $E_{\rm T}^{\rm miss}/H_{\rm T}$ cut, yields a consistent result. The $E_{\rm T}^{\rm miss}$ distribution for the Z + jets background is derived from simulation, and the shape uncertainty includes the experimental uncertainties and the difference between the simulated E_{T}^{miss} distribution and that observed in data with $E_{\rm T}^{\rm miss}/H_{\rm T} < 0.6.$

To estimate the non-resonant- $\ell\ell$ background, a control region dominated by the non-resonant- $\ell\ell$ processes is defined by applying all the event selection criteria to the final state with an opposite-sign $e\mu$ pair and large $E_{\rm T}^{\rm miss}$. The non-resonant- $\ell\ell$ contribution in the $ee~(\mu\mu)$ channel is calculated as one half of the observed data yield after subtracting the contribution from the other background processes in the control region, and then corrected for the difference in the lepton reconstruction and identification efficiencies between selecting an $e\mu$ pair and an $ee~(\mu\mu)$ pair. The lepton efficiency correction is derived as the square root of the ratio of the numbers of $\mu\mu$ and ee events in data after the preselection, and this correction is obtained as a function of $p_{\rm T}$ and η of both leptons. The total uncertainty on the non-resonant- $\ell\ell$ estimates is about 14%, including the statistical uncertainty of the data in the control region (13%) and the method bias estimated from

Table 2

Observed data yields and expectations for the signal and background contributions in the signal region. The first error is statistical, and the second systematic. The $ZH \rightarrow \ell\ell$ + inv signal contribution is shown with $B_{H\rightarrow inv} = 0.30$, which is the value most compatible with data. The DM signal contribution with $m_{med} = 500$ GeV and $m_{\chi} = 100$ GeV is also scaled (with a factor of 0.27) to the best-fit contribution. The background contributions from the W + jets, VVV and $t\bar{t}V(V)$ processes are summed and presented with the label "Others". The systematic uncertainty on the Z + jets contribution is taken as its upper systematic error. The uncertainty on the total background prediction is quadratically summed from those on the individual background contributions.

Final state	ee	$\mu\mu$
Observed data	437	497
Signal		
$ZH \rightarrow \ell\ell + \text{inv} (B_{H \rightarrow \text{inv}} = 30\%)$	$32\pm1\pm3$	$34\pm1\pm3$
DM ($m_{\rm med}$ = 500 GeV, m_{χ} = 100 GeV) $ imes$ 0.27	$10.8\pm0.3\pm0.8$	$11.1 \pm 0.3 \pm 0.8$
Backgrounds		
qqZZ	$212\pm3\pm15$	$221\pm3\pm17$
ggZZ	$18.9 \pm 0.3 \pm 11.2$	$19.3 \pm 0.3 \pm 11.4$
WZ	$106\pm2\pm6$	$113\pm3\pm5$
Z + jets	$30\pm1\pm28$	$37\pm1\pm19$
Non-resonant- $\ell\ell$	$30\pm4\pm2$	$33\pm4\pm2$
Others	$1.4\pm0.1\pm0.2$	$2.5\pm2.0\pm0.8$
Total background	$399 \pm 6 \pm 34$	$426\pm 6\pm 28$



Fig. 2. Observed E_T^{miss} distribution in the *ee* (left) and $\mu\mu$ (right) channel compared to the signal and background predictions. The error band shows the total statistical and systematic uncertainty on the background prediction. The background predictions are presented as they are before being fit to the data. The ratio plot gives the observed data yield over the background prediction (black points) as well as the signal-plus-background contribution divided by the background prediction (blue or purple line) in each E_T^{miss} bin. The rightmost bin contains the overflow contributions. The $ZH \rightarrow \ell\ell$ + inv signal distribution is shown with $B_{H\rightarrow \text{inv}} = 0.3$, which is the value most compatible with data. The simulated DM distribution with $m_{\text{med}} = 500 \text{ GeV}$ and $m_{\chi} = 100 \text{ GeV}$ is also scaled (with a factor of 0.27) to the best-fit contribution. (For interpretation of the references to colour in this figure legend, the reader is referred to the web version of this article.)

simulation (5%). The $E_{\rm T}^{\rm miss}$ distributions for the non-resonant- $\ell\ell$ background are derived from the data control region, and the differences between data and simulation are taken as the shape uncertainty.

The VVV and $t\bar{t}V(V)$ backgrounds are estimated from simulation, and their contributions have a total uncertainty of about 20%, including both the theoretical cross-section [81,82] and experimental uncertainties. The W + jets background is estimated using the fake-factor method described in Ref. [83].

6. Result and interpretations

Table 2 gives the observed data yields, the estimated background contributions, and the expectations for the two signal processes after the final selection. The observed and predicted E_T^{miss} distributions in the *ee* and $\mu\mu$ channels are shown in Fig. 2. No significant excess over the SM background expectation is observed.

To examine the compatibility of the data and the signal-plusbackground hypothesis, a test statistic is defined using the profile likelihood ratio method [84]. The likelihood function is the product of all the Poisson probability density functions built in individual $E_{\rm T}^{\rm miss}$ bins and final states. In each bin the observed number of events in data is represented by a Poisson probability density function with a mean equal to the sum of the predicted signal and background yields. The systematic uncertainties are implemented as nuisance parameters (NPs) constrained by auxiliary Gaussian functions. In most cases, a common NP is used to account for each systematic uncertainty in all the $E_{\rm T}^{\rm miss}$ bins and in both the *ee* and $\mu\mu$ channels. The statistical uncertainty on the Z + jets estimate is treated as being uncorrelated between the *ee* and $\mu\mu$ channels, and the statistical uncertainties of the simulated samples are uncorrelated among all bins and final states. A frequentist method with the CLs formalism [85] is then applied to set upper limits on the overall signal contribution, which is the parameter of interest left free in the test statistic.

There is a small data excess in the $\mu\mu$ channel, and the *p*-value for the compatibility of the data and the background-only hypothesis is 0.014, which corresponds to a significance of about 2.2σ .



Fig. 3. DM exclusion limit in the two-dimensional phase space of WIMP mass m_{χ} vs mediator mass m_{med} determined using the combined $ee + \mu\mu$ channel. Both the observed and expected limits are presented, and the 1σ uncertainty band for the expected limits is also provided. Regions bounded by the limit curves are excluded at the 95% CL. The grey line labelled with " $m_{\text{med}} = 2m_{\chi}$ " indicates the kinematic threshold where the mediator can decay on-shell into WIMPs, and the other grey line gives the perturbative limit [86]. The relic density line [86] illustrates the combination of m_{χ} and m_{med} that would explain the observed DM relic density.

Table 3

The 95% CL upper limits on $B_{H \to inv}$ for $m_H = 125$ GeV from the *ee*, $\mu\mu$, and combined *ee* + $\mu\mu$ channels. Both the observed and expected limits are given, and the 1σ and 2σ uncertainties on the expected limits are also presented.

	Obs. $B_{H \rightarrow inv}$ limit	Exp. $B_{H \to inv}$ limit $\pm 1\sigma \pm 2\sigma$
ee	59%	$(51 \begin{array}{c} +21 \\ -15 \end{array} \begin{array}{c} +49 \\ -24 \end{array})\%$
$\mu\mu$	97%	$(48 \begin{array}{c} +20 \\ -14 \end{array} \begin{array}{c} +46 \\ -22 \end{array})\%$
$ee+\mu\mu$	67%	$(39 \ ^{+17}_{-11} \ ^{+38}_{-18})\%$

Combining the *ee* and $\mu\mu$ channels, the *p*-value becomes 0.06 (1.5 σ). Assuming the signal-plus-background hypothesis, the compatibility between the *ee* and $\mu\mu$ channels is found to be 1.4 σ .

Table 3 gives the 95% CL upper limits on $B_{H \rightarrow inv}$, assuming the SM prediction for the ZH production cross-section. As a result of the small data excess observed in this search, the observed limit is less stringent than the expected one. Using the combined ee and $\mu\mu$ channel, the observed and expected limits on $B_{H\to inv}$ are 67% and 39%, respectively. The corresponding observed (expected) limit on the production cross-section of the $ZH \rightarrow \ell\ell + inv$ process is 40 (23) fb at the 95% CL, where only the prompt $Z \rightarrow ee$ and $Z \rightarrow \mu \mu$ decays are considered. When the signal-plus-background model is fit to the data, the best-fit $B_{H \rightarrow inv}$ is (30 ± 20) %, where the data statistical and systematic uncertainties are about 13% and 16%, respectively. The dominant sources of the systematic uncertainty are the theoretical uncertainties on the qqZZ and ggZZpredictions, the luminosity uncertainty, the uncertainties in the data-driven estimation of the WZ and Z + jets backgrounds, and the jet energy scale and resolution uncertainties.

Fig. 3 gives the 95% CL exclusion limit in the two-dimensional phase space of WIMP mass m_{χ} and mediator mass m_{med} derived using the combined $ee + \mu\mu$ channel, where the underlying dark matter model assumes an axial-vector mediator, fermionic WIMPs, and a specific scenario of the coupling parameters ($g_q = 0.25$, $g_{\chi} = 1$). From the observed limits at the 95% CL, the mediator mass m_{med} is excluded up to 560 GeV for a light WIMP, while the WIMP mass m_{χ} is excluded up to 130 GeV for $m_{med} = 400$ GeV. For the bulk of the phase space, the observed limit is weaker than the expected one by about 1σ . The compatibility of the observed and expected limits is better than that for the $B_{H \rightarrow inv}$ limits, mainly because the sensitivity region for the DM signals has larger E_T^{miss} and the difference between the observed yield and the background expectation is less statistically significant at high E_T^{miss} .

7. Conclusion

This Letter presents a search for an invisibly decaying Higgs boson or WIMPs produced in association with a Z boson using 36.1 fb^{-1} of data collected by the ATLAS detector in *pp* collisions at $\sqrt{s} = 13$ TeV at the LHC. The search is carried out in the $\ell \ell + E_{T}^{\text{miss}}$ final state. There is no significant data excess above the expectation of the SM backgrounds. An observed (expected) upper limit of 67% (39%) is set on $B_{H \rightarrow inv}$ at the 95% CL for $m_H = 125$ GeV, which can be compared to the observed (expected) 95% CL limit of 75% (62%) derived in the same final state using the ATLAS data collected at $\sqrt{s} = 7$ and 8 TeV. The expected $B_{H \rightarrow inv}$ limit is much improved compared to the previous one, while the improvement in the observed limit is marginal due to the small data excess observed in this search. The corresponding observed (expected) limit on the production cross-section of the ZH process with prompt $Z \rightarrow ee$ and $Z \rightarrow \mu\mu$ decays and invisible Higgs boson decays is 40 (23) fb at the 95% CL. Finally, exclusion limits are placed on masses in a simplified dark matter model with an axialvector mediator and fermionic WIMPs. The mediator mass m_{med} is excluded up to 560 GeV at the 95% CL for a light WIMP, while the WIMP mass m_{χ} is excluded up to 130 GeV for $m_{\text{med}} = 400$ GeV. The constraint on the existence of dark matter from this search provides another input to the global search for dark matter at the LHC.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS, CEA-DSM/IRFU, France; SRNSF, Georgia; BMBF, HGF, and MPG, Germany; GSRT, Greece; RGC, Hong Kong SAR, China; ISF, I-CORE and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MNiSW and NCN, Poland; FCT, Portugal; MNE/IFA, Romania; MES of Russia and NRC KI, Russian Federation; JINR; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TAEK, Turkey; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, the Canada Council, CANARIE, CRC, Compute Canada, FQRNT, and the Ontario Innovation Trust, Canada; EPLANET, ERC, ERDF, FP7, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d'Avenir Labex and Idex, ANR, Région Auvergne and Fondation Partager le Savoir, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF; BSF, GIF and Minerva, Israel; BRF, Norway; CERCA Programme Generalitat de Catalunya, Generalitat Valenciana, Spain; the Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [87].

References

- ATLAS Collaboration, Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC, Phys. Lett. B 716 (2012) 1, arXiv:1207.7214 [hep-ex].
- [2] CMS Collaboration, Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC, Phys. Lett. B 716 (2012) 30, arXiv:1207.7235 [hep-ex].
- [3] LHC Higgs Cross Section Working Group, Handbook of LHC Higgs cross sections: 4. Deciphering the nature of the Higgs sector, arXiv:1610.07922 [hepph], 2016.
- [4] K. Griest, H.E. Haber, Invisible decays of Higgs bosons in supersymmetric models, Phys. Rev. D 37 (1988) 719.
- [5] G. Belanger, F. Boudjema, A. Cottrant, R.M. Godbole, A. Semenov, The MSSM invisible Higgs in the light of dark matter and g-2, Phys. Lett. B 519 (2001) 93, arXiv:hep-ph/0106275.
- [6] G.F. Giudice, R. Rattazzi, J.D. Wells, Graviscalars from higher dimensional metrics and curvature Higgs mixing, Nucl. Phys. B 595 (2001) 250, arXiv:hep-ph/ 0002178.
- [7] M. Battaglia, D. Dominici, J.F. Gunion, J.D. Wells, The Invisible Higgs decay width in the add model at the LHC, arXiv:hep-ph/0402062, 2004.
- [8] R.E. Shrock, M. Suzuki, Invisible decays of Higgs bosons, Phys. Lett. B 110 (1982) 250.
- [9] A.S. Joshipura, S.D. Rindani, Majoron models and the Higgs search, Phys. Rev. Lett. 69 (1992) 3269.
- [10] C. Bonilla, J.W.F. Valle, J.C. Romão, Neutrino mass and invisible Higgs decays at the LHC, Phys. Rev. D 91 (2015) 113015, arXiv:1502.01649 [hep-ph].
- [11] K. Belotsky, D. Fargion, M. Khlopov, R. Konoplich, K. Shibaev, Invisible Higgs boson decay into massive neutrinos of fourth generation, Phys. Rev. D 68 (2003) 054027, arXiv:hep-ph/0210153.
- [12] O. Seto, Large invisible decay of a Higgs boson to neutrinos, Phys. Rev. D 92 (2015) 073005, arXiv:1507.06779 [hep-ph].
- [13] M.C. Bento, O. Bertolami, R. Rosenfeld, L. Teodoro, Self-interacting dark matter and the Higgs boson, Phys. Rev. D 62 (2000) 041302.
- [14] C. Englert, T. Plehn, D. Zerwas, P.M. Zerwas, Exploring the Higgs portal, Phys. Lett. B 703 (2011) 298, arXiv:1106.3097 [hep-ph].
- [15] B.W. Lee, S. Weinberg, Cosmological lower bound on heavy neutrino masses, Phys. Rev. Lett. 39 (1977) 165.
- [16] S.A. Malik, et al., Interplay and characterization of Dark Matter searches at colliders and in direct detection experiments, Phys. Dark Universe 9–10 (2015) 51, arXiv:1409.4075 [hep-ex].
- [17] O. Buchmueller, M.J. Dolan, S.A. Malik, C. McCabe, Characterising dark matter searches at colliders and direct detection experiments: vector mediators, J. High Energy Phys. 01 (2015) 037, arXiv:1407.8257 [hep-ph].
- [18] L. Baudis, Dark matter detection, J. Phys. G 43 (2016) 044001.
- [19] LEP Higgs Working Group for Higgs boson searches, Searches for invisible Higgs bosons: preliminary combined results using LEP data collected at energies up to 209 GeV, arXiv:hep-ex/0107032, 2001.
- [20] ATLAS Collaboration, Search for invisible decays of a Higgs boson using vectorboson fusion in *pp* collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, J. High Energy Phys. 01 (2016) 172, arXiv:1508.07869 [hep-ex].

- [21] ATLAS Collaboration, Search for invisible decays of the Higgs boson produced in association with a hadronically decaying vector boson in *pp* collisions at \sqrt{s} = 8 TeV with the ATLAS detector, Eur. Phys. J. C 75 (2015) 337, arXiv:1504.04324 [hep-ex].
- [22] ATLAS Collaboration, Search for invisible decays of a Higgs boson produced in association with a Z boson in ATLAS, Phys. Rev. Lett. 112 (2014) 201802, arXiv:1402.3244 [hep-ex].
- [23] ATLAS Collaboration, Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector, J. High Energy Phys. 11 (2015) 206, arXiv:1509.00672 [hep-ex].
- [24] CMS Collaboration, Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes, Eur. Phys. J. C 74 (2014) 2980, arXiv:1404.1344 [hep-ex].
- [25] CMS Collaboration, Searches for invisible decays of the Higgs boson in *pp* collisions at $\sqrt{s} = 7$, 8, and 13 TeV, J. High Energy Phys. 02 (2017) 135, arXiv: 1610.09218 [hep-ex].
- [26] CMS Collaboration, Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 TeV, Eur. Phys. J. C 75 (2015) 212, arXiv: 1412.8662 [hep-ex].
- [27] CMS Collaboration, Search for exotic decays of a Higgs boson into undetectable particles and one or more photons, Phys. Lett. B 753 (2016) 363, arXiv: 1507.00359 [hep-ex].
- [28] ATLAS Collaboration, CMS Collaboration, Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC *pp* collision data at $\sqrt{s} = 7$ and 8 TeV, J. High Energy Phys. 08 (2016) 045, arXiv:1606.02266 [hep-ex].
- [29] ATLAS Collaboration, Search for dark matter produced in association with a Higgs boson decaying to $b\bar{b}$ using 36 fb⁻¹ of *pp* collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, Phys. Rev. Lett. 119 (2017) 181804, https://doi.org/10.1103/PhysRevLett.119.181804, arXiv:1707.01302 [hep-ex].
- **[30]** ATLAS Collaboration, Search for dark matter produced in association with a hadronically decaying vector boson in *pp* collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, Phys. Lett. B 763 (2016) 251, arXiv:1608.02372 [hep-ex].
- [31] ATLAS Collaboration, Search for dark matter in association with a Higgs boson decaying to two photons at $\sqrt{s} = 13$ TeV with the ATLAS detector, Phys. Rev. D (2017), in press, arXiv:1706.03948 [hep-ex].
- [32] ATLAS Collaboration, Search for dark matter in events with heavy quarks and missing transverse momentum in *pp* collisions with the ATLAS detector, Eur. Phys. J. C 75 (2015) 92, arXiv:1410.4031 [hep-ex].
- [33] ATLAS Collaboration, Search for dark matter in events with a Z boson and missing transverse momentum in *pp* collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, Phys. Rev. D 90 (2014) 012004, arXiv:1404.0051 [hep-ex].
- [34] ATLAS Collaboration, Search for new phenomena in final states with an energetic jet and large missing transverse momentum in *pp* collisions at \sqrt{s} = 13 TeV using the ATLAS detector, Phys. Rev. D 94 (2016) 032005, arXiv: 1604.07773 [hep-ex].
- [35] ATLAS Collaboration, Search for dark matter at $\sqrt{s} = 13$ TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector, Eur. Phys. J. C 77 (2017) 393, arXiv:1704.03848 [hep-ex].
- [36] CMS Collaboration, Search for physics beyond the standard model in final states with a lepton and missing transverse energy in proton-proton collisions at $\sqrt{s} = 8$ TeV, Phys. Rev. D 91 (2015) 092005, arXiv:1408.2745 [hep-ex].
- [37] CMS Collaboration, Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at $\sqrt{s} = 13$ TeV, J. High Energy Phys. 07 (2017) 014, arXiv:1703.01651 [hep-ex].
- [38] CMS Collaboration, Search for new phenomena in monophoton final states in proton–proton collisions at $\sqrt{s} = 8$ TeV, Phys. Lett. B 755 (2016) 102, arXiv: 1410.8812 [hep-ex].
- [39] CMS Collaboration, Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton–proton collisions at \sqrt{s} = 13 TeV, J. High Energy Phys. 03 (2017) 061, arXiv:1701.02042 [hep-ex].
- [40] CMS Collaboration, Search for dark matter produced in association with heavy-flavor quarks in proton–proton collisions at $\sqrt{s} = 13$ TeV, Eur. Phys. J. C (2017), in press, arXiv:1706.02581 [hep-ex].
- [41] CMS Collaboration, Search for associated production of dark matter with a Higgs boson decaying to bb or γγ at √s = 13 TeV, J. High Energy Phys. 10 (2017) 180, https://doi.org/10.1007/JHEP10(2017)180, arXiv:1703.05236 [hepex].
- [42] CMS Collaboration, Search for new physics in the monophoton final state in proton–proton collisions at $\sqrt{s} = 13$ TeV, J. High Energy Phys. 10 (2017) 073, https://doi.org/10.1007/JHEP10(2017)073, arXiv:1706.03794 [hep-ex].
- [43] CMS Collaboration, Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets, J. High Energy Phys. 12 (2016) 083, arXiv:1607.05764 [hep-ex]; CMS Collaboration 1. Uich Ensergy Phys. 102 (Sentem)
 - CMS Collaboration, J. High Energy Phys. 08 (2017) 035 (Erratum).
- [44] D. Abercrombie, et al., Dark matter benchmark models for early LHC Run-2 searches: report of the ATLAS/CMS dark matter forum, arXiv:1507.00966 [hepex], 2015.

- [45] J. Abdallah, et al., Simplified models for Dark Matter searches at the LHC, Phys. Dark Universe 9–10 (2015) 8, arXiv:1506.03116 [hep-ph].
- [46] ATLAS Collaboration, The ATLAS experiment at the CERN Large Hadron Collider, J. Instrum. 3 (2008) S08003.
- [47] ATLAS Collaboration, ATLAS insertable B-layer technical design report, ATLAS-TDR-19, URL: https://cds.cern.ch/record/1291633, 2010; ATLAS Collaboration, ATLAS insertable B-layer technical design report adden-
- dum, ATLAS-TDR-19-ADD-1, URL: https://cds.cern.ch/record/1451888, 2012.
 [48] ATLAS Collaboration, Performance of the ATLAS trigger system in 2015, Eur.
- Phys. J. C 77 (2017) 317, arXiv:1611.09661 [hep-ex].
 [49] S. Alioli, P. Nason, C. Oleari, E. Re, NLO Higgs boson production via gluon fusion
 [49] Debut Web and the second second
- matched with shower in POWHEG, J. High Energy Phys. 04 (2009) 002, arXiv: 0812.0578 [hep-ph].
 [50] P. Nason, C. Oleari, NLO Higgs boson production via vector-boson fusion
- matched with shower in POWHEG, J. High Energy Phys. 02 (2010) 037, arXiv: 0911.5299 [hep-ph].
- [51] H.-L. Lai, et al., New parton distributions for collider physics, Phys. Rev. D 82 (2010) 074024, arXiv:1007.2241 [hep-ph].
- [52] T. Sjöstrand, S. Mrenna, P. Skands, A brief introduction to PYTHIA 8.1, Comput. Phys. Commun. 178 (2008) 852, arXiv:0710.3820 [hep-ph].
- [53] K. Hamilton, P. Nason, G. Zanderighi, MINLO: multi-scale improved NLO, J. High Energy Phys. 10 (2015) 155, arXiv:1206.3572 [hep-ph].
- [54] J. Alwall, et al., The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, J. High Energy Phys. 07 (2014) 079, arXiv:1405.0301 [hep-ph].
- [55] R.D. Ball, et al., Parton distributions for the LHC Run II, J. High Energy Phys. 04 (2015) 040, arXiv:1410.8849 [hep-ph].
- **[56]** ATLAS Collaboration, Measurement of the Z/γ^* boson transverse momentum distribution in *pp* collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, J. High Energy Phys. 09 (2014) 145, arXiv:1406.3660 [hep-ex].
- [57] ATLAS Collaboration, ATLAS Run 1 Pythia8 tunes, ATL-PHYS-PUB-2014-021, URL: https://cds.cern.ch/record/1966419, 2014.
- [58] N. Kauer, G. Passarino, Inadequacy of zero-width approximation for a light Higgs boson signal, J. High Energy Phys. 08 (2012) 116, arXiv:1206.4803 [hepph].
- [59] N. Kauer, Interference effects for $H \to WW/ZZ \to \ell \bar{\nu}_{\ell} \bar{\ell} \nu_{\ell}$ searches in gluon fusion at the LHC, J. High Energy Phys. 12 (2013) 082, arXiv:1310.7011 [hep-ph].
- [60] M. Grazzini, S. Kallweit, D. Rathlev, ZZ production at the LHC: fiducial cross sections and distributions in NNLO QCD, Phys. Lett. B 750 (2015) 407, arXiv: 1507.06257 [hep-ph].
- [61] B. Biedermann, et al., Electroweak corrections to $pp \rightarrow \mu^+\mu^-e^+e^- + X$ at the LHC a Higgs background study, Phys. Rev. Lett. 116 (2016) 161803, arXiv: 1601.07787 [hep-ph].
- [62] S. Kallweit, J.M. Lindert, S. Pozzorini, M. Schonherr, NLO QCD+EW predictions for 2ℓ2ν diboson signatures at the LHC, arXiv:1705.00598 [hep-ph], 2017.
- [63] F. Caola, K. Melnikov, R. Röntsch, L. Tancredi, QCD corrections to ZZ production in gluon fusion at the LHC, Phys. Rev. D 92 (2015) 094028, arXiv:1509.06734 [hep-ph].
- [64] T. Gleisberg, S. Hoeche, F. Krauss, M. Schonherr, S. Schumann, et al., Event generation with SHERPA 1.1, J. High Energy Phys. 02 (2009) 007, arXiv:0811.4622 [hep-ph].
- [65] T. Sjöstrand, S. Mrenna, P.Z. Skands, PYTHIA 6.4 physics and manual, J. High Energy Phys. 05 (2006) 026, arXiv:hep-ph/0603175.
- [66] ATLAS Collaboration, The ATLAS simulation infrastructure, Eur. Phys. J. C 70 (2010) 823, arXiv:1005.4568 [physics.ins-det].
- [67] S. Agostinelli, et al., GEANT4: a simulation toolkit, Nucl. Instrum. Methods A 506 (2003) 250.

- [68] ATLAS Collaboration, Electron identification measurements in ATLAS using $\sqrt{s} = 13$ TeV data with 50 ns bunch spacing, ATL-PHYS-PUB-2015-041, URL: https://cdsweb.cern.ch/record/2048202, 2015.
- [69] ATLAS Collaboration, Muon reconstruction performance of the ATLAS detector in proton–proton collision data at $\sqrt{s} = 13$ TeV, Eur. Phys. J. C 76 (2016) 292, arXiv:1603.05598 [hep-ex].
- [70] M. Cacciari, G.P. Salam, G. Soyez, The anti-k_t jet clustering algorithm, J. High Energy Phys. 04 (2008) 063, arXiv:0802.1189 [hep-ph].
- [71] ATLAS Collaboration, Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1, Eur. Phys. J. C 77 (2017) 490, arXiv:1603.02934 [hep-ex].
- [72] ATLAS Collaboration, Jet calibration and systematic uncertainties for jets reconstructed in the ATLAS detector at $\sqrt{s} = 13$ TeV, ATL-PHYS-PUB-2015-015, URL: https://cdsweb.cern.ch/record/2028594, 2015.
- [73] M. Cacciari, G.P. Salam, G. Soyez, FastJet user manual, Eur. Phys. J. C 72 (2012) 1896, arXiv:1111.6097 [hep-ph].
- [74] ATLAS Collaboration, Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector, Eur. Phys. J. C 76 (2016) 581, arXiv:1510.03823 [hep-ex].
- [75] ATLAS Collaboration, Performance of b-jet identification in the ATLAS experiment, J. Instrum. 11 (2016) P04008, arXiv:1512.01094 [hep-ex].
- [76] ATLAS Collaboration, Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s} = 8$ TeV proton–proton collisions in the ATLAS detector, Eur. Phys. J. C 77 (2017) 241, arXiv:1609.09324 [hep-ex].
- [77] A.D. Martin, W.J. Stirling, R.S. Thorne, G. Watt, Parton distributions for the LHC, Eur. Phys. J. C 63 (2009) 189, arXiv:0901.0002 [hep-ph].
- [78] S. Dulat, et al., New parton distribution functions from a global analysis of quantum chromodynamics, Phys. Rev. D 93 (2016) 033006, arXiv:1506.07443 [hep-ph].
- [79] L.A. Harland-Lang, A.D. Martin, P. Motylinski, R.S. Thorne, Parton distributions in the LHC era: MMHT 2014 PDFs, Eur. Phys. J. C 75 (2015) 204, arXiv: 1412.3989 [hep-ph].
- [80] ATLAS Collaboration, Luminosity determination in *pp* collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector at the LHC, Eur. Phys. J. C 76 (2016) 653, arXiv: 1608.03953 [hep-ex].
- [81] F. Maltoni, D. Pagani, I. Tsinikos, Associated production of a top-quark pair with vector bosons at NLO in QCD: impact on *tTH* searches at the LHC, J. High Energy Phys. 02 (2016) 113, arXiv:1507.05640 [hep-ph].
- [82] T. Binoth, G. Ossola, C.G. Papadopoulos, R. Pittau, NLO QCD corrections to triboson production, J. High Energy Phys. 06 (2008) 082, arXiv:0804.0350 [hepph].
- [83] ATLAS Collaboration, Measurement of the WW cross section in $\sqrt{s} = 7$ TeV *pp* collisions with ATLAS, Phys. Rev. Lett. 107 (2011) 041802, arXiv:1104.5225 [hep-ex].
- [84] G. Cowan, K. Cranmer, E. Gross, O. Vitells, Asymptotic formulae for likelihoodbased tests of new physics, Eur. Phys. J. C 71 (2011) 1554, arXiv:1007.1727 [physics.data-an];
 - G. Cowan, K. Cranmer, E. Gross, O. Vitells, Eur. Phys. J. C 73 (2013) 2501 (Erratum).
- [85] A.L. Read, Presentation of search results: the CL(s) technique, J. Phys. G 28 (2002) 2693.
- [86] G. Busoni, et al., Recommendations on presenting LHC searches for missing transverse energy signals using simplified s-channel models of dark matter, arXiv:1603.04156 [hep-ex], 2016.
- [87] ATLAS Collaboration, ATLAS computing acknowledgements 2016–2017, ATL-GEN-PUB-2016-002, URL: https://cds.cern.ch/record/2202407.

The ATLAS Collaboration

M. Aaboud ^{137d}, G. Aad ⁸⁸, B. Abbott ¹¹⁵, O. Abdinov ^{12,*}, B. Abeloos ¹¹⁹, S.H. Abidi ¹⁶¹, O.S. AbouZeid ¹³⁹, N.L. Abraham ¹⁵¹, H. Abramowicz ¹⁵⁵, H. Abreu ¹⁵⁴, R. Abreu ¹¹⁸, Y. Abulaiti ^{148a,148b}, B.S. Acharya ^{167a,167b,a}, S. Adachi ¹⁵⁷, L. Adamczyk ^{41a}, J. Adelman ¹¹⁰, M. Adersberger ¹⁰², T. Adye ¹³³, A.A. Affolder ¹³⁹, Y. Afik ¹⁵⁴, T. Agatonovic-Jovin ¹⁴, C. Agheorghiesei ^{28c}, J.A. Aguilar-Saavedra ^{128a,128f}, S.P. Ahlen ²⁴, F. Ahmadov ^{68,b}, G. Aielli ^{135a,135b}, S. Akatsuka ⁷¹, H. Akerstedt ^{148a,148b}, T.P.A. Åkesson ⁸⁴, E. Akilli ⁵², A.V. Akimov ⁹⁸, G.L. Alberghi ^{22a,22b}, J. Albert ¹⁷², P. Albicocco ⁵⁰, M.J. Alconada Verzini ⁷⁴, S.C. Alderweireldt ¹⁰⁸, M. Aleksa ³², I.N. Aleksandrov ⁶⁸, C. Alexa ^{28b}, G. Alexander ¹⁵⁵, T. Alexopoulos ¹⁰, M. Alhroob ¹¹⁵, B. Ali ¹³⁰, M. Aliev ^{76a,76b}, G. Alimonti ^{94a}, J. Alison ³³, S.P. Alkire ³⁸, B.M.M. Allbrooke ¹⁵¹, B.W. Allen ¹¹⁸, P.P. Allport ¹⁹, A. Aloisio ^{106a,106b}, A. Alonso ³⁹, F. Alonso ⁷⁴, C. Alpigiani ¹⁴⁰, A.A. Alshehri ⁵⁶, M.I. Alstaty ⁸⁸, B. Alvarez Gonzalez ³², D. Álvarez Piqueras ¹⁷⁰, M.G. Alviggi ^{106a,106b}, B.T. Amadio ¹⁶, Y. Amaral Coutinho ^{26a}, C. Amelung ²⁵, D. Amidei ⁹², S.P. Amor Dos Santos ^{128a,128c},

S. Amoroso³², G. Amundsen²⁵, C. Anastopoulos¹⁴¹, L.S. Ancu⁵², N. Andari¹⁹, T. Andeen¹¹, C.F. Anders^{60b}, J.K. Anders⁷⁷, K.J. Anderson³³, A. Andreazza^{94a,94b}, V. Andrei^{60a}, S. Angelidakis³⁷, I. Angelozzi¹⁰⁹, A. Angerami³⁸, A.V. Anisenkov^{111,c}, N. Anjos¹³, A. Annovi^{126a,126b}, C. Antel^{60a}, M. Antonelli⁵⁰, A. Antonov^{100,*}, D.J. Antrim¹⁶⁶, F. Anulli^{134a}, M. Aoki⁶⁹, L. Aperio Bella³², G. Arabidze⁹³, Y. Arai⁶⁹, J.P. Araque^{128a}, V. Araujo Ferraz^{26a}, A.T.H. Arce⁴⁸, R.E. Ardell⁸⁰, F.A. Arduh⁷⁴, J-F. Arguin⁹⁷, S. Argyropoulos⁶⁶, M. Arik^{20a}, A.J. Armbruster³², L.J. Armitage⁷⁹, O. Arnaez¹⁶¹, J-F. Arguin ⁹⁷, S. Argyropoulos ⁶⁶, M. Arik ^{20a}, A.J. Armbruster ³², L.J. Armitage ⁷⁹, O. Arnaez ¹⁶¹, H. Arnold ⁵¹, M. Arratia ³⁰, O. Arslan ²³, A. Artamonov ^{99,*}, G. Artoni ¹²², S. Artz ⁸⁶, S. Asai ¹⁵⁷, N. Asbah ⁴⁵, A. Ashkenazi ¹⁵⁵, L. Asquith ¹⁵¹, K. Assamagan ²⁷, R. Astalos ^{146a}, M. Atkinson ¹⁶⁹, N.B. Atlay ¹⁴³, K. Augsten ¹³⁰, G. Avolio ³², B. Axen ¹⁶, M.K. Ayoub ^{35a}, G. Azuelos ^{97,d}, A.E. Baas ^{60a}, M.J. Baca ¹⁹, H. Bachacou ¹³⁸, K. Bachas ^{76a,76b}, M. Backes ¹²², P. Bagnaia ^{134a,134b}, M. Bahmani ⁴², H. Bahrasemani ¹⁴⁴, J.T. Baines ¹³³, M. Bajic ³⁹, O.K. Baker ¹⁷⁹, P.J. Bakker ¹⁰⁹, E.M. Baldin ^{111,c}, P. Balek ¹⁷⁵, F. Balli ¹³⁸, W.K. Balunas ¹²⁴, E. Banas ⁴², A. Bandyopadhyay ²³, Sw. Banerjee ^{176,e}, A.A.E. Bannoura ¹⁷⁸, L. Barak ¹⁵⁵, E.L. Barberio ⁹¹, D. Barberis ^{53a,53b}, M. Barbero ⁸⁸, T. Barillari ¹⁰³, M-S Barisits ³², J.T. Barkeloo ¹¹⁸, T. Barklow ¹⁴⁵, N. Barlow ³⁰, S.L. Barnes ^{36c}, B.M. Barnett ¹³³, R.M. Barnett ¹⁶, Z. Barnovska-Blenessy ^{36a}, A. Baroncelli ^{136a}, G. Barone ²⁵, A.J. Barr ¹²², L. Barranco Navarro ¹⁷⁰, F. Barreiro ⁸⁵, I. Barreiro Guimarães da Costa ^{35a}, R. Bartoldus ¹⁴⁵, A.F. Barton ⁷⁵, P. Bartos ^{146a}, A. Basalaev ¹²⁵ J. Barreiro Guimarães da Costa ^{35a}, R. Bartoldus ¹⁴⁵, A.E. Barton ⁷⁵, P. Bartos ^{146a}, A. Basalaev ¹²⁵, A. Bassalat ^{119,f}, R.L. Bates ⁵⁶, S.J. Batista ¹⁶¹, J.R. Batley ³⁰, M. Battaglia ¹³⁹, M. Bauce ^{134a,134b}, F. Bauer ¹³⁸, H.S. Bawa ^{145,g}, J.B. Beacham ¹¹³, M.D. Beattie ⁷⁵, T. Beau ⁸³, P.H. Beauchemin ¹⁶⁵, P. Bechtle ²³, H.P. Beck ^{18,h}, H.C. Beck ⁵⁷, K. Becker ¹²², M. Becker ⁸⁶, C. Becot ¹¹², A.J. Beddall ^{20e}, A. Beddall ^{20b}, V.A. Bednyakov ⁶⁸, M. Bedognetti ¹⁰⁹, C.P. Bee ¹⁵⁰, T.A. Beermann ³², M. Begalli ^{26a}, M. Begel ²⁷, V.A. Bednyakov ⁶⁸, M. Bedognetti ¹⁰⁹, C.P. Bee ¹⁵⁰, T.A. Beermann ³², M. Begalli ^{26a}, M. Begel ²⁷, J.K. Behr ⁴⁵, A.S. Bell ⁸¹, G. Bella ¹⁵⁵, L. Bellagamba ^{22a}, A. Bellerive ³¹, M. Bellomo ¹⁵⁴, K. Belotskiy ¹⁰⁰, O. Beltramello ³², N.L. Belyaev ¹⁰⁰, O. Benary ^{155,*}, D. Benchekroun ^{137a}, M. Bender ¹⁰², N. Benekos ¹⁰, Y. Benhammou ¹⁵⁵, E. Benhar Noccioli ¹⁷⁹, J. Benitez ⁶⁶, D.P. Benjamin ⁴⁸, M. Benoit ⁵², J.R. Bensinger ²⁵, S. Bentvelsen ¹⁰⁹, L. Beresford ¹²², M. Beretta ⁵⁰, D. Berge ¹⁰⁹, E. Bergeaas Kuutmann ¹⁶⁸, N. Berger ⁵, J. Beringer ¹⁶, S. Berlendis ⁵⁸, N.R. Bernard ⁸⁹, G. Bernardi ⁸³, C. Bernius ¹⁴⁵, F.U. Bernlochner ²³, T. Berry ⁸⁰, P. Berta ⁸⁶, C. Bertella ^{35a}, G. Bertoli ^{148a,148b}, I.A. Bertram ⁷⁵, C. Bertsche ⁴⁵, G.J. Besjes ³⁹, O. Bessidskaia Bylund ^{148a,148b}, M. Bessner ⁴⁵, N. Besson ¹³⁸, A. Bethani ⁸⁷, S. Bethke ¹⁰³, A. Betti ²³, A.J. Bevan ⁷⁹, J. Beyer ¹⁰³, R.M. Bianchi ¹²⁷, O. Biebel ¹⁰², D. Biedermann ¹⁷, R. Bielski ⁸⁷, K. Bierwagen ⁸⁶, N.V. Biesuz ^{126a,126b}, M. Biglietti ^{136a}, T.R.V. Billoud ⁹⁷, H. Bilokon ⁵⁰, M. Bindi ⁵⁷, A. Bingul ^{20b} O. Bessidskaia Bylund ^{1964,1469}, M. Bessner ⁴³, N. Besson ¹³⁶, A. Bethani ⁶⁷, S. Bethke ¹⁰³, A. Betti ²³, A.J. Bevan ⁷⁹, J. Beyer ¹⁰³, R.M. Bianchi ¹²⁷, O. Biebel ¹⁰², D. Biedermann ¹⁷, R. Bielski ⁸⁷, K. Bierwagen ⁸⁶, N.V. Biesuz ^{126a,126b}, M. Biglietti ^{136a}, T.R.V. Billoud ⁹⁷, H. Bilokon ⁵⁰, M. Bindi ⁵⁷, A. Bingul ^{20b}, C. Bini ^{134a,134b}, S. Biondi ^{22a,22b}, T. Bisanz ⁵⁷, C. Bittrich ⁴⁷, D.M. Bjergaard ⁴⁸, J.E. Black ¹⁴⁵, K.M. Black ²⁴, R.E. Blair ⁶, T. Blazek ^{146a}, I. Bloch ⁴⁵, C. Blocker ²⁵, A. Blue ⁵⁶, U. Blumenschein ⁷⁹, S. Blunier ^{34a}, G.J. Bobbink ¹⁰⁹, V.S. Bobrovnikov ^{111, c}, S.S. Bocchetta ⁸⁴, A. Bocci ⁴⁸, C. Bock ¹⁰², M. Boehler ⁵¹, D. Bograva ¹⁰², A.G. Bogdanchikov ¹¹¹, C. Bohm ^{148a}, V. Boisvert ⁸⁰, P. Bokan ^{168, i}, T. Bold ^{41a}, A.S. Boldyrev ¹⁰¹, A.E. Bolz ^{60b}, M. Bomben ⁸³, M. Bona ⁷⁹, M. Boonekamp ¹³⁸, A. Borisov ¹³², G. Borissov ⁷⁵, J. Bortfeldt ²², D. Bortoletto ¹²², V. Bortolotto ^{62a}, D. Boscherini ^{22a}, M. Bosman ¹³, J.D. Bossio Sola ²⁹, J. Boudreau ¹²⁷, E.V. Bouhova-Thacker ⁷⁵, D. Boumediene ³⁷, C. Bourdarios ¹¹⁹, S.K. Boutle ⁵⁶, A. Boveia ¹¹³, J. Boyd ³², I.R. Boyko ⁶⁸, A.J. Bozson ⁸⁰, J. Bracinik ¹⁹, A. Brandt ⁸, G. Brandt ⁵⁷, O. Brandt ^{60a}, F. Braren ⁴⁵, U. Bratzler ¹⁵⁸, B. Brau ⁸⁹, J.E. Brau ¹¹⁸, W.D. Breaden Madden ⁵⁶, K. Brendlinger ⁴⁵, A.J. Brennan ⁹¹, L. Brenner ¹⁰⁹, R. Brenner ¹⁶⁸, S. Bressler ¹⁷⁵, D.L. Britglin ¹⁹, T.M. Britstow ⁴⁹, D. Britton ⁵⁶, D. Britzger ⁴⁵, F.M. Brochu³, J. Brock ²³, G. Broots³³, G. Broots^{34b}, J. Brosamer ¹⁶, E. Brost ¹¹⁰, J.H Broughton ¹⁹, P.A. Bruckman de Renstrom ⁴², D. Bruncko ¹⁴⁶, A. Bruni ^{22a}, G. Bruni ^{22a}, L.S. Bruni ¹⁰⁹, S. Bruno ^{155a,135b}, BH Brunt ³⁰, M. Bruschi ^{22a}, N. Burger ⁵⁷, B. Burghgrave ¹¹⁰, S. Brune ^{155a,135b}, BH Brunt ³⁰, M. Bruschi ^{22a}, N. Burger ⁵⁶, J. M. Buttere ⁴⁵, J. Burgharase ¹¹⁰, N. Burke ⁴², S. Burke ¹³³, I. B

327

M. Caprini^{28b}, M. Capua^{40a,40b}, R.M. Carbone³⁸, R. Cardarelli^{135a}, F. Cardillo⁵¹, I. Carli¹³¹, T. Carli³², G. Carlino^{106a}, B.T. Carlson¹²⁷, L. Carminati^{94a,94b}, R.M.D. Carney^{148a,148b}, S. Caron¹⁰⁸, E. Carquin^{34b}, G. Carlino ^{100a}, B.T. Carlson ¹²⁷, L. Carminati ^{94a, 94b}, R.M.D. Carney ^{146a, 146b}, S. Caron ¹⁰⁶, E. Carquin ^{34b}, S. Carrá ^{94a, 94b}, G.D. Carrillo-Montoya ³², D. Casadei ¹⁹, M.P. Casado ^{13, j}, A.F. Casha ¹⁶¹, M. Casolino ¹³, D.W. Casper ¹⁶⁶, R. Castelijn ¹⁰⁹, V. Castillo Gimenez ¹⁷⁰, N.F. Castro ^{128a, k}, A. Catinaccio ³², J.R. Catmore ¹²¹, A. Cattai ³², J. Caudron ²³, V. Cavaliere ¹⁶⁹, E. Cavallaro ¹³, D. Cavalli ^{94a}, M. Cavalli-Sforza ¹³, V. Cavasinni ^{126a, 126b}, E. Celebi ^{20d}, F. Ceradini ^{136a, 136b}, L. Cerda Alberich ¹⁷⁰, A.S. Cerqueira ^{26b}, A. Cerri ¹⁵¹, L. Cerrito ^{135a, 135b}, F. Cerutti ¹⁶, A. Cervelli ^{22a, 22b}, S.A. Cetin ^{20d}, A. Chafaq ^{137a}, D. Chakraborty ¹¹⁰, S.K. Chan ⁵⁹, W.S. Chan ¹⁰⁹, Y.L. Chan ^{62a}, P. Chang ¹⁶⁹, J.D. Chapman ³⁰, D.G. Charlton ¹⁹, C.C. Chau ³¹, C.A. Chavez Barajas ¹⁵¹, S. Che ¹¹³, S. Cheatham ^{167a, 167c}, A. Chegwidden ⁹³, S. Chekanov ⁶, S.V. Chekulaev ^{163a}, G.A. Chelkov ^{68,l}, M.A. Chelstowska ³², C. Chen ^{36a}, C. Chen ⁶⁷, H. Chen ²⁷, J. Chen ^{36a}, S. Chen ^{35b}, S. Chen ¹⁵⁷, X. Chen ^{35c,m}, Y. Chen ⁷⁰, H.C. Cheng ⁹², H.L. Cheng ^{35a} H. Chen²⁷, J. Chen^{36a}, S. Chen^{35b}, S. Chen¹⁵⁷, X. Chen^{35c,m}, Y. Chen⁷⁰, H.C. Cheng⁹², H.J. Cheng^{35a}, A. Cheplakov⁶⁸, E. Cheremushkina ¹³², R. Cherkaoui El Moursli ^{137e}, E. Cheu⁷, K. Cheung⁶³, L. Chevalier ¹³⁸, V. Chiarella ⁵⁰, G. Chiarelli ^{126a,126b}, G. Chiodini ^{76a}, A.S. Chisholm ³², A. Chitan ^{28b}, Y.H. Chiu ¹⁷², M.V. Chizhov⁶⁸, K. Choi⁶⁴, A.R. Chomont ³⁷, S. Chouridou ¹⁵⁶, Y.S. Chow ^{62a}, V. Christodoulou⁸¹, M.C. Chu^{62a}, J. Chudoba¹²⁹, A.J. Chuinard⁹⁰, J.J. Chwastowski⁴², L. Chytka¹¹⁷, v. Christodoulou ¹², M.C. Chu ¹²³, J. Chudoba ¹²⁵, A.J. Chuinard ³⁵, J.J. Chwastowski ⁴², L. Chytka ¹¹⁷, A.K. Ciftci ^{4a}, D. Cinca ⁴⁶, V. Cindro ⁷⁸, I.A. Cioara ²³, A. Ciocio ¹⁶, F. Cirotto ^{106a,106b}, Z.H. Citron ¹⁷⁵, M. Citterio ^{94a}, M. Ciubancan ^{28b}, A. Clark ⁵², B.L. Clark ⁵⁹, M.R. Clark ³⁸, P.J. Clark ⁴⁹, R.N. Clarke ¹⁶, C. Clement ^{148a,148b}, Y. Coadou ⁸⁸, M. Cobal ^{167a,167c}, A. Coccaro ⁵², J. Cochran ⁶⁷, L. Colasurdo ¹⁰⁸, B. Cole ³⁸, A.P. Colijn ¹⁰⁹, J. Collot ⁵⁸, T. Colombo ¹⁶⁶, P. Conde Muiño ^{128a,128b}, E. Coniavitis ⁵¹, S.H. Connell ^{147b}, I.A. Connelly ⁸⁷, S. Constantinescu ^{28b}, G. Conti ³², F. Conventi ^{106a,n}, M. Cooke ¹⁶, A.M. Cooper-Sarkar ¹²², F. Cormier ¹⁷¹, K.J.R. Cormier ¹⁶¹, M. Corradi ^{134a,134b}, F. Corriveau ^{90,0}, A. Cortes-Gonzalez³², G. Costa^{94a}, M.J. Costa¹⁷⁰, D. Costanzo¹⁴¹, G. Cottin³⁰, G. Cowan⁸⁰, B.E. Cox⁸⁷, K. Cranmer¹¹², S.J. Crawley⁵⁶, R.A. Creager¹²⁴, G. Cree³¹, S. Crépé-Renaudin⁵⁸, F. Crescioli⁸³, W.A. Cribbs ^{148a,148b}, M. Cristinziani ²³, V. Croft¹¹², G. Crosetti ^{40a,40b}, A. Cueto⁸⁵, T. Cuhadar Donszelmann¹⁴¹, A.R. Cukierman¹⁴⁵, J. Cummings¹⁷⁹, M. Curatolo⁵⁰, J. Cúth⁸⁶, S. Czekierda⁴², P. Czodrowski³², G. D'amen^{22a,22b}, S. D'Auria⁵⁶, L. D'eramo⁸³, M. D'Onofrio⁷⁷, M.J. Da Cunha Sargedas De Sousa ^{128a,128b}, C. Da Via⁸⁷, W. Dabrowski^{41a}, T. Dado ^{146a}, T. Dai⁹², O. Dale ¹⁵, F. Dallaire ⁹⁷, C. Dallapiccola ⁸⁹, M. Dam ³⁹, J.R. Dandoy ¹²⁴, M.F. Daneri ²⁹, N.P. Dang ¹⁷⁶, A.C. Daniells ¹⁹, N.S. Dann ⁸⁷, M. Danninger ¹⁷¹, M. Dano Hoffmann ¹³⁸, V. Dao ¹⁵⁰, G. Darbo ^{53a}, S. Darmora ⁸, J. Dassoulas ³, A. Dattagupta ¹¹⁸, T. Daubney ⁴⁵, W. Davey ²³, C. David ⁴⁵, T. Davidek ¹³¹, D.R. Davis ⁴⁸, P. Davison ⁸¹, E. Dawe ⁹¹, I. Dawson ¹⁴¹, K. De ⁸, R. de Asmundis ^{106a}, A. De Benedetti ¹¹⁵, S. De Castro ^{22a,22b}, S. De Cecco ⁸³, N. De Groot ¹⁰⁸, P. de Jong ¹⁰⁹, H. De la Torre ⁹³, F. De Lorenzi ⁶⁷, A. De Maria ⁵⁷, D. De Pedis ^{134a}, A. De Salvo ^{134a}, U. De Sanctis ^{135a,135b}, A. De Santo ¹⁵¹, K. De Vasconcelos Corga⁸⁸, J.B. De Vivie De Regie¹¹⁹, R. Debbe²⁷, C. Debenedetti¹³⁹, D.V. Dedovich⁶⁸, N. Dehghanian³, I. Deigaard¹⁰⁹, M. Del Gaudio^{40a,40b}, J. Del Peso⁸⁵, D. Delgove¹¹⁹, F. Deliot¹³⁸, C.M. Delitzsch⁷, A. Dell'Acqua³², L. Dell'Asta²⁴, M. Dell'Orso^{126a,126b}, M. Della Pietra^{106a,106b}, D. della Volpe⁵², M. Delmastro⁵, C. Delporte¹¹⁹, P.A. Delsart⁵⁸, D.A. DeMarco¹⁶¹, S. Demers¹⁷⁹, M. Demichev⁶⁸, A. Demilly⁸³, S.P. Denisov¹³², D. Denysiuk¹³⁸, D. Derendarz⁴², J.E. Derkaoui^{137d}, F. Derue⁸³, P. Dervan⁷⁷, K. Desch²³, C. Deterre⁴⁵, K. Dette¹⁶¹, M.R. Devesa²⁹, P.O. Deviveiros³², A. Dewhurst ¹³³, S. Dhaliwal ²⁵, F.A. Di Bello ⁵², A. Di Ciaccio ^{135a,135b}, L. Di Ciaccio ⁵, W.K. Di Clemente ¹²⁴, C. Di Donato ^{106a,106b}, A. Di Girolamo ³², B. Di Girolamo ³², B. Di Micco ^{136a,136b}, R. Di Nardo ³², K.F. Di Petrillo ⁵⁹, A. Di Simone ⁵¹, R. Di Sipio ¹⁶¹, D. Di Valentino ³¹, C. Diaconu ⁸⁸, M. Diamond ¹⁶¹, F.A. Dias ³⁹, M.A. Diaz ^{34a}, E.B. Diehl ⁹², J. Dietrich ¹⁷, S. Díez Cornell ⁴⁵, A. Dimitrievska ¹⁴, J. Dingfelder ²³, P. Dita ^{28b}, S. Dita ^{28b}, F. Dittus ³², F. Djama ⁸⁸, T. Djobava ^{54b}, J.I. Djuvsland ^{60a}, M.A.B. do Vale ^{26c}, D. Dobos ³², M. Dobre ^{28b}, D. Dodsworth ²⁵, C. Doglioni ⁸⁴, J. Dolejsi ¹³¹, Z. Dolezal ¹³¹, M. Donadelli ^{26d}, S. Donati ^{126a,126b}, P. Dondero ^{123a,123b}, J. Donini ³⁷, J. Dopke¹³³, A. Doria^{106a}, M.T. Dova⁷⁴, A.T. Doyle⁵⁶, E. Drechsler⁵⁷, M. Dris¹⁰, Y. Du^{36b}, J. Duarte-Campderros¹⁵⁵, F. Dubinin⁹⁸, A. Dubreuil⁵², E. Duchovni¹⁷⁵, G. Duckeck¹⁰², A. Ducourthial⁸³, O.A. Ducu^{97,p}, D. Duda¹⁰⁹, A. Dudarev³², A.Chr. Dudder⁸⁶, E.M. Duffield¹⁶, L. Duflot¹¹⁹, M. Dührssen³², C. Dulsen ¹⁷⁸, M. Dumancic ¹⁷⁵, A.E. Dumitriu ^{28b}, A.K. Duncan ⁵⁶, M. Dunford ^{60a}, A. Duperrin ⁸⁸, H. Duran Yildiz ^{4a}, M. Düren ⁵⁵, A. Durglishvili ^{54b}, D. Duschinger ⁴⁷, B. Dutta ⁴⁵, D. Duvnjak ¹, M. Dyndal⁴⁵, B.S. Dziedzic⁴², C. Eckardt⁴⁵, K.M. Ecker¹⁰³, R.C. Edgar⁹², T. Eifert³², G. Eigen¹⁵,

K. Einsweiler ¹⁶, T. Ekelof ¹⁶⁸, M. El Kacimi ^{137c}, R. El Kosseifi ⁸⁸, V. Ellajosyula ⁸⁸, M. Ellert ¹⁶⁸, S. Elles ⁵, F. Ellinghaus ¹⁷⁸, A.A. Elliot ¹⁷², N. Ellis ³², J. Elmsheuser ²⁷, M. Elsing ³², D. Emeliyanov ¹³³, Y. Enari ¹⁵⁷, J.S. Ennis ¹⁷³, M.B. Epland ⁴⁸, J. Erdmann ⁴⁶, A. Ereditato ¹⁸, M. Ernst ²⁷, S. Errede ¹⁶⁹, M. Escalier ¹¹⁹, C. Escobar ¹⁷⁰, B. Esposito ⁵⁰, O. Estrada Pastor ¹⁷⁰, A.I. Etienvre ¹³⁸, E. Etzion ¹⁵⁵, H. Evans ⁶⁴, A. Ezhilov ¹²⁵, M. Ezzi ^{137e}, F. Fabbri ^{22a,22b}, L. Fabbri ^{22a,22b}, V. Fabiani ¹⁰⁸, G. Facini ⁸¹, R.M. Fakhrutdinov ¹³², S. Falciano ^{134a}, R.J. Falla ⁸¹, J. Faltova ³², Y. Fang ^{35a}, M. Fanti ^{94a,94b}, A. Farbin ⁸, A. Farilla ^{136a}, C. Farina ¹²⁷, E.M. Farina ^{123a,123b}, T. Farooque ⁹³, S. Farrell ¹⁶, S.M. Farrington ¹⁷³, P. Farthouat ³², F. Fassi ^{137e}, P. Fassnacht ³², D. Fassouliotis ⁹, M. Faucci Giannelli ⁴⁹, A. Favareto ^{53a,53b}, W.J. Fawcett ¹²², L. Fayard ¹¹⁹, O.L. Fedin ^{125,q}, W. Fedorko ¹⁷¹, S. Feigl ¹²¹, L. Feligioni ⁸⁸, C. Feng ^{36b}, E.J. Feng ³², M.J. Fenton ⁵⁶, A.B. Fenyuk ¹³², L. Feremenga ⁸, P. Fernandez Martinez ¹⁷⁰, J. Ferrando ⁴⁵, A. Ferrari ¹⁶⁸, P. Ferrari ¹⁰⁹, R. Ferrari ^{123a}, D.E. Ferreira de Lima ^{60b}, A. Ferrer ¹⁷⁰, D. Ferrere ⁵², C. Ferretti ⁹², F. Fiedler ⁸⁶, A. Filipčič ⁷⁸, M. Filipuzzi ⁴⁵, F. Filthaut ¹⁰⁸, M. Fincke-Keeler ¹⁷², K.D. Finelli ²⁴, A. Ferrari ¹⁰⁰, P. Ferrari ¹⁰⁰, K. Ferrari ¹⁰⁰, D.E. Ferreira de Linia ¹⁰⁸, A. Ferreira ¹⁰⁹, D. Ferreira ¹⁰⁰, J. Ferreira ¹⁰⁰, C. Ferretti ⁹², F. Fiedler ⁸⁶, A. Filipčič ⁷⁸, M. Filipuzzi ⁴⁵, F. Filthaut ¹⁰⁸, M. Fincke-Keeler ¹⁷², K.D. Finelli ²⁴, M.C.N. Fiolhais ^{128a,128c,r}, L. Fiorini ¹⁷⁰, A. Fischer ², C. Fischer ¹³, J. Fischer ¹⁷⁸, W.C. Fisher ⁹³, N. Flaschel ⁴⁵, I. Fleck ¹⁴³, P. Fleischmann ⁹², R.R.M. Fletcher ¹²⁴, T. Flick ¹⁷⁸, B.M. Flierl ¹⁰², L.R. Flores Castillo ^{62a}, M.J. Flowerdew ¹⁰³, G.T. Forcolin ⁸⁷, A. Formica ¹³⁸, F.A. Förster ¹³, A. Forti ⁸⁷, LR. Flores Castillo ^{62a}, M.J. Flowerdew ¹⁰³, G.T. Forcolin ⁸⁷, A. Formica ¹³⁸, F.A. Förster ¹³, A. Forti ⁸⁷, A.G. Foster ¹⁹, D. Fournier ¹¹⁹, H. Fox ⁷⁵, S. Fracchia ¹⁴¹, P. Francavilla ⁸³, M. Franchini ^{22a,22b}, S. Franchino ^{60a}, D. Francis ³², L. Franconi ¹²¹, M. Franklin ⁵⁹, M. Frate ¹⁶⁵, M. Fraternali ^{123a,123b}, D. Freeborn ⁸¹, S.M. Fressard-Batraneanu ³², B. Freund ⁹⁷, D. Froidevaux ³², J.A. Frost ¹²², C. Fukunaga ¹⁵⁸, T. Fusayasu ¹⁰⁴, J. Fuster ¹⁷⁰, O. Gabizon ¹⁵⁴, A. Gabrielli ^{22a,22b}, A. Gabrielli ¹⁶, G.P. Gach ^{41a}, S. Gadatsch ³², S. Gadomski ⁸⁰, G. Gagliardi ^{53a,53b}, L.G. Gagnon ⁹⁷, C. Galea ¹⁰⁸, B. Galhardo ^{128a,128c}, E.J. Gallas ¹²², B.J. Gallop ¹³³, P. Gallus ¹³⁰, G. Galster ³⁹, K.K. Gan ¹¹³, S. Ganguly ³⁷, Y. Gao ⁷⁷, Y.S. Gao ^{145,8}, F.M. Garay Walls ^{34a}, C. García ¹⁷⁰, J.E. García Navarro ¹⁷⁰, J.A. García Pascual ^{35a}, M. Garcia-Sciveres ¹⁶, R.W. Gardner ³³, N. Garelli ¹⁴⁵, V. Garonne ¹²¹, A. Gascon Bravo ⁴⁵, K. Gasnikova ⁴⁵, C. Gatti ⁵⁰, A. Gaudiello ^{53a,53b}, G. Gaudio ^{123a}, I.L. Gavrilenko ⁹⁸, C. Gay ¹⁷¹, G. Gaycken ²³, E.N. Gazis ¹⁰, C.N.P. Gee ¹³³, J. Geisen ⁵⁷, M. Geisen ⁸⁶, M.P. Geisler ^{60a}, K. Gellerstedt ^{148a,148b}, C. Gemme ^{53a}, M.H. Genest ⁵⁸, C. Geng ⁹², S. Gentile ^{134a,134b}, C. Gentsos ¹⁵⁶, S. George ⁸⁰, D. Gerbaudo ¹³, G. Geßner ⁴⁶, S. Ghasemi ¹⁴³, M. Ghneimat ²³, B. Giacobbe ^{22a}, S. Giagu ^{134a,134b}, N. Giangiacomi ^{22a,22b}, P. Giannetti ^{126a,126b}, S.M. Gibson ⁸⁰, M. Gigrac ¹⁷¹, M. Gilchriese ⁶, D. Gilberg ³¹, G. Gilles ¹⁷⁸, D.M. Gingrich ^{3.d}, M.P. Giordani ^{167a,167c}, F.M. Giorgi ^{22a}, P.F. Giraud ¹³⁸, P. Giordmin ⁵⁹, G. Giugliarelli ^{167a,167c}, D. Giugni ^{94a}, F. Giuli ¹²², C. Giuliani ¹⁰³, M. Giulini ^{60b}, B.K. Gjelsten ¹²¹, S. Gkaitatzis ¹⁵⁶, I. Gkialas ^{9.s}, E.L. Gkougkousis ¹³, P. Gkountoumis ¹⁰, L.K. Gladilin ¹⁰¹, C. Glasman ⁸⁵, J. Goltazer ¹³, P.C.F. Glaysher ⁴⁵, A. Glazov ⁴⁵, M. G J. Goncalves Pinto Firmino Da Costa ¹³⁸, G. Gonella ⁵¹, L. Gonella ¹⁹, A. Gongadze ⁶⁸, J.L. Gonski ⁵⁹, S. González de la Hoz ¹⁷⁰, S. Gonzalez-Sevilla ⁵², L. Goossens ³², P.A. Gorbounov ⁹⁹, H.A. Gordon ²⁷, I. Gorelov ¹⁰⁷, B. Gorini ³², E. Gorini ^{76a,76b}, A. Gorišek ⁷⁸, A.T. Goshaw ⁴⁸, C. Gössling ⁴⁶, M.I. Gostkin ⁶⁸, C.A. Gottardo ²³, C.R. Goudet ¹¹⁹, D. Goujdami ^{137c}, A.G. Goussiou ¹⁴⁰, N. Govender ^{147b,t}, E. Gozani ¹⁵⁴, ¹⁶⁶ C.A. Gottardo ²³, C.R. Goudet ¹¹⁹, D. Goujdami ^{137c}, A.G. Goussiou ¹⁴⁰, N. Govender ^{147b,t}, E. Gozani ¹⁵⁴, I. Grabowska-Bold ^{41a}, P.O.J. Gradin ¹⁶⁸, J. Gramling ¹⁶⁶, E. Gramstad ¹²¹, S. Grancagnolo ¹⁷, V. Gratchev ¹²⁵, P.M. Gravila ^{28f}, C. Gray ⁵⁶, H.M. Gray ¹⁶, Z.D. Greenwood ^{82,u}, C. Grefe ²³, K. Gregersen ⁸¹, I.M. Gregor ⁴⁵, P. Grenier ¹⁴⁵, K. Grevtsov ⁵, J. Griffiths ⁸, A.A. Grillo ¹³⁹, K. Grimm ⁷⁵, S. Grinstein ^{13,v}, Ph. Gris ³⁷, J.-F. Grivaz ¹¹⁹, S. Groh ⁸⁶, E. Gross ¹⁷⁵, J. Grosse-Knetter ⁵⁷, G.C. Grossi ⁸², Z.J. Grout ⁸¹, A. Grummer ¹⁰⁷, L. Guan ⁹², W. Guan ¹⁷⁶, J. Guenther ³², F. Guescini ^{163a}, D. Guest ¹⁶⁶, O. Gueta ¹⁵⁵, B. Gui ¹¹³, E. Guido ^{53a,53b}, T. Guillemin ⁵, S. Guindon ³², U. Gul ⁵⁶, C. Gumpert ³², J. Guo ^{36c}, W. Guo ⁹², Y. Guo ^{36a,w}, R. Gupta ⁴³, S. Gurbuz ^{20a}, G. Gustavino ¹¹⁵, B.J. Gutelman ¹⁵⁴, P. Gutierrez ¹¹⁵, N.G. Gutierrez Ortiz ⁸¹, C. Gutschow ⁸¹, C. Guyot ¹³⁸, M.P. Guzik ^{41a}, C. Gwenlan ¹²², C.B. Gwilliam ⁷⁷, A. Haas ¹¹², C. Haber ¹⁶, H.K. Hadavand ⁸, N. Haddad ^{137e}, A. Hadef ⁸⁸, S. Hageböck ²³, M. Hagihara ¹⁶⁴, H. Hakobyan ^{180,*}, M. Haleem ⁴⁵, J. Haley ¹¹⁶, G. Halladjian ⁹³, G.D. Hallewell ⁸⁸, K. Hamacher ¹⁷⁸, P. Hamal ¹¹⁷, K. Hamano ¹⁷², A. Hamilton ^{147a}, G.N. Hamity ¹⁴¹, P.G. Hamnett ⁴⁵, L. Han ^{36a}, S. Han ^{35a}, K. Hanagaki ^{69,x}, K. Hanawa ¹⁵⁷, M. Hance ¹³⁹, D.M. Handl ¹⁰², B. Haney ¹²⁴, P. Hanke ^{60a}, J.B. Hansen ³⁹, J.D. Hansen ³⁹, M.C. Hansen ²³, P.H. Hansen ³⁹, K. Hara ¹⁶⁴, A.S. Hard ¹⁷⁶, T. Harenberg ¹⁷⁸, F. Hariri ¹¹⁹, S. Harkusha ⁹⁵, P.F. Harrison ¹⁷³, N.M. Hartmann ¹⁰², Y. Hasegawa ¹⁴², A. Hasib ⁴⁹, S. Hassani ¹³⁸, S. Haug ¹⁸, R. Hauser ⁹³, L. Hauswald ⁴⁷, L.B. Havener ³⁸, M. Havranek ¹³⁰, C.M. Hawkes ¹⁹,

R.J. Hawkings ³², D. Hayakawa ¹⁵⁹, D. Hayden ⁹³, C.P. Hays ¹²², J.M. Hays ⁷⁹, H.S. Hayward ⁷⁷, S.J. Haywood ¹³³, S.J. Head ¹⁹, T. Heck ⁸⁶, V. Hedberg ⁸⁴, L. Heelan ⁸, S. Heer ²³, K.K. Heidegger ⁵¹, S. Heim ⁴⁵, T. Heim ¹⁶, B. Heinemann ^{45,y}, J.J. Heinrich ¹⁰², L. Heinrich ¹¹², C. Heinz ⁵⁵, J. Hejbal ¹²⁹, L. Helary ³², A. Held ¹⁷¹, S. Hellman ^{148a,148b}, C. Helsens ³², R.C.W. Henderson ⁷⁵, Y. Heng ¹⁷⁶, L. Helary ³², A. Held ¹⁷¹, S. Hellman ^{1404,1405}, C. Helsens ³², R.C.W. Henderson ⁷⁵, Y. Heng ¹⁷⁶, S. Henkelmann ¹⁷¹, A.M. Henriques Correia ³², S. Henrot-Versille ¹¹⁹, G.H. Herbert ¹⁷, H. Herde ²⁵, V. Herget ¹⁷⁷, Y. Hernández Jiménez ^{147c}, H. Herr ⁸⁶, G. Herten ⁵¹, R. Hertenberger ¹⁰², L. Hervas ³², T.C. Herwig ¹²⁴, G.G. Hesketh ⁸¹, N.P. Hessey ^{163a}, J.W. Hetherly ⁴³, S. Higashino ⁶⁹, E. Higón-Rodriguez ¹⁷⁰, K. Hildebrand ³³, E. Hill ¹⁷², J.C. Hill ³⁰, K.H. Hiller ⁴⁵, S.J. Hillier ¹⁹, M. Hils ⁴⁷, I. Hinchliffe ¹⁶, M. Hirose ⁵¹, D. Hirschbuehl ¹⁷⁸, B. Hiti ⁷⁸, O. Hladik ¹²⁹, D.R. Hlaluku ^{147c}, X. Hoad ⁴⁹, J. Hobbs ¹⁵⁰, N. Hod ^{163a}, M.C. Hodgkinson ¹⁴¹, P. Hodgson ¹⁴¹, A. Hoecker ³², M.R. Hoeferkamp ¹⁰⁷, F. Hoenig ¹⁰², D. Hohn ²³, T.R. Holmes³³, M. Homann⁴⁶, S. Honda¹⁶⁴, T. Honda⁶⁹, T.M. Hong¹²⁷, B.H. Hooberman¹⁶⁹, W.H. Hopkins¹¹⁸, Y. Horii¹⁰⁵, A.J. Horton¹⁴⁴, J-Y. Hostachy⁵⁸, A. Hostiuc¹⁴⁰, S. Hou¹⁵³, A. Hoummada^{137a}, J. Howarth⁸⁷, J. Hoya⁷⁴, M. Hrabovsky¹¹⁷, J. Hrdinka³², I. Hristova¹⁷, J. Hrivnac¹¹⁹, T. Hryn'ova⁵, A. Hrynevich⁹⁶, P.J. Hsu⁶³, S.-C. Hsu¹⁴⁰, Q. Hu²⁷, S. Hu^{36c}, Y. Huang^{35a}, Z. Hubacek¹³⁰, F. Hubaut⁸⁸, F. Huegging²³, T.B. Huffman¹²², E.W. Hughes³⁸, M. Huhtinen³², R.F.H. Hunter³¹, P. Huo¹⁵⁰, F. Hubaut ⁸⁸, F. Huegging ²³, T.B. Huffman ¹²², E.W. Hughes ³⁸, M. Huhtinen ³², R.F.H. Hunter ³¹, P. Huo ¹⁵⁰, N. Huseynov ^{68,b}, J. Huston ⁹³, J. Huth ⁵⁹, R. Hyneman ⁹², G. Iacobucci ⁵², G. Iakovidis ²⁷, I. Ibragimov ¹⁴³, L. Iconomidou-Fayard ¹¹⁹, Z. Idrissi ^{137e}, P. Iengo ³², O. Igonkina ^{109,z}, T. Iizawa ¹⁷⁴, Y. Ikegami ⁶⁹, M. Ikeno ⁶⁹, Y. Ilchenko ^{11,aa}, D. Iliadis ¹⁵⁶, N. Ilic ¹⁴⁵, F. Iltzsche ⁴⁷, G. Introzzi ^{123a,123b}, P. Ioannou ^{9,*}, M. Iodice ^{136a}, K. Iordanidou ³⁸, V. Ippolito ⁵⁹, M.F. Isacson ¹⁶⁸, N. Ishijima ¹²⁰, M. Ishino ¹⁵⁷, M. Ishitsuka ¹⁵⁹, C. Issever ¹²², S. Istin ^{20a}, F. Ito ¹⁶⁴, J.M. Iturbe Ponce ^{62a}, R. Iuppa ^{162a,162b}, H. Iwasaki ⁶⁹, J.M. Izen ⁴⁴, V. Izzo ^{106a}, S. Jabbar ³, P. Jackson ¹, R.M. Jacobs ²³, V. Jain ², K.B. Jakobi ⁸⁶, K. Jakobs ⁵¹, S. Jakobsen ⁶⁵, T. Jakoubek ¹²⁹, D.O. Jamin ¹¹⁶, D.K. Jana ⁸², R. Jansky ⁵², J. Janssen ²³, M. Janus ⁵⁷, P.A. Janus ^{41a}, G. Jarlskog ⁸⁴, N. Javadov ^{68,b}, T. Javûrek ⁵¹, M. Javurkova ⁵¹, F. Jeanneau ¹³⁸, L. Jeanty ¹⁶, J. Jejelava ^{54a,ab}, A. Jelinskas ¹⁷³, P. Jenni ^{51,ac}, C. Jeske ¹⁷³, S. Jézéquel ⁵, H. Ji ¹⁷⁶, J. Jia ¹⁵⁰, H. Jiang ⁶⁷, Y. Jiang ^{36a}, Z. Jiang ¹⁴⁵, S. Jiggins ⁸¹, J. Jimenez Pena ¹⁷⁰, S. Jin ^{35b}, A. Jinaru ^{28b}, O. Jinnouchi ¹⁵⁹, H. Jivan ^{147c}, P. Johansson ¹⁴¹, K.A. Johns ⁷, C.A. Johnson ⁶⁴, W.J. Johnson ¹⁴⁰, K. Jon-And ^{148a,148b}, R.W.L. Jones ⁷⁵, S.D. Jones ¹⁵¹, S. Jones ⁷, T.J. Jones ⁷⁷, J. Jongmanns ^{60a}, P.M. Jorge ^{128a,128b}, J. Jovicevic ^{163a}, X. Ju ¹⁷⁶, A. Juste Rozas ^{13,v}, M.K. Köhler ¹⁷⁵, A. Kaczmarska ⁴², M. Kado ¹¹⁹, H. Kagan ¹¹³, M. Kagan ¹⁴⁵, S. I. Kahn ⁸⁸, T. Kaji ¹⁷⁴, E. Kajomovitz ¹⁵⁴, C.W. Kalderon ⁸⁴, A. Kaluza ⁸⁶, S. Kama ⁴³, S.J. Kahn⁸⁸, T. Kaji¹⁷⁴, E. Kajomovitz¹⁵⁴, C.W. Kalderon⁸⁴, A. Kaluza⁸⁶, S. Kama⁴³, A. Kamenshchikov¹³², N. Kanaya¹⁵⁷, L. Kanjir⁷⁸, V.A. Kantserov¹⁰⁰, J. Kanzaki⁶⁹, B. Kaplan¹¹², L.S. Kaplan¹⁷⁶, D. Kar^{147c}, K. Karakostas¹⁰, N. Karastathis¹⁰, M.J. Kareem^{163b}, E. Karentzos¹⁰, S.N. Karpov⁶⁸, Z.M. Karpova⁶⁸, K. Karthik¹¹², V. Kartvelishvili⁷⁵, A.N. Karyukhin¹³², K. Kasahara¹⁶⁴, L. Kashif¹⁷⁶, R.D. Kass¹¹³, A. Kastanas¹⁴⁹, Y. Kataoka¹⁵⁷, C. Kato¹⁵⁷, A. Katre⁵², J. Katzy⁴⁵, K. Kawade⁷⁰, L. Kashit ¹⁷⁹, R.D. Kass ¹¹⁵, A. Kastanas ¹⁴⁹, Y. Kataoka ¹⁵⁷, C. Kato ¹⁵⁷, A. Katre ⁵², J. Katzy ⁴⁵, K. Kawade ⁷⁰, K. Kawagoe ⁷³, T. Kawamoto ¹⁵⁷, G. Kawamura ⁵⁷, E.F. Kay ⁷⁷, V.F. Kazanin ^{111,c}, R. Keeler ¹⁷², R. Kehoe ⁴³, J.S. Keller ³¹, E. Kellermann ⁸⁴, J.J. Kempster ⁸⁰, J Kendrick ¹⁹, H. Keoshkerian ¹⁶¹, O. Kepka ¹²⁹, B.P. Kerševan ⁷⁸, S. Kersten ¹⁷⁸, R.A. Keyes ⁹⁰, M. Khader ¹⁶⁹, F. Khalil-zada ¹², A. Khanov ¹¹⁶, A.G. Kharlamov ^{111,c}, T. Kharlamova ^{111,c}, A. Khodinov ¹⁶⁰, T.J. Khoo ⁵², V. Khovanskiy ^{99,*}, E. Khramov ⁶⁸, J. Khubua ^{54b,ad}, S. Kido ⁷⁰, C.R. Kilby ⁸⁰, H.Y. Kim ⁸, S.H. Kim ¹⁶⁴, Y.K. Kim ³³, N. Kimura ¹⁵⁶, O.M. Kind ¹⁷, B.T. King ⁷⁷, D. Kirchmeier ⁴⁷, J. Kirk ¹³³, A.E. Kiryunin ¹⁰³, T. Kishimoto ¹⁵⁷, D. Kisielewska ^{41a}, V. Kitali ⁴⁵, O. Kivernyk ⁵, E. Kladiva ^{146b}, T. Klapdor-Kleingrothaus ⁵¹, M.H. Klein ⁹², M. Klein ⁷⁷, U. Klein ⁷⁷, K. Kleinknecht ⁸⁶, P. Klimek ¹¹⁰, A. Klimentov ²⁷, R. Klingenberg ^{46,*}, T. Klingl ²³, T. Klioutchnikova ³², F.F. Klitzner ¹⁰², E.-E. Kluge ^{60a}, P. Kluit ¹⁰⁹, S. Kluth ¹⁰³, E. Kneringer ⁶⁵, E.B.F.G. Knoops ⁸⁸, A. Knue ¹⁰³, A. Kobayashi ¹⁵⁷, D. Kobayashi ¹⁵⁷, T. Kobayashi ¹⁵⁷, M. Kobel ⁴⁷, M. Kocian ¹⁴⁵, P. Kodys ¹³¹, T. Koffas ³¹ A. Kobayashi ¹⁵⁷, D. Kobayashi ⁷³, T. Kobayashi ¹⁵⁷, M. Kobel ⁴⁷, M. Kocian ¹⁴⁵, P. Kodys ¹³¹, T. Koffas ³¹, E. Koffeman ¹⁰⁹, N.M. Köhler ¹⁰³, T. Koj ¹⁴⁵, M. Kolb ^{60b}, I. Koletsou ⁵, T. Kondo ⁶⁹, N. Kondrashova ^{36c}, E. Koffeman ¹⁰⁹, N.M. Köhler ¹⁰³, T. Koi ¹⁴³, M. Kolb ⁶⁰⁰, I. Koletsou ⁵, T. Kondo ⁶⁹, N. Kondrashova ^{36c}, K. Köneke ⁵¹, A.C. König ¹⁰⁸, T. Kono ^{69,ae}, R. Konoplich ^{112,af}, N. Konstantinidis ⁸¹, B. Konya ⁸⁴, R. Kopeliansky ⁶⁴, S. Koperny ^{41a}, A.K. Kopp ⁵¹, K. Korcyl ⁴², K. Kordas ¹⁵⁶, A. Korn ⁸¹, A.A. Korol ^{111,c}, I. Korolkov ¹³, E.V. Korolkova ¹⁴¹, O. Kortner ¹⁰³, S. Kortner ¹⁰³, T. Kosek ¹³¹, V.V. Kostyukhin ²³, A. Kotwal ⁴⁸, A. Koulouris ¹⁰, A. Kourkoumeli-Charalampidi ^{123a,123b}, C. Kourkoumelis ⁹, E. Kourlitis ¹⁴¹, V. Kouskoura ²⁷, A.B. Kowalewska ⁴², R. Kowalewski ¹⁷², T.Z. Kowalski ^{41a}, C. Kozakai ¹⁵⁷, W. Kozanecki ¹³⁸, A.S. Kozhin ¹³², V.A. Kramarenko ¹⁰¹, G. Kramberger ⁷⁸, D. Krasnopevtsev ¹⁰⁰, M.W. Krasny ⁸³, A. Krasznahorkay ³², D. Krauss ¹⁰³, J.A. Kremer ^{41a}, J. Kretzschmar ⁷⁷, K. Kreutzfeldt ⁵⁵, P. Krieger ¹⁶¹, K. Krizka ¹⁶, K. Kroeninger ⁴⁶, H. Kroha ¹⁰³, J. Kroll ¹²⁹, J. Kroll ¹²⁴, J. Kroseberg ²³, J. Krstic ¹⁴,

U. Kruchonak⁶⁸, H. Krüger²³, N. Krumnack⁶⁷, M.C. Kruse⁴⁸, T. Kubota⁹¹, H. Kucuk⁸¹, S. Kuday^{4b}, J.T. Kuechler¹⁷⁸, S. Kuehn³², A. Kugel^{60a}, F. Kuger¹⁷⁷, T. Kuhl⁴⁵, V. Kukhtin⁶⁸, R. Kukla⁸⁸, Y. Kulchitsky⁹⁵, S. Kuleshov^{34b}, Y.P. Kulinich¹⁶⁹, M. Kuna^{134a,134b}, T. Kunigo⁷¹, A. Kupco¹²⁹, T. Kupfer⁴⁶, O. Kuprash¹⁵⁵, H. Kurashige⁷⁰, L.L. Kurchaninov^{163a}, Y.A. Kurochkin⁹⁵, M.G. Kurth^{35a}, E.S. Kuwertz¹⁷², M. Kuze¹⁵⁹, J. Kvita¹¹⁷, T. Kwan¹⁷², D. Kyriazopoulos¹⁴¹, A. La Rosa¹⁰³, J.L. La Rosa Navarro^{26d}, L. La Rotonda^{40a,40b}, F. La Ruffa^{40a,40b}, C. Lacasta¹⁷⁰, F. Lacava^{134a,134b}, J. Lacey⁴⁵, D.P.J. Lack⁸⁷, H. Lacker¹⁷, D. Lacour⁸³, E. Ladygin⁶⁸, R. Lafaye⁵, B. Laforge⁸³, T. Lagouri¹⁷⁹, S. Lai⁵⁷, S. Lammers⁶⁴, W. Lampl⁷, E. Lançon²⁷, U. Landgraf⁵¹, M.P.J. Landon⁷⁹, M.C. Lanfermann⁵², V.S. Lang⁴⁵, J.C. Lange¹³, P. Langenberg³², A. Langkford¹⁶⁶, F. Lanpi²⁷, K. Lantzach²³, A. Langen^{123a}, A. Langet^{53a,53b} R.J. Langenberg³², A.J. Lankford¹⁶⁶, F. Lanni²⁷, K. Lantzsch²³, A. Lanza^{123a}, A. Lapertosa^{53a,53b}, S. Laplace⁸³, J.F. Laporte¹³⁸, T. Lari^{94a}, F. Lasagni Manghi^{22a,22b}, M. Lassnig³², T.S. Lau^{62a}, P. Laurelli⁵⁰, W. Lavrijsen¹⁶, A.T. Law¹³⁹, P. Laycock⁷⁷, T. Lazovich⁵⁹, M. Lazzaroni^{94a,94b}, B. Le⁹¹, O. Le Dortz⁸³, E. Le Guirriec⁸⁸, E.P. Le Quilleuc¹³⁸, M. LeBlanc¹⁷², T. LeCompte⁶, F. Ledroit-Guillon⁵⁸, C.A. Lee²⁷, W. Lavrijsen S, A.I. Law ¹²⁵, P. Laycock ¹⁷, I. Lazovich ¹⁵, M. Lazzaroni ¹³¹³, B. Le³⁷, O. Le Dortz¹⁵,
E. Le Guirriec⁸⁸, E.P. Le Quilleuc¹³⁸, M. LeBlanc¹⁷², T. LeCompte⁶, F. Ledroit-Guillon⁵⁸, C.A. Lee²⁷,
G.R. Lee^{34a}, S.C. Lee¹⁵³, L. Lee⁵⁹, B. Lefebvre⁹⁰, G. Lefebvre⁸³, M. Lefebvre¹⁷², F. Legger¹⁰², C. Leggett¹⁶,
G. Lehmann Miotto³², X. Lei⁷, W.A. Leight⁴⁵, M.A.L. Leite^{26d}, R. Leitner¹³¹, D. Lellouch¹⁷⁵,
B. Lemmer⁵⁷, K.J.C. Leney⁸¹, T. Lenz²³, B. Lenzi³², R. Leone⁷, S. Leone^{126a,126b}, C. Leonidopoulos⁴⁹,
G. Lerner¹⁵¹, C. Leroy⁹⁷, R. Les¹⁶¹, A.A.J. Lesage¹³⁸, C.G. Lester³⁰, M. Levchenko¹²⁵, J. Levêque⁵,
D. Levin⁹², L.J. Levinson¹⁷⁵, M. Levy¹⁹, D. Lewis⁷⁹, B. Li^{36a,w}, Changqiao Li^{36a}, H. Li¹⁵⁰, L. Li^{36c},
Q. Li^{35a}, Q. Li^{36a}, S. Li⁴⁸, X. Li^{36c}, Y. Li¹⁴³, Z. Liang^{35a}, B. Liberti^{135a}, A. Liblong¹⁶¹, K. Lie^{62c}, J. Liebal²³,
W. Liebig¹⁵, A. Limosani¹⁵², K. Lin⁹³, S.C. Lin¹⁸², T.H. Lin⁸⁶, R.A. Linck⁶⁴, B.E. Lindquist¹⁵⁰,
A.E. Lionti⁵², E. Lipeles¹²⁴, A. Lipniacka¹⁵, M. Lisovij^{60b}, T.M. Liss^{169,ag}, A. Lister¹⁷¹, A.M. Litke¹³⁹,
B. Liu⁶⁷, H. Liu⁹², H. Liu²⁷, J.K.K. Liu¹²², J. Liu^{36b}, J.B. Liu^{36a}, K. Liu⁸⁸, L. Liu¹⁶⁹, M. Liu^{36a}, Y.L. Liu^{36a},
Y. Liu^{36a}, M. Livan^{123a,123b}, A. Lleres⁵⁸, J. Llorente Merino^{35a}, S.L. Lloyd⁷⁹, C.Y. Lo^{62b}, F. Lo Sterzo⁴³,
E.M. Lobodzinska⁴⁵, P. Loch⁷, F.K. Loebinger⁸⁷, A. Loesle⁵¹, K.M. Loew²⁵, T. Lohse¹⁷, K. Lohwasser¹⁴¹,
M. Lokajicek¹²⁹, B.A. Long²⁴, J.D. Long¹⁶⁹, R.E. Long⁷⁵, L. Longo^{76a,76b}, K.A. Looper¹¹³, J.A. Lopez^{34b},
I. Lopez Paz¹³, A. Lopez Solis⁸³, J. Lorenz¹⁰², N. Lorenzo Martinez⁵, M. Losada²¹, P.J. Löse¹⁰²,
X. Lou³⁵, A. Lounis¹¹⁹, J. Love⁶, P.A. Love⁷⁵, H. Lu^{62a}, N. Lu⁹², Y.J. Lu⁶³, H.J. Lubatti¹⁴⁰, C. Luci^{134a,} N. Makovec¹¹⁹, B. Malaescu⁸³, Pa. Malecki⁴², V.P. Maleev¹²⁵, F. Malek⁵⁸, U. Mallik⁶⁶, D. Malon⁶, C. Malone³⁰, S. Maltezos¹⁰, S. Malyukov³², J. Mamuzic¹⁷⁰, G. Mancini⁵⁰, I. Mandić⁷⁸, J. Maneira^{128a,128b}, L. Manhaes de Andrade Filho^{26b}, J. Manjarres Ramos⁴⁷, K.H. Mankinen⁸⁴, A. Mann¹⁰², A. Manousos³², B. Mansoulie¹³⁸, J.D. Mansour^{35a}, R. Mantifel⁹⁰, M. Mantoani⁵⁷, S. Manzoni^{94a,94b}, L. Mapelli³², G. Marceca²⁹, L. March⁵², L. Marchese¹²², G. Marchiori⁸³, M. Marcisovsky ¹²⁹, C.A. Marin Tobon ³², M. Marjanovic ³⁷, D.E. Marley ⁹², F. Marroquim ^{26a}, S.P. Marsden ⁸⁷, Z. Marshall ¹⁶, M.U.F Martensson ¹⁶⁸, S. Marti-Garcia ¹⁷⁰, C.B. Martin ¹¹³, T.A. Martin ¹⁷³, V.J. Martin ⁴⁹, B. Martin dit Latour ¹⁵, M. Martinez ^{13,v}, V.I. Martinez Outschoorn ¹⁶⁹, S. Martin-Haugh ¹³³, V.S. Martoiu ^{28b}, A.C. Martyniuk ⁸¹, A. Marzin ³², L. Masetti ⁸⁶, T. Mashimo ¹⁵⁷, R. Mashinistov ⁹⁸, V.S. Martoiu ^{28D}, A.C. Martyniuk ⁸¹, A. Marzin ³², L. Masetti ^{8b}, T. Mashimo ¹³⁷, R. Mashinistov ⁹⁶, J. Masik ⁸⁷, A.L. Maslennikov ^{111,c}, L.H. Mason ⁹¹, L. Massa ^{135a,135b}, P. Mastrandrea ⁵, A. Mastroberardino ^{40a,40b}, T. Masubuchi ¹⁵⁷, P. Mättig ¹⁷⁸, J. Maurer ^{28b}, S.J. Maxfield ⁷⁷, D.A. Maximov ^{111,c}, R. Mazini ¹⁵³, I. Maznas ¹⁵⁶, S.M. Mazza ^{94a,94b}, N.C. Mc Fadden ¹⁰⁷, G. Mc Goldrick ¹⁶¹, S.P. Mc Kee ⁹², A. McCarn ⁹², R.L. McCarthy ¹⁵⁰, T.G. McCarthy ¹⁰³, L.I. McClymont ⁸¹, E.F. McDonald ⁹¹, J.A. Mcfayden ³², G. Mchedlidze ⁵⁷, K.D. McLean ¹⁷², S.J. McMahon ¹³³, P.C. McNamara ⁹¹, C.J. McNicol ¹⁷³, R.A. McPherson ^{172,o}, S. Meehan ¹⁴⁰, T.J. Megy ⁵¹, S. Mehlhase ¹⁰², A. Mehta ⁷⁷, T. Meideck ⁵⁸, K. Meier ^{60a}, B. Meirose ⁴⁴, D. Melini ^{170,ah}, B.R. Mellado Garcia ^{147c}, J.D. Mellenthin ⁵⁷, M. Melo ^{146a}, F. Meloni ¹⁸, A. Melzer ²³, S.B. Menary ⁸⁷, L. Meng ⁷⁷, X.T. Meng ⁹², A. Mengarelli ^{22a,22b}, S. Menke ¹⁰³, E. Meoni ^{40a,40b}, S. Mergelmeyer ¹⁷, C. Merlassino ¹⁸, P. Mermod ⁵², L. Merola ^{106a,106b}, C. Meroni ^{94a}, F.S. Merritt ³³, A. Messina ^{134a,134b}, I. Metcalfe ⁶, A.S. Mete ¹⁶⁶, C. Meyer ¹²⁴, I-P. Meyer ¹³⁸ C. Meroni ^{94a}, F.S. Merritt ³³, A. Messina ^{134a,134b}, J. Metcalfe ⁶, A.S. Mete ¹⁶⁶, C. Meyer ¹²⁴, J-P. Meyer ¹³⁸, J. Meyer ¹⁰⁹, H. Meyer Zu Theenhausen ^{60a}, F. Miano ¹⁵¹, R.P. Middleton ¹³³, S. Miglioranzi ^{53a,53b},

331

L. Mijović⁴⁹, G. Mikenberg¹⁷⁵, M. Mikestikova¹²⁹, M. Mikuž⁷⁸, M. Milesi⁹¹, A. Milic¹⁶¹, D.A. Millar⁷⁹, D.W. Miller³³, C. Mills⁴⁹, A. Milov¹⁷⁵, D.A. Milstead^{148a,148b}, A.A. Minaenko¹³², Y. Minami¹⁵⁷, I.A. Minashvili^{54b}, A.I. Mincer¹¹², B. Mindur^{41a}, M. Mineev⁶⁸, Y. Minegishi¹⁵⁷, Y. Ming¹⁷⁶, L.M. Mir¹³, A. Mirto^{76a,76b}, K.P. Mistry¹²⁴, T. Mitani¹⁷⁴, J. Mitrevski¹⁰², V.A. Mitsou¹⁷⁰, A. Miucci¹⁸, A. Mirto ^{76a,76b}, K.P. Mistry ¹²⁴, T. Mitani ¹⁷⁴, J. Mitrevski ¹⁰², V.A. Mitsou ¹⁷⁰, A. Miucci ¹⁸, P.S. Miyagawa ¹⁴¹, A. Mizukami ⁶⁹, J.U. Mjörnmark ⁸⁴, T. Mkrtchyan ¹⁸⁰, M. Mlynarikova ¹³¹, T. Moa ^{148a,148b}, K. Mochizuki ⁹⁷, P. Mogg ⁵¹, S. Mohapatra ³⁸, S. Molander ^{148a,148b}, R. Moles-Valls ²³, M.C. Mondragon ⁹³, K. Mönig ⁴⁵, J. Monk ³⁹, E. Monnier ⁸⁸, A. Montalbano ¹⁵⁰, J. Montejo Berlingen ³², F. Monticelli ⁷⁴, S. Monzani ^{94a,94b}, R.W. Moore ³, N. Morange ¹¹⁹, D. Moreno ²¹, M. Moreno Llácer ³², P. Morettini ^{53a}, S. Morgenstern ³², D. Mori ¹⁴⁴, T. Mori ¹⁵⁷, M. Morii ⁵⁹, M. Morinaga ¹⁷⁴, V. Morisbak ¹²¹, A.K. Morley ³², G. Mornacchi ³², J.D. Morris ⁷⁹, L. Morvaj ¹⁵⁰, P. Moschovakos ¹⁰, M. Mosidze ^{54b}, H.J. Moss ¹⁴¹, J. Moss ^{145,ai}, K. Motohashi ¹⁵⁹, R. Mount ¹⁴⁵, E. Mountricha ²⁷, E.J.W. Moyse ⁸⁹, S. Muanza ⁸⁸, F. Mueller ¹⁰³, J. Mueller ¹²⁷, R.S.P. Mueller ¹⁰², D. Muenstermann ⁷⁵, P. Mullen ⁵⁶, G.A. Mullier ¹⁸, F.J. Munoz Sanchez ⁸⁷, W.J. Murray ^{173,133}, H. Musheghyan ³², M. Muškinja ⁷⁸, A.G. Myagkov ^{132,aj}, M. Myska ¹³⁰, B.P. Nachman ¹⁶, O. Nackenhorst ⁵², K. Nagai ¹²², R. Nagai ^{69,ae}, K. Nagano ⁶⁹, Y. Nagasaka ⁶¹, K. Nagata ¹⁶⁴, M. Nagel ⁵¹, E. Nagy ⁸⁸, A.M. Nairz ³², Y. Nakahama ¹⁰⁵, K. Nakamura ⁶⁹, T. Nakamura ¹⁵⁷, I. Nakano ¹¹⁴, R.F. Naranjo Garcia ⁴⁵, R. Naravan ¹¹, D.I. Narrias Villar ^{60a} K. Nagata , K. Nagata , M. Nagata , M. Nagata , M. Nager , E. Nagy , A.M. Naliz , F. Nakahalila , K. Nagata , M. Nagata , M. Nager , E. Nagy , A.M. Naliz , F. Nakahalila , K. Nakahalila , K. Nakahalila , K. Nakahalila , K. Nagata , M. Nagata , M. Nagata , M. Nager , E. Nagy , A.M. Naliz , F. Nakahalila , K. Nakahalila , K. Nakahalila , K. Nagata , M. Nagata , K. Nagata , M. Nagata , K. Nagata , M. N T.Y. Ng^{62c}, T. Nguyen Manh⁹⁷, R.B. Nickerson¹²², R. Nicolaidou¹³⁸, J. Nielsen¹³⁹, N. Nikiforou¹¹ T.Y. Ng⁶²⁰, T. Nguyen Manh⁵⁷, R.B. Nickerson¹²², R. Nicolaidou¹³⁶, J. Nielsen¹³⁹, N. Nikiforou¹¹, V. Nikolaenko^{132,aj}, I. Nikolic-Audit⁸³, K. Nikolopoulos¹⁹, P. Nilsson²⁷, Y. Ninomiya⁶⁹, A. Nisati^{134a}, N. Nishu^{36c}, R. Nisius¹⁰³, I. Nitsche⁴⁶, T. Nitta¹⁷⁴, T. Nobe¹⁵⁷, Y. Noguchi⁷¹, M. Nomachi¹²⁰, I. Nomidis³¹, M.A. Nomura²⁷, T. Nooney⁷⁹, M. Nordberg³², N. Norjoharuddeen¹²², O. Novgorodova⁴⁷, M. Nozaki⁶⁹, L. Nozka¹¹⁷, K. Ntekas¹⁶⁶, E. Nurse⁸¹, F. Nuti⁹¹, K. O'connor²⁵, D.C. O'Neil¹⁴⁴, A.A. O'Rourke⁴⁵, V. O'Shea⁵⁶, F.G. Oakham^{31,d}, H. Oberlack¹⁰³, T. Obermann²³, J. Ocariz⁸³, A. Ochi⁷⁰, I. Ochoa³⁸, J.P. Ochoa-Ricoux^{34a}, S. Oda⁷³, S. Odaka⁶⁹, A. Oh⁸⁷, S.H. Oh⁴⁸, C.C. Ohm¹⁴⁹, H. Ohman¹⁶⁸, H. Oide^{53a,53b}, H. Okawa¹⁶⁴, Y. Okumura¹⁵⁷, T. Okuyama⁶⁹, A. Olariu^{28b}, L.F. Oleiro Seabra^{128a}, S.A. Olivares Pino^{34a}, D. Oliveira Damazio²⁷, M.J.R. Olsson³³, A. Olszewski⁴², J. Olszowska⁴², A. Onofre ^{128a,128e}, K. Onogi ¹⁰⁵, P.U.E. Onyisi ^{11,aa}, H. Oppen ¹²¹, M.J. Oreglia ³³, Y. Oren ¹⁵⁵, D. Orestano ^{136a,136b}, N. Orlando ^{62b}, R.S. Orr ¹⁶¹, B. Osculati ^{53a,53b,*}, R. Ospanov ^{36a}, G. Otero y Garzon ²⁹, H. Otono⁷³, M. Ouchrif^{137d}, F. Ould-Saada¹²¹, A. Ouraou¹³⁸, K.P. Oussoren¹⁰⁹, Q. Ouyang^{35a}, M. Owen⁵⁶, R.E. Owen¹⁹, V.E. Ozcan^{20a}, N. Ozturk⁸, K. Pachal¹⁴⁴, A. Pacheco Pages¹³, L. Pacheco Rodriguez¹³⁸, C. Padilla Aranda¹³, S. Pagan Griso¹⁶, M. Paganini¹⁷⁹, F. Paige²⁷, G. Palacino⁶⁴, S. Palazzo ^{40a,40b}, S. Palestini ³², M. Palka ^{41b}, D. Pallin ³⁷, E.St. Panagiotopoulou ¹⁰, I. Panagoulias ¹⁰, C.E. Pandini ⁵², J.G. Panduro Vazquez ⁸⁰, P. Pani ³², S. Panitkin ²⁷, D. Pantea ^{28b}, L. Paolozzi ⁵², Th.D. Papadopoulou¹⁰, K. Papageorgiou^{9,s}, A. Paramonov⁶, D. Paredes Hernandez¹⁷⁹, A.J. Parker⁷⁵, M.A. Parker³⁰, K.A. Parker⁴⁵, F. Parodi^{53a,53b}, J.A. Parsons³⁸, U. Parzefall⁵¹, V.R. Pascuzzi¹⁶¹, J.M. Pasner¹³⁹, E. Pasqualucci^{134a}, S. Passaggio^{53a}, Fr. Pastore⁸⁰, S. Pataraia⁸⁶, J.R. Pater⁸⁷, T. Pauly³², B. Pearson¹⁰³, S. Pedraza Lopez¹⁷⁰, R. Pedro^{128a,128b}, S.V. Peleganchuk^{111,c}, O. Penc¹²⁹, C. Peng^{35a}, H. Peng^{36a}, J. Penwell⁶⁴, B.S. Peralva^{26b}, M.M. Perego¹³⁸, D.V. Perepelitsa²⁷, F. Peri¹⁷, L. Perini^{94a,94b}, H. Pengger³², S. Perrella^{106a,106b}, R. Peschke⁴⁵, V.D. Peshekhonov^{68,*}, K. Peters⁴⁵, R.F.Y. Peters⁸⁷, B.A. Petersen³², T.C. Petersen³⁹, E. Petit⁵⁸, A. Petridis¹, C. Petridou¹⁵⁶, P. Petroff¹¹⁹, E. Petrolo^{134a}, M. Petrov¹²², F. Petrucci^{136a,136b}, N.E. Pettersson⁸⁹, A. Peyaud¹³⁸, R. Pezoa^{34b}, F.H. Phillips⁹³, P.W. Phillips¹³³, G. Piacquadio¹⁵⁰, E. Pianori¹⁷³, A. Picazio⁸⁹, M.A. Pickering¹²², R. Piegaia²⁹, J.E. Pilcher³³, A.D. Pilkington⁸⁷, M. Pinamonti^{135a,135b}, J.L. Pinfold³, H. Pirumov⁴⁵, M. Pitt¹⁷⁵, J.E. Pilcher ³³, A.D. Pilkington ³⁷, M. Pinamonti ^{1554,1556}, J.L. Pinfold ⁵, H. Pirumov ¹⁵, M. Pitt ¹⁷⁵, L. Plazak ^{146a}, M.-A. Pleier ²⁷, V. Pleskot ⁸⁶, E. Plotnikova ⁶⁸, D. Pluth ⁶⁷, P. Podberezko ¹¹¹, R. Poettgen ⁸⁴, R. Poggi ^{123a,123b}, L. Poggioli ¹¹⁹, I. Pogrebnyak ⁹³, D. Pohl ²³, I. Pokharel ⁵⁷, G. Polesello ^{123a}, A. Poley ⁴⁵, A. Policicchio ^{40a,40b}, R. Polifka ³², A. Polini ^{22a}, C.S. Pollard ⁵⁶, V. Polychronakos ²⁷, K. Pommès ³², D. Ponomarenko ¹⁰⁰, L. Pontecorvo ^{134a}, G.A. Popeneciu ^{28d}, D.M. Portillo Quintero ⁸³, S. Pospisil ¹³⁰, K. Potamianos ⁴⁵, I.N. Potrap ⁶⁸, C.J. Potter ³⁰, H. Potti ¹¹, T. Poulsen ⁸⁴, J. Poveda ³², M.E. Pozo Astigarraga ³², P. Pralavorio ⁸⁸, A. Pranko ¹⁶, S. Prell ⁶⁷, D. Price ⁸⁷, M. Primavera ^{76a}, S. Prince ⁹⁰, N. Proklova¹⁰⁰, K. Prokofiev^{62c}, F. Prokoshin^{34b}, S. Protopopescu²⁷, J. Proudfoot⁶, M. Przybycien^{41a},

A. Puri ¹⁶⁹, P. Puzo ¹¹⁹, J. Qian ⁹², G. Qin ⁵⁶, Y. Qin ⁸⁷, A. Quadt ⁵⁷, M. Queitsch-Maitland ⁴⁵, D. Quilty ⁵⁶, S. Raddum ¹²¹, V. Radeka ²⁷, V. Radescu ¹²², S.K. Radhakrishnan ¹⁵⁰, P. Radloff ¹¹⁸, P. Rados ⁹¹, F. Ragusa ^{94a,94b}, G. Rahal ¹⁸¹, J.A. Raine ⁸⁷, S. Rajagopalan ²⁷, C. Rangel-Smith ¹⁶⁸, T. Rashid ¹¹⁹, S. Raspopov ⁵, M.G. Ratti ^{94a,94b}, D.M. Rauch ⁴⁵, F. Rauscher ¹⁰², S. Rave ⁸⁶, I. Ravinovich ¹⁷⁵, J.H. Rawling ⁸⁷, M. Raymond ³², A.L. Read ¹²¹, N.P. Readioff ⁵⁸, M. Reale ^{76a,76b}, D.M. Rebuzzi ^{123a,123b}, A. Redelbach ¹⁷⁷, G. Redlinger ²⁷, R. Reece ¹³⁹, R.G. Reed ^{147c}, K. Reeves ⁴⁴, L. Rehnisch ¹⁷, J. Reichert ¹²⁴, A. Reiss ⁸⁶, C. Rembser ³², H. Ren ^{35a}, M. Rescigno ^{134a}, S. Resconi ^{94a}, E.D. Resseguie ¹²⁴, S. Rettie ¹⁷¹, E. Reynolds ¹⁹, O.L. Rezanova ^{111,c}, P. Reznicek ¹³¹, R. Rezvani ⁹⁷, R. Richter ¹⁰³, S. Richter ⁸¹, E. Richter-Was ^{41b}, O. Ricken ²³, M. Ridel ⁸³, P. Rieck ¹⁰³, C.J. Riegel ¹⁷⁸, J. Rieger ⁵⁷, O. Rifki ¹¹⁵, M. Rijssenbeek ¹⁵⁰, A. Rimoldi ^{123a,123b}, M. Rimoldi ¹⁸, L. Rinaldi ^{22a}, G. Ripellino ¹⁴⁹, B. Ristić ³², E. Ritsch ³², I. Riu ¹³, F. Rizatdinova ¹¹⁶, F. Rizvi ⁷⁹, C. Rizzi ¹³, R.T. Roberts ⁸⁷, S.H. Robertson ^{90,0}. E. Ritsch³², I. Riu¹³, F. Rizatdinova¹¹⁶, E. Rizvi⁷⁹, C. Rizzi¹³, R.T. Roberts⁸⁷, S.H. Robertson^{90,0}, A. Robichaud-Veronneau⁹⁰, D. Robinson³⁰, J.E.M. Robinson⁴⁵, A. Robson⁵⁶, E. Rocco⁸⁶, C. Roda^{126a,126b},

333

R.W. Smith³⁸, M. Smizanska⁷⁵, K. Smolek¹³⁰, A.A. Snesarev⁹⁸, I.M. Snyder¹¹⁸, S. Snyder²⁷, R. Sobie^{172,0}, F. Socher⁴⁷, A. Soffer¹⁵⁵, A. Søgaard⁴⁹, D.A. Soh¹⁵³, G. Sokhrannyi⁷⁸, C.A. Solars Sanchez³², M. Solar¹³⁰, E.Yu. Soldatov¹⁰⁰, U. Soldevila¹⁷⁰, A.A. Solodkov¹³², A. Soloshenko⁶⁸, O.V. Solovyanov¹³², V. Solovyev¹²⁵, P. Sommer¹⁴¹, H. Son¹⁶⁵, A. Sopczak¹³⁰, D. Sosa^{60b}, C.L. Sotiropoulou^{126a,126b}, S. Sottocornola^{123a,123b}, R. Soualah^{167a,167c}, A.M. Soukharev^{111,c}, D. South⁴⁵, B.C. Sowden⁸⁰, S. Spagnolo^{76a,76b}, M. Spalla^{126a,126b}, M. Spangenberg¹⁷³, F. Spanò⁸⁰, 131 D. Sperlich¹⁷, F. Spettel¹⁰³, T.M. Spieker^{60a}, R. Spighi^{22a}, G. Spigo³², L.A. Spiller⁹¹, M. Spousta¹³¹, R.D. St. Denis^{56,*}, A. Stabile^{94a}, R. Stamen^{60a}, S. Stamm¹⁷, E. Stanecka⁴², R.W. Stanek⁶, C. Stanescu^{136a}, M.M. Stanitzki⁴⁵, B.S. Stapf¹⁰⁹, S. Stapnes¹²¹, E.A. Starchenko¹³², G.H. Stark³³, J. Stark⁵⁸, S.H Stark³⁹, P. Staroba¹²⁹, P. Starovoitov^{60a}, S. Stärz³², R. Staszewski⁴², M. Stegler⁴⁵, P. Steinberg²⁷, B. Stelzer¹⁴⁴, P. Staroba ¹²⁰, P. Starovortov⁶⁰⁴, S. Star^{2,5}, R. Stas²ewski¹², M. Stegle¹⁴, P. Stellberg¹⁴, B. Stel²el¹⁴¹,
H.J. Stelzer ³², O. Stelzer-Chilton ^{163a}, H. Stenzel ⁵⁵, T.J. Stevenson⁷⁹, G.A. Stewart ⁵⁶, M.C. Stockton ¹¹⁸,
M. Stoebe ⁹⁰, G. Stoicea ^{28b}, P. Stolte ⁵⁷, S. Stonjek ¹⁰³, A.R. Stradling⁸, A. Straessner ⁴⁷, M.E. Stramaglia ¹⁸,
J. Strandberg ¹⁴⁹, S. Strandberg ^{148a,148b}, M. Strauss ¹¹⁵, P. Strizenec ^{146b}, R. Ströhmer ¹⁷⁷, D.M. Strom ¹¹⁸,
R. Stroynowski ⁴³, A. Strubig ⁴⁹, S.A. Stucci ²⁷, B. Stugu ¹⁵, N.A. Styles ⁴⁵, D. Su ¹⁴⁵, J. Su ¹²⁷, S. Suchek ^{60a},
Y. Sugaya ¹²⁰, M. Suk ¹³⁰, V.V. Sulin ⁹⁸, DMS Sultan ^{162a,162b}, S. Sultansoy ^{4c}, T. Sumida ⁷¹, S. Sun ⁵⁹, Y. Sugaya ¹²⁰, M. Suk ¹³⁰, V.V. Sulin ⁹⁸, DMS Sultan ^{162a,162b}, S. Sultansoy ^{4c}, T. Sumida ⁷¹, S. Sun ⁵⁹, X. Sun ³, K. Suruliz ¹⁵¹, C.J.E. Suster ¹⁵², M.R. Sutton ¹⁵¹, S. Suzuki ⁶⁹, M. Svatos ¹²⁹, M. Swiatlowski ³³, S.P. Swift ², I. Sykora ^{146a}, T. Sykora ¹³¹, D. Ta ⁵¹, K. Tackmann ⁴⁵, J. Taenzer ¹⁵⁵, A. Taffard ¹⁶⁶, R. Tafirout ^{163a}, E. Tahirovic ⁷⁹, N. Taiblum ¹⁵⁵, H. Takai ²⁷, R. Takashima ⁷², E.H. Takasugi ¹⁰³, K. Takeda ⁷⁰, T. Takeshita ¹⁴², Y. Takubo ⁶⁹, M. Talby ⁸⁸, A.A. Talyshev ^{111,c}, J. Tanaka ¹⁵⁷, M. Tanaka ¹⁵⁹, R. Tanaka ¹¹⁹, S. Tanaka ⁶⁹, R. Tanioka ⁷⁰, B.B. Tannenwald ¹¹³, S. Tapia Araya ^{34b}, S. Tapprogge ⁸⁶, S. Tarem ¹⁵⁴, G.F. Tartarelli ^{94a}, P. Tas ¹³¹, M. Tasevsky ¹²⁹, T. Tashiro ⁷¹, E. Tassi ^{40a,40b}, A. Tavares Delgado ^{128a,128b}, Y. Tayalati ^{137e}, A.C. Taylor ¹⁰⁷, A.J. Taylor ⁴⁹, G.N. Taylor ⁹¹, P.T.E. Taylor ⁹¹, W. Taylor ^{163b}, P. Teixeira-Dias ⁸⁰, D. Temple ¹⁴⁴, H. Ten Kate ³², P.K. Teng ¹⁵³, J.J. Teoh ¹²⁰, F. Tepel ¹⁷⁸, S. Terada ⁶⁹, K. Terashi ¹⁵⁷, J. Terron ⁸⁵, S. Terzo ¹³, M. Testa ⁵⁰, R.J. Teuscher ^{161,o}, S.J. Thais ¹⁷⁹, T. Theveneaux-Pelzer ⁸⁸, F. Thiele ³⁹, J.P. Thomas ¹⁹, J. Thomas-Wilsker ⁸⁰, P.D. Thompson ¹⁹, A.S. Thompson ⁵⁶, L.A. Thomsen ¹⁷⁹, E. Thomson ¹²⁴, Y. Tian ³⁸, M.J. Tibbetts ¹⁶, R.E. Ticse Torres ⁵⁷, V.O. Tikhomirov ^{98,ap}, Yu.A. Tikhonov ^{111,c}, S. Timoshenko ¹⁰⁰, P. Tipton ¹⁷⁹, S. Tisserant ⁸⁸, K. Todome ¹⁵⁹, S. Todorova-Nova ⁵, S. Todt⁴⁷, J. Tojo ⁷³, S. Tokár ^{146a}, K. Tokushuku ⁶⁹, E. Tolley ¹¹³, L. Tomlinson ⁸⁷, M. Tomoto ¹⁰⁵, L. Tompkins ^{145,aq}, K. Toms ¹⁰⁷, B. Tong ⁵⁹, P. Tornambe ⁵¹, E. Torrence ¹¹⁸, H. Torres ⁴⁷, E. Torró Pastor ¹⁴⁰, J. Toth ^{88,ar}, F. Touchard ⁸⁸, D.R. Tovey ¹⁴¹, C.J. Treado ¹¹², T. Trefzger ¹⁷⁷, F. Tresoldi ¹⁵¹, A. Tricoli ²⁷, I.M. Trigger ^{163a}, D.R. Tovey ¹⁴¹, C.J. Treado ¹¹², T. Trefzger ¹⁷⁷, F. Tresoldi ¹⁵¹, A. Tricoli ²⁷, I.M. Trigger ^{163a}, S. Trincaz-Duvoid ⁸³, M.F. Tripiana ¹³, W. Trischuk ¹⁶¹, B. Trocmé ⁵⁸, A. Trofymov ⁴⁵, C. Troncon ^{94a}, M. Trottier-McDonald ¹⁶, M. Trovatelli ¹⁷², L. Truong ^{147b}, M. Trzebinski ⁴², A. Trzupek ⁴², K.W. Tsang ^{62a}, J.C-L. Tseng¹²², P.V. Tsiareshka⁹⁵, N. Tsirintanis⁹, S. Tsiskaridze¹³, V. Tsiskaridze⁵¹, E.G. Tskhadadze⁵⁴, I.I. Tsukerman ⁹⁹, V. Tsulaia ¹⁶, S. Tsuno ⁶⁹, D. Tsybychev ¹⁵⁰, Y. Tu ^{62b}, A. Tudorache ^{28b}, V. Tudorache ^{28b}, T.T. Tulbure ^{28a}, A.N. Tuna ⁵⁹, S. Turchikhin ⁶⁸, D. Turgeman ¹⁷⁵, I. Turk Cakir ^{4b,as}, R. Turra ^{94a}, P.M. Tuts ³⁸, G. Ucchielli ^{22a,22b}, I. Ueda ⁶⁹, M. Ughetto ^{148a,148b}, F. Ukegawa ¹⁶⁴, G. Unal ³², A. Undrus ²⁷, G. Unel ¹⁶⁶, F.C. Ungaro ⁹¹, Y. Unno ⁶⁹, K. Uno ¹⁵⁷, C. Unverdorben ¹⁰², J. Urban ^{146b}, P. Urquijo ⁹¹, P. Urrejola⁸⁶, G. Usai⁸, J. Usui⁶⁹, L. Vacavant⁸⁸, V. Vacek¹³⁰, B. Vachon⁹⁰, K.O.H. Vadla¹²¹, A. Vaidya⁸¹, C. Valderanis¹⁰², E. Valdes Santurio^{148a,148b}, M. Valente⁵², S. Valentinetti^{22a,22b}, A. Valero¹⁷⁰, L. Valéry¹³, S. Valkar¹³¹, A. Vallier⁵, J.A. Valls Ferrer¹⁷⁰, W. Van Den Wollenberg¹⁰⁹, H. van der Graaf¹⁰⁹, P. van Gemmeren⁶, J. Van Nieuwkoop¹⁴⁴, I. van Vulpen¹⁰⁹, M.C. van Woerden¹⁰⁹, M. Vanadia ^{135a,135b}, W. Vandelli ³², A. Vaniachine ¹⁶⁰, P. Vankov ¹⁰⁹, G. Vardanyan ¹⁸⁰, R. Vari ^{134a}, E.W. Varnes⁷, C. Varni ^{53a,53b}, T. Varol ⁴³, D. Varouchas ¹¹⁹, A. Vartapetian⁸, K.E. Varvell ¹⁵², J.G. Vasquez ¹⁷⁹, G.A. Vasquez ^{34b}, F. Vazeille ³⁷, D. Vazquez Furelos ¹³, T. Vazquez Schroeder ⁹⁰, J. Veatch⁵⁷, V. Veeraraghavan⁷, L.M. Veloce¹⁶¹, F. Veloso^{128a,128c}, S. Veneziano^{134a}, A. Ventura^{76a,76b}, M. Venturi¹⁷², N. Venturi³², A. Venturini²⁵, V. Vercesi^{123a}, M. Verducci^{136a,136b}, W. Verkerke¹⁰⁹, A.T. Vermeulen¹⁰⁹, J.C. Vermeulen¹⁰⁹, M.C. Vetterli^{144,d}, N. Viaux Maira^{34b}, O. Viazlo⁸⁴, I. Vichou^{169,*}, T. Vickey ¹⁴¹, O.E. Vickey Boeriu ¹⁴¹, G.H.A. Viehhauser ¹²², S. Viel ¹⁶, L. Vigani ¹²², M. Villa ^{22a,22b}, M. Villaplana Perez^{94a,94b}, E. Vilucchi⁵⁰, M.G. Vincter³¹, V.B. Vinogradov⁶⁸, A. Vishwakarma⁴⁵, C. Vittori ^{22a,22b}, I. Vivarelli ¹⁵¹, S. Vlachos ¹⁰, M. Vogel ¹⁷⁸, P. Vokac ¹³⁰, G. Volpi ¹³, H. von der Schmitt ¹⁰³, E. von Toerne ²³, V. Vorobel ¹³¹, K. Vorobev ¹⁰⁰, M. Vos ¹⁷⁰, R. Voss ³², J.H. Vossebeld⁷⁷, N. Vranjes¹⁴, M. Vranjes Milosavljevic¹⁴, V. Vrba¹³⁰, M. Vreeswijk¹⁰⁹, R. Vuillermet³²,

I. Vukotic ³³, P. Wagner ²³, W. Wagner ¹⁷⁸, J. Wagner-Kuhr ¹⁰², H. Wahlberg ⁷⁴, S. Wahrmund ⁴⁷, J. Walder ⁷⁵, R. Walker ¹⁰², W. Walkowiak ¹⁴³, V. Wallangen ^{148a,148b}, C. Wang ^{35b}, C. Wang ^{35b,ar}, F. Wang ¹⁶, H. Wang ¹⁶, H. Wang ³, J. Wang ⁴⁵, J. Wang ¹⁵², Q. Wang ¹¹⁵, R.-J. Wang ⁸³, R. Wang ⁶, S.M. Wang ¹⁵³, T. Wang ³⁸, W. Wang ^{153,au}, W. Wang ^{36a,av}, Z. Wang ^{36c}, C. Wanotayaroj ⁴⁵, A. Warburton ⁹⁰, C.P. Ward ³⁰, D. R. Wardrope ⁸¹, A. Washbrook ⁴⁹, P.M. Watkins ¹⁹, A.T. Watson ¹⁹, G. Watts ¹⁴⁰, S. Watts ⁸⁷, B.M. Waugh ⁸¹, A.F. Webb ¹¹, S. Webb ⁸⁶, M.S. Weber ¹⁸, S.M. Weber ^{60a}, S.W. Weber ¹⁷⁷, S.A. Weber ³¹, J.S. Webster ⁶, A.R. Weidberg ¹²², B. Weinert ⁶⁴, J. Weingarten ⁵⁷, M. Weirich ⁸⁶, C. Weiser ⁵¹, H. Weits ¹⁰⁹, P.S. Wells ³², T. Wenaus ²⁷, T. Wengler ³², S. Wenig ²², N. Wermes ²³, M.D. Wermer ⁶⁷, P. Werner ³², M. Wessels ^{60a}, T.D. Weston ¹⁸, K. Whalen ¹¹⁸, N.L. Whallon ¹⁴⁰, A.M. Wharton ⁷⁵, A.S. White ⁹², A. White ⁸, M.J. White ¹, R. White ^{34b}, D. Whiteson ¹⁶⁶, B.W. Whitmore ⁷⁵, F.J. Wickens ¹³³, W. Wiedenmann ¹⁷⁶, M. Wielers ¹³³, C. Wiglesworth ³⁹, L.A. Wilaws ¹⁰⁹, F. Wilk ⁸⁷, H.G. Wilkens ³², H.H. Williams ¹²⁴, S. Williams ¹⁰⁹, C. Willis⁹³, S. Willocq ⁸⁹, J.A. Wilson ¹⁹, I. Wingerter-Seez ⁵, E. Winklels ¹⁵¹, F. Winklmeier ¹¹⁸, O.J. Wotschack ³², K.W. Wozniak ⁴², M. Wu³³, S.L. Wu⁷⁷, X. Wu⁵², Y. Wu⁹², T.R. Wyatt ⁸⁷, B.M. Wynne ⁴⁹, S. Xella³⁹, Z. Xi⁹², L. Xia³⁵⁶, D. Xu ^{35a}, L. Xu²⁷, T. Xu ¹³⁸, W. Xu⁹², B. Yabsley ¹⁵², S. Yacoob ^{147a}, D. Yamaguchi ¹⁵⁹, Y. Yamazaki ¹⁵⁷, Y. Yamazaki ⁷⁰, Z. Yan ²⁴, H. Yang ¹⁶⁶, H.Yang ¹⁶⁵, Y. Yang ¹⁵³, Z. Yang ¹⁵, W-M. Yan ⁴⁶⁹, S. Zatla³⁹, Z. Xi⁹², L. Xia³⁵⁶, D. Xu ^{35a}, L. Xu²⁷, T. Xu ¹³⁸, W. Xu⁹², B. Yabsley ¹⁵², S. Yacoob ^{147a}, D. Yamazaki ¹⁵⁷, Y. Yamazaki ¹⁵⁷, Y. Yamazaki ¹⁵⁷, Y. Yama²⁶, J. Yue ³⁵, J. Yu⁸⁵, J. Yue ⁵⁷, S. Zahang ¹⁶⁶

- ¹ Department of Physics, University of Adelaide, Adelaide, Australia
- ² Physics Department, SUNY Albany, Albany NY, United States
- ³ Department of Physics, University of Alberta, Edmonton AB, Canada
- 4 (a) Department of Physics, Ankara University, Ankara; (b) Istanbul Aydin University, Istanbul; (c) Division of Physics, TOBB University of Economics and Technology, Ankara, Turkey
- ⁵ LAPP, CNRS/IN2P3 and Université Savoie Mont Blanc, Annecy-le-Vieux, France
- ⁶ High Energy Physics Division, Argonne National Laboratory, Argonne IL, United States
- ⁷ Department of Physics, University of Arizona, Tucson AZ, United States
- ⁸ Department of Physics, Oniversity of Arizona, Tacson AZ, Oniversity States
- ^a Department of Physics, The University of Texas at Artington, Artington TX, United States
- ⁹ Physics Department, National and Kapodistrian University of Athens, Athens, Greece
- ¹⁰ Physics Department, National Technical University of Athens, Zografou, Greece
- ¹¹ Department of Physics, The University of Texas at Austin, Austin TX, United States
- ¹² Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan
- ¹³ Institut de Física d'Altes Energies (IFAE), The Barcelona Institute of Science and Technology, Barcelona, Spain
- ¹⁴ Institute of Physics, University of Belgrade, Belgrade, Serbia
- ¹⁵ Department for Physics and Technology, University of Bergen, Bergen, Norway
- ¹⁶ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley CA, United States
- ¹⁷ Department of Physics, Humboldt University, Berlin, Germany
- ¹⁸ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland
- ¹⁹ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom
- ²⁰ (a) Department of Physics, Bogazici University, Istanbul; ^(b) Department of Physics Engineering, Gaziantep University, Gaziantep; ^(d) Istanbul Bilgi University, Faculty of Engineering and Natural Sciences, Istanbul; ^(e) Bahcesehir University, Faculty of Engineering and Natural Sciences, Istanbul, Turkey
- ²¹ Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia
- ²² ^(a) INFN Sezione di Bologna; ^(b) Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy
- ²³ Physikalisches Institut, University of Bonn, Bonn, Germany
- ²⁴ Department of Physics, Boston University, Boston MA, United States
- ²⁵ Department of Physics, Brandeis University, Waltham MA, United States
- ²⁶ (a) Universidade Federal do Rio De Janeiro COPE/EE/IF, Rio de Janeiro; ^(b) Electrical Circuits Department, Federal University of Juiz de Fora (UFJF), Juiz de Fora; ^(c) Federal University of Sao Joao del Rei (UFSJ), Sao Joao del Rei; ^(d) Instituto de Fisica, Universidade de Sao Paulo, Sao Paulo, Brazil
- ²⁷ Physics Department, Brookhaven National Laboratory, Upton NY, United States
- ²⁸ (a) Transilvania University of Brasov, Brasov; ^(b) Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; ^(c) Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi; ^(d) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj Napoca; ^(e) University Politehnica Bucharest, Bucharest; ^(f) West University in Timisoara, Timisoara, Romania

²⁹ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina

³⁰ Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom

³¹ Department of Physics, Carleton University, Ottawa ON, Canada

³² CERN, Geneva, Switzerland

³³ Enrico Fermi Institute, University of Chicago, Chicago IL, United States

³⁴ ^(a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile 35 (a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; (b) Department of Physics, Nanjing University, Jiangsu; (c) Physics Department, Tsinghua University, Beijing 100084. China

36 (a) Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Anhui; (b) School of Physics, Shandong University, Shandong; (C) Department of Physics and Astronomy, Key Laboratory for Particle Physics, Astrophysics and Cosmology, Ministry of Education; Shanghai Key Laboratory for Particle Physics and Cosmology, Shanghai Jiao Tong University, Shanghai (also at PKU-CHEP), China

³⁷ Université Clermont Auvergne, CNRS/IN2P3, LPC, Clermont-Ferrand, France

³⁸ Nevis Laboratory, Columbia University, Irvington NY, United States

³⁹ Niels Bohr Institute, University of Copenhagen, Kobenhavn, Denmark

⁴⁰ (a) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; ^(b) Dipartimento di Fisica, Università della Calabria, Rende, Italy

⁴¹ ^(a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; ^(b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow,

Poland

⁴² Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland

⁴³ Physics Department, Southern Methodist University, Dallas TX, United States

⁴⁴ Physics Department, University of Texas at Dallas, Richardson TX, United States

⁴⁵ DESY, Hamburg and Zeuthen, Germany

⁴⁶ Lehrstuhl für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany

⁴⁷ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany

⁴⁸ Department of Physics, Duke University, Durham NC, United States

⁴⁹ SUPA – School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom

⁵⁰ INFN e Laboratori Nazionali di Frascati, Frascati, Italy

⁵¹ Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany

⁵² Departement de Physique Nucleaire et Corpusculaire, Université de Genève, Geneva, Switzerland

⁵³ ^(a) INFN Sezione di Genova; ^(b) Dipartimento di Fisica, Università di Genova, Genova, Italy

⁵⁴ (a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia

⁵⁵ II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany

⁵⁶ SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom

⁵⁷ II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany

⁵⁸ Laboratoire de Physique Subatomique et de Cosmologie, Université Grenoble-Alpes, CNRS/IN2P3, Grenoble, France

59 Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA, United States

60 (a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany

⁶¹ Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan

62 (a) Department of Physics, The Chinese University of Hong Kong, Shatin, N.T., Hong Kong; (b) Department of Physics, The University of Hong Kong, Hong Kong; (c) Department of Physics and Institute for Advanced Study, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China

63 Department of Physics, National Tsing Hua University, Hsinchu, Taiwan

⁶⁴ Department of Physics, Indiana University, Bloomington IN, United States

⁶⁵ Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria

⁶⁶ University of Iowa, Iowa City IA, United States

⁶⁷ Department of Physics and Astronomy, Iowa State University, Ames IA, United States

⁶⁸ Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia

⁶⁹ KEK, High Energy Accelerator Research Organization, Tsukuba, Japan

⁷⁰ Graduate School of Science, Kobe University, Kobe, Japan

⁷¹ Faculty of Science, Kyoto University, Kyoto, Japan

72 Kyoto University of Education, Kyoto, Japan

⁷³ Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka, Japan

⁷⁴ Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina

⁷⁵ Physics Department, Lancaster University, Lancaster, United Kingdom

⁷⁶ (a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
 ⁷⁷ Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom

⁷⁸ Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana, Slovenia

⁷⁹ School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom

⁸⁰ Department of Physics, Royal Holloway University of London, Surrey, United Kingdom

⁸¹ Department of Physics and Astronomy, University College London, London, United Kingdom

82 Louisiana Tech University, Ruston LA, United States

⁸³ Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France

84 Fysiska institutionen, Lunds universitet, Lund, Sweden

⁸⁵ Departamento de Fisica Teorica C-15, Universidad Autonoma de Madrid, Madrid, Spain

⁸⁶ Institut für Physik, Universität Mainz, Mainz, Germany

⁸⁷ School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom

88 CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France

⁸⁹ Department of Physics, University of Massachusetts, Amherst MA, United States

⁹⁰ Department of Physics, McGill University, Montreal QC, Canada

⁹¹ School of Physics, University of Melbourne, Victoria, Australia

92 Department of Physics, The University of Michigan, Ann Arbor MI, United States

⁹³ Department of Physics and Astronomy, Michigan State University, East Lansing MI, United States

⁹⁴ ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano, Italy

⁹⁵ B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Belarus

⁹⁶ Research Institute for Nuclear Problems of Byelorussian State University, Minsk, Belarus

97 Group of Particle Physics, University of Montreal, Montreal QC, Canada

98 P.N. Lebedev Physical Institute of the Russian Academy of Sciences, Moscow, Russia

⁹⁹ Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia

¹⁰⁰ National Research Nuclear University MEPhI, Moscow, Russia

¹⁰¹ D.V. Skobeltsyn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow, Russia

¹⁰² Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany

¹⁰³ Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany

¹⁰⁴ Nagasaki Institute of Applied Science, Nagasaki, Japan

¹⁰⁵ Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan

¹⁰⁶ ^(a) INFN Sezione di Napoli: ^(b) Dipartimento di Fisica. Università di Napoli. Napoli. Italy

¹⁰⁷ Department of Physics and Astronomy, University of New Mexico, Albuquerque NM, United States

¹⁰⁸ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands

¹⁰⁹ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands

¹¹⁰ Department of Physics, Northern Illinois University, DeKalb IL, United States

¹¹¹ Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia

¹¹² Department of Physics, New York University, New York NY, United States

¹¹³ Ohio State University, Columbus OH, United States

¹¹⁴ Faculty of Science, Okayama University, Okayama, Japan

¹¹⁵ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK, United States

¹¹⁶ Department of Physics, Oklahoma State University, Stillwater OK, United States

¹¹⁷ Palacký University, RCPTM, Olomouc, Czech Republic

¹¹⁸ Center for High Energy Physics, University of Oregon, Eugene OR, United States

¹¹⁹ LAL, Univ. Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay, France

¹²⁰ Graduate School of Science, Osaka University, Osaka, Japan

¹²¹ Department of Physics, University of Oslo, Oslo, Norway

¹²² Department of Physics, Oxford University, Oxford, United Kingdom

¹²³ ^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia, Italy

¹²⁴ Department of Physics, University of Pennsylvania, Philadelphia PA, United States

125 National Research Centre "Kurchatov Institute" B.P. Konstantinov Petersburg Nuclear Physics Institute, St. Petersburg, Russia

¹²⁶ ^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy

¹²⁷ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA, United States

128 (a) Laboratório de Instrumentação e Física Experimental de Partículas – LIP, Lisboa; (b) Faculdade de Ciências, Universidade de Lisboa, Lisboa; (c) Department of Physics, University of Coimbra, Coimbra; (d) Centro de Física Nuclear da Universidade de Lisboa; (e) Departamento de Física, Universidade do Minho, Braga; (f) Departamento de Física Teorica y del Cosmos, Universidad de Granada, Granada; (g) Dep Fisica and CEFITEC of Faculdade de Ciencias e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal

¹²⁹ Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic

¹³⁰ Czech Technical University in Prague, Praha, Czech Republic

¹³¹ Charles University, Faculty of Mathematics and Physics, Prague, Czech Republic

¹³² State Research Center Institute for High Energy Physics (Protvino), NRC KI, Russia

¹³³ Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom

¹³⁴ ^(a) INFN Sezione di Roma; ^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy

¹³⁵ ^(a) INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy

¹³⁶ ^(a) INFN Sezione di Roma Tre; ^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy

137 (a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies – Université Hassan II, Casablanca; (b) Centre National de l'Energie des Sciences Techniques Nucleaires, Rabat; (c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; (d) Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; (e) Faculté des sciences, Université Mohammed V, Rabat, Morocco

138 DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique et aux Energies Alternatives), Gif-sur-Yvette, France ¹³⁹ Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA, United States

¹⁴⁰ Department of Physics, University of Washington, Seattle WA, United States

¹⁴¹ Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom

142 Department of Physics, Shinshu University, Nagano, Japan

¹⁴³ Department Physik, Universität Siegen, Siegen, Germany

¹⁴⁴ Department of Physics, Simon Fraser University, Burnaby BC, Canada

¹⁴⁵ SLAC National Accelerator Laboratory, Stanford CA, United States

146 (a) Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; (b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic

147 (a) Department of Physics, University of Cape Town, Cape Town; ^(b) Department of Physics, University of Johannesburg, Johannesburg; ^(c) School of Physics, University of the Witwatersrand, Johannesburg, South Africa

¹⁴⁸ ^(a) Department of Physics, Stockholm University; ^(b) The Oskar Klein Centre, Stockholm, Sweden

¹⁴⁹ Physics Department, Royal Institute of Technology, Stockholm, Sweden

¹⁵⁰ Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook NY, United States

¹⁵¹ Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom

¹⁵² School of Physics, University of Sydney, Sydney, Australia

¹⁵³ Institute of Physics, Academia Sinica, Taipei, Taiwan

¹⁵⁴ Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel

¹⁵⁵ Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel

¹⁵⁶ Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece

¹⁵⁷ International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan

¹⁵⁸ Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan

¹⁵⁹ Department of Physics, Tokyo Institute of Technology, Tokyo, Japan

¹⁶⁰ Tomsk State University, Tomsk, Russia

¹⁶¹ Department of Physics, University of Toronto, Toronto ON, Canada

¹⁶² ^(a) INFN-TIFPA; ^(b) University of Trento, Trento, Italy

¹⁶³ (a) TRIUMF, Vancouver BC; ^(b) Department of Physics and Astronomy, York University, Toronto ON, Canada

¹⁶⁴ Faculty of Pure and Applied Sciences, and Center for Integrated Research in Fundamental Science and Engineering, University of Tsukuba, Tsukuba, Japan

¹⁶⁵ Department of Physics and Astronomy, Tufts University, Medford MA, United States

¹⁶⁶ Department of Physics and Astronomy, University of California Irvine, Irvine CA, United States

167 (a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; (b) ICTP, Trieste; (c) Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy

¹⁶⁸ Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden

¹⁶⁹ Department of Physics, University of Illinois, Urbana IL, United States

¹⁷⁰ Instituto de Fisica Corpuscular (IFIC), Centro Mixto Universidad de Valencia – CSIC, Spain

¹⁷¹ Department of Physics, University of British Columbia, Vancouver BC, Canada

¹⁷² Department of Physics and Astronomy, University of Victoria, Victoria BC, Canada

¹⁷³ Department of Physics, University of Warwick, Coventry, United Kingdom

¹⁷⁴ Waseda University, Tokyo, Japan

¹⁷⁵ Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel

¹⁷⁶ Department of Physics, University of Wisconsin, Madison WI, United States

- ¹⁷⁷ Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany
- ¹⁷⁸ Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal, Germany
- ¹⁷⁹ Department of Physics, Yale University, New Haven CT, United States
- ¹⁸⁰ Yerevan Physics Institute, Yerevan, Armenia
- ¹⁸¹ Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France
- ¹⁸² Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan
- ^{*a*} Also at Department of Physics, King's College London, London, United Kingdom.
- Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.
- Also at Novosibirsk State University, Novosibirsk, Russia.
- d Also at TRIUMF, Vancouver BC, Canada.
- Also at Department of Physics & Astronomy, University of Louisville, Louisville, KY, United States.
- Also at Physics Department, An-Najah National University, Nablus, Palestine.
- Also at Department of Physics, California State University, Fresno CA, United States,
- Also at Department of Physics, University of Fribourg, Fribourg, Switzerland.
- Also at II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany.
- Also at Departament de Fisica de la Universitat Autonoma de Barcelona, Barcelona, Spain.
- Also at Departamento de Fisica e Astronomia, Faculdade de Ciencias, Universidade do Porto, Portugal,
- Also at Tomsk State University, Tomsk, and Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia.
- m Also at The Collaborative Innovation Center of Quantum Matter (CICOM), Beijing, China.
- Also at Universita di Napoli Parthenope, Napoli, Italy.
- Also at Institute of Particle Physics (IPP), Canada.
- Also at Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest, Romania.
- Also at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg, Russia.
- Also at Borough of Manhattan Community College, City University of New York, New York City, United States.
- Also at Department of Financial and Management Engineering, University of the Aegean, Chios, Greece.
- Also at Centre for High Performance Computing, CSIR Campus, Rosebank, Cape Town, South Africa.
- Also at Louisiana Tech University, Ruston LA, United States.
- Also at Institucio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain.
- Also at Department of Physics, The University of Michigan, Ann Arbor MI, United States.
- Also at Graduate School of Science, Osaka University, Osaka, Japan.
- Also at Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany.
- Also at Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands. aa
- Also at Department of Physics, The University of Texas at Austin, Austin TX, United States.
- ah Also at Institute of Theoretical Physics, Ilia State University, Tbilisi, Georgia.
- Also at CERN, Geneva, Switzerland.

Deceased

- ad Also at Georgian Technical University (GTU), Tbilisi, Georgia.
- ае Also at Ochadai Academic Production, Ochanomizu University, Tokyo, Japan.
- aj Also at Manhattan College, New York NY, United States.
- ag Also at The City College of New York, New York NY, United States.
- ah Also at Departamento de Fisica Teorica y del Cosmos, Universidad de Granada, Granada, Portugal.
- ai Also at Department of Physics, California State University, Sacramento CA, United States.
- ai Also at Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia.
- ak Also at Departement de Physique Nucleaire et Corpusculaire, Université de Genève, Geneva, Switzerland.
- Also at Institut de Física d'Altes Energies (IFAE), The Barcelona Institute of Science and Technology, Barcelona, Spain,
- Also at School of Physics, Sun Yat-sen University, Guangzhou, China.
- an Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia, Bulgaria.
- ao Also at Faculty of Physics, M.V. Lomonosov Moscow State University, Moscow, Russia.
- Also at National Research Nuclear University MEPhI Moscow Russia
- aq Also at Department of Physics, Stanford University, Stanford CA, United States.
- Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary.
- as Also at Giresun University, Faculty of Engineering, Turkey.
- Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France.
- Also at Department of Physics, Nanjing University, Jiangsu, China.
- av Also at Institute of Physics, Academia Sinica, Taipei, Taiwan.
- aw Also at University of Malaya, Department of Physics, Kuala Lumpur, Malaysia.
- ax Also at LAL, Univ. Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay, France.

337