

UC Merced

Proceedings of the Annual Meeting of the Cognitive Science Society

Title

Individual differences in implicit learning: Is Reber wrong?

Permalink

<https://escholarship.org/uc/item/9fn645ps>

Journal

Proceedings of the Annual Meeting of the Cognitive Science Society, 31(31)

ISSN

1069-7977

Author

Visser, Ingmar

Publication Date

2009

Peer reviewed

Individual differences in implicit learning: Is Reber wrong?

Ingmar Visser

University of Amsterdam

Abstract: Reber (1989) hypothesized that implicit learning is an evolutionarily old system. From this idea, Reber deduced a number of predictions: 1) IL should not vary with age or IQ, 2) IL should be robust in the face of interfering tasks and (certain) forms of neurological damage. Siegert et al (2006) used a meta-analysis to show that Parkinson's patients have important deficits in IL. In the current study we performed meta-analyses in three pools of IL studies: 1) studies with dual tasks, resulting in considerable differences between IL with and without dual tasks; 2) studies into age differences, indicating that there is no relationship between IL ability and age (although there was a trend towards a curvi-linear relationship); 3) studies into IL and IQ, indicating a correlation between IQ and implicit learning abilities. Hence three of four results are inconsistent with Reber's predictions.

Reber, A.S. (1989). Implicit learning and tacit knowledge. *Journal of experimental psychology: general*, 118 (3), 219-235.

Siegert, R.J., Taylor, K.D., Weatherall, M. & Abernethy, D. (2006). Is implicit sequence learning impaired in Parkinson's disease? A meta-analysis. *Neuropsychology*, 20 (4), 490-495.