

## **UC Irvine**

### **Western Journal of Emergency Medicine: Integrating Emergency Care with Population Health**

#### **Title**

Chilaiditi's Syndrome

#### **Permalink**

<https://escholarship.org/uc/item/9kj3z28v>

#### **Journal**

Western Journal of Emergency Medicine: Integrating Emergency Care with Population Health, 10(4)

#### **ISSN**

1936-900X

#### **Authors**

McNamara, Rosa F  
Cusack, Stephen  
Hallihan, Patrick

#### **Publication Date**

2009

#### **Copyright Information**

Copyright 2009 by the author(s). All rights reserved unless otherwise indicated. Contact the author(s) for any necessary permissions. Learn more at <https://escholarship.org/terms>

Peer reviewed

## Chilaiditi's Syndrome

Rosa F. McNamara, MCEM, MRCSEd(A&E), MRCPI\*  
Stephen Cusack, FCEM, FRCSEd(A&E)\*  
Patrick Hallihan, MRCS†


\* Cork University Hospital, Emergency Department, Wilton, Cork, Ireland  
† Cork University Hospital, Department of Surgery, Wilton, Cork, Ireland

Supervising Section Editor: Sean Henderson, MD

Submission history: Submitted September 29, 2009; Accepted October 8, 2009

Reprints available through open access at [http://escholarship.org/uc/uciem\\_westjem](http://escholarship.org/uc/uciem_westjem)

[WestJEM. 2009;10(4):250.]



**Figure.** Chest radiograph suggestive of a pneumoperitoneum, with an elevated right hemidiaphragm and subdiaphragmatic free air.

A 58-year-old man presented to the Emergency Department with a two-day history of vomiting, diarrhea and intermittent central abdominal pain. His background history was significant for peptic ulcer disease. On examination there was diffuse abdominal tenderness, and a fecal occult blood test was positive. A departmental chest radiograph had appearances suggestive of a pneumoperitoneum, with an elevated right hemidiaphragm and subdiaphragmatic free air. The patient was referred to

the surgical team for management of a suspected perforated duodenal ulcer.

Subsequent CT imaging of thorax and abdomen revealed hepato-diaphragmatic interposition of the transverse colon, as well as extensive colitis. He was managed conservatively and discharged home well after four days.

Chilaiditi's sign is the appearance of free air under the diaphragm caused by interposition of the transverse colon between the liver and diaphragm. It is usually asymptomatic and is an incidental finding. It is estimated to occur in 0.25% to 0.28% of the general population<sup>1</sup> and was first described by Demetrious Chilaiditi in 1910.<sup>2</sup> When the sign is observed in association with symptoms such as abdominal pain or vomiting it is termed Chilaiditi's syndrome. It is in this scenario that the radiographic findings may be mistaken for pneumoperitoneum, as occurred in this case.

---

*Address for Correspondence:* Rosa McNamara, MRCPI, MRCSEd(A&E), MCEM. Department of Emergency Medicine, Cork University Hospital, Wilton, Cork, Ireland. Email [rosa.mcnamara@hse.ie](mailto:rosa.mcnamara@hse.ie)

---

### REFERENCES

1. Risaliti A, DeAnna D, Terrosu G, et al. Chilaiditi's syndrome as a surgical and non surgical problem. *Surg Gynecol Obstet.* 1993;176:55-58.
2. Chilaiditi D. Zur Frage der Hapatoptose und Ptose in allgemeinen im Anschluss an drei Fälle von temporärer partieller Leberverlagerung. *Fortschritte auf dem Gebiete der Roentgenstrahlen.* 1910;11:173-208.