

UC Irvine

UC Irvine Previously Published Works

Title

Taxonomy of the order Bunyavirales: second update 2018

Permalink

<https://escholarship.org/uc/item/04p184mk>

Journal

Archives of Virology, 164(3)

ISSN

0304-8608

Authors

Maes, Piet
Adkins, Scott
Alkhovsky, Sergey V
et al.

Publication Date

2019-03-01

DOI

10.1007/s00705-018-04127-3

Peer reviewed



HHS Public Access

Author manuscript

Arch Virol. Author manuscript; available in PMC 2020 March 01.

Author Manuscript

Author Manuscript

Author Manuscript

Author Manuscript

Published in final edited form as:

Arch Virol. 2019 March ; 164(3): 927–941. doi:10.1007/s00705-018-04127-3.

TAXONOMY OF THE ORDER *BUNYAVIRALES*: SECOND UPDATE 2018

A full list of authors and affiliations appears at the end of the article.

Abstract

In October 2018, the order *Bunyavirales* was amended by inclusion of the family *Arenaviridae*, abolition of three families, creation of three new families, 19 new genera, and 14 new species, and renaming of three genera and 22 species. This article presents the updated taxonomy of the order *Bunyavirales* as now accepted by the International Committee on Taxonomy of Viruses (ICTV).

Keywords

Arenaviridae; arenavirid; arenavirus; bunyavirad; Bunyavirales; bunyavirid; Bunyaviridae; bunyavirus; emaravirus; Feraviridae; feravirid; feravirus; fimovirid; Fimoviridae; fimovirus; goukovirus; hantavirid; Hantaviridae; hantavirus; hartmanivirus; herbevirus; ICTV; International Committee on Taxonomy of Viruses; jonvirid; Jonviridae; jonvirus; mammarenavirus; nairovirid; Nairoviridae; nairovirus; orthobunyavirus; orthoferavirus; orthohantavirus; orthojonvirus; orthonairovirus; orthophasmavirus; orthotospovirus; peribunyavirid; Peribunyaviridae; peribunyavirus; phasmavirid; phasivirus; Phasmaviridae; phasmavirus; phenuivirid; Phenuiviridae; phenuivirus; phlebovirus; reptarenavirus; tenuivirus; tospovirid; Tospoviridae; tospovirus; virus classification; virus nomenclature; virus taxonomy

INTRODUCTION

The virus order *Bunyavirales* was established in 2017 to accommodate related viruses with segmented, linear, single-stranded, negative-sense or ambisense RNA genomes classified into 9 families [2]. Here we present the changes that were proposed via an official ICTV taxonomic proposal (TaxoProp 2017.012M.A.v1.Bunyavirales_rev) at <http://www.ictvonline.org/> in 2017 and were accepted by the ICTV Executive Committee (EC) in

kuhnjens@mail.nih.gov.

COMPLIANCE WITH ETHICAL STANDARDS

The views and conclusions contained in this document are those of the authors and should not be interpreted as necessarily representing the official policies, either expressed or implied, of the US Department of the Army, the US Department of Defense, the US Department of Health and Human Services, or of the institutions and companies affiliated with the authors. In no event shall any of these entities have any responsibility or liability for any use, misuse, inability to use, or reliance upon the information contained herein. The US departments do not endorse any products or commercial services mentioned in this publication.

Conflict of Interest

The authors declare no conflicts of interest.

Ethical approval

This article does not contain any studies with human participants or animals performed by any of the authors.

October 2018. These changes are now part of the official ICTV taxonomy as of October 2018.

TAXONOMIC CHANGES AT THE ORDER RANK

In October 2018, the order *Bunyavirales* was amended by inclusion of the previously unassigned family *Arenaviridae*. The families *Feraviridae*, *Jonviridae*, and *Tospoviridae* were dissolved and their genera (*Orthoferavirus*, *Orthojonvirus*, and *Orthotospovirus*) were renamed (*Feravirus*, *Jonvirus*, and *Tospovirus*, respectively) and moved into established families (*Feravirus*, *Jonvirus*→*Phasmaviridae* and *Tospovirus*→*Peribunyaviridae*). Three new families were created for novel invertebrate viruses: *Cruliviridae* for Wǔlǐng crustacean virus 9 (WICV-9), *Mypoviridae* for Húbì myriapoda virus 5 (HbMV-5), and *Wupedeviridae* for Wǔhàn millipede virus 2 (WhMV-2) [4].

TAXONOMIC CHANGES AT THE FAMILY RANK

Fimoviridae

In 2018, no changes were made at the family rank.

Hantaviridae

In October 2018, the family was expanded by the addition of three new genera (*Loanvirus*, *Mobatvirus*, and *Thottimvirus*) for the species *Longquan orthohantavirus*, *Laibin orthohantavirus*, *Nova orthohantavirus*, *Quezon orthohantavirus*, *Imjin orthohantavirus*, and *Thottapalayam orthohantavirus* (now renamed *Longquan loanvirus*, *Laibin mobatvirus*, *Nova mobatvirus*, *Quezon mobatvirus*, *Imjin thottimvirus*, *Thottapalayam thottimvirus*, respectively).

Nairoviridae

In October 2018, the family was expanded by the addition of two new genera, *Shaspirivirus* and *Striwavirus*, for Shàngyáng spider virus 1 (SySV-1) and Sìnxíá water strider virus 1 (SxWSV-1) discovered in invertebrates, respectively [1, 4].

Peribunyaviridae

In October 2018, the family was expanded by the addition of the new genus *Shangavirus* for the species *Shuangao insect herbevirus* (now renamed *Insect shangavirus*).

Phasmaviridae

In October 2018, the family was expanded by the addition of the new genus *Inshuvirus* for the species *Shuangao insect orthophasmavirus 2* (now renamed *Insect inshuvirus*) and the new genus *Wuhivirus* for Wǔhàn insect virus 2 (WhIV-2) discovered in invertebrates [1].

Phenuiviridae

In October 2018, the family was expanded by the addition of new genus *Banyangvirus* for the species *SFTS phlebovirus* (now renamed *Huaiyangshan banyangvirus*) and the new genera *Beidivirus*, *Horwuvirus*, *Hudivirus*, *Hudovirus*, *Mobuvirus*, *Pidchovirus*, and

Wubeivirus for Húb i diptera virus 3 (HbDV-3), Wúhàn horsefly virus (WhHV), Húb i diptera virus 4 (HbDV-4), Húb i lepidoptera virus 1 (HbLV-1), Mothra virus (MTHV), Pidgey virus (PGYV), and Húb i diptera virus 5 (HbDV-5)/Wúhàn fly virus 1 (WhFV-1) discovered in invertebrates, respectively [1, 3, 4].

SUMMARY

A summary of the current, ICTV-accepted taxonomy of the order *Bunyavirales* is presented in Table 1.

Authors

P Maes¹, S Adkins², SV Alkhovsky³, T Avši -Županc⁴, MJ Ballinger⁵, DA Bente⁶, M Beer⁷, É Bergeron⁸, CD Blair⁹, T Briese¹⁰, MJ Buchmeier¹¹, FJ Burt^{12,13}, CH Calisher⁹, RN Charrel¹⁴, IR Choi¹⁵, JCS Clegg¹⁶, JC de la Torre¹⁷, X de Lamballerie¹⁴, JL DeRisi^{18,19,20}, M Digiaro²¹, M Drebot²², H Ebihara²³, T Elbeaino²¹, K Ergünay²⁴, CF Fulhorst⁶, AR Garrison²⁵, GF G o²⁶, JJ Gonzalez²⁷, MH Groschup^{28,29}, S Günther³⁰, AL Haenni³¹, RA Hall³², R Hewson³³, HR Hughes³⁴, RK Jain³⁵, MG Jonson³⁶, S Junglen^{37,38}, B Klempa^{37,39}, J Klingström⁴⁰, R Kormelink⁴¹, AJ Lambert³⁴, SA Langevin⁴², IS Lukashevich⁴³, M Marklewitz^{37,38}, GP Martelli⁴⁴, N Mielke-Ehret⁴⁵, A Mirazimi⁴⁶, HP Mühlbach⁴⁵, R Naidu⁴⁷, MRT Nunes⁴⁸, G Palacios²⁵, A Papa⁴⁹, JT Paw ska^{50,51}, CJ Peters⁶, A Plyusnin⁵², SR Radoshitzky²⁵, RO Resende⁵³, V Romanowski⁵⁴, AA Sall⁵⁵, MS Salvato⁵⁶, T Sasaya⁵⁷, C Schmaljohn²⁵, X Shí⁵⁸, Y Shirako⁵⁹, P Simmonds⁶⁰, M Sironi⁶¹, JW Song⁶², JR Spengler⁸, MD Stenglein⁶³, RB Tesh⁶, M Turina⁶⁴, T Wèi⁶⁵, AE Whitfield⁶⁶, SD Yeh⁶⁷, FM Zerbini⁶⁸, YZ Zhang^{28,29}, X Zhou⁶⁹, and JH Kuhn⁷⁰

Affiliations

¹Zoonotic Infectious Diseases unit, Rega Institute, KU Leuven, Leuven, Belgium.

²United States Department of Agriculture, Agricultural Research Service, US Horticultural Research Laboratory, Fort Pierce, FL, USA. ³D. I. Ivanovsky Institute of Virology, N. F. Gamaleya Federal Research Center for Epidemiology and Microbiology, Ministry of Health of the Russian Federation, Moscow, Russia.

⁴University of Ljubljana, Ljubljana Faculty of Medicine, Ljubljana, Slovenia.

⁵Department of Biological Sciences, Mississippi State University, Mississippi State, MS, USA. ⁶University of Texas Medical Branch, Galveston, TX, USA. ⁷Institute of Diagnostic Virology, Friedrich-Loeffler-Institut, Greifswald-Insel Riems, Germany.

⁸Viral Special Pathogens Branch, Division of High-Consequence Pathogens and Pathology, Centers for Disease Control and Prevention, Atlanta, GA, USA.

⁹Department of Microbiology, Immunology & Pathology, Arthropod-borne and Infectious Diseases Laboratory, Colorado State University, Fort Collins, CO, USA.

¹⁰Department of Epidemiology, Mailman School of Public Health, Center for Infection and Immunity, Columbia University, New York, NY, USA. ¹¹Department of Molecular Biology and Biochemistry, University of California, Irvine, CA, USA.

¹²Division of Virology, National Health Laboratory Service, Bloemfontein, Republic of South Africa. ¹³Division of Virology, University of the Free State, Bloemfontein,

Author Manuscript Author Manuscript Author Manuscript Author Manuscript

Republic of South Africa. ¹⁴Unité des Virus Emergents (Aix-Marseille Univ-IRD 190-Inserm 1207-IHU Méditerranée Infection), Marseille, France. ¹⁵Plant Breeding Genetics and Biotechnology Division, International Rice Research Institute, Los Baños, Philippines. ¹⁶Les Mandinaux, Le Grand Madieu, France. ¹⁷Department of Immunology and Microbiology IMM-6, The Scripps Research Institute, La Jolla, CA, USA. ¹⁸Department of Medicine, University of California, San Francisco, CA, USA. ¹⁹Department of Biochemistry and Biophysics, University of California, San Francisco, CA, USA. ²⁰Department of Microbiology, University of California, San Francisco, CA, USA. ²¹Istituto Agronomico Mediterraneo di Bari, Valenzano, Italy. ²²Zoonotic Diseases and Special Pathogens, National Microbiology Laboratory, Public Health Agency of Canada, Winnipeg, MB, Canada. ²³Department of Molecular Medicine, Mayo Clinic, Rochester, MN, USA. ²⁴Virology Unit, Department of Medical Microbiology, Faculty of Medicine, Hacettepe University, Ankara, Turkey. ²⁵United States Army Medical Research Institute of Infectious Diseases, Fort Detrick, Frederick, MD, USA. ²⁶National Institute for Viral Disease Control and Prevention, Chinese Center for Disease Control and Prevention, Beijing, China. ²⁷Center of Excellence for Emerging and Zoonotic Animal Disease, Kansas State University, Manhattan, KS, USA. ²⁸National Institute for Communicable Disease Control and Prevention, Chinese Center for Disease Control and Prevention, Changping, Beijing, China. ²⁹Shanghai Public Health Clinical Center & Institutes of Biomedical Sciences, Fudan University, Shanghai, China. ³⁰Department of Virology, Bernhard-Nocht Institute for Tropical Medicine, WHO Collaborating Centre for Arboviruses and Hemorrhagic Fever Reference and Research, Hamburg, Germany. ³¹Institut Jacques Monod, CNRS-Université Paris-Diderot, Paris, France. ³²Australian Infectious Diseases Research Centre, School of Chemistry and Molecular Biosciences, The University of Queensland, Brisbane, Australia. ³³Public Health England, Porton Down, Wiltshire, Salisbury, UK. ³⁴Centers for Disease Control and Prevention, Fort Collins, CO, USA. ³⁵Division of Plant Pathology, Indian Agricultural Research Institute, New Delhi, India. ³⁶Department of Agricultural Biotechnology, Center for Fungal Pathogenesis, College of Agriculture and Life Sciences, Seoul National University, Seoul, Korea. ³⁷Institute of Virology, Charité-Universitätsmedizin Berlin, corporate member of Free University Berlin, Humboldt-University Berlin, and Berlin Institute of Health, Berlin, Germany. ³⁸German Centre for Infection Research, Berlin, Germany. ³⁹Biomedical Research Center, Slovak Academy of Sciences, Bratislava, Slovakia. ⁴⁰Department of Medicine Huddinge, Center for Infectious Medicine, Karolinska Institutet, Karolinska University Hospital, Stockholm, Sweden. ⁴¹Laboratory of Virology, Department of Plant Sciences, Wageningen University, Wageningen, The Netherlands. ⁴²Department of Microbiology, University of Washington, Washington, USA. ⁴³Department of Pharmacology and Toxicology, School of Medicine, and the Center for Predictive Medicine for Biodefense and Emerging Infectious Diseases, University of Louisville, Louisville, KY, USA. ⁴⁴Department of Plant, Soil and Food Sciences, University of Bari Aldo Moro, Bari, Italy. ⁴⁵Biocentre Klein Flottbek, University of Hamburg, Hamburg, Germany. ⁴⁶Folkhalsomyndigheten, Stockholm, Sweden. ⁴⁷Department of

Plant Pathology, Irrigated Agricultural Research and Extension Center, Washington State University, Prosser, WA, USA. ⁴⁸Evandro Chagas Institute, Ministry of Health, Rod BR 316, Ananindeua, Brazil. ⁴⁹Department of Microbiology, Medical School, National Reference Centre for Arboviruses and Haemorrhagic Fever Viruses, Aristotle University of Thessaloniki, Thessaloniki, Greece. ⁵⁰Centre for Emerging Zoonotic and Parasitic Diseases, National Institute for Communicable Diseases, National Health Laboratory Service, Sandringham, South Africa. ⁵¹Department of Medical Virology, Centre for Viral Zoonoses, Faculty of Health Sciences, University of Pretoria, Pretoria, South Africa. ⁵²Department of Virology, University of Helsinki, Medicum, Helsinki, Finland. ⁵³Departamento de Biología Celular, Universidade de Brasília, Brasília, DF, Brazil. ⁵⁴Instituto de Biotecnología y Biología Molecular, Centro Científico Tecnológico-La Plata, Consejo Nacional de Investigaciones Científicas y Técnicas-Universidad Nacional de La Plata, La Plata, Argentina. ⁵⁵Institut Pasteur de Dakar, Dakar, Senegal. ⁵⁶Institute of Human Virology, University of Maryland School of Medicine, Baltimore, MD, USA. ⁵⁷Department of Planning and Coordination, National Agriculture and Food Research Organization, Tsukuba, Japan. ⁵⁸MRC-University of Glasgow Centre for Virus Research, Glasgow, Scotland, UK. ⁵⁹Asian Center for Bioresources and Environmental Sciences, University of Tokyo, Tokyo, Japan. ⁶⁰Nuffield Department of Medicine, University of Oxford, Oxford, UK. ⁶¹Bioinformatics Scientific Institute IRCCS E. MEDEA, Bosisio Parini, Italy. ⁶²Department of Microbiology, College of Medicine, Korea University, Seoul, Republic of Korea. ⁶³Department of Microbiology, Immunology and Pathology, Colorado State University, Fort Collins, CO, USA. ⁶⁴Institute for Sustainable Plant Protection, CNR, Torino, Italy. ⁶⁵Fujian Province Key Laboratory of Plant Virology, Institute of Plant Virology, Fujian Agriculture and Forestry University, Fuzhou, Fujian, China. ⁶⁶Department of Entomology and Plant Pathology, North Carolina State University, Raleigh, NC, USA. ⁶⁷Department of Plant Pathology, National Chung Hsing University, Taichung, Taiwan. ⁶⁸Departamento de Fitopatología/BIOAGRO, Universidade Federal de Viçosa, Viçosa, MG, Brazil. ⁶⁹State Key Laboratory for Biology of Plant Diseases and Insect Pests, Institute of Plant Protection, Chinese Academy of Agricultural Sciences, Beijing, China. ⁷⁰Integrated Research Facility at Fort Detrick (IRF-Frederick), Division of Clinical Research (DCR), National Institute of Allergy and Infectious Diseases (NIAID), National Institutes of Health (NIH), B-8200 Research Plaza, Fort Detrick, Frederick, MD, 21702, USA.

ACKNOWLEDGMENTS

We thank Laura Bollinger (NIH/NIAID Integrated Research Facility at Fort Detrick, Frederick, MD, USA) for critically editing the manuscript.

Funding

This work was supported in part through Battelle Memorial Institute's prime contract with the US National Institute of Allergy and Infectious Diseases (NIAID) under Contract No. HHSN272200700016I (J.H.K.). This work was also funded in part by National Institutes of Health (NIH) contract HHSN272201000040I/HHSN27200004/D04 and grant R24AI120942 (R.B.T.).

REFERENCES

1. Li C-X, Shi M, Tian J-H, Lin X-D, Kang Y-J, Chen L-J, Qin X-C, Xu J, Holmes EC, Zhang Y-Z (2015) Unprecedented genomic diversity of RNA viruses in arthropods reveals the ancestry of negative-sense RNA viruses. *Elife* 4:e05378
2. Maes P, Alkhovsky SV, Bao Y, Beer M, Birkhead M, Briese T, Buchmeier MJ, Calisher CH, Charrel RN, Choi IR, Clegg CS, Torre JCdl, Delwart E, DeRisi JL, Bello PLD, Serio FD, Digiaro M, Dolja VV, Drosten C, Druciarek TZ, Du J, Ebihara H, Elbeaino T, Gergerich RC, Gillis AN, Gonzalez J-PJ, Haenni A-L, Hepojoki J, Hetzel U, Ho T, Hong N, Jain RK, Vuren PJv, Jin Q, Jonson MG, Junglen S, Keller KE, Kemp A, Kipar A, Kondov NO, Koonin EV, Kormelink R, Korzyukov Y, Krupovic M, Lambert AJ, Laney AG, LeBreton M, Lukashevic IS, Marklewitz M, Markotter W, Martelli GP, Martin RR, Mielke-Ehret N, Mühlbach H-P, Navarro B, Ng TFF, Nunes MRT, Palacios G, Paw ska JT, Peters CJ, Plyusnin A, Radoshitzky SR, Romanowski V, Salmenperä P, Salvato MS, Sanfaçon H, Sasaya T, Schmaljohn C, Schneider BS, Shirako Y, Siddell S, Sironen TA, Stenglein MD, Storm N, Sudini H, Tesh RB, Tzanetakis IE, Uppala M, Vapalahti O, Vasilakis N, Walker PJ, Wang G, Wang L, Wang Y, Wei T, Wiley MR, Wolf YI, Wolfe ND, Wu Z, Xu W, Yang L, Yang Z, Yeh S-D, Zheng Y-Z, Zhèng Y, Zhou X, Zheng C, Zirkel F, Kuhn JH (2018) Taxonomy of the family Arenaviridae and the order Bunyavirales: update 2018. *Arch Virol* 163:2295–2310 [PubMed: 29680923]
3. Makhsous N, Shean RC, Droppers D, Guan J, Jerome KR, Greninger AL (2017) Genome sequences of three novel bunyaviruses, two novel rhabdoviruses, and one novel nyamivirus from Washington State moths. *Genome Announc* 5:e01668–01616 [PubMed: 28209840]
4. Shi M, Lin X-D, Tian J-H, Chen L-J, Chen X, Li C-X, Qin X-C, Li J, Cao J-P, Eden J-S, Buchmann J, Wang W, Xu J, Holmes EC, Zhang Y-Z (2016) Redefining the invertebrate RNA virosphere. *Nature* 540:539–543 [PubMed: 27880757]

Table 1.**ICTV-accepted taxonomy of the order Bunyavirales as of October 2018.**

Listed are all bunyaviruses that are classified into species.

Genus	Species [#]	Virus (Abbreviation) [¶]
Family Arenaviridae		
<i>Hartmanivirus</i>	<i>Hartmann hartmanavirus</i> *	Haartman Institute snake virus 1 (HISV-1)
Mammarenavirus	<i>Alphahayo mammarenavirus</i>	Alphahayo virus (ALLY)
	<i>Argentinian mammarenavirus</i>	Junín virus (JUNV)
	<i>Bear Canyon mammarenavirus</i>	Bear Canyon virus (BCNV)
	<i>Brazilian mammarenavirus</i>	Sabíá virus (SBAV)
	<i>Chapare mammarenavirus</i>	Chapare virus (CHAPV)
	<i>Cupixi mammarenavirus</i>	Cupixi virus (CUPXV)
	<i>Flexal mammarenavirus</i>	Flexal virus (FLEV)
	<i>Gaïro mammarenavirus</i>	Gaïro virus (GAIV)
	<i>Guanarito mammarenavirus</i>	Guanarito virus (GTOV)
	<i>Ippy mammarenavirus</i>	Ippy virus (IPPYV)
	<i>Lassa mammarenavirus</i>	Lassa virus (LASV)
	<i>Latino mammarenavirus</i>	Latino virus (LATV)
	<i>Loei River mammarenavirus</i>	Loei River virus (LORV)
	<i>Lujo mammarenavirus</i>	Lujo virus (LUJV)
	<i>Luna mammarenavirus</i>	Luna virus (LUAV)
		Luli virus (LULV)
	<i>Lunk mammarenavirus</i>	Lunk virus (LNKV)
	<i>Lymphocytic choriomeningitis mammarenavirus</i> *	Dandenong virus (DANY)
	<i>Machupo mammarenavirus</i>	Machupo virus (MACV)
	<i>Maricental mammarenavirus</i>	Maridental virus (MRLY)
	<i>Merino Walk mammarenavirus</i>	Merino Walk virus (MRWWV)
	<i>Mobala mammarenavirus</i>	mobala virus (MOBV)

Genus	Species	Virus (Abbreviation)
	<i>Mopeia mammarenavirus</i>	Mopeia virus (MPOV)
	<i>Okahandja mammarenavirus</i>	Morogoro virus (MORY)
	<i>Oliveros mammarenavirus</i>	Okahandja virus (OKAV)
	<i>Paragnayan mammarenavirus</i>	Oliveros virus (OLVV)
	<i>Cali mammarenavirus</i>	Paraná virus (PRAV)
	<i>Pirital mammarenavirus</i>	Pichindé virus (PICHV)
	<i>Ryukyu mammarenavirus</i>	Pirital virus (PIRV)
	<i>Serra do Navio mammarenavirus</i>	Ryukyu virus (RYKV)
	<i>Solwezi mammarenavirus</i>	Amapári virus (AMAV)
	<i>Souris mammarenavirus</i>	Solwezi virus (SOLV)
	<i>Tacaribe mammarenavirus</i>	souris virus (SOUV)
	<i>Tamiami mammarenavirus</i>	Tacaribe virus (TCRV)
	<i>Wenzhou mammarenavirus</i>	Tamiami virus (TMMV)
	<i>Whitelwater-Arroyo mammarenavirus</i>	Wenzhou virus (WENV) ¹
		Big Brushy Tank virus (BBRTV)
		Catarina virus (CTNV)
		Skinner Tank virus (SKTV)
		Tonto Creek virus (TTCV)
		Whitelwater-Arroyo virus (WWAV)
	<i>Reptarenavirus</i>	CAS virus (CASV)
	<i>Giessen reptarenavirus</i>	University of Giessen virus 1 (UGV-1)
		University of Giessen virus 2 (UGV-2)
		University of Giessen virus 3 (UGV-3)
	<i>Golden reptarenavirus*</i>	Golden Gate virus (GOGV)
	<i>Ordinary reptarenavirus</i>	tavallinen suomalainen mies virus 2 (TSMV-2)
	<i>Rotterdam reptarenavirus</i>	ROUT virus (ROUTV)
		University of Helsinki virus 1 (UHV-1)
		Family Crutiviridae

Genus	Species [¶]	Virus (Abbreviation) [¶]
<i>Linctuvirus</i>	<i>Crustacean linnetvirus</i> *	Wning crustacean virus 9 (WICV-9)
Family Fimoviridae		
<i>Emaravirus</i>	<i>Actinidia chlorotic ringspot-associated emaravirus</i>	Actinidia chlorotic ringspot-associated virus (AcCrAV)
	<i>European mountain ash ringspot-associated emaravirus</i> *	European mountain ash ringspot-associated virus (EMARaV)
	<i>Fig mosaic emaravirus</i>	fig mosaic virus (FMV)
	<i>High Plains wheat mosaic emaravirus</i>	High Plains wheat mosaic virus (HPWMoV)
	<i>Pigeonpea sterility mosaic emaravirus 1</i>	pigeonpea sterility mosaic virus (PPSMV) ²
	<i>Pigeonpea sterility mosaic emaravirus 2</i>	pigeonpea sterility mosaic virus 2 (PPSMV-2)
	<i>Raspberry leaf blotch emaravirus</i>	raspberry leaf blotch virus (RLBV)
	<i>Redbud yellow ringspot-associated emaravirus</i>	redbud yellow ringspot-associated virus (RYRaV)
	<i>Rose rosette emaravirus</i>	rose rosette virus (RRV)
Family Hantaviridae		
<i>Orthohantavirus</i>	<i>Angga orthohantavirus</i>	Angga virus (MGAV) ²
	<i>Andes orthohantavirus</i>	Andes virus (ANDV)
		Castelo dos Sonhos virus (CASV)
		Lechiguana virus (LECV = LECHV)
		Orán virus (ORNV)
	<i>Asama orthohantavirus</i>	Asama virus (ASAV)
	<i>Asikkala orthohantavirus</i>	Asikkala virus (ASIV)
	<i>Bayou orthohantavirus</i>	bayou virus (BAYV)
		Catacamas virus (CATV)
	<i>Black Creek Canal orthohantavirus</i>	Black Creek Canal virus (BCCV)
	<i>Bowe orthohantavirus</i>	Bowé virus (BOWV)
	<i>Bruges orthohantavirus</i>	Bruges virus (BRGV)
	<i>Cano Delgadillo orthohantavirus</i>	Caño Delgadillo virus (CADV)
	<i>Cao Bang orthohantavirus</i>	Cao Bằng virus (CBNV)
		Liánghé virus (LHEV)
	<i>Chocho orthohantavirus</i>	Chocho virus (CHOV)

Genus	Species	Virus (Abbreviation)
	<i>Dabieshan orthohantavirus</i>	Dabiésh n virus (DBSV)
	<i>Dobrava-Belgrade orthohantavirus</i>	Dobrava virus (DOBV)
	<i>Kurtkino virus</i> (KURV)	
	<i>Saaremaa virus</i> (SAAV)	
	<i>Sochi virus</i> (SOCV)	
	<i>El Moro Canyon orthohantavirus</i>	Carrizal virus (CARV)
		El Moro Canyon virus (ELMCV)
	<i>Huitzilac virus</i> (HUV)	
	<i>Fugong orthohantavirus</i>	Fúgōng virus (FUGV)
	<i>Fusong orthohantavirus</i>	Fús ng virus (FUSV)
	<i>Hantaan orthohantavirus</i> *	Amur virus (AMRV)
		Hantaan virus (HTNV)
		Soochong virus (SOOV)
	<i>Jeju orthohantavirus</i>	Jeju virus (JUUV)
	<i>Kenkenne orthohantavirus</i>	Kenkenne virus (KKMV)
	<i>Khabarovsky orthohantavirus</i>	Khabarovsk virus (KHAV)
		Topografov virus (TOPV)
	<i>Laguna Negra orthohantavirus</i>	Laguna Negra virus (LANV)
		Marija virus (MARV)
		Río Mamoré virus (RIMOV)
	<i>Luxi orthohantavirus</i>	Lúx virus (LUXV)
	<i>Maporal orthohantavirus</i>	Maporal virus (MAPV)
	<i>Montano orthohantavirus</i>	Montaño virus (MTNV)
	<i>Necocli orthohantavirus</i>	Necocli virus (NECV)
	<i>Oxbow orthohantavirus</i>	Oxbow virus (OXBV)
	<i>Prospect Hill orthohantavirus</i>	Prospect Hill virus (PHV)
	<i>Puunala orthohantavirus</i>	Hokkaido virus (HOKV)
		Muju virus (MUJV)
		Puumala virus (PLUV)

Genus	Species [#]	Virus (Abbreviation) [#]
	<i>Rockport orthohantavirus</i>	Rockport virus (RKPV)
	<i>Sangassou orthohantavirus</i>	Sangassou virus (SANGV)
	<i>Seoul orthohantavirus</i>	g u virus (GOUV)
		Seoul virus (SEOV)
	<i>Sin Nombre orthohantavirus</i>	New York virus (NYV) ³
		Sin Nombre virus (SNV)
	<i>Thailand orthohantavirus</i>	Anjozorobe virus (ANJZV)
		Serang virus (SERV) ⁴
	<i>Tula orthohantavirus</i>	Thailand virus (THAIV)
		Adler virus (ADLV)
		Tula virus (TULV)
	<i>Yakeshi orthohantavirus</i>	Yákeshi virus (YKSV)
	<i>Loanvirus</i>	Lóngquán virus (LQUV)
	<i>Longquan loanvirus</i> *	
	<i>Mobavivirus</i>	Láib n virus (LAIV)
		Nova virus (NVAV)
	<i>Nova mobavivirus</i> *	
	<i>Quezon mobavivirus</i>	Quezon virus (QZNV)
	<i>Thottivirus</i>	Imjin virus (MINV)
	<i>Thottapalayam thottivirus</i> *	Thottapalayam virus (TPMV)
Family Myoporiidae		
<i>Hubavirus</i>	<i>Myriapod hubavirus</i> *	Hub i myriapoda virus 5 (HbMV-5)
Family Nairoviridae		
<i>Orthonairovirus</i>	<i>Arashat orthonairovirus</i>	Arashat virus (ARTSV)
	<i>Chim orthonairovirus</i>	Chim virus (CHMV)
	<i>Crimean-Congo hemorrhagic fever orthonairovirus</i>	Crimean-Congo hemorrhagic fever virus (CCHFV)
	<i>Dera Ghazi Khan orthonairovirus</i>	Abu Hammad virus (AHV) ⁵
		Abu Mina virus (AMV)
		Dera Ghazi Khan virus (DGKV)

Genus	Species [¶]	Virus (Abbreviation) [¶]
	Sapphire II virus (SAPV)	
	Dugbe orthornairovirus *	Dugbe virus (DUGV)
		kupe virus (KUPEV)
	Hazara orthornairovirus	Hazara virus (HAZV)
		Tofla virus (TFLV)
	Hughes orthornairovirus	Caspiv virus (CASY)
		Farallon virus (FARV)
		Great Saltee virus (GRSV)
		Hughes virus (HUGV)
		Punta Salinas virus (PSV)
		Raza virus (RAZAV)
		Soldado virus (SOLV)
		Zirqa virus (ZIRV)
	Kasokero orthornairovirus	Kasokero virus (KASV = KASOV)
		Leopards Hill virus (LPHV)
		Yogue virus (YOGV)
	Keterah orthornairovirus	Gossas virus (GOSV)
		Issyk-kul virus (ISKV)
		Keterah virus (KTRV) ⁶
		Uzun-Agach virus (UZAV)
	Nairobi sheep disease orthornairovirus	Nairobi sheep disease virus (NSDV) ⁷
	Qalyub orthornairovirus	Bandia virus (BDAY)
		Geran virus (GERV)
		Qalyub virus (QYBV)
	Sakhalin orthornairovirus	Avalon virus (AVAV)
		Clo Mor virus (CMV = CLMV)
		Sakhalin virus (SAKV)
		Taggart virus (TAGV)

Genus	Species	Virus (Abbreviation)
	<i>Tillamook virus</i> (TILV)	
	<i>Tamdy orthonaivirus</i>	Burana virus (BURY)
		Huángpí tick virus 1 (HpTV-1)
		Tamdy virus (TAMV)
		Tāchéng tick virus 1 (TcTV-1)
		Wenzhou tick virus (WzTV)
	<i>Thiafora orthonaivirus</i>	Erve virus (ERVEV)
		Thiafora virus (TFAV)
<i>Shaspinivirus</i>	<i>Spider shaspinivirus</i> *	Shyáng spider virus 1 (SySV-1)
<i>Strivavirus</i>	<i>Strider strivavirus</i> *	Sinxia water strider virus (SxWSV-1)
Family Peribunyaviridae		
<i>Herbivirus</i>	<i>Herbert herbivirus</i> *	Herbert virus (HEBV)
	<i>Kibale herbivirus</i>	Kibale virus (KIBV)
	<i>Tai herbivirus</i>	Tai virus (TAIV)
<i>Orthobunyavirus</i>	<i>Acaro orthobunyavirus</i>	Acaro virus (ACAV)
		Moriche virus (MORV)
	<i>Akabane orthobunyavirus</i>	Akabane virus (AKAV)
		Sabo virus (SABOV)
		Tinaroo virus (TINV)
		Yaba-7 virus (Y7V)
	<i>Alajuela orthobunyavirus</i>	Alajuela virus (ALJV)
		Brus Laguna virus (BLAV)
		San Juan virus (SJV)
	<i>Anopheles A orthobunyavirus</i>	Anopheles A virus (ANAV)
		Arumateua virus (ARTV = ARMTV)
		Carapé virus (CPEV = CRPV)
		Las Maloyas virus (LMV)
		Lukuni virus (LUKV)

Genus	Species [#]	Virus (Abbreviation)
	Trombetas virus (TRMV)	
	Tucunui virus (TUCV = TUCRV)	
<i>Anopheles B orthobunyavirus</i>	Anopheles B virus (ANBV)	
	Boracéia virus (BORV)	
<i>Bakau orthobunyavirus</i>	Bakau virus (BAKV)	
	Ketapang virus (KETV)	
	Nola virus (NOLAV)	
	Tanjong Rabok virus (TRV)	
	Telok Forest virus (TFV)	
<i>Batama orthobunyavirus</i>	Batama virus (BMAV)	
<i>Benevides orthobunyavirus</i>	Benevides virus (BVSV = BENV)	
<i>Bertioga orthobunyavirus</i>	Bertioga virus (BERV)	
	Cananéia virus (CNAV)	
	Guaratuba virus (GTBV)	
	Iúmirim virus (ITLV)	
	Mirim virus (MIRV)	
<i>Biniti orthobunyavirus</i>	biniti virus (BIMV)	
<i>Botambi orthobunyavirus</i>	Botambi virus (BOTV)	
<i>Bunyaawera orthobunyavirus</i> [*]	Anadyr virus (ANADV)	
	Batai virus (BATV) ⁸	
	Birao virus (BIRV)	
	Bozo virus (BOZOV)	
	Bunyaewral virus (BUNV)	
	Cache Valley virus (CVV)	
	Fort Sherman virus (FSV)	
	Gerniston virus (GERV)	
	Ilesha virus (ILEV)	
	Lókem virus (LOKV)	

Genus	Species	Virus (Abbreviation)
	Maguari virus (MAGV)	
	Mboké virus (MBOV)	
	Ngari virus (NRIV) ⁹	
	Northway virus (NORV)	
	Playas virus (PLAV)	
	Potosí virus (POTV)	
	Santa Rosa virus (SARV)	
	Shokwe virus (SHOV)	
	Stanfield virus (STAV)	
	Tensaw virus (TENV)	
	Tacotalpan virus (TLAV)	
	Xingu virus (XINV)	
<i>Bushbush orthobunyavirus</i>	Benica virus (BENV = BNFV)	
	Bushbush virus (BSBV)	
	Juan Diaz virus (JDV)	
<i>Bwamba orthobunyavirus</i>	Bwamba virus (BWAV)	
	Pongola virus (PGAV)	
<i>California encephalitis orthobunyavirus</i>	Achote virus (ACHOV)	
	California encephalitis virus (CEV)	
	infirmatus virus (INFV)	
	Inkoo virus (INKV)	
	Jamestown Canyon virus (JCV)	
	Jerry Slough virus (JSV)	
	Keystone virus (KEYV)	
	Khatanga virus (KHATV) ¹⁰	
	La Crosse virus (LACV)	
	Lumbo virus (LUMV)	
	Melao virus (MELV)	

Genus	Species	Virus (Abbreviation)
	Morro Bay virus (MBV)	
	San Angelo virus (SAV)	
	Serra do Navio virus (SDNV)	
	snowshoe hare virus (SSHV)	
	South River virus (SORV)	
	ahy a virus (TAHV)	
	trivittatus virus (TVTV)	
<i>Capim orthobunyavirus</i>	Capim virus (CAPV)	
<i>Carapatu orthobunyavirus</i>	Apéú virus (APEUV)	
	Bruconha virus (BRUV)	
	Carapatu virus (CARV)	
	El Huayo virus (EHUV)	
	Iaya virus (ITYV)	
	Ossa virus (OSSAV)	
	Vinces virus (VINV)	
<i>Catú orthobunyavirus</i>	Catú virus (CATUV)	
<i>Ester Real orthobunyavirus</i>	Ester Real virus (ERV)	
<i>Gamboa orthobunyavirus</i>	Calheadú virus (CQIV)	
	Gamboa virus (GAMV)	
	Pueblo Viejo virus (PVV)	
	Soberania virus (SOBV)	
<i>Guajara orthobunyavirus</i>	Guajará virus (GJAV)	
<i>Guanna orthobunyavirus</i>	Ananindeua virus (ANUV)	
	Guamá virus (GMAV)	
	Mahogany Hammock virus (MHV)	
	Moju virus (MOJUV)	
<i>Guaroa orthobunyavirus</i>	Guaroa virus (GROV)	
<i>Kaeng Khoi orthobunyavirus</i>	Kaeng Khoi virus (KKV)	
<i>Kaiui orthobunyavirus</i>	Kaiui virus (KRIV)	

Genus	Species	Virus (Abbreviation)
	<i>Koongol orthobunyavirus</i>	koongol virus (KOOV)
		wongal virus (WONV)
	<i>Madrid orthobunyavirus</i>	Madrid virus (MADV)
	<i>Main Drain orthobunyavirus</i>	Main Drain virus (MDV)
	<i>Manzanilla orthobunyavirus</i>	Buttonwillow virus (BUTV)
		Cát Que virus (CQV)
		Ingwavuma virus (INGV)
		Inini virus (INIV)
		Manzanilla virus (MANV)
		Mermet virus (MERV)
	<i>Mariutuba orthobunyavirus</i>	Gumbo Limbo virus (GLV)
		Marituba virus (MTBV)
		Murutucí virus (MURV)
		Nepuyo virus (NEPV)
		Restan virus (RESV)
		Zungarococha virus (ZUNV)
	<i>Minatitlán orthobunyavirus</i>	Minatitlán virus (MNTV)
		Palestina virus (PLSV)
	<i>MPoko orthobunyavirus</i>	MPoko virus (MPOV)
		Yaba-1 virus (Y1V)
		Nyando virus (NDV)
		Eretmapodites virus (ERETV)
	<i>Olfifantsvlei orthobunyavirus</i>	Bobia virus (BIAV)
		Dabakala virus (DABV)
		Olifantsvlei virus (OLIV)
		Oubi virus (OUBIV)
		Itaqui virus (ITQV)
	<i>Oriboca orthobunyavirus</i>	Oriboca virus (ORIV)
		Facey's paddock virus (FPV)
	<i>Oropouche orthobunyavirus</i>	

Genus	Species	Virus (Abbreviation)
	Iquitos virus (IQTV) ^d	
	Madre de Dios virus (MDDV)	
	Oropouche virus (OROV)	
	Perdões virus (PDEV)	
	Pintupo virus (PINTV)	
	Utinga virus (UTIV)	
	Ulivé virus (UVV = UTVEV)	
<i>Patois orthobunyavirus</i>	Abras virus (ABRV)	
	Babahoya virus (BABV)	
	Pahayokee virus (PAHV)	
	Patois virus (PATV)	
	Shark River virus (SRV)	
<i>Sathuperi orthobunyavirus</i>	Douglas virus (DOUV)	
	Sathuperi virus (SATV)	
<i>Shamonda orthobunyavirus</i>	Peaton virus (PEAV)	
	Sango virus (SANV)	
	Shamonda virus (SHAV)	
<i>Shumi orthobunyavirus</i>	Aino virus (AINOV)	
	Kaikulur virus (KAIV)	
	Shuni virus (SHUV)	
<i>Simbu orthobunyavirus</i>	Oya virus (OYAV)	
	Simbu virus (SIMV)	
<i>Tacaiuma orthobunyavirus</i>	CoAr 1071 virus (CA1071V)	
	CoAr 3627 virus (CA3626V)	
	Tacaiuma virus (TCMV)	
	Virgin River virus (VRV)	
<i>Tete orthobunyavirus</i>	Bahig virus (BAHV)	
	Matruh virus (MTRV)	
	Tele virus (TETEV)	

Genus	Species	Virus (Abbreviation)
		Tsuruse virus (TSUV)
		Weldona virus (WELV)
	<i>Thimiri orthobunyavirus</i>	Thimiri virus (THIV)
	<i>Timboletia orthobunyavirus</i>	Timboletia virus (TBTIV)
	<i>Turlock orthobunyavirus</i>	Lednice virus (LEDV)
		Turlock virus (TURV)
		Umbre virus (UMBV)
	<i>Wolkberg orthobunyavirus</i>	Wolkberg virus (WBV)
	<i>Wyeomyia orthobunyavirus</i>	Anhembi virus (AMBV)
		BeAr 328208 virus (BAV)
		Cachoeira Porteira virus (CPOV)
		Iaco virus (IACOV)
		Macauá virus (MCAV)
		Rio Pracupi virus
		Sororoca virus (SORV)
		Taiassui virus (TAIAV)
		Tucunduba virus (TUCV)
		Wyeomyia virus (WYOV)
	<i>Zegla orthobunyavirus</i>	Zegla virus (ZEGV)
	<i>Insect shangavivirus</i>	Shu ngão insect virus 1 (SgIV-1)
<i>Tospovirus</i>	<i>Groundnut bud necrosis tospovirus</i>	groundnut bud necrosis virus (GBNV) ¹¹
	<i>Groundnut ringspot tospovirus</i>	groundnut ringspot virus (GRSV)
	<i>Groundnut yellow spot tospovirus</i>	groundnut yellow spot virus (GYSV) ¹²
	<i>Impatiens necrotic spot tospovirus</i>	impatiens necrotic spot virus (INSV)
	<i>Iris yellow spot tospovirus</i>	iris yellow spot virus (IYSV)
	<i>Polygonum ringspot tospovirus</i>	Polygonum ringspot virus (PolRSV)
	<i>Tomato chlorotic spot tospovirus</i>	tomato chlorotic spot virus (TCSV)
	<i>Tomato spotted wilt tospovirus</i> [*]	tomato spotted wilt virus (TSWV)

Genus	Species [#]	Virus (Abbreviation) [#]
	<i>Watermelon bud necrosis tospovirus</i>	watermelon bud necrosis virus (WBNV)
	<i>Watermelon silver mottle tospovirus</i>	watermelon silver mottle virus (WSMoV)
	<i>Zucchini lethal chlorosis tospovirus</i>	zucchini lethal chlorosis virus (ZLCV)
Family Phasmaviridae		
<i>Feravirus</i>	<i>Ferak feravirus*</i>	Ferak virus (FERV)
<i>Inshivirus</i>	<i>Insect inshivirus*</i>	Shu ngão insect virus 2 (SgIV-2)
<i>Jonivirus</i>	<i>Jonchet jonvirus*</i>	jonchet virus (JONV)
<i>Orthophasmavirus</i>	<i>Kigluaiik phantom orthophasmavirus*</i>	Kigluaiik phantom virus (KIGV)
	<i>Name phantom orthophasmavirus</i>	Name phantom virus (NOMV)
	<i>Wuchang cockroach orthophasmavirus 1</i>	Wúcháng ng cockroach virus 1 (WcCV-1)
	<i>Wuhan mosquito orthophasmavirus 1</i>	Wūhàn mosquito virus 1 (WhMV-1)
	<i>Wuhan mosquito orthophasmavirus 2</i>	Wūhàn mosquito virus 2 (WhMV-2)
<i>Wuhivirus</i>	<i>Insect wuhivirus*</i>	Wūhàn insect virus 2 (WhIV-2)
Family Phenuiviridae		
<i>Banyangvirus</i>	<i>Huaiyangshan banyangvirus*</i>	severe fever with thrombocytopenia syndrome virus (SFTSV)
<i>Beidivirus</i>	<i>Dipteran beidivirus*</i>	Hub i diptera virus 3 (HbDV-3)
<i>Goukovirus</i>	<i>Cumuto goukovirus</i>	Cumuto virus (CUMV)
	<i>Gouleako goukovirus*</i>	Gouléako virus (GOLV)
	<i>Yichang insect goukovirus</i>	Yícháng ng insect virus (YcIV)
<i>Horwivirus</i>	<i>Horsefly horwanirus*</i>	Wūhàn horsefly virus (WhHV)
<i>Hudivirus</i>	<i>Dipteran hudivirus*</i>	Hub i diptera virus 4 (HbDV-4)
<i>Hudovirus</i>	<i>Lepidopteran hudovirus*</i>	Hub i lepidoptera virus 1 (HbLV-1)
<i>Mobivirus</i>	<i>Mothra mobavirus*</i>	Mothra virus (MTHV)
<i>Phasivirus</i>	<i>Budu phasivirus*</i>	Budu virus (BADUV)
	<i>Phasi Chaeron-like phasivirus</i>	Phasi Chaeron-like virus (PCLV)
	<i>Wuhan fly phasivirus[#]</i>	

Genus	Species	Virus (Abbreviation)
	<i>Witai mosquito phasivirus</i>	Witái mosquito virus (WiMV)
<i>Phlebovirus</i>	<i>Bijuáu phlebovirus</i>	Bijuáu virus (BUJV)
	<i>Candirú phlebovirus</i>	Munguba virus (MUNV)
		Aleijuer virus (ALEV)
		Aríquemes virus (ARQV)
		Candirú virus (CDUV)
		Iaituba virus (ITAV)
		Jacundá virus (JCNV)
		Maldonado virus (MLOV)
		Morumbi virus (MR(MBV))
		Mucura virus (MCRV/MRAV)
		Nique virus (NIQV)
		Oriximiná virus (ORXV)
		Serra Norte virus (SRNV)
		Turuna virus (TUAV)
	<i>Chilibe phlebovirus</i>	Cacao virus (CACV)
	<i>Frijoles phlebovirus</i>	Chilibe virus (CHIV)
		frijoles virus (FRIV)
		Joá virus (JOAV)
	<i>Punta Toro phlebovirus</i>	Buenaventura virus (BUEV)
		Campana virus (CMAV)
		Capira virus (CAPIV)
		Coclé virus (CCLV)
		Leticia virus (LTCV)
		Punta Toro virus (PTV)
	<i>Rift Valley fever phlebovirus</i> *	Rift Valley fever virus (RVFV)
	<i>Salchabád phlebovirus</i>	Adana virus (ADAV)
		Adria virus (ADRV)
		Alcude virus

Genus	Species	Virus (Abbreviation)
	Arbia virus (ARBV)	
	Arunowot virus (AMTV)	
	Medjerdha Valley virus (MVV)	
	Odrenisrouvirus (ODRV)	
	Olbia virus (OLBV)	
	Salehabad virus (SALV)	
	Bregalaka virus (BREV)	
	Zaba virus (ZABAV)	
	Arrabida virus (ARRV)	
	Sandfly fever Naples phlebovirus	
	Balkan virus (BALKV)	
	Fermo virus (FERV)	
	Gordil virus (GORV)	
	Granada virus (GRV = GRAV)	
	Massilia virus (MASV)	
	Punique virus (PUNV)	
	Saddagia virus (SADV)	
	Saint-Floris virus (SAFV)	
	sandfly fever Naples virus (SFNV)	
	Tehran virus (THEV)	
	Toscana virus (TOSV)	
	Zerdeli virus (ZERV)	
<i>Uukuniemi</i>	<i>phlebovirus</i>	
	Chizé virus (CHZN)	
	EgAN 1825-61 virus (EGAV)	
	Fin V 707 virus (FINV)	
	Oceanside virus (OCV = OCEV)	
	Pontevès virus (PTVV)	
	St. Abbs Head virus (SAHV)	
	Uukuniemi virus (UUKV)	
	Zaliv Terpenyia virus (ZITV)	

Genus	Species [#]	Virus (Abbreviation) [#]
<i>Pidchovirus</i>	<i>Pidgey pidchovirus</i> [*]	Pidgey virus (PGYV)
<i>Tenuivirus</i>	<i>Echinochloa hoja blanca tenuivirus</i>	Echinochloa hoja blanca virus (EHBV)
	<i>Iranian wheat stripe tenuivirus</i>	Iranian wheat stripe virus (IWSV)
	<i>Maize stripe tenuivirus</i>	maize stripe virus (MSV = MSPV)
	<i>Rice grassy stunt tenuivirus</i>	rice grassy stunt virus (RGSV)
	<i>Rice hoja blanca tenuivirus</i>	rice hoja blanca virus (RHBV)
	<i>Rice stripe tenuivirus</i> [*]	rice stripe virus (RSV = RSV)
	<i>Urochloa hoja blanca tenuivirus</i>	Urochloa hoja blanca virus (UHBV)
<i>Wubeivirus</i>	<i>Dipteran wubeivirus</i> [*]	Hub i diptera virus 5 (HbDV-5)
	<i>Fly wubeivirus</i>	Wuhàn fly virus 1 (WhFV-1)
Family Wupedeviridae		
<i>Wumivirus</i>	<i>Millipede wumivirus</i> [*]	Wuhàn millipede virus 2 (WhMV-2)

Legend:

^{*}Asterisks denote type species.¹Junior synonyms: Cardamones virus, Hāinán Medical University virus, X ngyi virus²Synonym: Artybash virus (ARTV)³Synonym: New York 1 virus (NY-1V)⁴synonym: Jurong virus⁵includes the strain previously referred to as Tunis virus (TUNV)⁶includes the strain previously referred to as soft tick bunyavirus (STBV)⁷includes the strain previously referred to as Ganjam virus (GANV)⁸synonyms: alovo virus (CVOV), Chittoor virus (CHITV), Olkya virus, Olyka virus, UgMP-6830 virus
⁹includes the strain previously referred to as Garissa virus¹⁰also mistakenly referred to in the literature as Chantanga virus (CHATV) and Chatanga virus (CHATV)
¹¹synonym: peanut bud necrosis virus (PDNV)

^{l2}synonym: peanut yellow spot virus (PYSV).

The virus of this species was moved into a new genus (*Wubeivirus*) and species (*Fly wubeivirus*), but due to a formal error, the species *Wuhan fly phasisvirus* was not deleted. A taxonomic proposal to rectify this oversight has been submitted.

Caption:

*Please note that viruses are real objects that are assigned to concepts that are called taxa. Species, genera, families, and orders are taxa. Taxon names are always italicized and always begin with a capital letter. Virus names, on the other hand, are not italicized and are not capitalized, except if the name or a name component is a proper noun. This column lists the virus names with their correct (lack of) capitalization. Lists of viruses within a given species are provisional at this point and will likely be amended in the near future.