

UC San Diego

Fish Bulletin

Title

Fish Bulletin No. 44. The Commercial Fish Catch of California for the Years 1930-1934, Inclusive

Permalink

<https://escholarship.org/uc/item/06b4b7w9>

Author

Staff of the Bureau of Commercial Fisheries

Publication Date

1935-03-01

**DIVISION OF FISH AND GAME OF CALIFORNIA
BUREAU OF COMMERCIAL FISHERIES
FISH BULLETIN No. 44**

The Commercial Fish Catch of California for the Years 1930–1934, Inclusive



By
the Staff of the
BUREAU OF COMMERCIAL FISHERIES




FIG. 1. Map of California, showing the eight regions of the state where commercial fisheries products are marketed. (See pp. 21, 47.)

FIG. 1. Map of California, showing the eight regions of the state where commercial fisheries products are marketed. (See pp. 21, 47.)

CONTENTS

	Page
Fisheries statistics: achievements through flexibility. By W. L. Scofield-----	7
Modernizing commercial fisheries statistics. By Geraldine Conner-----	11
Commercial fishing boat numbering system. By H. B. Nidever-----	29
Logs on California trawlers. By G. H. Clark-----	37
Locality records and the tuna fishery. By H. C. Godsil-----	41
Appendix-----	44
Common and scientific names of fishes, crustaceans and mollusks. Compiled by Frances N. Clark-----	44
Notes on tables of fish landings-----	47
Tables—	
Landings, 1930–1934, inclusive-----	48
Fresh fish importations from foreign countries landing in Region 70, Los Angeles, and Region 80, San Diego, 1930–1934, inclusive, by months---	110
Fresh fish importations by point of origin, 1930–1934, inclusive-----	120

FOREWORD

This bulletin is the fourth of a series designed to give detailed records of the catch of commercial species of fish landed in California ports. The articles are contributed by members of the staff of the Bureau of Commercial Fisheries of the California Division of Fish and Game, who have had from seven to twenty years' experience in the administrative or research work of the bureau and of the California State Fisheries Laboratory. The statistical tables were compiled from records gathered under the state's statistical system, every member of the staff of the bureau cooperating in this program.

March, 1935.

1. FISHERIES STATISTICS: ACHIEVEMENTS THROUGH FLEXIBILITY

By W. L. SCOFIELD

The development of fisheries statistics in most countries or states falls into three stages, determined by the intended use of the figures. At first, there is a desire to know the magnitude of the fisheries, usually a gross annual figure of volume or value of business for comparison with other industries of the country.

In the second stage, the importance of fisheries is recognized and there is created an administrative body charged with the management of the fisheries. This body desires to know for administrative purposes the business transacted in each locality for each season of the year so that tax or revenue may be collected with a knowledge of the seasonal character of the fisheries. This need for figures to show seasonal fluctuations is usually met by requiring a monthly report of volume of business transacted by the fish dealers. Such monthly reports supply the information for general administration of the fisheries, tax collection, and a fair idea of the seasonal runs of different species of fish. There is frequently, however, no very clearly defined future program for the administrative body, and therefore no particular need for additional statistical information.

The third and important stage arrives when the administrators begin to apply conservation practice in their management of fisheries. The greatest return from a fisheries resource may be enjoyed only by maintaining continuously a high annual yield. This involves questions of supply of fish, degree of utilization and the many problems in connection with overfishing and possible depletion of the supply. The need for more complete information is at once apparent and the old figures of monthly totals of fish landed are inadequate. At this point is needed a new system of statistics planned for the purpose of furnishing data that may be used in furthering a knowledge of the fish supply.

California's fisheries administration and statistical system have passed through the first two phases and are now well advanced into the third stage, in which conservation practice is being applied in the fisheries. In looking back over the accomplishments of the last sixteen years, we feel we have made great advances, but when looking ahead we realize we have just started and that our conservation methods and statistical system will probably undergo in the future even more radical changes and developments. Past changes in our statistics have been in response to a definite need for more complete and different kinds of statistical information. As we advance our studies of fish supply and of the yields to be expected from it, we hope to alter and enlarge our statistical system correspondingly and to avoid the misconception that a showy statistical report is an end in itself rather than merely a tool to be used as an aid in understanding fish supply and yields.

Purposeless change is undesirable in that any radical departure may cause a break in continuity so that present figures will not be directly comparable with those of the past. If the real purpose of the figures and their application in conservation practice are held clearly in mind, the true continuity need not be broken by a new development. The essential features will be carried over into the future.

Some of the more important changes in California's fishery statistics of the past few years are described in other portions of this bulletin, and a few developments of the immediate future are mentioned, but before taking up these more detailed accounts, the relationship between them may be more clear to the reader if we point out why conservation studies required such enlargements of our statistical system with the consequent additional costs in time and money.

In attempting to administer a fisheries resource on conservation principles, the object is to so manage that the return derived from the resource will be the greatest possible over a period of years. The goal is a high annual return repeated year after year, indefinitely into the future. The all important essential is a knowledge of the supply drawn upon because the yield depends on the extent of the supply, its capacity to yield and the degree of utilization of the supply.

Fish catch totals alone give only hints as to the supply unless we have knowledge of the amount of fishing effort expended. In California, the need to know something of the supply was the direct reason for abandoning our dependence upon dealers' monthly reports and for adopting new catch record system, by which the daily deliveries of each individual fishing boat would be recorded. This new system gave not only detailed catch records but also the number of deliveries for each boat, which was a big step toward measuring the fishing effort expended in making the catch. The daily catch records were supplemented by a boat and gear registration so that we would know the size and kind of boats and fishing gear in use. Licensing of fishermen gave a knowledge of the number of men employed. The chief essentials of fishing effort therefore were known: number and size of boats, amount and kind of gear, and number of men engaged. Much needed information as to fishing effort was still lacking. The various methods and practices of the fishermen in operating the gear, the localities fished and the prices paid by buyers for different species of fish, all have an effect upon the catch of a given boat. We are attempting to supplement the above mentioned records with additional notes and special studies, so that our measures of fishing effort may be as complete as possible.

The smooth operation of the daily catch record system raised a number of questions difficult of solution. One of the most difficult of adjustment was the wide discrepancy in the use of common names for fishes. The tabulation and reporting of such a volume of records raised another host of problems. Boat and gear registration was successful only after long continued striving, and finally required a new system of boat designation by serial numbers. The vexing question of catch locality has led to the installation of ships' logs in certain fisheries and the adoption of a simpler system of designating ocean localities by numbered areas. All of these developments, however, were toward a definite goal; that of contributing to our understanding

of the supply of fish and the possible changes occurring in the supply. Each step was for the purpose of perfecting the basic information, which was to serve in biological studies of the various species and in population studies to determine the extent of utilization possible in each fishery.

As illustrative of the direct application of fisheries statistics to conservation practice, we may cite our analyses of boat catches, which have been published as special bulletins during recent years. A full analysis of individual boat catches is made for one fishery at a time for the purpose of measuring possible changes in the supply of fish which may have occurred during the period of years covered by the analysis. The operation of a given fishing boat or of a certain type of net for one day or one trip, or the average operation per month of such gear may be accepted as a unit of fishing effort. The catch of fish made by such a unit of gear operated for a given time is the return or yield per unit of fishing effort. Provided the fishing locality, gear and methods of operation do not change from year to year, the yield per unit of fishing effort may be determined for each of a series of years and the trend of catch per unit of effort over a period of years is accepted as indicating whether the supply of fish available to the fishermen is remaining constant, is increasing or is becoming less year after year. Such studies of boat catches lead to a knowledge of the abundance of the supply of fish. This is the most important knowledge needed for the proper management of a fishery resource and such information justifies the cost of collecting the catch statistics in great detail.

The development of boat catch studies to detect possible changes in the abundance of fish is one of the outstanding accomplishments of the commercial fisheries work in California, but such results are possible only where detailed data are collected with this final result as a goal constantly in mind when the statistical system is put into operation. In order to select a comparable unit of fishing gear for a series of years, one must have an accumulation of exact knowledge as to size and kind of boats and fishing gear used through the years as well as the methods employed by the fishermen in operating the gear. Accumulated data, such as the amount of gear used each year, the number of trips made by boats, the number of hauls made with the net each day, and the length of time the gear is operated are all necessary in determining the total fishing effort. The total catch figures usually are a composite of catches taken by different sized fishing boats, using different kinds of gear operated in various ways in different localities. If catches are to be used as the return in fish for a given fishing effort, the catch data must show details as to gear, number of fishing trips, and type of boat used in the effort. It is for this reason that the system of catch statistics should be planned in advance so that detailed catch figures may be used as return per unit of fishing effort. Gross figures of total catch alone do not measure the supply of fish in the ocean, if we make an exception in the case of the final chapter in the sad history of a mismanaged resource when complete and disastrous exhaustion of the supply has been reached.

Although total catch figures must be used with great caution when considering abundance of fish, they do fill an important

place in conservation work and their fuller application in the understanding of our fisheries is one of the future developments contemplated in California. Primarily, catch totals represent sales or volume of business transacted by men ashore rather than picturing conditions in the sea. In the past when small boats made short trips from port, the data on fish landed were also records of locality of fishing, within the narrow limits of a one-day cruising radius of the boats, but now long cruises are made so that point of unloading sometimes gives no indication of where the fish were caught. Trawlers unloading in San Francisco may have fished at such widely separated localities as Eureka and Monterey Bay. It is of prime importance that locality of catch be known in order that we may determine how much fish is being taken from each body of water. Maintaining a high yield from each area is the essence of conservation management. In developing maximum production from each fishing area, it makes little difference where the product is marketed. This viewpoint requires that we be water-minded and think in terms of yield from water areas rather than of volume of business transacted at shore ports.

Ordinarily, catch totals represent volume of landings at each port with but little regard to where the fish came from, whereas conservation management should be more concerned with the amount of fish being produced by each section of the ocean. The chamber of commerce at each port is interested in the business transacted in the city but the managers of the resource are interested in the yield from each water area. The two viewpoints may be expressed as "landings" versus "yield." Our California catch data are still compiled as tables of landings at each port, and published summaries give total landings in each marketing region of the state. A start has been made toward compiling production data for ocean areas and special yield tables are being used in the study of two or three of our more important fisheries. It is probable that a future development will be an extended use of yield tables.

2. MODERNIZING COMMERCIAL FISHERIES STATISTICS

By GERALDINE CONNER

Built around the statistics of the catch is California's program for affording the best possible protection for her commercial fisheries with a high degree of production. Biological research, hand in hand with these statistics, provides a means for diagnosing the condition of each species. The administrator may thus base upon fact the regulations for the specific needs of each locality and type of fishery. This program has long been the prototype for other states and nations.

Because of the bulk of the data, the preliminary steps and the preparation of useful summaries have presented a difficult problem. A recent innovation on the part of the Division of Fish and Game for making the facts and figures more speedily available was the introduction of electrically operated Hollerith tabulating equipment in the offices and laboratory of the Bureau of Commercial Fisheries.

This improved method after four years of operation has proven its worth in speeding up the work. of greater importance, it has made available for practical use summaries of data which lay dormant under the slow hand method of tabulation. It has brought to light shortcomings in the statistical system. It has made possible and practicable improvement and expansion of the statistical work because of the ease and speed with which bulky material may be handled. It is sufficiently elastic to provide for the ever changing conditions in the fisheries. All of this is accomplished at a minimum expenditure of time and effort.

This issue of the "Catch Bulletin",¹ covers the transitional period from 1930, when the records were last tabulated by hand, through 1931, 1932, 1933, and 1934, when the mechanical method was being whipped into smooth running order. It seems timely, therefore, to present some of the high lights in the history of the commercial fisheries statistics of the state and the present working plan. This is also done in response to inquiries regarding the application of mechanical methods to fisheries statistics. Accompanying articles by members of the bureau will outline changes subsequent to the introduction of the electrical tabulating equipment and the expansion of the work.

In 1887 when the first license fee was collected from market fishermen, salmon was of prime importance and the funds were used chiefly for the "maintenance of hatcheries." A few figures had been gathered from time to time, chiefly salmon statistics. In the Report of the Commissioners of Fisheries of the State of California, published in 1872, is given the salmon catch for the ten-year period from 1853 to 1864, with a total of 1603 pounds for the first year and an increase to 20,512 pounds for the last. Two other commercial fisheries had been given

some thought from a conservation standpoint—sturgeon, which was showing decided signs of depletion, and shrimp, because of the attention directed to Chinese shrimp nets, which destroyed quantities of young fish. Published records show that the salt-water fish delivered at the San Francisco markets during 1885 and 1886 were listed in pounds by months and markets, with an estimate of what was probably taken at Los Angeles and San Diego. In 1894, the "Location of the fisheries of California" is given in a survey of the various coastal counties of the State with an estimate of the value of the catch for 1888. But it was not until 1909 that the fish and game laws showed signs of becoming markedly commercial fish conscious.

The yarns of the old timers along the waterfront concerning the abundance of fish and conditions on the fishing grounds were used as bases for the establishment of many of the earlier regulatory laws. This was especially true of the ocean fisheries. This was the best information available and was more colorful than modern statistics,

APPLICATION FOR MARKET FISHERMAN'S LICENSE

Every person engaged or employed in the vocation of fishing for fish, mollusks or crustaceans for profit in this State, must first obtain a license from the Division of Fish and Game, for which a fee of \$10.00 is required. This license expires March 31st of each year.

Place Pittsburg, Calif. Date April 14, 1932

Full name Orazio Catania Age 48

Height 5 feet 6 inches. Eyes (color) Brown Hair (color) Brown

Nativity (state or country) Italy WHAT U.S. PAPERS: FIRST (): CITIZEN (): ALIEN (X)

Residence No. 202 West 6th Street, Town of Pittsburg, California

Name of boat "Dominic" Boat No. 347-B

Type of boat (sail, row, steam or gasoline) Open salmon boat - gasoline

[SIGNED] Orazio Catania

License Issued by H.B.W. Date Issued 4-15-32 No. 1527

92265 2-32 10M CALIFORNIA STATE PRINTING OFFICE

FIG. 2. Form of application for market fisherman's license used from 1909 until March 31, 1933.

FIG. 2. Form of application for market fisherman's license used from 1909 until March 31, 1933

but the hopes and prejudices of the fishermen were reflected rather than the facts. The earlier conservationists may have recognized the need of more tangible evidence, but there was no practical program for commercial fisheries conservation or the systematic collection of statistics, and no pressing necessity for the establishment of one until 1915.

In 1909, a new market fishermen's license law was passed which licensed the individuals rather than the boat or crew. The license application (see Fig. 2; for new combination of license and boat registration form, see Fig. 11) gave a record of the residence, nativity, age, general description of the applicant, name of his boat, and the U. S. Custom House number of his boat. In the event he was a free lance fisherman, the type of fishing in which he was engaged was required. The full value of such data from a statistical viewpoint was not appreciated until 1921, and unfortunately the early applications were not

saved. With them was destroyed a check on the man-power or effort that went into the fisheries of various localities, although the total license sales for these earlier years are available and give a state-wide index to the number of men who followed the vocation of commercial fishing. The law which gave birth to our present statistical system was passed in 1911. It was a provision made to regulate the business of wholesale fish and game dealers.² It required each wholesale fish dealer in the state to " * * * enter at the time of the transaction, in a register kept by him for that purpose, in the English language, the date, the kind and weight of fish so received or bought * * * the name and the residence of the person or persons from whom the same was received or purchased," and " * * * to produce for inspection his register to any Fish and Game Commissioner of this state, or any duly appointed, qualified, and acting assistant thereof * * *." A penalty was provided for failure to comply. It was an important step. Although the law lacked definite provisions covering the time element, and it did not impose upon the state the duty of compiling and preserving the record so that permanency might be assured, it opened the way for the future.

This law first made the record of transactions available, but in order that they might be collected it was necessary for deputies to call personally on each dealer in the state. The dealers were scattered and were not operating on a very large scale. They were negligent in their bookkeeping, many could not even write the English language. Further, they resented the inquiry into their business secrets which they guarded jealously from their competitors. Fearing the imposition of a privilege tax, many understated their volume while others exaggerated with the mistaken idea that in so doing they might prevent restrictions being placed on profitable species.

The deputies were tolerant in an effort to hold the good will of the industry and get voluntary rather than forced, inaccurate records. It was difficult to check the individual returns, and a conviction for misstatement would have aroused sufficient antagonism to have defeated the introduction of the project. In many cases, estimates were made of the transactions of a dealer over a period of from three to six months when definite details had been forgotten. These estimates were better than no record at all, for they gave an index to the approximate importance of the various species which made up the commercial catch. Such information had not previously been available. The weights were biased, perhaps, by the temperament of the deputy or dealer on the day the record was collected, but the first returns brought interesting facts to light. The commercial fisheries proved to be of greater volume and importance than had been realized.

During the next four years there was a decided change in fishing activities. This was chiefly due to the development of the tuna and sardine canning operations in southern California, to which the wartime plea for foodstuffs had given an impetus. The commercial fisheries developed with such rapidity and volume that by 1915 they had taken a place among the foremost industries of the state. Public interest, the desire of the canners for facts, and the increasing demands of the

² State of California fish and game laws, 1911–1912, Penal Code 630a and 630b, pp. 60–61.

legislators brought home the necessity for biological and statistical data concerning the marine life on the continental shelf off the coast of California. The important species of former years had run up rivers or were taken in bays, making them easily available for observation. The catch of ocean varieties did not readily attract the attention of the general public. The conservationists let them, rest in peace because of their inaccessibility and due to the fact that they had not developed to a point of noticeable commercial importance. The new developments made deep sea varieties of prime importance. The old theory that the ocean fisheries are inexhaustible was questioned by even the most optimistic when intensive fishing began. The industry had grown up suddenly and the future showed possibilities too great to be endangered by fairy tales.

The Bureau of Commercial Fisheries, through necessity, came into being in the spring of 1915 and before August of that year several important laws had been presented to and passed by the State Legislature in the interest of the market and cannery varieties of fish. Among these was an amendment, requiring a monthly report from the wholesale fish dealers to the Fish and Game Commission, giving the quantities of each species of fish purchased from the fishermen. To facilitate this record a blank form was provided by the state. (See Fig. 3.) However, it required more than a law and a nicely printed form to get results.

One of the peculiarities of our statistical system, which has continued to the present day, is the fact that we are dependent for our original record not on paid employees of the state, who may be discharged for neglect of duty or lack of cooperation, but upon the people of the industry. Since 1918, they have been required to make out receipts of all transactions with one copy for state files and fish packers have been taxed for the support of the work on the volume of their business. For years they had nothing more than a gentlemen's agreement as assurance that their trade secrets would not be divulged. The good will of the fishermen, dealers and cannery men plays a far more important part in our operations than any fines or penalties, which may be imposed for their lack of cooperation, as provided in the later laws.

Since in its development the success of our elaborate statistical system has depended largely on the field contacts, we gain in appreciation, as time goes on, of the character and efforts of the men who pioneered in its introduction. It was necessary for them to impose a new and bothersome chore on men who were not accustomed to keeping records and who were suspicious of the object in view. The far-sighted executives,³ who made operative the laws for collecting statistical facts of the commercial fisheries, are to be commended. But first honors go to the men in the field who actually got results in the face of hostility and without teeth in the law to back them up. They brought back facts as well as common sense suggestions for simplifying the task and educating the skeptical. Among the Italians, Chinese, Greeks and Norwegians to the north, a good natured deputy⁴ dispelled suspicion, laughed away complaints and was given the best record to be obtained from rather poor attempts at bookkeeping. In the belligerent south, a stalwart seafaring man,⁵ who was among the first to appreciate the

³ Norman B. Scofield, Carl Westerfeld, E. L. Bosqui, and F. M. Newbert.

⁴ Earle Downing.

⁵ H. B. Nidever.

[illegible]

FIG. 3. Facsimile of dealer's monthly fish report used prior to 1918

By 1917 the task of regulating the commercial fisheries had increased to such an extent that it had been necessary to open patrol offices at the three canning centers—Monterey, San Pedro and San Diego—and to establish a laboratory for research and statistical work.

A new law, imposing a privilege tax of fifty cents per ton on all fish packed or preserved as well as upon shellfish, was made effective in July of that year. This provided funds for the added activities of the Bureau of Commercial Fisheries and placed the burden of protecting a natural resource on the people who derived benefit therefrom through exploitation. The canners supported this move, appreciating the fact that state regulation is necessary for the health and perpetuation of their business.

Incorporated in the law on "fisheries tax and regulations" was a section, quoted below, concerning the collection of detailed statistical data. This was recognized by the director⁶ of the program of scientific investigations as one of the prime requisites for the work.

"Sec. 6. Every person operating under a license as provided in section 1 of this act, and every person dealing in fish who receives fish from fishermen shall issue receipts to the fishermen from whom fish are received and shall give in such receipt the date of issuance, the name of the fisherman or fishermen to whom issued, the weight in pounds of each variety of fish received, the price per pound paid to the fishermen, and the signature of the dealer who issued the receipt. A duplicate manifold copy of this receipt shall be kept on file by the dealer issuing the same, for a period of six months and the said duplicate copy shall be available for inspection at any time within six months, upon demand of the Fish and Game Commission, or any duly authorized assistant thereof."

From the field men came the suggestion of the possibility of the receipt book method of securing the more detailed record desired. The canners and dealers, under a law having to do with merchandising within the state, issued receipts to the fishermen when the fish were landed at the dock or on a barge. This receipt was used in the company bookkeeping systems and the fisherman retained his copy to present for the collection of the money due him. Often the transaction was not completed immediately as purchase of the boats and gear was financed by the dealers. Because financial transactions between the fisherman and dealer depended upon these receipts, they offered the best possibilities for accurate records for the state's statistical system. Furthermore, their use was accepted procedure with the industry, and the new project would not be hampered by objections to a radical departure.

In order to have the record uniform and to get the specific data desirable, the state printed and supplied to the industry, without cost, receipt books similar to those already in use. These receipts carried serial numbers and were printed on carbon backed paper so that three copies could be made at one time. The white original receipt was for the fisherman, the yellow carbon copy for the dealer, and the third ("pink ticket") was collected by the Division of Fish and Game. To meet the particular bookkeeping requirements of the dealers and because of the various types of fishing activities, several different forms of receipt books were issued, but the returns on all forms provided the same fundamental data for statistical purposes.

The form for use in the fresh fish markets is a small ticket, 3½ x 4½ inches, printed three on a perforated page which calls for the date, dealer, fisherman, boat, variety of fish, weight and price. (See Fig. 4.)

⁶ William F. Thompson.

STATE OF CALIFORNIA
Department of Natural Resources
Division of Fish and Game

Date May 31 1933

NAME OF DEALER
PACIFIC FRESH FISH CO., 647-50, Monterey

Fisherman O. Enea Boat 1529

VARIETY	WEIGHT	PRICE	AMOUNT
<u>Mackerel</u>	<u>330</u>	<u>3</u>	<u>9 90</u>
<u>Starce Mackerel</u>	<u>13</u>	<u>6</u>	<u>78</u>
<u>Rackfish</u>	<u>17</u>	<u>8</u>	<u>1 36</u>

No. A 744274 Rec'd by M. B.

P. M. 3. CO.-EMERYVILLE, CALIF.-LOS ANGELES-SEATTLE 47 71205

FIG. 4. Wholesale fresh fish market receipt form, in use since 1918.

FIG. 4. Wholesale fresh fish market receipt form, in use since 1918

Those companies operating trawlers required a special triplicate receipt form, 4 x 8 inches in size. (See Fig. 5.) This form has been superseded by the trawler log and ticket form. (See Fig. 17.) Their boats are larger and travel greater distances, so it was necessary to provide space to show the point of origin of the catch. This particular type of gear is limited in variety of fish it takes, the catch being composed chiefly of flatfish, so the names of the fishes were printed on the receipt. Space was provided for the number of boxes as well as the weight in pounds, as the catch is delivered in uniform boxes and recorded on the docks by boxes. No price is given as the companies operate their own boats and the price is not determined until the fish are sold in the wholesale markets.

The large loads delivered to the canneries are composed of one or two varieties of fish. A separate ticket is made out for each species taken. (See Fig. 6.) The price is uniform for the load and species. Added items of interest, for which space is provided on the 4 x 8-inch cannery receipt, are the size of the fish composing the load, and the use to which the fish is put, whether canned, salted, smoked or run through the reduction plant.

CALIFORNIA FISH & GAME COMMISSION
(THIS COPY FOR FISH & GAME COMMISSION)
Daily Report of TRAWLER CATCH

Place Eureka Date 6/1 1932
S. F. INTERNATIONAL FISH CO.
Name of Company 40-523 SAN FRANCISCO
Name of Boats Regal #1 and Pearl

SPECIE OF FISH	NO. OF BOXES	WEIGHT
Boccacio		
Codfish	<u>1X</u>	<u>150</u>
Flounders	<u>5X</u>	<u>750</u>
Hake		
Halibut		
Rock Cod		
Sandabs	<u>2X</u>	<u>300</u>
Sharks		
Skates		
Sole (Large)	<u>6X</u>	<u>900</u>
Sole (Small)		
Sole (Rex)	<u>3X</u>	<u>450</u>
<u>Mixed Fish</u>	<u>2 1/2 X</u>	<u>425</u>

This report must show entire catch landed by each boat (if otter board,) or pair of boats (if paranzella.) Show weights if possible. If Catch shown by Boxes, average weight per box 150 lbs.

No. **T26717** Rec'd by J.R.

MANUFACTURED BY PACIFIC MANIFOLDING BOOK CO., EMERYVILLE, CAL. 9 1113

FIG. 5. Facsimile of receipt form used by trawlers prior to 1934.

FIG. 5. Facsimile of receipt form used by trawlers prior to 1934

STATE OF CALIFORNIA
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF FISH AND GAME

Name of Packer or Dealer

SOUTHWEST CANNING CORPORATION

041-70

San Pedro

Issued at Terminal Island

Date July 16 1934

Time 30 P. M.

Boat Sed Breeze

No. 3418

Fisherman L. Mione

Variety Bluefin

Price 90⁰⁰

Denote if Small, Medium or Large (S, M or L)

GROSS

TARE

NET

875

879

950

915

874

200

To be used for Canning

Total net weight 469.3 lbs.

No. D 497269

Weighed by C. M. J.

PACIFIC MANIFOLDING BOOK CO., EMERYVILLE, CALIF., LOS ANGELES-SEATTLE 235

FIG. 6. Cannery receipt form in use since 1918.

FIG. 6. Cannery receipt form in use since 1918

Although the law was enacted in 1917, it was not until the fall of 1918 that details were completed and it was put into actual operation. The receipt system was first introduced in southern California, but by 1919 it was functioning throughout the state. This gave the state a most complete and unusual check on her fish crop. It included not only the species of fish which were of greatest importance in the catch at that time, but also those species of comparative insignificance, some of which were to rise in importance with the coming years of intensive fishing.

The total landing figures were not sufficient in themselves to show whether or not a species was holding its own against the inroads of improved gear and added effort. In 1919 it was found necessary to require that every boat be registered⁷ to show its size, the number in its crew and the amount and type of gear it carries; the information derived from such a registration to be used as a measure of the effort necessary to catch the quantities landed. Summaries of such data show the changes through the years in types and size of boats and gear. (See also "Commercial fishing boat numbering system," by H. B. Nidever, pp. 29–36.

The results from this combination of records were most gratifying. But it was not long before serious problems arose in connection with the handling of the great mass of material which was rapidly collecting. It was a long, slow, inaccurate process of tabulating by hand the summaries required. Several types of information were to be derived. For administrative purposes there were required general summaries by species, or geographic units—city, county, harbor or river; the individual dealer's record to be used for the collection of tax. These tabulations were made by clerks in the patrol offices. The research staff desired greater detail for the boat catch analyses and life-history work, and as the receipts were to be held as permanent records they were shipped to the laboratory for further tabulation and final filing.

At the laboratory it was decided that trained research workers only were qualified to put the receipts in order for use in the scientific work. The bulk of the data soon discouraged this plan and a corps of clerks was engaged to do the hack work. Lack of knowledge of the fisheries and proper training for the work disqualified this group. It was finally necessary to select for detailed analyses the receipts, covering a few of the more important species which were under observation at the time, and file the balance for use in the event attention was directed to these other species later. The folly of this was brought to light when an attempt was made several years later to use some of these back records. Essential information was lacking and it was too late to secure the facts to complete these records. Because of an insufficient field force in the outlying districts, the collection of receipts lagged and discrepancies increased. In the offices great quantities of fish were being listed under "miscellaneous" because of the use of colloquial or foreign names on the receipts for species delivered in the markets.

Despite these difficulties, the record was better than had ever been obtained before. The quarterly and yearly catch tables were available for comparative purposes and through it all the record of

⁷ Conner, Geraldine. California's fishing boat census. Calif. Div. Fish Game, Fish Bull., No. 30, pp. 72–107, 1931.

cannery fishes was splendid. A great deal of constructive work had been made possible for several of the important fishes but the results obtained were only about half of what the system was capable of producing.

It was almost ten years after the introduction of the receipt system that sufficient funds were raised and interest aroused to permit it to function properly. The routine statistical work was organized under an experienced hand and the clerks in the offices and at the laboratory were given a course of instruction. Concentrating on the current work, through the concerted effort of all staff members, the record for the years 1926 and 1927 showed such marked improvement that it was possible to publish a special bulletin,⁸ giving in detail catch figures which had not hitherto been available for publication. Three such publications⁹ have been issued and their value to the administrative and research staff is acknowledged by their constant use.

Prior to this time quarterly tables, arranged in county groupings, had been printed in the Division's quarterly magazine, California Fish and Game. The grouping by three months had no particular significance except that the magazine was printed and taxes collected quarterly. The catch bulletin gave monthly figures and yearly summaries. Individual species were singled out for special articles of current interest. The fisheries were rapidly changing, conditions in one were entirely different from another, and each species was treated in a manner peculiarly suited to itself. For a time element, seasons were given first consideration.

By 1930 a change of administration had brought officers¹⁰ to the head of the Division whose appreciation of statistics and experience with them directed attention particularly to this work. At their instigation, a survey was made of the most modern machinery for handling bulk statistics, and the following year saw the introduction of punched card tabulating equipment into the bureau. This move was questioned for several reasons; the cost was considerable, furthermore the research advisors doubted the possibility of coding, punching, and electrically preparing material for the foundation of a biological program. It was not an easy task but after four years the success is beyond question.

Under the present statistical system the receipts are collected or mailed to the district offices at least twice a month. It is necessary to transfer the entire record to cards by punching holes in numerical order. (See Figs. 7 and 8.) The card must show by the use of code numbers every item that appears on a fish receipt, and allowance is made for future changes or additions. The code must be arranged to suit the mechanical peculiarities of the tabulating equipment in order to minimize the amount of work. The code must cover all points required in the various types of work for which the final reports would be used. The building of this code was one of the major pieces of work in installing the system.

The state was divided into eight natural geographical areas and the fisheries in each one was treated as a separate unit, these units were called "regions." (See Fig. 1.) This simplified the handling of the

⁸ The commercial catch of California for the years 1926 and 1927. Calif. Div. Fish Game, Fish Bull., No. 15, 1929.

⁹ Instigated by W. L. Scofield.

¹⁰ I. Zellerbach and John L. Farley.

original material since the preliminary work of checking and punching is done in the field offices in the immediate vicinity of the fishing activities. Any discrepancies found in the receipts are adjusted immediately

BUREAU OF COMMERCIAL FISHERIES—CATCH RECORD																											
POINT OF ORIGIN	REGION	CITY	YEAR	MONTH	BOAT	DEALER	DAY	SPECIES	POUNDS					PRICE					CONDITION	SIZE	TYPE OF GEAR	NUMBER OF FISH					CALIFORNIA DIVISION OF FISH AND GAME
0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0			
1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1			
2 2 2	2 2 2	2 2 2	2 2 2	2 2 2	2 2 2 2	2 2 2 2	2 2 2 2	2 2 2 2	2 2 2 2	2 2 2 2	2 2 2 2	2 2 2 2	2 2 2 2	2 2 2 2	2 2 2 2	2 2 2 2	2 2 2 2	2 2 2 2	2 2 2 2	2 2 2 2	2 2 2 2	2 2 2 2	2 2 2 2	2 2 2 2			
3 3 3	3 3 3	3 3 3	3 3 3	3 3 3	3 3 3 3	3 3 3 3	3 3 3 3	3 3 3 3	3 3 3 3	3 3 3 3	3 3 3 3	3 3 3 3	3 3 3 3	3 3 3 3	3 3 3 3	3 3 3 3	3 3 3 3	3 3 3 3	3 3 3 3	3 3 3 3	3 3 3 3	3 3 3 3	3 3 3 3	3 3 3 3			
4 4 4	4 4 4	4 4 4	4 4 4	4 4 4	4 4 4 4	4 4 4 4	4 4 4 4	4 4 4 4	4 4 4 4	4 4 4 4	4 4 4 4	4 4 4 4	4 4 4 4	4 4 4 4	4 4 4 4	4 4 4 4	4 4 4 4	4 4 4 4	4 4 4 4	4 4 4 4	4 4 4 4	4 4 4 4	4 4 4 4	4 4 4 4			
5 5 5	5 5 5	5 5 5	5 5 5	5 5 5	5 5 5 5	5 5 5 5	5 5 5 5	5 5 5 5	5 5 5 5	5 5 5 5	5 5 5 5	5 5 5 5	5 5 5 5	5 5 5 5	5 5 5 5	5 5 5 5	5 5 5 5	5 5 5 5	5 5 5 5	5 5 5 5	5 5 5 5	5 5 5 5	5 5 5 5	5 5 5 5			
6 6 6	6 6 6	6 6 6	6 6 6	6 6 6	6 6 6 6	6 6 6 6	6 6 6 6	6 6 6 6	6 6 6 6	6 6 6 6	6 6 6 6	6 6 6 6	6 6 6 6	6 6 6 6	6 6 6 6	6 6 6 6	6 6 6 6	6 6 6 6	6 6 6 6	6 6 6 6	6 6 6 6	6 6 6 6	6 6 6 6	6 6 6 6			
7 7 7	7 7 7	7 7 7	7 7 7	7 7 7	7 7 7 7	7 7 7 7	7 7 7 7	7 7 7 7	7 7 7 7	7 7 7 7	7 7 7 7	7 7 7 7	7 7 7 7	7 7 7 7	7 7 7 7	7 7 7 7	7 7 7 7	7 7 7 7	7 7 7 7	7 7 7 7	7 7 7 7	7 7 7 7	7 7 7 7	7 7 7 7			
8 8 8	8 8 8	8 8 8	8 8 8	8 8 8	8 8 8 8	8 8 8 8	8 8 8 8	8 8 8 8	8 8 8 8	8 8 8 8	8 8 8 8	8 8 8 8	8 8 8 8	8 8 8 8	8 8 8 8	8 8 8 8	8 8 8 8	8 8 8 8	8 8 8 8	8 8 8 8	8 8 8 8	8 8 8 8	8 8 8 8	8 8 8 8			
9 9 9	9 9 9	9 9 9	9 9 9	9 9 9	9 9 9 9	9 9 9 9	9 9 9 9	9 9 9 9	9 9 9 9	9 9 9 9	9 9 9 9	9 9 9 9	9 9 9 9	9 9 9 9	9 9 9 9	9 9 9 9	9 9 9 9	9 9 9 9	9 9 9 9	9 9 9 9	9 9 9 9	9 9 9 9	9 9 9 9	9 9 9 9			
10 10 10	10 10 10	10 10 10	10 10 10	10 10 10	10 10 10 10	10 10 10 10	10 10 10 10	10 10 10 10	10 10 10 10	10 10 10 10	10 10 10 10	10 10 10 10	10 10 10 10	10 10 10 10	10 10 10 10	10 10 10 10	10 10 10 10	10 10 10 10	10 10 10 10	10 10 10 10	10 10 10 10	10 10 10 10	10 10 10 10	10 10 10 10			

FIG. 7. Facsimile of punched card used in compiling California's commercial fisheries statistics.

FIG. 7. Facsimile of punched card used in compiling California's commercial fisheries statistics



FIG. 8. Electric key punch used in transferring original records to punched cards.

FIG. 8. Electric key punch used in transferring original records to punched cards at the base where first hand information is available. Any desirable combination of these regions may be made mechanically later

The punched cards and original receipts are then shipped to the California State Fisheries Laboratory, where the permanent files are maintained and the sorting and tabulating equipment is installed for the final running of reports. (See Figs. 9 and 10.) Here a corps of trained workers once again check the original receipts and the punched cards are verified, following a process similar to the original punching. Phenomena of an unusual character appearing on the receipts or in



FIG. 9. Electric horizontal sorting machine used to arrange punched cards in proper groupings for tabulating the final reports are referred to the research staff or the law-enforcement officers for investigation. Thus, considerable error is eliminated and organization members are kept in touch with current changes in fishing activities.

No special code was needed for such items as the date, pounds, price or number of fish. All weights are converted to pounds and the price is shown in cents and fractions of a cent per pound. Cities, dealers, condition and size of fish, and type of gear offered few difficulties in the code. The eight regions were numbered from 10 to 80 and by skipping nine digits in between, these areas can be subdivided into

smaller units without disrupting the major code if desirable. The point of origin of the catches, the species of fish and boat identification presented the chief difficulties.

For general administrative purposes the place where the business is transacted and the fish landed makes a satisfactory point around which the poundage might be calculated. In our records the region and the city are used for this purpose. For life-history work and studies of fish population to determine if depletion is imminent the point of origin of the catches is of most importance, and the place of landing less significant. Originally the code for the point of origin was built around landmarks. A point of origin would indicate vaguely that that particular catch of fish had been made in waters off a given headland or near a certain city. This gave an indefinite picture of the actual fishing grounds.




FIG. 10. Electrically operated five-bank tabulator with automatic printer, through which punched cards are run in preparing statistical reports.

FIG. 10. Electrically operated five-bank tabulator with automatic printer, through which punched cards are run in preparing statistical reports

As an experiment, in 1933 the ocean waters were blocked off into numbered squares on charts. These charts and boat log forms were supplied to the captains of the trawler fleet fishing out of San Francisco. (See "Logs on California Trawlers," by G. H. Clark, pp. 37-40. The returns from these logs pinned the flatfish catches down to definite fishing grounds. The success of this experiment was far beyond expectations and during the current year (1934) the locality of catch or point of origin was definitely established on all trawler catches. Similar charts, supplied to selected groups of boats in the tuna fleet fishing down the coasts of Mexico and Central America, have netted returns which give us a more definite idea of the actual tuna fishing grounds. (See "Locality Records and the Tuna Fishery," by H. C. Godsil, pp. 41-43.) Field workers have been getting from boat captains and

crews definite information concerning the points of origin of sardine catches for some years past, and we are now tying this into the numbered square plan. Gradually, it is hoped, through series of logs and charts supplied to all boats in the fishing fleet, that a complete record of points of origin will be obtained. The start has been encouraging.

The species were grouped in numerical series, keeping the families and types of fishes together. For example, the tunas were run in a series of from 001 to 007, and the mackerels and mackerel-like fishes all coded in this series below 099. River fishes ran in the 300 series, and mollusks and crustaceans were grouped in the 800 series. Thus, if a report on tunas alone was needed, that group of cards could easily be separated from the mass of material on hand. This grouping of fishes also makes the code easier to use and remember. The chief trouble with species arose through the use of incorrect or colloquial names by the market men for various fishes. In the case of rockfish, there were thirty different names appearing on the receipts, which upon investigation proved to be just plain "rockfish" masquerading under various cognomens. For the code then it was necessary to develop a numerical list for all the commercial species, listing after each number the common name of the fish which it represented and all of its misnomers. It was also necessary to develop a cross index alphabetically arranged to show every name given a fish on the receipts and the official common name and number by which it should be known. This question of common names had long been troubling the law enforcement and research staffs and through the combined efforts of both branches of the service, there was under way an intensive campaign to educate the dealers in the use of one desirable common name for each species of fish. In conjunction with this program in 1931, there was published a handbook¹¹ designed to further the work. It gives a picture of each fish found in the commercial catch, its scientific name and the preferred common name by which it should be known. A short outline of its habitat and many of its misnomers are listed. The improvement in our present records commends this program.

In the case of the boats, it took an amendment to the Fish and Game Code and a great deal of field work to get every boat properly numbered. (See "Commercial fishing boat numbering system," by H. B. Nidever, pp. 29-36.) Prior to 1931 confusion in the identification of the boats came through the fact that so many commercial fishermen were partial to the name of *Mary*. Forty boats of that name are still operating. *Josie*, *Johnnie* and the *Saints* are numerous. Over twenty-five fishermen with the surname of Bruno owned boats and fished regularly, and the Russo, Canepa and other families were well represented. The individual catches in such cases in some localities were impossible to separate when full identification was not given on the receipts. All of the powered boats carried U. S. Custom House numbers, but the numerical series ran with an alphabetical prefix or suffix, which was often interchanged. The greatest drawback to the use of these numbers was the fact that they were constantly changing. The sale of a boat or its removal to a different district would mean a change of number and the old number would often be issued to another boat

¹¹ Walford, Lionel A. Handbook of common commercial and game fishes of California. Calif. Div. Fish Game, Fish Bull., No. 28, 181 pp., 137 figs.

immediately. Therefore, in order to follow a boat over a period of years, as a definite measure of fishing effort, it was necessary to number all of the commercial fishing craft in the state. Division of Fish and Game number plates were issued free of cost; the numbers are from one to four digits. Each commercial fishing boat is required to retain the one number for purposes of identification during its life. This state boat number is used as the identifying code in the statistical system.

With the details of the code ironed out to complete the inauguration of the system, it was necessary to plan final summaries to be turned out by the tabulating equipment to fulfill all of the needs of the Division along the lines of commercial fisheries statistics. In other words, the purpose was to get everything into the reports which had formerly been turned out laboriously by hand. It was desirable to make available sufficient additional information to offset the added cost of rental on the equipment, and to pay for the effort subsequent to its installation. However, it was a very short time before the equipment proved that it was able to pay high dividends in results.

The preliminary preparation of the data and the punched cards is an arduous task. Once this is done, on very short notice any summary or combination of the information desired can be turned out by one operator working at the tabulating equipment. An electrically operated horizontal sorter is used to arrange the cards quickly in proper order to give the particular type of information for each report. The tabulating printer used is the equivalent of a five-bank adding machine with a printer attached, electrically operated. Two banks are used for indicating, by code number, the particular classifications being tabulated. In the other three banks, three separate accumulative totals may be taken. For example, the catch of any particular boat or the deliveries to one port may be shown with one operation of the machine, giving one total for the day, a second total for the month and the third for the year.

Special continuous fan-fold paper, 8½x10 inches in size, is used for the printed reports, which allows for filing finished summaries in regulation letter sized files. The final reports run each month for all regions in the state give the necessary totals for the regular administrative work, and provide an excellent cross-check for the final goal of accuracy. A synopsis of this monthly routine follows: "Report I. Species." "Lists the species taken in any particular region, arranged by point of origin and price. Provides a price fluctuation index, indicates the seasons, the particular areas being fished, and finally gives a total catch figure for the month." "Report II. Dealer." "Lists the canners and dealers. Shows the number of pounds of each species delivered to each firm, and the total for the month of all species. Indicates the source of the dealers' supply, whether locally caught fish, fish from distant grounds or foreign waters. Provides a check on the volume of business of canners and fresh fish dealers, and a means for ascertaining the tonnage tax due on taxable species."

“Report III. Daily Boat Catch.” “Gives a detailed record of the daily deliveries of every boat in the commercial fishing fleet. Shows where the fish is caught, to what city and dealer it is delivered and the amount of each species and the price for each day, with a total by boat for the month. This provides a detailed check on the activities of the fishing fleet for use in boat catch analyses by the research department. It is the basic record.” “Report IV. Summary of Boat Catches.” “(For study or reference.) Because of the volume of Report III, which gives the daily catches, this report is designed to simplify the work of selecting definite types of boats from the fleet. Gives the total by species for each boat, with a total of all species by the month.” “Report V. City.” “Gives the species of fish delivered at each port in pounds, with a total for the amount from each point of origin and a grand total of all deliveries during the month to any one city.”

These five reports give the fundamental information. For particular regions or fisheries, special reports are run to fulfill certain demands. For southern California where the chambers of commerce are particularly interested in the fish deliveries at Los Angeles Harbor, special monthly runs are made of individual cities in the harbor area and for special collective groupings to satisfy their demand. For San Francisco region, where a scientific study of the flatfishes is under way and the interest of the people in the industry has been aroused to the value of catch statistics, special reports of the flatfish taken by the boats operating trawls are run monthly for the use of the industry and the state's investigators. One week after the close of each month, there is run a cannery check which gives the amount of fish delivered to the canneries of the state and provides a current measure of the volume of the industry.

A recent law has increased the confidence of the industry in the safety of their individual trade secrets. It provides for the confidential maintenance of these records, along the lines of the former gentlemen's agreement to which the state had adhered. Summaries only may be published which do not divulge the business of any individual, firm, boat, or fisherman.

We have, ready for use, a current detailed record of the output of the entire fishery, including the unimportant as well as the species delivered in greatest quantities. We can show over a period of years the species which are ascending in total catch and those which are descending. Through a tabulated report taken from the boat registration and license applications, a correlation can be determined between the catch and the amount of effort in equipment and man-power used to produce a given amount of fish. Through the price trend information and the volume of business transacted by various types of firms, we have the key for an economic study of the industry. We can trace the activities of the individual boats or groups of boats engaged in a specific type of fishing. We can tell where the intensive fishing is

centered and in some cases how far the boats must go for their catch. We can follow the shifts in locality, in types of gear and size of boat. We have a complete record of the fish taken by the California fishing fleet in foreign waters and landed in the home ports, as well as the amounts of frozen fish imported from foreign countries and canned in southern California. We have the means of detecting when a fishery is on the decline, which is of prime importance in endeavoring to prevent depletion.

During the year 1934 the special work, which has been carried on in connection with the statistical system, gives a good idea of the diversified fields the organization and equipment are capable of entering. For the laboratory staff in conjunction with special studies, we have covered the Pacific mackerel, five species of tuna, sardines, flatfish, yellowtail, catfish, salmon and shad. The boat registrations have been tabulated by size, kinds of power, nationality of owner, and fishing operations. The fishermen's licenses have been summarized by ports, age, nativity, and fishing activities.

As basic material for government investigations, we have been called upon for tabulations to be used by the U. S. Bureau of Fisheries, the International Fisheries Commission (United States and Canada), and other federal agencies. Local fishermen's organizations, harbor departments, chambers of commerce, newspapers, and fisheries trade journals are constantly calling upon us for summaries.

The Bureau of Game Refuge is the first of other branches of the division to take advantage of the mechanical statistical equipment with its trained staff. Each fall since 1931, the record of the deer kill in the state has been handled by the fisheries statistical staff, producing over ten reports a season on approximately 20,000 successful hunters.

For the future, plans are in process of formulation for similar statistical records of both the salt and fresh water sport catches. The volume of catch of commercial as well as sport species taken by sportsmen fishing from the southern California party and charter boats, barges, and pleasure piers, is mounting yearly. The sport catch of striped bass and trout from the fresh-water streams and lakes offers a fertile field for statistical investigation.

3. COMMERCIAL FISHING BOAT NUMBERING SYSTEM

By H. B. NIDEVER

It has long been recognized that no measures for the conservation of fish could be effective unless accurate information concerning the distribution and relative abundance of the various species was available. It is equally important that accurate records be obtained concerning the method of capture and the improvement or changes in method. Guesswork should be discarded. It must be definitely determined what the fish supply is, if the distribution of any particular species is widespread, and whether the methods of capture are unduly destructive or wasteful. New methods must be studied to determine if they may safely be put into general use.

For a number of years the Bureau of Commercial Fisheries has endeavored to develop and put into operation measures, calculated to give dependable advice to those interested in the maintenance of a permanent fish supply. Statistics relative to the state's fisheries have included a detailed record of the fish landed and a yearly census of the fishing fleet and gear.

The Bureau of Commercial Fisheries recognizes the fishing boat as a most important factor in the fisheries, as practically all fish taken for the markets and canneries are caught by crews of the commercial fishing craft. For this reason, in determining the abundance of any species of fish or in attempting to determine the reasons for fluctuations in the supply, the boat is used as one of the "units" of fishing effort. An accurate description of every boat in the fishing fleet, current knowledge of its operations, the gear, and number of men it carries are vital parts of the statistical record. It is also necessary to know the number and the type of new boats coming into the fisheries and to get a similar record of boats which have discontinued operations.

The fishing boats vary greatly in type and size; they range all the way from flat-bottomed skiffs or dories, 16 feet long, used in the rivers and lagoons, to the large tuna vessels, 139 feet long, which travel thousands of miles from their home ports. Each boat carries some sort of fishing gear, such as nets, traps, lines, and in a few cases harpoons. The gear varies not only in type and size on the various boats, but from year to year the operator of one boat will change his particular method of fishing with a resultant shift to another type of gear. Whether or not a boat is equipped with refrigeration apparatus makes a difference in the distance it may carry the catch and the kind of fishing in which it may engage.

In order to keep a check on all boats or vessels plying in the state's fisheries, since 1919 the state law has provided that such boats shall be registered each year. Each owner is required to file with the Division of Fish and Game a statement, giving a full description of his boat as well as an account of the amount and kind of fishing gear used and the waters in which the boat was operated during the preceding year. In

earlier years, forms were supplied to the fishermen for this registration, but it was found that many fishermen took out commercial fishing licenses but neglected to register their boats.¹ As a result of this, considerable patrol work was necessary to get a complete registration. In 1933 a new combination license and boat registration form was introduced. (See Figs. 11 and 12) The fact that the record of the boat is made a part of the required information in obtaining a commercial fishing license has simplified the work and enabled us to get a more complete registration.

CALIFORNIA COMMERCIAL FISHING FLEET, 1934

Regions of home ports	Number of boats grouped by length in feet					Total number of boats in each region
	Up to 24'	25' to 39'	40' to 64'	65' to 84'	85' and over	
Oregon, Washington and Alaska boats fishing in California.....	0	13	38	41	0	92
Del Norte.....	1	9	1	0	0	11
Eureka.....	7	144	18	0	0	169
Sacramento.....	87	148	0	0	0	235
San Francisco.....	43	343	36	8	0	430
Monterey.....	67	155	43	16	0	281
Santa Barbara.....	35	36	14	0	0	85
Los Angeles.....	124	244	158	65	28	619
San Diego.....	24	90	47	11	29	201
Total number of boats in each length group.....	388	1,182	355	141	57	2,123

A further requirement for purposes of identification is that every commercial fishing boat shall carry a pair of California Division of Fish and Game number plates. For the records of the Bureau of Commercial Fisheries, the state number takes the place of the boat name or the U. S. Custom House number, which were former means of identification. Before this distinctive numbering system was adopted, considerable difficulty was experienced in getting accurate boat records. These difficulties were chiefly due to the fact that through the years, numbers had been issued to the fishermen from several sources—state, federal and fraternal. The numbers were frequently changed. There was also considerable confusion in the boat names. Prior to 1909, the state's market fishermen's licensing law, which licensed a boat according to the number of men in the crew rather than the individual fisherman, required that the license number be displayed on either side of the bow of the boat. This license number was painted on a tin plate, 12 inches square, with figures 4 inches high. Two different colors were used, one for boats with a crew of one or two men, where a license fee of \$5 was charged, and the second color was given to boats carrying more than two men, for which there was an increase in license fee. The number and colors changed each year. In March, 1909, a new paper license system went into effect. Under this system, individuals were licensed and for the first time a description of each fisherman was required. Each license was numbered but the number plate was no longer required on the boat. The federal government required that the larger boats be documented, that is, all boats

¹ For obsolete form, see pages 75–76 of: Conner, Geraldine. California's fishing boat census. Calif. Div. Fish Game, Fish Bull. No. 30, pp. 72–107, 1931.

over five net tons were recorded with the U. S. Custom House and assigned a permanent number, which ran into six figures and was carved into one of the deck beams of the vessel. These boats were also required to have an official name; and although several large boats might carry the same name it was a simple matter, through the names

STATE OF CALIFORNIA
DIVISION OF FISH AND GAME—BUREAU OF COMMERCIAL FISHERIES
APPLICATION FOR MARKET FISHERMAN'S LICENSE AND COMMERCIAL FISHING BOAT REGISTRATION

Every person engaged or employed in the vocation of fishing for fish, mollusks or crustaceans for profit in this State, must first obtain a license from the Division of Fish and Game, for which a fee of \$10.00 is required. This license expires March 31st of each year.

U. S. Custom Number A 567 Home Port San Pedro Boat Name Napoleon Fish and Game Number 1234

Full Name Sam Snider Address 421 - 22nd Street, San Pedro
License Applicant Street City

Height 5 Ft. 8 In. Age 42 Hair Brown Eyes Grey
Color Color

Nativity Austria First Papers Yes Full Papers Yes
State or Country

If License Applicant Operates a Commercial Fishing Boat, Barge or Vessel, the Following Questions Shall Be Answered Before License Is Issued:

Every person owning or operating any fishing boat or other vessel engaged in commercial fisheries shall on or before the first day of April of each calendar year file with the Division of Fish and Game on a form to be provided by the Division a statement giving the general dimensions and description of such boat or other vessel to used or operated. The owner or operator shall also give a complete description of fishing gear and equipment used or carried on such boat or vessel and in what waters so used.

Name Sam Snider Address 421 - 22nd St., San Pedro
Boat Owner Street City

Name Vince Marinkovich Address 121 Cannery St., Terminal Island
Captain or Operator Street City

Type of Boat or Vessel Purse Seiner Length 70 Ft. In. Beam 17 Ft. 6 In.

Net Tonnage 27 Horsepower 100 Is vessel equipped with Power Gurdies or Winch? 1 winch

Is vessel equipped with cold storage plant? No

Capacity of hold for fish stowed below decks, tons iced _____ tons uniced _____

KIND OF FISHING ENGAGED IN DURING PAST YEAR	WATERS FISHED	SHOW MONTHS OPERATING	NUMBER OF CAPT. INCL. THE CAPTAIN	NUMBER OF NETS, LINES OR TRAPS	KIND OF NETS, LINES OR TRAPS	SIZE MESH	FATHOMS LONG	FATHOMS DEEP
<u>Sardines</u>	<u>Monterey</u>	<u>Aug. to Nov.</u>	<u>10</u>	<u>1</u>	<u>Purse Seine</u>	<u>1 1/2"</u>	<u>140</u>	<u>21</u>
<u>Sardines</u>	<u>San Pedro</u>	<u>Nov. to April</u>	<u>"</u>	<u>"</u>	<u>"</u>			
		<u>to</u>						
		<u>to</u>						
		<u>to</u>						
		<u>to</u>						
		<u>to</u>						

[SIGNED] Sam Snider
Captain-Owner or License Applicant

Application taken by V.V. Date 4-30-34

License issued by " Date 4-30-34

License Number 5164

Sold by Sam Snider of San Pedro Sold to Paul Hill of Newport Beach

Custom House Number changed to Same Date _____

Boat name changed to "Coyote" Date 6-16-34

228 1-23 1934
CALIFORNIA STATE PRINTING OFFICE

FIG. 11. Combination form of boat registration and fisherman's license application, initiated April 1, 1933.

FIG. 11. Combination form of boat registration and fisherman's license application, initiated April 1, 1933 of the owner and captain, to establish specific identities. During and since the World War, the undertonnage or undocumented boats have also been required to carry a federal identification number. A large portion of the boats in the fishing fleet are under five tons net, and it was with these undocumented boats we were most concerned.

There are two U. S. Custom House districts in California—the San Francisco district, which extends from the Oregon line to San Luis Obispo County; and the Los Angeles district, which includes San Luis Obispo County and extends to the southern boundary of the state. The federal number is issued by the local Custom House office to boats making home ports in their respective districts. In numbering the

STATE OF CALIFORNIA CERTIFICATE OF COMMERCIAL FISHING BOAT REGISTRATION FOR YEAR ENDING MARCH 31, 193 <u>5</u>	
California Fish and Game Boat Number 1234	<i>This certificate must be carried on the boat at all times and renewed on or before April first each year.</i>
This is to Certify, That Sam Snider has this 30th day of April 193 <u>4</u> registered with the Division of Fish and Game the Purse Seiner "Napoleon" A-567 Boat, Barge or Vessel U. S. Customs Registered Name	
which carries the California Division of Fish and Game number given above, in accordance with Section 5 of the Record of Fishing Data Act, California Statutes, 1919, Chapter 550; Statutes 1931, Chapter 774.	
DIVISION OF FISH AND GAME	
Issued by C.H.S. If during the registration year there is a change of ownership, captain, boat name or number this certificate must be renewed. Fill in back of card and mail or deliver to local office of the Division of Fish and Game and new certificate will be issued.	Place Terminal Island

Record of Transfer of Commercial Fishing Boat	
New Owner	Paul Hill
Address	Newport Beach
New Captain or Operator	Bob Cooper
Address	Laguna
New Boat Name	"Coyote" A-567 U. S. Customs registered boat name and number
[SIGNED] Sam Snider	
DATE OF SALE	June 16, 1934
97327 9-32 3M CALIFORNIA STATE PRINTING OFFICE	

FIG. 12 A. Certificate of commercial fishing boat registration issued to boat owner or captain and retained on the boat. B. Reverse side of certificate used by owner when slip is returned to Division of Fish and Game to report a change of ownership.

FIG. 12 A. Certificate of commercial fishing boat registration issued to boat owner or captain and retained on the boat. B. Reverse side of certificate used by owner when slip is returned to Division of Fish and Game to report a change of ownership

smaller craft, the federal government uses several series of numbers: four figures in some cases but more often three figures with a letter as a prefix or suffix, B and C in the northern half of the state and C and V in the southern. These numbers did not remain permanently with the boat; they changed when the boat moved from one district to another or when the boat changed ownership. There was endless confusion

with this system of numbering. Although many of the boats in this class had names, the duplications were so numerous that the names were of little use as means of identification.

To add to the difficulty at San Francisco, the Crab Fishermen's Protective Association, for the purpose of simplifying its bookkeeping, issued numbers to its members and these were often substituted for the Custom House numbers. In order to keep an accurate record of the individual boats, it was necessary to carry on a continuous "check-up" with the Custom House offices and the dealers. A permanent number for the boats under five tons was early recognized as a necessary improvement in the state's statistical system.

A state number system had been planned for some time, and in 1931 when the "punch card" system was introduced as an improved method of compiling fishery statistics, it became necessary to have our own means of keeping check on the boats operating in the state. As all data transferred from written records to the cards are punched in numerical code, it was necessary to devise some means of codifying the individual boats. The U. S. Custom officials were consulted to determine whether the state might place its own series of numbers on the boats or other floating equipment used in connection with the fisheries without conflicting in any way with the United States marine regulations. No objection was found and the Bureau of Commercial Fisheries proceeded with the plan. The next question was just what kind of a number plate would be best for the purpose. Size and durability seemed to be the most important consideration. It was planned that the plates when once placed on a boat should remain there as a permanent fixture as long as that boat was operated in connection with the fisheries. The code numbers were to be in series of not more than four digits.

After consulting with the manufacturers and examining several different designs and material, it was decided to have the numbers stamped on metal plates, 3¼x9 inches, and the numbers to be of block type, two inches in height, black on white back ground. Twenty-size gauge non-corrosive metal was used for the plates, with 6 holes punched through the edges for the purpose of fastening the plates to the boat. Copper brads were used for fastening. The plates were made in pairs, one to be fastened on each side of the pilot house or in a conspicuous place well forward on the superstructure of the vessel. (See Fig. 13.)

In 1931, when this system was installed, there were approximately 2500 active boats to be numbered in the state. Four thousand pairs of plates were ordered, as it was contemplated this amount would be needed within the following years for numbering new boats and boats from other states entering our commercial fisheries. Lost or disfigured plates have to be replaced through reorders of the original number assigned to the particular boat, at the expense of the owner. There is no charge for the first pair of number plates issued to a fishing boat.

The plates were delivered in February, 1931, and the placing of the plates on the boats was begun immediately thereafter. The numbers are in pairs, ranging from 1 to 4000, and were assigned by the Bureau of Commercial Fisheries to its administrative districts as follows: The 1 to 1500 series was assigned to the San Francisco

office for distribution to boat owners from the Oregon line to and including San Mateo County on the coast, including the boats of inland waters in the Sacramento and San Joaquin river deltas. For the Monterey region, the series ran from 1500 to 1999; 2000 to 3499 for the Los Angeles and Santa Barbara regions, including San Luis Obispo County south through Orange County; and 3500 to 4000 for San Diego.




FIG. 13. Fastening Division of Fish and Game number plates to superstructure of a commercial fishing boat.

FIG. 13. Fastening Division of Fish and Game number plates to superstructure of a commercial fishing boat

As a matter of record a special form card (see Fig. 14) was printed for the purpose of obtaining required data on the boats at the time numbers were installed. On this card were recorded the state number assigned to the boat, the Custom House number, the boat name, and both the owner's and operator's name and address. The length, type of boat, the kind of fishing gear used, the place where the boat was numbered, and the date were included. This card remains permanently on file at the statistical headquarters at the California State Fisheries Laboratory as long as the boat remains in service. Changes in ownership, name or Custom House number are recorded on the back of the card as an historical record.

The boat numbering was practically finished by the fall of 1931, only a few small boats in the delta region of the Sacramento and San Joaquin rivers remaining unnumbered. By the following license year (April 1, 1932) each of the fishing boats in the state had an identifying number and carried a state certificate of registration. (See Fig. 12.)

A "chainindex" cross catalog system, for keeping a check on the boats by four identifying features, is installed in each of the district offices at the fishing centers of San Francisco, Monterey, Los Angeles Harbor, and San Diego. The cross catalog for each office includes a list of boats operating in the vicinity of the office, either permanently or for a short period only. A master "chainindex" catalog of all boats operating in state waters is installed at the California State Fisheries

3466	Cortez	V-147
CAL. F. & G. No.	NAME OF BOAT	U. S. CUSTOMS No.
Capt. or Operator Manuel Garcia		
Address Point Loma		
Owner Joaquin Gomez		
Address 1552 California St., San Diego		
Length of Boat—Feet 26 Inches 10		
Type of Boat Hand liner		
Kinds of Gear Hand Lines, gigs, lobster traps		
Place Numbered San Diego		
Date April 20, 193 1		
98848 11-32 500 CALIFORNIA STATE PRINTING OFFICE		

FIG. 14. Facsimile of form showing information requested at time Division of Fish and Game number plates are assigned to fishing boats.

FIG. 14. Facsimile of form showing information requested at time Division of Fish and Game number plates are assigned to fishing boats

Laboratory at Terminal Island, where the final check and tabulation of the records are made. The four-feature cross-reference gives the Division of Fish and Game number, the U. S. Custom House number, the boat name, and the names of the owner and operator. When the original fish receipts are incomplete, if any one of these items is given, the boat can be traced, and a combination of several assures its identification. Changes of owner, operator, boat name, or Customs House number, and records of new boats or those no longer engaged in fishing are noted by all staff members. Reports are made to the laboratory, which acts as a clearing house for this information and advises any of the offices that may need the particular record. We have had excellent cooperation from the Custom House officials in this state in untangling some of the knots occasionally encountered in straightening out boat records.

It was planned at first to reserve the small numbers from 1 to 50 and issue them to the fishermen who had operated for the longest period of years. This was to stimulate interest among the fishermen in the numbering system and its purpose. It was found, however, that it would be so difficult to ascertain who really were the "old timers" in the fleet that the scheme was abandoned. Another one of the original plans was to give particular series of numbers to certain types of boats, but this also brought about complications. The trawler boats at San Francisco were assigned numbers in the series from 50 to 99, and the unused plates in this series were to be held expressly for trawlers. However, a few other boats received these low numbers, and it was decided because of the difficulties in the field work to issue the numbers to boats as they came, regardless of type and size.

Boats are continually coming to our fisheries from Oregon, Washington, and Alaska; some stay permanently and others come just for the season, returning to their home ports for the remainder of the year. New boats are being built, a few entering the fisheries each year. Occasionally, pleasure boats are converted into commercial fishing boats. The law now provides that any person operating a fishing vessel for profit in this state shall, for the purpose of identification and registration, carry in plain sight on each side of said vessel a registration number. Therefore, a constant check-up is necessary to see that all boats, migrant as well as native, old boats and new boats coming into operation, are properly numbered and registered. Those fishing boats which have not received a number are easily traced in the records through the monthly report of the daily boat catch of each boat. The field men are immediately notified. The new boat is located and numbered.

The statistical system, in which the census of the boats and gear plays such an important part, is the basis for the protection of a food supply for the public in general and for the safety of the millions of dollars invested in the fishing industry. The boat numbering system in particular has proven its worth in the short time since its installation. Instead of taking a census of the boats and gear every decade, the Bureau of Commercial Fisheries is continuously engaged in keeping this record up to date. The unlimited store of facts concerning the fisheries which is being accumulated will increase in value with the passing of years.

4. LOGS ON CALIFORNIA TRAWLERS

By G. H. CLARK

A ship's log is the official daily record of the movements of the vessel and of the happenings aboard. It includes notes about the weather, the cargo, the crew and the business transactions. Any log is an important document but a fishing vessel's log may mean the difference between a profit and a loss. It enables the fishermen to use their former records to determine the positions of fishing banks; kinds of fish and amounts taken at various times and in specific localities; character of the bottoms; effect of seas, currents and weather on the fishing; the efficiency of various types of fishing gear; and many other items which might aid in making a good catch.

The value of fishing boat logs to a conservation agency is readily seen. The research worker needs all of the detail available to the fishermen as outlined above. He also wants to know the kind and amount of gear used over a definite period of time, the time spent in running to and from port to the fishing grounds, and the effects of the various types of gear on the different species of fish. These data make the collections and samplings of biological material much more definite as to the locality and the conditions under which the fish are taken. It is realized, of course, that if an investigator has access to boat logs for past years, useful information is available which would take years to accumulate and which aids tremendously in the solution of current problems. It gives him accurate knowledge of what has taken place in the fishery before beginning his own observation. This important source of information has long been utilized by investigators of the various countries bordering the North Sea, particularly in the important cod, haddock and plaice fisheries. To a lesser extent log books have been used on our continent. The logs kept by the halibut schooners in the north Pacific are outstanding and constitute the foundation for the statistical research work of the International Fisheries Commission (United States and Canada) besides aiding materially in their biological work. Log records of a selected group of tuna boats (see "Locality Records and the Tuna Fishery," by H. C. Godsil, pp. 41-43) working out of southern California ports have quite recently been made available to an investigator of that fishery, and for the past year daily log records have been received by the Bureau of Commercial Fisheries from the California trawl boats.

The adaptation of logs on all fishing vessels is the next step in the development of the fisheries statistics in California, so that there may be complete and very detailed information on the major fisheries. The fishing industry and fishermen have not felt, until quite recently, the need of detailed records of fishing localities and operations, because most of the early fishing craft were small boats which operated close to shore on an abundant fish population, so that accurate navigation and records of fishing grounds were not a necessity. However, in the more recent years many of our fishes have become less abundant, necessitating

the use of larger boats for operations on more distant grounds so that realization of the value of records of their fishing activities has become apparent.

The introduction of the log system has been handicapped on the western coast of the United States by the character and nationality of the fishermen. California has just such a handicap, in that for many years most of the fishermen have been foreigners by birth, chiefly Italians, Portuguese, Slavs, and Japanese. Many do not write our language and others, although educated in their own language, lack the appreciation of a log. The majority of the small boat fishermen operate "by the land" and not "by the box (compass)," so that it is difficult to obtain accurate descriptions of fishing localities. But more recently, there has been a gradual shift in the personnel. The younger men, American born or schooled, have ascended to captaincies, and many of them keep a good log. There is now scarcely a boat of any size which does not have at least one member of its crew capable of keeping simple notes of events and fishing localities.

The thought of utilizing the ships' logs for fishing data is not new in California. About ten years ago, H. B. Nidever of the Bureau of Commercial Fisheries suggested furnishing to fishing vessels a log book designed to give information and be useful to both the fishermen and the Division of Fish and Game. This log would be uniform for all boats, with the printed form broad enough in scope to cover all classes of fishing. At about the same time, the idea of blocking off the coastal waters of the state into fishing areas, to be used in conjunction with the ships' logs, was discussed. These fishing areas were to be designated on the log as the fishing locality of the day's catch and used in the Division of Fish and Game statistical system to show the catch by water areas.

Early in 1933 when the program for intensive work on the trawl fishery was inaugurated, the log book plan was developed and applied to the boats operating trawls out of San Francisco.¹ This particular fishery afforded a wonderful opportunity to install uniform ships' logs because all the boats are owned and operated by the wholesale fish dealers (unusual in California where the majority of the fishing boats are owned by the fishermen). These dealers were already using a log on their boats, as the operators were interested in knowing the daily movements of their producing crafts. So, in general, the introduction of the state's system merely meant a substitution of the state's form of log for the company's and providing enough copies so that the dealer, the boat, and the Division would each receive the record.

During the fall of 1933, special trips were made on the trawl boats to observe operations and to determine if our ideas for the logs were applicable. At the same time, we were careful to note what information the captains were in the habit of recording and to observe the forms of log in use.

Concurrently with designing the ships' logs for the trawl boats, the plan for charting the coastal waters of the state into blocked fishing



FIG. 15. Chart of northern California fishing grounds, showing the numbered areas





FIG. 16. Chart of southern California fishing grounds, showing the numbered areas

¹ Throughout the work, Mr. H. B. Nidever with his knowledge of the fisheries, boats, logs, and navigation has been a constant advisor, suggesting a large part of the ideas adopted in the trawl boat log form. Likewise, the members of the staff of the California State Fisheries Laboratory and of the Bureau of Commercial Fisheries of the Division have given freely suggestions and encouragement.



Fisheries Chart No. 1

This chart should be kept in the pilot house for use in making out daily log of fishing operations. Show on log which block or blocks were fished, using block numbers. Each block on the chart covers ten minutes of latitude and ten minutes of longitude. Outline and depth curves taken from U. S. C. & G. S. Chart No. 3002, May, 1932. This chart is not intended for use in navigation.

Chart No. 1

FIG. 15. Chart of northern California fishing grounds, showing the numbered areas.




FIG. 13. Chart of southern California fishing grounds, showing the numbered areas.

The log books are furnished by the Division to the boats without cost. The books consist of fifty sets of logs, each set including one white sheet with carbon back, which is used by the company; one yellow sheet with carbon back, which is kept by the boat; and one pink sheet (the third copy), which is for the Division. Each set of logs is serially numbered, and each log sheet of the set has space for the same information. Figure 17 is a facsimile of a typical log sheet used by paranzella or trawl boats.²

FIG. 17. Facsimile of log of San Francisco trawler

² The paranzella trawl is employed on these boats. It is a bottom net dragged behind and between two boats to keep it open.

the character of the bottoms at various depths. Therefore, it is an easy matter for them to record in the log the area fished by the numbers assigned by the Division of Fish and Game.

We now have these log records for twelve months, and we believe that the installation of the system has been worth while. The wholesale fish dealers who own and operate the boats and their fishermen who make out the logs have given us splendid cooperation from the very beginning, for which we are grateful.

The first year's records (January-December, 1934) have been prepared from punched card tabulations of the data recorded on the logs in summaries for use by the research and administrative personnel of the division. The preparation of these records in this mechanical manner makes it possible to supply special detailed trawler reports each month to the trawler companies. The secretary of the Central Pacific Wholesale Dealers' Association, through the figures supplied in these reports, keeps a monthly area map record of the size and kind of catch taken from each locality for the benefit of the operators. This map record shows at a glance from month to month the areas where most of the fishing was carried on as well as the actual poundage of each species taken. The summarized data provides the statistical basis for the wise administration of the trawl fishery by the state.

5. LOCALITY RECORDS AND THE TUNA FISHERY

By H. C. GODSIL

The history and development of the statistical system used by the Bureau of Commercial Fisheries for recording the commercial catch of marine and fresh-water fishes in California has been outlined in the preceding pages. The system adopted originally was conceived as the best practical method of collecting the desired information. The subsequent story is one of constant striving to increase the reliability of the records, and to make up those deficiencies manifested in the course of time and by experience.

In this work the research staff of the California State Fisheries Laboratory has played its part. As the scope of the biological work increased, a greater number of species came under observation. Experience showed that the worker engaged upon the study of a given species gained a familiarity with that fishery hitherto unknown. Thus, one came to know intimately the boats and crews engaged and the methods and types of gear used by them. Extensive field work upon the commercial boats yielded a detailed knowledge of the fishing areas in which these boats habitually worked. The knowledge thus gained has been incorporated in one way or another into the statistical system, thereby making the figures more reliable and the records of infinitely greater value. This suggests that the ideal method of supplementing any statistical system would be to have a field worker assigned to each species or each fishery.

Due to a limited personnel this goal has not been practical, and to date many of our commercial species have been inadequately studied. Thus, it was not until 1932 that a systematic study of the skipjack and yellowfin tuna was begun. This fishery differs from almost all others, inasmuch as the entire catch is taken in foreign or international waters. Defects in the statistical system, which are frequently revealed when a local fishery comes under state regulation, in this case remained obscure because the tuna and skipjack fisheries are beyond both state and federal jurisdiction. Hence, it was not until the biological work progressed that the shortcomings in the collected data became apparent.

A factor of prime importance is the area or locality in which the tuna are caught, and for several reasons this became increasingly difficult to obtain. The area fished was rapidly expanding. The length of individual trips increased from two to eight or ten weeks, in which time the boats traversed the intervening coastline to the equator. Costa Rica, Panama and the Galapagos Islands became the common fishing grounds. These new grounds were not well known or delimited; hence they were not amenable to arbitrary code numbers, designating fishing areas. Competition between the boats was keen, and a great deal of secrecy was maintained regarding the origin of the fish. In fact, false locality records were frequently and deliberately given in an attempt to conceal the real source of supply.

Moreover, as the range of the vessels increased, they often fished in several of the areas to which code numbers had been assigned, and this was rarely if ever shown in the records. Because the true origin of the tunas is an essential fact needed in the biological studies, although the fishery is beyond our jurisdiction, it became imperative to devise some method of obtaining dependable information on this point.

All possible alternatives are fundamentally governed by one requirement, namely, gaining the friendship, confidence and cooperation of the boat captains. With this asset, the actual method used in collecting the data is immaterial. The solution adopted in this case was to print outline charts of the fishing areas (see Figs. 18 and 19) with the request for the following information:

Bait: Localities where bait was taken; amounts and kind taken; relative abundance of bait present; areas visited when scouting for bait, where no bait was seen or taken.

Yellowfin, Tuna and Skipjack: Place or places where fish were caught; kind and approximate size of fish taken each day; amount of each kind taken each day; places or banks visited where no fish were seen or taken.

General Information: Water temperatures, when available; general course of the voyage; number and names of vessels on grounds visited; general remarks concerning particular conditions on voyage; all entries or remarks to be dated. In addition the date of departure from, and arrival at, home port is recorded, and the length of the trip thus obtained.

Charts were then distributed gradually to a selected list of boat captains, whose friendship and cooperation had by this time been obtained. In asking for this information, each captain was assured that it would be confidential and used only in a study of the fishery. However, to recompense the individuals for this service, each captain was promised a summary of all available data collected by this means from all sources in the calendar year, providing that such a summary did not violate the confidential nature of the data requested. This end was secured by omitting all boat names, any secret grounds, and all such information which might be considered the exclusive possession of a particular crew. The resultant summary was intended to assist the captains in determining the productivity of the different grounds in different seasons of the year.

In distributing the charts, the attempt was made to include a representation of all types of boats engaged in this fishery, because the size and nature of the vessel determines in part the grounds upon which it habitually fishes. Through a process of trial and error, this goal is being gradually achieved. Captains who furnish unreliable or inadequate information are eliminated from the list, and the cooperation of others enlisted. Fortunately, the system affords a very satisfactory check upon the movements of vessels, for each chart compiled reports the position of the various boats seen or "spoken" on the trip. Thus a representative group of boats furnishes information regarding the entire fleet.

The system has been tried experimentally, and with slight modifications has proven successful. It was found that the majority of the



FIG. 18



FIG. 19. Figs 18 and 19 together, depicting the charts issued to tuna boats, cover the present fishing areas for yellowfin tuna. The numbered areas represent distinct fishing grounds as determined by studies to date. The numbers are those used in our statistical code, which is flexible, permitting change as the studies progress

men would not actually compile the charts themselves, but were perfectly willing to supply the desired information. It is therefore necessary to interview each captain upon his return and obtain from him directly, supplemented by the vessel's official log, the data required. The time thus consumed has been fully justified, for a wealth of information is flowing steadily into this laboratory, which is proving of tremendous value in supplementing the statistical system. Code numbers pertaining to fishing areas are now being revised and supplemented, and the data from now on will be far more reliable and complete.

APPENDIX

COMMON AND SCIENTIFIC NAMES OF FISHES, CRUSTACEANS AND MOLLUSKS

Compiled by FRANCES N. CLARK

Common name	Scientific name
Anchovy	Anchoviella compressa Anchoviella delicatissima Engraulis mordax
Barracuda	Sphyræna argentea
Cabezone	Scorpaenichthys marmoratus
Cabrilla	Epinephelus analogus
Carp	Cyprinus carpio
Catfish	Ameiurus catus Ameiurus nebulosus
Corbina, Mexican	Cynoscion othonopterus Cynoscion xanthulus Micropogon ectenes Other members of the Sciaenidae
Cultus, Pacific	Ophiodon elongatus
Dolphin	Coryphaena hippurus
Eel, Blenny	Cebidichthys violaceus Xiphister mucosus Other stichaeids and blenniids
Eel, Moray	Gymnothorax mordax
Flounder, Starry	Platichthys stellatus
Flying Fish	Cypselurus californicus
Grouper	Various species of Mycteroperca
Hake	Merluccius productus
Halibut, California	Paralichthys californicus
Halibut, Northern	Hippoglossus hippoglossus
Hardhead	Orthodon microlepidotus Mylopharodon conocephalus
Herring, Pacific	Clupea pallasii
Kingfish	Genyonemus lineatus
Small percentage of queen fish.	Seriphus politus
Mackerel, Horse	Trachurus symmetricus
Mackerel, Pacific	Pneumatophorus japonicus diego
Mackerel, Spanish	Scomberomorus sierra
Mullet	Mugil cephalus
Perch:	
Halfmoon	Medialuna californiensis
Opal-eye	Girella nigricans
Salt-water	Various members of the Embiotocidae
Sargo	Anisotremus davidsoni
Pike	Ptychocheilus grandis
Pompano, California	Palometa simillima
Pompano, Mexican	Various species of Trachinotus, and possibly other carangids
Rock Bass	Paralabrax clathratus Paralabrax nebulifer
Rockfish	All species of Sebastodes and Sebastolobus found in California waters
Sablefish	Anoplopoma fimbria
Salmon	Oncorhynchus tshawytscha Oncorhynchus kisutch
Sand Dab	Orthopsetta sordida
Sardine	Sardina caerulea
Saury	Cololabis brevirostris
Sculpin	Scorpaena guttata
Sea-bass, Black	Stereolepis gigas
Sea-bass, Shortfin	Cynoscion parvipinnis
Sea-bass, Tuava	Cynoscion macdonaldi
Sea-bass, White	Cynoscion nobilis
Shad	Alosa sapidissima
Shark	Alopias vulpes Isurus glaucus Mustelus californicus Rhinochimaera henlei Squalus suckleyi Triakis semifasciata Small percentage of other species
Sheepshead	Pimelometopon pulcher
Skate	Raja binoculata

	<i>Raja inornata</i>
	<i>Urolophus halleri</i>
	And other species
Smelt	<i>Atherinops affinis</i>
	<i>Atherinopsis californiensis</i>
	<i>Hypomesus pretiosus</i>
	<i>Leuresthes tenuis</i>
	Small percentage of other <i>Osmeridae</i>
Sole	<i>Eopsetta jordani</i>
	<i>Errex zachirus</i>
	<i>Parophrys vetulus</i>
	Several other pleuronectids
Split-tail	<i>Pogonichthys macrolepidotus</i>
Striped Bass	<i>Roccus lineatus</i>
Sucker	<i>Catostomus occidentalis</i>
Swordfish, Broadbill	<i>Xiphias gladius</i>
Swordfish, Marlin	<i>Makaira mitsukurii</i>
Tomcod	<i>Microgadus proximus</i>
Tuna, Albacore	<i>Germo alalunga</i>
Tuna, Bluefin	<i>Thunnus thynnus</i>
Tuna, Bonito	<i>Sarda chiliensis</i>
Tuna, Oriental	<i>Thunnus orientalis</i>
Tuna, Skipjack	<i>Katsuwonus pelamis</i>
Tuna, Yellowfin	<i>Neothunnus macropterus</i>
Turbot	<i>Hypsopsetta guttulata</i>
	<i>Pleuronichthys decurrens</i>
	<i>Pleuronichthys verticalis</i>
	Possibly a small percentage of other pleuronectids
Whitebait	<i>Allosmerus attenuatus</i>
	<i>Spirinchus starksi</i>
	Young of several species of fishes
Whitefish	<i>Caulolatilus princeps</i>
Yellowtail	<i>Seriola dorsalis</i>
Crab	<i>Cancer magister</i>
Crab, Rock	<i>Cancer antennarius</i>
	<i>Cancer anthonyi</i>
	<i>Cancer productus</i>
Lobster, Spiny	<i>Panulirus interruptus</i>
Prawn	<i>Pandalus platyceros</i>
Shrimp	<i>Crango franciscorum</i> and <i>C. nigricauda</i> from California waters
	Other species from Mexican waters

Abalone	<i>Haliotis fulgens</i>
	<i>Haliotis rufescens</i>
Clam, Cockle	<i>Paphia staminea</i>
	Species of <i>Chione</i>
Clam, Gaper	<i>Schizothaerus nuttalli</i>
Clam, Jackknife	<i>Tagelus californianus</i>
Clam, Pismo	<i>Tivela stultorum</i>
Clam, Soft-shell	<i>Mya arenaria</i>
Clam, Washington	<i>Saxidomus giganteus</i>
	<i>Saxidomus nuttalli</i>
Mussell	<i>Mytilus californianus</i>
	<i>Mytilus edulis</i>
Octopus	<i>Polypus hongkongensis</i>
	<i>Polypus bimaculatus</i>
Oyster, Eastern	<i>Ostrea virginica</i>
Oyster, Japanese	<i>Ostrea gigas</i>
Oyster, Native	<i>Ostrea lurida</i>
Squid	<i>Loligo opalescens</i>
	Small percentage of other species

NOTES ON TABLES OF FISH LANDINGS

Regions. (See Fig. 1.)

The California fish catch statistics were segregated into areas of the state as determined by county lines. This was not the best possible method and it seemed more logical to divide the state into eight regions, each one of which would be a geographical unit determined so far as possible by uniformity in fishing and marketing conditions. Beginning with 1931, the catch records have been handled on this basis of eight geographical marketing regions. These represent land areas where fish are delivered and sold. For this reason, the tables are called "tables of landings." The eight geographical regions of the state are as follows:

Region 10. Del Norte. The coast line from the Oregon-California boundary line southward to Trinidad Head (Humboldt County).

Region 20. Eureka. From Trinidad Head to Point Arena.

Region 30. Sacramento. The Sacramento and San Joaquin river systems with the delta areas, including San Pablo and Suisun bays above Carquinez Straits. Lake County is also included.

Region 40. San Francisco. The coast from Point Arena to Pigeon Point and the San Francisco-Bay area up to Carquinez Straits.

Region 50. Monterey. From Pigeon Point to Point Piedras Blancas (San Luis Obispo County):

Region 60. Santa Barbara. From Point Piedras Blancas to Point Dume (Los Angeles County):

Region 70. Los Angeles. From Point Dume to San Mateo Point.

Region 80. San Diego. From San Mateo Point to the boundary line of Mexico, including Salton Sea.

Conversion Factors

In those cases where our records show a count or measure of volume, the following factors are used in converting the number or volume to pounds wet weight:

Abalones, one dozen	50 pounds
Crabs, one dozen	24 pounds
Eastern oysters, one hundred	22 pounds

DEL NORTE AND HUMBOLDT COUNTIES, 1930

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Cod, Pacific.....	271	7,370	9,761	7,856	6,775	23,743	27,905	10,292	2,918	97,300	66,306	83,342	343,043
Flounder, Pacific.....	908	1,108	1,267	474	14		5			1,300			3,225
Haddock, Northern.....		2,263	20,911	26,903	26,086	51,681	46,262	53,246	39,948	67,840	24,389	12	303,000
Herring, Pacific.....	47,617	11,144	8,270	5,153	1,805								71,639
Perch.....	7,102	5,029	10,338	3,341			2,138	402	2,401	3,329	1,608	459	32,061
Rockfish.....	719	4,478	15,420	13,724	14,828	14,100	19,664	10,297	814	38,749	15,080	27,088	173,959
Sablefish.....	2,442	6,798	81,321	42,721	34,581	43,800	96,414	81,188	113,207	28,101	30,560	2,171	531,504
Salmon.....	22	4,212	121,266	217,015	462,183	420,371	975,741	130,207	63,601	5,448			3,867,267
Sand Dab.....									13,852	4,050	11,892	29,784	
Pen-Sea, White.....													19
Shad.....													
Shark.....													
Slate.....													
Sole.....	8,547	6,384	15,619	7,092	3,256	1,370	1,405	5,405	1,337	4,250	4,148	6,506	63,198
Tomcod.....													
Whiting.....	4,976	12,435	15,585	27,660	20,356	6,923	8,247	3,317	614	190	505		100,768
Miscellaneous Fish.....		255	880	567	30	422	42	23,005	10,158	12,528	16,940	2,249	67,706
Crustacea:													
Crab.....	18,816	11,568	24,672	7,776	14,392	8,376	2,928	288					92,448
Mollusk:													
Clam, Miscellaneous.....	952	2,002	2,804	3,356	40				506	2,300	2,356	1,980	16,386
Total pounds.....	97,300	72,659	218,681	276,417	330,972	614,366	627,080	1,197,588	302,610	1,172,368	383,564	548,118	5,841,663

Division of Fish and Game

MENDOCINO, SONOMA AND LAKE COUNTIES, 1930

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Cabotage.....	60	125	41		5								230
Codfish.....	1,623	14,449	18,294	456					711	2,169	3,337	2,271	43,343
Codfish, Pacific.....	38,033	22,432	22,003	24,394	4,343	1,911	8,615	11,428	5,102	6,791	3,415	1,808	105,459
Flounder, Starry.....	780	1,950	1,600	10,000	2,470	4,280				2,470	1,800	1,170	27,010
Hallibut, Northern.....		2,134	3,803	1,573	338	677	4,813	7,413	114	53			20,908
Hardhead.....													27
Herring, Pacific.....	100			130									230
Kingsfish.....					9								9
Rockfish.....	8,909	9,732	14,373	21,403	11,256	550	1,307	1,636	1,426	2,434	2,301	1,782	76,908
Sablefish.....	3,824	6,437	38,302	5,361	1,637	114	71		2,294	8,033	8,311	2,734	73,200
Salmon.....	2,479	2,600	3,340	4,080	550	350	607,804	363,118	10,779				1,114,032
Steel Head.....										918	1,540	3,770	30,150
Sea-bass, White.....		77											77
Spot.....				2,623	817		1,127			38			4,635
Sole.....	7,020	9,730	9,000	13,100	4,420	5,980				4,680	5,720	6,060	64,240
Whiting.....	115	632	604	7,723	8,297	13,287	9,320	767					39,520
Miscellaneous Fish.....				333	147	115				234	50		2,338
Mollusk:													
Clam, Cockle.....										30			30
Octopus.....		128	554	1,361	2,455								5,141
Total pounds.....	62,089	69,970	117,306	95,379	37,094	187,816	632,611	386,362	20,734	27,806	28,684	19,615	1,653,766

Commercial Fish Catch for 1930-1934

MARIN COUNTY, 1930

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Cultus, Pacific.....				50									50
El.....				11						16			16
Hallibut, California.....						14				16			41
Herring, Pacific.....	137,075	65,670											202,745
Perch.....	7,556	8,914	21,326	10,002				1,430	2,304	402	1,792	2,833	61,932
Rockfish.....	145												145
Salmon.....													6
Sau-lan, White.....		130		2,142				2,447	2,283	424	6,700		12,004
Seelt.....	1,115	3,005	3,888	7,462	2,866	4,689	2,123	7,052	3,276	6,825	415	1,461	21,366
Striped Bass.....	100	388	43	332	865								1,688
Turbot.....	120	134	40	19	66	129				134	24	9	518
Whitebait.....		163	745	17									925
Miscellaneous Fish.....	208	60	65		155								528
Crustaceans:													
Crab.....					48						6,744	4,272	11,064
Shrimp.....	105,400	65,211	13,032	6,482	36,671	97,712	168,278	297,705	270,064	227,464	70,807	37,682	1,391,584
Mollusks:													
Clam, Cockle.....	7,174	8,681	8,364	9,627	11,146	8,800		470	2,755	5,815	10,140	11,407	69,721
Clam, Miscellaneous.....		175		216	340	45	5,245						6,021
Clam, Soft-shell.....	6,064	7,479	6,726	6,315	6,740	6,022	5,145	5,346	5,140	6,209	7,480	6,032	76,238
Oyster, Eastern.....	15,097	14,828	12,332	14,223	10,483	4,446	4,504	7,944	15,414	21,738	27,637	26,712	171,497
Oyster, Native.....	782	1,565	2,231	2,785	3,476	2,164	1,744	1,348	65	36	194	304	16,647
Total pounds.....	279,816	174,109	69,617	32,335	72,209	125,455	191,156	366,509	297,581	274,674	130,816	94,363	2,070,437

Division of Fish and Game

SOLANO AND YOLO COUNTIES, 1930

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Carp.....	543	1,964	3,545	4,811	1,053	6		1,782		50	41	209	14,355
Catfish.....	157	179	665	1,078	582			540	549	653	180	317	4,949
Freshwater Shad.....				25									25
Pike.....	128	32	39	16							10	34	279
Salmon.....	354	341	3,200	22,196	39,341	4,650		32,689	59,329		631	583	183,694
Shad.....		151	22,192	60,808	85,335			27			1,794	989	180,317
Striped Bass.....	5,969	7,461	4,878	7,748	5,472			17,285	5,098		25,788	21,042	100,135
Miscellaneous Fish.....				122	125								247
Total pounds.....	6,545	10,128	34,381	105,804	131,940	4,656		72,353	64,976	743	28,764	23,584	496,039

SACRAMENTO AND SAN JOAQUIN COUNTIES, 1920

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Carp.....	3,272	5,095	2,321	566	222	113	170	746	173	1,700	3,649	8,254	24,882
Catfish.....	12,921	15,017	38,349	41,308	28,155			28,233	30,581	36,259	28,479	21,396	270,348
Hardhead.....	6,367	4,048	789	3,223						1,839	12,910	9,721	38,837
Pike.....	122	645	1,948	334	87	19	41						3,481
Salmon.....	141	1,874	6,323	33,634	88,753	13,383		74,643	135,625				333,688
Shad.....		5	6,661	38,016	27,156			106					72,996
Spill-tail.....	2,869	2,051	2,430	221			200	55					8,656
Striped Bass.....	14,128	14,480	5,305	51,121	9,824			9,399	959		27,304	29,087	101,405
Sucker.....	325	844	1,077										1,588
Miscellaneous Fish.....	238		44	120	28				13				445
Reptile.....													
Terrestrial.....							58						58
Total pounds.....	39,437	62,299	65,214	137,633	143,904	12,514	438	106,622	167,267	39,823	71,202	69,541	918,744

Division of Fish and Game

ALAMEDA AND CONTRA COSTA COUNTIES, 1930													Total pounds
Species	January	February	March	April	May	June	July	August	September	October	November	December	
Carp.....	1,266	2,600	3,834	6,081	1,883	185		3,357	5,660	87	341	141	22,243
Catfish.....	4,112	3,413	12,614	14,179	11,785			15,648	19,664	14,241	13,245	6,668	114,569
Flounder, Marry.....	162	25	44	293									526
Perch.....		10											10
Pike.....	284	197	193	91	12			58	46	22	77	249	1,417
Salmon.....	273	423	6,391	97,239	224,177	33,027		41,806	283,702		562	506	602,316
Shad.....	126	516	33,620	274,467	487,978			2,950	479		1,829	946	604,871
Steel.....			590	100	1,431	237	537	71					3,796
Split-tail.....					466			425	2,421	5,192	1,408		9,872
Striped Bass.....	21,797	39,849	66,915	113,512	29,494			115,268	42,429		61,111	65,255	544,639
Sucker.....	14	18											32
Tongue.....		138											138
Miscellaneous Fish.....				403	248			121			30	7	869
Mollusk:													
Clam, Soft-shell.....	1,640	2,609	2,265	2,315	1,235	1,530	1,190	1,270	1,645	1,693	1,445	1,220	19,499
Total pounds.....	30,074	48,329	128,808	609,924	732,618	37,479	1,717	181,666	359,006	21,235	70,078	73,908	2,313,338

Commercial Fish Catch for 1930-1931

SAN FRANCISCO AND SAN MATEO COUNTIES, 1930

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Anchovy.....			150	4,000	47,000	35,000	65,000	30,250	30,480	12,400			261,850
Carp.....	4,235	600	115	44									4,992
Cullin, Pacific.....	20,021	46,192	83,820	73,725	37,921	10,466	36,828	61,559	61,581	55,832	46,729	38,779	581,852
Flounder, Starry.....	10,200	25,515	50,182	17,898	60,000	68,600	23,774	18,303	8,048	47,031	1,100	135	329,267
Hake.....	750	540	1,285	9,140	11,235	14,455	5,712	5,825	1,400	900	135	303	50,985
Halibut, California.....	605	1,000	4,322	4,102	2,448	1,416	1,054	4,510	7,568	3,121	756		31,078
Herring, Pacific.....	137,200	111,850	118,380	712	1,880	300	119	225			170	27,001	308,917
Kingfish.....		340	500	225	9,720	8,706	3,307	2,965	12,795	360	406	783	40,337
Maskered, Pacific.....		60	80		160	745	311		3,771	4,607	1,712		12,363
Perch.....	4,566	1,940	4,011	3,378			6,485	6,554	3,564	3,345	4,392	6,335	50,340
Rockfish.....	75,506	60,040	74,498	60,114	79,744	57,136	91,474	56,704	170,057	86,605	190,756	73,783	1,017,531
Sablefish.....	8,305	15,759	53,419	76,001	71,222	52,199	45,406	48,679	72,000	2,308	12,460	1,791	461,348
Salmon.....			6,900	18,613	3,968	147,269	420,367	103,565	282,691	27,542	27,554		1,009,233
Sand Dab.....			19,835	29,168	62,178	62,550	58,157	81,611	39,129				478,287
Sardine.....	5,369,924	2,621,100	90,750	193,220	113,430	158,525	307,370	2,836,661	9,296,724	14,038,560	10,281,411	2,660,581	48,608,051
Sea-bass, White.....		1,450				30	407	346	15,358	30,340	137	917	36,730
Shad.....			504	17,914	23,759								41,275
Shark.....	62,837	35,427	31,062	13,000	6,710	1,280	6,741	19,990	17,774	5,680	18,113	23,908	221,672
Skate.....	16,282	19,522	29,662	14,123	24,915	17,243	19,963	29,237	30,460	7,984	19,462	16,472	221,324
Snout.....	15,550	21,940	38,457	27,414	15,145	14,758	15,149	5,115	11,695	9,074	4,380	610	165,244
Sole.....	1,085,405	990,057	1,401,494	1,015,734	607,038	438,605	579,487	636,051	613,959	180,190	225,607	178,774	8,059,671
Striped Bass.....		2,034	16,870	14,434	3,804			15,408	2,834				58,656
Tomcod.....	2,164	1,536	822	2,270	1,821	2,583	6,106	3,798	427	870	1,171	134	22,322
Turbot.....		290	250	910			825	269	4,479	67	405		6,427
Whitefish.....		41	842	12,182	7,548	4,013	2,325	505	2,140	585			30,708
Miscellaneous Fish.....	750	2,224	2,291	842	901	400	778	1,485	50	368		284	10,373
Crustaceans:													
Crab.....	174,984	209,892	147,073	150,000	374,160	73,372	89,308			330,784	569,606	1,887,768	
Shrimp.....	48,205	52,630	44,750	81,960	47,550	174,240	336,344	232,952	100,740	37,080	81,580	82,306	1,296,247
Mollusks:													
Clam, Soft-shell.....	1,842	2,999	5,009	3,729	2,051	1,462	1,223	774	874	145		688	20,847
Muscul.....		25											25
Ostracod.....	80	847	1,422	867	1,613	1,118	1,807	307	85	45	85	100	8,578
Oyster, Eastern.....	51,500	36,035	29,130	31,460	21,065	17,005	17,205	18,810	34,045	34,485	45,630	74,330	410,980
Oyster, Native.....	1,047	1,116	304				2,000	3,000	3,000	4,501	5,385	4,245	24,206
Total pounds.....	7,101,540	4,254,534	2,249,377	1,918,322	1,650,430	1,367,721	2,138,905	4,230,509	10,847,447	15,191,720	11,176,338	3,570,848	65,727,091

Division of Fish and Game

SANTA CRUZ COUNTY, 1930

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Anchovy.....									400				400
Barracuda.....									30				30
Charron.....		28	296	203									405
Colin, Pacific.....	1,560	1,740	12,826	6,067	3,043	24,675	8,432	4,396	1,331	6,771	1,361	1,343	74,483
Flounder, Starry.....	8			2,569	9,743	13,143		2,775			21		28,904
Hake.....					3,300	963	790						5,105
Hallibut, California.....			11	318	79	2,785	1,979	1,365			47		6,481
Kingfish.....	805	4,805	5,789	2,300	5,391	8,610	1,382	1,886	628	4,071	11,882	5,100	52,266
Mackerel, Horse.....													30
Mackerel, Pacific.....	6		1,568	72	9	645	5,128	2,874	2,321				14,819
Perch.....			181	664			128	229	14				1,224
Pompano, California.....			151	15	80				61				306
Rockfish.....	105,580	75,118	83,644	117,490	139,819	94,608	120,181	86,203	95,113	143,901	46,513	112,965	1,236,167
Sablefish.....	12,994	30,516	50,149	48,882	15,899	7,453	6,151	4,651	14,485	22,305	8,259	8,443	223,138
Salmon.....				2,729	40,304	11,243	11,076	7,431	55				73,298
Sand Dab.....		5,520		1,600	10,070	11,557	16,848	5,163	1,180				68,799
Sardine.....			40,883	4,722	9,031	110	40	55					53,893
Sea-bass, White.....		16					48	553	21,090	22,219			43,957
Shark.....		2,006	1,600	373	280	543	123			40			5,780
State.....		560	840	250	1,435	7,880	4,300	700	280				16,352
Steelhead.....	1,200	654	82	7,151	15,650	18,277	11,147	11,255	23,118	18,313	3,584	1,976	111,477
Sole.....	6	73,920	64,183	9,064	100,474	298,534	126,833	24,795	29,553	2,054	203	67,229	807,547
Tuna, Albino.....									345				345
Tuna, Bonito.....									445				445
Whitefish.....			21										21
Miscellaneous Fish.....		1,110	12	1,448	1,500	1,600	1,350			1,181		203	8,394
Crustacean:													
Crab.....	264		288	96		144	96				120		1,008
Mollusk:													
Clam, Pinto.....	24										24	24	72
Octopus.....	165	195	154	221	452	264	34	16		37		7	1,696
Squid.....			565		10,000								10,565
Total pounds.....	122,110	194,089	208,724	267,803	367,732	560,067	335,081	182,693	190,556	303,358	71,723	208,333	2,854,803

Commercial Fish Catch for 1930-1931

MONTEREY COUNTY, 1920

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Anchovy.....			120	8,960	9,360	9,620	1,500	4,700			8,380	60	43,100
Cabonno.....			192		150	10							352
Calfes, Pacific.....	12,247	2,297	16,228	11,470	7,135	4,043	4,382	4,178	1,942	6,721	16,238	29,591	121,509
Flounder, Starry.....							34	44				39	68
Haddock, California.....	7,844	2,062	5,698	453	568	1,328	661	555	65	44	570	4,211	17,831
Kingfish.....	7,553	16,551	4,482	1,415	5,142	1,621	196	1,289	174	2,194	8,567	20,247	72,941
Mackerel, Horse.....	130		150	169	2,535	318	120	345	38,329	4,424	48,329	230	93,241
Mackerel, Pacific.....	190,014	130,144	144,854	69,904	27,652	120,317	113,255	110,264	148,303	133,577	94,432	129,446	1,348,287
Perch.....	1,963	796	262	6,316				332	90	201	696	422	13,733
Pompano, California.....				4	210	51					5	79	347
Rock Bass.....					16								16
Rockfish.....	113,677	113,632	220,744	184,566	139,670		75,546	80,635	107,695	198,162	128,941	80,171	1,227,116
Sablefish.....	9,029	5,741	3,060	8,648	603		349	243	95	2,194	1,877	966	36,431
Salmon.....						180,347	25,865	109					206,441
Sand Dab.....	861	1,833	942	3,084	1,917	1,847	278	1,133	279	229	420	327	16,948
Sardines.....	33,240,166	42,305,945	730,614	77,271	29,681	79,290	90,361	27,307,419	21,402,830	35,440,060	27,835,310	19,363,866	359,642,128
Sea-bass, White.....		30	305	18	228	16	69	413	53	12	305	202	1,720
Shark.....		260											260
Skate.....	1,654	1,673	2,865	485	500	2,515	652	136	20	282	185	1,291	12,118
Snail.....	895	1,343	1,274	7,641	23,500	13,907	36,331	43,776	39,560	18,506	18,313	22,780	228,486
Sole.....	990	990	10,097	19,184	12,647	21,614	13,904	5,188	1,763	3,560	1,300	1,143	96,272
Tuna, Albacore.....			64	303	88				60,646	111,070			172,616
Tuna, Pacific.....	149									156	50		715
Whitefish.....			16	183	444	2,298	24						2,963
Miscellaneous Fish.....	2,178	1,432	20	204	102	112		30		40	193		4,537
Crustaceans:													
Crab.....				96									96
Prawn.....								27	1,305	1,501	1,782	3,773	8,756
Mollusks:													
Abalone.....	7,500		370,350	297,375	248,375	462,320	351,150	344,500	277,455	333,650	302,825	164,975	3,158,975
Clam, Fanny.....	1,399	1,796	2,897	1,412					605	672	1,240	2,224	11,972
Mussel.....				300									300
Octopus.....	2,412	2,248	6,079	8,632	8,547	8,100	10,416	8,884	1,235	430	1,472	2,435	61,207
Squid.....	42	101,005	14,490	3,748,056	6,807,761	45,373	1,325				40,943	185,816	10,937,589
Total pounds.....	53,534,009	42,700,318	1,554,720	4,458,369	7,721,641	1,041,195	744,452	28,035,153	35,165,593	54,191,468	28,492,147	20,960,068	277,280,074

Division of Fish and Game

SAN LUIS OBISPO, SANTA BARBARA AND VENTURA COUNTIES, 1930

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Barracuda.....			179	106					556	1,263	100		2,204
Catfish.....		127						1,016	152				1,473
Flounder, Starry.....								91	21				112
Hallibut, California.....	21,209	16,165	26,949	22,658	20,518	37,549	34,679	26,794	30,335	25,208	17,618	34,613	312,247
Herring, Pacific.....	235	30		4									269
Kingfish.....							52						52
Mackerel, Pacific.....		36						146	677	55	20		822
Perch.....	910		429	658				1,126	485	112	119		3,331
Rock Bass.....	764	2,311	4,354	3,439	441		333	771	833	645	1,017		16,975
Rockfish.....	4,674	5,553	5,945	5,773	4,335	3,351	2,907	3,142	2,292	1,091	353		40,633
Sardine.....	1,450,250	2,117,458	2,394,490				120				481,630	321,146	7,965,688
Sculpin.....							17						17
Sea-bass, Black.....							40						40
Sea-bass, White.....	155	385	38		403	7,188	19,199	18,972	2,748	798	12,671	1,337	61,636
Shark.....	148	327	945	803	6,374	1,677			59				11,918
Sheepshead.....	2,694	4,265	79		207	66	27	140			1,394	2,133	11,216
Shale.....		649	1,185	292	165								2,290
Squid.....	3,418	9,998	8,825	7,672	3,474	4,555	1,501	665	1,352	5,482	1,242	1,234	49,058
Sole.....	8,360	10,229	22,340	29,700	49,435	20,948	34,021	50,118	45,344	27,769	19,548	14,132	331,875
Tuna, Pacific.....								465					465
Whitefish.....	155			53				17		641			846
Yellowtail.....		84						19					103
Miscellaneous Fish.....				73	10		121		27				290
Crustaceans:													
Lobster, Spiny.....	4,648	9,391								8,521	15,963	23,172	59,898
Mollusks:													
Abalone.....				1,854	4,862	3,735	1,815	715	3,870		21	666	17,538
Clam, Pismo.....	3,362	10,094	7,350	6,357	7,529	8,784	11,708	12,394	8,697	7,774	5,305	4,886	96,816
Total pounds.....	1,503,438	3,191,587	2,672,671	80,194	99,477	90,115	97,479	117,569	97,041	81,086	555,025	407,508	8,996,380

Commercial Fish Catch for 1930-1931

LOS ANGELES COUNTY*, 1930													Total pounds
Species	January	February	March	April	May	June	July	August	September	October	November	December	
Anchovy.....	35	195	267	1,210	3,285	2,475	1,270	145		640	490		10,028
Barramunda.....	43,829	87,644	101,244	435,136	320,477	601,433	309,323	301,283	209,090	239,019	373,931	203,872	3,427,272
Catfish.....	97,465	85,028	46,417	48,965		315				39,311	21,875	41,936	309,933
Carp.....					300								300
Corbin, Mugilus.....	13,339	13,339	80,635	1,310	15,022	21				9,365			1,023
Cultus, Pacific.....						522			350		30		872
Ed.....											10		10
Flying Fish.....			62	15,182	18,065	4,789	1,571	4,444	3,490	381			48,351
Halibut, California.....	17,067	74,472	26,843	35,335	39,066	19,241	16,599	12,599	25,567	22,866	17,021	20,086	397,655
Kingfish.....	26,158	34,169	38,670	22,837	21,947	22,189	10,137	16,961	22,994	24,326	28,660	18,197	288,253
Macarel, Horse.....	48,185	26,517	7,475	1,754	3,549	38,175	32,845	11,150	16,744	77,566	9,769	345	373,537
Macarel, Pacific.....	1,450,618	1,038,202	841,280	340,101	750,841	1,080,750	913,018	303,073	308,947	4,256,297	1,281,097	205,485	12,826,709
Macarel, Spanish.....	4,578	520	632	1,574		230					1,206	1,417	19,430
Mullet.....		474			384			685	1,434	710			3,977
Purch.....	17,265	13,568	12,247	13,668	2,465	2,193	12,967	19,359	12,455	10,122	11,909	11,562	137,263
Pumpkin, California.....	10	28	135	96	47		22	290				257	1,308
Rock Bass.....	11,020	16,281	7,939	9,007	16,262	30,071	50,765	26,042	14,365	9,759	5,912	8,658	214,501
Rockfish.....	106,941	163,896	277,167	245,282	204,277	143,974	90,448	113,047	87,266	176,185	126,270	227,431	1,966,087
Sablefish.....		38	1,278	1,718				1,044			402		4,540
Salmon.....					6								6
Sand Dab.....	908	1,333	2,345	1,380	1,137	1,015	1,273	1,342	1,032	777	434	303	12,321
Sardine.....	44,740,268	38,665,861	60,350,586	131,147	30,533	5,184	6,756	4,456	10,312	17,368	11,354,388	4,847,351	174,745,967
Sculpin.....	1,576	4,017	2,843	3,304	2,123	4,093	7,653	8,021	6,704	5,070	4,789	9,073	59,036
Seabass, Black.....	9,910	9,676	4,436	20,576	2,247	11,340	9,151	12,660	21,940	17,739	12,426	17,739	145,182
Seabass, Totem.....	530,774	403,810	275,725	210,851	30,533	22,435			1,403	14,080	68,812	216,492	1,778,885
Seabass, White.....	2,814	2,594	18,517	53,792	131,398	146,091	106,144	277,268	54,154	67,718	24,825	5,413	942,546
Shark.....	8,663	12,706	13,317	18,792	34,231	27,712	23,010	15,741	30,344	14,686	12,869	7,680	219,800
Sheepshead.....	34,123	31,826	11,889	2,043	1,146	2,203	1,287	12,152	36,303	12,681	20,079	190,659	196,659
Shark.....	1,977	4,131	3,088		849	739	1,543	136	2,292	2,173	1,227		24,461
Smelt.....	25,285	24,118	31,007	32,543	20,203	28,544	21,050	15,510	25,364	27,850	36,385	29,884	318,925
Sole.....	1,780	5,787	3,961	4,584	5,718	4,571	9,140	195	4,451	4,707	903	7,086	48,125
Sweetfish.....	227				1,366	4,492	37,273	48,612	44,548	41,700	13,976	3,511	165,745
Tuna, Albacore.....	6,456	295,400	485,375	575,722	561,903	978,777	1,710,775	1,564,031	11,441	316,625	667,758	87,383	7,115,555
Tuna, Bluefin.....	434				144,824	8,314,604	11,466,414	1,205,099	178,140	274,385	9,388		21,593,288

Division of Fish and Game

Tuna, Bonito.....	9,994	27,810	25,825	35,892	69,879	34,999	37,019	1,213,653	1,706,786	485,972	50,423	1,988	3,830,338
Tuna, Skipjack.....	31,551	6,565	36,741	7,445	18,083	30,554	100,633	910,415	1,423,237	3,302,337	1,240,984	1,135,546	6,844,094
Tuna, Yellowfin.....	507,028	360,312	978,513	778,331	470,014	435,920	1,600,767	3,134,886	1,568,923	1,453,540	660,491	371,369	12,553,923
Whitefish.....	17,383	13,199	15,682	15,662	1,569	2,283	3,303	5,568	6,540	13,570	9,368	18,466	113,261
Yellowtail.....	74,632	51,450	103,159	222,531	413,803	110,838	3,581	677,100	807,449	57,700	24,978	97,803	2,621,094
Miscellaneous Fish.....	2,116	2,123	4,485	3,315	2,366	2,066	1,164	3,652	3,199	8,379	7,830	2,537	23,682
Crustaceans:													
Crab, Rock.....				12									12
Lobster, Spiny.....	16,140	14,965							48,767	52,125	56,838	188,837	
Shrimp.....	24,191	7,594										32,195	
Mollusk:													
Clam, Cockle.....	2,300	2,865	1,988	2,500	2,300	1,325	1,750	3,300	3,738	7,550	4,350	3,368	33,284
Octopus.....	2	42										78	127
Squid.....			30,376										30,376
Total pounds.....	47,879,387	36,493,991	63,765,717	3,392,868	3,384,611	11,843,005	16,736,043	9,874,907	6,742,448	10,024,338	15,053,684	7,002,119	353,854,618

* Importations of fresh fish from foreign countries included. See importation tables.

Commercial Fish Catch for 1930-1934

ORANGE COUNTY, 1930

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Anchovy.....							283	1,111					283
Barracuda.....							20,432	3,131					63,094
Calfon, Pacific.....	65		295	7,301	25,286	5,488				189	48		63
Flying Fish.....							72	33					107
Halibut, California.....	6,025	7,087	6,483	5,720	5,600	1,841	660	800	58	140	331	1,175	33,746
Kingfish.....	10	45	128	32	540	201	145	7	46	52	144	232	1,448
Mackerel, Pacific.....	150,147	381,066	646,174	185,842	12,044	9,300	4,710	4,555	11,753	191,160	24,576	20,485	1,643,821
Mullet.....						150		500	3,447	1,353	1,894	223	7,621
Parrot.....			85	7	219	30			50	29	1	49	441
Pompano, California.....					43								43
Rock Bass.....	5,016	4,380	5,103	7,141	8,373	15,053	23,489	28,425	11,316	9,000	6,485	3,341	129,063
Rockfish.....	10,880	8,821	6,407	4,717	2,612	3,064	330	1,830	1,488	2,945	1,927	1,380	46,291
Sablefish.....	103	178			435								946
Sand Dab.....	14	31									6	21	80
Sardine.....	150				150								300
Sculpin.....	150	194	627	708	262	447	40	327	131	203	1,320	1,568	6,426
Sea-bass, Black.....	809		209	622	946	2,886	4,072	6,260	3,614	1,445	5,034	1,901	28,080
Sea-bass, White.....	197	281	1,355	926	414	417	766	1,441	1,263	680	231	605	8,694
Shark.....	2,325	480	764	896	4,704	10,260	11,402	8,326	3,123	8,306	5,320	2,294	58,814
Sheepshead.....	71	10	41	24	31	236	112	208	153	115	488	627	2,095
Starfish.....	297	125	21	35	29	3,141		6	18	9	372	486	4,569
Swordfish.....	22	205	335	101	18				8,271	16,915	22,430	17,283	65,481
Sole.....	288	133	200	318	2,191	264	83	471	68	5	89	508	4,727
Swordfish.....					440			540					980
Tuna, Bluefin.....							18						54
Tuna, Bonito.....	71		67	843	3,869	476	8,124	3,076	1,602	829	128	47	11,501
Tuna, Skipjack.....									2,778		138		2,916
Whiting.....	828	18	21			601	24	281	4,541	20	13		7,261
Yellowtail.....						33		283		707			1,013
Miscellaneous Fish.....	486	187	386	66	245	37	258	547	63	147	273	27	2,922
Crustaceans:													
Lobster, Spiny.....	1,511	1,944								4,914	5,408	5,138	18,935
Mollusk:													
Clam, Cockle.....	825	950	421										2,196
Octopus.....	13	3						30		11	22	37	121
Total pounds.....	189,157	406,414	663,952	215,509	65,392	84,123	73,767	61,361	51,848	239,988	77,183	98,025	2,139,749

Division of Fish and Game

SAN DIEGO COUNTY*, 1930

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Anchovy.....						2,600							2,600
Barramunda.....	8,078	22,197	39,693	57,062	172,336	281,603	155,619	171,135	144,844	127,792	78,455	21,432	1,271,146
Catfish.....	22,453	18,782	2,095	1,248	1,156	2,561		471	1,828		19,643	22,464	127,145
Halibut, California.....	79,651	47,460	44,182	10,182	18,370	27,073	41,067	58,627	18,456	1,663	1,965	3,253	298,681
Herring, Pacific.....											18,395	25,184	43,579
Clupea.....	119	321	294	693	201	49					122	362	2,471
Mackerel, Pacific.....	209,026	90,382	35,684	88,982	17,433	10,966	73,667	15,771	25,141	21,016	15,927	21,329	682,544
Mackerel, Spanish.....		1,086		2,748	259	1,888	172				3,884	6,209	21,343
Mullet.....			61	184	1,600	2,302	3,113	1,872	481		19		9,657
Perc.....		21	207	39			1,002	59	1,883		60		3,217
Pompano, California.....	5,545	7,532	518	7,743	9	107		43	176		21		356
Rock Bass.....		1,832	818	785	24,654	35,776	30,567	10,667	10,256	10,664	8,858	4,384	148,359
Rockfish.....	94,747	94,922	194,969	128,469	129,615	102,371	81,292	42,302	64,903	39,477	39,736	58,749	1,062,009
Sardine.....	297,256	1,304,708	1,395,512	743,321	136,803	88,993	17,429	8,199	3,953	8,111	1,234		4,111,982
Seabass.....	4,113	3,207	5,139	9,502	133	14			38	27	3,027	3,513	23,043
Sea-bass, Black.....	7,881	15,494	8,968	24,802	29,294	17,861	11,217	7,286	23,142	28,612	19,898	23,296	219,611
Sea-bass, Tidewater.....	6,451	3,566	5,183	5,071						2,110			29,647
Sea-bass, White.....	171	3,309	5,376	9,598	16,433	31,545	105,041	139,345	139,641	46,912	21,545	17,680	517,317
Shark.....	11,123	8,757	12,188	9,095	3,743	17,063	22,389	12,991	8,465	1,866	7,566	6,792	134,653
Shorpphead.....	6,496	1,055	25	782	248	229	14		3,074	9,777	9,486	8,023	39,719
Skipper.....	223	579	782	135									1,735
Squid.....	3,768	4,361	1,549	1,048	145	1,251	144	29	255		46	369	14,099
Sole.....	2,021	1,233	2,081	440	163	87	90,527	53	22		54	183	6,541
Stearhead.....					10,519	20,984	90,527	63,433	84,831	58,616	16,209	173	369,394
Tuna, Albacore.....							94	203	1,256	47	24		2,168
Tuna, Bluefin.....						302,786	25,051			65	94		327,936
Tuna, Bonito.....	7,447	3,136	5,022	12,306	85,786	132,947	227,152	118,199	176,299	28,506	12,432	8,816	1,252,983
Tuna, Skipjack.....	414,162	664,412	230,219	164,354	472,273	403,210	843,199	2,196,174	2,656,467	2,521,848	1,810,764	1,361,485	13,638,567
Tuna, Yellowfin.....	1,364,971	3,883,364	2,686,727	2,487,531	2,484,979	1,309,565	5,899,696	8,567,417	4,535,692	3,602,365	4,295,098	2,923,251	44,101,846
Whitfish.....	10,900	3,118	10,437	19,076	10,173	1,591	3,211	3,969	7,463	11,299	12,837	15,335	109,443
Yellowtail.....	31,572	35,447	16,315	37,414	249,081	140,207	290,380	468,185	447,883	232,327	50,789	179,116	2,113,916
Crustacean:													
Lobster, Spiny.....	166,551	276,323	244,500	97,524						23,038	82,229	241,402	1,126,469
Mollusk:													
Squid.....			1,112										1,112
Reptile:													
Turtle.....											580		580
Total pounds.....	2,759,465	6,494,228	3,112,784	3,879,645	3,865,472	2,955,725	8,423,018	11,887,265	8,130,272	7,073,728	6,332,386	4,821,037	71,955,132

* Importations of fresh fish from foreign countries included. See importation tables.

Commercial Fish Catch for 1930-1931

STATE OF CALIFORNIA, 1930												
Species	January	February	March	April	May	June	July	August	September	October	November	December
Anchovy.....	35	155	627	15,070	60,640	51,020	69,003	64,015	36,880	13,040	8,786	60
Barramundi.....	31,707	109,841	134,411	200,303	218,099	691,734	571,576	796,125	335,724	387,093	452,434	223,307
Coleman.....	60	147	469	303	155	19						1,046
Calappa.....	119,948	101,920	48,317	50,312	1,190	2,816		1,838	39,311	41,318	114,400	527,097
Carp.....	5,316	5,160	5,864	11,262	3,457	394	170	5,895	2,842	1,827	4,001	11,099
Catfish.....	17,923	33,049	69,834	51,017	38,562			36,421	50,535	53,362	43,241	31,197
Crabs.....	11,520	13,326	89,625	1,210	15,622	74			9,365		5,815	179,823
Cutthroat Trout.....	78,315	83,588	154,767	124,464	61,414	66,376	83,035	91,944	73,255	176,305	155,984	154,873
Edible.....												10
Flounder, Flurry.....	12,000	28,308	53,303	31,971	72,234	86,129	24,434	19,681	8,048	31,427	2,421	1,379
Flying Fish.....				15,185	18,065	4,784	2,043	4,479	2,460	261		44,484
Hake.....	750	540	1,288	9,140	14,635	15,420	6,467	5,835	1,400	300	135	303
Hallibut, California.....	76,854	148,989	182,748	98,966	81,440	89,662	86,088	100,653	82,118	56,067	38,351	66,899
Hallibut, Northern.....		5,399	33,904	39,640	26,424	32,758	30,878	22,629	40,062	47,893	24,359	17
Hardhead.....	6,334	4,048	709	3,323						1,839	12,919	5,721
Herring, Pacific.....	327,327	188,664	127,650	2,969	3,775	300	119			18,815	52,733	717,614
Kingfish.....	35,541	30,321	49,913	27,530	42,621	40,922	15,667	22,667	36,736	31,838	49,781	43,020
Mackerel, Horse.....	48,321	29,312	5,824	5,423	5,884	28,441	24,003	11,003	33,212	81,820	53,726	469
Mackerel, Pacific.....	2,065,806	1,630,910	1,663,660	684,821	804,149	1,232,383	1,110,275	297,800	588,172	4,610,592	1,417,287	370,004
Mackerel, Spanish.....	4,778	1,615	620	8,982	369	2,108	479				10,603	12,656
Mullet.....		474	86	184	1,084	2,458	3,113	3,547	3,552	2,663	1,913	323
Perch.....	38,302	29,878	49,936	36,377	2,684	2,223	28,115	22,515	23,972	19,564	21,203	24,510
Pike.....	694	874	2,197	431	69	19	10	97	49	97	189	541
Pompano, California.....	10	28	296	112	819	403	22	803	244	44	3	378
Rock Bass.....	22,340	24,713	17,520	27,360	49,938	90,291	104,911	66,125	37,440	30,948	18,134	569,125
Rockfish.....	322,081	642,022	912,407	811,520	723,340	694,749	513,886	624,764	610,173	622,923	413,608	621,184
Schadew.....	36,067	63,400	225,340	183,871	134,015	103,673	131,434	134,303	265,780	62,640	82,219	15,765
Salmon.....	868	2,780	36,087	305,446	697,703	687,003	1,453,943	1,624,493	964,261	52,801	4,276	1,301
Sand Dab.....	41,043	41,721	30,053	41,061	76,312	76,459	76,733	47,131	41,611	38,139	29,412	25,422
Sardine.....	101,969,219	102,915,231	65,381,687	1,031,636	309,730	332,222	422,066	30,248,925	43,714,603	68,099,559	49,741,713	27,223,347
Sculpin.....	4,544	7,473	5,624	5,514	5,516	4,594	7,710	8,343	6,473	6,495	6,116	14,792
Sea Bass, Black.....	15,592	28,370	10,113	46,490	32,437	32,398	24,480	29,239	48,506	47,816	37,411	43,243
Sea Bass, Tailwalk.....	337,655	409,379	273,910	225,753	36,533	22,433		1,463	16,140	68,817	216,407	216,407
Sea-bass, White.....	8,182	12,992	23,990	64,160	148,996	185,085	265,189	602,148	214,289	122,237	39,273	25,011
Shad.....	134	475	63,614	300,305	623,564			2,141	433		4,516	2,961
Shark.....	65,356	69,696	60,384	45,057	56,296	58,667	63,663	32,268	60,146	30,868	43,798	47,818
Shoemaker.....	43,297	37,477	12,057	2,549	1,742	2,734	1,691	12,590	39,422	39,599	29,849	31,291
Shute.....	29,413	21,421	28,853	18,717	27,695	31,504	17,138	20,235	33,000	10,540	21,746	24,200
Snail.....	45,840	22,156	101,946	60,552	90,517	87,396	90,513	83,964	111,690	105,631	51,241	83,209
Sole.....	1,103,800	1,091,319	1,542,965	1,092,141	783,256	724,153	765,339	770,286	666,129	1,191,521	390,649	672,867
Split-tail.....	2,809	2,051	2,430	221	466		200	480	2,421	5,152	1,988	250

Division of Fish and Game

Striped Bass.....	41,444	63,180	94,611	187,871	43,060	137,648	59,246	104,355	115,984	866,808
Salmon.....	227	322	1,077	11,883	44,916	127,010	111,947	131,639	100,216	4
Swordfish.....	2,164	1,664	323	2,376	1,821	2,683	6,106	2,738	1,582	3,684
Tonno.....	6,433	251,400	455,325	575,722	561,865	878,177	1,710,533	1,564,734	25,729	478,662
Tuna, Albacore.....	434	30,348	31,006	49,246	156,501	168,422	792,302	1,433,322	1,883,624	525,994
Tuna, Bluefin.....	17,701	30,348	31,006	49,246	156,501	168,422	792,302	1,433,322	1,883,624	525,994
Tuna, Bigeye.....	436,113	672,977	266,963	171,960	530,355	433,844	943,251	2,706,289	4,081,472	4,784,085
Tuna, Skipjack.....	1,871,069	4,272,696	3,066,229	3,333,862	2,960,993	1,743,433	2,960,373	11,702,003	3,904,434	3,246,243
Tuna, Yellowfin.....	120	154	250	260	375	129	625	404	4,294	76
Turbot.....	6,906	12,208	16,418	26,435	41,279	30,475	21,630	6,449	1,210	2,336
Whitefish.....	29,246	16,535	28,160	34,751	11,744	4,183	6,434	9,396	13,503	35,931
Yellowtail.....	106,234	86,381	115,665	254,943	662,928	257,093	293,085	1,145,570	1,229,896	290,734
Miscellaneous Fish.....	6,089	8,063	8,993	7,240	6,958	6,482	9,613	29,549	13,792	20,677
Crustaceans:										
Crab.....	194,064	281,160	172,632	166,968	388,800	81,792	92,232	288	237,648	377,400
Crab, Rock.....	188,850	302,727	244,600	92,524						
Crab, Spiny.....	175,734	123,795	37,807	98,442	84,321	271,652	594,622	520,755	377,067	267,395
Shrimp.....										
Mollusks:										
Albacore.....	7,300	370,330	299,229	253,237	466,633	332,965	343,213	281,323	333,050	302,840
Cham, Cockle.....	10,259	12,408	10,772	13,127	13,446	10,213	6,903	4,490	4,453	8,753
Cham, Mercenarius.....	932	2,267	2,804	3,572	280	49	200	506	2,306	1,980
Cham, Pismo.....	4,382	11,860	2,742	8,381	7,829	8,784	11,208	12,394	9,302	8,448
Cham, Scallops.....	10,676	12,409	14,060	12,059	9,526	9,014	7,558	7,650	8,097	8,931
Muscle.....	25	25	300							
Octopus.....	2,642	9,521	8,219	11,881	13,135	9,482	12,327	9,197	1,376	540
Oyster, Eastern.....	66,682	50,853	41,487	45,683	31,458	23,551	21,879	25,854	49,463	56,223
Oyster, Native.....	1,829	2,699	3,333	2,798	3,476	2,104	2,714	4,548	3,063	6,329
Squid.....	62	103,069	46,563	2,748,036	6,817,761	53,573	1,323			
Reptile:										
Terrapin.....							58			58
Turtle.....								580		580
Total pounds.....	113,597,287	114,152,251	76,152,150	15,250,262	18,233,235	18,810,627	30,023,748	56,670,248	62,437,801	88,541,315
								63,566,864	37,860,037	606,104,845

* Importations of fresh fish from foreign countries included. See importations tables.

Commercial Fish Catch for 1950-1954

LANDINGS—REGION 10, DEL NORTE*, 1931

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Catfish, Pacific.....	2,478	2,391	2,919	4,211	1,983	2,311	2,220	3,559	3,457	6,122	6,144	961	38,856
Flounder, Parry.....	876	194	687	265			1,315	859				85	4,211
Haddock, Northern.....		84	136	2,078	6,729			2,209	1,586	2,287	29		13,583
Perch.....	519	183	125	261									1,088
Rockfish.....	5,059	2,573	4,845	1,509	1,198	1,317	1,940	1,991	2,789	1,991	109	1,414	29,647
Sablefish.....			25	17	21	21	375		148	2,501	920		4,147
Salmon.....			40	1,262	13,770	27,802	80,533	250,290	26,067	2,533			791,543
Sea-bass, White.....					1,156	434	353	130					836
Spot.....	369	28			1,029	9	1,218	244					4,555
Sole.....								25					30
Striped Bass.....													20
Whitelait.....	1,942	6,359	9,754	3,963	203	1,482	2,237	1,106					27,074
Miscellaneous Fish.....	285			13		1,204	210	1,132					3,066
Cephalopods:													
Crab.....	18	24			192	192	580					450	1,426
Mollusk:													
Class, Miscellaneous.....		60	60										120
Total pounds.....	12,147	17,021	18,462	19,143	25,554	42,489	90,356	560,548	33,941	15,509	8,002	2,880	846,081

*Oregon-California boundary to Trinidad Head.

Division of Fish and Game

* Trinidad Head to Point Arena.

[illegible]

LANDINGS—REGION 20, EUREKA*, 1991

Commercial Fish Catch for 1930-1934

LANDINGS—REGION 30, SACRAMENTO*, 1931

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Calezone.....					39								39
Carp.....	5,141	5,848	10,846	9,324	803	28		695	388	69	536	104	36,534
Catfish.....	12,508	16,961	31,344	48,697	56,753			368	72,352	56,700	47,941	22,309	364,826
Flounder, Starry.....			227									6	233
Hardhead.....	12,661	8,483	15,997					65	35	1,855	4,423	3,321	45,942
Pike.....	894	584	600	129	5			12	37	93	26	199	2,801
Rockfish.....					20								20
Salmon.....	2,637	10,538	20,432	35,227	266,298	102,630		139,274	318,661		276	222	941,603
Sardine.....	8,739	2,023,241						275,332	6,339,811	6,027,949	11,108,374	8,258,130	47,134,116
Shad.....	364	414	54,988	340,597	545,752			2,821	76				754,382
Smelt.....				88	393								480
Split-tail.....	2,675	2,510	296	416	354		111		4	19	391	2,498	9,159
Striped Bass.....	105,507	90,197	109,120	208,711	64,515			21,183	13,306	60,956	50,692	61,549	775,637
Sucker.....	219	189		31					3	21		64	649
Whitebait.....				427									427
Miscellaneous Fish.....	18	24	155	132	21								547
Reptile.....													
Terrapin.....	12												12
Total pounds.....	8,883,550	2,160,582	270,035	672,389	704,692	102,769		559,803	6,664,573	10,047,665	11,271,769	8,349,234	56,087,371

Division of Fish and Game

Note.—Between February 15 and December 31, 1931, 429,946 pounds of Hardhead, Carp, Split-tail and Sucker were taken from Clear Lake, Lake County, which should be included in the record for this inland water area. We have only the total and not the monthly detail.

* Sacramento and San Joaquin River systems, San Pablo and Suisun bays, and Lake County.

LANDINGS—REGION 40, SAN FRANCISCO*, 1931

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Anchovy.....				2,055	29,560	23,450	37,770	30,000	8,167	21,553	850		164,637
Barracuda.....					149	36	241		6,799	1,338			8,739
Calappa.....								15	150				345
Carp.....	55	16			50						30		121
Cutthroat.....	1,314	2,568											5,854
Cutthroat.....	80,570	85,352	73,667	83,576	113,288	75,018	57,137	113,223	60,481	37,715	57,240	30,304	850,183
Eel, Bluntnose.....			40	15	10	15							86
Flounder, Sharp.....	34	3,809	3,383	2,361	7,137	8,674	7,964	8,130	33,023	30,008	16,013	8,230	159,360
Frying Fish.....				2,570	1,255			32	130	65			257
Hake.....	405			2,322	1,331		101	1,365	418		2,871	1,100	5,363
Hake, California.....		110	254	352	1,331				371		2,044	60	1,088
Hake, Northern.....	12	820	4,650	3,827	6,041	5,274	8,744	15,265	8,165	6,258	710		53,546
Herring, Pacific.....	223,105	122,039	85,770	2,785						150	3,602	195,980	634,012
Kingfish.....		405	247	1,702	450		263		985	12			4,666
Macaroni, Pacific.....		113	35	55					703		2,301		2,544
Perch.....	8,683	6,559	20,183	12,633			78,573	13,862	4,763	7,526	6,370	4,372	92,826
Pompano, California.....				20									20
Rock Bass.....			88		126	216	211	10					1,151
Rockfish.....	74,379	115,018	132,330	116,363	86,947	80,778	70,102	100,100	48,801	77,292	78,083	96,061	1,043,338
Sablefish.....	5,360	18,197	24,851	20,899	24,416	37,265	11,252	5,268	2,550	375	4,411	3,296	159,720
Salmon.....		15,386	473	6,829	6,533	141,150	108,149	75,545					446,677
Sand Dab.....	79,250	65,245	31,554	3,653	65,178	30,875	30,556	33,180	43,015	25,153	30,180	16,635	454,714
Sardine.....	180,800	195,425	152,475	172,980	292,995	300,430	295,750	320,545	270,684	327,255	604,500	248,500	3,507,289
Sea-bass, Black.....				159									159
Sea-bass, White.....		479	855	23	1,115	12,156	8,429	8,965	8,608		376		28,254
Shad.....	12	441	34,051	62,167									97,572
Shark.....	25,100	15,942	5,382	163	245	420	683	2,630	1,962	6,474	19,995	43,430	121,861
Shoalfish.....					24								24
Starfish.....	30,700	5,955	9,179	5,063	11,670	3,307	6,412	2,144	6,187	16,135	19,346	24,524	112,340
Squid.....	5,600	30,106	38,630	30,844	20,739	33,081	16,530	16,547	17,114	19,547	5,653	8,714	152,159
Sole.....	643,315	540,825	1,110,268	638,545	738,074	819,964	785,133	827,670	847,419	757,450	748,671	499,541	8,550,810
Striped Bass.....	1,100	20,225	54,498	60,309	26,195		16,381	1,696					200,179
Tomcod.....	39	819	202	137		5	9	54	492	402	963	981	3,799
Tuna, Albacore.....								7					7
Turbot.....	28	64	196	66	13,027	2,836	209	65	7	999	53	57	18,284
Whitefish.....	52	230	821	738	2,772	1,817	1,709		774	644	806	176	9,383
Yellowtail.....													66
Miscellaneous Fish.....	4,720	4,540	7,827	3,497	368	236	243	300	1,331	1,	10,142	5,618	41,313

Commercial Fish Catch for 1930-1931

LANDINGS—REGION 40, SAN FRANCISCO*, 1931

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Anchovy.....				2,555	29,550	23,450	37,770	30,000	8,167	21,533	850		144,637
Barramunda.....					149	36	241		6,799	1,338			8,739
Calappa.....								15	150				345
Carp.....	55	16			50								121
Cutthroat.....	1,314	2,568											5,854
Cutthroat, Pacific.....	86,579	85,352	73,467	83,576	113,288	75,018	57,137	113,223	60,481	37,715	57,240	30,304	850,185
Eel, Bluntnose.....			40	15	10	15							80
Flounder, Sharp.....	34	3,809	3,383	2,361	7,137	8,674	7,964	8,130	33,023	30,008	16,013	8,230	159,360
Flying Fish.....				2,570	1,255			32	130	65			257
Hake.....	405			252	1,331		101	1,365	418		2,871	1,100	3,363
Hake, California.....		110	254	352	1,331					371	2,044	60	1,088
Hake, Northern.....	12	820	4,650	3,827	6,041	5,274	8,744	15,265	8,165	2,538	710		53,546
Herring, Pacific.....	223,105	122,039	85,770	2,785						150	3,602	195,980	634,012
Kingfish.....		405	247	1,702	450		263		985	12			4,666
Macoma, Pacific.....		113	35	55					703		2,301	126	2,544
Perch.....	8,683	6,559	20,183	12,633			78,575	13,862	4,763	7,526	6,370	4,372	92,826
Pompano, California.....				20									20
Rock Bass.....			88		126	216	211	10					1,151
Rockfish.....	74,379	115,018	132,330	116,363	86,947	80,778	70,102	100,100	48,801	77,292	78,083	96,081	1,043,338
Sablefish.....	5,360	18,197	24,851	20,899	24,416	37,265	11,252	5,268	2,550	375	4,411	3,296	159,720
Salmon.....		15,386	473	6,929	6,533	141,150	108,149	75,545					446,677
Sand Dab.....	79,250	65,245	31,554	3,653	65,178	30,875	30,556	33,180	43,015	25,153	30,180	16,635	454,714
Sardine.....	180,800	195,425	152,475	172,980	292,995	300,430	295,750	320,145	270,684	327,255	604,500	248,500	3,507,289
Sea-bass, Black.....				159									159
Sea-bass, White.....		479	855	23	1,115	12,156	8,429	8,965	8,608		376		28,254
Shad.....	12	441	34,051	62,167									97,672
Shark.....	25,100	15,942	5,382	165	245	420	685	2,630	1,962	6,474	19,995	45,499	127,861
Shoemaker.....					24								24
Starfish.....	30,700	5,955	9,179	5,065	11,670	3,307	4,412	2,144	6,187	16,135	19,346	24,324	112,340
Squid.....	5,650	30,106	38,630	30,844	20,739	33,081	16,530	16,547	17,114	19,547	5,653	8,714	132,159
Sole.....	643,315	549,825	1,110,268	638,545	738,074	819,964	785,135	827,670	847,419	757,450	748,671	499,541	8,550,810
Striped Bass.....	1,100	20,225	54,498	60,309	26,195		16,381	1,696					200,179
Tomcod.....	39	819	202	137		5	9	54	492	402	963	981	3,799
Tuna, Albacore.....									7				7
Turbot.....	28	64	196	66	13,027	2,836	209	65	7	999	53	57	18,284
Whitefish.....		52	230	821	738	2,272	1,817	1,709	774	444	806	176	9,383
Yellowtail.....													66
Miscellaneous Fish.....	4,720	4,540	7,827	3,497	368	236	245	300	1,531	1,	10,142	5,618	41,313

Commercial Fish Catch for 1930-1931

LANDINGS—REGION 50, MONTEREY*, 1931

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Anchovy.....	12	1,449	21,100	12,870	2,560	50	25,454	4,692	1,315	14,835	17,372	3,080	104,810
Barnacle.....			2,271	72	516		247	67,209	58,434	11,245			130,835
Calappa.....				29		86	20			135			422
Calappa, Pacific.....	12,815	2,983	17,232	10,914	7,803	8,342	6,444	8,681	3,881	12,164	22,088		133,688
Flounder, Starry.....	40		10	856	152	45	64			214	81		1,272
Hallibut, California.....	9,406	1,594	1,215	1,253	983	1,891	2,665	703	603	184	1,032	1,455	15,351
Herring, Pacific.....			250						15,986				16,236
Kingfish.....	18,115	24,335	4,520	19,431	4,247	399	8,438	1,238	12,314	15,766	9,149	29,741	141,502
Mackerel, Horse.....	132	63	2,530	1,227	4,655	4,266	9,823	8,497	87,321	87,220	12,376	30,594	248,491
Mackerel, Pacific.....	135,687	136,363	180,746	110,499	125,861	144,196	98,202	158,472	106,453	91,006	21,873	5,399	1,255,367
Perch.....	904	1,032	6,120	27,209	49		2,309	979	1,274	4,996	239	439	36,099
Pompano, California.....		75	189	164				62	225	12			731
Rockfish.....	311,606	278,130	386,723	351,550	178,542	207,682	145,062	131,480	179,633	156,811	141,719	172,997	2,561,864
Saladfish.....	735	779	17,671	7,836	11,464	15,502	18,179	20,888	24,778	39,983	45,325	34,262	237,427
Salmon.....		324	42	18,983	5,501	6,551	30,577	34,781	38				92,919
Sand Dab.....	5,112	503	641	1,195	1,003	1,439	1,238	699	37	49	23	162	8,254
Sardine.....	21,203,143	34,405,270	88,199	122,903	51,245	75,009	167,253	7,437,544	26,409,796	22,031,571	23,518,695	17,210,066	153,431,686
Squid.....									1,300				1,300
Swamp.....				30									30
Sea-bass, Black.....	34		66	139	361	323	19,151	12,543	2,323	569	4,838	91	40,087
Sea-bass, White.....								657					657
Shark.....	731	1,010	427	280	572	198	1,243	483	355	332	314	501	3,147
Shark, Spotted.....	9,849	5,211	11,415	23,212	28,594	35,283	44,685	57,229	44,241	39,724	42,375	24,365	507,788
Sole.....	11,159	7,869	18,628	27,000	12,417	4,076	5,567	1,509	708	2,703	654	839	88,582
Tuna, Albacore.....			69	204	70		121	5,319	13,162	10,918	164	85	30,080
Tuna, Bluefin.....	149	283					327	1,040	471				12,063
Whitefish.....	120	23	15			69	33				995	699	1,798
Miscellaneous Fish.....	170	470	948	967	39			32			34	885	5,076
Crustacean:													
Crab.....	106	56	24	15	152	00					1,174	1,274	2,843
Shrimp.....	953	303	434					412	216	432	439	832	4,114
Mollusk:													
Alaskan.....	3,350		281,125	504,100	389,450	208,800	326,000	535,000	319,500	157,500	204,100	280,000	3,210,825
Clam, Gaper.....				69									69
Clam, Pismo.....	1,645	1,112	2,435	970					25	3,046	4,139	2,097	16,519
Murex.....					190								190
Octopus.....	2,675	5,485	5,871	6,155	9,565	12,659	10,100	5,680	1,307	468	202	722	58,112
Squid.....	61,905	68,514	38,309	43,637	898,061	92,613	273,396	21,300	18,986	6,087	37,037	144,556	1,706,671
Total pounds.....	22,403,449	34,945,722	1,064,646	1,174,699	1,733,292	823,448	1,191,346	8,513,242	27,300,652	22,679,923	24,076,682	17,578,922	163,979,033

* Figure Point to Pedroas Blancas.

Commercial Fish Catch for 1930-1934

LANDINGS—REGION 60, SANTA BARBARA*, 1931

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Barracuda.....				110	723	489	784	415	119	35			2,676
Calappa.....				20		6		3		10			69
Calfat, Pacific.....		128				14	323	23	16				502
Flounder, Sharp.....							13				14		27
Hallbut, California.....	29,107	22,413	28,379	30,430	34,060	30,808	30,318	42,432	27,862	29,588	24,278	24,120	334,663
Herring, Pacific.....	17	58	4										79
Kingfish.....	55	131	180					215	395	487			139
Macrura, Pacific.....				18	35,014	30							35,070
Perch.....	28	47	876	2,660	2,424		481	200		30	25	119	4,499
Rock Bass.....	3,578	4,554	4,737	784	2,884	1,544	273	631	30		608	1,192	21,267
Rockfish.....	2,879	1,891	8,679	10,926	6,938	1,538	9,199	9,334	5,744	5,693	1,679	2,900	68,139
Sablefish.....							16						16
Sardine.....	206,100	300,370	101,040	23						130			710,810
Sculpin.....	30												30
Sea-lean, Black.....		616	338	107	170	645	693	215	245	185	25		3,967
Sea-lean, White.....	611	7,238	7,555	692	1,592	6,222	13,588	3,828	2,810	529	680		45,601
Shark.....			205			55					215	30	665
Shorplehead.....	977	504	85		418					55	3,040	6,775	11,854
Squid.....	445	910	278	616	1,200	1,547	2,719	3,828	5,179	3,063	10		29,442
Sole.....	7,670	10,163	18,190	18,800	38,780	15,317	17,329	31,159	20,744	30,350	7,717	6,295	295,565
Tuna, Bluefin.....						27		112,965	22,329				136,317
Tuna, Skipjack.....								4	16				2,815
Whalefish.....			10										10
Yellowtail.....				110		28		1,328	332	285	15		2,218
Miscellaneous Fish.....		1,662	199		59	15	19						1,915
Cephalopods:													
Lobster, Spiny.....	16,509	8,427								9,728	10,328	9,871	54,663
Mollusks:													
Abalone.....	888		1,077	1,908	2,757	2,802	6,728	5,488	5,107	5,690	3,847	14,450	51,541
Clam, Furrow.....	4,426	4,950	6,317	3,809	8,312	10,013	11,740	11,821	7,554	7,333	4,851	4,307	88,165
Squid.....													70
Total pounds.....	333,720	365,343	298,333	72,794	135,367	71,365	94,654	247,658	137,787	102,646	57,581	784,722	2,641,740

* From Buena Vista to Point Dume.

Division of Fish and Game

LANDINGS--REGION 70, LOS ANGELES--1931

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Anchovy.....	139	1,820	5,007	3,525	9,117	6,103	4,828	4,012	2,078	330	728	100	37,787
Barracuda.....	169,888	45,131	102,829	227,631	424,927	235,220	190,995	215,039	266,573	185,127	35,451	2,743,254	
Calappa.....	32,003	24,952	17,371	1,772	17,552	1,015			5,920	11,379	18,469	104,573	
Carp.....	2,310		3,642	3,709	548	1,852	1,077	23,587	2,876	1,250		40,521	
Carlini, Menhaden.....	20,542	30,180	20,282	11,707	2,888				6,289	1,844	1,021	104,573	
Codfish, Pacific.....	135	844	2,402	27	18		87	402	326	24		3,803	
Delake.....												495	
Flat Mackerel.....				14,335	7,166	100	5,243	6,535	2,240	1,209		40	
Flounder.....	432											140	
Groupers.....												432	
Hake.....	50,632	77,321	33,513	44,756	20,805	34,541	30,251	35,497	26,421	17,775	10,260	37,401	464,466
Halibut, California.....	33,220	30,714	28,644	25,622	28,194	20,327	6,230	21,373	16,899	13,133	17,084	20,649	299,241
Kingfish.....	9,403	14,530	5,440	612	1,818	14,800	40,002	71,405	47,075	36,008	40,475	33,883	314,017
Mackerel, Horse.....	644,001	458,405	367,075	157,769	507,907	1,369,474	905,611	1,726,116	1,094,708	1,092,997	878,040	2,649,726	12,744,917
Mackerel, Spanish.....	2,999	6,245	3,009						3,769	415	218	1,094	18,780
Mullet.....	70		325	3,465	820	1,345	227		2,499	3,164		12,665	
Percs.....	22,670	8,176	12,811	11,445	1,342	1,259	6,431	15,410	13,013	7,970	11,264	10,167	127,530
Pompano, California.....	107	331	311	339	173	541	401	329	722	167	129	294	3,996
Rock Bass.....	8,022	22,884	19,002	24,512	45,138	45,374	44,420	41,205	30,905	21,097	15,993	12,444	337,139
Rockfish.....	271,340	240,407	420,345	335,207	284,279	200,396	124,469	100,019	82,332	55,766	138,199	220,302	2,067,435
Sablefish.....	184	1,362	2,709	899	294	1,340	1,474	2,328	1,556	2,225	1,556	3,462	19,455
Sand Dab.....	596	724	1,196	1,073	1,037	813	826	1,043	826	826	381	726	9,827
Sardine.....	12,985,044	35,958,925	30,426,464	10,508	11,875	8,450	8,022	5,200	10,903	10,940	8,132,900	25,064,549	95,044,810
Scallops.....	5,645	9,115	6,965	6,584	5,331	10,750	7,191	7,543	6,585	4,961	3,966	5,006	79,143
Sea-bass, Black.....	16,535	3,257	30,046	15,878	10,458	26,431	13,254	16,377	17,105	36,309	12,945	26,555	235,008
Sea-bass, Teacup.....	308,351	216,403	227,633	14,413	22,720	1,222			55,150	153,337	1,151,313		1,151,313
Sea-bass, White.....	6,345	9,640	27,328	33,901	26,016	77,677	210,349	51,999	128,298	39,500	33,363	193,578	870,974
Shad.....		29											29
Shark.....	15,226	9,618	20,560	26,263	34,323	27,243	20,373	26,183	36,161	21,245	28,252	15,174	289,159
Sheepshead.....	23,535	10,258	13,568	9,452	8,560	11,967	10,003	7,700	15,517	11,636	10,276	13,001	150,515
Slate.....	3,441	3,332	4,942	1,602	2,110	3,905	1,618	3,463	2,945	2,100	1,714	3,192	34,420
Snail.....	68,205	30,417	31,096	25,191	21,746	22,849	13,318	12,747	25,596	82,630	43,045	34,396	301,304
Sole.....	2,308	2,380	6,056	2,360	2,366		7,716	5,503	9,381	11,008	7,691	5,240	68,622
Swordfish, Broadbill.....						26,553	39,324	22,037	44,160	48,110	27,996	1,730	211,230
Swordfish, Marlin.....						479	2,659	4,368	6,712	6,976	1,055		24,646
Tuna, Albacore.....	186,054	83,883		302,888	187,828	1,771,679	913,508	923,442	1,401,214	802,320	171,615	170,767	6,946,114
Tuna, Bluefin.....			174,722	304,081	337,227	1,208,621	1,205,199	169,008		8,965			3,323,351
Tuna, Bonito.....	2,028	786	5,486	14,346	27,719	47,499	150,980	1,100,403	387,112	680,561	6,754	21,009	2,705,483
Tuna, Skipjack.....			28,430	111,582	96,276	45,163	1,406,540	6,502,936	386,200	484,484	442,292	184,978	9,796,277
Tuna, Yellowfin.....	18,450		257,096	741,563	544,713	379,094	1,056,697	4,103,086	3,762,174	711,034	586,819	971,823	15,063,699
Winfish.....		19,516	16,412	7,503	4,666	4,586	1,215	2,477	6,335	12,004	6,207	10,430	106,219
Yellowtail.....	50,675	22,991	95,099	97,415	186,390	99,239	43,742	143,093	163,733	173,365	52,488	52,756	1,191,276
Miscellaneous Fish.....	1,777	762	742	893	1,028	3,063	777	179	1,409	789	681	290	12,576

Commercial Fish Catch for 1930-1931

LANDINGS*—REGION 70, LOS ANGELES**, 1921—Continued

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Crustaceans:													
Crab, Rock.....			6								50		56
Lobster, Spiny.....	22,682	19,656	272	1,722	2,925					44,323	51,716	90,938	194,236
Prawn.....		456											456
Shrimp.....			1,636										1,636
Mollusks:													
Clam, Cockle.....	4,000	2,315	2,695	2,400	2,524	1,345	2,542	3,229	2,250	2,715	2,539	2,741	25,918
Clam, Jackknife.....					1,268	1,570	1,996	2,253	850	280	392		8,409
Ostrea.....	54	10	2	67		4	47	4					122
Squid.....		31,623		180	40		37						31,880
Total pounds.....	15,046,265	27,423,382	22,562,705	3,193,247	2,633,810	6,058,952	6,901,737	15,530,700	8,158,907	5,623,426	10,998,540	33,051,741	156,907,522

* Importations of fresh fish from foreign countries included. See importation tables.
 ** Point Dume to San Mateo Point.

Division of Fish and Game

LANDINGS*-Region 80, SAN DIEGO**, 1931

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds	
Anchovy.....	20,330	10,040	20,261	74,639	190,875	268,535	247,911	280	173,052	166,185	69,405	15,818	9,313	1,283,013
Barnacle.....	9,614	1,398	6,661	4,196	330		210	1,112	21,035	12,825	40,558	29,208		127,300
Celena, Mexican.....	3,887													4,887
Dolphin.....														20
Groupers.....	11,124	24,632	28,778	15,400	10,789		435	2,517	22	833	1,194	20,807		20,819
Herring, Pacific.....	2,273						11,402	4,337	3,373	1,495	1,790	2,905		127,156
Kingfish.....	319	172	150	441	181			43	75	41	12	29		1,465
Mackerel, Pacific.....	29,634	26,446	22,499	21,341	20,445	7,519	26,378	9,319	9,854	10,205	13,991	15,953		213,524
Mackerel, Spanish.....	3,658	181	1,118							85	165	335		4,922
Mullet.....	29	2,565	180	200				407	216	722	1,006	1,875		11,402
Perch.....	9		12	290				27						325
Pompano, California.....				93	207									376
Pompano, Mexican.....	283													455
Rock Bass.....	3,429	5,735	12,619	17,651	24,267	31,660	17,163	34,000	10,341	5,941	11,655	14,800		184,867
Rockfish.....	107,263	115,483	120,464	119,555	37,283	66,262	46,819	34,294	39,243	33,135	37,555	60,942		886,665
Sardine.....	1,159	19,018	17,554	5,920	8,284	73,559	2,420	1,623	1,610	1,413				132,166
Squid.....	1,794	169	2,779	1,125	592		694	3,285	525	1,273	1,909			12,313
Southern Black.....	47,628	14,825	20,253	26,578	45,490	8,472	17,544	9,354	29,173	15,350	13,410	11,489		272,975
Southern Tomcod.....	15,770	1,520	2,133	600										15,115
Southern White.....	6,899	4,378	9,039	17,667	8,782	38,532	145,968	83,863	87,532	6,018	2,334	1,749		413,033
Shark.....	5,618	7,332	15,809	17,011	19,542	20,247	21,799	22,467	21,906	19,410	5,336	3,595		153,521
Shrimp.....	5,015	1,934	3,320	572	309	370	67	369	557	3,060	5,567	4,368		26,039
Skate.....	173	946	209											1,440
Squid.....	722	3,078	1,171	2,009	3,107	2,209	478	60		814	1,185	1,407		16,880
Swordfish.....	601	1,052	217	8	11			39						2,036
Swordfish, Broadbill.....		415			152	1,050	1,002	7,814	4,397	1,136				16,434
Swordfish, Marlin.....					59	7,530	3,610	371						10,575
Tuna, Bluefin.....	565	1,235	3,650	4,274	13,200	8,403	33,743	109,364	2,331	6,640	5,833	65		233,740
Tuna, Bonito.....	87,583	46,574	100,329	64,743	170,042	26,755	3,391,191	1,494,174	295,833	316,645	320,095	93,354		6,796,440
Tuna, Skipjack.....	705,000	178,639	3,770,285	3,453,909	3,591,324	394,036	13,374	4,594,047	3,495,625	1,843,557	941,234	814,736		23,487,677
Whiting.....	12,655	19,063	51,465	14,143	5,212	9,679	3,466	2,994	2,946	4,508	4,437	7,043		111,971
Yellowtail.....	34,030	21,709	80,489	132,732	232,880	157,620	78,173	256,170	127,800	72,363	51,299	26,650		1,332,193
Miscellaneous Fish.....	1,165										125	204		1,494
Crustaceans.....														
Lobster, Spiny.....	203,290	140,334	245,897	51,739						152,689	99,397	196,087		1,089,893
Reptile.....														
Turtle.....		2,726		3,151	610	170								6,657
Total pounds.....	1,535,278	635,197	4,088,347	4,102,698	4,503,750	1,064,033	4,101,329	7,277,000	4,461,754	2,692,184	1,791,639	1,332,231		37,683,520

* Importations of fresh fish from foreign countries included. See Importation tables.
 ** San Mateo Point to the Mexican boundary, including Salton Sea.

Commercial Fish Catch for 1930-1931

LANDINGS*—STATE OF CALIFORNIA, 1931

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Anchovy	139	3,269	26,107	19,330	41,657	39,603	68,032	38,944	11,560	36,720	18,953	3,180	307,494
Barracuda	190,130	53,171	204,352	683,451	429,627	693,577	484,403	401,675	444,546	348,897	198,945	44,764	4,177,538
Cabazon				76	39	92	20	18	150	165	40	515	1,115
Cabrilla	41,617	26,330	24,232	5,958	17,962	3,015	210	1,112	21,035	18,448	52,237	47,737	259,893
Carp	10,566	5,848	14,204	12,993	1,123	1,980	1,077	24,252	2,764	1,329	536	934	77,576
Catfish	13,822	18,921	53,924	48,497	36,735			368	72,352	56,700	47,041	22,320	370,680
Corbina, Mexican	20,542	34,047	29,263	11,707	2,898					6,208	1,844	1,921	108,430
Cultus, Pacific	96,434	99,127	104,581	109,682	136,001	103,379	81,945	147,532	109,261	94,819	72,252	74,075	1,229,088
Dolphin							462	56					518
Eel			46	15	10	115						40	226
Flounder, Starry	2,778	5,864	6,878	3,627	7,309	8,119	9,368	8,989	53,023	39,098	16,341	8,412	169,806
Grouper	452					425	2,817	322		853	1,194	20,907	26,970
Hake	405			2,070	1,755	285				2,621	1,100	3,365	12,501
Halibut, California	79,493	126,384	142,689	92,360	74,737	77,846	70,640	81,507	61,629	51,093	43,426	67,969	969,773
Halibut, Northern	12	1,890	23,855	49,046	95,014	132,730	137,228	110,315	170,622	66,422	3,250		790,384
Hardhead	12,061	8,485	15,697	1				65	35	1,855	4,423	3,321	45,943
Herring, Pacific	225,798	139,321	86,024	2,385	20				15,986	150	7,428	208,647	685,759
Kingfish	53,654	55,550	34,181	61,924	40,381	27,275	15,254	30,544	34,493	30,213	26,245	50,585	460,299
Mackereel, Horse	2,554	14,693	7,870	1,839	5,673	19,066	50,425	80,902	134,470	126,288	52,852	66,476	563,108
Mackereel, Pacific	807,377	621,666	549,322	290,222	639,867	1,521,019	1,020,193	1,877,142	1,196,227	2,095,093	914,715	2,671,646	14,254,489
Mackereel, Spanish	7,048	6,406	4,168						3,768	500	383	1,429	23,702
Mullet	99	2,565	985	4,425	2,131	2,104	1,839	697	2,715	3,886	1,006	1,875	24,327
Perch	33,923	18,049	41,007	46,575	1,391	1,359	18,338	30,401	19,698	21,843	17,889	15,202	265,675
Pike	804	584	600	129	5			12					
Pompano, California	107	404	650	615	380			37	95	36	199		2,501
Pompano, Mexican		283				541	428	336	764	442	142	264	5,073
Rock Bass												455	738
Rockfish	15,829	31,561	36,947	43,247	72,355	79,526	64,567	75,846	41,349	27,038	28,223	28,636	545,124
Sablefish	773,108	754,982	1,090,314	851,587	655,758	628,149	417,597	431,279	363,437	374,970	399,104	532,042	7,272,327
Sablefish	8,238	25,154	84,010	72,864	78,047	89,567	74,914	54,534	141,091	227,665	95,554	69,577	1,021,215
Salmon	2,037	11,200	45,014	248,956	619,925	661,620	1,202,173	1,974,868	505,352	22,504	536	326	5,294,511
Sand Dab	80,998	66,612	33,791	5,922	65,308	32,824	32,630	36,921	43,858	25,825	30,583	17,533	472,805
Sardine	44,091,514	62,888,581	20,846,597	313,702	362,144	402,784	487,086	8,543,104	32,952,817	32,499,751	43,426,772	54,492,349	301,307,801
Saury									1,300				1,300
Sculpin	7,459	9,675	9,665	7,507	5,713	10,730	7,191	8,237	7,970	5,085	5,241	7,215	91,688
Sea-bass, Black	64,463	18,371	60,537	42,202	59,148	35,551	31,516	26,966	46,526	51,744	26,380	38,360	502,064
Sea-bass, Totnava	394,121	218,255	229,788	94,853	22,720	1,223							
Sea-bass, White	13,889	21,296	44,199	55,164	38,714	124,343	401,974	184,811	224,877	52,341	55,150	153,357	1,169,467
Shad	364	447	55,429	384,908	407,919						41,520	195,837	1,398,965
Shark	45,944	32,887	41,167	53,441	54,312	48,065	42,859	56,347	59,874	46,629	51,840	62,769	851,974
Sheepshead	32,246	18,696	17,473	10,054	9,611	12,357	11,000	8,069	16,089	14,745	18,833	29,174	198,347
Skate	35,097	15,131	15,036	4,907	14,361	7,410	9,273	11,092	9,387	12,590	12,374	28,107	174,785
Smelt	82,844	81,219	90,098	87,943	88,616	98,973	81,786	96,261	91,816	91,852	106,479	76,923	1,074,810
Sole	665,182	572,068	1,150,430	687,180	795,158	846,022	809,622	892,220	913,969	807,186	762,317	511,538	9,412,882
Split-tail	2,076	2,510	796	416	324	111			4	10	391		9,136

Striped Bass.....	107,097	129,422	162,728	268,551	50,913			37,594	14,941	62,632	56,692	61,549	976,010
Sucker.....	298	189		81								64	949
Swordfish, Broadbill.....		415		6,918	50,128	32,622	29,713	82,328	73,081	33,373	1,849	346,769	
Swordfish, Marlin.....				192	1,529	2,941	12,192	14,369	7,112	1,711	314	41,068	
Toncod.....	55	519	202	137		5	9	44	493	465	963	981	2,799
Tuna, Albacore.....	186,654	33,833		342,368	197,553	1,771,879	913,361	975,449	1,439,376	815,344	171,615	176,767	4,976,491
Tuna, Bluefin.....		174,722	264,981	337,266	1,296,841	1,399,348	148,379		6,561			3,534,030	
Tuna, Bonito.....	8,971	2,997	9,596	15,334	41,659	55,628	294,579	1,413,661	918,908	985,672	10,731	21,137	3,079,673
Tuna, Skipjack.....	87,383	46,674	198,366	199,625	268,318	81,938	4,728,740	8,061,114	783,138	739,129	977,381	282,145	16,506,761
Tuna, Yellowfin.....	796,000	178,996	4,027,292	4,196,772	3,590,037	763,130	1,050,071	9,097,133	7,237,800	2,064,561	1,628,043	1,798,561	36,581,376
Turbot.....	25	64	106	66	12,627	2,536	669			969	33	67	18,384
Whitefish.....	2,835	8,912	23,720	20,318	21,759	32,128	17,558	9,328	1,021	644	1,801	860	141,456
Whitefish.....	31,199	39,206	48,987	21,046	8,908	8,467	4,671	4,371	9,221	16,315	10,834	17,463	221,200
Yellowtail.....	114,363	44,700	170,388	250,357	439,230	256,907	121,917	401,161	292,011	246,213	103,612	73,812	2,235,633
Miscellaneous Fish.....	8,132	7,555	9,841	5,943	1,759	4,672	3,768	2,432	5,152	2,447	10,952	6,991	67,157
Crustaceans:													
Crab.....	199,726	279,020	264,510	337,655	285,479	202,624	97,265	11,256			192,318	589,694	2,331,814
Crab, Rock.....			6								39		56
Lobster, Spiny.....	243,877	170,363	248,159	33,451	2,623					206,743	164,898	259,030	1,347,047
Shrimp.....	112,289	132,068	103,812	123,083	112,853	238,887	255,419	281,735	72,445	186,983	47,426	44,451	1,691,363
Mollusks:													
Abalone.....	3,938		283,102	506,068	392,207	211,602	333,678	541,438	324,697	163,099	207,947	294,430	3,262,166
Clam, Cockle.....	5,177	5,569	7,394	3,361	3,358	2,742	5,274	9,728	8,968	14,096	13,964	11,999	92,230
Clam, Gaper.....										130	88		208
Clam, Miscellaneous.....	3,314	3,388	3,237	1,992	418	129		288	997	1,245	1,809	2,670	21,624
Clam, Penae.....	6,073	7,103	8,972	6,569	8,312	10,013	11,749	11,521	7,590	10,799	9,035	6,994	104,673
Clam, Jackknife.....				1,368	1,870	1,596	2,353	850	290	292		9,999	
Clam, Soft-shell.....	6,663	6,343	6,434	6,450	6,369	6,142	6,728	10,907	13,002	14,550	13,145	10,716	101,716
Clam, Washington.....							1,272	5,588	3,844	1,738		10,442	
Mixed.....			1,590							209	200		1,900
Oyster.....	1,200	3,603	8,139	7,290	9,873	13,613	10,307	5,361	1,397	379	419	820	64,001
Oyster, Eastern.....	268,680	289,720	263,680	233,690	196,260	76,980	13,432	17,793	37,162	38,541	36,342	20,764	1,531,284
Oyster, Native.....	8,339	4,680	8,582	12,415	11,279	9,300	11,617	9,334	12,265	23,901	19,679	12,002	142,577
Squid.....	61,905	100,137	28,569	43,817	898,161	92,613	273,453	21,350	15,886	6,087	37,037	144,626	1,738,021
Reptile:													
Tortoise.....	12											612	624
Turtle.....		2,726		3,151	610	170						36	6,693
Total pounds.....	50,075,673	67,506,799	31,288,661	11,439,356	12,007,348	10,903,684	14,931,560	36,360,302	48,767,133	42,703,840	50,189,093	63,173,694	439,421,869

* Importations of fresh fish from foreign countries included. See importation tables.
474,946 lbs. of Hardhead, Carp, Split-tail and Sucker not included. We have total for year but do not have monthly or species detail.

Commercial Fish Catch for 1930-1931

LANDINGS—REGION 16, DEL NORTE*, 1922

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Culpru, Pacific.....	694	2,647	131	876	989	493	401	896	889	494	420	387	9,227
Flounder, Starry.....	30	225	288										543
Halibut, Northern.....	60		50	940	828	666	556	263	89				3,192
Perch.....	108	7											115
Rockfish.....	333	2,702	1,288	1,060	1,039	516	830	1,083	718	663	70	208	12,124
Salmon.....			115		80	116	222	22	228	68			1,258
Smelt.....			48		50	3,274	23,279	403,187	48,542	24,107			502,629
Sole.....				25	79								104
Whitefish.....	154	245			50								449
Croftacean:													
Crab.....	428	1,246	420	756	2,480	1,860	98						8,504
Total pounds.....	2,903	8,172	2,329	2,817	6,325	7,427	25,915	405,795	50,568	25,495	490	840	538,130

* Oregon-California boundary to Trinidad Head.

Division of Fish and Game

LANDINGS—REGION 20, EUREKA*, 1932													Total pounds
Species	January	February	March	April	May	June	July	August	September	October	November	December	
Cabezone.....			45										45
Calfra, Pacific.....		34,464	5,025	5,505	5,212	14,569	16,334	15,827	21,566	12,044	89		129,303
Flounder, Starry.....	4,910	4,524	1,459								229		11,924
Hake.....		2,128	8,415	32,783	67,638	121,576	83,687	110,719	64,331	24,058	25		518,853
Hallibut, Northern.....		2,134	3,137	5,011									10,282
Herring, Pacific.....		1,972	4,910	5,431	2,109				287	1,800	381	192	8,699
Percy.....		37	11,700	5,745	16,963	7,837	17,010	5,635	14,333	3,819	1,686	73	77,098
Rockfish.....		338	7,629	17,621	49,234	64,913	102,080	97,963	23,522	109,035	19,381	8,986	374,945
Schdaff.....					3,079	434,200	430,246	880,403	717,400	54,194	15,512	30	2,344,861
Silmon.....							140						140
Snapper.....		7,845	7,272	8,073	3,375	1,172	1,292	4,638	8,971	8,505	4,684	4,691	4,135
South.....													65,565
Sole.....				30									30
Tomcod.....										28			28
Tuna, Albacore.....										21			21
Whalefish.....	595	14,779	10,686	10,685	17,418	14,555	11,352	8,682	1,099	16			99,112
Miscellaneous Fish.....			1,117	2,473	4,884	4,845	6,774	4,535	7,722	9,677			42,027
Crustaceans:													
Crab.....	11,066	12,114	15,672	11,382	11,732	11,868	15,769	13,184				7,856	107,864
Mollusks:													
Clam, Cockle.....	241	32	36										309
Clam, Soft-shell.....	7,752									400			8,152
Clam, Washington.....	5,792	5,345	5,019	3,341				39	2,300	1,438	2,822	1,621	21,652
Clam, Miscellaneous.....	1,647	949											2,596
Murex.....				189									189
Octopus.....					53	348							401
Total pounds.....	33,567	108,603	74,128	138,070	600,868	730,728	1,124,404	926,483	274,630	164,172	16,662	14,589	4,215,724

* Trilled Head to Point Areas.

Commercial Fish Catch for 1930-1934

LANDINGS—REGION 20, SACRAMENTO*, 1922

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Carp.....	8,034	6,387	4,908	5,603	14,222	21		284	546	1,052	3,548	808	45,262
Catfish.....	8,632	11,313	44,765	29,023	1,268			26	66,256	45,682	32,654	23,318	232,996
Flannelmouth.....													259
Hardhead.....	28,154	23,248	75,750	47,255	51,250								431,372
Pike.....	619	347	305	416	45								2,091
Salmon.....	1,228	4,245	39,704	156,442	221,187	32,107							1,204,987
Sardine.....	2,433,130							2,250	2,840,362	8,160,150	6,065,899	6,980,658	25,555,288
Shad.....		5	129,053	352,412	407,241								1,088,729
Spott-tail.....	6,388	5,282	5,550	5,062	5,043	79		7,815	9,178	1,518	1,009	73	17,545
Striped Bass.....	66,820	19,931	105,322	150,027	57			21,807	36,164	66,294	32,485	34,906	538,823
Rooster.....	2,027	4,966	700	1,750	3,395								16,574
Whitefish.....					312	522							834
Miscellaneous Fish.....				234	2,000								2,534
Total pounds.....	3,554,592	75,724	407,227	945,334	704,732	209,229		187,800	3,033,329	8,258,542	6,066,670	6,055,399	30,163,038

* Sacramento and San Joaquin River systems, San Pablo and Suisun bays, and Lake County.

Division of Fish and Game

LANDINGS—REGION 43, SAN FRANCISCO, 1932

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Anchovy.....			500	15,800	28,050	16,325	30,750	16,232	20,025	12,850		3,115	147,627
Barracuda.....				558	5	41	130						3,561
Cabotage.....						910		230	870	65	460		153
Carp.....				180	342					29			1,060
Calappa Pacific.....	20,141	23,318	46,744	70,943	66,822	36,699	23,251	66,834	41,051	56,237	45,374	23,331	647,139
Clam, Herring.....				15		15	10	35					77
Flounder, Starry.....	37,735	212,635	41,287	15,421	49,700	40,330	14,263	14,000	31,238	7,769	41,255	3,975	314,144
Halibut, California.....	2,730	2,840	4,071	3,758	500	2,735	1,450	478	490	2,158			28,227
Halibut, Northern.....	250	305	10,584	2,624	287	345	1,435	807	140	980	1,005	377	19,734
Herring, Pacific.....	298,675	151,600	61,400			16,330	12,860	21,248	31,188	14,550	3,908		125,143
Knapfish.....				2,564		160	1,308		2,243		16,553	198,667	726,925
Macarel, Pacific.....	7,714	6,382	8,841	3,264	8	27		11,021	9,255	9,087	6,324	6,331	10,579
Perch.....				6	98	1,678	988	195					3,058
Rock Bass.....				104,416	79,200	76,767	85,148	63,412	34,237	84,242	54,091	54,048	964,408
Rockfish.....	96,772	108,137	98,483	4,819	6,035	14,717	5,337	9,785	700	19,441	4,405		58,247
Salmon.....						4,352	8,807	38,265	132,807	37,065			277,409
Sand Dab.....	54,119	65,339	84,222	69,954	41,100	67,010	42,439	47,144	32,765	45,584	40,823	38,545	640,855
Sardine.....	278,050	87,000	176,640	73,700	300,000	305,675	313,710	228,075	321,475	311,243	305,810	75,700	2,851,980
Sea-bass, White.....				120			2,759	419	5,434	4,144			11,299
Shad.....			1,915	38,468	24,223								84,616
Shark.....	54,764	63,310	55,100	1,215	1,755	245	2,610	2,310	2,210	4,304	12,853	15,603	125,664
Shorthorn.....							33						33
Skipper.....	38,314	63,695	57,484	11,180	5,556	6,645	18,395	4,965	4,513	12,665	17,445	14,810	249,045
Snail.....	6,440	33,353	37,618	24,720	32,648	35,637	37,500	30,353	24,181	15,725	8,389	13,090	299,423
Sole.....	644,051	592,451	714,155	919,442	875,804	696,271	732,500	678,344	746,163	661,812	599,912	662,235	8,422,000
Striped Bass.....			3,300	9,285				97					200
Tomcod.....				140									138
Trout.....	301	1,182	200			30	3,801	1,163	907	1,082	6,801		4,243
Whitetail.....	1,354	1,979	150	2,857	2,941	1,345	2,384	1,766	1,099	5,002	4,431	2,586	17,211
Miscellaneous Fish.....	6,657	4,732	3,151	6,670	6,050	8,400	5,387	12,700	14,714	10,010	7,537	5,444	96,582
Crustaceans:													
Crab.....	218,833	334,716	224,286	225,610	245,336	193,062	132,100				213,456	402,732	2,290,131
Leptocephalus.....	140	301											1,672
Shrimp.....	73,208	70,420	127,444	192,560	214,624	253,338	484,484	547,732	350,259	170,611	128,443	18,614	2,681,807
Mollusks:													
Abalone.....				26									133
Clam, Cockle.....	12,931	16,692	19,000	15,320	17,416	14,134	1,782	2,025	3,599	5,131	9,494	5,922	124,335
Clam, Gaper.....				28	80								108
Clam, Soft-shell.....					11,515								29
Clam, Washington.....						12,199	12,222	13,798	11,591	12,419	11,823	12,996	164,551
Clam, Miscellaneous.....	230	178	230	188	220	64	10	71	139	118	132	88	1,356
Crustaceans.....													500
Oyster.....	31	240	265	162	138	193	74	13	15	245	112	873	2,980
Oyster, Eastern.....	26,108	54,793	57,265	14,541	13,765	7,741	8,780	6,353	17,475	35,830	30,133	50,843	260,571
Oyster, Native.....	13,911	8,963	7,886	6,802	7,415	9,833	11,314	11,367	4,689	2,602	1,545	3,751	91,078
Total pounds.....	1,593,929	1,598,822	1,824,625	1,853,948	2,064,581	1,895,814	2,121,213	1,965,731	1,754,750	1,499,298	1,677,597	1,574,694	22,324,802

* San Francisco Bay and coast from Point Arena to Pigeon Point.

Continued from Catch for 1930-1931

79

LANDINGS—REGION 56, MONTEREY*, 1952

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Anchovy.....	8,670	9	28,005	22,950	15,055	27,581	7,817	2,790	1,420	4,080	900	175	120,043
Barramundi.....	13	9	264	281	126	40	9	2,710	25	15	15	15	2,968
Cabernon.....	9,801	11,079	10,062	6,108	6,254	2,275	6,242	8,704	11,254	9,844	11,063	13,456	112,566
Flounder, Striped.....	5,285	5,036	320	936	351	1,929	217	621	703	126	1,146	1,146	16,799
Hallibut, California.....	1,482	13,328	9,287	2,127	2,809	5,175	6,622	2,698	1,612	1,178	732	1,860	46,881
Herring, Pacific.....	9,245	7,036	1,100	100	200	200	555	1,003	179	608	431	390	18,156
Kingfish.....	27,215	12,294	30,862	15,191	12,396	4,083	4,698	2,732	3,874	4,564	2,470	13,294	135,785
Mackerel, King.....	9,419	272	9,678	1,020	27,484	10,542	6,473	6,189	30,233	15,500	3,298	131	115,268
Mackerel, Pacific.....	2,125	3,510	14,992	57,378	40,783	88,927	109,239	120,667	90,930	101,828	21,371	13,347	663,519
Porch.....	3,612	11,521	28,720	9,200	11	16	6,200	1,003	3	29	158,829	154,367	248,283
Pompano, California.....	30	36	115	25	11	16	143,627	164,400	168,016	160,833	40,991	23,027	218,833
Rockfish.....	145,551	196,824	247,568	198,774	187,627	157,554	6,344	3,155	1,438	7,341	15,135	40,991	218,833
Sablefish.....	30,855	23,257	31,299	23,556	10,554	6,344	3,155	1,438	7,341	15,135	40,991	23,027	218,833
Sardine.....	26	31	613	1,147	1,293	4,326	3,330	3,229	1,810	634	346	632	17,797
Sardine.....	29,961,800	11,013,223	109,669	174,419	49,829	69,132	64,419	2,394,129	25,329,399	40,012,359	23,960,033	31,607,343	168,294,091
Sau-lan, Black.....	25	25	306	1,142	1,142	1,142	1,142	1,142	1,142	1,142	1,142	1,142	1,142
Sau-lan, White.....	450	36	3	1,142	1,142	1,142	1,142	1,142	1,142	1,142	1,142	1,142	1,142
Shad.....	703	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000
Shark.....	662	3,072	1,540	780	1,758	925	619	608	130	140	140	140	3,543
State.....	8,845	14,914	5,046	7,229	15,433	17,218	20,162	15,297	26,356	22,729	25,040	9,352	188,461
Snell.....	350	4,329	5,276	1,174	5,208	11,313	12,304	5,267	3,203	551	2,447	4,726	66,535
Tuna, Albacore.....	10	32	10	10	10	10	10	10	10	10	10	10	10
Tuna, Bluefin.....	554	1,387	2,317	1,803	2,106	3,647	1,735	49	130	615	138	220	14,104
Turbot.....	32	32	32	32	32	32	32	32	32	32	32	32	32
Whitetail.....	554	1,387	2,317	1,803	2,106	3,647	1,735	49	130	615	138	220	14,104
Miscellaneous Fish.....	32	32	32	32	32	32	32	32	32	32	32	32	32
Crustacean:													
Crab.....	558	470	1,382	448	420	18	166	4	15	230	8,760	15,376	27,308
Shrimp.....	51	278	56	44	420	18	166	4	15	230	282	65	983
Mollusk:													
Alaskan.....	14,800	147,000	224,200	230,625	206,550	152,200	228,050	348,050	155,950	179,000	60,050	2,135,375	2,135,375
Clam, Cockle.....	2,783	2,237	5,331	1,611	1,611	1,611	1,611	1,611	1,611	1,611	1,611	1,611	1,611
Clam, Mussel.....	2,783	2,237	5,331	1,611	1,611	1,611	1,611	1,611	1,611	1,611	1,611	1,611	1,611
Clam, Miscellaneous.....	289	639	772	1,658	2,602	3,683	4,328	1,436	1,436	49	43	160	17,554
Oyster, Native.....	289	15,894	30,001	82,870	2,457,106	971,763	122,853	241,790	25,440	25,440	25,440	25,440	4,097,621
Squid.....	289	15,894	30,001	82,870	2,457,106	971,763	122,853	241,790	25,440	25,440	25,440	25,440	4,097,621
Total pounds.....	30,229,451	11,351,727	720,482	558,678	3,074,828	1,732,841	684,374	3,165,201	30,450,884	40,956,517	24,435,631	31,394,700	170,175,217

* Pigeon Point to Piedras Blancas.

80

Division of Fish and Game

11-1-36

LANDINGS—REGION 60, SANTA BARBARA*, 1932

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Barracuda.....			504		922	2,700	2,322	2,788	1,216		1,260	1,745	13,556
Calceus.....	100	9		20								30	139
Culter, Pacific.....							15	16	25				111
Flounder, Striped.....		157	30						17				217
Halibut, California.....	28,651	28,147	22,079	30,632	10,761	24,803	36,227	26,611	30,057	20,492	16,787	27,436	311,705
Herring, Pacific.....		103											103
Kingfish.....				10					15				190
Macrurus, Hump.....								50	945				1,094
Macrurus, Pacific.....	78				312	923	43	208	904	871	613	301	4,476
Perch.....		448	587	108				801	263	408	88	101	3,365
Rock Bass.....	1,078	261	173	174	181	135	207	780	13	591	1,218	100	4,920
Rockfish.....	4,744	7,050	7,349	5,794	6,475	6,436	8,971	8,854	7,358	4,017	3,754	6,354	76,634
Sablefish.....				88									88
Sand Dab.....													
Sardine.....													
Sea-bass, Black.....			762	666	170		740	870	4,520	842	27		8,297
Sea-bass, White.....		282	5,313	5,714			10,420	6,548	4,419	3,645	3,438	1,477	40,219
Shark.....	49	1,917	4,511	3,308	450	783	1,338	614	208	118	275	63	13,793
Shrimp.....	2,610	4,850		13	125	1,535	170	149		2,388	3,861	2,742	20,291
Snail.....	3,730	4,334	3,640	1,803	1,266	4,173	2,652	1,538		435	134	178	31,583
Sole.....	12,966	16,910	11,712	14,540	9,194	15,631	24,558	37,353	28,209	29,542	12,275	19,554	242,630
Swordfish, Broadbill.....													972
Swordfish, Marlin.....										170			170
Tuna, Bluefin.....						39							39
Tuna, Bonito.....					11	90		314	149		12	143	572
Whitefish.....	27	310	722				323	301	163		45	68	1,808
Yellowtail.....			165				49	41	61	260			567
Miscellaneous Fish.....				138			516	112					699
Crustaceans:													
Lobster, Spiny.....		6,375	4,079							12,363	41,732	30,076	94,535
Mollusks:													
Alaskan.....			21,130	103,125	104,310	46,100	55,650	72,800	55,400	86,150	27,000	28,730	681,805
Clam, Pismo.....		2,515	4,546	4,794	5,387	6,380	8,402	11,729	11,050	9,704	7,228	6,204	85,148
Total pounds.....	73,142	73,878	68,021	177,833	149,792	111,614	105,719	170,354	174,439	170,600	121,904	134,791	1,643,727

* Piedras Blancas to Point Dume.

Commercial Fish Catch for 1930-1934

LANDINGS—REGION 70, LOS ANGELES*, 1932

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total Season
Anchovy	1,287	227	2,402	2,819	10,100	8,470	770	2,597	1,885	130		380	31,247
Barnacle	1,092	57,751	102,014	303,228	285,194	488,158	419,103	198,888	132,833	192,456	107,900	31,001	2,392,290
Calappa	1,196	8,880	154		13,180	23,307	107	4,203	18,654	1,396	26,818	10,985	111,180
Carp						3,600	6,550						10,550
Codfish, Mexican	10,499	15,119	2,581	360	7,811						2,801	1,500	39,860
Culpin, Pacific	15	363	315	86	15								1,794
Eel, Moray													
Flying Fish													
Grouper													
Hake													
Halibut, California	58,009	83,600	86,920	49,663	26,162	22,300	15,402	19,619	13,124	29,381	66,823	27,824	492,620
Kingfish	31,427	31,424	26,106	24,406	24,775	20,100	18,304	17,683	31,463	23,320	26,567	31,941	398,728
Mackerel, Horse	54,434	25,793	18,294	17,005	20,384	48,094	36,094	43,277	46,510	25,901	39,043	21,363	416,077
Mackerel, Pacific	1,445,255	684,545	619,367	277,336	1,824,995	854,188	637,332	721,595	1,226,272	245,258	2,914,466	166,491	11,621,860
Mackerel, Spanish		1,500											1,500
Mullet		365	245	190	370	838	315	505	503	103			2,657
Perch	7,203	4,267	9,326	22,492	706	3,794	6,094	7,612	3,801	8,390			84,602
Pompano, California	16	177	432	597	1,846	706	779	626	83	12	9	34	3,728
Pompano, Mexican													
Rock Bass	4,759	5,315	12,531	10,155	17,489	20,046	33,136	17,531	31,607	27,659	24,911	14,677	344,378
Rockfish	177,153	301,206	277,297	198,887	166,103	88,460	90,777	74,937	113,629	87,438	106,121	198,466	1,757,567
Sablefish	4,593	5,262	6,674	8,493	8,033	6,188	6,582	5,434	6,620	7,290	4,331	10,726	51,718
Salmon													
Sand Dab	648	623	561	503	497	552	538	502	641	579	546	494	6,061
Sardine	12,191,888	25,321,368	20,831,206	8,403	13,992	8,892	3,554	6,314	1,009	6,034	52,117,885	33,426,320	113,954,041
Sculpin	2,401	2,608	4,321	5,329	7,416	9,203	8,291	11,248	5,905	5,435	6,167	3,300	71,842
Sea-bass, Black	21,869	32,400	10,416	2,374	10,523	16,772	13,063	11,920	28,455	8,652	32,129	16,456	213,111
Sea-bass, Petrale	258,186	185,157	157,693	135,315	138,238	17,331							1,125,763
Sea-bass, White	10,943	44,794	59,334	46,967									371,793
Shad													
Shark	19,569	23,246	40,189	48,992	71,394	35,869	35,227	43,740	42,591	61,815	10,074	5,137	468,993
Shrimp	4,179	7,752	6,945	4,743	1,175	1,383	1,401	4,564	5,457	4,745	11,536	5,431	50,061
Skate	1,869	3,887	685	1,093	2,637	2,239	605	3,098	2,501	2,974	3,444	2,136	30,477
Sole	43,114	13,314	15,386	22,966	21,443	14,730	13,866	15,687	25,575	44,911	26,477	29,115	290,328
Sole, (small)	4,394	9,479	2,388	759	7,211	2,651	1,457	6,802	5,940	8,897	6,474	3,169	27,581
Swordfish, Marlin	100												
Tuna, Albacore	57,929	99,088		271,698		514,329	629,854	310,056	311,592	86,073			2,480,881
Tuna, Bluefin				108,185	78,339	227,009	430,811	162,224	8,607	741			1,994,424
Tuna, Bonito	634	3,589	25,094	50,485	31,097	68,325	185,369	367,255	571,013	414,244	115,538	31,917	2,104,490
Tuna, Oriental													

Division of Fish and Game

Commercial Fish Catch for 1930-1934

LANDINGS--REGION 00, SAN DIEGO**, 1932

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Barracoda.....	4,103	11,068	47,712	63,383	102,403	53,288	68,414	121,244	23,177	10,478	8,495	4,163	517,927
Cabrilla.....	16,330	36,039	20,841	4,102	19,000	26,376	23,092	26,520	11,632	7,859	22,206	20,322	237,019
Culter, Pacific.....			12										12
Groupers.....	7,270		2,100			2,360	1,940	1,085					14,915
Halibut, California.....	11,044	12,237	13,628	5,313	4,446	5,058	7,408	1,221	8,241	1,272	1,431	1,231	73,782
Herring, Pacific.....	3,077												3,077
Krill.....	556	314	263	165	234	113		10	118	75			1,383
Mackerel, Pacific.....	12,365	14,300	11,870	18,850	28,569	12,226	6,330	11,740	12,317	17,351	16,451	16,198	178,415
Mackerel, Spanish.....	2,440	2,440											4,880
Mullet.....	3,714	1,437	897	1,342	1,779	2,153	3,228	2,603	1,277	300			19,033
Perch.....							417	798	71	799			2,092
Pompano, Mexican.....													343
Rock Bass.....	18,104	18,796	3,785	6,890	25,430	24,548	22,205	23,514	13,426	5,723	10,074	9,014	135,020
Rockfish.....	75,743	87,234	81,072	63,536	57,733	43,773	31,869	44,444	63,028	51,744	41,456	46,434	668,784
Sardines.....	1,180	1,710	2,600	30,448	407,038	86,190	15,710	505	365	302	740	53	545,063
Sculpin.....			3,944	1,684	210			133	1,103	1,085	965	840	13,361
Sea-bass, Black.....	43,958	49,023	63,087	18,856	8,288	13,994	1,903	1,392	10,300	15,151	12,695	14,229	232,657
Sea-bass, Short-fin.....					993		617	66	22	197	303	17	1,495
Sea-bass, Tidewater.....					920								920
Sea-bass, White.....	705	164	2,285	12,474		48,253	8,253	26,758	17,275	13,500	10,314	148,366	148,366
Shark.....	4,019	4,450	12,813	4,019	10,072	14,032	9,402	30,449	14,208	6,565	2,697	2,430	138,475
Sheepshead.....	1,760	1,917	999	56	80	10	90	188	403	1,482	5,190	982	9,706
Skate.....	42	200	15	62		60							379
Snout.....	1,158	3,968	2,201	3,042	1,568	2,574	1,865	2,696	2,940	2,239	2,814	1,801	30,808
Sole.....	328	969	301	39	24		3				88	270	1,650
Swordfish, Broadbill.....				345	4,816	18,986	14,392	46,404	33,497	38,880	41,440	7,779	207,095
Swordfish, Marlin.....				283	684	137	379	408	1,809	904	273	183	3,436

Tuna, Bluefin.....					3,993	13,542	7,590	1,587					35,711
Tuna, Bonito.....					61,273	251,083	375,339	60,517	5,485	465	6,223	6,129	136,862
Tuna, Skipjack.....	44,445	76,224	160,009	790,476	1,603,288	1,754,238	2,304,003	2,026,748	1,512,508	413,221	333,777	1,272,549	13,241,729
Tuna, Yellowfin.....	829,488	20,861	561,247	2,769,301	2,484,270	1,120,720	2,281,996	2,410,471	2,207,909	2,309,050	1,198,708	2,808,534	23,446,873
Whiting.....	15,738	16,874	7,868	7,731	2,707	3,290	1,460	9,046	7,411	7,031	8,000	8,718	46,056
Yellowtail.....	26,478	7,013	17,667	23,973	55,871	53,673	69,769	60,392	22,303	65,373	77,173	66,067	267,938
Miscellaneous Fish.....						32							22
Crustacean:													
Lobster, Spiny.....	168,077	203,003	151,188							21,584	52,370	82,694	738,922
Mollusk:													
Octopus.....											49		49
Squid.....									115				115
Reptile:													
Turtle.....							3,498	2,150				80	5,728
Total pounds.....	1,004,629	638,678	1,177,864	3,930,250	4,320,681	3,520,151	6,886,908	4,878,786	3,854,379	3,087,674	1,871,360	4,443,687	39,600,727

* Importations of fresh fish from foreign countries included. See importation tables.
 ** San Mateo Point to the Mexican boundary, including Sultan Sea.

Commercial Fish Catch for 1930-1934

LANDINGS—STATE OF CALIFORNIA, 1932

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Anchovy.....	1,267	8,997	31,707	41,609	58,205	55,575	30,337	21,579	24,230	17,000	900	3,750	299,217
Barnacles.....	5,194	68,828	241,320	266,614	288,519	544,187	489,908	322,920	181,188	162,959	117,679	37,009	2,626,775
Calappa.....	113	373	825	554	919	170	230	870	55	460	109	4,678	4,678
Calappa.....	17,726	44,919	30,955	4,102	34,780	51,083	23,799	30,323	30,296	9,255	49,024	31,307	348,199
Carp.....	5,034	5,440	4,908	3,062	17,322	6,671	784	346	1,032	3,548	884	38,963	38,963
Catfish.....	8,637	11,213	44,943	29,367	1,288			26	56,372	43,683	33,070	23,431	254,056
Codfish, Marbled.....	10,499	15,119	2,551	369	7,311						1,301	1,509	39,889
Codfish, Pacific.....	40,706	134,091	60,387	83,696	75,294	73,011	96,444	92,346	75,830	76,569	57,788	26,090	809,912
Eel.....			19	5			15	10	65			41	242
Flounder, Sharp.....	42,665	222,554	48,080	15,750	50,656	40,686	18,192	14,817	31,906	8,781	41,617	8,112	543,806
Flouring Fish.....		25	6	7,797	14,671	6,619	5,462	3,469	3,759	409			40,533
Groupers.....	2,270	2,849	6,923	3,785	569	2,485	3,442	438	429	5,108	272	130	19,689
Hake.....	2,220	2,849	6,923	3,785	569	2,485	3,442	438	429	5,108	272	130	19,689
Haddock, California.....	78,426	140,160	132,786	80,381	52,668	40,881	67,349	50,228	43,174	63,303	86,839	60,178	646,762
Haddock, Northern.....	28,154	2,438	9,301	32,279	70,608	133,564	107,703	151,423	79,284	29,690	22	12,643	645,828
Herring.....	312,231	161,505	62,500	3,011	100	200		335			22,567	202,834	755,734
Kentfish.....	90,033	44,032	37,033	42,270	37,563	33,006	24,903	23,460	29,243	30,933	29,646	43,084	447,031
Mackerel, Horse.....	63,633	26,055	27,682	18,637	42,268	58,705	62,787	49,116	77,688	45,191	42,251	21,496	336,490
Mackerel, Pacific.....	1,602,823	700,053	646,569	334,116	1,394,599	956,256	732,875	834,581	1,331,323	307,475	2,952,981	195,009	12,473,746
Mackerel, Spanish.....	2,249	4,390		1,332	2,140	2,861	2,563	3,188	290	290	244	3,388	10,922
Mullet.....	2,714	2,042	1,543	1,322	2,140	2,861	2,563	3,188	1,780	246	95	203	22,666
Perch.....	20,715	20,535	48,573	37,326	708	4,311	29,800	21,587	16,324	19,664	13,434	11,160	244,064
Pike.....	919	262	205	416	33			31	28		16	99	2,094
Pompano, California.....	36	303	547	632	1,537	216	779	639	103	12	9	34	5,337
Pompano, Mexican.....	25,021	24,852	16,486	17,333	43,296	54,807	56,638	60,759	45,346	38,673	39,303	35,861	436,273
Rock Bass.....	490,335	736,045	664,692	573,600	565,635	403,846	381,967	373,745	369,685	391,183	371,397	366,693	5,553,319
Rockfish.....	40,800	57,214	55,002	86,107	92,729	130,554	113,603	60,314	122,822	135,425	56,941	36,259	973,373
Sardine.....	1,228	4,205	39,794	178,113	693,940	333,083	932,807	1,411,390	807,855	40,791	501		6,620,098
Sand Dab.....	64,924	66,035	83,396	42,644	48,569	71,868	66,527	11,073	55,246	61,816	50,215	39,691	660,345
Sardine.....	43,804,966	36,422,263	11,111,683	282,872	777,631	328,020	399,432	2,571,323	32,743,152	48,320,722	62,484,299	70,317,631	312,171,716
Sculpin.....	4,441	3,754	8,273	7,027	8,655	9,265	8,213	11,344	4,410	7,476	7,127	3,480	83,505
Sea-bass, Black.....	63,057	80,448	83,467	21,988	19,271	30,766	15,676	14,158	43,303	24,243	44,431	30,678	472,846
Sea-bass, Short-fin.....				993	677	412	66			22	197	101	2,487
Sea-bass, Tomatin.....	233,186	183,237	187,823	130,233	126,238	17,331					74,809	162,708	1,126,685
Sea-bass, White.....	10,812	45,620	71,721	70,237			174,084	132,714	88,690	45,928	101,065	63,265	694,796
Shad.....		31	130,971	610,880	431,474							12	1,173,471
Shark.....	79,104	110,923	100,818	54,224	84,450	71,269	43,377	96,313	59,887	72,802	32,025	24,372	836,888
Sheepshead.....	5,946	12,014	2,844	4,316	1,145	2,145	2,061	4,723	6,800	10,613	20,206	7,172	86,301
State.....	40,892	70,165	55,377	12,875	10,852	9,687	19,433	8,655	7,014	16,210	31,521	19,331	292,417
Stout.....	75,172	82,156	73,345	62,358	73,409	75,836	75,736	74,372	86,822	89,823	65,439	37,779	999,216

Division of Fish and Game

Sole.....	662,102	623,788	736,732	930,113	899,001	726,024	761,251	720,643	764,705	701,202	620,256	600,023	8,890,840
Squid.....	2,245	2,382	2,530	2,983	3,502	79		2,933	2,176	1,518	1,030	73	27,545
Striped Bass.....	66,880	19,091	109,212	159,322	37			21,904	30,164	56,394	32,317	35,106	337,427
Surfer.....	2,037	4,968	500	1,750	2,390						2,763	147	16,715
Swedish, Broadbill.....	103			345	7,770	77,476	108,355	135,877	111,641	90,377	100,122	15,308	661,874
Tanout.....	333	1,102	200	252	644	563	3,778	4,850	6,098	6,106	2,100	162	26,405
Tuna, Albacore.....	57,929	99,088		271,660		314,329	629,854	580,055	505,700	499,090			3,082,215
Tuna, Bluefin.....				108,183	81,331	240,044	461,401	183,911	8,995	741	122,008	38,046	1,071,206
Tuna, Bonito.....	884	3,006	20,374	30,628	92,383	319,458	562,440	647,023	373,098	614,721	122,008	38,046	2,862,296
Tuna, Chetumal.....								130,328	250,308	444,018	99,047		1,033,765
Tuna, Skipjack.....	34,563	76,224	166,939	970,038	1,612,036	2,456,429	6,227,792	4,306,412	2,030,409	914,857	435,670	1,408,379	21,636,577
Tuna, Yellowfin.....	774,063	86,060	696,337	6,473,758	5,350,060	2,499,503	4,440,719	4,843,552	3,091,416	3,085,516	2,164,003	3,314,406	36,923,410
Turbot.....	534	149	7,236	22	365	647	3,381	1,165	962	1,261	6,501	254	23,422
Whitefish.....	2,439	15,560	12,987	15,046	22,967	90,566	13,445	18,492	2,418	5,543	4,431	2,390	132,149
Whiting.....	22,416	26,201	13,944	11,602	8,738	5,531	5,018	14,013	14,651	12,871	14,999	11,871	162,027
Yellowtail.....	20,738	23,534	187,181	278,011	139,341	135,340	112,418	228,753	124,091	242,373	126,348	112,090	1,796,264
Miscellaneous Fish.....	7,040	3,746	3,308	8,724	13,214	14,204	10,007	18,200	22,040	21,676	7,861	9,191	131,167
Crustaceans:													
Crab.....	330,893	348,646	330,760	338,196	360,968	306,835	148,122	13,184			222,216	435,164	2,433,687
Crab, Rock.....													145
Loyster, Spiny.....	194,974	302,522	164,213	716	2,416	2,521			449	69,328	142,074	129,104	1,618,647
Shrimp.....	74,719	70,099	127,090	182,969	237,149	235,341	498,498	907,332	356,312	170,241	128,725	85,879	2,790,174
Mollusks:													
Abalone.....	24,070	148,150	429,351	334,935	332,650	237,830	310,650	441,450	242,142	306,997	68,800	2,817,345	
Clam, Corral.....	17,438	19,917	22,572	17,128	21,042	16,909	2,102	4,213	2,295	2,999	11,160	8,038	135,433
Clam, Oyster.....	1,411	1,068	16	48	25	12	110		30	766	110	20	1,362
Clam, Miscellaneous.....	6,270	6,772	8,115	7,000	6,290	8,402	11,229	11,859	13,533	10,671	11,263	8,180	110,477
Clam, Pismo.....	220		271	559	779	1,046	304	150		11,561	13,108	12,906	3,631
Clam, Jackknife.....	15,322	10,030	19,471	14,126	11,515	12,159	12,222	13,796	2,639	1,356	2,054	1,709	103,081
Clam, Washington.....	2,707	3,343	6,133	3,429	226	64	16	110		50			22,908
Mussel.....				140									739
Octopus.....	321	1,403	1,037	1,518	2,813	4,518	4,328	1,511	1,868	409	327	1,194	21,187
Oyster, Eastern.....	36,108	34,702	27,805	18,541	13,763	7,741	8,799	9,333	17,473	35,539	30,129	30,143	390,571
Oyster, Native.....	13,891	8,963	7,886	6,902	7,415	9,583	11,314	11,967	4,669	2,603	4,637	10,261	100,239
Scallop.....	83,291	114,067	40,129	83,040	2,457,196	971,965	122,533	241,730	25,490	20,940	50,577	54,575	4,329,143
Reptile:													
Turtle.....							3,498	2,150				80	5,720
Total pounds.....	51,878,672	41,479,730	17,043,616	13,688,268	17,183,975	13,022,713	18,451,868	19,376,376	45,880,068	57,499,244	71,411,726	75,827,330	445,455,247

* Imports of fresh fish from foreign countries included. See importation tables.

Commercial Fish Catch for 1930-1931

LANDINGS—REGION 10, DEL NORTE*, 1933

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Cod, Pacific.....	576	956	2,197	11,756	5,385	4,146	666	2,304	787	923	2,328	1,630	33,654
Halibut, Northern.....			47	13	4	195		353					612
Perch.....			14										24
Rockfish.....	82	602	200	1,424	983	4,017	1,303	361	297	287	519	940	11,123
Salmon.....													177
Squid.....					1,062	14,469	62,425	175,328	18,857	23,375			265,453
Sole.....													123
Whiting.....	111			200									311
Miscellaneous Fish.....				250									86
Crustacean:													
Crab.....	622	2,194	1,300	744	432	3,302	436						9,200
Mollusk:													
Clam, Cockle.....					150								150
Total pounds.....	1,361	3,752	4,221	14,485	7,996	26,469	65,847	179,558	21,613	24,265	9,909	6,919	364,676

* Oregon-California boundary to Trinidad Head.

Division of Fish and Game

LANDINGS—REGION 20, EUREKA*, 1933

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Anchovy.....												70	70
Cultus, Pacific.....		15,309	12,020	9,584	1,883	4,815	11,892	51,965	5,547	2,497	6,730	855	123,197
Flounder, Starry.....	1,799	1,909	756	75							10	111	3,702
Halibut, Northern.....		20	68	7,816	41,857	53,162	37,605	45,821	508				186,837
Perch.....		658	102	2,088								1,079	3,927
Rockfish.....		245	114	385	2,242	875	1,341	5,398	1,216	1,882	4,939	1,459	19,996
Sablefish.....			9	100	1,008	29,536	11,111	14,640	33,155	155,267	100,251	28,251	371,237
Salmon.....					332,242	875,872	709,407	997,926	158,308	1,579			3,943,235
Smelt.....	5,885	3,401	4,345	2,468	2,565	1,105		3,382	2,274	2,020	2,476	1,405	32,507
Sole.....							207	66	128			208	609
Whitefish.....	1,792	4,391	3,853	3,523	5,592	13,861	9,469	6,578					49,562
Miscellaneous Fish.....			435		3,121	1,260	1,414	731	704	427	852		8,944
Crustacean:													
Crab.....	12,018	12,240	12,024	15,384	12,160	14,040	15,708	16,548				7,352	117,474
Mollusk:													
Clam, Cockle.....				250								50	340
Clam, Washington.....	2,054	4,097	3,540	2,811					3,271	4,913	3,584	4,130	28,599
Octopus.....									72				72
Total pounds.....	23,179	41,281	37,248	45,893	493,730	991,527	861,457	1,051,119	204,947	169,441	117,979	44,078	3,991,879

* Trinidad Head to Point Arena.

LANDINGS—REGION 30, SACRAMENTO*, 1933

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Carp.....	6,321	5,585	8,885	6,248	2,413	5,970	4,678	1,854	40	46	3,023	12,703	57,856
Catfish.....	4,727	3,534	12,444	22,136	1,523			405	42,784	26,521	32,383	25,782	172,389
Flounder, Starry.....			35										35
Hardhead.....	26,393	17,555	18,791	13,302	17,975	18,799	2,755			290	10,558	30,698	156,687
Pike.....	92	169	297	144	21							4	727
Salmon.....	253	3,029	20,889	71,337	85,797	13,789		88,498	108,402				454,253
Sardine.....	7,038,143	4,083,849						3,536,119	5,081,337	3,452,315	15,633,961	10,561,044	50,286,759
Shad.....		3	105,041	508,534	305,646			44					1,009,268
Split-tail.....	196	70	2,032	2,343	1,291			20	376	556	230	2,435	17,409
Striped Bass.....	17,709	20,184	162,033	220,280	4,509			11,824					436,939
Sucker.....	826		1,679	350		400	655				1,800	8,477	14,187
Miscellaneous Fish.....	13		100	290			290	36			35	55	839
Total pounds.....	7,994,675	4,135,958	332,136	845,164	509,685	38,856	8,288	3,639,147	5,203,179	3,479,302	15,684,795	10,646,263	52,607,

* Sacramento and San Joaquin River systems, San Pablo and Suisun bays, and Lake County.

LANDINGS—REGION 40, SAN FRANCISCO, 1932

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Anchovy.....			2,300	20,000	20,110	26,675	26,100	32,800	22,180	2,350	1,800		185,015
Calappa.....		115	1,200	546			286						1,947
Catfish.....													14
Catfish, Pacific.....	51,875	54,341	33,541	44,149	66,708	64,919	66,837	87,227	81,568	95,685	57,011	48,816	747,668
Ed. Bones.....				19	19	10	40		10	25			103
Flounder, Starry.....	2,211	48,047	8,515	8,808	19,712	67,410	36,405	10,558	105,819	16,271	24,694	7,271	440,711
Hake.....	875	305	1,000	12,908	5,875	635	1,535		2,000	5,500	600		31,881
Halibut, California.....	1,431	1,225	6,137	2,173	425		1,453	353	847	2,541	2,466	4,815	24,262
Halibut, Northern.....		476			28,374	45,556	31,455	27,776	880				134,155
Herring, Pacific.....	104,455	127,760	42,610			775		1,000			33,407	144,988	444,950
Kiwi.....				2,498	5,352	2,842	2,094		683	180	867	2,094	15,725
Mackerel, Pacific.....				215				3					218
Perch.....	4,388	15,250	14,826	15,989			5,779	8,665	12,130	16,085	10,343	8,524	110,326
Pompano, California.....							89						89
Rock Bass.....							5						5
Rockfish.....	90,141	101,033	115,254	84,620	103,184	90,601	131,306	120,171	80,453	124,721	92,319	26,186	1,137,335
Salmon.....	14,250	4,823	4,763	19,948	22,343	61,449	21,261	1,514	19,965	43,529	20,707	3,815	237,497
Sablefish.....				418	14,983	14,718	30,301		56				195,590
Sand Dab.....	31,467	55,050	62,481	73,358	47,138	34,983	42,553	38,675	38,301	24,656	42,567	41,555	537,829
Sewelle.....	31,100	20,220	40,850	38,190	43,160	152,720	200,281	125,800	268,100	2,191,000	6,700,500	2,045,500	11,927,721
Sea-bass, White.....	518	771					214		89	27			1,330
Shad.....			12,272	65,211	70,564								148,048
Shark.....	10,665	18,385	16,302	4,103	2,600	1,248	445	1,270	2,213	4,808	12,043	13,829	69,971
Slate.....	21,826	17,175	23,712	20,574	10,318	1,603	3,825	1,285	3,145	6,434	17,656	19,865	131,415
Snail.....	18,526	23,807	26,279	32,321	34,555	30,657	20,819	33,600	19,915	16,405	22,556	17,204	218,844
Sole.....	629,764	780,890	731,832	703,136	620,325	687,281	474,442	433,308	480,733	702,766	642,098	648,583	7,587,811
Striped Bass.....		927	16,825	34,156	767		6,815						45,565
Tomcod.....					30				150	125	414	10	729
Turbot.....	2,405	8,706	9,149	10,067	11,484	91	160	650	2,564	1,218	875	6,088	40,611
Whitefish.....	10,837	4,782	734	197	8,186	13,283	636	2,632	432	633	1,146	1,329	44,682
Miscellaneous Fish.....	982	6,815	6,166	8,702	6,817	11,221	11,378	13,356	10,008	7,407	11,617	7,614	115,794

Grayhound	39,342	290,232	310,236	295,982	267,410	278,974	356,231																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
-----------	--------	---------	---------	---------	---------	---------	---------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

* San Francisco Bay and coast from Point Arena to Pigeon Point.

LANDINGS—REGION 80, MONTEREY*, 1933

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Anchovy.....		2,385	1,655	11,543	14,805	17,560	11,265	14,770	3,370	4,320	9,195		90,758
Barramundi.....	5		24	45			110		253	671	495	125	146
Cabezon.....													2,070
Calico Pacific.....	9,875	16,574	14,216	8,052	5,464	7,946	12,051	19,096	11,221	18,056	25,024	24,306	170,160
Flounder, Starry.....	4,554	4,764	2,431	316	199	394	241	205	256	29	41	147	13,256
Hake.....							113	379					492
Halibut, California.....	1,344	5,342	1,110	628	1,500	1,324	714	2,372	3,311	511	261	663	21,615
Herring, Pacific.....	2,083	3,510	180		100						34,800	9,000	51,393
Kingsfish.....	6,867	6,784	19,758	14,551	8,850	14,778	9,691	14,684	19,543	18,385	28,501	25,983	186,977
Macovei, Horse.....	222	967	7,125	6,024	6,287	1,097	759	163	4,614	3,904	389	8	32,479
Macovei, Pacific.....	12,616	45,638	19,641	21,853	107,113	96,057	75,809	204,738	506,543	222,236	20,469	4,739	1,332,754
Perch.....	431	1,775	18,064	18,471			10,553	2,328	82	856	1,094	1,187	55,099
Pompano, California.....		10	45	3	20		12						10
Rock Bass.....													10
Rockfish.....	137,568	184,084	188,287	171,510	60,533	80,360	60,544	132,432	151,867	146,783	103,718	122,159	1,618,740
Sablefish.....	21,186	21,644	10,155	21,915	5,785	2,497	5,052	4,009	16,111	45,300	40,946	21,387	233,880
Salmon.....	127	1,128	1,791	3,660	394,903	163,858	7,430	3,192	1,389	1,162	1,144	661	569,850
Sea Dab.....				2,800	2,915	733	3,323						89,474
Sardine.....	36,092,350	14,873,920	66,373	187,375	109,742	119,261	117,090	36,620,148	24,315,446	30,048,739	60,365,613	30,313,353	354,311,294
Seacham, Black.....	24	130	48	150			50						80
Seacham, White.....							4,339	695			121	7	5,514
Shad.....		5											5
Shark.....			30						200	480	1,665		2,315
Shiner.....	725	2,627	3,391	1,897	1,249	1,094	1,299	1,119	1,267	1,279	611	1,405	15,672
Smelt.....	7,240	5,415	2,030	7,953	5,465	10,433	8,830	21,099	26,622	12,873	2,650	2,834	117,054
Sole.....	389	1,064	6,676	7,320	2,614	2,563	3,181	3,168	8,384	4,983	2,521	1,827	45,106
Tuna, Albino.....									407				407
Tuna, Bonito.....	100	10	67	615	117	103	10						1,000
Whitefish.....	253	500	294			46		20	285				1,417
Miscellaneous Fish.....													
Crustacean.....													
Crab.....	17,116	24,420	41,220	35,366	16,550	10,948	3,430				16,709	21,694	188,044
Prawn.....													557
Shrimp.....	88	133							2	16			241
Mollusk.....													
Alalene.....	86,300		151,375	315,700	222,200	182,800	247,900	214,600	229,150	273,500	35,675	292,300	2,231,500
Clam, Pismo.....	5,960	4,651	4,750	2,016					3,715	2,858	3,000	1,007	26,097
Octopus.....	218	245	1,456	2,085	2,232	5,449	3,842	3,220	3,112	1,062	354	111	25,255
Oyster, Japanese.....	3,828	3,408	4,719	3,962	1,892	46	285	216	402	2,905	5,105	48,500	78,088
Scallop.....	4,091	31,000	66,083	55,160	88,081	111,475	23,310	23,425	28,553	46,725	106,125	184,383	709,665
Total pounds.....	77,278,511	15,345,890	636,196	886,283	1,106,071	890,072	643,027	37,287,068	15,530,774	30,850,115	60,889,668	51,070,153	362,331,560

* From Point to Pismo Blancas.

52

Division of Fish and Game

LANDINGS—REGION 60, SANTA BARBARA*, 1933

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Burmese.....	2,174	1,880	10,916	8,240	345	7,847	155	2,579	14,008	12,068	19,060	7,567	87,229
Calappa.....	101	11						20	24				163
Clupea, Pacific.....									201				201
Flounder, Starry.....					10				4				14
Herring, California.....	19,386	15,827	31,016	24,878	21,508	30,874	44,215	28,127	26,360	22,747	25,848	29,361	322,017
Herring, Pacific.....	46			28							21	88	182
Kingfish.....				163	309	28			80				580
Macrurus, Horn.....									3,337				3,337
Macrurus, Pacific.....	637	283	40	38	905	1,051	302	1,990	8,324	5,149	3,037		24,430
Perch.....	75	476	2,114	5,417	44	539	29	23	194	149	776		8,922
Rock Bass.....	257	1,086	644	1,060	482	518	581	524	550	2,698	699	517	9,821
Rockfish.....	4,595	5,416	9,409	10,521	8,745	9,633	8,116	8,387	8,919	7,946	9,294	13,091	102,094
Sablefish.....				113						63			176
Sablefish.....													3
Sand Dab.....									32				32
Sardine.....	177	596	20	687	10					45			1,275
Sculpin.....											17	44	61
Sea-bass, Black.....					205	23			55	569			1,400
Sea-bass, White.....	5,555	17,278	17,880	5,549			21,330	5,509	2,906	4,317	5,605	6,367	85,088
Shark.....	511	1,359	3,398	4,395	4,263	2,541	3,251	276	574	1,117	309	299	22,301
Sheepshead.....	1,776	1,571	377			190	42	128	403	1,417	1,957	731	8,562
Sole.....	1,975	7,567	5,896	4,389	1,528	3,306	4,248	1,679	297	48	77	71	32,181
Sole.....	34,251	42,544	61,989	88,198	66,382	83,145	71,540	60,600	36,604	41,806	17,200	13,274	613,125
Swordfish, Broadbill.....						560		1,814	2,803	8,456	487		13,660
Tuna, Pacific.....		36				590		613					1,251
Whitefish.....						60				130	59		249
Miscellaneous Fish.....		20		4			22			27	29	2	110
Cephalopods.....													
Lobster, Spiny.....	24,171	15,611							48,820	20,566	11,263	8,791	129,622
Mollusks.....													
Albacore.....	41,330		13,609	34,800	35,000	60,600	86,650	67,300	50,330	73,138	29,400	42,300	534,688
Chum, Pacific.....	4,774	4,488	3,913	7,000	6,200	7,600	9,000	10,249	6,877	6,829	3,217	4,313	86,118
Total pounds.....	141,849	114,418	150,573	192,132	136,763	179,811	252,715	190,572	239,352	215,793	132,041	132,433	2,086,652

* From Blaine to Point Dume.

Commercial Fish Catch for 1930-1934

LANDINGS—REGION 70, LOS ANGELES**, 1922

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Anchovy.....	285	2,600	2,418	3,803	6,869	3,608	2,751	3,630	3,553	1,853	3,670	7,239	41,369
Barnacle.....	59,381	90,432	126,093	735,527	226,365	401,288	240,246	340,414	70,919	22,115	36,004	12,194	2,472,968
Calappa.....	1,015	9,695	434	8,047	17,628	7,432			3,309	3,927	7,029	4,176	72,319
Carlin.....	15,185	34,195	12,264	625	348				1,010	10,034	4,442		79,661
Calfan, Pacific.....	850	1,643	8,913	69					17	185	170	20	11,874
Flake.....				1,784	2,250	3,716			1,482				15,396
Hake.....			915	2,365	1,180	35							5,466
Haddock, California.....	11,313	88,695	76,332	63,085	42,779	55,745	21,154	20,787	19,345	8,676	9,366	8,011	450,919
Kingfish.....	33,443	32,515	38,672	24,369	15,740	24,143	15,112	20,914	27,888	12,027	32,044	36,378	359,276
Macaroni, Horse.....	27,448	12,916	3,174	6,411	24,729	24,264	40,710	61,229	64,751	552,967	99,095	71,483	975,414
Macaroni, Pacific.....	274,470	708,731	191,282	164,719	1,228,028	8,816,310	10,437,422	7,100,309	8,346,144	15,004,447	2,247,329	2,093,993	38,896,167
Macaroni, Spanish.....													3,012
Mullet.....		475	484		462				125				1,862
Perch.....	6,444	8,085	10,359	8,474	504	1,135	8,369	3,871	1,080	2,349	740	2,644	56,121
Pompano, California.....	784	7	79	1,155		151							2,051
Rock Bass.....	16,097	5,402	10,746	15,413	10,059	36,554	41,667	18,591	12,676	11,446	11,774	9,194	291,030
Rockfish.....	127,515	165,219	171,843	187,632	71,279	79,624	80,787	47,556	59,578	122,551	99,206	54,244	1,204,085
Sablefish.....	12,540	22,907	29,393	41,315	45,405	45,367			29,243	50,678	63,221	52,398	55,391
Shiner.....													487,332
Sand Dab.....	453	479	598	476	558	759	949	400	547	1,264	1,726		5,659
Sardine.....	34,528,497	37,325,510	29,341,568	4,370	6,583	4,117	3,677	4,418	2,867	10,866	35,865,425	35,257,471	192,727,277
Sedgwick.....	1,649	2,352	2,760	4,705	5,454	10,554	9,253	7,608	2,747	1,639	1,883	2,483	56,061
Squid.....	14,447	25,661	9,217	6,565	10,811	8,609	27,738	16,864	8,481	29,174	11,121	33,829	220,402
Sco-han, Totowa.....	201,803	124,513	166,717	51,480	117,351	10,707							190,314
Sco-han, White.....	8,719	15,254	17,242	96,121		33,258	121,847	229,659	37,344	49,014	29,414	11,396	586,841
Shark.....	11,178	11,740	29,469	41,311	64,450	20,970							296,132
Shorthorn.....	4,176	3,087	4,462	7,335	733	2,001							42,332
Shute.....	7,689	18,806	12,513	9,444	2,157	1,355	1,780	1,846	2,394	2,211	5,889	2,232	42,332
Snail.....	21,770	26,168	21,220	17,178	23,327	12,804	4,319	8,333	17,706	27,294	13,678	14,528	299,097
Sole.....	2,678	6,898	10,279	9,047	6,342	4,884	6,719	1,641	5,618	804	1,659	1,016	31,182
Swordfish, Broadbill.....													5,323
Swordfish, Marlin.....													26,634
Tuna, Albacore.....													2,714,645
Tuna, Bluefin.....													525,170
Tuna, Bonito.....													1,165,597
Tuna, Oriental.....													905,386
Tuna, Skipjack.....	113,879	2,640	282,926	1,050,897	1,240,195	867,410	240,010	392,734	138,410	386,112	485,255	553,791	5,781,037
Tuna, Yellowfin.....	1,116,402	145,365	824,608	1,434,267	1,893,277	1,828,696	2,192,188	1,199,010	1,200,222	1,436,130	1,493,113	1,213,872	14,024,495
Whiting.....	5,547	5,551	1,919	5,205	788	720							41,099
Yellowtail.....	13,147	11,430	76,847	87,058	32,472	43,799	79,550	36,297	93,814	22,927	13,182	165,091	676,743
Miscellaneous Fish.....	37	1,093	50	779	743	491	654	476	566	276	497	615	6,175

Division of Fish and Game

Commercial Fish Catch for 1930-1934

95

LANDINGS--REGION 80, SAN DIEGO*, 1933														Total pounds
Species	January	February	March	April	May	June	July	August	September	October	November	December		
Barracuda.....	129	5,135	1,084	78,327	156,423	93,879	67,319	35,407	12,629	18,101	33,220	11,053	512,736	
Catfish.....	10,818	30,323	24,639	10,354									76,397	
Codfish, Mexican.....	250												250	
Crappie.....	200												200	
Halibut, California.....	24,841	30,000	31,128	12,145	256	1,492	64	12,270	19,626	22,644	16,721	12,263	162,736	
Herring, Pacific.....	266										2,319		4,665	
Kiwi.....	400	123	28	104	287		300	83		123			1,643	
Macarel, Horse.....									600				600	
Macarel, Pacific.....	21,643	16,343	27,335	24,105	85,345	715,467	1,458,630	1,810,577	1,667,167	1,810,814	691,537	7,368	9,538,531	
Macarel, Spanish.....													1,484	
Mullet.....	2,561	2,381	1,929	2,130	4,094	5,311	2,417	1,160	940	785	104		22,117	
Perc.....	30				123	149	393	11					688	
Pompano, California.....							32						32	
Pompano, Mexican.....	110												710	
Rock Bass.....	6,411	13,724	7,720	6,380	4,335	18,820	18,418	11,763	10,410	17,414	8,404	5,405	104,617	
Rockfish.....	40,450	66,671	66,613	46,324	38,771	26,461	31,164	28,808	30,667	34,268	35,167		367,641	
Sablefish.....	270	617	831	2,344	15,032	315,104	1,281	498	1,307	931	192,552	15	1,604	
Sardine.....	266	632	830	755	59	340	1,563	1,086	402	31			834	
Sea-bass, Black.....	37,145	11,778	15,965	23,417	15,534	21,863	5,513	6,984	16,553	28,963	14,100	37,669	231,191	
Sea-bass, White.....	6,587	8,323	3,288	7,805				149,685	30,686	94,273	132,184	21,019	26,797	480,740
Shark.....	2,942	5,520	5,520	5,945	4,741	5,373	15,497	90	403	857	1,281	4,177	56,265	
Sheepshead.....	200	180	145	1,800	125	438			141	1,777	1,831	1,019	7,685	
Sole.....	328	232											100	
Sunfish.....	1,145	2,350	4,443	817	415	333	552	2,368	5,541	4,103	2,102	971	22,088	
Synbranch.....	1,368	870	600	244	382	8	25	9					3,028	
Swordfish, Broadbill.....						15,280	35,534	48,070	63,785	64,117	47,075	207	274,850	
Swordfish, Marlin.....													606	
Tuna, Bluefin.....							187	4,204	2,011				7,302	

Tuna, Bonito.....	147	1,641	1,600	3,741	68,015	333,887	154,580	543,057	178,444	113,183	98,503	90,555	1,145,371
Tuna, Skipjack.....	256,000	312,335	590,863	276,239	1,150,315	727,217	1,184,743	1,643,561	787,227	1,038,907	2,110,350	1,840,690	11,312,004
Tuna, Yellowfin.....	1,747,283	2,612,496	2,741,401	2,111,562	2,321,140	1,834,359	3,499,489	2,314,368	2,815,540	4,377,093	4,172,494	4,101,497	38,006,145
Whitefish.....	5,078	6,862	5,248	9,582	2,063	7,248	829,585	626	4,837	3,028	2,554	2,854	50,705
Yellowtail.....	6,990	15,654	30,005	83,198	104,247	205,190	322,543	892,062	808,148	304,317	103,042	75,326	2,222,123
Miscellaneous Fish.....					2,804	1,099							3,062
Crustacean:													
Lobster, Spiny.....	112,531	142,833	133,617	23,269	3,409		859	2,415	34,853	38,301	102,490	126,132	721,900
Reptile:													
Turtle.....				2,491	410								2,901
Total pounds.....	2,321,697	3,284,438	3,728,221	2,790,508	4,231,247	4,429,432	7,942,704	6,605,288	6,373,688	8,018,816	7,646,273	6,307,106	63,985,694

* Importations of fresh fish from foreign countries included.
 ** San Mateo Point to the Mexican boundary, including Salton Sea.

Commercial Fish Catch for 1930-1934

LANDINGS* - STATE OF CALIFORNIA, 1933

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Anchovy.....	285	4,675	5,773	34,546	51,954	57,843	50,116	51,200	29,703	9,523	14,365	7,309	317,292
Barracuda.....	61,689	97,447	138,087	842,024	383,163	503,014	307,720	378,490	97,566	122,284	110,284	31,194	3,072,962
Cabezone.....		115	1,209	391		396	316	255	762	433	123	265	4,265
Cabrilla.....	15,815	40,224	26,093	18,402	17,628	7,432			5,930	5,927	7,029	4,176	148,656
Carp.....	6,321	5,885	8,885	6,248	2,413	5,970	4,678	1,854	40	46	3,023	12,793	57,856
Catfish.....	4,727	3,534	12,444	22,136	1,523			405	42,784	26,595	32,583	25,732	172,463
Corbina, Mexican.....	15,475	34,195	13,264	663	848				1,010	10,054	4,442		79,951
Cultus, Pacific.....	63,275	89,234	70,887	73,992	71,440	81,826	90,442	160,222	99,140	121,607	91,263	75,627	1,088,955
Eel, Blenny.....				10	10	10	40		10	23			103
Flounder, Starry.....	8,495	53,831	11,737	9,289	19,881	67,804	36,646	95,563	106,074	16,304	24,745	7,629	457,998
Grouper.....	200								97	85		183	565
Hake.....	875	305	1,955	15,171	7,061	661	2,271	573	2,175	5,860	632		37,539
Halibut, California.....	80,355	130,080	129,719	124,909	67,171	89,439	68,010	66,429	73,329	53,961	50,992	55,255	989,649
Halibut, Northern.....		454	115	7,829	70,175	98,713	69,040	73,950	1,388				321,664
Hardhead.....	26,393	17,535	18,701	13,392	17,975	18,700	2,735			200	10,958	30,098	156,687
Herring, Pacific.....	196,786	133,323	42,710	28	100	775		1,000			70,547	156,176	601,445
Kingfish.....	40,719	38,934	57,988	42,886	50,837	45,462	34,654	40,781	51,245	51,439	62,560	63,157	580,662
Mackerel, Horse.....	27,670	12,985	10,299	14,515	31,316	25,461	41,069	49,433	70,165	560,128	96,318	71,491	1,010,850
Mackerel, Pacific.....	310,445	771,159	237,818	223,798	1,422,213	9,629,985	12,992,226	9,118,014	10,726,293	17,105,823	3,965,184	3,110,972	69,613,930
Mackerel, Spanish.....			390	280				410		1,544		2,542	5,166
Mullet.....	2,861	2,754	2,332	2,183	4,556	3,351	2,477	1,285	962	1,159	104		24,024
Perch.....	11,308	24,186	45,491	48,459	673	1,534	22,423	14,098	13,212	19,905	12,358	13,763	227,410
Pike.....	92	169	297	144	21							4	727
Pompano, California.....	284	17	124	1,156	1,004	315	94	198	413	97	175	2	3,879
Pompano, Mexican.....	710												710
Rock Bass.....	23,195	26,264	19,110	22,882	17,076	56,591	60,781	30,906	23,756	31,568	20,967	15,302	348,392
Rockfish.....	402,861	527,177	574,029	549,004	293,290	309,781	339,658	345,259	334,238	434,807	389,174	291,556	4,787,774
Sablefish.....	48,976	49,370	42,530	85,400	75,407	135,989	78,115	49,427	118,059	308,092	232,379	108,829	1,332,573
Salmon.....	255	5,029	20,889	75,206	814,421	1,082,044	988,990	1,201,453	345,793	24,354			4,558,434
Sand Dab.....	32,022	56,677	64,980	77,214	50,021	35,195	47,134	42,299	40,852	27,082	45,657	43,861	562,994
Sardine.....	79,250,350	56,320,747	30,031,632	202,409	228,104	591,802	322,599	40,338,966	29,874,167	35,704,796	118,756,531	118,175,375	509,797,481
Sculpin.....	2,455	4,539	4,539	5,460	5,513	11,136	10,815	8,784	3,669	1,660	3,902	3,363	64,160
Sea-bass, Black.....	72,232	37,986	24,232	32,380	26,960	30,632	29,736	23,868	25,600	58,279	25,240	65,878	453,023
Sea-bass, Totuava.....	202,803	134,513	166,717	51,489	117,351	10,707				18,271	99,147	129,316	930,314
Sea-bass, White.....	16,114	41,836	53,957	61,716			297,295	257,510	154,984	184,463	47,047	44,567	1,159,489
Shad.....		8	117,414	573,745	466,210			149					1,157,526
Shark.....	31,296	37,404	52,149	61,758	75,994	44,430	49,883	30,317	23,611	17,565	23,324	23,299	471,030
Sheepshead.....	6,152	5,658	5,607	9,511	858	2,629	372	1,974	3,248	5,405	7,668	9,527	58,609
Skate.....	25,496	23,926	33,388	24,115	13,829	3,962	6,410	3,088	6,637	11,532	18,658	22,668	193,711
Smelt.....	56,311	69,317	74,665	66,926	69,642	64,590	51,179	70,165	69,801	58,379	47,328	31,399	729,702
Sole.....	698,922	833,088	811,368	810,345	696,056	748,176	559,889	518,468	554,496	750,462	663,298	667,927	8,311,095

Split-tail.....	100	70	2,602	2,243	1,201	20	378	556	220	2,435	8,069	17,509
Striped Bass.....	17,709	21,111	175,533	244,438	5,178	460	635	18,529	176,145	224,800	1,800	8,477
Rockfish.....	826		1,679	330		389	30,608	171,473	174,674	118,449	4,961	530,599
Swordfish, Broadbill Swordfish, Marlin.....							649	3,307	1,343	1,333	207	6,439
Tonno.....						30			130	125	414	89
Tuna, Albacore.....		101,294	210,519	50,306		208,047	784,071	441,115	620,671	334,317	16,988	26,024
Tuna, Bluefin.....							143,319	8,462	19,000	311,349	22,431	390,492
Tuna, Bonito.....	1,061	5,074	5,483	14,537	103,778	351,703	217,004	1,385,376	219,613	146,470	40,837	44,663
Tuna, Oriental.....							109,352	64,323	200,943	127,134	138,611	202,969
Tuna, Skipjack.....	340,870	314,873	873,749	1,335,417	2,498,706	1,594,707	1,452,713	1,435,365	935,637	1,404,706	2,601,485	599,336
Tuna, Yellowfin.....	2,863,785	2,762,771	3,517,189	3,544,532	4,414,517	3,652,615	5,688,657	5,713,365	4,015,507	5,813,815	5,670,637	5,317,584
Turbot.....	2,403	3,706	9,149	30,967	11,484	51	109	859	2,064	1,322	913	6,088
Whitefish.....	12,144	9,127	4,659	4,433	14,253	27,233	10,332	9,395	432	633	1,149	1,329
Whiting.....	8,325	12,033	7,107	15,174	3,751	9,907	333	3,471	2,563	10,357	17,533	6,817
Yellowtail.....	63,197	28,084	116,432	170,256	136,719	348,989	402,063	928,490	962,562	327,294	176,223	238,617
Miscellaneous Fish.....	13,305	8,417	7,643	9,331	13,645	14,530	15,668	15,803	15,337	8,697	19,073	11,531
Crustaceans:												
Crab.....	330,198	532,196	365,600	349,456	296,532	307,294	415,904	16,543			316,902	477,974
Crab, Rock.....	190	1,241	2,670	2,106	1,609	1,301	1,003	1,252	192	492	900	1,063
Lobster, Spiny.....	152,964	182,966	139,719	21,419	3,499	320	839	3,130	139,312	95,171	142,961	164,680
Shrimp.....	31,519	100,954	132,208	117,327	98,778	148,692	358,221	469,735	254,502	137,048	167,385	73,411
Mollusks:												
Albacore.....	127,430		166,635	330,500	247,250	213,400	334,430	251,900	288,400	346,638	65,075	334,200
Clam, Cockle.....	11,194	13,911	10,371	11,265	10,006	5,748	3,930	8,443	2,312	4,217	5,765	3,386
Clam, Oyster.....	139	49	100	112	40	14	146	146	178	239	130	20
Clam, Pismo.....	8,754	10,139	10,183	9,056	6,509	7,800	9,009	10,249	10,592	9,697	8,217	5,929
Clam, Soft-shell.....	10,829	12,219	12,700	11,020	13,400	11,534	20,886	12,529	13,295	14,837	17,853	19,589
Clam, Washington.....	2,147	4,220	3,666	2,931	128	154	205	152	3,369	5,065	2,698	4,164
Mussel.....	511	1,248	2,011	3,463	2,042	60	222	129	95			465
Octopus.....							3,877	3,847	4,391	3,262	2,138	631
Oyster, Eastern.....	43,316	29,680	23,471	15,147	13,769	23,381	15,621	26,006	31,154	20,403	38,304	30,719
Oyster, Japanese.....			4,720	3,962	1,962	66	263	275	400	2,006	3,703	48,500
Oyster, Native.....	8,182	4,299	2,370	745	678	1,919	734	548				19,475
Squid.....	21,781	60,067	74,419	55,140	88,081	111,673	25,804	28,425	28,583	46,228	106,125	194,585
Reptile:												
Turtle.....					2,491	410						2,901
Total pounds.....	51,825,357	63,651,890	38,918,751	10,719,771	13,333,849	20,909,762	26,471,903	62,300,533	50,835,796	64,844,569	154,481,666	132,848,062

* Imports of fresh fish from foreign countries included. See Importation tables.

Commercial Fish Catch for 1930-1931

LANDINGS—REGION 10, DEL NORTE*, 1934

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Cultus, Pacific.....	4,789	3,674	10,962	1,299	1,225	1,193	1,704	2,029	1,282	1,090	441	680	30,368
Halibut, Northern.....			176	124	303	10	691	668	287	432			2,691
Perch.....				29									29
Rockfish.....	1,700	2,038	5,212	689	284	876	582	635	260	1,553	367	1,792	15,988
Subfish.....							65	21	206	209	102		613
Salmon.....					5,403	38,533	44,300	10,273	3,651				102,230
Shark.....											45		45
Smelt.....		20	3,111		339		40		100				3,610
Whitebait.....	829	1,840	3,012	6,766	2,321	2,218							16,986
Miscellaneous Fish.....				57	18								75
Crustacean:													
Crab.....	624	624	2,120	1,817	72	732	18					16	6,023
Total pounds.....	7,942	8,196	24,593	10,781	9,965	43,562	47,400	13,636	5,786	3,284	955	2,488	178,678

* Oregon-California boundary to Trinidad Head.

LANDINGS—REGION 20, EUREKA*, 1934

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Cultus, Pacific.....	3,328	32,502	13,049	8,043	9,172	5,349	12,509	29,022	5,159	10,447	1,908	2,400	132,888
Flounder, Starry.....	4,222	1,892	274							16	97	1,791	8,292
Halibut, Northern.....			31,224	78,125	237,218	86,932	152,683	110,668	51,809	55,026	1,790		805,475
Herring, Pacific.....		3,500											3,500
Perch.....	510	437	2,610	1,327				166			247	292	5,339
Rockfish.....	11,045	24,928	11,436	7,604	3,321	7,238	13,901	12,704	2,635	8,627	2,662	5,250	111,349
Subfish.....	5,482		6,649	15,044	47,183	104,511	118,701	57,670	15,512	171,399	48,051	23,238	693,449
Salmon.....				214,824	372,034	305,482	881,925	562,508	240,281				2,667,034
Smelt.....	3,385	6,818	2,218	813	1,751	4,491	1,383	2,258	50	981	534	620	25,302
Sole.....							12	34	10				56
Whitebait.....	1,424	5,844	9,405	11,339	10,471	9,022	7,457	3,956	116				59,034
Miscellaneous Fish.....	960	105	244	82	1,141	308	155	1,179	113			458	4,745
Crustacean:													
Crab.....	12,640	13,708	14,716	12,396	12,876	11,172	13,104	9,804				4,212	104,628
Mollusk:													
Clam, Gaper.....	888	192	936	600								672	3,288
Clam, Soft-shell.....					210								210
Clam, Washington.....	3,885	5,691	4,484	4,691	65				6,366	5,168	4,412	3,325	38,197
Octopus.....	106	135	34	94	30						57	152	698
Total pounds.....	47,875	95,662	97,279	354,982	695,472	594,505	1,201,830	819,959	402,049	251,664	59,758	42,570	4,663,905

* Trinidad Head to Point Arena.

LANDINGS—REGION 30, SACRAMENTO*, 1934

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Carp.....	21,615	22,419	23,929	14,841	11,616	9,459			9,199	15,659	15,966	12,834	156,399
Catfish.....	13,821	6,091	21,094	25,114	840	748	870	903	33,482	29,818	29,400	22,892	194,855
Flounder, Starry.....		76	342	119	86								625
Hardhead.....	32,113	31,719	31,677	14,469	9,590	6,850			50	5,342	7,092	8,224	146,262
Pike.....	65	480	825	109	13								1,605
Salmn.....	965	8,331	20,419	44,438	71,408	19,150		51,770	130,841	27,851,591	22,003,205	20,166,355	202,373
Sea trout.....	10,079,980	5,092,800						3,293,690	16,892,874				106,240,455
Shad.....		1,531	46,748	904,489	600,788								875,557
Silverside.....	6,138	12,252	9,484	10,650	730	279			500	3,963	5,040	6,068	54,984
Striped Bass.....		39,519	258,865	944,199	73,330								772,394
Sucker.....	6,482	14,738	11,716		1,475	2,150			1,800	5,300	7,815	5,547	62,033
Muscovota Fish.....				327	559	608							1,495
Amphibia:													
Frog.....					60								60
Total pounds.....	10,161,148	6,147,099	425,186	819,757	630,085	39,551	670	3,346,365	17,120,516	27,911,634	22,068,687	20,225,028	106,893,526

* Sacramento and San Joaquin River systems, San Pablo and Suisun bays, and Lake County.

LANDINGS—REGION 40, SAN FRANCISCO*, 1934

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Anchovy.....				9,700	10,825	14,555	9,940	7,300	11,215	550	2,350	450	66,965
Calappa.....			275	190									765
Carp.....									1,563				1,563
Cutthroat Trout.....	52,378	16,487	50,236	20,233	43,896	36,628	58,766	79,818	18,052	64,441	30,261	24,021	600,647
Eel.....	4,630	27,385	67,154	15	0	18,413	11,515	132,660	111,493	11,650	1,150	2,760	516,345
Flounder, Starry.....	938	68	345	5,454	10,115	6,096	2,761	2,021	748	9,600	10,885	6,741	55,810
Hake.....	2,053	6,500	1,586	12,222	1,283	1,274	322	415	714	874	828	1,769	30,844
Hallibut, Northern.....			5,325	10,790	26,276	36,985	61,615	37,360	20,485	13,345	913		213,484
Harrowfish.....									106				106
Herring, Pacific.....	226,141	143,850	31,825										339,000
Kingfish.....	1,350		1,400	1,668	3,340	165		410	1,342	1,011	3,778	540	10,247
Mackerel, Pacific.....										1,820	1,103	625	3,793
Perch.....	17,004	14,350	17,800	18,304			6,217	10,653	5,519	11,082	7,948	4,717	113,435
Rock Bass.....				130									130
Rockfish.....	80,635	57,056	114,232	80,758	73,434	48,689	75,762	34,178	94,676	50,835	84,399	76,927	911,691
Sablefish.....	27,510	15,729	29,527	46,467	33,383	42,664	19,868	1,551	34,739	27,760	31,647	19,147	321,699
Salmon.....					6,596	94,635	284,282	280,203					866,316
Sand Dab.....	44,350	30,216	106,233	78,324	90,880	61,888	73,673	14,171	90,255	43,119	22,861	19,932	733,367
Serpho.....	6,486,963	142,460	125	10,700		10	15,475	1,812,600	6,430,800	8,146,668	2,042,312	4,080,450	29,237,565
Snowflake.....							79	64					143
Shark.....	19,171	22,610	21,573	2,305	230	573	1,035	749	8,601	5,585	8,053	13,726	106,566
Shrimp.....	17,002	27,878	31,381	25,306	16,075	12,755	6,500	9,755	14,555	14,758	12,251	12,329	198,666
Sole.....	24,597	41,710	35,077	28,854	30,096	25,434	15,440	16,537	17,046	13,025	2,001	5,051	294,388
Striped Bass.....	886,969	656,767	834,548	535,229	715,492	682,311	722,187	626,761	624,831	651,126	506,294	825,077	8,561,633
Tomcod.....	250				173	20		330	20				573
Turbid.....	3,649	11,328	6,106	16,683	12,553	3,380	1,858	1,263	2,040	4,186	1,613		63,807
Whitefish.....	177	310	17	310	1,600	3,887	2,625	902	510	736	1,800	167	12,909
Miscellaneous Fish.....	8,054	14,131	25,441	19,314	34,638	19,670	14,478	18,784	20,653	21,488	10,963	12,348	217,562
Crustaceans:													
Crab.....	311,774	384,294	466,474	560,544	567,586	560,620	512,762				503,810	515,694	3,422,158
Shrimp.....	84,271	52,638	74,836	113,033	193,592	281,079	280,137	239,687	158,428	158,233	102,765	44,914	1,783,651
Mollusks:													
Clam, Cockle.....	2,629	5,238	10,148	11,219	6,373	3,650	2,999	1,552	1,075	3,784	3,094	5,171	57,832
Clam, Gaper.....	88	120	92	140	149	160	278	340	206	56	60	20	1,630
Clam, Soft-shell.....	20,655	18,577	18,400	23,347	24,096	20,740	13,742	17,500	19,608	17,894	17,449	13,070	231,891
Clam, Washington.....	71	128	120	95	144	104	176	144	104	104	128	64	1,423
Oyster.....	1,914	364	3,257	1,763	862	447	100	27	654	535	941	603	10,547
Oyster, Eastern.....	50,327	45,401	29,836	27,288	18,031	15,437	26,046	29,907	28,518	50,316	55,154	141,779	518,000
Oyster, Native.....				150	13,578	11,871	7,094	4,513	2,533	922	477	200	41,238
Total pounds.....	8,406,173	1,765,060	3,902,162	7,548,271	1,802,853	1,801,051	2,129,122	3,543,199	7,789,215	9,406,073	3,388,778	6,182,281	40,755,319

* San Francisco Bay and coast from Point Arena to Pigeon Point.

102
Division of Fish and Game

LANDINGS—REGION 50, MONTEREY*, 1934													Total
Species	January	February	March	April	May	June	July	August	September	October	November	December	pounds.
Anchovy.....	429		4,541	34,775	33,241	28,754	16,815	7,970	270	260			127,265
Barnacles.....	61	20	26	82	417	1,086	1,278	820	415	165			4,374
Calappa.....	9,015	2,272	7,339	6,135	5,278	3,529	4,138	6,553	4,360	3,822	11,143	16,182	103,029
Flounder, Starry.....	39	1,143	1,074	684	2,234	923	572	1,303	2,295	943	653	212	11,847
Hake.....	344	1,195	4,694	910	3,914	4,160	6,756	4,417	2,582	1,734	710	1,139	34,561
Halibut, California.....	2,855	2,915	215		100								11,890
Herring, Pacific.....	26,129	23,129	20,694	10,043	8,939	17,675	5,153	14,310	24,412	35,313	24,433	20,329	239,039
Kingsfish.....	66	170	1,093	1,050	600	3,208	310	27,547	21,169	33,906	16,721	1,632	136,547
Mackerel, Horse.....	1,141	13,988	7,134	20,921	6,788	194,000	185,918	922,039	2,463,348	1,172,904	103,027	82,810	5,123,918
Mackerel, Pacific.....	673	342	6,800	13,204			6,763	1,593		25		12	29,829
Perch.....							42						105
Pompano, California.....													12
Rock Bass.....	115,224	10,685	115,305	65,818	241,038	181,545	133,000	131,831	131,401	130,475	106,329	125,491	1,680,104
Rockfish.....	41,492	19,553	31,041	7,600	10,082	4,507	6,101	28,477	33,352	111,311	94,092	36,795	441,474
Sablefish.....			71,495	15,518	42,533	61,174	43,208						286,750
Sand Dab.....	78	781	2,821	1,338	3,524	215	2,810	2,845	1,417	1,411	688	788	18,749
Sardine.....	10,000,000	48,375,000	76,051	100,790	182,145	178,270	41,992	40,656,245	7,097,705	100,464,807	40,197,108	77,307,183	478,923,426
Sea-bass, Black.....			1,253	415									10
Sea-bass, White.....													2,413
Shad.....			45		3								46
Shark.....	1,117	1,811	4,682	600									490
Skate.....	1,944	399	1,358	3,550	1,040	519	263	283	85	132	15	479	14,399
Snail.....	1,131	3,217	18,457	24,653	39,362	1,765	2,569	1,188	794	1,810	504	683	162,671
Sole.....				40									9
Striped Bass.....													45
Tuna, Albacore.....		1,964	4,531	383	31								6,731
Turbot.....			217	791	6,180	9,046	516	1,510					16,281
Whitefish.....			196	3					192				987
Miscellaneous Fish.....													
Crustacean:													
Crab.....	23,120	31,704	27,430	26,068	30,692	12,234	3,170				39,866	56,488	235,272
Prawn.....	410	241	11								239		919
Mollusk:													
Alaloe.....	28,550		402,172	283,430	103,560	333,600	173,125	460,150	281,150	258,000	154,000	307,273	2,786,775
Clam, Pismo.....	2,295	2,678	1,087	411					2,210	3,220	5,275	3,204	19,118
Octopus.....	317	213	1,027	1,162	2,039	3,360	4,101	3,506	1,395	250	156	1,670	18,508
Oyster, Japanese.....	40,085	9,553											60,740
Squid.....	136,705	11,853	44,035	110,532	185,429	133,515	44,475	34,433	60,980	278,800	392,350	62,855	1,486,446
Total pounds.....	54,122,660	40,005,373	882,827	903,842	878,403	1,149,571	769,438	41,764,270	82,323,775	111,571,111	70,163,717	78,653,060	492,064,347

* Pigeon Point to Pdras Blancas.

Commercial Fish Catch for 1930-1934

LANDINGS—REGION 60, SANTA BARBARA*, 1924

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Barracuda.....	817	819	2,165	1,861			1,771	32	5,694	3,027	842	98	17,696
Calamari.....					81								86
Cod, Pacific.....	26		15				8		80		20		189
Pomander, Shanny.....													35
Hallibut, California.....	13,835	15,383	14,555	10,264	15,946		16,006	19,911	15,091	17,198	23,526	31,706	221,004
Herring, Pacific.....	30										224	136	396
Kingfish.....									40	50			90
Mackerel, Pacific.....	146	2,703	1,537	76	128		2,339	2,715	2,647	4,654	1,037		23,954
Perch.....	223	409	3,066	4,278			165	72	150	180	200	178	9,038
Rock Bass.....	498	732	1,550	145	554	137	676	445	434	438	145	331	6,572
Rockfish.....	12,022	18,781	34,275	41,071	31,249	20,838	25,455	10,779	19,173	22,561	12,605	25,889	281,319
Sablefish.....			293	3,302	2,510	2,863	643	289					10,101
Sardine.....	111		50				54			40			275
Sculpin.....		3											808
Sea-bass, Black.....		915	3,545	1,135	114			854	109	535	2		6,064
Sea-bass, White.....	3,109	3,756	8,992	2,644			5,687	7,448	5,370	2,615	4,625	2,505	46,378
Shark.....	845	8,114	9,127	2,645	1,744		796	34	210	961	745	535	35,088
Shrewsbury.....	2,207	1,088	148	20		898			575	2,664	3,620	5,843	16,395
Squid.....	2,645	3,102	2,174	5,446	1,869	3,659	1,699	957	635	211	2,670	67	24,410
Sole.....	15,443	12,163	28,328	47,744	33,729	63,720	39,747	41,095	22,859	62,026	50,450	44,068	493,771
Swordfish, Broadbill.....							566	2,670	4,296	6,570			14,552
Swordfish, Marlin.....													122
Tuna, Albacore.....													339
Tuna, Bluefin.....													355
Tuna, Bonito.....													40
Turbot.....													12
Whiting.....		892	1,160					85	15	126	273	145	2,092
Yellowtail.....													27
Miscellaneous Fish.....			18	48	10		84	49		8			217
Crustaceans.....													
Lobster, Spiny.....	8,912								40,430	25,460	17,826	12,506	104,243
Mollusks.....													
Abalone.....			23,450	29,050	50,450	46,450	38,850	56,700	54,700	41,700	33,800	55,800	433,500
Clam, Pismo.....	4,632	4,916	7,227	5,747	9,517	14,444	20,349	19,402	19,671	9,335	7,485	7,762	121,447
Total pounds.....	65,939	73,765	132,279	156,062	147,868	188,801	175,022	160,039	187,912	200,108	158,076	198,358	1,862,999

* Piedra Blanca to Point Dume.

LANDINGS-- REGION 70, LOS ANGELES*, 1934

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Anchovy.....	9,098	10,808	9,300	7,500	12,735	6,651	2,642	2,607	317	883	173		63,144
Barracuda.....	17,753	83,776	64,006	240,350			600,306	175,548	106,034	40,581	60,013		1,701,733
Cabrilla.....	6,812	2,001	3,291	23,135	69,000	12,354	73,501	8,099		905	7,474		4,544
Carp.....					90					7,169	2,400	6,350	21,748
Cerama, Mexican.....	13,720	11,428	20,095	16,903		292	75			915	6,942	780	69,929
Colius, Pacific.....	97	38	64	335						54		79	1,400
Flying Fish.....			120	1,081	7,519	6,000	2,119	3,281	4,435	1,262			20,437
Groper.....		391			21,714	7,753	10,543	2,634					30,000
Hake.....	47	69								26	46		241
Hallibut, California.....	28,457	24,486	26,995	26,041	47,605	31,330	33,333	23,115	5,584	8,399	20,180	42,262	419,560
Kingfish.....	48,459	41,290	32,503	33,045	36,445	28,875	20,280	23,949	22,009	23,329	23,201	30,878	371,305
Marked, Harp.....	51,093	69,967	83,842	156	41,209	33,894	61,884	43,609	102,006	160,349	262,282	206,566	1,841,178
Marked, Pacific.....	572,653	1,026,863	821,652	157,128	6,496,838	4,814,079	11,941,479	14,941,542	23,374,700	16,900,147	10,561,063	7,232,321	67,142,484
Marked, Spanish.....				1,311						202			2,318
Mullet.....	29	1,048		146	545	384	226	172	1,051				4,718
Perch.....	9,035	2,539	6,331	6,362	206	2,081	6,611	5,388	1,162	6,356	6,321	12,681	66,345
Pompano, California.....	58	233	198	207	306	1,032	135	330	341	323	373	65	4,373
Pompano, Mexican.....		35											35
Rock Bass.....	6,661	16,276	18,535	22,745	31,764	38,252	33,713	19,659	16,647	16,713	11,873	8,114	294,470
Rockfish.....	118,267	131,079	160,177	126,872	135,094	96,907	54,515	20,206	75,230	72,602	61,596	74,417	1,139,252
Sardines.....	95,002	79,452	120,619	83,076	66,978	62,319	32,294	13,500	13,756	19,512	14,428	27,439	632,568
Sand Dab.....	2,550	2,130	2,798	1,460	1,000	837	647	514	477	769	789	1,038	14,969
Scupin.....	62,079,287	67,599,467	60,064,656	12,205	7,869	5,569	8,461	4,679	7,967	13,210	67,768,652	68,417,996	285,180,566
Seabass.....	1,801	2,100	4,458	4,203	3,669	3,742	9,541	8,156	5,209	4,117	4,462	4,179	37,000
Sea-bass, Black.....	79,318	32,341	33,322	27,565	33,371	21,698				20,653	62,206	55,867	468,553
Sea-bass, Yellow.....	154,075	279,117	167,200	12,818	79,184	3,215	75,012	22,153	14,577		60,300	157,913	931,656
Sea-bass, White.....	2,419	4,251	23,955	228,495		52,150	53,901	33,079	63,670	21,207	16,351	6,742	477,107
Shark.....	13,122	16,762	24,545	41,594		1,632	45,027	13,471	31,547	20,321	25,918	14,144	360,785
Sheepshead.....	15,176	10,407	19,947	7,565	3,363	1,632	1,576	4,987	3,796	8,344	14,510	30,669	121,342
Shrimp.....	4,586	2,264	1,680	1,617	527	1,036	329	425	44	425	740	608	14,481
Sole.....	26,628	13,185	15,422	13,973	13,438	13,557	11,919	10,228	17,000	27,270	27,839	23,741	217,720
Sole.....	1,224	2,138	7,171	7,943	1,209	329	273	176	914	614	1,003	373	15,641
Sweetfish, Broadbill.....					487	10,977	41,385	32,734	53,755	19,586	963		178,836
Sweetfish, Marlin.....						343	3,464	7,611	8,603	4,664	160		19,945
Tuna, Albacore.....		35,900	976,950	915,470			10,446	499,735	933,752	366,149	324,073	131,209	4,214,605
Tuna, Bluefin.....	15,344			75,334	529,263	2,481,615	3,060,022	8,042,145	2,947,214	279,442	19,294		17,366,403
Tuna, Bonito.....	13,347	1,861	1,084	405,773	915,714	282,100	20,069	40,257	5,035	18,090	11,079		2,035,209
Tuna, Skipjack.....	217,513	213,653	310,449	110,497	125,847	13,865	226,188	674,000	1,820,438	851,708	10,743	723,035	5,388,128
Tuna, Yellowfin.....	1,584,642		927,762	8,798,106	1,801,818	3,090,816	3,593,308	1,788,794	832,639	1,031,917	651,687	626,321	10,675,928
Turbot.....													
Whiting.....	5,646	11,358	7,635	2,124	2,410	2,635	330	630	436	3,460	4,350	5,363	27,158
Yellowtail.....	129,904	56,116	41,806	88,496	60,276	41,453	75,055	102,401	127,278	126,030	149,986	149,800	1,148,521
Miscellaneous Fish.....	402	300	709	1,139	520	564	903	1,090	465	1,292	1,126	873	9,652

Commercial Fish Catch for 1934-1935

LANDINGS*- REGION 70, LOS ANGELES**, 1934- Continued

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Crustaceans:													
Crab, Rock.....	990	760	1,942	2,535	3,104	2,636	2,610	2,709	2,166	2,623	2,025	960	24,370
Lobster, Spiny.....	39,478	23,662	57,331	3,345	3,300	3,415			61,591	45,696	40,126	24,383	302,533
Prawns.....					12								12
Mollusks:													
Abalone.....									725	150	225	117	1,217
Clam, Cockle.....	1,646	1,747	1,587	9,320	1,540	985	1,074	1,045	725	1,602	1,275	1,679	24,715
Octopus.....	9	4	6	35	54				4	4	34		180
Squid.....		50	6,090	4,465				26,394	4,676		8		39,683
Reptiles:													
Turtle.....		290											290
Total pounds.....	46,900,306	69,772,574	52,091,133	5,830,889	10,728,182	11,491,434	20,368,858	25,731,230	30,646,168	20,566,123	80,345,321	68,230,227	642,552,488

* Importations of fresh fish from foreign countries included. See Importation tables.
 ** Point Dume to San Mateo Point.

Division of Fish and Game

LANDINGS*- REGION NO. SAN DIEGO**, 1934

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Barnacles.....	1,379	14,095	42,715	142,029	30,245	46,034	41,902	31,749	60,696	22,388	20,035	36,114	463,023
Cabrillo.....	305	19,655	4,893	35,729	30,245	46,034	7,227	31,749	60,696	22,388	20,035	36,114	163,533
Geogre.....	1,269	1,527	1,183	2,125	969	12,406	80	779		1,623	88	1,479	20,279
Halibut, California.....	27,619	17,079	45,655	15,186	20,901	31,120	20,809	49,065	29,146	25,178	18,852	29,886	339,297
Herring, Pacific.....	3,027										8,239	19,511	30,797
Kinifish.....	58	529	79	6			185	990	288		722	942	4,613
Macarel, Horse.....	238,668	1,231,090	174,697	533,031	2,737,279	1,400,060	2,929,718	1,186,345	657,566	1,549			1,549
Macarel, Pacific.....		146		175	78		649	162	20	2,448		15	3,694
Macarel, Spanish.....	20	189	459	761	1,494	2,209	2,724	2,119	3,699	252	61,144	195,333	11,560,050
Perch.....	12,115	5,211	6,551	16,338	22,564	21,290	14,649	7,296	17,523	18,844	16,130	18,416	171,217
Rockfish.....	67,787	37,273	63,138	36,702	30,962	40,334	32,203	27,231	23,701	39,949	29,094	32,951	498,316
Salmon.....	897		117		455	1,320	47	25	208	945	245,069	825,524	4,053,917
Sealife.....	1,170,415	1,300,010	447,210	1,700	488	1,320	47	25	208	945	245,069	825,524	4,053,917
Sculpin.....	1,403	1,953	1,413	451	182	1,651	18	619	864	358		2,411	7,411
Sea-bass, Black.....	9,533	15,153	15,171	26,171	33,685	14,522	25,990	3,477	52,784	128,886	18,197	51,752	565,971
Sea-bass, Short-fin.....		25	174	166	18								438
Sea-bass, Tetra.....		6,225											6,225
Sea-bass, White.....	8,288	2,221	3,984	10,053	295	722	10,816	2,809	832	2,227	189	1,220	23,396
Shark.....	8,741	5,051	2,094	879	295	722	10,816	2,809	832	2,227	189	1,220	23,396
Sheepshead.....	1,109	513	55	103	69				834	764	1,071	1,298	5,415
Sole.....	5,010	3,992	4,609	2,374	1,845	1,695	2,392	1,393	2,673	2,355	1,483	163	20,605
Swordfish, Broadbill.....	444	555	929	28	15	145	62	71	8	669	41	109	2,569
Swordfish, Marlin.....						569	3,866	9,791	36,412	669			70,590
Tuna, Albacore.....							656	9,791	36,412	669			44,829
Tuna, Bluefin.....													40
Tuna, Bonito.....	50	10	13,685	266,138	432,345	5,555	238,189	90,708	35,306	14,622	16,720		401,100
Tuna, Skipjack.....	651,262	18,793	345,438	353,525	244,350	251,633	265,457	2,024,520	2,444,200	3,032,495	1,087,896	306,369	11,021,301
Tuna, Yellowfin.....	2,965,471	949,349	1,396,549	3,206,771	3,995,161	4,435,664	5,367,594	3,550,349	2,969,962	2,690,663	4,596,848	6,075,971	41,461,174
Whitefish.....	7,821	3,586	6,189	465	1,672	6,124	2,739	2,211	3,618	2,608	4,577	3,365	43,334
Yellowtail.....	12,797	35,131	25,291	95,892	221,435	116,125	91,663	158,669	176,428	116,299	105,452	44,914	1,198,603
Crawfish.....	144,917	146,776	154,330	18,949	4,965	4,217			35,828	29,886	104,467	131,997	775,661
Crustacean.....													
Clam, Cockle.....	12		1,101								48		60
Scud.....	2,594	326											4,321
Reptile.....													
Turtle.....		100		2,601					330		140		3,771
Total pounds.....	5,338,532	3,709,318	2,621,540	4,606,486	7,784,824	6,363,195	9,149,292	7,432,266	5,815,105	6,422,213	6,781,026	7,941,324	74,587,661

Commercial Fish Catch for 1933-1934

107

* Importations of fresh fish from foreign countries included. See importation tables.
 ** San Mateo Point to the Mexican boundary, including Salton Sea.

LANDINGS--STATE OF CALIFORNIA, 1934

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds	
Anchovy	9,516	10,806	14,321	52,325	56,801	49,969	29,797	17,877	11,832	1,695	2,325	430	257,505	
Barnacled	19,901	99,093	109,786	684,992				643,881	210,029	172,340	95,999	100,510	43,694	2,182,522
Calappa	61	80	611	662	1,167			820	415	179				3,255
Carr	7,297	23,239	7,674	29,833	99,246	59,188	81,178	11,199		2,759	19,683	4,844		376,699
Calappa	21,016	22,419	25,039	14,341	11,156	10,137			10,731	23,800	28,426	19,184		179,710
Calappa	13,821	6,061	21,044	23,114	849	748		620	905	33,482	29,818	20,449	22,992	184,835
Calappa, Mexican	13,720	11,438	20,063	15,603				73		915	4,443	746		68,826
Calappa, Pacific	69,563	60,024	81,556	33,668	59,221		48,540	77,125	117,480	111,070	81,824	49,788	44,267	556,421
Calappa			13	5	5									13
Flounder, Starry	9,181	20,349	68,946	61,237	68,490	19,330	12,482	134,263	113,697	12,044	2,130			537,164
Flying Fish			130	1,083	2,519	6,600	2,119	3,351	4,452	1,302				26,447
Groper	1,269	1,808	1,163	2,133	22,623	16,139	10,342	2,304	279		1,623	1,213		61,409
Hake	943	137	143	3,414	10,963	6,896	2,761	2,671	774	9,646	10,835	6,794		56,861
Hallibut, California	72,779	78,097	146,317	37,633	94,149	94,470	67,425	95,391	56,997	56,233	71,195	100,063		1,093,356
Hallibut, Northern			29,925	99,009	263,797	122,897	214,999	143,896	72,251	68,303	2,703			1,021,630
Haddock	32,113	91,719	31,577	14,499	9,509	6,590			136	5,947	7,062	8,234		147,568
Herring, Pacific	222,033	150,265	32,099		109						32,546	354,247		891,691
Kingfish	73,896	64,883	54,329	43,362	47,724	43,333	59,051	50,491	47,830	67,268	33,866	84,762		694,343
Mackerel, Horse	32,069	91,077	34,650	1,840	42,230	42,193	67,794	71,177	134,083	385,694	298,669	368,197		1,581,274
Mackerel, Pacific	812,790	2,274,645	994,599	721,116	9,231,053	6,379,062	14,965,115	16,164,481	26,498,571	17,902,642	10,605,099	7,336,665		112,845,300
Mackerel, Spanish	49	146		1,506		98	649	102	29	1,650	1,144	376		6,942
Mullet	49	1,228	480	907	2,037	3,350	2,282	4,130	1,379					19,655
Pike	27,235	13,174	30,628	43,994	626	2,134	17,796	17,791	6,831	20,831	14,615	15,149		284,998
Pike	93	609	822	109	12						23	98		1,695
Pompano, California	83	253	101	207	306	1,074	155	338	274	223	373	95		4,460
Pompano, Mexican			35											35
Rock Bass	19,374	10,790	26,645	33,999	59,843	68,438	37,409	34,304	36,033	28,248		31,661		412,501
Rockfish	495,380	364,842	605,885	389,464	515,972	411,699	356,348	245,095	349,563	425,033	295,633	342,716		4,087,090
Salchich	170,344	115,131	188,743	149,419	161,188	217,257	177,912	194,065	201,523	325,192	199,299	197,404		2,192,998
Salmon	903	8,321	91,914	243,070	498,194	368,974	1,336,087	1,033,144	428,773		11	29		4,319,022
Sardine	47,176	62,127	169,997	79,671	83,464	62,940	77,130	77,372	62,190	47,260	24,339	21,773		767,053
Sardine	114,706,818	143,828,207	28,363,894	195,068	140,207	193,330	100,129	43,182,829	102,440,865	143,349,681	161,273,709	161,633,032		903,636,094
Sardine	3,294	4,066	3,871	4,846	3,669	3,363	10,369	4,174	5,363	6,016	4,822	4,179		43,699
Sea-bass, Black	38,449	48,469	55,275	58,521	87,365	90,220	104,913	56,326	67,439	179,541	86,473	77,924		861,448
Sea-bass, Short-fin			25	174	166									338
Sea-bass, Teacup	194,975	229,117	173,392	13,513	79,194	3,215			55	3,503	90,200	103,233		943,179
Sea-bass, White	11,816	10,219	43,766	250,374							24,399	9,367		851,197
Shad		2,332	44,791	264,000	600,791									872,603
Shark	38,477	43,637	57,336	49,021	54,689	61,062	57,864	17,054	41,491	34,844	37,430	31,633		526,280
Sheepshead	18,402	12,906	20,150	7,602	5,432	2,440	1,562	4,367	4,195	11,772	18,091	37,519		143,532
Slate	22,705	27,465	41,120	28,509	17,667	13,678	8,234	10,445	14,484	15,265	18,386	13,667		232,175
Smelt	63,557	70,519	63,980	34,599	37,537	71,524	56,962	57,931	66,596	65,661	52,237	46,192		727,766

Sole.....	903,232	674,872	899,694	615,267	789,975	780,291	785,050	669,635	648,996	715,576	642,292	879,493	8,967,603
Split-tail.....	6,138	12,297	9,484	19,650	730	379			300	3,500	5,040	6,066	54,984
Striped Bass.....		193,406	208,727	534,163	74,043				1,599				801,341
Sucker.....	6,482	14,758	11,716	2,950	1,475	2,150					7,815	8,587	63,033
Swedish Brogfish.....					1,096	14,873	33,333	70,000	74,543	46,366	962		263,835
Swedish Murlet.....						343	4,740	12,772	43,137	4,664	140		64,796
Tomcod.....	250				173	70							925
Tuna, Albacore.....		25,000	976,650	916,470		19,646	491,105	984,527	366,140	324,073	131,200		4,236,020
Tuna, Bluefin.....	13,504			78,534	526,363	2,487,170	3,961,211	8,153,223	2,882,668	294,691	36,094		18,337,828
Tuna, Bonito.....	13,367	1,871	14,686	611,011	1,385,263	728,907	184,002	198,996	43,284	41,127	20,326	26,162	3,382,694
Tuna, Skipjack.....	869,175	227,338	333,907	273,622	269,897	283,498	321,943	2,699,130	4,264,738	3,884,203	1,168,639	1,230,227	16,499,439
Tuna, Yellowfin.....	4,893,313	848,340	2,594,265	1,633,076	5,987,974	7,516,180	8,943,813	5,333,143	2,927,001	4,311,610	5,697,935	6,796,633	61,137,103
Turbot.....	3,621	13,192	19,437	17,668	12,583	3,290	1,508	1,365	290	3,062	4,186	1,613	72,547
Whitefish.....	2,439	2,964	12,751	19,294	21,274	24,173	10,568	6,568	717	716	1,882	167	109,249
Whiting.....	13,807	15,728	14,968	2,629	4,082	7,056	3,069	3,119	4,607	6,194	9,509	8,842	49,191
Yellowtail.....	142,791	94,247	70,697	193,438	281,729	151,696	166,118	291,681	303,796	242,269	256,438	194,744	2,347,161
Miscellaneous Fish.....	9,399	14,336	29,698	21,171	36,827	21,430	13,620	18,992	22,017	22,788	11,629	13,679	234,823
Crustaceans													
Crab.....	378,698	436,300	516,740	419,345	601,636	384,158	379,084	9,804			343,796	568,530	3,764,081
Crab, Rock.....	980	740	1,947	5,535	3,104	2,536	2,693	2,799		2,623	2,075	960	14,370
Crab, Spider.....	193,397	170,438	211,770	22,297	8,265	7,635			137,868	100,242	161,621	169,390	1,182,839
Crab, Snow.....	419	241	11										239
Shrimp.....	84,271	52,658	74,838	113,633	193,592	281,079	290,157	239,657	158,428	155,283	102,763	44,934	1,783,651
Mollusk													
Alumina.....	28,930		425,623	312,500	153,930	400,030	211,973	316,900	340,323	290,850	188,633	363,402	3,233,492
Clam, Cockle.....	4,287	6,085	12,135	20,678	8,113	4,635	4,072	2,600	1,800	5,436	5,015	6,850	82,667
Clam, Daper.....	976	312	1,028	749	140	160	275	240	296	56	40	742	4,918
Clam, Pigeon.....	6,925	7,292	9,914	6,188	9,517	14,444	20,549	19,402	12,991	12,555	10,760	11,056	140,665
Clam, Soft-shell.....	20,085	15,977	18,400	22,247	24,209	20,740	13,742	17,890	19,698	17,894	17,449	13,070	222,011
Clam, Washington.....	3,856	5,729	4,064	4,787	209	104	176	144	6,510	5,772	4,540	3,586	39,020
Oyster.....	2,346	710	4,094	3,634	3,003	3,747	4,211	3,836	2,633	789	518	1,913	39,272
Oyster, Eastern.....	50,327	45,401	39,536	37,388	18,051	15,407	26,046	20,967	58,618	50,314	53,154	141,779	318,000
Oyster, Japanese.....	40,655	9,555			13,978	11,671	7,104	4,513	2,333	607	477	219	50,240
Oyster, Native.....	159,569	12,233	49,228	114,997	185,429	133,595	44,673	61,029	95,656	258,500	362,358	62,855	1,580,430
Squid.....													41,338
Amphibia and Reptile:													
Fish.....		200		2,601	60				200		140		60
Turtle.....													3,661
Total pounds.....	124,060,575	150,627,616	38,331,019	14,313,030	22,677,647	21,871,680	33,941,733	82,838,664	144,110,826	176,332,210	182,966,318	181,506,376	1,174,336,023

* Importations of fresh fish from foreign countries included. See importation tables.

Commercial Fish Catch for 1930-1931

FRESH FISH IMPORTATIONS* FROM FOREIGN COUNTRIES LANDED IN LOS ANGELES COUNTY, 1930

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Barracuda.....	40,964	67,802	13,905	55,427	33,175	15,195	12,000	19,278	84,454	124,492	287,685	193,948	637,715
Cabeilla.....	97,495	83,628	48,417	49,965		315				29,311	21,873	61,626	299,932
Codfish, Mexican.....	13,559	13,326	80,635	1,210	15,622						9,365	5,815	136,573
Halibut, California.....	69					4,576	2,913	4,361			512		12,367
Mackerel, Spanish.....	4,275	530	632	5,214		229					1,309	7,417	19,429
Mullet.....		474			80								554
Park.....				490					269				659
Rock Bass.....	5,943	2,703	63	148	3,904				367		300	1,002	14,884
Rockfish.....										14,416			14,416
Sea-bass, Black.....	948	5,902	355	8,596	1,227	8,533	493	9,165	12,622	6,421	5,361	11,629	71,132
Sea-bass, Orange.....	539,774	403,619	273,725	210,851	26,363	22,435			1,463	14,699	68,412	216,492	1,778,883
Sea-bass, White.....	290	684	110	50,733	13,062		29,358	15,306	16,109	1,555	990	126	128,193
Shark.....													1,555
Skipjack.....			212	165									377
Sole.....						190							190
Tuna, Albacore.....	5,426	251,400	655,275	573,722	561,803	875,777	1,710,742	1,562,601		234,836	630,494	87,332	7,003,368
Tuna, Bluefin.....					144,824	3,820,358	2,133,467	30,356					6,150,005
Tuna, Bonito.....	9,705	23,435	24,566	1,320	14,032	16,465	2,490	629,396	649,987	2,862	634		1,214,567
Tuna, Skipjack.....	21,951	8,565	35,744	7,645	18,082	30,634	100,552	232,150	965,091	1,649,865	1,221,033	1,135,548	5,737,349
Tuna, Yellowfin.....	567,928	390,212	975,512	275,331	476,014	435,929	1,000,767	3,122,379	1,561,698	1,433,565	660,491	571,599	12,541,535
Whitefish.....		104						236					236
Yellowtail.....	74,632	51,459	192,878	176,413	411,820	113,173	490	646,133	694,183	21,100	23,477	97,193	2,413,902
Miscellaneous Fish.....	354	80		634					3,306				4,374
Crustacean:													
Shrimp.....	24,151	7,954											32,105
Total pounds.....	1,337,471	1,312,149	2,942,111	1,571,133	1,537,645	5,363,824	5,594,637	6,056,569	3,595,654	3,877,875	2,942,481	2,392,127	35,621,616

*These importations of fresh fish included in tables of landings.

Division of Fish and Game

FRESH FISH IMPORTATIONS* FROM FOREIGN COUNTRIES LANDED IN SAN DIEGO COUNTY, 1930														Total pounds
Species	January	February	March	April	May	June	July	August	September	October	November	December		
Barrameda.....	6,033	19,096	26,122	4,233	1,487	32,583	2,206	17,639	47,965	75,819	37,123	20,417	312,443	
Celavilla.....	22,433	18,382	2,065	1,248	1,150	2,501			1,838		19,643	32,444	121,874	
Halibut, California.....	13,691	13,073	3,089		11,505	26,223	39,220	35,613	16,414	1,361	35	1,239	180,136	
Marbled, Spanish.....	345	1,085		3,748	430	1,888	473	345	374		9,244	6,350	24,669	
Rock Bass.....	3,748	49	20	2,730	4,449	622	15		115	5,781	525	435	15,319	
Rockfish.....	1,182	236	3,323		115			410	114	2,219	228	698	5,465	
Sea-bass, Black.....	4,009	16,833	9,941	21,113	18,958	4,866	6,962	4,969	14,792	21,299	5,799	8,342	133,364	
Sea-bass, Totanus.....	6,831	5,569	3,183	9,932						2,110			29,047	
Sea-hare, White.....	27	1,068		8,220	7,790	19,756	58,782	36,102	45,665	32,608	14,319	12,412	235,944	
Sheepshead.....	503									1,337	271	47	2,338	
Snell.....		314		75		610	83						1,092	
Swordfish.....									1,334				1,334	
Tuna, Bluefin.....						172,596							172,596	
Tuna, Bonito.....	6,128	330	517	4	11,096	917	6,642	5,818	34,690	12,438	84	949	85,197	
Tuna, Skipjack.....	414,162	664,412	230,219	164,354	872,273	403,210	843,199	842,596	2,155,041	2,500,033	1,776,374	1,261,199	11,732,972	
Tuna, Yellowfin.....	1,364,971	3,883,304	2,680,717	2,437,331	2,694,379	1,809,265	5,892,546	5,553,036	4,335,468	3,862,701	4,264,744	2,923,791	44,080,837	
Whitefish.....	4,481	342	138						1,158	2,772			10,176	
Yellowtail.....	31,477	35,378	13,651	24,928	122,463	79,344	266,332	204,966	88,355	129,624	26,435	118,504	1,148,795	
Crustaceans:														
Lobster, Spiny.....	154,553	264,665	244,500	92,524							54,624	208,816	1,019,712	
Reptile:														
Turtle.....											580		580	
Total pounds.....	2,036,309	4,927,198	3,324,997	2,790,632	3,137,030	2,654,623	7,113,499	9,748,393	6,744,965	6,684,113	6,266,480	4,615,815	56,344,014	

*These importations of fresh fish included in tables of landings.

Commercial Fish Catch for 1930-1931

*These importations of fresh fish included in tables of landings.

Commercial Fish Catch for 1930-1931

FRESH FISH IMPORTATIONS* FROM FOREIGN COUNTRIES LANDED IN REGION 70, LOS ANGELES,** 1921

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Barracuda.....	154,594	43,042	120,370	62,945	11,359	3,631		62,288	78,920	75,878	30,302	23,204	666,704
Codfish.....	27,083	24,927	17,571	1,772	17,632	3,015				3,820	11,379	13,469	137,063
Corbina, Mexican.....	20,542	30,190	29,263	11,707	2,898					6,208	1,844	1,921	104,473
Groupers.....	452												452
Halibut, California.....		27		118					1,060	547			1,722
Kingfish.....					2,633								2,633
Mackerel, Spanish.....	3,990	6,345	3,055	3,663					3,798		218	1,064	15,033
Mullet.....			290	3,363						370			4,313
Perch.....		24		365									419
Rock Bass.....	1,436	8,864	2,150	1,695	3,009		655			607	1,451	2,121	22,417
Rockfish.....			707										822
Sau-lane, Black.....	11,106	1,104	14,335	3,389	403	19,909	6,811	11,643	743	24,300	4,341	13,032	116,906
Sau-lane, Totava.....	350,381	216,405	227,623	94,433	22,720	1,223				55,150	153,337	1,511,512	3,151,512
Sau-lane, White.....		183	627	933	3,591				13,280	114,403	3,221	1,120	137,090
Shark.....										55			55
Snelt.....											58		58
Swordfish, Mexican.....													865
Tuna, Albacore.....	156,054	53,883		362,583	107,838	1,771,079	911,845	975,442	1,398,348	799,620	171,615	170,767	6,959,079
Tuna, Bluefin.....			174,722	364,891	287,227		258,962	23,502					1,190,744
Tuna, Bonito.....	2,619	290		674	1,373								44,592
Tuna, Skipjack.....			35,430	111,582	10,276	43,135	136,479	207,733	554,651	451,428	432,269	187,431	2,185,289
Tuna, Yellowfin.....			257,005	741,863	544,715	379,094	1,012,314	4,980,913	3,710,453	692,947	396,469	971,823	12,993,627
Whitefish.....		665	245	444	19	700				3,291			10,670
Yellowtail.....	56,150	23,439	96,860	67,467	101,354				798	6,150	53,729	53,030	462,575
Miscellaneous Fish.....				169						515		173	850
Crustaceans:													
Lobster, spiny.....			272	1,722	2,929						1,329	1,527	7,675
Prawn.....		450											450
Shrimp.....		1,309											1,309
Total pounds.....	852,383	440,721	988,114	1,841,037	1,837,945	2,233,874	2,949,066	5,454,961	5,687,425	2,199,871	1,331,627	1,398,064	26,220,636

*These importations of fresh fish included in tables of landings.
 **2,819 pounds of Skipjack landed in Region 60, Santa Barbara, included.

FRESH FISH IMPORTATIONS* FROM FOREIGN COUNTRIES LANDED IN REGION NO. SAN DIEGO, 1931

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Burmese...	14,192	9,957	10,535	235	3,274	23,088	9,512	24,454	50,088	10,754	11,244	5,129	174,790
Catfish...	9,914	1,393	6,061	4,156	820		210	1,112	21,035	12,528	40,358	20,209	127,290
Corbina, Mexican...		2,857											2,857
Groupers...											290	20,067	21,157
Hallibut, California...	6,800			2,619	3,671	10,373	10,004	4,076	106	1,316		20	38,715
Mackerel, Spanish...	2,038	161	1,116		253					52	163		3,777
Mullet...	29	2,276											2,447
Parrotfish, Mexican...		985											985
Rock Bass...	1,048	1,944	5,832	1,004	711	1,153		258	636	866	60	108	13,620
Rockfish...	1,914		419							481	678		2,102
Sculpin...		20	85										105
Sole, Black...	13,633	2,999	2,282	14,321	20,393	955	13,768	6,908	23,662	11,843	5,473	847	131,241
Sole, San Francisco...	13,770	1,850	2,133	605									18,133
Sole, White...	3,159	1,890	5,119	8,517	2,888	26,772	48,023	30,704	73,004		127	150	200,621
Shark...										2,868			2,868
Shrimp...	175	402	695	105						3,343			4,620
Shrimp, small...										9			9
Swordfish...													
Tuna, Bluefin...	131	242	15		270	7,140			271				7,511
Tuna, Bonito...									78				78
Tuna, Skipjack...	97,593	46,674	100,520	84,748	170,042	36,785		461,065	377,315	308,659	529,699	93,354	2,355,556
Tuna, Yellowfin...	700,000	175,036	3,770,240	3,433,805	3,391,374	384,036	520	4,563,796	3,444,857	1,343,257	941,224	912,208	20,417,755
Whitefish...	699	316	417	602	263					520			2,709
Yellowtail...	34,379	21,628	76,883	78,906	17,313		583	1,446	21,640	12,649	60,288	24,813	352,286
Miscellaneous Fish...	1,165												1,165
Crustaceans:													
Lobster, Spiny...	185,175	127,541	245,887	51,729						114,166	65,047	166,130	555,675
Reggie...													
Turbot...		2,728		3,151	610	170							6,657
Total pounds...	1,104,324	405,050	4,397,433	3,704,717	3,616,418	490,462	82,656	5,504,371	4,032,983	1,832,707	1,034,635	1,156,122	27,663,790

*These importations of fresh fish included in tables of landings.

Commercial Fish Catch for 1930-1931

FRESH FISH IMPORTATIONS* FROM FOREIGN COUNTRIES LANDED IN REGION 70, LOS ANGELES, 1932

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Barracuda.....	806	14,284	76,903	53,057				24,544	130,248	67,889	4,274		372,005
Catfish.....	1,106	8,800	154		15,100	23,807		4,503	18,654	1,306	29,318	10,983	111,150
Codfish, Mexican.....	10,499	13,119	2,381	360	7,311						2,301	1,309	39,890
Craper.....	12					3,464							3,474
Halibut, California.....								105	477	596	338		1,428
Mackerel, Spanish.....		1,600			8,738				290		244	775	3,200
Pompano, Mexican.....													
Rock Bass.....				292	385					1,190			3,312
Sea-bass, Blue.....	14,550	13,401	15,329	617	7,557	14,600	7,399	6,670	23,623	2,410	25,500	15,654	150,500
Sea-bass, Tulewa.....	238,106	103,257	187,923	135,313	120,235	17,381					74,809	102,708	1,125,565
Sea-bass, White.....	82		89				8,783	21,283	24,374	7,663	20,231		79,491
Sheepshead.....				41									41
Spotfish, Broadbill.....					975								975
Tuna, Albacore.....	57,509	99,088		271,660		514,329	629,854	510,056	511,567	73,238			2,407,521
Tuna, Bluefin.....				108,183		18,710	333,172	64,255	4,451				608,170
Tuna, Bonito.....	88		55		76,339		123,258	371,739	519,554	158,052			1,174,743
Tuna, Oriental.....													
Tuna, Skipjack.....				155,562	574,298	702,171	2,322,829	150,034	259,595	544,019	99,047		1,063,765
Tuna, Yellowfin.....	246,354	35,829	133,090	3,729,029	2,765,310	1,338,783	2,163,723	2,432,809	1,481,191	900,754	965,894	633,852	8,297,807
Whitfish.....	123	740		406		83			635				2,714
Yellowtail.....	3,300	13,083	799	62,398	67,964	3,094	996	29,206	98,023	154,048	44,021	66,223	524,645
Crustaceans:													
Lobster, spiny.....	650	885	13,035	716		2,416	2,821			449	3,192	912	35,066
Shrimp.....	1,400				22,535								29,965
Total pounds.....	576,367	496,515	632,228	6,547,544	3,670,212	2,658,948	5,596,694	5,900,917	3,753,016	2,194,133	1,368,518	1,117,648	32,132,740

*These importations of fresh fish included in tables of landings.

FRESH FISH IMPORTATIONS* FROM FOREIGN COUNTRIES LANDED IN REGION III, SAN DIEGO, 1922													Total pounds
Species	January	February	March	April	May	June	July	August	September	October	November	December	
Barnacles.....	5,173	4,358	4,033	6,333		1,913	10,399		7,265	7,833	917	5,473	40,669
Codfish.....	16,530	56,059	26,841	4,102	19,600	28,376	25,002	25,820	11,632	7,859	22,286	20,322	257,099
Crabs.....	7,270		2,190			2,300	1,040	1,085				120	11,915
Halibut, California.....	4,675		35						4,620		85		9,733
Mackerel, Spanish.....	2,340	7,460								300			7,613
Mullet.....	2,265	400											2,735
Pompano, Mexican.....												344	344
Rock Bass.....	665	65	60										790
Rockfish.....		2,480	38	4,165	462					3,389	265		10,769
Sardine.....	2,065	8,468	35,382	17,671	4,219				525	2,163	12,674	3,511	10,036
Sea-bass, Black.....													92,053
Sea-bass, Yellow.....													920
Sea-bass, White.....	35		110	55			3,369		20,417	13,797	15,155	5,121	58,602
Shark.....													118
Shorefish.....			205										303
Swordfish, Broadbill.....				345	650				200		354		1,558
Swordfish, Marlin.....				285	644								929
Tuna, Bluefin.....					2,592								2,592
Tuna, Bonito.....					1,710					80	3,655	6,111	11,656
Tuna, Skipjack.....	54,565	76,224	166,509	710,476	1,038,528	1,754,258	3,094,963	2,620,748	1,166,586	411,729	335,777	1,273,549	12,994,143
Tuna, Yellowfin.....	525,488	26,861	561,247	2,743,301	2,484,570	1,130,667	2,282,996	2,480,373	2,047,967	2,298,684	1,108,708	2,800,554	20,686,046
Whalefish.....		3,415	160	803	338				83	1,602			3,807
Yellowtail.....	22,977	5,329	12,539	18,929	22,439			7,853	18,492	45,581	45,702	30,689	247,643
Crustaceans.....													
Lobster, Spiny.....	157,354	351,081	151,188							3,504	36,325	74,832	674,374
Reptile.....													
Turtle.....							3,408	2,150				80	5,728
Total pounds.....	804,000	419,404	953,820	2,882,233	3,573,471	2,917,604	6,231,848	4,668,156	3,279,197	2,911,231	1,662,940	4,311,036	33,119,350

*These importations of fresh fish included in tables of landings.

Commercial Fish Catch for 1930-1934

FRESH FISH IMPORTATIONS* FROM FOREIGN COUNTRIES LANDED IN REGION 70, LOS ANGELES, 1933

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Barracuda	35,769	57,090	12,485		130	802	2,154	7,067	5,476		234	5,056	126,263
Cabrilla	4,997	9,699	1,454	8,047	17,628	7,432			5,930	5,927	7,029	4,176	72,319
Corbina, Mexican	15,185	34,195	13,264	663	848				1,010	10,054	4,442		79,661
Halibut, California	53	9			424				29				515
Mackerel, Spanish									410		60	2,542	3,012
Mullet		423	10										433
Perch												112	112
Rock Bass			2,321	2,962	345	1,364			170	197	2,258	3,375	12,992
Rockfish				240							6,859		7,099
Sea-bass, Black	20,445	22,115	1,890	5,140	8,919	8,021	21,450	15,233	383	28,546	10,400	33,303	175,845
Sea-bass, Totuava	202,803	134,513	166,717	51,489	117,351	10,707				18,271	99,147	129,316	930,314
Sea-bass, White	298		27	1,095				5,663	305	2,169	19,244	10,589	39,390
Shark					61								61
Tuna, Albacore		101,294	210,519	50,266		208,047	784,071	441,115	620,264	334,777	16,988	26,624	2,793,965
Tuna, Bluefin				148,319		8,492		79,465					236,276
Tuna, Bonito								73,680	58,587	22,164	8,280	24,108	186,819
Tuna, Oriental					159,332	64,325		206,945	127,154	138,611		202,969	899,336
Tuna, Skipjack	113,879	2,640	282,926	1,059,597	1,249,193	867,490	269,010	392,734	138,410	366,102	485,255	553,791	5,781,027
Tuna, Yellowfin	1,116,402	145,365	875,698	1,433,267	1,893,377	1,828,056	2,192,168	1,199,010	1,200,322	1,436,750	1,493,173	1,215,897	16,029,485
Whitefish	1,696	850	477	979		423				90	713		5,228
Yellowtail	5,682	14,161	48,423	31,502	2,261	22,536	66,646	25,739	28,191	11,692	10,986	163,056	430,875
Miscellaneous Fish		141										138	279
Crustacean:													
Lobster, Spiny	1,377	3,284	2,113	1,050		520		715		526	3,755	7,958	21,298
Shrimp				1,500									1,500
Total pounds	1,518,586	525,779	1,618,324	2,796,116	3,449,869	3,028,215	3,335,499	2,447,366	2,186,641	2,375,876	2,168,823	2,383,010	27,834,104

*These importations of fresh fish included in tables of landings.

FRESH FISH IMPORTATIONS* FROM FOREIGN COUNTRIES LANDED IN REGION 80, SAN DIEGO, 1933													Total pounds
Species	January	February	March	April	May	June	July	August	September	October	November	December	
Barramundi.....	35	1,729	180	43	180	175	174	133	2,078	6,562	18,161	7,463	24,541
Catfish.....	10,818	30,535	24,639	10,355									76,357
Carp.....	290												290
Croaker.....	290												290
Halibut, California.....	7,218							13,644	19,535	22,232	12,137	9,524	84,955
Marbled, Spanish.....			290	290									580
Mullet.....	2,227				183								2,410
Pompano, Mexican.....	719												719
Rock Bass.....	367	8,444						338	79				8,868
Rockfish.....	901	274	8,979	4,748				830	10,543	489	4,635	8,325	26,977
Sau-bau, Black.....	19,476	6,383	11,139	21,405	1,913	7,120	110	3,339	15,351	28,656	10,352	30,339	157,896
Sau-bau, White.....	879	160			155			10,267	21,630	87,972	130,263	19,858	238,540
Smelt.....								769					769
Swordfish, Broadbill.....								928	3,057	11,039	21,039		40,053
Tuna, Bluefin.....								1,121	9,008	20,406	18,233	77,021	68,136
Tuna, Skipjack.....	230,000	312,228	500,803	276,229	1,150,513	727,217	1,183,743	1,043,511	787,227	1,028,697	2,110,230	1,840,000	11,212,004
Tuna, Yellowfin.....	1,747,282	2,617,406	2,741,071	2,111,963	2,321,100	1,824,492	3,493,302	2,514,358	2,812,637	4,376,823	3,177,494	4,100,087	30,032,278
Whitefish.....	353	1,661	900	846				2,366	179	360		1,092	6,597
Yellowtail.....	49,990	3,957	22,619	30,058	1,310	22,292	187,689	807,566	664,125	257,809	130,650	72,563	2,234,727
Crustacean:													
Lobster, Spiny.....	107,771	138,940	133,697	23,399	3,409		859	2,415	1,716	19,149	94,280	122,949	648,593
Reptile:													
Turtle.....					2,491	410							2,901
Total pounds.....	2,184,569	3,116,234	3,530,582	2,479,068	3,690,274	2,581,616	4,872,085	4,420,040	4,430,048	5,109,916	6,628,586	6,220,678	50,090,036

*These importations of fresh fish included in tables of landings.

Commercial Fish Catch for 1930-1934

FRESH FISH IMPORTATIONS* FROM FOREIGN COUNTRIES LANDED IN REGION 70, LOS ANGELES, 1924

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Burmese.....	7,471	222	507	0,683			1,530		30,783	33,008	53,417	7,864	141,005
Calappa.....	6,812	3,601	3,291	23,135	60,000	12,254	75,531	8,669		105	7,474	4,844	212,566
Cortina, Mexican.....	13,720	11,428	20,095	16,103		392	75			915	4,542	786	68,926
Cutts, Pacific.....										29		69	84
Groupers.....	281				21,214	3,153	10,542	2,424				1,215	39,529
Halliot, California.....		17,107	5,973		17,638	18,621	10,407			2,107	4,317	23,972	102,306
Mackerel, Pacific.....						20							20
Mackerel, Spanish.....				1,231									1,231
Mullet.....	26	651								202	1,144	841	2,374
Perch.....										51			51
Pompano, Mexican.....		35											35
Rock Bass.....	2,741	2,682	1,436	2,807	6,081	2,565	65	7,248	4,097	279		219	25,123
Rockfish.....	660	632	510		11,519			235					14,060
Sa-pan, Black.....	26,114	31,595	31,894	36,632	51,481	20,272	54,192	21,882	10,700	50,125	60,140	55,349	477,887
Sa-pan, Tattara.....	184,075	229,117	167,730	12,818	75,184	7,719				5,365	60,200	137,013	631,436
Sa-pan, White.....	93	1,233	402	4,062			15,424	33,743	51,862	11,041	5,207	1,374	122,821
Shad.....			1,063										1,063
Sheepshead.....										88	58	80	226
Sole.....										132			132
Swordfish, Marlin.....							45						45
Tuna, Albacore.....	25,000	976,150		516,470			19,114	373,114	193,292	305,559	324,073	131,200	4,116,191
Tuna, Bluefin.....	15,504								290	65	613		16,472
Tuna, Bonito.....	13,347	1,831	1,674	724	620	3,608	2,608	1,947	4,980	2,992	742		36,771
Tuna, Skipjack.....	217,813	213,655	310,440	119,407	125,547	13,505	256,188	674,000	1,820,438	831,708	60,743	723,635	5,388,138
Tuna, Yellowfin.....	1,834,342		927,232	2,726,199	1,901,813	3,060,516	3,350,208	1,710,714	832,639	1,621,803	681,087	628,334	19,614,736
Whitetail.....	177	2,614	3,620	173	722	2,641				677	104	844	18,118
Yellowtail.....	195,748	56,116	35,290	50,077	26,877	41,165	25,065	107,401	86,874	121,030	147,212	149,715	1,027,100
Miscellaneous Fish.....				200					95	146	86	82	1,067
Crustaceans:													
Lobster, Spiny.....	21,693	22,242	37,231	3,348	3,300	3,418							111,232
Mollusks:													
Clam, Cockle.....				7,800									7,800
Birds:													
Turtle.....		250											250
Total pounds.....	2,497,991	610,415	2,556,438	3,937,861	2,283,328	3,227,837	4,143,921	3,024,692	3,843,056	3,070,138	1,443,818	1,889,671	32,533,496

*These importations of fresh fish included in tables of landings.

FRESH FISH IMPORTATIONS* FROM FOREIGN COUNTRIES LANDED IN REGION NO. SAN DIEGO, 1934

Species	January	February	March	April	May	June	July	August	September	October	November	December	Total pounds
Barracuda.....	95	2,450	17,401	21,405			13,431	5,476	55,287	48,956	39,186	34,767	338,553
Cabrilla.....	295	19,655	4,383	26,729	20,246	46,584	7,227	3,190		2,664	12,299		163,533
Croaker.....	1,395	1,527	1,163	2,125	959	12,499		89	275		1,633		21,479
Hallibut, California.....	22,993	10,861	20,167	12,129	10,252	29,289	18,637	49,338	28,972	28,037	18,867	29,629	286,288
Herring, Pacific.....	62		47	10,061	2,870		17,025	104,072	68,495	470		2,196	266,215
Mackerel, Pacific.....		145		123		78	440	162	39	2,448		1,042	3,084
Mackerel, Spanish.....				135	130	23							274
Perch.....		1,104	440	6,310	17,299	13,978	7,611	1,327	1,837	2,218	5,489	533	55,801
Rock Bass.....	20,116	11,886	29,021	16,494	15,997	7,098	455	5,866	7,312	24,616	16,746	26,727	182,744
Rockfish.....													1,168
Sablefish.....													2,505
Sardine.....	8,962	13,073	6,389	19,628	20,974	14,474	14,623	2,983	31,911	128,886	18,167	21,281	829,839
Sea-bass, Black.....			6,223										11,543
Sea-bass, Yellow.....	745	816	236	43			52,543	92,294	100,145	9,303	3,253	537	268,071
Shad.....	417	900	547			62			101	1,411		1,799	4,374
Sheepshead.....	106	328	102	69					165	46	362	308	1,481
Sole.....	110	24					512	276	293				1,328
Swordfish, Broadbill.....		10				40							53
Swordfish, Marlin.....								4,751	1,607		163		6,931
Tuna, Bluefin.....								2,023	1,494				3,432
Tuna, Bonito.....								4,180	4,125	11,315	12,283		40,035
Tuna, Skipjack.....	451,962	13,763	143,138	253,525	244,260	221,623	283,437	2,024,239	4,444,399	19,828	19,072	20,788	165,372
Tuna, Yellowfin.....	2,065,671	840,340	1,366,540	3,306,771	3,998,161	4,435,664	5,267,564	2,530,349	2,050,534	2,680,693	4,080,354	6,078,271	40,441,882
Whiting.....	5,989	3,296	3,013	604	1,672	165		201	14	1,826	4,114	2,202	22,418
Yellowtail.....	12,662	28,044	19,226	86,776	192,537	108,703	91,063	158,660	145,121	114,104	102,861	44,914	1,114,471
Crustaceans:													
Lobster, Spiny.....	143,273	146,725	154,559	18,949	4,565	4,217			135	12,800	93,884	125,471	704,556
Reptile:													
Turtle.....		100		2,001					530		149		2,371
Total pounds.....	3,874,987	1,116,382	1,886,309	3,766,531	4,378,146	4,558,117	5,863,412	6,090,402	4,899,372	6,131,286	6,434,026	6,932,414	56,371,793

*These importations of fresh fish included in tables of landings.

Commercial Fish Catch for 1930-1934

FRESH FISH IMPORTATIONS BY POINT OF ORIGIN, 1930

Species	Gulf of California	International waters south of United States boundary (definite origin unknown)	Hawaiian Islands	Japan	Total pounds
Barracuda.....		1,250,158			1,250,158
Cabrilla.....	12,558	509,068			521,626
Corbina, Mexican.....	139,573				139,573
Halibut, California.....		201,698			201,698
Mackerel, Spanish.....		44,229			44,229
Mullet.....		554			554
Perch.....		660			660
Rock Bass.....	962	32,491			33,453
Rockfish.....	14,610	8,405			23,015
Sea-bass, Black.....		206,536			206,536
Sea-bass, Totuava.....	1,808,532				1,808,532
Sea-bass, White.....		387,137			387,137
Shark.....		1,555			1,555
Sheepshead.....		2,635			2,635
Snelt.....		1,082			1,082
Sole.....		100			100
Swordfish.....		1,234			1,234
Tuna, Albacore.....			5,426	7,000,142	7,005,568
Tuna, Bluefin.....		6,322,390			6,322,390
Tuna, Bonito.....		1,297,764			1,297,764
Tuna, Skipjack.....		17,470,312			17,470,312
Tuna, Yellowfin.....		56,618,628		3,587	56,622,215
Whitefish.....		10,536			10,536
Yellowtail.....	328	3,555,469			3,555,797
Miscellaneous Fish.....		4,874			4,874
Crustacean:					
Lobster, Spiny.....		1,019,712			1,019,712
Shrimp.....	32,105				32,105
Reptile:					
Turtle.....		580			580
Total pounds.....	2,008,668	88,947,807	5,426	7,003,729	97,965,630

FRESH FISH IMPORTATIONS BY POINT OF ORIGIN, 1931

Species	Gulf of California	International waters south of United States boundary (definite origin unknown)	Japan	Total pounds
Barracuda.....		841,473		841,473
Cabrilla.....	30,944	228,949		259,893
Corbina, Mexican.....	106,346	2,084		108,430
Grouper.....		21,609		21,609
Halibut, California.....	118	40,349		40,467
Kingfish.....		2,633		2,633
Mackerel, Spanish.....		24,110		24,110
Mullet.....		7,162		7,162
Perch.....	260	199		459
Pompano, Mexican.....		738		738
Rock Bass.....	111	35,926		36,037
Rockfish.....		4,004		4,004
Sculpin.....		115		115
Sea-bass, Black.....	1,853	246,194		248,047
Sea-bass, Totuava.....	1,169,467			1,169,467
Sea-bass, White.....		341,251		341,251
Shark.....		3,370		3,370
Sheepshead.....		1,290		1,290
Smelt.....		97		97
Swordfish, Marlin.....		365		365
Tuna, Albacore.....		6,939,079		6,939,079
Tuna, Bluefin.....		1,177,255		1,177,255
Tuna, Bonito.....		65,538		65,538
Tuna, Skipjack.....		4,541,145		4,541,145
Tuna, Yellowfin.....		36,423,456	1,896	36,425,352
Whitefish.....		13,429		13,429
Yellowtail.....		835,173		835,173
Miscellaneous Fish.....		2,015		2,015
Crustacean:				
Lobster, Spiny.....	5,876	957,474		963,350
Prawn.....	450			450
Shrimp.....	1,936			1,936
Reptile:				
Turtle.....		6,657		6,657
Total pounds.....	1,317,361	45,826,060	6,940,975	54,084,396

FRESH FISH IMPORTATIONS BY POINT OF ORIGIN, 1932

Species	Gulf of California	International waters south of United States boundary (definite origin unknown)	Hawaiian Islands	Japan	Total pounds
Barracuda.....		421,674			421,674
Cabrilla.....	8,191	340,008			348,199
Corbina, Mexican.....	37,411	2,469			39,880
Grouper.....		18,689			18,689
Halibut, California.....		10,701			10,701
Mackerel, Spanish.....		10,822			10,822
Mullet.....		2,755			2,755
Pompano, Mexican.....		4,076			4,076
Rock Bass.....		4,796			4,796
Rockfish.....		10,769			10,769
Sardine.....		66			66
Sea-bass, Black.....	333	242,310			242,643
Sea-bass, Totuava.....	1,126,685				1,126,685
Sea-bass, White.....		137,433			137,433
Shark.....		118			118
Sheepshead.....		246			246
Swordfish, Broadbill.....		10,043			10,043
Swordfish, Marlin.....		929			929
Tuna, Albacore.....			98,720	2,368,801	2,467,521
Tuna, Bluefin.....		611,162			611,162
Tuna, Bonito.....		1,185,799			1,185,799
Tuna, Oriental.....				1,053,795	1,053,795
Tuna, Skipjack.....		21,261,535			21,261,535
Tuna, Yellowfin.....		36,758,087			36,758,087
Whitefish.....		12,536			12,536
Yellowtail.....		772,278			772,278
Crustacean:					
Lobster, Spiny.....		699,340			699,340
Shrimp.....	23,985				23,985
Reptile:					
Turtle.....		5,728			5,728
Total pounds.....	1,196,605	62,524,369	98,720	3,422,596	67,242,290

FRESH FISH IMPORTATIONS BY POINT OF ORIGIN, 1933

Species	Gulf of California	International waters south of United States boundary (definite origin unknown)	Hawaiian Islands	Japan	Total pounds
Barracuda.....		160,810			160,810
Cabrilla.....	64,044	84,612			148,656
Corbina, Mexican.....	79,661	290			79,951
Grouper.....		565			565
Halibut, California.....	424	84,396			84,820
Mackerel, Spanish.....		5,166			5,166
Mullet.....	10	2,813			2,823
Perch.....		112			112
Pompano, Mexican.....		710			710
Rock Bass.....		17,638			17,638
Rockfish.....		44,076			44,076
Sea-bass, Black.....	3,729	329,712			333,441
Sea-bass, Totuava.....	930,314				930,314
Sea-bass, White.....		334,950			334,950
Shark.....		61			61
Smelt.....		260			260
Swordfish, Broadbill.....		40,063			40,063
Tuna, Albacore.....			43,612	2,750,353	2,793,965
Tuna, Bluefin.....		236,276			236,276
Tuna, Bonito.....		284,655			284,655
Tuna, Oriental.....				899,336	899,336
Tuna, Skipjack.....	10,665	16,676,633		405,733	17,093,031
Tuna, Yellowfin.....	174,206	50,894,557			51,068,763
Whitefish.....		13,825			13,825
Yellowtail.....		2,665,602			2,665,602
Miscellaneous Fish.....	141	138			279
Crustacean:					
Lobster, Spiny.....		669,891			669,891
Shrimp.....	1,500				1,500
Reptile:					
Turtle.....		2,901			2,901
Total pounds.....	1,264,694	72,551,012	43,612	4,055,422	77,914,740

FRESH FISH IMPORTATIONS BY POINT OF ORIGIN, 1934

Species	Gulf of California	West Coast Lower California	International waters south U. S. boundary (definite origin unknown)	Mexican Mainland and Central America	Hawaiian Islands	Japan	Total pounds
Barracuda.....		41,703	339,755				381,458
Cabrilla.....	44,356	10,858	320,885				376,099
Corbina, Mexican.....	67,959		967				68,926
Cultus, Pacific.....		2,424	58,984				61,408
Grouper.....			388,492				388,492
Halibut, California.....			344,469				344,469
Herring, Pacific.....			266,235				266,235
Mackerel, Pacific.....		1,144	5,778				6,922
Mackerel, Spanish.....			951				950
Mullet.....	29		329				329
Perch.....			35				35
Pompano, Mexican.....		1,000	79,926				80,926
Rock Bass.....		255	196,555				196,810
Rockfish.....			1,168				1,168
Sablefish.....			2,505				2,505
Sardine.....			749,020				807,746
Sea-bass, Black.....	2,721	56,005					58,726
Sea-bass, Totuava.....	943,179						943,179
Sea-bass White.....		5,496	377,402				382,898
Shark.....			5,639				5,639
Sheepshead.....			1,707				1,707
Smelt.....			1,470				1,470
Sole.....			53				53
Swordfish, Broadbill.....			6,061				6,061
Swordfish, Marlin.....		85	3,432				3,517
Tuna, Albacore.....					25,900	4,090,291	4,116,191
Tuna, Bluefin.....			66,107				66,107
Tuna, Bonito.....		5,184	194,462				199,646
Tuna, Skipjack.....	187,028	2,685,539	11,653,659	303,968		1,579,245	16,409,439
Tuna, Yellowfin.....	504,963	1,588,023	47,789,172	11,011,458		223,942	61,117,588
Whitefish.....			45,536				45,536
Yellowtail.....	9,005	370,562	1,757,004				2,136,571
Miscellaneous Fish.....		100	967				1,067
Crustacean:							
Lobster, Spiny.....	136	816,052					816,188
Mollusk:							
Clam, Cockle.....	7,800						7,800
Reptile:							
Turtle.....			3,661				3,661
Total pounds.....	1,767,206	5,584,430	64,320,851	11,315,426	25,900	5,893,478	88,907,291

Previous issues are:

The commercial fish catch of California for the years 1926 and 1927. Calif. Div. Fish Game, Fish Bull., No. 15, 1929.
The commercial fish catch of California for the year 1928. Calif. Div. Fish Game; Fish Bull., No. 20, 1930.
The commercial fish catch of California for the year 1929. Calif. Div. Fish Game; Fish Bull., No. 30, 1931.