

# UC Davis

## UC Davis Previously Published Works

### Title

The life, publications and new taxa of Qabir Argaman (Carol Nagy)

### Permalink

<https://escholarship.org/uc/item/07h5x3d7>

### Authors

Kimsey, Lynn S  
Brothers, Denis J

### Publication Date

2016

### DOI

10.3897/jhr.50.7973

Peer reviewed

# The life, publications and new taxa of Qabir Argaman (Carol Nagy)

Lynn S. Kimsey<sup>1</sup>, Denis J. Brothers<sup>2</sup>

**1** Department of Entomology & Nematology, University of California, Davis, CA 95616, USA **2** School of Life Sciences, University of KwaZulu-Natal (Pietermaritzburg), Private Bag X01, Scottsville, 3209 South Africa

Corresponding author: Lynn S. Kimsey ([lskimsey@ucdavis.edu](mailto:lskimsey@ucdavis.edu))

---

Academic editor: Michael Ohl | Received 30 January 2016 | Accepted 8 May 2016 | Published 27 June 2016

<http://zoobank.org/FD22EC27-0365-467E-B699-34D6CD0F9B8B>

---

**Citation:** Kimsey LS, Brothers DJ (2016) The life, publications and new taxa of Qabir Argaman (Carol Nagy). Journal of Hymenoptera Research 50: 141–178. doi: 10.3897/JHR.50.7973

---

## Abstract

This biography of the Hungarian/Romanian/Israeli hymenopterist Qabir Argaman (= Carol Nagy) provides a list of his publications (except for newspaper articles) and the new taxa and new replacement names he proposed. Dr. Argaman began his career in Hungary, publishing under the name Carol Nagy. He later moved to Romania and finally moved to Israel, where he assumed the name Qabir Argaman. In total, he published 84 articles on the order Hymenoptera and described 348 new taxa (2 families, 11 subfamilies, 58 tribes, 153 genera or subgenera, and 125 species or subspecies) in 15 families, as well as 1 new species of Scarabaeidae (Coleoptera).

## Keywords

Carol Grosman, Károly Nagy, Hymenoptera, Scarabaeidae

## Introduction

The majority of insect taxonomists tend to focus on a single family group for the majority of their careers. However, others have more diverse interests. The taxonomist Qabir Argaman (Fig. 1) worked on a wide diversity of Hymenoptera families during his career between 1965 and 2003, and he did so under different names. Early on he published under the names Carol Nagy or Károly Nagy and later under the name



**Figure 1.** Qabir Argaman at work in Israel (photo courtesy of the Israeli Ministry of Agriculture).

Qabir Argaman. In total he published new taxa in 15 hymenopteran families, Ampulicidae, Bethylidae, Braconidae, Bradynobaenidae (as Apterogynidae), Dryinidae, Heterogynidae, Kislevidae, Mutillidae, Perilampidae, Plumariidae, Sclerogibbidae, Scolobythidae, Scoliidae, Sierolomorphidae and Tiphidae (mostly as Myzinidae), as well as one new species of Scarabaeidae (Coleoptera). Because of his changes of surname, the obscure nature of some of the journals he published in and the diversity of families involved, it is difficult to find many of his publications. We have attempted to do so here, and also give a brief account of his life based on many (sometimes conflicting) sources.

Károly (Karol/Carol) György (George) Nagy was born on January 15, 1940 in Oradea, Romania (the region was transferred to Hungary later that year, but restored to Romania after the war). In the early 1960's he attended university in Romania where he developed an interest in wasp taxonomy. In 1965 he began publishing on the Mutillidae, Bethylidae and "heterogyne Hymenoptera" of Romania. He graduated in 1967 from Babeş-Bolyai University, in Cluj-Napoca, Romania with an MSc degree in biology. He then studied under László Móczár at the University of Szeged in Hungary, where he received his PhD in 1968. Thereafter he held a position at the Marine Research Institute, in Agigea-Constantza, Romania, where he studied the taxonomy, biology and zoogeography of the Romanian wasp fauna. He obtained his DSc in 1974

from the University “Al. I. Cuza” in Iași, his thesis on the scolioids of Romania being supervised by Mihai Constantineanu.

In 1980 Carol Nagy moved from Agigea, Romania to Israel (Menke 1980). According to a note in Sphecos (Menke 1981) he and his family left Romania with only 40 kg of baggage, which consisted mostly of clothes for their baby. He had to leave behind his entomological library and collections in Romania, lived for a time in a camp for immigrants, and started a new life in a new country with all the attendant challenges - learning a new language, trying to find employment (difficult for a wasp taxonomist in such a small country and without his literature resources), and trying to find a permanent home. During this period he briefly changed his surname from Nagy to Grosman, but was required by Israeli immigration regulations to adopt a Hebrew name (Menke 1982). He then became Qabir Argaman (קביר ארגמן), and from the mid 1980's his papers were all published under this name. In 1981 he began working as an insect taxonomist for the Israeli Ministry of Agriculture, Plant Protection Department, in Bet Dagan, working on insects of agricultural importance. However, he also continued his work on a diversity of wasp families, but suffered from shortages of basic supplies such as pins and boxes, an initial lack of a collection and constraints on field work (the threat of terrorism being a concern) (Menke 1987). He worked for the Ministry of Agriculture until his death in October 2003 at the age of 63.

Nagy's research interests changed over the years. Between 1965 and 1968 his studies focused primarily on the Romanian fauna. In 1968 he described a new species of Mutillidae from Sudan (Nagy 1968b) and this began the expansion of his research interests into other parts of the world. In the 1970's he began working on the European bethylid and mutillid faunas and small collections of ampulicids from Africa, tiphiids, scolybythids, South American Plumariidae and Mongolian scoliids. There is a gap in his publications between 1980 and 1986, which is the period when he moved his family to Israel. In the remainder of the 1990's he began new studies of Perilampidae, Sierolomorphidae and Scoliidae and continued his work on the Bethylinidae, Sclerogibbidae and Tiphiidae. He produced several papers dealing with the higher-level classification of various groups, describing many new genera and other higher taxa supposedly based on phylogenetic principles requiring naming of monophyletic groups, but never provided any cladistic or other analyses justifying his decisions. His publications were primarily limited to descriptions of new taxa and faunal lists. He never produced any taxonomic revisions. Subsequent workers have generally rejected his excessively split approach and synonymized most of his names, or else deliberately ignored them (e.g. Osten 2005). His idiosyncratic approach and involvement with such a diversity of groups means that any workers having to deal with his taxa and names should be aware of these complexities to be able to evaluate them properly.

According to an unpublished obituary provided by the Israeli Ministry of Agriculture, Argaman's personal collection, primarily accumulated once he arrived in Israel, also included some materials dating from his early work in Hungary and Romania. According to Laibale Friedman (in Romano 2012), after Argaman's death the collection was broken up, part being sold privately, and the remainder being

donated by his family to the Israeli Ministry of Agriculture and transferred to the Tel Aviv University Collection. For unknown reasons, Argaman apparently removed labels from some specimens, including types, leaving them without any labels at all, and making the identification of such type specimens essentially impossible. (When DJB briefly visited him in Tel Aviv in 1985, he gained the impression that Argaman was suspicious of the motives of others and jealously guarded his specimens, not being willing to let them out of his sight; this attitude probably resulted from the personal difficulties he had endured, and may explain the removal of labels.) Repositories of his types, according to his publications and information provided by collection managers, include the following:

- Argaman Coll. – much of his personal collection now resides in Tel Aviv (see below), the location(s) and extent of the remainder are unknown.
- Bar Ilan – Department of Life Sciences, Bar Ilan University, Ramat Gan, Israel.
- Berlin – Museum für Naturkunde, Berlin, Germany.
- Brussels – Royal Belgian Institute of Natural Sciences, Brussels, Belgium.
- Budapest – Magyar Természettudományi Múzeum, Budapest, Hungary.
- Cluj – Zoological Museum, Universitatea Babeş-Bolyai, Cluj-Napoca, Romania.
- Copenhagen – Statens Naturhistoriske Museum, Copenhagen, Denmark.
- Fruhstorfer Coll. – Museum für Naturkunde, Berlin, Germany.
- Geneva – Muséum d'histoire naturelle de la Ville, Geneva, Switzerland.
- Genoa – Museo Civico di Storia Naturale “Giacomo Doria”, Genoa, Italy.
- Hamburg – Zoologisches Museum, Hamburg, Germany.
- Nagy Coll. – a small part of this collection resides in Tel Aviv (see below), the location of the rest is unknown.
- Nonveiller Coll. – the private collection of the late Guido Nonveiller, Zemun, Serbia, now housed in Biologiezentrum, Oberösterreichs Landesmuseum, Linz, Austria.
- Pagliano Coll. – the private collection of Guido Pagliano, Turin, Italy
- Paris – Muséum National d'Histoire Naturelle, Paris, France
- Senckenberg – Senckenberg Deutsches Entomologisches Institut, Berlin, Germany.
- Tel Aviv – The Steinhardt Museum of Natural History and National Research Center, Tel Aviv University, Tel Aviv, Israel.
- Washington – U. S. National Museum of Natural History, Washington, D. C., USA.

Lists of his theses and publications are given below (compiled from various sources, importantly using information provided by Laibale Friedman which unfortunately had all titles translated into English). A complete tabulation of new taxa described by him is given in Table 1, followed by an Appendix comprising a detailed list of his new taxa and new names, including type locality and repository for each species. If the repository has been confirmed by the date of this publication it is indicated as such. Others are yet to be confirmed. This is another problem to be resolved; it has not been possible to determine the location of most of the aculeate wasp types described by him. Some, particularly the aculeates, may still be in Romania.

**Table 1.** Summary of new taxa described by Nagy/Argaman; new families are indicated by asterisks (\*), new replacement names are given between parentheses ( ), and unavailable names between square brackets [ ].

Order	Family	Subfam.	Tribe	Genus/ Subgen.	Species/ Subsp.	Geographic Region of New Species				
						Europe	Asia	Africa	Americas	Australia
Coleoptera	Scarabaeidae				1		1			
	Ampulicidae				5		5			
	Bradynobaenidae		4	7	1			1		
	Bethylidae	3	3	12	29	10	11	8		
	Braconidae			1						
	Dryinidae				2	1	1			
	Heterogynaidae*			2	2	1	1			
Hymenoptera	Kislevidae*			1	1		1			
	Mutillidae	1	2	3	30	8	5	1	16	
	Perilampidae			26	26 (+3)		5	12	9	
	Plumariidae				5				5	
	Sclerogibbidae	2	2	1	2	1		1		
	Scolebythidae			1	1			1		1
	Scoliidae	1	22	61 (+3)	3 [+3]	1	2			
	Sierolomorphidae				2		2			
	Tiphiidae	4	25	38	15	7	4	4		
	Totals	2	11	58	153 (+3)	125 (+3) [+3]	29	38	28	30

**Unpublished theses by Carol Nagy** (The information on these appears in the list from Friedman; we have not been able to locate them to confirm the details or original titles, however, so several peculiarities are evident.)

Nagy CG (1967) [Contributions to the knowledge of the heterogynoid Hymenoptera from the fauna of Romania.] Master of Science Thesis, University “Babeş-Bolyai” in Cluj, 1–87. [Romanian]

Nagy CG (1968) [The Hymenoptera Proctotrupeoidea in the fauna of Romania.] Doctor of Philosophy Thesis, Constantza-Szeged-Budapest. 1–70. [Romanian]

Nagy CG (1974) [Contributions to the study of Scoliidea (Hymenoptera) from the fauna of Romania, from systematical, biological, ecological and economical viewpoints.] Doctor of Science Thesis, Universitatea “Alexandru Ioan Cuza” din Iaşi, 1–300, 302 figs. [Romanian]

### Publications by Carol Nagy/Qabir Argaman

This list includes all publications in books, journals or magazines for which page numbers are available, but it excludes his many (at least 117, from 1967 to 1978) “popular” contributions to newspapers or small local periodicals on a very wide range of subjects (butterflies, snakes, honey bees, birds, scientific expeditions, biological control, ants in

forests, scientific methods, oceanology, sea snakes, Antarctic exploration, obituaries, physics of the universe, linguistics, conference reports, turtle conservation, human development, psychoanalysis, archeology, environmental conservation, pogonophorans, black widow spiders, human facial expressions, yogis in ancient India, marine rescues, fossil corals, hare behavior, vitamins, human social behavior, animal suicides, *Drosophila* cultures, beach events, forest mammals, Oriental archeology, energy sources, noise pollution, ecological non-equilibria, species concepts, concept of life, scientific literature, sea gulls, sand-nesting wasps and bees, general theory of relativity, wildlife conservation, crows, biospeleology and meiobenthic faunas, autobiography, guppies, pollution, medusas, blue-green algae, shipwrecks, lunar orbits, coffee cultivation, scientific ethics, biological systems, animal intelligence, calendars, lagoons, importance of stinging wasps, pheromones, bee pollination ecology, hedgehogs, biology of cancer, dolphins, cybernetics of life, ocean plankton, hypochondria, human genetics, and dogs). The more cultural publications included below were generally authored by “Nagy G Károly”, reflected here as “Nagy KG”. Where easily available, actual dates of publication are provided, and the sequence attempts to reflect the temporal sequence of publication (primarily based on the sequence in the list mentioned above). Unfortunately, we have been unable to obtain copies of all of the entries and have therefore not been able to provide the original titles for those non-English papers we have not seen, but indicate the original language. His papers were in Romanian, German, Hungarian, French, English and Hebrew; English translations of Hungarian and Romanian titles are given in addition to the originals since these are less familiar languages to most, but only English translations of the Hebrew titles are given. Articles we have not been able to locate are indicated by an asterisk (\*).

- Nagy CGh (1965) Scolioide noi pentru fauna R.P.R. [Scolioids new to the fauna of Romania]. *Studia Universitatis Babeş-Bolyai (Series Biologica)* 1: 57–59.
- Nagy CGh (1966a, March 16) Ein neues Mutilliden-Subgenus aus Rumänien (Hymenoptera). *Reichenbachia* 6(13): 113–117.
- Nagy CGh (1966b) Neue Bethyriden-Arten für die Fauna Rumäniens (Hymenoptera). *Travaux du Muséum National d’Histoire Naturelle “Grigore Antipa”* 6: 165–169.
- Nagy CGh (1966c) Contribuții la cunoașterea himenopterelor heterogine din rezervațiile naturale ale Dobrogei [Contributions to the knowledge of heterogyne Hymenoptera of nature reserves of Dobruja]. *Ocotirea Naturii* 10(2): 223–228.
- Nagy CGh, Stamp HM (1966) Katalog der Heterogyniden (Hymenoptera) aus der Sammlung Brukenthalmuseums in Sibiu. *Rovartani Közlemények Folia Entomologica Hungarica (Series Nova)* 19(27): 491–500.
- Nagy CGh (1967a) Gonatopodine noi pentru fauna României (Hymenoptera: Dryinidae) [Gonatopodines new to the fauna of Romania]. *Studia Universitatis Babeş-Bolyai (Series Biologica)* 1: 123–125.
- Nagy CGh (1967b, April 20) Une nouvelle espèce du genre *Myrmilla* Wesm. de la faune de la Roumanie (Hymenoptera, Mutillidae). *Bollettino della Società Entomologica Italiana* 97(3–4): 50–54.

- Nagy CGh (1967c, June 21) Systematisches Studium der Tiphiiden Rumäniens. Reichenbachia 8(24): 175–204.
- Nagy CGh (1967d, June 21) Beiträge zur Kenntnis der rumänischen Scoliiden-Arten (Hymenoptera, Scoliidae). Reichenbachia 8(28): 221–226.
- Nagy CGh (1967e) Contribution à l'étude de la Fam. Dryinidae (Hym.) dans la faune de la Roumanie. Travaux du Muséum National d'Histoire Naturelle "Grigore Antipa" 7: 331–337.
- Nagy C (1967f) Himenopterele betilide – distrugători naturali al dăunătorilor din muzee [Hymenopteran bethylids – natural destroyers of pests in museums]. Revista Muzeelor 4(4): 321–322.
- Nagy CGh (1967g) Description du mâle de *Myrmilla subcornuta* Mor. (Hym. Mutillidae). Deutsche Entomologische Zeitschrift (Neue Folge) 14(5): 473–476.
- Nagy CGh (1967h) Contributions à la connaissance des hyménoptères Bethylidae de la faune roumaine. Rovartani Közlemények Folia Entomologica Hungarica (Series Nova) 20(8): 87–94.
- Nagy CGh (1968a, March) Les femelles de *Laelius anthrenivorus* Trani (Hym. Bethylidae) attaquent l'homme. Rivista di Parassitologia 29(1): 71–74.
- Nagy CG (1968b) Une nouvelle espèce du genre *Dolichomutilla* Ashm. (Hym., Mutillidae). Rovartani Közlemények Folia Entomologica Hungarica (Series Nova) 21(10): 147–151.
- Nagy CGh (1968c, June 20) Quelques espèces nouvelles de Myrmillines dans la faune de la Roumanie (Hymenoptera, Mutillidae). Bollettino della Società Entomologica Italiana 98(3–6): 65–69.
- Nagy CG (1968d) Observations écologiques sur l'espèce *Smicromyrme septentrionalis* Hffr. (Hym., Mutillidae). Acta Entomologica Bohemoslovaca 65: 375–378.
- Nagy CG (1968e) The species of the family Methocidae [sic] in the Carpathian Basin. Opuscula Zoologica Budapest 8(1): 81–85.
- Nagy KG (1968f, December) [The indefinite character of the notion of the species.] Korunk 27(12): 1859–1860. (Hungarian)\*
- Nagy CG (1968g) La présence du genre *Holepyris* Kieff. (Hym. Bethylidae) dans la faune de la Roumanie. Analele Științifice Universității "Al. I. Cuza" din Iași (Serie Nouă) Secțiunea II (Științe naturale) a) Biologie 14(2): 409–410, fig. 1.
- Nagy C (1968h) Quelques espèces nouvelles d'Hyménoptères hétérogynes en Roumanie. Travaux du Muséum National d'Histoire Naturelle "Grigore Antipa" 8(2): 1029–1035.
- Nagy CG (1968i) A new record of Mesitinae [sic] (Hymenoptera, Bethylidae). Memorie della Società Entomologica Italiana 47: 168–176.
- Nagy CG (1968j) [New contributions to the knowledge of the Hymenoptera Heterogynoidea from the fauna of Romania.] Comunicări Zoologice ale Societății de Științe Biologice 2: 115–120. (Romanian?)\*
- Nagy CGh (1969a ["1968"]) Les espèces du genre *Smicromyrme* Thoms. (Hym., Mutillidae) des dunes sablonneuses d'Agigea. Lucrările Sesiunii Științifice a Stațiunii de Cercetări Marine "Prof. Ioan Borcea" Agigea (1–2 noiembrie 1966) Volum Festiv, 219–224.
- Nagy CG (1969b) A new taxon of the family Heterogynidae Latreille (Hym., Aculeata). Entomologische Mitteilungen aus dem Zoologischen Staatsinstitut und Zoologischen Museum Hamburg 64: 299–303.



- Nagy CG (1969c) Capcană automată pentru insecte zburătoare [Automatic trap for flying insects]. *Revista Muzeelor* 6(2): 149–151.
- Nagy CG (1969d) The female sex of *Mesa petiolaris* Mor. (Hymenoptera, Myzinidae). *Opuscula Zoologica Budapest* 9(2): 373–374.
- Nagy CG (1969e) (Noona Dan Papers No. 90.) A new Philippine species and taxonomic notes on *Bocchus* Ashmead (Hym., Dryinidae). *Entomologiske Meddelelser* 37: 321–326.
- Nagy CG (1969f) Evoluția rezervațiilor naturale Dobrogene [Evolution of the nature reserves in Dobruja]. *Ocotirea Naturii* 13(2): 201–205.
- Nagy CG (1969g, November 12) Considerations on the characters of living organisms. *Acta Biologica Academiae Scientiarum Hungaricae* 20(4): 351–357.
- Nagy CG (1969h, December 12) The taxon of the genus *Pseudotiphia* Ashm. (Hymenoptera, Tiphidae). *Reichenbachia* 12(13): 141–142.
- Nagy CG (1969i) Sur la sous-famille Mesitinae [sic] Berland (Hym., Bethyidae). *Lucrările Stațiunii de Cercetări Marine “Prof. Ioan Borcea” Agigea* 3: 275–300, 19 pl.
- Nagy CG (1970a) Apariția vieții sociale la Himenoptere [Emergence of social life in the Hymenoptera]. *Natura* 22(1): 78–79.
- Nagy KG (1970b, January) [Conservation of the nature – the central problem of our age.] *Korunk* 29(1): 65–66. (Hungarian)\*
- Nagy CG (1970c) Further records on Mesitinae [sic] (Hymenoptera: Bethyidae). *Acta Zoologica Academiae Scientiarum Hungaricae* 16(1–2): 205–208
- Nagy CG (1970d, March 31) The identity of the genera *Bruesia* Kieffer and *Dermasothos* Menozzi. *Revue de Zoologie et de Botanique Africaines, Tervuren* 81(1–2): 188–192.
- Nagy CG (1970e, May 15) Über die in Europa vorkommenden mikropterischen Bethyiden-Arten (Hym., Bethyidae). *Nachrichtenblatt der Bayerischen Entomologen* 18(4–6): 61–64.
- Nagy CG (1970f, June 25) Further investigations on the heterogynoid wasps. *Entomologische Mitteilungen aus dem Zoologischen Museum Hamburg* 4(69): 83–86.
- Nagy CG (1970g, June 25) Note on the *Ephuta* Say of America south of Mexico (Hymenoptera: Mutillidae). *Entomologische Mitteilungen aus dem Zoologischen Museum Hamburg* 4(69): 87–96.
- Nagy CG (1970h) [Comments on the taxonomy and nomenclature of the commonest European species of turtles (Testudinata).] *Búvár* 15 [“25”]: 204. [Hungarian]\*
- Nagy KG (1970i) Dobrudzsa védett területeinek fejlődési irányvonala [Trend of development of Dobrudja’s nature reserves]. *Állattani Közlemények* 57: 89–92. doi: 10.1002/mmz.19700460204
- Nagy CG (1970j) Contribution toward a revision of the European species of the genus *Epyris* Westw. (Hym., Bethyidae). *Mitteilungen aus dem Museum für Naturkunde in Berlin* 46(2): 265–272.
- Nagy CG (1970k) Ergebnisse der zoologischen Forschungen von Dr. Z. Kaszab in der Mongolei. 221. Scoiidae [sic] (Hymenoptera) (Results of the zoological expeditions of Dr. Z. Kaszab in Mongolia). *Annales Historico-Naturales Musei Nationalis Hungarici Pars Zoologica* 62: 321–324.
- Nagy CG (1971a) A new *Smicromyrme* species from Iran (Hym., Mutillidae). *Entomologische Mitteilungen aus dem Zoologischen Museum Hamburg* 4(72): 167–169.

- Nagy GC (1971b, April 1) First record of the Old World species of *Sierolomorpha* Ashm. (Hym., Heterogynoidea). Reichenbachia 13(27): 247–249.
- Nagy CG (1971c, July 25) Studies on the Ampulicidae (Hymenoptera). Bollettino della Società Entomologica Italiana 103(5–6): 103–107.
- Nagy CG (1971d) Beobachtungen über die Rolle der Insekten des Supralitorals im rumänischen Küstenbereich des Schwarzen Meeres. Cercetări Marine IRCM Constanța 2: 27–36.
- Móczár L, Nagy C, Okáli I, Osychniuk AZ & Szöllösi Gy (1972, January 31) Kárpát-medence Hymenoptera faunakatalógusainak (I–XXIV.) lelőhely jegyzéke (Cat. Hym. XXV.) [Directory of localities for the Catalogue of the Hymenopteran fauna (I–XXIV) of the Carpathian basin (Cat. Hym. XXV.)]. Folia Entomologica Hungarica Rovartani Közlemények (Series Nova) 25(7): 111–164.
- Nagy CG (1972a, February 20) Taxonomic remarks on Mesitinae [sic] (Hymenoptera, Bethyloidea). Memorie della Società Entomologica Italiana 51: 5–18.
- Nagy CG (1972b) Records on the genus *Smicromyrme* Thoms, from Greece (Hym., Mutillidae). Biologia Gallo-Hellenica 4(1): 27–31.
- Nagy CG (1972c) Two new species of Mutillidae (Hymenoptera) from Asia Minor and description of female *Mutilla erronea*. Bulletin of the Iraq Natural History Museum 5(2): 4–9.
- Nagy CG (1972d) Ord. Hymenoptera – Superfam. Heterogynoidea (l'Entomofaune du "Grind" de Caraorman, Delta du Danube). Travaux du Muséum National d'Histoire Naturelle "Grigore Antipa" 12: 159–165.
- Nagy CG (1972e) [Contributions to the knowledge of compositions, population dynamics and importance of the littoral fauna of Insects of the Romanian Black Sea coast.] Consfatuire Stiintifica Constantza, 111–112. [Romanian?]\*
- Nagy CG (1972f) Contributions à l'étude des insectes du supralittoral du secteur roumain de la Mer Noire. Cercetări Marine IRCM Constanța 3: 171–189.
- Nagy CGh (1973a) Contribuții la cunoașterea himenopterelor heterogine din regiunea Crișana [Contributions to the knowledge of heterogyne Hymenoptera from the district of Crisana]. Nymphaea 1: 31–34.
- Nagy KG (1973b, August) A hazai tatárok életéről [The domestic life of Tatars]. Korunk 32(8): 1241–1244.
- Nagy CG (1973c, October 31) Revisionary studies on the family Plumariidae Bischoff (Hymenoptera, Heterogynoidea). Folia Entomologica Hungarica Rovartani Közlemények (Series Nova) 26(Suppl.): 255–267.
- Nagy CG (1973d) La photoperiodicité de *Fucellia maritima* Hal. Diptera, Muscidae. Cercetări Marine IRCM Constanța 5–6: 355–357.
- Nagy CG (1974a) [Contributions to the study of Scolioida (Hymenoptera) from the fauna of Romania, from systematical, biological, ecological and economical viewpoints.] Summary of Doctor of Science Thesis, Universitatea "Alexandru Ioan Cuza" din Iași, The Publishing Center of the University, 1–23, 12 figs. [Romanian]\*
- Nagy CG (1974b, June 30) Bemerkungen zu der Szelenyi'schen Anschauung bezüglich Zoozönologie. Folia Entomologica Hungarica Rovartani Közlemények (Series Nova) 27(1): 145–153.

- Nagy CG (1974c, July 20) A new bethylid subfamily allied to Protopristocerinae (Hymenoptera Bethylidae). *Bollettino della Società Entomologica Italiana* 106(5–7): 126–129.
- Nagy CG (1974d, December 31) A new genus and species of Tiphiiidae (Hymenoptera) from Ethiopia. *Folia Entomologica Hungarica Rovartani Közlemények (Series Nova)* 27(2): 103–107.
- Nagy CG (1975a) Taxonomical studies on species of the genus *Icronatha* Nagy (Hymenoptera, Tiphiiidae). (With reference to two species new for the Greek fauna). *Biologia Gallo-Hellenica* 6(1): 9–19.
- Nagy CG (1975b) [Hymenoptera: Heterogynoidea, In: Monographic study of the fauna of “Iron Gate’s” area.] Edited by the Romanian Academy of Sciences, Bucharest, 181–187. [Romanian]\*
- Nagy CG (1975c, March) A new genus of Scolebythidae (Hymenoptera) from South Africa and Australia. *Journal of the Entomological Society of Southern Africa* 38(1): 75–78.
- Nagy CG (1975d) La reproduction du rotifere *Hexarthra fennica* pendant une période de pululation de *Xanthomonas lacustris*. *Rapports du Congrès de la Commission Internationale pour l’Exploration Scientifique de la Mer Méditerranée* 23(3): 95–96.
- Nagy CG (1975e) [Natural enemies of the giant garden snail *Helix pomatia* L. in orchards of Dobruja.] *Lucrările Stațiunii “Stejarul”, Ecologie Terestră și Genetică 1974–1975*: 25–26. (Romanian)\*
- Nagy CG (1976a) Redescription of *Epyris evanescens* Kieffer with notes on other *Epyris* Westw. species from Yugoslavia (Hymenoptera, Bethylidae). *Acta Entomologica Jugoslavica* 12(1–2): 5–10.
- Nagy CG (1976b, December) Bethylidae (Hymenoptera) parasitizing orchard caterpillars. *Revue Roumaine de Biologie (Série de Biologie Animale)* 21(2): 103–108.
- Nagy CG (1976c) [The life-giving water surface. A study of the Black Sea’s Hyponeuston.] *Búvár* 16 [“6”]: 254–259. [Hungarian]\*
- Nagy CG (1977a) [An exposure about my way, beliefs, dreams and possibilities toward science during the years at the college.] *Diakso* 11: 57–59. [Hungarian]\*
- Nagy CG (1977b) Observations sur la faune relicte, sarmato-pontique de la lagune Sinoë. *Rapports du Congrès de la Commission Internationale pour l’Exploration Scientifique de la Mer Méditerranée* 24(6): 83–84.
- Nagy KG (1977c) A vírus és a rák [The virus and cancer]. *Antenna: Dacia Könyvkiadó, Kolozsvár-Napoca*, 128 pp.\*
- Nagy CG (1977d) Notatka o šlimakach z laguny Sinoe Note on the snails from the Sinoe Lagoon. *Acta Hydrobiologica* 19(1): 89–92.
- Nagy CG (1977e) Studii asupra muștelor acaliptrate din Delta Dunării [Studies on acalyptrate flies in the Danube Delta] (Diptera, Muscidae Aclypstrateae [sic]). *Peuce* 5(Zoologie): 33–36.
- Nagy CG (1977f) Contribuții la cunoașterea himenopterelor heterogine din Delta Dunării [Contributions to the knowledge of heterogyne Hymenoptera of the Danube Delta] (Hymenoptera, Heterogynoidea). *Peuce* 5(Zoologie): 53–54.
- Nagy CG (1977g) Aspecte privind biologia dăunătorilor stufului și paraziților lor în Delta Dunării [Aspects of the biology of pests of the common reed and their parasites in the Danube Delta]. *Peuce* 5(Zoologie): 105–108.

- Nagy CG (1978a) [Study on the existing discrepancy between cultural niveau of the mass media and the universal patrimony of the human knowledge.] *Revista Mueveloedes* 10: 1–2. (Hungarian)\*
- Nagy CG (1978b) A fekete-tengeri árapály övezet rovarcönológiája [The Black Sea tidal zone insect coenology]. *Folia Entomologica Hungarica Rovartani Közlemények (Series Nova)* 31(2): 299–303.
- Nagy CG (1978c) [The species concept in parasitic Hymenoptera within the context of modern taxonomy.] In: Codreanu R (Ed.) *Probleme de Biologie Evoluționistă: Taxonomie și Speciație*. Ed. Académie Române, Bucharest, 117–122. [Romanian]\*
- Nagy KG (1979a, April) Környezetvédelem és marxi humanizmus [Environmental conservation and Marxist humanism]. *Korunk* 38(4): 250–254.
- Nagy CG (1979b) Cartographie floristique dans la lagune Sinoë. *Rapports du Congrès de la Commission International pour l'Exploration Scientifique de la Mer Méditerranée* 25/26(3): 179–180.
- Nagy CG (1980a) Rezervatia dunelor nisipoase de la Agigea. In: *Pontus Euxinus: Studii și Cercetări* [The sandy dune reserve of Agigea. In: Black Sea: studies and research]. Complexul Muzeal de Științe ale Naturii, Constanța, Vol. 1, 273–293.\*
- Nagy CG (1980b) Comparative zoobenthos investigations in the Histria and Nuntasi lakes during the period 1971–1976. *Cercetări Marine IRCM Constanța* 12: 175–181.\*
- Argaman Q (1986a, February [“1985”]) Taxonomy of Heterogynaidae (Hymenoptera: Aculeata). *Israel Journal of Entomology* 19: 7–12.
- Argaman Q (1986b) [A new *Maladera* in Israel (Coleoptera: Scarabaeidae)]. *Shappirit* 4: 41–46 (Hebrew), 67–68. [English]
- Mendel Z, Argaman Q (1986) Discovery of the southern pine beetle, *Dendroctonus frontalis*, in Israel. *Phytoparasitica* 14(4): 319–320. doi: 10.1007/BF02980738
- Argaman Q (1987a, July) Obituary, Hanan Bytinski-Salz (24 June 1903 – 25 October 1986). *Sphecos* 14: 17–18.
- Argaman Q (1987b, July) Forum: protecting insect collections from pests: what is the best approach? *Sphecos* 14: 23.
- Argaman Q (1987) *Sinoxylon anale* – a new destructive wood borer in Israel. *Phytoparasitica* 15(3): 257. doi: 10.1007/bf02979586
- Argaman Q, Mendel Z (1987) A representative of the family Scaphidiidae (Insecta: Coleoptera) in Israel. *Phytoparasitica* 15(3): 257–258. doi: 10.1007/BF02979586
- Argaman Q, Mendel Z (1988) Two new species of Rhipiphoridae (Insecta: Coleoptera) in Israel. *Phytoparasitica* 16(1): 63. doi: 10.1007/bf02979577
- Argaman Q (1988a) Generic synopsis of Sclerogibbidae. *Annales Historico-Naturales Musei Nationalis Hungarici* 80: 177–187.
- Argaman Q (1988b, September 20) A new subfamily of Bethylidae allied to Pristocerinae. *Bollettino della Società Entomologica Italiana* 120(2): 139–152.
- Argaman Q (1988c) Description of the female of *Ticopla*, with biological and taxonomic notes (Hymenoptera, Mutillidae). *Fragmenta Balcanica* 14(5): 33–46.
- Argaman Q, Or R (1988) First record of the family Heteroceridae (Insecta: Coleoptera) in Israel. *Phytoparasitica* 16(3): 283.

- Argaman Q (1989a, March ["1988"]) Additions to the cynipoid fauna of Israel (Hymenoptera, Cynipoidea). *Israel Journal of Entomology* 22: 109–117.
- Argaman Q (1989b, March) Notes on some western palaeartic Pristocerinae (Hymenoptera, Bethyilidae). *Revue Suisse de Zoologie* 96(1): 9–18.
- Argaman Q (1989c) [Family Dryinidae. In: Alon A (Ed.): Plants and Animals of the Land of Israel: An Illustrated Encyclopedia. Vol. 3 Kugler J (Ed.): Insects. p. 335.] [Hebrew]
- Argaman Q (1989d) [Family Bethyilidae. In: Alon A (Ed.): Plants and Animals of the Land of Israel: An Illustrated Encyclopedia. Vol. 3 Kugler J (Ed.): Insects. p. 335–336.] [Hebrew]
- Argaman Q (1989e) [Family Chrysididae. In: Alon A (Ed.): Plants and Animals of the Land of Israel: An Illustrated Encyclopedia. Vol. 3 Kugler J (Ed.): Insects. p. 336.] [Hebrew]
- Argaman Q (1989f) [Family Scoliidae. In: Alon A (Ed.): Plants and Animals of the Land of Israel: An Illustrated Encyclopedia. Vol. 3 Kugler J (Ed.): Insects. p. 337.] [Hebrew]
- Argaman Q (1989g) [Family Tiphidae. In: Alon A (Ed.): Plants and Animals of the Land of Israel: An Illustrated Encyclopedia. Vol. 3 Kugler J (Ed.): Insects. p. 338.] [Hebrew]
- Argaman Q (1989h) [Family Myzinidae. In: Alon A (Ed.): Plants and Animals of the Land of Israel: An Illustrated Encyclopedia. Vol. 3 Kugler J (Ed.): Insects. p. 338–339.] [Hebrew]
- Argaman Q (1989i) [Family Mutillidae. In: Alon A (Ed.): Plants and Animals of the Land of Israel: An Illustrated Encyclopedia. Vol. 3 Kugler J (Ed.): Insects. p. 339.] [Hebrew]
- Argaman Q, Klein Z, Ben-Dov Y, Mendel Z (1989) [*Frankliniella occidentalis* (Thysanoptera: Thripidae), an injurious intruder.] *Hassadeh* 69(4): 1268–1269 [Hebrew].
- Argaman Q (1990a) A synopsis of *Perilampus* Latreille with descriptions of new genera and species (Hymenoptera: Perilampidae), I. *Acta Zoologica Hungarica* 36(3–4): 189–263.
- Argaman Q & Mendel Z (1991) [Damages to fruit trees caused by web-spinners (Insecta: Embioptera).] *Alon HaNotea* 1: 29–30. [Hebrew].
- Argaman Q, Mendel Z (1991, January) Damage by web-spinners (Insecta: Embioptera) in Israel. *Tropical Pest Management* 37(1): 101.
- Argaman Q, Wysoki M (1991, January) The flower-eating *Gymnoscelis* (Lep. Geometridae) in Israel. *Tropical Pest Management* 37(2): 185.
- Argaman Q (1991a) A synopsis of *Perilampus* Latreille with descriptions of new genera and species (Hymenoptera: Perilampidae), II. *Acta Zoologica Hungarica* 37(1–2): 1–19.
- Argaman Q (1991b, March ["1990"]) Redescription of *Maladera matrida* Argaman (Coleoptera: Scarabaeidae: Melolonthinae). *Israel Journal of Entomology* 24: 21–27.
- Argaman Q (1991c, March ["1990"]) Generic synopsis of Sierolomorphidae (Hymenoptera). *Israel Journal of Entomology* 24: 29–33.
- Argaman Q. (1991d ["1990"]) A new predaceous noctuid for Israel (Lepidoptera Noctuidae). *Alexanor* 16(7): 394.
- Argaman Q, Orousset J, Casevitz-Weulersse J (1991 ["1990"]) New pristocerine species for the fauna of France (Hym. Bethyilidae Pristocerinae). *Entomologica Gallica* 2(3): 151–153.
- Samish M, Argaman Q, Perelman D (1991) [Hide beetles attacking living turkeys in poultry houses.] *Mesheq HaOfot* 11: 70–71. [Hebrew]
- Samish M, Argamann O [sic] (1991) [*Alphitobius diaperinus* beetles, a pest in poultry houses.] *Hassadeh* 72: 387–389. [Hebrew]

- Argaman Q, Özbek H (1992) Reclassification of Tiphidae (Hymenoptera, Aculeata) with description of a new subfamily from Turkey. *Türkiye Entomoloji Dergisi* 16(1): 3–12.
- Ben-Yehuda S, Izhar Y, Wysoki M, Argaman Q (1992) [Damages caused by *Lobesia botrana* to pear fruits in Israel.] *Alon HaNorea* 9: 603–606. [Hebrew]
- Argaman Q (1992, March 15) *Parasierola swirskiana* n. sp. (Hymenoptera: Bethyidae), from the lesser date moth, *Batrachedra amydraula* Meyrick (Lepidoptera: Batrachedridae). *Israel Journal of Entomology* 25–26: 195–198.
- Samish M, Argaman Q, Perelman D (1992, March) Research note: The hide beetle, *Dermestes maculatus* DeGeer (Dermestidae), feeds on live turkeys. *Poultry Science* 71(2): 388–390.
- Ben-Yehuda S, Izhar Y, Wysoki M, Argaman Q (1993, April) The grape berry moth, *Lobesia botrana* Denis & Schiffermueller (Lepidoptera: Tortricidae), in pear orchards in Israel. *International Journal of Pest Management* 39(2): 149–151.
- Gokkes M, Friedberg A, Klein T, Argaman Q (1993a) [Intrudens leafminer, a new pest of flowers and ornamentals.] *Informational Leaflet, Flower Marketing Board, Israel* 2: 30. [Hebrew]\*
- Gokkes M, Friedberg A, Klein T, Argaman Q (1993b) [The South American leafminer, *Liriomyza huidobrensis*, a new polyphagous pest in Israel.] *Hassadeh* 74: 194–195. [Hebrew]\*
- Argaman Q (1993, June 1) Ricerche zoologiche della nave oceanografica “Minerva” (C.N.R.) sulle isole circumsarde. XVI. A taxonomic study of Sclerogibbidae especially from the circumsardinian islands. *Annali del Museo Civico di Storia Naturale “Giacomo Doria”* 89: 537–553.
- Achterberg C van, Argaman Q (1993, July 30) *Kollasmosoma* gen. nov. and a key to the genera of the subfamily Neoneurinae (Hymenoptera: Braconidae). *Zoologische Mededelingen* 67(5): 63–74.
- Argaman Q (1994a) Generic synopsis of Apterogyninae (Hymenoptera: Apterogynidae). *Folia Entomologica Hungarica Rovartani Közlemények* 55: 41–58.
- Argaman Q (1994b) Generic synopsis of Myzinidae (Hymenoptera: Scoliidea). *Annales Historico-Naturales Musei Nationalis Hungarici* 86: 85–104.
- Argaman Q, Özbek H (1996) A contribution to the knowledge of the eastern Mediterranean Myzinidae I. Subfamily Mesinae Hymenoptera, Aculeata. *Türkiye Entomoloji Dergisi* 20(4): 245–250.
- Argaman Q (1996) Generic synopsis of Scoliidae (Hymenoptera, Scoliidea). *Annales Historico-Naturales Musei Nationalis Hungarici* 88: 171–222.
- Halperin J, Argaman Q (2000) Annotated list of Buprestidae (Coleoptera) and their host plants of Israel. *Zoology in the Middle East* 20(1): 99–116. doi: 10.1080/09397140.2000.10637819
- Argaman Q, Klein Z (2001) The identity of the silverleaf whitefly. In: Abstracts of presentations at the 18th conference of the Entomological Society of Israel. *Phytoparasitica* 29(1): 75.
- Hamburger M, Zarabi L, Weiss M, Argaman Q, Kuslitzky W, Klein Z (2001) False codling moth (*Cryptophlebia leucotreta*) in Israel. In: Abstracts of presentations at the 18th conference of the Entomological Society of Israel. *Phytoparasitica* 29(1): 84.
- Argaman Q (2002) A new family of the most primitive parasitic aculeate [sic] (Hymenoptera: Aculeata). pp 111–116. In: *Parasitic Wasps: Evolution, Systematics, Biodiversity and Biological Control*, Melika G, Thurbczy C eds., Agroiinform, Budapest, xx + 480 pp.
- Argaman Q (2003) Generic synopsis of Mesitinae [sic] Kieffer, 1914 (Hymenoptera: Bethyidae). *Entomofauna Zeitschrift für Entomologie* 24(4): 61–95.

## Acknowledgements

This paper was made possible by the support and assistance of David Furth. Additional information and support was provided by Celso Azevedo, Ioana Ciumasu, Chris Darling, Laibale Friedman, Liat Gidron, Venczel Márton, George Melika, Svetlana Nikolaeva, Michael Ohl, Jenő Papp, Roberto Poggi, Zoltán Vas and George Waldren. We also thank the reviewers, Volker Lohrman and Wojciech Pulawski, for their useful suggestions. Additionally, thanks to the staff at the Steinhardt Museum of Natural History, Amnon Freidberg, Laibale Friedman, Moshe Guershon and Netta Dorchin, who are taking care of the Argaman collection.

## References

- Ahrens D (2000) Sericinae (Coleoptera: Scarabaeoidea: Melolonthidae) of Arabia. *Fauna of Arabia* 18: 177–210.
- Azevedo CO, Lanes GO (2009) Cladistic assessment and redescription of *Galodoxa torquata* Nagy (Hymenoptera, Bethyridae), a striking species with swallow tailed metasomal sternite. *Zoologische Mededelingen* 83(28): 841–851.
- Bequaert J (1926) The date of publication of the Hymenoptera and Diptera described by Guérin in Duperrey's "Voyage de La Coquille". *Entomologische Mitteilungen* 15(2): 186–195.
- Betrem [JG] (1926) Verslag [opmerkingen over Scoliiden]. *Tijdschrift voor Entomologie* 69(1): XII–XIV.
- Bohart RM, Menke AS (1976) Sphecid Wasps of the World, A Generic Revision. Berkeley, Los Angeles & London, 695 pp.
- Boni Bartalucci M (2001 ["1999"]) Second contribution to the knowledge of the Old World Myzininae (Hymenoptera: Tiphidae). *Annali del Museo Civico di Storia Naturale "G. Doria"* 93: 1–56.
- Boni Bartalucci M (2004a, November 30) Tribe-groups of the Myzininae with special regard to the Palearctic taxa of the tribe Meriini (Hymenoptera, Tiphidae). *Linzer Biologische Beiträge* 36(2): 1205–1308.
- Boni Bartalucci M (2004b) Third contribution to the knowledge of the Old World Myzininae (Hymenoptera, Tiphidae). *Annali del Museo Civico di Storia Naturale "G. Doria"* 96: 362–428.
- Boni Bartalucci M (2011) Myzininae of the Old World. The subtribe Braunsomeriina (Hymenoptera: Tiphidae). *Linzer Biologische Beiträge* 42(1): 363–380.
- Bradley JC (1959) The Scoliidae of Africa. *Annals of the Transvaal Museum* 23(4): 331–362.
- Bradley JC (1964) The type-specimens of the Scoliidae described by Amédee [sic] Lepeletier, Comte de Saint-Fargeau (with notes by J.G. Betrem) and by the Marchese Massimiliano Spinola. *Annali del Museo Civico di Storia Naturale "Giacomo Doria"* 74: 186–196.
- Bradley JC, Betrem JG (1966) Burmeister's work on Scoliidae with especial reference to types and synonymy (Hymenoptera: Scoliidae). *Beiträge zur Entomologie* 16(1/2): 73–84.

- Darling DC (1996) Generic concepts in the Perilampidae (Hymenoptera: Chalcidoidea): an assessment of recently proposed genera. *Journal of Hymenoptera Research* 5: 100–130.
- Elliott MG (2011) Annotated catalogue of the Australian Scoliidae (Hymenoptera). *Technical Reports of the Australian Museum, Online* 22: 1–17. doi: 10.3853/j.1835-4211.22.2011.1562
- Gordh G, Móczár L (1990) A catalog of the world Bethyridae (Hymenoptera: Aculeata). *Memoirs of the American Entomological Institute* 46: 1–364.
- Guérin-Méneville FC (1838) Genre SCOLIE, *Scolia* Fabr. In: Duperrey MLI (Ed.) *Voyage autour du Monde, exécuté par Ordre du Roi, sur la corvette de Sa Majesté, La Coquille, pendant les années 1822, 1823, 1824 & 1825. Zoologie (Paris)* 2(2, Division 1): 246–255.
- Hamon J (1993) Observations sur *Scolia (Scolia) galbula* (Pallas, 1771), *Scolia (Scolia) fallax* Eversmann, 1849 et *Scolia (Discolia) hirta* (Schrank, 1781) (Hymenoptera, Scoliidae). *Nouvelle Revue d'Entomologie (Nouvelle Série)* 10(1): 87–96.
- International Commission on Zoological Nomenclature (ICZN) (1987, June) OPINION 1445. HETEROGYNIDAE Rambur, 1866 (Insecta, Lepidoptera) and HETEROGYNIDAE Nagy, 1969 (Insecta, Hymenoptera): a ruling to remove the homonymy. *Bulletin of Zoological Nomenclature* 44(2): 150–151.
- Jacot-Guillarmod CF, Bradley JC, Betrem JG (1963) *Ascoli* Guérin-Méneville [sic], 1839 and *Ascoli* Betrem, 1926 (Insecta, Hymenoptera): proposed rejection as unavailable. *Z.N.(S.)* 1176. *Bulletin of Zoological Nomenclature* 20(4): 294–295.
- Kimsey LS (2009) Taxonomic purgatory: sorting out the wasp genus *Myzinum* Latreille in North America (Hymenoptera, Tiphidae, Myzininae). *Zootaxa* 2224: 30–50.
- Lelej AS, Kabakov ON (1980) [On Bradynobaenidae and Mutillidae (Hymenoptera) of Afghanistan.] *Entomologicheskoe Obozrenie* 59(1): 181–196. [In Russian; English translation 1981, *Entomological Review* 59: 141–156]
- Lelej AS (2002) *Catalogue of the Mutillidae (Hymenoptera) of the Palearctic region. Vladivostok, Dalnauka*, 171 pp.
- Melo GAR (1999) Phylogenetic relationships and classification of the major lineages of Apoidea (Hymenoptera), with emphasis on the crabronid wasps. *Scientific Papers, Natural History Museum, the University of Kansas* 14: 1–55.
- Menke AS (Ed.) (1980) Address changes: Carol G. Nagy. *Sphecos* 3: 35.
- Menke AS (Ed.) (1981) Help needed. *Sphecos* 4: 2.
- Menke AS (Ed.) (1982) People in the news: Qabir Argaman (formerly Carol Nagy Grosman). *Sphecos* 5: 6.
- Menke AS (Ed.) (1987) Research news: Qabir Argaman. *Sphecos* 14: 3.
- Mitchell A, Brothers DJ (1998) Revision and cladistic analysis of the Afrotropical genus *Areotilla* Bischoff (Hymenoptera: Mutillidae: Ticoplinae). *African Entomology* 6(2): 193–214.
- Mitchell A, Brothers DJ (2002) Phylogeny of the genera of Ticoplinae (Hymenoptera: Mutillidae). *Journal of Hymenoptera Research* 11(2): 312–325.
- Morawitz F (1896, May 26 [“1897”]) Ueber einige transcaspische Raubwespen. *Horae Societatis Entomologicae Rossicae* 30: 144–160.



- Olmi M (2005 [“2003–2004”]) A revision of the world Sclerogibbidae (Hymenoptera Chrysi-  
doidea). *Frustula Entomologica, Nuova Serie* 26–27(39–40): 46–193.
- Oshanin B (1910) Tables générales des publications de la Société Entomologique de Russie  
ainsi que des articles, des synopsis et des formes nouvelles y contenues. *Horae Societatis  
Entomologicae Rossicae* 8(Suppl.): 1–282.
- Osten T (1997) Zur Taxonomie von *Scolia* (*Discolia*) *mongolina* Nagy, 1970 und *Scolia* (*Scolia*)  
*incana* Nagy, 1970 (Hymenoptera, Scoliidae). *Entomofauna Zeitschrift für Entomologie*  
18(31): 513–520.
- Osten T (2002) Beitrag zur Kenntnis der Scoliidenfauna von Israel (Hymenoptera, Scoliidae).  
*Entomofauna Zeitschrift für Entomologie* 23(28): 337–352.
- Osten T (2005) Checkliste der Dolchwespen der Welt (Insecta: Hymenoptera, Scoliidae). *Bericht  
der Naturforschenden Gesellschaft Augsburg* 62: 1–62.
- Pagliano G (2002) Revisione della sottofamiglia Apterogyninae (Hymenoptera: Bradynobaenidae).  
*Museo Regionale di Scienze Naturali di Torino, Monografie* 34: 1–388.
- Perrichot V, Nel A (2008) Eocene bethylid wasps from French amber (Hymenoptera: Bethyli-  
dae). *Neues Jahrbuch für Geologie und Paläontologie Abhandlungen* 248(1): 91–101. doi:  
10.1127/0077-7749/2008/0248-0091
- Romano M (2012) *Nanomutilla vaucheri* in Sardegna, prima segnalazione per l’Italia (Hyme-  
noptera Mutillidae). *Bollettino della Società Entomologica Italiana* 144(1): 23–27. doi:  
10.4081/BollettinoSEI.2012.23
- Saussure H de, Sichel J (1864) *Catalogue des espèces de l’ancien genre Scolia, contenant les  
diagnoses, les descriptions et la synonymie des espèces, avec des remarques explicatives et  
critiques*. Geneva & Paris, 350 pp., 2 pl.
- Turner RE (1912) Studies in the fossorial wasps of the family Scoliidae, subfamilies Elidinae  
and Anthoboscinae. *Proceedings of the Zoological Society of London* 1912(3): 696–754,  
pl. LXXXI–LXXXIII.
- Yildirim E, Boni Bartalucci M (2009) Tiphidae (Hymenoptera, Aculeata) of Turkey. *Linzer  
Biologische Beiträge* 41(2): 2051–2065.

## Appendix I

New taxa described and new names proposed by Argaman/Nagy. It has not been possible to check the accuracy of all of Argaman/Nagy's type designations, so the information on these is derived directly from his publications. Synonymies have been indicated where known to us; some may, however, have been missed, so this listing should not be considered authoritative.

### Order Hymenoptera

#### Family Ampulicidae

Species:

*Chlorampulex sciophanes* Nagy, 1971c: 104. Holotype male; Formosa (Taiwan): Takao (Nagy Coll.). =*Ampulex sciophanes* (Nagy). Transferred by Bohart & Menke (1976: 78).

*Dolichurus alorus* Nagy, 1971c: 106. Holotype male; Formosa (Taiwan): Taihorin (Nagy Coll.).

*Dolichurus dromedarius* Nagy, 1971c: 106. Holotype male; Formosa (Taiwan): Takao (Nagy Coll.).

*Dolichurus ombrodes* Nagy, 1971c: 106. Holotype male; Formosa (Taiwan): Taihorin (Nagy Coll.).

*Dolichurus oxanus* Nagy, 1971c: 107. Holotype male; Celebes (Sulawesi): Bua-Kraeng (Nagy Coll.).

#### Family Bradynobaenidae, Subfamily Apterogyninae [treated as Family Apterogynidae by Argaman]

Tribe: Doryleikini Argaman, 1994a: 45. Type genus: *Doryleika* Argaman, 1994. =Apterogyninae André, 1899. Synonymy implied by Pagliano (2002) in not recognizing higher taxa within Apterogyninae.

Tribe: Gynecapterini Argaman, 1994a: 46. Type genus: *Gynecaptera* Skorikov, 1935. =Apterogyninae André, 1899. Synonymy implied by Pagliano (2002) in not recognizing higher taxa within Apterogyninae.

Tribe: Icalanticini Argaman, 1994a: 47. Type genus: *Icalantica* Argaman, 1994. =Apterogyninae André, 1899. Synonymy implied by Pagliano (2002) in not recognizing higher taxa within Apterogyninae.

Tribe: Pauxorculini Argaman, 1994a: 48. Type genus: *Pauxorcula* Argaman, 1994. =Apterogyninae André, 1899. Synonymy implied by Pagliano (2002) in not recognizing higher taxa within Apterogyninae.

Genus: *Doryleika* Argaman, 1994a: 46. Type species: *Doryleika mahunkai* Argaman, 1994. =*Macroocula* Panifilov, 1954. Synonymized by Pagliano (2002: 125).

Genus: *Icalantica* Argaman, 1994a: 48. Type species: *Apterogyna lateritia* Morawitz, 1890. =*Apterogyna* Latreille, 1809. Synonymized by Pagliano (2002: 26).

Genus: *Micatagla* Argaman, 1994a: 45. Type species: *Apterogyna schultzei* André, 1909.

Genus: *Mutillariola* Argaman, 1994a: 47. Type species: *Apterygyna bimaculata* André, 1898. = *Gynecaptera* Skorikov, 1935. Synonymized by Pagliano (2002: 101).

Genus: *Pauxorcula* Argaman, 1994a: 49. Type species: *Apterogyna bulawayona* Peringuey, 1914. = *Micatagla* Argaman, 1994. Synonymized by Pagliano (2002: 204).

Genus: *Utapitoca* Argaman, 1994a: 48. Type species: *Apterogyna latreillei* Klug, 1829. = *Apterogyna* Latreille, 1809. Synonymized by Pagliano (2002: 26).

Genus: *Zarabayca* Argaman, 1994a: 49. Type species: *Apterogyna miniaticornis* Enderlein, 1901. = *Apterogyna* Latreille, 1809. Synonymized by Pagliano (2002: 26).

Species:

*Doryleika mahunkai* Argaman, 1994a: 51. Holotype male; Tunisia: Boughrara (Budapest, confirmed). = *Macroocula mahunkai* (Argaman). Transferred by Pagliano (2002: 160).

## Family Bethyridae

Subfamily: Afgoiogfinae Argaman, 1988b: 140. Type genus: *Afgoiogfa* Argaman, 1988. = *Pristocerinae* Dalla Torre, 1898. Synonymy implied by Gordh & Moczar (1990: 198) in placing *Afgoiogfa* Argaman in *Pristocerinae*.

Subfamily: Galodoxinae Nagy, 1974c: 126. Type genus: *Galodoxa* Nagy, 1974. = *Epyrinae* Kieffer, 1914. Synonymized by Azevedo & Lanes (2009: 847).

Subfamily: Protopristocerinae Nagy, 1974c: 126. Type genus: *Protopristocera* Brues, 1923. = *Pristocerinae* Dalla Torre, 1898. Synonymy implied by Perrichot & Nel (2008: 101) in placing *Protopristocera* Brues in *Pristocerinae*.

Tribe: Domonkosini Argaman, 2003: 66, 79. Type genus: *Domonkos* Argaman, 2003. = *Mesitiinae* Kieffer, 1914. Synonymy implied by Gordh & Moczar (1990) in not recognizing higher taxa within *Mesitiinae*.

Tribe: Heterocoeliini Argaman, 2003: 66, 67. Type genus: *Heterocoelia* Dahlbom, 1854. = *Mesitiinae* Kieffer, 1914. Synonymy implied by Gordh & Moczar (1990) in not recognizing higher taxa within *Mesitiinae*.

Tribe: Triglenusini Argaman, 2003: 66, 72. Type genus: *Triglenus* Marshall, 1905. = *Mesitiinae* Kieffer, 1914. Synonymy implied by Gordh & Moczar (1990) in not recognizing higher taxa within *Mesitiinae*.

Genus: *Afgoiogfa* Argaman, 1988b: 141. Type species: *Afgoiogfa olmiana* Argaman, 1988.

Genus: *Botoryan* Argaman, 2003: 66, 69. Type species: *Mesitius discolor* Nagy, 1968.

Genus: *Clytrovorus* Nagy, 1972a: 10. Type species: *Mesitius horvathi* Kieffer, 1906.

Genus: *Codorcas* Nagy, 1972a: 10. Type species: *Mesitius cursor* Kieffer, 1906.

Genus: *Domonkos* Argaman, 2003: 67, 79. Type species: *Mesitius capensis* Kieffer, 1911.

Genus: *Galodoxa* Nagy, 1974c: 126. Type species: *Galodoxa torquata* Nagy, 1974.

- Genus: *Gerbekas* Argaman, 2003: 66, 71. Type species: *Mesitius carcelii* Westwood, 1874.
- Genus: *Hamusmus* Argaman, 2003: 66, 72. Type species: *Mesitius punctatus* Kieffer, 1906
- Genus: *Itapayos* Argaman, 2003: 67, 77. Type species: *Mesitius spinosus* Kieffer, 1906.
- Genus: *Topcobius* Nagy, 1972a: 17. Type species: *Mesitius punctaticollis* Fouts, 1930.
- Genus: *Ukayakos* Argaman, 2003: 66, 68. Type species: *Mesitius obscurus* Kieffer, 1906.
- Genus: *Zimankos* Argaman, 2003: 67, 80. Type species: *Mesitius alluaudi* Kieffer, 1913.
- Species:
- Afgoioffa olmiana* Argaman, 1988b: 143. Holotype male; Somalia: Afgoi (Pagliano Coll.).
- Bethylus antipai* Nagy, 1968h: 1033. Holotype male; Romania: Bistrița, Station de Recherches Biologiques d'Arcalia (Nagy Coll.).
- Bethylus paradoxus* Nagy, 1970e: 63. Holotype female; Romania: Cluj, Finașele Clujului (Nagy Coll.)
- Dissomphalus claudivani* Argaman, 1989b: 9. Holotype female; Israel: Galilea, below Safad (Geneva).
- Epyris carbunculus* Nagy, 1970j: 267. Holotype male; Romania: Agigea (Tel Aviv [Nagy Coll.], confirmed).
- Galodoxa torquata* Nagy, 1974c: 127. Holotype female; Philippines: Palawan, Mantalingajan, Pinigisan 600m (Copenhagen, confirmed).
- Holepyris napocaensis* Nagy, 1968g: 409. Holotype male; Romania: Cluj (Nagy Coll.)
- Mesitius andriescui* Nagy, 1970c: 207. Holotype female; Morocco: "Tanger" (Geneva).
- Mesitius bridwelli* Nagy, 1968a: 170. Holotype female; Nigeria: Lagos (Washington, confirmed).
- Mesitius caspicus* Nagy, 1969i: 291. Holotype female; "Umgebung des Kaspischen Meeres" (Paris, confirmed).
- Mesitius cerasinus* Nagy, 1970c: 208. Holotype female; Morocco: "Maroc" (Geneva).
- Mesitius clavicornis* Nagy, 1968a: 173. Holotype female: India (Nagy Coll., Tel Aviv, confirmed).
- Mesitius concii* Nagy, 1972a: 8. Holotype male; Spain: "Palma de Mallorca" (Nagy Coll.).
- Mesitius discolor* Nagy, 1968a: 174. Holotype male; Country?: "Arallan or Arauan" (Washington).
- Mesitius foenarius* Nagy, 1968a: 171. Holotype female; Romania: Cluj (Nagy Coll.).
- Mesitius kiefferi* Nagy, 1970g: 205. Holotype male; Algeria: Bildah-Médéah (Berlin).

- Mesitius krombeini* Nagy, 1968a: 175. Holotype male; India: Mangalore (Washington).
- Mesitius moczari* Nagy, 1968a: 172. Holotype female; Afghanistan: Kandahar-Kuna (Budapest).
- Mesitius orcus* Nagy, 1972a: 9. Holotype male; Israel: "Palestina" (Nagy Coll.).
- Mesitius viator* Nagy, 1968a: 171. Holotype female; Russia: Sarepta (Berlin, confirmed).
- Parascleroderma csnora* Argaman, 1988b: 147. Holotype male; West Bank: Bethlehem, Wadi-Tekoa (Argaman Coll.)
- Parascleroderma fiturcata* Argaman, 1988b: 150. Holotype male; Italy: Napoli, Volcano Stromboli (Argaman Coll.)
- Parascleroderma hindola* Argaman, 1988b: 151. Holotype male; Israel: Tell-Zakarja Junction (Argaman Coll.)
- Parascleroderma norcasta* Argaman, 1988b: 147. Holotype male; Italy: Liguria, Savona (Argaman Coll.)
- Parascleroderma oriana* Argaman, 1988b: 148. Holotype male; Israel: Hawwat Eden (Argaman Coll.)
- Parascleroderma varlinda* Argaman, 1988b: 148. Holotype male; Israel: Sharon Plain, Hofit, Nahal Alexander (Argaman Coll.)
- Parasierola swirskiana* Argaman, 1992: 195. Holotype female; Israel: Central coastal plain, Mikhmoret, Miramare hotel garden (Tel Aviv, confirmed).
- Sulcomesitius hilarius* Nagy, 1972a: 16. Holotype female; Ethiopia: "N. Galla, Aberasch" (Tel Aviv [Nagy Coll.], confirmed).
- Subspecies:
- Mesitius africanus lugubris* Nagy, 1970c: 207. Holotype female; Morocco: Tangier (Geneva).

### Family Braconidae

Genus: *Kollasmosoma* Achterberg & Argaman, 1993: 64, 66. Type species: *Elasmosoma platamonense* Huddleston, 1976.

### Family Dryinidae

Species:

- Bocchus scobiolae* Nagy, 1967e: 334. Holotype female; Romania: Agigea, Dobroudja (Tel Aviv, confirmed).
- Bocchus pedunculatus* Nagy, 1969e: 323. Holotype male; Philippines: Palawan, Pinigisan, Mantalingajan (Copenhagen, confirmed).

**Family: Heterogynaidae Nagy, 1969b: 299.** [Emended from Heterogynidae by ICZN (1987), nec Heterogynidae, Lepidoptera]. Type genus: *Heterogyna* Nagy, 1969.

Genus: *Daycatinca* Argaman, 1986a: 7. Type species: *Heterogyna fantsilotra* Day, 1984. =*Heterogyna* Nagy, 1969. Synonymized by Melo (1999: 34).

Genus: *Heterogyna* Nagy, 1969b: 300. Type species: *Heterogyna protea* Nagy, 1969.

Species:

*Heterogyna kugleri* Argaman, 1986a: 8. Holotype female; Israel: Nazareth (Argaman Coll.).

*Heterogyna protea* Nagy, 1969b: 300. Holotype male; Greece: Rhodes, Ixia (Nagy Coll.?).

**Family: Kislevidae Argaman, 2002.** Type genus: *Kisleva* Argaman, 2002.

Genus: *Kisleva* Argaman, 2002: 112. Type species: *Kisleva ohalona* Argaman, 2002.

Species:

*Kisleva ohalona* Argaman, 2002: 112. Holotype subfossil head; Israel: Galilee, Locus No. 1, Ohalo II excavation (Bar Ilan).

**Family Mutillidae**

Subfamily: Ticoplinae Nagy, 1970f: 84. Type genus: *Ticopla* Nagy, 1970.

Tribe: Smicromyrmillini Argaman, 1988c: 36. Type genus: *Smicromyrmilla* Suárez, 1965.

Tribe: Ticoplini Nagy, 1970f: 84. Type genus: *Ticopla* Nagy, 1970.

Genus: *Ticopla* Nagy, 1970f: 85. Type species: *Ticopla yoca* Nagy, 1970. =*Nanomutilla* André, 1900. Synonymized by Mitchell and Brothers (1998: 193 & 2002: 313).

Subgenus: *Arcasina* Nagy, 1970g: 88, 95. Type species: *Ephuta (Arcasina) chendisa* Nagy, 1970.

Subgenus: *Rhombotilla* Nagy, 1966a: 113. Type species: *Smicromyrme (Rhombotilla) riparia* Nagy, 1966.

Species:

*Dolichomutilla cribraria* Nagy, 1968b: 147. Holotype female; Sudan: Khartoum ("Chartoum") (Cluj?).

*Ephuta (Arcasina) chendisa* Nagy, 1970g: 88, 96. Holotype male; Surinam (Nagy Coll.).

*Ephuta (Ephuta) anephuta* Nagy, 1970g: 88, 92. Holotype female; Brazil: Santa Catarina, Boiteuxburgo (Hamburg).

*Ephuta (Ephuta) bilunata* Nagy, 1970g: 87, 89. Holotype female; Brazil: São Paulo, Estancio Mayrink (Hamburg).

*Ephuta (Ephuta) buftex* Nagy, 1970g: 88, 91. Holotype female; Brazil: São Paulo, Estancio Mayrink (Hamburg).

*Ephuta (Ephuta) bulmaca* Nagy, 1970g: 88, 93. Holotype male; Brazil: São Paulo, Estancio Mayrink (Hamburg).

*Ephuta (Ephuta) cumba* Nagy, 1970g: 88, 90. Holotype female; Brazil: Rio de Janeiro, Petropolis (Hamburg).

*Ephuta (Ephuta) dorida* Nagy, 1970g: 88, 93. Holotype male; Costa Rica: "Pacific-Seite" (Hamburg).

- Ephuta (Ephuta) elanora* Nagy, 1970g: 88, 94. Holotype male; Costa Rica: San José de Costa Rica (Hamburg).
- Ephuta (Ephuta) minerva* Nagy, 1970g: 88, 93. Holotype male; Brazil: São Paulo, Estancio Mayrink (Hamburg).
- Ephuta (Ephuta) novacula* Nagy, 1970g: 88, 90. Holotype female; Brazil: São Paulo (Nagy Coll.).
- Ephuta (Ephuta) olma* Nagy, 1970g: 88, 92. Holotype male; Brazil: Rio Grande do Sul, Santa Cruz (Hamburg).
- Ephuta (Ephuta) serapia* Nagy, 1970g: 89, 95. Holotype male; Costa Rica: “Pacific-Seite” (Hamburg).
- Ephuta (Ephuta) sicona* Nagy, 1970g: 87, 89. Holotype female; Ecuador: Guyaquil (Nagy Coll.).
- Ephuta (Ephuta) verbena* Nagy, 1970g: 89, 94. Holotype male; Costa Rica: San José de Costa Rica (Hamburg).
- Ephuta (Ephuta) weidneri* Nagy, 1970g: 87, 89. Holotype female; Brazil: São Paulo (Hamburg).
- Ephuta (Ephuta) yarasirda* Nagy, 1970g: 88, 92. Holotype male; Argentina: District Mendoza (Hamburg).
- Myrmilla atalanta* Nagy, 1967b:52. Holotype male; Romania: Dobroucha, “dunes maritimes d’Agigea” (Nagy Coll.). =*Myrmilla (Pseudomutilla) atalanta* Nagy. Subgenus specified by Lelej (2002: 36).
- Myrmilla labecua* Nagy, 1968c: 68. Holotype female; Romania: Cluj (Nagy Coll.).
- Myrmilla macrura* Nagy, 1968c: 65. Holotype female; Romania: Cluj (Nagy Coll.).
- Nanomutilla nadae* Argaman, 1988c: 38. Holotype female; south Spain (Argaman Coll.). Spelling of specific name fixed by Mitchell & Brothers (2002: 313).
- Smicromyrme borceai* Nagy, 1968f: 220. Holotype female; Romania: Agigea (Nagy Coll.). Placed in subgenus *Erimyrme* Lelej, 1985 by Lelej (2002: 68).
- Smicromyrme (Edrionotus) ursina* Nagy, 1972c: 4. Holotype female; Turkey: Ankara, Salt Lake (Tuz-Gölü) (Nagy Coll.). =*Dentilla ursina* (Nagy). Transferred by Lelej & Kabakov (1980: 195).
- Smicromyrme (Rhombotilla) riparia* Nagy, 1966a: 115. Holotype female; Romania: Agigea (Nagy Coll.).
- Smicromyrme (Rhombotilla) vinuta* Nagy, 1972c: 5. Holotype male; Afghanistan, Kabul vicinity (Nagy Coll.). =*Promecilla vinuta* (Nagy). Transferred by Lelej & Kabakov (1980: 192).
- Smicromyrme (Smicromyrme) terricola* Nagy, 1972b: 29. Holotype female; Greece: “Nea Peramos” (Nagy Coll.). Considered incertae sedis by Lelej (2002: 79).
- Smicromyrme (Smicromyrme) tumidula* Nagy, 1972b: 27. Holotype female; Greece: “Parnals” (Nagy Coll.). Considered incertae sedis by Lelej (2002: 79).

*Smicromyrme* (*Smicromyrme*) *weidneri* Nagy, 1971a:167. Holotype female: Iran ("Persien") (Hamburg, confirmed). = *Dentilla weidneri* (Nagy). Transferred by Lelej & Kabakov (1980: 195).

*Ticopla parila* Nagy, 1970f: 85. Holotype male; Jordan: Amman (Nagy Coll.). = *Nanomutilla parila* (Nagy). Transfer implied by Mitchell & Brothers (2002: 313).

*Ticopla yoca* Nagy, 1970f: 85. Holotype male; Jordan (Nagy Coll.) = *Nanomutilla yoca* (Nagy). Transferred by Mitchell & Brothers (2002: 313).

## Family Perilampidae

Genus: *Bagdasar* Argaman, 1990a: 212, 250. Type species: *Bagdasar ammonius* Argaman, 1990. = *Perilampus* Latreille, 1809. Synonymized by Darling (1996: 120).

Genus: *Balintos* Argaman, 1990a: 205, 241. Type species: *Perilampus parvus* Howard, 1896. = *Perilampus* Latreille, 1809. Synonymized by Darling (1996: 107).

Genus: *Bukbakas* Argaman, 1990a: 229, 261. Type species: *Perilampus microgastris* Ferrière, 1930. = *Perilampus* Latreille, 1809. Synonymized by Darling (1996: 126).

Genus: *Dekterek* Argaman, 1990a: 230, 262. Type species: *Perilampus granulosis* Crawford, 1914. = *Perilampus* Latreille, 1809. Synonymized by Darling (1996: 124).

Genus: *Durgadas* Argaman, 1990a: 205, 239. Type species: *Durgadas pappi* Argaman, 1990. = *Perilampus* Latreille, 1809. Synonymized by Darling (1996: 114).

Genus: *Ecalibur* Argaman, 1990a: 228, 260. Type species: *Perilampus robertsoni* Crawford, 1914. = *Perilampus* Latreille, 1809. Synonymized by Darling (1996: 122).

Genus: *Fifirtiz* Argaman, 1990a: 225, 259. Type species: *Perilampus noemi* Nikolskaya, 1952. = *Perilampus* Latreille, 1809. Synonymized by Darling (1996: 117).

Genus: *Fulaytar* Argaman, 1990a: 208, 243. Type species: *Perilampus singaporensis* Rohwer, 1923. = *Perilampus* Latreille, 1809. Synonymized by Darling (1996: 110).

Genus: *Goyurfis* Argaman, 1990a: 205, 242. Type species: *Perilampus platigaster* Say, 1836. = *Perilampus* Latreille, 1809. Synonymized by Darling (1996: 114).

Genus: *Ihrambek* Argaman, 1990a: 213, 252. Type species: *Perilampus chrysonotus* Foerster, 1859. = *Perilampus* Latreille, 1809. Synonymized by Darling (1996: 124; misspelled as *Ihambrek*).

Genus: *Itonayis* Argaman, 1990a: 211, 248. Type species: *Perilampus micans* Dalman, 1820. = *Perilampus* Latreille, 1809. Synonymized by Darling (1996: 119).

Genus: *Kekender* Argaman, 1990a: 201, 233. Type species: *Kekender bouceki* Argaman, 1990. = *Perilampus* Latreille, 1809. Synonymized by Darling (1996: 107).

Genus: *Lufarfar* Argaman, 1990a: 232; 1991a: 3. Type species: *Lufarfar rainerius* Argaman, 1990. = *Perilampus* Latreille, 1809. Synonymized by Darling (1996: 125).

Genus: *Mivarhis* Argaman, 1990a: 219, 255. Type species: *Perilampus laevifrons* Dalman, 1822. = *Perilampus* Latreille, 1809. Synonymized by Darling (1996: 127).

Genus: *Naspoyar* Argaman, 1990a: 228, 261. Type species: *Perilampus fulvicornis* Ashmead, 1886. = *Perilampus* Latreille, 1809. Synonymized by Darling (1996: 121).



- Genus: *Nilgator* Argaman, 1990a: 207, 242. Type species: *Perilampus mirabeau* Girault, 1930. =*Perilampus* Latreille, 1809. Synonymized by Darling (1996: 108).
- Genus: *Olarlar* Argaman, 1990a: 214, 252. Type species: *Chalcis aenea* Rossi, 1790 and *Olarlar cocegus* Argaman, 1990. *Chalcis aenea* Rossi was designated as the type species by Darling (1996: 114, 116). =*Perilampus* Latreille, 1809. Synonymized by Darling (1996: 116).
- Genus: *Pondoros* Argaman, 1990a: 230; 1991a: 1. Type species: *Perilampus tristis* Mayr, 1905. =*Perilampus* Latreille, 1809. Synonymized by Darling (1996: 125).
- Genus: *Sicatang* Argaman, 1990a: 225, 257. Type species: *Sicatang catilus* Argaman, 1990. =*Perilampus* Latreille, 1809. Synonymized by Darling (1996: 117).
- Genus: *Taltonos* Argaman, 1990a: 201, 234. Type species: *Perilampus hyalinus* Say, 1828. =*Perilampus* Latreille, 1809. Synonymized by Darling (1996: 113).
- Genus: *Tiboras* Argaman, 1990a: 208, 243. Type species: *Perilampus maurus* Walker, 1852. =*Perilampus* Latreille, 1809. Synonymized by Darling (1996: 110).
- Genus: *Tondolos* Argaman, 1990a: 208, 243. Type species: *Perilampus tasmanicus* Cameron, 1911. =*Perilampus* Latreille, 1809. Synonymized by Darling (1996: 110).
- Genus: *Vadramas* Argaman, 1990a: 223, 255. Type species: *Perilampus nigri-viridis* Girault, 1912. =*Perilampus* Latreille, 1809. Synonymized by Darling (1996: 116).
- Genus: *Vaktaris* Argaman, 1990a: 211, 248. Type species: *Cynips auratus* Panzer, 1798. =*Perilampus* Latreille, 1809. Synonymized by Darling (1996: 119).
- Genus: *Yertatop* Argaman, 1990a: 207, 242. Type species: *Perilampus emersoni* Girault, 1930. =*Perilampus* Latreille, 1809. Synonymized by Darling (1996: 107).
- Genus: *Zuglavas* Argaman, 1990a: 212, 251. Type species: *Perilampus stygicus* Provancher, 1888. =*Perilampus* Latreille, 1809. Synonymized by Darling (1996: 122).
- Species:
- Afroperilampus delbotor* Argaman, 1990a: 211, 247. Holotype female; Uganda: Mujenje (Budapest, confirmed). =*Perilampus delbotor* (Argaman). Transfer implied by Darling (1996: 111, 127).
- Afroperilampus horocos* Argaman, 1990a: 210, 246. Holotype male; “Africa Or.[ientale]”: Arusha (Budapest, confirmed). =*Perilampus horocos* (Argaman). Transfer implied by Darling (1996: 111, 127).
- Afroperilampus hurap* Argaman, 1990a: 209, 245. Holotype female; Uganda: Bussu (Genoa, confirmed). =*Perilampus hurap* (Argaman). Transfer implied by Darling (1996: 111, 127).
- Afroperilampus liliae* Argaman, 1990a: 210, 245. Holotype male; Algeria: Biskra (Genoa, confirmed). =*Perilampus liliae* (Argaman). Transfer implied by Darling (1996: 111, 127).
- Bagdasar ammonius* Argaman, 1990a: 212, 251. Holotype female; South Africa: Natal, Pietermaritzburg, Ashburton (Argaman Coll.). =*Perilampus ammonius* (Argaman). Transfer implied by Darling (1996: 120).

- Bukbakas casevitzi* Argaman, 1990a: 229, 262. Holotype male; South Africa: Pretoria (Argaman Coll.). =*Perilampus casevitzi* (Argaman). Transfer implied by Darling (1996: 126).
- Durgadas pappi* Argaman, 1990a: 205, 239. Holotype female; Brazil: Para, Rio Acara (Budapest, confirmed). =*Perilampus pappi* (Argaman). Transfer implied by Darling (1996: 114).
- Fifirtiz mavricus* Argaman, 1990a: 227, 260. Holotype female; Egypt: "H.-I. Sinai, Ofira" (Argaman Coll.). =*Perilampus mavricus* (Argaman). Transfer implied by Darling (1996: 117).
- Fifirtiz turpiculus* Argaman, 1990a: 226, 259. Holotype male; Israel: Upper Galilee, Hula Valley Natural Reserve (Argaman Coll.). =*Perilampus turpiculus* (Argaman). Transfer implied by Darling (1996: 117).
- Goyurfis dobnos* Argaman, 1990a: 199. New replacement name for *Perilampus antennatus* Cameron, 1897 nec *Perilampus antennatus* Walker, 1834. =*Perilampus dobnos* (Argaman). Transfer implied by Darling (1996: 114).
- Kekender bouceki* Argaman, 1990a: 201, 233. Holotype male; Kenya: Muto-Berg (Argaman Coll.). =*Perilampus bouceki* (Argaman). Transfer implied by Darling (1996: 107).
- Lufarfar nimrodus* Argaman, 1990a: 232; 1991a: 4. Holotype female; "Africa or.[ientale]": Assab (Budapest, confirmed). =*Perilampus nimrodus* (Argaman). Transfer implied by Darling (1996: 125).
- Lufarfar rainerius* Argaman, 1990a: 232; 1991a: 4. Holotype female; Egypt: Gebel Asfar (Genoa, confirmed). =*Perilampus rainerius* (Argaman). Transfer implied by Darling (1996: 125).
- Olarlar cocegus* Argaman, 1990a: 214, 252. Holotype female; South Africa: "Meester-Cornelis, Transvaal" (Argaman Coll.). =*Perilampus cocegus* (Argaman). Transfer implied by Darling (1996: 116).
- Perilampus uris* Argaman, 1990a: 199. New replacement name for *Perilampus carinifrons* Mani et Kaul, 1973 nec *Perilampus carinifrons* Crawford, 1914.
- Pondoros kittenbergeri* Argaman, 1990a: 230; 1991a: 2. Holotype female; Uganda: Mujenje (Budapest, confirmed). =*Perilampus kittenbergeri* (Argaman). Transfer implied by Darling (1996: 125).
- Pondoros moczari* Argaman, 1990a: 232; 1991a: 2. Holotype female; Afghanistan: Nuristan, Bashgul-Tal, Achmede Dewane (Budapest, confirmed). =*Perilampus moczari* (Argaman). Transfer implied by Darling (1996: 125).
- Sicatang catilus* Argaman, 1990a: 225, 258. Holotype male; Turkey: Anatolia, "Tschukur-hissar" (Argaman Coll.). =*Perilampus catilus* (Argaman). Transfer implied by Darling (1996: 117).
- Sicatang picpus* Argaman, 1990a: 225, 258. Holotype female; Korea: Gangvon, Ondzong, Kum-gang san, along Ok-ru dong (Budapest, confirmed). =*Perilampus picpus* (Argaman). Transfer implied by Darling (1996: 117).
- Taltonos azureus* Argaman, 1990a: 203, 235. Holotype female; Argentina: Tucuman (Budapest, confirmed). =*Perilampus azureus* (Argaman). Transfer implied by Darling (1996: 113).

- Taltonos birous* Argaman, 1990a: 203, 237. Holotype female; Brazil: Santa Cruz (Budapest, confirmed). =*Perilampus birous* (Argaman). Transfer implied by Darling (1996: 113).
- Taltonos dumcas* Argaman, 1990a: 203, 236. Holotype female; Argentina: Tucuman (Budapest, confirmed). =*Perilampus dumcas* (Argaman). Transfer implied by Darling (1996: 113).
- Taltonos jolaus* Argaman, 1990a: 204, 238. Holotype female; [Brazil:] Sao Paulo (Budapest, confirmed). =*Perilampus jolaus* (Argaman). Transfer implied by Darling (1996: 113).
- Taltonos sirsiris* Argaman, 1990a: 199. New replacement name for *Perilampus cyaneus* Brullé, 1846 nec *Perilampus cyaneus* Fabricius, 1798. =*Perilampus sirsiris* (Argaman). Transfer implied by Darling (1996: 113).
- Taltonos tutubas* Argaman, 1990a: 202, 235. Holotype female; Argentina: Mendoza (Budapest, confirmed). =*Perilampus tutubas* (Argaman). Transfer implied by Darling (1996: 113).
- Taltonos xirgus* Argaman, 1990a: 203, 236. Holotype male; Brazil: Para, Faro (Budapest, confirmed). =*Perilampus xirgus* (Argaman). Transfer implied by Darling (1996: 113).
- Vadramas tetar* Argaman, 1990a: 225, 257. Holotype male; Nicaragua: “Sierra di Managua” (Genoa, confirmed). =*Perilampus tetar* (Argaman). Transfer implied by Darling (1996: 116).
- Vaktaris ganuz* Argaman, 1990a: 212, 249. Holotype male; Israel: near Dead Sea (Tel Aviv). =*Perilampus ganuz* (Argaman). Transfer implied by Darling (1996: 119).
- Vaktaris ilvauber* Argaman, 1990a: 211, 249. Holotype female; Guatemala: Punta Gorda (Argaman Coll.). =*Perilampus ilvauber* (Argaman). Transfer implied by Darling (1996: 119).

### Family Plumariidae

#### Species:

- Plumarius argentinus* Nagy, 1973c: 259, 266. Holotype male; Argentina: Rio Negro, Norquinco (Budapest, confirmed).
- Plumarius baloghi* Nagy, 1973c: 258, 259. Holotype male; Chile: Tarapaca Prov., Azapa (Budapest, confirmed).
- Plumarius chilensis* Nagy, 1973c: 258, 262. Holotype male; Chile: Tarapaca Prov., Azapa (Budapest, confirmed).
- Plumarius densepunctatus* Nagy, 1973c: 259, 265. Holotype male; Chile: Coquimbo Prov., El Tangué (Nagy Coll.).
- Plumarius topali* Nagy, 1973c: 258, 260. Holotype male; Argentina: Rio Negro, Norquinco (Budapest, confirmed).

**Family Sclerogibbidae**

Subfamily: Caenosclerogibbinae Argaman, 1988a: 178. Type genus *Caenosclerogibba* Yasumatsu, 1958. =Sclerogibbidae Ashmead, 1902. Synonymy implied by Olmi (2005) in not recognizing higher taxa within Sclerogibbidae.

Subfamily: Probethylinae Argaman, 1988a: 178. Type genus *Probethylus* Ashmead, 1902. =Sclerogibbidae Ashmead, 1902. Synonymy implied by Olmi (2005) in not recognizing higher taxa within Sclerogibbidae.

Tribe: Tanynotini Argaman, 1988a: 178. Type genus *Tanynotus* Cameron, 1904. =Sclerogibbidae Ashmead, 1902. Synonymy implied by Olmi (2005) in not recognizing higher taxa within Sclerogibbidae.

Tribe: Parasclerogibbini Argaman, 1988a: 178. Type genus *Parasclerogibba* Hamann, 1958. =Sclerogibbidae Ashmead, 1902. Synonymy implied by Olmi (2005) in not recognizing higher taxa within Sclerogibbidae.

Genus: *Poggiana* Argaman, 1993: 540, 541. Type species: *Poggiana pilosella* Argaman, 1993. =*Sclerogibba* Riggio & De Stefani-Perez, 1888. Synonymized by Olmi (2005: 120).

Species:

*Poggiana pilosella* Argaman, 1993: 543. Holotype female; Italy: Sardinia, Tavolara Archipelago, Isola Molarotto (Genoa, confirmed). =*Sclerogibba berlandi* Benoit, 1963. Synonymized by Olmi (2005: 129).

*Prosclerogibba dessarti* Argaman, 1993: 550. Holotype male; Togo: Sokode (Brussels, confirmed). =*Sclerogibba vagabunda* (Bridwell, 1919). Synonymized by Olmi (2005: 180).

**Family Scolebythidae**

Genus: *Ycaploca* Nagy, 1975c: 75. Type species: *Ycaploca evansi* Nagy, 1975.

Species:

*Ycaploca evansi* Nagy, 1975c: 75. Holotype female; South Africa: Cape, Kirstenbosch (Nagy Coll.).

**Family Scoliidae** (Argaman (1996) was deliberately not taken into account by Osten (2005) in compiling his checklist of Scoliidae of the world. Elliott (2011) recognized that Osten (2005) implicitly synonymized some Argaman genera by placing their type species in other genera or subgenera, and we have followed this approach, although some of Argaman's type species may have been misidentified since he did not examine their type material. Argaman's (1996) numerous new names and other nomenclatural acts thus still need more critical evaluation beyond that possible here.)

Subfamily: Colpinae Argaman, 1996: 180. Type genus: *Colpa* Dufour, 1841. =Campsomerini Betrem in Betrem & Bradley, 1972. Synonymy implied by Osten (2005: 3).

Tribe: Agombardini Argaman, 1996: 193. Type genus: *Agombarda* Argaman, 1996. =Scoliini Latreille, 1802. Synonymy implied by Osten (2005: 27).

- Tribe: Ascoliini Argaman, 1996: 187. Type genus: *Ascolia* Argaman, 1996. =Scoliini Latreille, 1802. Synonymy implied by Osten (2005: 37).
- Tribe: Austroscoliini Argaman, 1996: 191. Type genus: *Austroscolia* Betrem, 1928. =Scoliini Latreille, 1802. Synonymy implied by Osten (2005: 26).
- Tribe: Betremiini Argaman, 1996: 197. Type genus: *Betremia* Bradley, 1948. =Scoliini Latreille, 1802. Synonymy implied by Osten (2005: 26).
- Tribe: Carinoscoliini Argaman, 1996: 191. Type genus: *Carinoscolia* Betrem, 1927. =Scoliini Latreille, 1802. Synonymy implied by Osten (2005: 26).
- Tribe: Colpacampsomerini Argaman, 1996: 209. Type genus: *Colpacampsomeris* Betrem, 1941. =Campsomerini Betrem in Betrem & Bradley, 1972. Synonymy implied by Osten (2005: 3).
- Tribe: Colpini Argaman, 1996: 184. Type genus: *Colpa* Dufour, 1841. =Campsomerini Betrem in Betrem & Bradley, 1972. Synonymy implied by Osten (2005: 3).
- Tribe: Curtaurgini Argaman, 1996: 182. Type genus: *Curtaurga* Argaman, 1996. =Campsomerini Betrem in Betrem & Bradley, 1972. Synonymy implied by Osten (2005: 3).
- Tribe: Dasyscoliini Argaman, 1996: 181. Type genus: *Dasyscolia* Bradley, 1951. =Campsomerini Betrem in Betrem & Bradley, 1972. Synonymy implied by Osten (2005: 3).
- Tribe: Dielidini Argaman, 1996: 212. Type genus: *Dielis* Saussure & Sichel, 1864. =Campsomerini Betrem in Betrem & Bradley, 1972. Synonymy implied by Osten (2005: 3).
- Tribe: Discoliini Argaman, 1996: 197. Type genus: *Discolia* Saussure, 1863. =Scoliini Latreille, 1802. Synonymy implied by Osten (2005: 26).
- Tribe: Dobrobetini Argaman, 1996: 205. Type genus: *Dobrobeta* Argaman, 1996. =Campsomerini Betrem in Betrem & Bradley, 1972. Synonymy implied by Osten (2005: 22).
- Tribe: Hangasornini Argaman, 1996: 197. Type genus: *Hangasorna* Argaman, 1996. =Scoliini Latreille, 1802. Synonymy implied by Osten (2005: 41).
- Tribe: Heterelini Argaman, 1996: 183. Type genus: *Heterelis* Costa, 1887. =Campsomerini Betrem in Betrem & Bradley, 1972. Synonymy implied by Osten (2005: 3).
- Tribe: Lisocini Argaman, 1996: 199. Type genus: *Lisoca* Costa, 1858. =Scoliini Latreille, 1802. Synonymy implied by Osten (2005: 26).
- Tribe: Megacampsomerini Argaman, 1996: 211. Type genus: *Megacampsomeris* Betrem, 1928. =Campsomerini Betrem in Betrem & Bradley, 1972. Synonymy implied by Osten (2005: 3).
- Tribe: Megascoliini Argaman, 1996: 199. Type genus: *Megascolia* Betrem, 1928. =Scoliini Latreille, 1802. Synonymy implied by Osten (2005: 26).
- Tribe: Pseudotrielidini Argaman, 1996: 205. Type genus: *Pseudotrielis* Betrem, 1928. =Campsomerini Betrem in Betrem & Bradley, 1972. Synonymy implied by Osten (2005: 3).

- Tribe: Tetrascitonini Argaman, 1996: 201. Type genus: *Tetrasciton* Betrem, 1927. =Campsomerini Betrem in Betrem & Bradley, 1972. Synonymy implied by Osten (2005: 8).
- Tribe: Trisciloini Argaman, 1996: 201. Type genus: *Trisciloa* Gribodo, 1893. =Campsomerini Betrem in Betrem & Bradley, 1972. Synonymy implied by Osten (2005: 3).
- Tribe: Triscoliini Argaman, 1996: 193. Type genus: *Triscolia* Saussure, 1863. =Scoliini Latreille, 1802. Synonymy implied by Osten (2005: 26).
- Tribe: Ycasbraini Argaman, 1996: 191. Type genus: *Ycasbraia* Argaman, 1996. =Scoliini Latreille, 1802. Synonymy implied by Osten (2005: 42).
- Genus: *Agombarda* Argaman, 1996: 194. Type species: *Scolia atra* Illiger, 1802. =*Discolia* Saussure, 1863. Synonymy implied by Osten (2005: 27).
- Genus: *Ascolia* Argaman, 1996: 188. Type species: *Scolia flavifrons* Fabricius, 1775. Intended as an emendation of *Ascoli* Guérin-Ménéville, 1838 but that name is not available since it was proposed for a hypothetical taxon (Guérin-Ménéville 1838) and *Ascolia* must thus be regarded as a new genus. =*Regiscolia* Betrem & Bradley, 1964. Synonymy implied by Osten (2005: 37). (The name *Ascoli* has had a checkered history, being cited in synonymy of *Triscolia* Saussure, 1863 by Saussure & Sichel (1864) but being used as valid by Betrem (1926) and thereby technically being made available (ICZN 1999, Article 11.6.1). It has not been used as valid since, and a type species has never been designated. Jacot-Guillarmod et al. (1963) requested the International Commission on Zoological Nomenclature to suppress *Ascoli* as used by Guérin-Ménéville (1838) and Betrem (1926), but an Opinion on this has never been issued, which means that prevailing usage (which regards it as unavailable) should be maintained (ICZN 1999, Article 82.1).)
- Genus: *Bagonasuna* Argaman, 1996: 186. Type species: *Trielis tartara* Morawitz, 1897. =*Crioscolia* Bradley, 1951. Synonymy implied by Osten (2005: 23); Morawitz ("1897") dealt with *Trielis tartara* (Saussure, 1880) var. *mongolica* Morawitz, 1889, however (Morawitz's paper was actually published in 1896, see Oshanin (1910)).
- Genus: *Batalanga* Argaman, 1996: 205. Type species: *Elis phalerata* Saussure, 1858. Proposed as a new replacement name for *Phalerimeris* Betrem, 1967 not Betrem, 1966. =*Phalerimeris* Betrem, 1967. *Batalanga* is an objective synonym of *Phalerimeris* Betrem, 1967 because "*Phalerimeris* Betrem, 1966" is not an available name, merely appearing without any description and stated to be a nomen nudum (Bradley & Betrem 1966: 74), and therefore cannot be a senior homonym of *Phalerimeris* Betrem, 1967. (For "*Phalerimeris* Betrem, 1966" Argaman (1996: 205) used "*Phaleromeris* Bradley, 1964" but that too is not an available name, having no description (Bradley 1964: 193); *Annulimeris* Betrem, 1967 should be used for that taxon.)
- Genus: *Borongorba* Argaman, 1996: 213. Type species: *Scolia habrocoma* Smith, 1855. =*Megacampsomeris* Betrem, 1928. Synonymy implied by Osten (2005: 12).

- Genus: *Burgamurga* Argaman, 1996: 194. Type species: *Scolia cyanipennis* Fabricius, 1804. = *Discolia* Saussure, 1863. Synonymy implied by Osten (2005: 30).
- Genus: *Buzatlana* Argaman, 1996: 200. Type species: *Scolia fuciformis* Scopoli, 1786. = *Scolia* Fabricius, 1775. Synonymy implied by Osten (2005: 33).
- Genus: *Citberaysa* Argaman, 1996: 192. Type species: *Scolia ebenina* Saussure, 1858. = *Austroscolia* Betrem, 1928. Synonymy implied by Osten (2005: 31).
- Genus: *Curtaurga* Argaman, 1996: 183. Type species: *Scolia aliena* Klug, 1832. Proposed as a new replacement name for *Guigliana* Betrem, 1967 not Bradley, 1964. = *Guigliana* Betrem, 1967. *Curtaurga* is an objective synonym of *Guigliana* Betrem because “*Guigliana* Bradley, 1964” is not an available name, merely appearing as “*Scolia (Guigliana) azurea azurea* Christ” without any description (Bradley 1964: 192), and therefore cannot be a senior homonym of *Guigliana* Betrem. (Osten (2005: 27) placed *S. azurea* Christ in *Megascolia (Regiscolia)*; there is thus no need for another name for Argaman’s concept of “*Guigliana* Bradley, 1964”.)
- Genus: *Dobrobeta* Argaman, 1996: 206. Type species: *Campsomeris socotrana* Kirby, 1900. = *Cathimeris* Betrem, 1972. Synonymy implied by Osten (2005: 22).
- Genus: *Elpaholta* Argaman, 1996: 194. Type species: *Scolia fulvifrons* Saussure, 1854. = *Regiscolia* Betrem & Bradley, 1964. Synonymy implied by Osten (2005: 33).
- Genus: *Fiharbuxa* Argaman, 1996: 212. Type species: *Scolia prismatica* Smith, 1855. = *Megacampsomeris* Betrem, 1928. Synonymy implied by Osten (2005: 19).
- Genus: *Gondiconda* Argaman, 1996: 210. Type species: *Elis vittata* Sichel, 1864. = *Pygodasis* Bradley, 1957. Synonymy implied by Osten (2005: 25).
- Genus: *Hangasorna* Argaman, 1996: 197. Type species: *Scolia quadripustulata* Fabricius, 1782. = *Discolia* Saussure, 1863. Synonymy implied by Osten (2005: 41).
- Genus: *Haralambia* Argaman, 1996: 215. Type species: *Tiphia dorsata* Fabricius, 1787. = *Dielis* Saussure & Sichel, 1864. Synonymy implied by Osten (2005: 10).
- Genus: *Hayderiba* Argaman, 1996: 209. Type species: *Colpa peregrina* Lepeletier, 1845. New replacement name for *Colpa* Lepeletier, 1845 not Dufour, 1841. = *Campsomeris* Guérin-Ménéville, 1838. Synonymy implied by Osten (2005: 19).
- Genus: *Hitfoidra* Argaman, 1996: 192. Type species: *Scolia carnifex* Coquerel, 1855. = *Austroscolia* Betrem, 1928. Synonymy implied by Osten (2005: 29).
- Genus: *Iforborba* Argaman, 1996: 203. Type species: *Tiphia collaris* Fabricius, 1775. = *Campsomeriella* Betrem, 1941. Synonymy implied by Osten (2005: 8).
- Genus: *Iksalonca* Argaman, 1996: 199. Type species: *Scolia jurinei* Saussure, 1854. = *Discolia* Saussure, 1863. Synonymy implied by Osten (2005: 36).
- Genus: *Ilkamilka* Argaman, 1996: 212. Type species: *Campsomeris luzonensis* Rohwer, 1921. = *Megacampsomeris* Betrem, 1928. Synonymy implied by Osten (2005: 16).

- Genus: *Jupadora* Argaman, 1996: 193. Type species: *Scolia cerberia* Bradley, 1959. =*Microscolia* Betrem, 1927. Synonymy implied by Osten (2005: 29); the specific name is also spelled “*cereberia*” in Bradley (1959), the spelling used by Osten.
- Genus: *Katapolda* Argaman, 1996: 198. Type species: *Scolia desidiosa* Bingham, 1896. =*Discolia* Saussure, 1863. Synonymy implied by Osten (2005: 30).
- Genus: *Kokarevta* Argaman, 1996: 200. Type species: *Scolia histrionica* Fabricius, 1787. =*Discolia* Saussure, 1863. Synonymy implied by Osten (2005: 35).
- Genus: *Kukkiya* Argaman, 1996: 187. Type species: *Scolia moricei* Saunders, 1901. =*Crioscolia* Bradley, 1951. Synonymy implied by Osten (2005: 17).
- Genus: *Lacosia* Argaman, 1996: 199. Type species: *Scolia pygmaea* Saussure, 1858. Proposed as an emendation of *Lacosi* Guérin-Méneville, 1838, but must be considered as a new genus different in concept, since Bequaert (1926) had correctly designated the type species of *Lacosi* as *Scolia quadripunctata* Fabricius, 1775, and *S. pygmaea* was not an originally included species of *Lacosi* Guérin-Méneville. =*Discolia* Saussure, 1863. Synonymy implied by Osten (2005: 35).
- Genus: *Laskariska* Argaman, 1996: 188. Type species: *Scolia haemorrhoidalis* Fabricius, 1787. =*Regiscolia* Betrem & Bradley, 1964. Synonymy implied by Osten (2005: 37).
- Genus: *Lobhargita* Argaman, 1996: 208. Type species: *Scolia aureola* Klug, 1832. =*Micromeriella* Betrem, 1972. Synonymy implied by Osten (2005: 5).
- Genus: *Molzinarda* Argaman, 1996: 192. Type species: *Scolia nitida* Smith, 1858. =*Austroscolia* Betrem, 1928. Synonymy implied by Osten (2005: 39).
- Genus: *Mookitena* Argaman, 1996: 215. Type species: *Campsomeris hesterae* Rohwer, 1927. =*Xanthocampsomeris* Bradley, 1957. Synonymy implied by Osten (2005: 12).
- Genus: *Murahutka* Argaman, 1996: 190. Type species: *Scolia quadriceps* Smith, 1859. =*Diliacos* Saussure & Sichel, 1864. Synonymy implied by Osten (2005: 41).
- Genus: *Naysebwa* Argaman, 1996: 200. Type species: *Scolia fulvofimbriata* Burmeister, 1853. =*Discolia* Saussure, 1863. Synonymy implied by Osten (2005: 33).
- Genus: *Niyaranta* Argaman, 1996: 213. Type species: *Scolia aurulenta* Smith, 1855. =*Phalerimeris* Betrem, 1967 (not Bradley, 1974). Synonymy implied by Osten (2005: 6).
- Genus: *Nokbibula* Argaman, 1996: 191. Type species: *Scolia vittifrons* Sichel, 1864. =*Carinoscolia* Betrem, 1927. Synonymy implied by Osten (2005: 45).
- Genus: *Noybarilta* Argaman, 1996: 211. Type species: *Scolia hoffmannseggii* [sic] Klug, 1805. =*Lissocampsomeris* Bradley, 1957. Synonymy implied by Osten (2005: 13).
- Genus: *Onkoknoa* Argaman, 1996: 195. Type species: *Scolia bilunulata* Saussure, 1858. =*Discolia* Saussure, 1863. Synonymy implied by Osten (2005: 28).
- Genus: *Ordatariga* Argaman, 1996: 185. Type species: *Dielis mima* Buysson, 1897. =*Heterelis* Costa, 1887. Synonymy implied by Osten (2005: 17).



- Genus: *Orlovinga* Argaman, 1996: 199. Type species: *Scolia gussakovskii* Steinberg, 1953. =*Scolia* Fabricius, 1775. Synonymy implied by Osten (2005: 34).
- Genus: *Oscalosca* Argaman, 1996: 214. Type species: *Elis pilipes* Saussure, 1858. =*Dielis* Saussure & Sichel, 1864. Synonymy implied by Osten (2005: 19).
- Genus: *Paconzitva* Argaman, 1996: 196. Type species: *Scolia alecto* Smith, 1858. =*Regiscolia* Betrem & Bradley, 1964. Synonymy implied by Osten (2005: 26).
- Genus: *Pardesiya* Argaman, 1996: 200. Type species: *Scolia neglecta* Cyrillo, 1787. =*Scolia* Fabricius, 1775. Synonymy implied by Osten (2005: 29).
- Genus: *Pupunhuga* Argaman, 1996: 203. Type species: *Campsomeris sauteri* Betrem, 1928. =*Scolia* Fabricius, 1775. Synonymy implied by Osten (2005: 42).
- Genus: *Rahosmula* Argaman, 1996: 190. Type species: *Scolia sicheli* Saussure, 1859. =*Discolia* Saussure, 1863. Synonymy implied by Osten (2005: 43).
- Genus: *Rihamlika* Argaman, 1996: 195. Type species: *Scolia venusta* Smith, 1855. =*Discolia* Saussure, 1863. Synonymy implied by Osten (2005: 45).
- Genus: *Rostopasca* Argaman, 1996: 187. Type species: *Scolia erivanensis* Radzskowski, 1879. =*Scolia* Fabricius, 1775 (?). Possible synonymy implied by Osten (2005: 31).
- Genus: *Rucarcana* Argaman, 1996: 206. Type species: *Campsomeris congener* Turner, 1909. =*Pseudotrielis* Betrem, 1928. Synonymy implied by Osten (2005: 9).
- Genus: *Sisakrosa* Argaman, 1996: 204. Type species: *Dielis angulata* Morawitz, 1888. =*Micromeriella* Betrem, 1972. Synonymy implied by Osten (2005: 13).
- Genus: *Sobolpiha* Argaman, 1996: 190. Type species: *Scolia ribbei* Betrem, 1928. =*Diliacos* Saussure & Sichel, 1864. Synonymy implied by Osten (2005: 41).
- Genus: *Stiboranna* Argaman, 1996: 198. Type species: *Scolia hova* Saussure, 1891. =*Discolia* Saussure, 1863. Synonymy implied by Osten (2005: 35).
- Genus: *Sugorpilfa* Argaman, 1996: 196. Type species: *Scolia philippinensis* Rohwer, 1921. =*Regiscolia* Betrem & Bradley, 1964. Synonymy implied by Osten (2005: 40).
- Genus: *Susaynata* Argaman, 1996: 212. Type species: *Camposmeris cochinchinensis* Betrem, 1928. =*Megacampsomeris* Betrem, 1928. Synonymy implied by Osten (2005: 8).
- Genus: *Tatusdayca* Argaman, 1996: 208. Type species: *Scolia ephippium* Say, 1837. =*Pygodasis* Bradley, 1957. Synonymy implied by Osten (2005: 10).
- Genus: *Titbisayda* Argaman, 1996: 213. Type species: *Campsomeris binghami* Betrem, 1928. =*Megacampsomeris* Betrem, 1928. Synonymy implied by Osten (2005: 6).
- Genus: *Tonsoygata* Argaman, 1996: 192. Type species: *Scolia verticalis* Fabricius, 1775. =*Discolia* Saussure, 1863. Synonymy implied by Osten (2005: 45).
- Genus: *Torbesula* Argaman, 1996: 211. Type species: *Elis columba* Saussure, 1858. =*Lissocampsomeris* Bradley, 1957. Synonymy implied by Osten (2005: 8).
- Genus: *Turturayca* Argaman, 1996: 190. Type species: *Scolia fulgidipennis* Smith, 1859. =*Liacos* Guérin-Ménéville, 1838. Synonymy implied by Osten (2005: 33).

- Genus: *Utulanca* Argaman, 1996: 189. Type species: *Scolia nigrita* Fabricius, 1782. = *Liacos* Guérin-Ménéville, 1838. Synonymy implied by Osten (2005: 38).
- Genus: *Uthakkara* Argaman, 1996: 202. Type species: *Campsomeris celebensis* Betrem, 1928. = *Megacampsomeris* Betrem, 1928. Synonymy implied by Osten (2005: 8).
- Genus: *Vardombra* Argaman, 1996: 198. Type species: *Scolia picteti* Saussure, 1854. = *Discolia* Saussure, 1863. Synonymy implied by Osten (2005: 40).
- Genus: *Vobalayca* Argaman, 1996: 201. Type species: *Scolia hortorum* Fabricius, 1787. = *Scolia* Fabricius, 1775. Synonymy implied by Osten (2005: 35).
- Genus: *Wogungela* Argaman, 1996: 198. Type species: *Scolia micromelas* Sichel, 1864. = *Discolia* Saussure, 1863. Synonymy implied by Osten (2005: 38).
- Genus: *Xirgoniqua* Argaman, 1996: 196. Type species: *Scolia capitata* Fabricius, 1804. = *Regiscolia* Betrem & Bradley, 1964. Synonymy implied by Osten (2005: 29).
- Genus: *Ycasbraia* Argaman, 1996: 193. Type species: *Scolia rufiventris* Fabricius, 1804. = *Hesperoscolia* Bradley, 1974. Synonymy implied by Osten (2005: 42); actually an objective synonym.
- Genus: *Yohaida* Argaman, 1996: 186. Type species: *Scolia klugi* van der Linden, 1829. = *Colpa* Dufour, 1841. Synonymy implied by Osten (2005: 14).
- Genus: *Zazilayza* Argaman, 1996: 188. Type species: *Scolia rubida* Gribodo, 1893. = *Regiscolia* Betrem & Bradley, 1964. Synonymy implied by Osten (2005: 42).
- Species:
- [*Discolia kugleri* Nagy, 1979. This is an unavailable manuscript name and date on several specimens in the Tel Aviv Collection, which evidently has never been published; it was given as a synonym of *Scolia fallax* Eversmann, 1849 by Osten (2002: 347).]
- [*Megascolia flavifrons* f. *vernalis* Nagy, 1967d: 223. "Holotype" female; Romania: Nicolina near Iași (Nagy Coll.). Name not available (Article 15.2, ICZN 1999).]
- [*Megascolia flavifrons* f. *vespertina* Nagy, 1967d: 223. "Holotype" female; Romania: Agigea (Nagy Coll.). Name not available (Article 15.2, ICZN 1999).]
- Scolia (Scolia) incana* Nagy, 1970k: 322. Holotype female; Mongolia: Bajan-chongor aimak, Echin gol, cca 90 km NO von Grenzposten Caganbulag (Budapest, confirmed). = *Scolia (Scolia) concolor* Eversmann, 1849. Synonymized by Osten (1997: 517).
- Scolia (Discolia) mongolina* Nagy, 1970k: 323. Holotype female; Mongolia: Bulgan aimak, 4 km S von Somon Daschinëilen (Budapest, confirmed). = *Scolia hirta* Schrank, 1781. Synonymized by Osten (1997: 515).
- Scolioides alutus* Nagy, 1967d: 224. Holotype male; Romania: Murta, Oltenia (Nagy Coll.). = *Scolia hirta* Schrank, 1781. Synonymized by Hamon (1993: 95).

### Family Sierolomorphidae

Species:

*Sierolomorpha isis* Nagy, 1971b: 247. Holotype female; Samarkand (Nagy Coll.).

*Sierolomorpha atropos* Nagy, 1971b: 248. Holotype female; N. China: Kerulen (Nagy Coll.).

**Family Tiphiiidae** [many treated under Family Myzinidae by Nagy/Argaman, but generally considered as subfamily Myzininae Ashmead, 1899]

Subfamily: Iswarinae Argaman, 1994b: 89. Type genus: *Iswara* Westwood, 1850. =Meriina Argaman, 1994. Synonymized by Boni Bartalucci (2004a: 1245).

Subfamily: Meriinae Argaman, 1994b: 91. Type genus: *Meria* Illiger, 1807. Considered as tribe Meriini Argaman, 1994 by Boni Bartalucci (2004a: 1218).

Subfamily: Mesinae Argaman, 1994b: 90. Type genus: *Mesa* Saussure, 1892. Considered as tribe Mesini Argaman, 1994 by Boni Bartalucci (2004a: 1218).

Subfamily: Silifkinae Argaman & Özbek, 1992: 5. Type genus: *Silifka* Argaman & Özbek, 1992. Considered as tribe Silifkini Argaman & Özbek, 1992 by Yildirim & Boni Bartalucci (2009: 2054).

Tribe: Acblasini Argaman & Özbek, 1992: 10. Type genus: *Acblasa* Argaman in Argaman & Özbek, 1992. =Tiphiiini Leach, 1815. Synonymy implied by Yildirim & Boni Bartalucci (2009) in not recognizing higher taxa within Tiphiiini.

Tribe: Burdufini Argaman & Özbek, 1992: 11. Type genus: *Burdufa* Argaman in Argaman & Özbek, 1992. =Tiphiiini Leach, 1815. Synonymy implied by Yildirim & Boni Bartalucci (2009) in not recognizing higher taxa within Tiphiiini.

Tribe: Cabaraxini Argaman & Özbek, 1992: 10. Type genus: *Cabaraxa* Nagy, 1974. =Tiphiiini Leach, 1815. Synonymy implied by Yildirim & Boni Bartalucci (2009) in not recognizing higher taxa within Tiphiiini.

Tribe: Epomidiopterini Argaman & Özbek, 1992: 8. Type genus: *Epomidiopterum* Romand, 1835. =Silifkini Argaman & Özbek, 1992. Synonymy implied by Yildirim & Boni Bartalucci (2009) in not recognizing higher taxa within Silifkini.

Tribe: Hylomesini Argaman, 1994b: 90. Type genus: *Hylomesa* Krombein, 1968. =Mesini Argaman, 1994b. Synonymy implied by Boni Bartalucci (2004a) in not recognizing higher taxa within Mesini.

Tribe: Icronathini Argaman & Özbek, 1992: 11. Type genus: *Icronatha* Nagy, 1967. =Tiphiiini Leach, 1815. Synonymy implied by Yildirim & Boni Bartalucci (2009) in not recognizing higher taxa within Tiphiiini.

Tribe: Illoswiini Argaman, 1994b: 92. Type genus: *Illoswia* Argaman, 1994. =Meriina Argaman, 1994b. Synonymy implied by Boni Bartalucci (2004a) in recognizing only two tribes within Meriini.

Tribe: Iswarini Argaman, 1994b: 89. Type genus: *Iswara* Westwood, 1850. =Meriina Argaman, 1994b. Synonymy implied by Boni Bartalucci (2004a) in recognizing only two tribes within Meriini.

- Tribe: Jaynesiini Argaman & Özbek, 1992: 10. Type genus: *Jaynesia* Allen, 1969. =Tiphiiini Leach, 1815. Synonymy implied by Yildirim & Boni Bartalucci (2009) in not recognizing higher taxa within Tiphiiini.
- Tribe: Komarowiini Argaman, 1994b: 92. Type genus: *Komarowia* Radoszkowski, 1886. =Meriina Argaman, 1994b. Synonymy implied by Boni Bartalucci (2004a) in recognizing only two tribes within Meriini.
- Tribe: Krombeiniini Argaman & Özbek, 1992: 10. Type genus: *Krombeinia* Pate, 1947. =Tiphiiini Leach, 1815. Synonymy implied by Yildirim & Boni Bartalucci (2009) in not recognizing higher taxa within Tiphiiini.
- Tribe: Luditini Argaman & Özbek, 1992: 10. Type genus *Ludita* Nagy, 1967. =Tiphiiini Leach, 1815. Synonymy implied by Yildirim & Boni Bartalucci (2009) in not recognizing higher taxa within Tiphiiini.
- Tribe: Macromeriini Argaman, 1994b: 94. Type genus: *Macromeria* Saunders, 1850. =Meriina Argaman, 1994b. Synonymy implied by Boni Bartalucci (2004a) in recognizing only two tribes within Meriini.
- Tribe: Meriini Argaman, 1994b: 95. Type genus: *Meria* Illiger, 1807.
- Tribe: Mesini Argaman, 1994b: 90. Type genus: *Mesa* Saussure, 1892.
- Tribe: Myzinellini Argaman, 1994b: 89. Type genus: *Myzinella* Guiglia, 1959. =Meriina Argaman, 1994b. Synonymy implied by Boni Bartalucci (2004a) in recognizing only two tribes within Meriini.
- Tribe: Neotiphiiini Argaman & Özbek, 1992: 9. Type genus: *Neotiphia* Malloch, 1918. =Tiphiiini Leach, 1815. Synonymy implied by Yildirim & Boni Bartalucci (2009) in not recognizing higher taxa within Tiphiiini.
- Tribe: Parameriini Argaman, 1994b: 92. Type genus: *Parameria* Guérin-Ménéville, 1837. =Meriina Argaman, 1994b. Synonymy implied by Boni Bartalucci (2004a) in recognizing only two tribes within Meriini.
- Tribe: Paratiphiiini Argaman & Özbek, 1992: 9. Type genus: *Paratiphia* Sichel, 1864. =Silifkini Argaman & Özbek, 1992. Synonymy implied by Yildirim & Boni Bartalucci (2009) in not recognizing higher taxa within Siflikini.
- Tribe: Poecilotiphiiini Argaman, 1994b: 93. Type genus: *Poecilotiphia* Cameron, 1902. =Meriina Argaman, 1994b. Synonymy implied by Boni Bartalucci (2004a) in recognizing only two tribes within Meriini.
- Tribe: Pseudotiphiiini Argaman & Özbek, 1992: 9. Type genus: *Pseudotiphia* Ashmead, 1903. =Tiphiiini Leach, 1815. Synonymy implied by Yildirim & Boni Bartalucci (2009) in not recognizing higher taxa within Tiphiiini.
- Tribe: Silifkini Argaman & Özbek, 1992: 9. Type genus: *Silifka* Argaman & Özbek, 1992.
- Tribe: Warayoini Argaman, 1994b: 91. Type genus: *Warayoa* Argaman, 1994. =Meriina Argaman, 1994b. Synonymy implied by Boni Bartalucci (2004a) in recognizing only two tribes within Meriini.
- Tribe: Weerpagini Argaman, 1994b: 92. Type genus: *Weerpaga* Argaman, 1994. =Braunsomeriina Boni Bartalucci, 2004. Synonymy implied by Boni Bartalucci (2004a) in recognizing only two tribes within Meriini.

- Tribe: Yooloini Argaman, 1994b: 92. Type genus: *Yooloa* Argaman, 1994. =Meriina Argaman, 1994b. Synonymy implied by Boni Bartalucci (2004a) in recognizing only two tribes within Meriini.
- Genus: *Acblasa* Argaman in Argaman & Özbek, 1992: 10. Type species: *Tiphia abrupta* Turner, 1908.
- Genus: *Arapatka* Argaman, 1994b: 94. Type species: *Myzine arabica* Guérin-Méneville 1837. =*Meria* Illiger, 1807. Synonymized by Boni Bartalucci (2001: 3).
- Genus: *Burdufa* Argaman in Argaman & Özbek, 1992: 11. Type species: *Tiphia colombiana* Allen, 1972.
- Genus: *Cabaraxa* Nagy, 1974d: 103. Type species: *Cabaraxa compedita* Nagy, 1974.
- Genus: *Cocovasna* Argaman, 1994b: 86. *Myzine flavopicta* Smith, 1855. =*Myzinum* Latreille, 1803. Synonymized by Boni Bartalucci (2004a: 1225).
- Genus: *Ekepirka* Argaman, 1994b: 88. Type species: *Myzine robusta* Burmeister, 1876. =*Myzinum* Latreille, 1803. Synonymized by Kimsey 2009.
- Genus: *Fikoplesa* Argaman, 1994b: 88. Type species: *Myzine elegans* Burmeister, 1876. =*Myzinum* Latreille, 1803. Synonymized by Kimsey 2009.
- Genus: *Foforoxia* Argaman in Argaman & Özbek, 1992: 11. Type species: *Tiphia ordinaria* Smith, 1873.
- Genus: *Fongiba* Argaman, 1994b: 93. Type species: *Myzine aegyptiaca* Guérin-Méneville, 1837. =*Poecilotiphia* Cameron, 1902. Synonymized by Boni Bartalucci (2001: 28).
- Genus: *Fukpokta* Argaman, 1994b: 95. Type species: *Scolia cylindrica* Fabricius, 1793. =*Meria* Illiger, 1807. Synonymized by Boni Bartalucci (2001: 3; misspelled as *Fukpotka*).
- Genus: *Gebuipala* Argaman in Argaman & Özbek, 1992: 11. Type species: *Icronatha nuristana* Nagy, 1975.
- Genus: *Gonordula* Argaman, 1994b: 87. Type species: *Myzine lateralis* Cresson, 1865. =*Myzinum* Latreille, 1803. Synonymized by Boni Bartalucci (2004a: 1225).
- Genus: *Hahiya* Argaman, 1994b: 94. Type species: *Meria brevicauda* Morawitz, 1890. =*Poecilotiphia* Cameron, 1902. Synonymized by Boni Bartalucci (2001: 28).
- Genus: *Icronatha* Nagy, 1967c: 193. Type species: *Tiphia olceseii* Tournier, 1889.
- Genus: *Illoswia* Argaman, 1994b: 92. Type species: *Myzine braunsi* Turner, 1912. =*Myzinella* Guiglia, 1959. Synonymized by Boni Bartalucci (2001: 23).
- Genus: *Ivazuga* Argaman, 1994b: 94. Type species: *Dermasothus trjapitzini* Gorbатовsky, 1979. =*Poecilotiphia* Cameron, 1902. Synonymized by Boni Bartalucci (2001: 28).
- Genus: *Jurja* Argaman, 1994b: 93. Type species: *Jurja limpida* Argaman, 1994. =*Poecilotiphia* Cameron, 1902. Synonymized by Boni Bartalucci (2001: 28).
- Genus: *Keyovaska* Argaman, 1994b: 88. Type species: *Myzine frontalis* Cresson, 1875. =*Myzinum* Latreille, 1803. Synonymized by Boni Bartalucci (2004a: 1225).
- Genus: *Locodamia* Argaman & Özbek, 1992: 10. Type species: *Tiphia sulcata* Roberts, 1930.

- Genus: *Ludita* Nagy, 1967c: 197. Type species: *Tiphia morio* Fabricius, 1787.
- Genus: *Nurmiya* Argaman, 1994b: 94. Type species: *Meria contrastata* Guiglia, 1963. =*Poecilotiphia* Cameron, 1902. Synonymized by Boni Bartalucci (2001: 28).
- Genus: *Nyuka* Argaman, 1994b: 90. Type species: *Plesia picticollis* Morawitz, 1890. =*Mesa* Saussure, 1892. Synonymized by Boni Bartalucci (2004a: 1228).
- Genus: *Ocasasla* Argaman in Argaman & Özbek, 1992: 10. Type species: *Tiphia vandervechti* Allen, 1972.
- Genus: *Pandasaria* Argaman in Argaman & Özbek, 1992: 11. Type species: *Tiphia latipes* Walker, 1871.
- Genus: *Sasmarila* Argaman in Argaman & Özbek, 1992: 11. Type species: *Tiphia cinchonae* Allen, 1975.
- Genus: *Serpapinta* Argaman in Argaman & Özbek, 1992: 9. Type species: *Tiphia scabrosa* Gerstaecker, 1858.
- Genus: *Silifka* Argaman & Özbek, 1992: 5. Type species: *Silifka fatima* Argaman & Özbek, 1992.
- Genus: *Taywola* Argaman, 1994b: 91. Type species: *Mesa palestinella* Guiglia, 1963. =*Mesa* Saussure, 1892. Synonymized by Boni Bartalucci (2004b: 365).
- Genus: *Tilkuya* Argaman, 1994b: 96. Type species: *Myzine spinosa* Fischer de Waldheim, 1843. =*Meria* Illiger, 1807. Synonymized by Boni Bartalucci (2001: 3).
- Genus: *Tokoparta* Argaman, 1994b: 88. Type species: *Plesia sexmaculata* Guérin-Méneville, 1838. =*Myzinum* Latreille, 1803. Synonymized by Kimsey 2009.
- Genus: *Upaterka* Argaman, 1994b: 95. Type species: *Myzine latifasciata* Palma, 1869. =*Meria* Illiger, 1807. Synonymized by Boni Bartalucci (2001: 3).
- Genus: *Vacacunda* Argaman in Argaman & Özbek, 1992: 10. Type species: *Tiphia quincemila* Allen, 1972.
- Genus: *Warayoa* Nagy, 1994b: 91. Type species: *Warayoa citreosigna* Argaman, 1994. =*Braunsomeria* Turner, 1912. Synonymized by Boni Bartalucci (2011: 371).
- Genus: *Weerpaga* Argaman, 1994b: 92. Type species: *Weerpaga udomanca* Argaman, 1994.
- Genus: *Xilunka* Nagy, 1994b: 90. Type species: *Cosila donaldsoni* Fox, 1896. =*Mesa* Saussure, 1892. Synonymized by Boni Bartalucci (2004b: 365).
- Genus: *Yooloa* Argaman, 1994b: 92. Type species: *Yooloa vircola* Argaman, 1994. =*Parameria* Guérin-Méneville, 1837. Synonymized by Boni Bartalucci (2001: 27).
- Genus: *Zezelda* Nagy, 1994b: 90. Type species: *Myzine stigma* Turner, 1912.
- Subgenus: *Sierocolpa* Nagy, 1967c: 177. Type species: *Tiphia minuta* van der Linden, 1827
- Species:
- Cabaraxa compedita* Nagy, 1974d: 104. Holotype male; Ethiopia: Dire-Dana (belongs in Budapest, but not deposited there).
- Dermasothes ponderopardalis* Nagy, 1970d: 191. Holotype male; South Africa: Cape Prov., Willowmore (Nagy Coll.).

- Icronatha nuristana* Nagy, 1975a: 17. Holotype female; Afghanistan: Nuristan (Nagy Coll.).
- Jurja limpida* Argaman, 1994b: 96. Holotype male; Yemen: Wadi Zabid (belongs in Budapest, but not deposited there).
- Ludita andromeda* Nagy, 1967c: 198. Holotype female; Romania: Babadag (Nagy Coll.).
- Ludita consobrina* Nagy, 1967c: 202. Holotype male; Romania: Rarău Gebirge (Nagy Coll.).
- Ludita ramispinosa* Nagy, 1967c: 203. Holotype male; Romania: Caraorman, Rayon Tulcea (Nagy Coll.).
- Methoca* [sic] *sisala* Nagy, 1968e: 82. Holotype male; Romania: near Oradea, Băile Felix forest (Nagy Coll.).
- Silifka fatima* Argaman & Özbek, 1992: 6. Holotype female; Turkey: Silifke (Argaman Coll.)
- Tiphia* (*Tiphia*) *bexar* Nagy, 1967c: 187. Holotype female; Romania: Oituz (Nagy Coll.).
- Tiphia* (*Tiphia*) *copidosoma* Nagy, 1967c: 189. Holotype female; Romania: Băile Victoria (Nagy Coll.).
- Tiphia* (*Tiphia*) *iracunda* Nagy, 1967c: 182. Holotype male; Romania: Agigea (Nagy Coll.).
- Warayoa citreosigna* Argaman, 1994b: 91. Holotype male = paratype of *Braunsomeria quadraticeps* Turner, 1912; South Africa: “Cape Colony”, Willowmore (London) [although Argaman considered this a replacement name, it must rather be treated as the proposal of a new species since he retained Turner’s name for the female; although Boni Bartalucci (2011) designated the female specimen as the lectotype, this is invalid since Turner (1912) had specified “the female is the type”, effectively designating it as the holotype]. = *Braunsomeria quadraticeps* Turner, 1912. Synonymized by Boni Bartalucci 2011.
- Weer paga udomanca* Argaman, 1994b: 98. Holotype female; Cameroon: Guetale (Nonveiller Coll.).
- Yooloa vircola* Argaman, 1994b: 97. Holotype male; Israel: Mikhmoret, Miramare Hotel garden (Argaman Coll.). = *Parameria femorata* Guérin, 1837. Synonymized by Boni Bartalucci (2001: 27).

## Order Coleoptera

### Family Scarabaeidae

Species:

- Maladera matrida* Argaman, 1986b: 43, 68. Holotype male; Israel: Rehovot (Tel Aviv University). = *Maladera insanabilis* (Brenske, 1894). Synonymized by Ahrens (2000: 202, as *Autoserica insanabilis*).