# UCSF UC San Francisco Previously Published Works

### Title

Barriers to healthcare for transgender individuals

## Permalink

https://escholarship.org/uc/item/0d6524mw

### Journal

Current Opinion in Endocrinology Diabetes and Obesity, 23(2)

ISSN

1752-296X

### Authors

Safer, Joshua D Coleman, Eli Feldman, Jamie <u>et al.</u>

### **Publication Date**

2016-04-01

### DOI

10.1097/med.000000000000227

Peer reviewed



# Barriers to healthcare for transgender individuals

Joshua D. Safer<sup>a</sup>, Eli Coleman<sup>b</sup>, Jamie Feldman<sup>b</sup>, Robert Garofalo<sup>c</sup>, Wylie Hembree<sup>d,e</sup>, Asa Radix<sup>f</sup>, and Jae Sevelius<sup>g</sup>

#### **Purpose of review**

Transgender persons suffer significant health disparities and may require medical intervention as part of their care. The purpose of this manuscript is to briefly review the literature characterizing barriers to healthcare for transgender individuals and to propose research priorities to understand mechanisms of those barriers and interventions to overcome them.

#### Recent findings

Current research emphasizes sexual minorities' self-report of barriers, rather than using direct methods. The biggest barrier to healthcare reported by transgender individuals is lack of access because of lack of providers who are sufficiently knowledgeable on the topic. Other barriers include: financial barriers, discrimination, lack of cultural competence by providers, health systems barriers, and socioeconomic barriers.

#### Summary

National research priorities should include rigorous determination of the capacity of the US healthcare system to provide adequate care for transgender individuals. Studies should determine knowledge and biases of the medical workforce across the spectrum of medical training with regard to transgender medical care; adequacy of sufficient providers for the care required, larger social structural barriers, and status of a framework to pay for appropriate care. As well, studies should propose and validate potential solutions to address identified gaps.

#### **Keywords**

barriers to care, health disparities, medical education, transgender, workforce needs

#### INTRODUCTION

Transgender persons suffer significant health disparities in multiple arenas [1,2]. Real or perceived stigma and discrimination within biomedicine and the healthcare provision in general may impact transgender people's desire and ability to access appropriate care [3,4]. Transgender women (male to female) are internationally recognized as a population group that carries a disproportionate burden of HIV infection, with a worldwide HIV prevalence of 20% [5]. A US sample of 1093 transgender persons demonstrated a high prevalence of clinical depression (44.1%), anxiety (33.2%), and somatization (27.5%) [6]. In the largest National Transgender Survey to date (n = 6456), 30% of the respondents reported current smoking  $(1.5 \times$  the rate of the general population), 26% reported current or former alcohol or drug use to cope with mistreatment, and 41% report having attempted suicide  $(26 \times \text{ higher than the general population})$ [7]. Although some of these healthcare barriers are faced by other minority groups, many are unique,

and many are significantly magnified for transgender persons.

In addition to the usual care, transgender patients often require medical interventions such as hormone therapy and/or surgery. The purpose of this manuscript is to briefly review the current

Curr Opin Endocrinol Diabetes Obes 2016, 23:168–171 DOI:10.1097/MED.00000000000227

<sup>&</sup>lt;sup>a</sup>Section of Endocrinology, Diabetes, and Nutrition, Boston University School of Medicine, Boston, Massachusetts, <sup>b</sup>Department of Family Medicine and Community Health, University of Minnesota, Minneapolis, Minnesota, <sup>c</sup>Department of Pediatrics, Division of Adolescent Medicine, Ann & Robert H. Lurie Children's Hospital of Chicago/Northwestern University, Chicago, Illinois, <sup>d</sup>Division of Gender, Sexuality, and Health, <sup>e</sup>NYS Psychiatric Institute, College of Physicians and Surgeons, Columbia University Medical Center, <sup>f</sup>Callen-Lorde Community Health Center, New York and <sup>g</sup>Department of Medicine, Center for AIDS Prevention Studies, University of California, San Francisco, California, USA

Correspondence to Joshua D. Safer, MD, Section of Endocrinology, Diabetes, and Nutrition, Boston University School of Medicine, 715 Albany Street, Room M-1016, Boston, MA 02467, USA. Tel: +1 617 638 8530; e-mail: jsafer@bu.edu

### **KEY POINTS**

- There are numerous barriers to healthcare for transgender individuals with the largest barrier reported by transgender individuals being the paucity of knowledgeable providers.
- Barriers to healthcare include those that are direct like lack of insurance coverage along with those that are indirect like unfriendly office environments and perceived stigma for both the patients themselves and the providers of transgender healthcare.
- The priorities for research on barriers to transgender healthcare must include determination of the gaps in knowledge among the provider workforce across the range of training, potential interventions for those gaps, determination of indirect barriers like environment and stigma, and potential solutions to overcome those barriers.

literature characterizing barriers to high-quality healthcare for transgender individuals and to propose research priorities to understand both the mechanisms of those barriers and potential interventions to overcome them.

The biggest barrier both to safe hormonal therapy and to appropriate general medical care for transgender patients is the lack of access to care. Despite both guidelines and data supporting the current transgender medicine treatment paradigm [8–13], transgender patients report that lack of providers with expertise in transgender medicine represents the single largest component inhibiting access [14]. Transgender treatment is not taught in conventional medical curricula and too few physicians have the requisite knowledge and comfort level  $[15, 16, 17^{\circ}-19^{\circ}]$ .

Other reported barriers include: financial barriers (lack of insurance and lack of income), discrimination, lack of cultural competence by healthcare providers, health systems barriers (inappropriate electronic records, forms, lab references, and clinic facilities), and socioeconomic barriers (transportation, housing, and mental health). Although some of these healthcare barriers are faced by other minority groups, many are unique, and many are significantly magnified for transgender persons.

#### **REVIEW OF RESEARCH TO DATE:** CHALLENGES, GAPS, OPPORTUNITIES

Research on barriers to care for transgender individuals consists almost exclusively of data collected through self-report by transgender individuals themselves, rather than more direct techniques. The largest study is the National Transgender Discrimination Survey, with data collected between September 2008 and March 2009 [7]. Other published research consists primarily of local or regional quantitative or qualitative studies.

Factors that interfere with physicians' delivery of quality care are largely unknown. To understand the disparities, most research has evaluated patients' perceptions of care [14,20–23], whereas the perspective of physicians has been mostly overlooked.

There is one study of medical students and one study of medical residents where patients in both cases reported substantially less predicted comfort with providing hormone care for transgender individuals than providing the same hormone care to other patients [24,25<sup>•</sup>].

In addition, some qualitative formative work has focused on understanding physicians' need for transgender medicine education [26,27] without a thorough understanding of physicians' barriers to providing care.

Studies of physician knowledge, attitudes, and barriers that do exist at all reflect lesbian, gay, bisexual, and transgender healthcare broadly without transgender healthcare specific data [28,29].

Further, there has been no meaningful attempt either to determine the specific workforce needs to provide care nor any attempt to determine the current status of that care. Similarly, a comprehensive analysis of third-party financial support for care is lacking.

Finally, reports regarding other barriers are only speculative and based on perceptions rather than validated assessment.

#### CONCLUSION

Although it is clear that transgender patients suffer from a dearth of competent providers for their healthcare, the specific explanations for that gap remain to be studied.

Therefore, an early research priority must be to establish a rigorous determination of the ability of the US healthcare system to provide adequate care for transgender individuals along with a careful assessment of causes for deficits (Table 1).

Such studies should include determination of the knowledge and biases of the existing medical workforce – medical students, physician trainees, physicians in practice, and other healthcare workers across the spectrum of training; the adequacy of sufficient providers for the care required, and the status of a framework to pay for appropriate care. There is a specific need to determine if providers receive adequate training in Table 1. Barriers to transgender medical and healthcare research priorities

Assess the knowledge and sophistication of the provider workforce to provide transgender medical care – along with barriers to that education. Lack of knowledge may manifest as assumed complexity of knowledge needed along with report of anxiety regarding uncertainty. Identify solutions to overcome the knowledge gap.

Assess bias and other barriers to provider care independent of knowledge. The other barriers may include fear of stigma associated with providing transgender medical care. Other barriers may also include bias in the structure of clinics, forms, and electronic medical record systems in addition to gaps in knowledge and bias among support staff. Identify solutions to the gaps, which are not solely a lack of knowledge.

Determine the degree to which third-party payer policy impedes access. Determine change needed to overcome the financial barrier to care.

Evaluate other barriers, including societal stigma, mental health issue among patients, and socioeconomic issues that represent barriers to transgender individuals receiving high-quality care. Evaluate strategies to overcoming these barriers.

transgender medicine and if not, to determine the gap. There is also a specific need to determine the current status of antitransgender discrimination in the healthcare system. As well, studies should determine potential solutions to address the gaps (including training for knowledge gaps and policy shifts for financial gaps) along with mechanisms to validate such solutions.

In addition to provider gaps, research should investigate systems gaps, including biases in the structure of clinics, forms, and electronic medical record systems. Further, gaps in knowledge and biases among support staff must be determined and then validated tools developed to close those gaps.

Finally, studies are needed to determine and then overcome barriers to care outside of provider and clinic competence. Such studies would include societal stigma for both patients and providers, mental health of patients, and socioeconomic concerns of patients.

#### Acknowledgements

None.

#### **Financial support and sponsorship**

This work was supported in part by the Eunice Kennedy Shriver National Institute of Child Health & Human Development of the National Institutes of Health (R13HD084267), the Endocrine Society, the Tawani Foundation, the World Professional Association for Transgender Health (WPATH), and the Program in Human Sexuality at the University of Minnesota Medical School. The content is solely the responsibility of the authors and does not represent the official views of the National Institutes of Health, the Endocrine Society, WPATH, or the Department of Veterans Affairs.

#### **Conflicts of interest**

J.F. and J.S. are currently receiving a grant from the Eunice Kennedy Shriver National Institute of Child Health and Human Development of the National *Institutes of Health under Award Number R13HD084267. The remaining authors have no conflicts of interest.* 

#### REFERENCES AND RECOMMENDED READING

Papers of particular interest, published within the annual period of review, have been highlighted as:

- of special interest
  of outstanding interest
- of outstanding interest
- Bradford J, Reisner SL, Honnold JA, Xavier J. Experiences of transgenderrelated discrimination and implications for health: results from the Virginia transgender health initiative study. Am J Public Health 2013; 103:1820– 1829.
- Bauer GR, Hammond R, Travers R, et al. I don't think this is theoretical'; this is our lives: how erasure impacts healthcare for transgender people. J Assoc Nurses AIDS Care 2009; 20:348–361.
- Bockting W, Robinson B, Benner A, Scheltema K. Patient satisfaction with transgender health services. J Sex Marital Ther 2004; 30:277–294.
- Cobos DG, Jones J. Moving forward: transgender persons as change agents in healthcare access and human rights. J Assoc Nurses AIDS Care 2009; 20:341–347.
- Baral SD, Poteat T, Stromdahl S, et al. Worldwide burden of HIV in transgender women: a systematic review and meta-analysis. Lancet Infect Dis 2013; 13:214–222.
- Lombardi E. Transgender health: a review and guidance for future research Proceedings from the Summer Institute at the Center for Research on Health and Sexual Orientation, University of Pittsburgh. Int J Transgend 2011; 12:211–229.
- Grant JM, Mottet LA, Tanis J, et al. Injustice at every turn: a report of the National Transgender Discrimination Survey. Washington, DC: National Center for Transgender Equality and National Gay and Lesbian Task Force; 201.1
- Hughes IA, Houk C, Ahmed SF, Lee PA. Consensus statement on management of intersex disorders. Arch Dis Child 2006; 91:554–563.
- Houk CP, Hughes IA, Ahmed SF, Lee PA. Summary of consensus statement on intersex disorders and their management. International Intersex Consensus Conference. Pediatrics 2006; 118:753–757.
- Hembree WC, Cohen-Kettenis P, Delemarre-van de Waal HA, et al. Endocrine treatment of transsexual persons: an Endocrine Society clinical practice guideline. J Clin Endocrinol Metab 2009; 94:3132–3154.
- Committee on Health Care for Underserved Women. Committee Opinion no. 512: healthcare for transgender individuals. Obstet Gynecol 2011; 118:1454-1458.
- 12. The World Professional Association for Transgender Health. The standards of care for transsexual, transgender, and gender nonconforming people, 7th version. Minneapolis, Minnesota: The World Professional Association for Transgender Health, Inc.; 2011.
- Gardner IH, Safer JD. Progress on the road to better medical care for transgender patients. Curr Opin Endocrinol Diabetes Obes 2013; 20:553–558.
- Sanchez NF, Sanchez JP, Danoff A. Healthcare utilization, barriers to care, and hormone usage among male-to-female transgender persons in New York City. Am J Public Health 2009; 99:713–719.
- Safer JD, Tangpricha V. Out of the Shadows: it is time to mainstream treatment for transgender patients. Endocr Pract 2008; 14:248–250.
- Haymer M, Transgender patients: Prejudice and training needs among trainees in 6 US Emergency Medicine residency programs.' 142nd APHA Annual Meeting and Exposition (November 15-November 19, 2014), APHA, 2014.

 17. Unger CA. Care of the transgender patient: a survey of gynecologists' current knowledge and practice. J Women's Health 2015; 26:114–118.

An on-line survey demonstrating gaps in gynecologists' knowledge and expressed willingness to provide care for transgender individuals.

 Vance SR, Halpern-Felsher BL, Rosenthal SM. Healthcare providers' comfort
 with and barriers to care of transgender youth. J Adolesc Health 2015; 56:251-253.

An on-line survey of pediatricians' demonstrating gaps in knowledge and expressed comfort providing care for transgender individuals.

- **19.** Sherman MD, Kauth MR, Ridener L, *et al.* An empirical investigation of challenges and recommendations for welcoming sexual and gender minority
- veterans into VA care. Prof Psychol Res Pract 2014; 45:433-442. A mixed methods study of LGBT veterans' concerns over the welcome they feel in

the VA system.

- Institute of Medicine. The Health of Lesbian, Gay, Bisexual, and Transgender People. Building a foundation for better understanding. Washington, DC: The National Academies Press; 2011.
- National Coalition for LGBT Health. An overview of U.S. Trans Health Priorities: a report by the Eliminating Disparities Working Group. Washington, DC: National Coalition for LGBT Health; 2004.
- Melendez RM, Exner TA, Ehrhardt AA, et al. Health and healthcare among male-to-female transgender persons who are HIV positive. Am J Public Health 2006; 96:1034–1037.

- Rachlin K, Green J, Lombardi E. Utilization of healthcare among female-tomale transgender individuals in the United States. J Homosex 2008; 54:243– 258.
- Safer JD, Pearce EN. A simple curriculum content change increased medical student comfort with transgender medicine. Endocr Pract 2013; 19:633– 637.
- 25. Thomas DD, Safer JD. A simple intervention raised resident-physician willingness to assist transgender patients seeking hormone therapy. Endocr
- Pract 2015; 21:1134-1142. The first demonstration of the effectiveness of an evidence-based approach to teaching transgender medicine to physician trainees.
- 26. Lurie S. Identifying training needs of health-care providers related to treatment and care of transgendered patients: a qualitative needs assessment conducted in New England. Int J Transgend 2005; 8:93–112.
- Snelgrove JW, Jasudavisius AM, Rowe BW, *et al.* Completely out-at-sea with two- gender medicine: a qualitative analysis of physician-side barriers to providing healthcare for transgender patients. BMC Health Serv Res 2012; 12:110.
- Sanchez NF, Rabatin J, Sanchez JP, et al. Medical students' ability to care for lesbian, gay, bisexual, and transgendered patients. Fam Med 2006; 38:21–27.
- Obedin-Maliver J, Goldsmith ES, Stewart L, et al. Lesbian, gay, bisexual, and transgender-related content in undergraduate medical education. JAMA 2011; 306:971–977.