

# **UC Irvine**

## **UC Irvine Previously Published Works**

### **Title**

Rosa damascena Decreased Mortality in Adult Drosophila

### **Permalink**

<https://escholarship.org/uc/item/0ff7j89w>

### **Journal**

Journal of Medicinal Food, 11(1)

### **ISSN**

1096-620X

### **Authors**

Jafari, Mahtab  
Zarban, Asghar  
Pham, Steven  
et al.

### **Publication Date**

2008-03-01

### **DOI**

10.1089/jmf.2007.546

### **Copyright Information**

This work is made available under the terms of a Creative Commons Attribution License, available at <https://creativecommons.org/licenses/by/4.0/>

Peer reviewed

## Rosa damascena Decreased Mortality in Adult *Drosophila*

Mahtab Jafari,<sup>1</sup> Asghar Zarban,<sup>2</sup> Steven Pham,<sup>3</sup> and Thomas Wang<sup>3</sup>

<sup>1</sup>Department of Pharmaceutical Sciences and <sup>3</sup>Undergraduate Program, School of Biological Sciences, University of California, Irvine, CA; and <sup>2</sup>Birjand University of Medical Sciences, Birjand, Iran

**ABSTRACT** The effects of a rose-flower extract, *Rosa damascena*, on the mortality rate of *Drosophila melanogaster* was evaluated in this study. *R. damascena* is a potent antioxidant that has many therapeutic uses in addition to its perfuming effects. Supplementing *Drosophila* with this rose extract resulted in a statistically significant decrease in mortality rate in male and female flies. Moreover, the observed anti-aging effects were not associated with common confounds of anti-aging properties, such as a decrease in fecundity or metabolic rate.

**KEY WORDS:** • anti-aging effect • *Drosophila melanogaster* • mortality rate • *Rosa damascena* • rose-flower extract

### INTRODUCTION

AGING IS A SIGNIFICANT RISK FACTOR that contributes to the development of human diseases such as cardiovascular disorders, cancer, diabetes, cataracts, neurodegenerative disorders, and osteoporosis. Aging is the outcome of the interactions of a plethora of genetic and environmental factors and biochemical pathways. As we age, we accumulate damage at molecular, cellular, and organ system levels, accompanied by the increasing inefficiency of our bodies to repair these types of damage.

Comparative genetic and functional studies between *Drosophila* and human have revealed that 60% of a set of 289 human disease genes have homologues in fruit flies and that about 100 of these genes are involved in various human endocrine and metabolic diseases.<sup>1</sup>

Accumulation of oxidative damage to cells and tissues in conjunction with the inefficiency of our antioxidant defense system is one of the mechanisms that is commonly used to explain aging. The oxidation pathway is perhaps the most studied and manipulated aging pathway, and a number of genetic and pharmacological manipulations targeting this pathway have attempted to delay aging. *Drosophila* and human share a number of important antioxidative enzymes such as cytosolic Cu/Zn and mitochondrial superoxide dismutase, catalase, and glutathione reductase.<sup>2</sup> A number of antioxidants have been evaluated for their potential anti-aging properties. Some of these antioxidants have increased the life span of model systems employed in anti-aging re-

search, such as *Drosophila melanogaster* and *Caenorhabditis elegans*.<sup>3</sup>

*Rosa damascena* is a small plant from the Rosaceae family with aromatic light pink flowers. This plant flowers in spring and is grown widely in France, Bulgaria, Iran, and Turkey.<sup>4</sup> The major products taken from *R. damascena* are essential oil and rose water, obtained by steam distillation of flowers. In the rose essential oil, several volatile C<sub>13</sub>-norisoprenoids such as damascenone have been identified, which are important odor constituents.<sup>5</sup> Also, several valuable phenolic compounds (e.g., kampferol and quercitin glycosides) are extracted from petals of *R. damascena* after industrial distillation.<sup>6</sup> Although this rose species is mainly known for its perfuming effects, it has many medicinal uses. The majority of scientific documents are on *in vitro* and animal studies, but there are a few human data on the medicinal effects of *R. damascena*. In recent years, antioxidant,<sup>7</sup> antispasmodic, cardiovascular preventive, antibacterial, and skin protective effects of extracts from this plant have been reported in the medical literature.<sup>8,9</sup>

In the present study, we evaluated the anti-aging properties of this flower and found that *Drosophila* flies supplemented with an extract of this plant exhibited reduced mortality. Although our study does not reveal the causal mechanism behind our observed anti-aging effects, it does suggest that this rose species is worthy of continued investigation. To our knowledge, this is the first study that reports anti-aging effects of *R. damascena*.

### MATERIALS AND METHODS

#### Rosa damascena

*R. damascena* flowers (voucher number 6526TEH) were dried in the shade, and the petals were pulverized to a coarse

Manuscript received 20 August 2007. Revision accepted 21 November 2007.

Address reprint requests to: Mahtab Jafari, Department of Pharmaceutical Sciences, University of California, Irvine, Irvine, CA 92697, E-mail: mjafari@uci.edu

powder. Aqueous extract was prepared by adding 2.5 g of the powder to 100 mL of boiling water for 10 minutes. After filtration, the extract was lyophilized with a freeze-dryer and stored at 4°C (yield, 35.5% wt/wt).

### Experimental methods

The details of the experimental methods used in our mortality, fecundity, metabolic rate, and CNS assays are outlined by Jafari *et al.*<sup>10</sup>

All *D. melanogaster* stocks used in these experiments were ultimately derived from a sample (called “IV”) of the Amherst, MA, Ives population studied extensively by Rose and colleagues (see, *e.g.*, Rose *et al.*<sup>11</sup>). *R. damascena* was supplied to adults only. The freeze-dried powder of the flower was mixed into the yeast paste; the fruit fly adults preferentially consume this paste. There were four males and four females in each vial, with a total of 80 vials per dose per sex or 640 flies per dose. The flies were transferred every other day during the aging phase, which lasts 4 weeks in the population that we used in this study. At each transfer, data on the number of dead flies and their sex were recorded. After a number of dose-finding preliminary studies were performed, the final concentration of the rose powder in the yeast was 1, 1.5, and 2 mg/mL. Each dose was compared to a control group that was only exposed to yeast (0 mg/mL group). Adults were transferred to fresh vials, and survivors were counted every 2 days. All assays were conducted on flies that had undergone two generations of controlled-density rearing. When flies from different treatments were compared, all preliminary rearing was carried out in parallel.

Because some compounds may increase life span simply by substantially depressing fecundity (total number of eggs laid by each female fruit fly per day),<sup>12</sup> a fecundity assay is an important check for artifactual life span enhancement. We evaluated age-specific fecundities and the number of eggs laid each day by each individual female for a period of 10 days.

TABLE 1. FRACTION OF *DROSOPHILA* THAT DIED DURING AGING PHASE WITH *R. DAMASCENA*

Replicate	Sex	Dose (mg/mL)	Mortality (mean $\pm$ SD)	P value
1	Male	0 (control)	0.45 $\pm$ 0.03	
		1	0.42 $\pm$ 0.03	.48
		1.5	0.45 $\pm$ 0.03	.92
		2	0.38 $\pm$ 0.03	.05
	Female	0 (control)	0.46 $\pm$ 0.03	
		1	0.41 $\pm$ 0.03	.29
		1.5	0.37 $\pm$ 0.03	.04
		2	0.37 $\pm$ 0.03	.04
2	Male	0 (control)	0.61 $\pm$ 0.03	
		2	0.47 $\pm$ 0.03	.0004
	Female	0 (control)	0.74 $\pm$ 0.03	
		2	0.56 $\pm$ 0.03	.000017




FIG. 1. Fraction dying with *R. damascena* at 1, 1.5, and 2 mg/mL. There is a decrease in the fraction dying with 1.5 and 2.0 mg/mL in male flies and a decrease in the fraction dying with 2 mg/mL in female flies (\* $P < .05$ ).

As a further test for artifactual effects, compounds that had a beneficial effect on mortality, but did not significantly depress fecundity, were assayed for their effect on metabolic rate.<sup>12,13</sup> This assay was used to ascertain whether there had been an artifactual decrease in mortality due to hypometabolism. CO<sub>2</sub> production in drugged flies was compared to that of a control group handled in parallel and assayed simultaneously. We used flow-through respirometry to measure the rate of CO<sub>2</sub> release from groups of flies following the methods of Williams *et al.*<sup>14</sup>

Male virility was used as an assay for a variety of possible secondary drug effects on fly behavior, including reduced activity and other forms of central nervous system depression. For each assay of virility, two male flies—one that was supplemented with *R. damascena* and one that was not supplemented—were placed in a mating vial with a virgin female fly, who had not been exposed to the *R. damascena*. Among the mating vials, half had marked supplemented males; the other half had marked control males. In this experiment each male was scored according to his status (control or supplemented), marked status (marked or not marked), and mating status (mated or not mated). The data were inserted into a contingency table that was analyzed using a log likelihood model.

The experimental conditions such as the size of the vials and the amount of food in the vial were similar for fecundity, metabolic rate, and central nervous system depression assays.

## RESULTS

*R. damascena* at 2 mg/mL resulted in a statistically significant decrease in mortality (Table 1 and Fig. 1). It resulted in 23% and 22% reduction in the fraction dying in the male and female flies, respectively. We were able to confirm the beneficial effects of this dose on mortality in a sec-


ond replicate (Table 1 and Fig. 2). In this replicate assay, 2 mg/mL *R. damascena* resulted in 27% and 22% reduction in the fraction dying in the male and female flies, respectively. Consequently, we proceeded with further testing of fecundity. There was no statistically significant difference in fecundity with any doses relative to the control (Fig. 3).

We proceeded on to a metabolic rate assay, to check for the other major source of pharmacological artifact. As shown in Table 2, *R. damascena* did not have a significant adverse effect on metabolic rate at the doses that we tested on either sex. Accordingly, we continued to an assay of male mating success. As shown in Table 3, there was no significant increase or decrease in mating success in this assay.

## DISCUSSION

The present study demonstrates that *R. damascena* decreases the mortality rate of adult *Drosophila* without significantly affecting any secondary physiological mechanisms that could have caused an artifactual extension of life span. The observed anti-aging property of *R. damascena* was not associated with statistically significant reductions in fecundity, metabolic rate, or male mating success.

Caloric restriction has been shown to increase longevity in invertebrates and mammals. There is the potential that the presence of *R. damascena* in the food resulted in lower levels of food consumption and an effect similar to dietary restriction. It is well established that major depression in fecundity is associated with dietary restriction sufficient to significantly increase *Drosophila* longevity.<sup>15</sup> As shown in our fecundity results (Fig. 3), *R. damascena* supplemented at various doses to *Drosophila* cohorts produced no significant fecundity differences in treatment groups relative to the control. In these measurements, there was no statistically significant decrement in reproductive output due to *R. damascena* feeding. Since egg production is proportional to food




**FIG. 3.** Fecundity with *R. damascena* at 1, 1.5, and 2 mg/mL. No decrease in fecundity is seen with 1, 1.5, and 2 mg/mL.

level, the absence of a statistically significant decline in fecundity also indicates that the *Drosophila* females were not lowering their levels of *R. damascena*-supplemented food consumption.<sup>16</sup>

We evaluated the impact of *R. damascena* on the metabolic rate and observed that this botanical did not change the metabolic rate. It is well established that poikilotherms experience life span extension as their metabolic rate decreases.<sup>17,18</sup> As humans are homeotherms with fairly stable metabolic rates, compounds that act via gross lowering of metabolic rates, producing hypometabolic syndromes, are not appropriate candidates for anti-aging interventions.

The impairment of nervous system function is a common adverse effect associated with a number of botanical and pharmaceutical agents. In *Drosophila*, studying changes in locomotion is not enough to establish good neurological function. In *Drosophila*, two tests of nervous system function are fairly obvious. A reduction in the ability of supplemented flies to learn is a reasonable indicator of nervous system impairment. Another possible test is male mating function. Male *Drosophila* flies have to perform a fairly elaborate series of behaviors before females will mate with them; failure to accomplish these behaviors individually, or in the correct sequence, normally results in a failure to mate. An excellent test of general nervous system depression in fruit flies thus would be the mating success of supplemented males compared with nonsupplemented males, within the same cohort, in competition as pairs. The lack of *R. damascena*-induced changes in mating behavior showed that this plant did not impair the nervous system.

Although the anti-aging mechanism of *R. damascena* was not evaluated in our study, its antioxidant properties may explain our results. Among the many mechanisms of aging, the theory of reactive oxygen species-induced aging is widely studied and accepted. Many studies have evaluated the impact of antioxidants on life span extension in *Drosophila*. In a study by Bauer *et al.*,<sup>19</sup> two popular an-



**FIG. 2.** Fraction dying with *R. damascena* at 2 mg/mL. There is a decrease in the fraction dying with 2.0 mg/mL in male and female flies (\* $P < .05$ ).

tioxidants, resveratrol and lipoic acid, increased the life span. Resveratrol at 200  $\mu M$  resulted in an average 16% and 10% increase in life span in female and male flies, respectively. Lipoic acid increased the life-span of female *Drosophila* only. Driver *et al.*<sup>20</sup> reported longevity benefit with vitamin E at a narrow therapeutic window. Vitamin E at 20  $\mu g/mL$  increased the life span, and it was considered ineffective at lower doses and toxic at higher doses.<sup>19–22</sup>

*R. damascena* is the most commonly used source of rose extracts and oil, but a number of other *Rosa* species (e.g., *Rosa centifolia*, *Rosa gallica*, *Rosa alba*, and *Rosa rugosa*) with similar chemical composition have been identified and used for therapeutic purposes.<sup>23</sup> Often, *Rosa* species have more than 100 components, but the major components in all of them are polyphenols and rose alcohols such as geraniol, citronellol, and nerol.

In a study by Ng *et al.*,<sup>24</sup> *R. rugosa*, a commonly used Chinese herbal medicine, at 80 mg/kg/day increased the activities of antioxidant enzymes such as catalase and glutathione peroxidase in senescence-accelerated mice. The rose extract also resulted in up-regulation of catalase and glutathione peroxidase gene expression and resulted in less lipid peroxidation in the liver, kidneys, and brain of senescence-accelerated mice. In addition to these positive impacts, the average life span of senescence-accelerated mice treated with *R. rugosa* was statistically longer than the control group.<sup>24</sup>

In a study by Jafari *et al.*,<sup>10</sup> a number of anti-diabetic compounds—metformin, glipizide, rosiglitazone, and pioglitazone—were screened for anti-aging effects. These compounds impact insulin and insulin growth factor-like signaling pathways, which are well-known longevity pathways. Only pioglitazone had a small but positive effect on longevity. Female longevity was increased by 1.1 days and male longevity by 0.9 days.<sup>10</sup>

In another study by Jafari *et al.*,<sup>25</sup> four Chinese herbals—Lu Duo Wei, Bu Zhong Yi Qi Tang, San Zhi Pian (Three Imperial Mushrooms), and Hong Jing Tian (*Rhodiola*)—were evaluated for their anti-aging properties. Although all of these herbal mixtures have antioxidant properties, only *Rhodiola*-fed flies exhibited decelerated aging and a decrease in the mortality rate without statistically

TABLE 2. METABOLIC RATES OF *DROSOPHILA* AT DIFFERENT DOSAGES OF *R. DAMASCENA*

Sex	Dose (mg/mL)	CO <sub>2</sub> ( $\mu L/hour/fly$ ) (average $\pm$ SD)	P value
Male	0 (control)	1.42 $\pm$ 0.28	
	1	1.25 $\pm$ 0.24	.27
	1.5	1.37 $\pm$ 0.23	.43
	2	1.35 $\pm$ 0.28	.90
Female	0 (control)	1.72 $\pm$ 0.33	
	1	1.67 $\pm$ 0.27	.74
	1.5	1.74 $\pm$ 0.25	.59
	2	1.58 $\pm$ 0.25	.17

TABLE 3. CENTRAL NERVOUS SYSTEM COMPETENCY OF *DROSOPHILA* AS MEASURED BY MATING SUCCESS WITH *R. DAMASCENA*

Dose (mg/mL)	Frequency of mating success	Significance (P) of drug-mating interaction
0 (control)	0.49	
1	0.51	.99
0 (control)	0.43	
1.5	0.57	.97
0 (control)	0.44	
2	0.56	.33

significant physiological trade-offs that could generate an artifactual longevity benefit. *Rhodiola* increased survival by 3.5 days in males and 3.2 days in females. It decreased mortality rate by 27% in males and 30% in females. Based on a diet assay, it was concluded that *Rhodiola* did not impact food consumption, and thus the longevity-enhancing effects of *Rhodiola* were not produced by a caloric restriction effect but might be due to antioxidative protection against a possible accumulation of free radicals that occurs with aging.<sup>25</sup>

The above studies show that life span can be extended by manipulation of biological pathways involved in aging using pharmaceuticals and botanicals. However, the pharmacology of aging is likely to involve several pathways, given the multifold pathways that affect fruit fly aging.<sup>26–28</sup>

Although we did not evaluate the mechanism of *R. damascena*-induced deceleration of aging, we can postulate that the plant's antioxidant properties could have contributed to this effect.

In conclusion, we have presented evidence that *R. damascena* can extend *Drosophila* life span without impacting physiological mechanisms that can result in an artifactual longevity benefit.

## REFERENCES

1. Tickoo S, Russell S: *Drosophila melanogaster* as a model system for drug discovery and pathway screening. *Curr Opin Pharmacol* 2000;2:555–560.
2. LeBourg E: Oxidative stress, aging, and longevity in *Drosophila melanogaster*. *FEBS Lett* 2001;498:183–186.
3. Melov S, Ravenscroft J, Malik S, Gill MS, Walker DW, Clayton PE, Wallace DC, Malfroy B, Doctrow SR, Lithgow GJ: Extension of life-span with superoxide dismutase/catalase mimetics. *Science* 2000;289:1567–1569.
4. Tabrizi H, Mortazavi A, Kamalinejad M: An in vitro evaluation of various *Rosa damascena* flower extracts as a natural antisolar agent. *Int J Cosmetic Sci* 2003;25:259–265.
5. Suzuki M, Matsumoto S, Mizoguchi M, Hirata S, Takagi K, Hashimoto I, Yamano Y, Ito M, Fleischmann P, Winterhalter P, Morita T, Watanabe N: Identification of (3S,9R)- and (3S,9S)-megastigma-6,7-dien-3,5,9-triol 9-O-beta-D-glucopyranosides as damascenone progenitors in the flowers of *Rosa damascena* Mill. *Biosci Biotechnol Biochem* 2002;66:2692–2697.

6. Schiber A, Mihalev K, Berardini N, Mollov P, Carle R: Flavonol glycosides from distilled petals of *Rosa damascena* Mill. *Z Naturforsch [C]* 2005;60:379–384.
7. Achuthan CR, Babu BH, Padikkala J: Antioxidant and hepatoprotective effects of *Rosa damascena*. *Pharm Biol* 2003;41:357–361.
8. Basim E, Basim H: Antibacterial activity of *Rosa damascena* essential oil. *Fitoterapia* 2003;74:394–396.
9. Boskabady MH, Kiani S, Rakshandah H: Relaxant effects of *Rosa damascena* on guinea pig tracheal chains and its possible mechanism(s). *J Ethnopharmacol* 2006;106:377–382.
10. Jafari M, Khodayari B, Felgner J, Bussel II, Rose MR, Mueller LD: Pioglitazone: an anti-diabetic compound with anti-aging properties. *Biogerontology* 2007;8:639–651.
11. Rose MR, Passananti HB, Mato M: *Methuselah Flies: A Case Study in the Evolution of Aging*. World Scientific Publishing, Singapore, 2004.
12. Jafari M, Rose M: Rules for the use of model organisms in anti-aging pharmacology. *Aging Cell* 2006;5:17–22.
13. Van Voorhies WA, Ward S: Genetic and environmental conditions that increase longevity in *Caenorhabditis elegans* decrease metabolic rate. *Proc Natl Acad Sci U S A* 1999;96:399–403.
14. Williams AE, Rose MR, Bradley TJ: The respiratory pattern in *Drosophila melanogaster* selected for desiccation resistance is not associated with the observed evolution of decreased locomotory activity. *Physiol Biochem Zool* 2004;77:10–17.
15. Chippendale AK, Leroi AM, Kim SB, Rose MR: Metabolic aspects of the trade-off between fecundity and longevity in *Drosophila melanogaster*. *J Evol Biol* 1993;10:269–293.
16. Chapman T, Partridge L: Female fitness in *Drosophila melanogaster*: an interaction between the effect of nutrition and of encounter rate with males. *Proc Biol Sci* 1996;263:755–759.
17. Finch CE: *Longevity, Senescence, and the Genome*. University of Chicago Press, Chicago, 1990.
18. Rose MR: *Evolutionary Biology of Aging*. Oxford University Press, New York, 1991.
19. Bauer JH, Goupil S, Garber GB, Helfand SL: An accelerated assay for the identification of lifespan-extending interventions in *Drosophila melanogaster*. *Proc Natl Acad Sci U S A* 2004;101:12980–12985.
20. Driver C, Georgiou A: The contribution by mitochondrially induced oxidative damage to aging in *Drosophila melanogaster*. *Biogerontology* 2004;5:185–192.
21. Wood JG, Rogina B, Lavu S, Howitz K, Helfand SL, Tatar M, Sinclair D: Sirtuin activators mimic caloric restriction and delay ageing in metazoans. *Nature* 2004;430:686–689.
22. Kang HL, Benzer S, Min KT: Life extension in *Drosophila* by feeding a drug. *Proc Natl Acad Sci U S A* 2002;99:838–843.
23. Rangaha MK: Rose—*Rosa damascena* ‘Trigintipetala.’ *Crop Food Res Broad Sheet* 2001;29.
24. Ng TB, Gao W, Li L, Niu SM, Zhao L, Liu J, Shi LS, Fu M, Liu F: Rose (*Rosa rugosa*)-flower extract increases the activities of antioxidant enzymes and their gene expression and reduces lipid peroxidation. *Biochem Cell Biol* 2005;85:78–85.
25. Jafari M, Felgner J, Bussel I, Hutchili T, Khodayari B, Rose MR, Vince-Cruz C, Mueller LD: *Rhodiola*: a promising anti-aging Chinese herb. *Rejuvenation Res* 2007;10:587–602.
26. Fleming JE, Spicer GC, Garrison RC, Rose MR: Two dimensional protein electrophoretic analysis of postponed aging in *Drosophila*. *Genetica* 1993;91:183–198.
27. Pletcher SD, Macdonald SJ, Margueri R, Certa U, Stearns SC, Goldstein DB, Partridge L: Genome-wide transcript profiles in aging and calorically restricted *Drosophila melanogaster*. *Curr Biol* 2002;12:712–723.
28. Rose MR, Long AD: Ageing: the many-headed monster. *Curr Biol* 2002;12:311–312.

This article has been cited by:

1. Dr. Jian-qin Zhang, Miss yuqi qiao, Dr. daqi li, Ms. shenghui hao, Dr. fusheng zhang, Dr. xubo zhang, Dr. aiping Li, Prof. Xue-Mei Qin. Aqueous extract from Astragalus membranaceus can improve the function degradation and delay aging on Drosophila melanogaster through antioxidant mechanism. *Rejuvenation Research* 0:ja. . [Abstract] [PDF] [PDF Plus]
2. Evangelia Dina, Aimilia D. Sklirou, Sofia Chatzigeorgiou, Maria S. Manola, Antigoni Cheilaris, Xanthippi P. Louka, Aikaterini Argyropoulou, Nikos Xynos, Alexios-Leandros Skaltsounis, Nektarios Alijannis, Ioannis P. Trougakos. 2021. An enriched polyphenolic extract obtained from the by-product of Rosa damascena hydrodistillation activates antioxidant and proteostatic modules. *Phytomedicine* 93, 153757. [Crossref]
3. Marjan Mahboubifar, Bahram Hemmateenejad, Amir Reza Jassbi. 2021. Evaluation of adulteration in distillate samples of Rosa damascena Mill using colorimetric sensor arrays, chemometric tools and dispersive liquid–liquid microextraction-GC-MS. *Phytochemical Analysis* 32:6, 1027-1038. [Crossref]
4. Grant A. Rutledge, Howard J. Phang, Michael N. Le, Linsey Bui, Michael R. Rose, Laurence D. Mueller, Mahtab Jafari. 2021. Diet and Botanical Supplementation: Combination Therapy for Healthspan Improvement?. *Rejuvenation Research* 24:5, 331-344. [Abstract] [Full Text] [PDF] [PDF Plus] [Supplementary Material]
5. Aimilia D. Sklirou, Maria T. Angelopoulou, Aikaterini Argyropoulou, Eliza Chaita, Vasiliki Ioanna Boka, Christina Cheimonidi, Katerina Niforou, Eleni Mavrogonatou, Harris Pratsinis, Eleftherios Kalpoutzakis, Nektarios Alijannis, Dimitris Kletsas, Ioannis P. Trougakos, Alexios Leandros Skaltsounis. 2021. Phytochemical Study and In Vitro Screening Focusing on the Anti-Aging Features of Various Plants of the Greek Flora. *Antioxidants* 10:8, 1206. [Crossref]
6. Mai M. Al-Oqail, Nida N. Farshori, Ebtesam S. Al-Sheddi, Shaza M. Al-Massarani, Quaiser Saquib, Maqsood A. Siddiqui, Abdulaziz A. Al-Khedhairy. 2021. Oxidative Stress Mediated Cytotoxicity, Cell Cycle Arrest, and Apoptosis Induced by Rosa damascena in Human Cervical Cancer HeLa Cells. *Oxidative Medicine and Cellular Longevity* 2021, 1-11. [Crossref]
7. Muhammad Akram Mohd Noordin, Mahanem Mat Noor, Wan Mohd Aizat. 2020. The Impact of Plant Bioactive Compounds on Aging and Fertility of Diverse Organisms: A Review. *Mini-Reviews in Medicinal Chemistry* 20:13, 1287-1299. [Crossref]
8. Muhammad Akram, Muhammad Riaz, Naveed Munir, Naheed Akhter, Sadia Zafar, Farhat Jabeen, Mohammad Ali Shariati, Naheed Akhtar, Zarfshan Riaz, Syed Hassan Altaf, Muhammad Daniyal, Rabia Zahid, Fahad Said Khan. 2020. Chemical constituents, experimental and clinical pharmacology of Rosa damascena : a literature review. *Journal of Pharmacy and Pharmacology* 72:2, 161-174. [Crossref]
9. Nisha, Kritika Raj, Pragati, Shweta Tandon, Soram Idyasan Chanu, Surajit Sarkar. Aging: Reading, Reasoning, and Resolving Using Drosophila as a Model System 259-302. [Crossref]
10. Deepika Pathak, Kruti M. Dave, Luluua Aliasgar. 2019. Antimicrobial Properties of Rosa Indica (A New Start with Nature). *Biosciences, Biotechnology Research Asia* 16:2, 403-409. [Crossref]
11. Buhui Liu, Yue Tu, Weiming He, Yinglu Liu, Wei Wu, Qijun Fang, Haitao Tang, Renmao Tang, Ziyue Wan, Wei Sun, Yigang Wan. 2018. Hyperoside attenuates renal aging and injury induced by D-galactose via inhibiting AMPK-ULK1 signaling-mediated autophagy. *Aging* 10:12, 4197-4212. [Crossref]
12. Surabhi Singh, Bodhisatta Nandy, Madhu G. Tapadia. 2018. Complex effects of Ayurvedic formulation: Guduchi and Madhuyashhti on different components of life history may elude the elixir effect. *Journal of Genetics* 97:5, 1253-1261. [Crossref]
13. Debarati Chattopadhyay, Kavitha Thirumurugan. 2018. Longevity promoting efficacies of different plant extracts in lower model organisms. *Mechanisms of Ageing and Development* 171, 47-57. [Crossref]
14. Neda Nayebi, Nahid Khalili, Mohammad Kamalinejad, Majid Emtiaz. 2017. A systematic review of the efficacy and safety of Rosa damascena Mill. with an overview on its phytopharmacological properties. *Complementary Therapies in Medicine* 34, 129-140. [Crossref]
15. Sofia Chatzigeorgiou, Quoc Dang Thai, Job Tchoumitchoua, Konstantinos Tallas, Eleni N. Tsakiri, Issidora Papassideri, Maria Halabalaki, Alexios-Leandros Skaltsounis, Ioannis P. Trougakos. 2017. Isolation of natural products with anti-ageing activity from the fruits of Platanus orientalis. *Phytomedicine* 33, 53-61. [Crossref]
16. Chun-Yan Shen, Jian-Guo Jiang, Li Yang, Da-Wei Wang, Wei Zhu. 2017. Anti-ageing active ingredients from herbs and nutraceuticals used in traditional Chinese medicine: pharmacological mechanisms and implications for drug discovery. *British Journal of Pharmacology* 174:11, 1395-1425. [Crossref]
17. Komal Panchal, Anand K. Tiwari. 2017. Drosophila melanogaster “a potential model organism” for identification of pharmacological properties of plants/plant-derived components. *Biomedicine & Pharmacotherapy* 89, 1331-1345. [Crossref]

18. Arezoo Rezvani-Kamran, Iraj Salehi, Siamak Shahidi, Mohammad Zarei, Shirin Moradkhani, Alireza Komaki. 2017. Effects of the hydroalcoholic extract of Rosa damascena on learning and memory in male rats consuming a high-fat diet. *Pharmaceutical Biology* **55**:1, 2065-2073. [[Crossref](#)]
19. Anna Kudryavtseva, George Krasnov, Anastasiya Lipatova, Boris Alekseev, Faniya Maganova, Mikhail Shaposhnikov, Maria Fedorova, Anastasiya Snezhkina, Alexey Moskalev. 2016. Effects of Abies sibirica terpenes on cancer- and aging-associated pathways in human cells. *Oncotarget* **7**:50. . [[Crossref](#)]
20. Murat Uysal, Hatice Yılmaz Doğru, Emrah Sapmaz, Ufuk Tas, Bülent Çakmak, Asker Zeki Ozsoy, Fatih Sahin, Safiye Ayan, Mehmet Esen. 2016. Investigating the effect of rose essential oil in patients with primary dysmenorrhea. *Complementary Therapies in Clinical Practice* **24**, 45-49. [[Crossref](#)]
21. Jafari Mahtab. 2015. Healthspan Pharmacology. *Rejuvenation Research* **18**:6, 573-580. [[Abstract](#)] [[Full Text](#)] [[PDF](#)] [[PDF Plus](#)]
22. Toktam Mohammadpour, Mahmoud Hosseini, Asieh Naderi, Reza Karami, Hamid Reza Sadeghnia, Mohammad Soukhtanloo, Farzaneh Vafaee. 2015. Protection against brain tissues oxidative damage as a possible mechanism for the beneficial effects of Rosa damascena hydroalcoholic extract on scopolamine induced memory impairment in rats. *Nutritional Neuroscience* **18**:7, 329-336. [[Crossref](#)]
23. Debarati Chattopadhyay, Joel James, Debasish Roy, Soumadeep Sen, Rishita Chatterjee, Kavitha Thirumurugan. 2015. Effect of semolina-jaggery diet on survival and development of Drosophila melanogaster. *Fly* **9**:1, 16-21. [[Crossref](#)]
24. Fatma Sezer Senol, Ilkay Erdogan Orhan, Mine Kurkcuglu, Mahmud Tareq Hassan Khan, Ayten Altintas, Bilge Sener, Kemal Husnu Can Baser. 2013. A mechanistic investigation on anticholinesterase and antioxidant effects of rose (Rosa damascena Mill.). *Food Research International* **53**:1, 502-509. [[Crossref](#)]
25. Anton Slavov, Hiroaki Kiyohara, Haruki Yamada. 2013. Immunomodulating pectic polysaccharides from waste rose petals of Rosa damascena Mill. *International Journal of Biological Macromolecules* **59**, 192-200. [[Crossref](#)]
26. Mark Lucanic, Gordon J. Lithgow, Silvestre Alavez. 2013. Pharmacological lifespan extension of invertebrates. *Ageing Research Reviews* **12**:1, 445-458. [[Crossref](#)]
27. Aikaterini Argyropoulou, Nektarios Aligiannis, Ioannis P. Trougakos, Alexios-Leandros Skaltsounis. 2013. Natural compounds with anti-ageing activity. *Natural Product Reports* **30**:11, 1412. [[Crossref](#)]
28. Samuel E. Schriner, Niki S. Katoozi, Kevin Q. Pham, Maral Gazarian, Asghar Zarban, Mahtab Jafari. 2012. Extension of Drosophila lifespan by Rosa damascena associated with an increased sensitivity to heat. *Biogerontology* **13**:2, 105-117. [[Crossref](#)]
29. Soon-Il Kim, Je-Won Jung, Young-Joon Ahn, Linda L. Restifo, Hyung-Wook Kwon. 2011. Drosophila as a model system for studying lifespan and neuroprotective activities of plant-derived compounds. *Journal of Asia-Pacific Entomology* **14**:4, 509-517. [[Crossref](#)]
30. Deniz Altun, Arif Ayar, Handan Uysal, Ayşe Aydan Kara, Elif Leman Ünal. 2010. Extended longevity of Drosophila melanogaster by water and ethanol extracts of Stachys lavandulifolia. *Pharmaceutical Biology* **48**:11, 1291-1296. [[Crossref](#)]
31. Agnesa Avanesian, Behnoor Khodayari, Jeffery S. Felgner, Mahtab Jafari. 2010. Lamotrigine extends lifespan but compromises health span in Drosophila melanogaster. *Biogerontology* **11**:1, 45-52. [[Crossref](#)]
32. Stephen R. Spindler. Biological Effects of Calorie Restriction: Implications for Modification of Human Aging 367-438. [[Crossref](#)]
33. A. Gholamhosseini, H. Fallah, F. Sharifi far. 2009. Inhibitory effect of methanol extract of Rosa damascena Mill. flowers on  $\alpha$ -glucosidase activity and postprandial hyperglycemia in normal and diabetic rats. *Phytomedicine* **16**:10, 935-941. [[Crossref](#)]