Lawrence Berkeley National Laboratory

Recent Work

Title

A STATISTICAL TREATMENT OF ANGULAR MOMENTUM FRACTIONATION IN HEAVY ION REACTIONS

Permalink https://escholarship.org/uc/item/0hh4j61r

Author

Schmitt, R.P.

Publication Date 1979

U

To be presented at the Meeting of the American Physical Society, Washington, D. C., April 23-26, 1979 UC-34C LBL-8734 Abstract

A STATISTICAL TREATMENT OF ANGULAR MOMENTUM FRACTIONATION IN HEAVY ION REACTIONS

R. P. Schmitt and L. G. Moret RCO OST CDL January 1979

Prepared for the U. S. Department of Energy under Contract W-7405-ENG-48

For Reference

Not to be taken from this room



1

DISCLAIMER

This document was prepared as an account of work sponsored by the United States Government. While this document is believed to contain correct information, neither the United States Government nor any agency thereof, nor the Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or the Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof or the Regents of the University of California. January 30, 1979

Submission Date

LBL-8734A Abstract

Abstract Submitted for the

Washington, D. C.

Meeting of the American Physical Society

April 23-26, 1979

Date of Meeting

Physical Review Analytic Subject Index Number 25.70 Bulletin Subject Heading in which Paper should be placed

Heavy Ion Theory

A Statistical Treatment of Angular Momentum Fractionation in Heavy Ion Reactions.* R. P. SCHMITT, and L. G. MORETTO, Lawrence Berkeley Laboratory,[#]Berkeley, California 94720. -- On the basis of gamma-ray multiplicity data it has been suggested¹ that there is an angular momentum fractionation along the mass asymmetry coordinate. To shed light on this matter we consider a two sphere model in which statistical equilibrium has been achieved. Model calculations clearly demonstrate an angular momentum fractionation which concentrates the highest angular momenta at symmetry. Furthermore, the calculations show that there are distinct differences in the fractionation pattern for deep-inelastic reactions and for compound nucleus fission.

*This work was supported by the Nuclear Physics Division of the U. S. Department of Energy under contract No. W-7405-ENG-48.

 M.M. Aleonard et al, Phys. Rev. Lett. <u>40</u>, 622 (1978).

Submitted by Gordon J. Wozniak

Submitted by

G. J. WOZNIAK Please print name under Signature 1 Cyclotron Road LAWRENCE BERKELEY LABORATORY Address BERKELEY, CALIFORNIA 94720

RL-6317

ان کار بار کار و از ان ک

This report was done with support from the Department of Energy. Any conclusions or opinions expressed in this report represent solely those of the author(s) and not necessarily those of The Regents of the University of California, the Lawrence Berkeley Laboratory or the Department of Energy.

7

TECHNICAL INFORMATION DEPARTMENT LAWRENCE BERKELEY LABORATORY UNIVERSITY OF CALIFORNIA BERKELEY, CALIFORNIA 94720

7

į.

i.