Lawrence Berkeley National Laboratory

Recent Work

Title

The Crystal Structures of CeB₄, ThB₄ and UB₄

Permalink

<https://escholarship.org/uc/item/1060845s>

Authors

Zalkin, Allan
Templeton, D.H.

Publication Date

1949-11-22

UNIVERSITY OF
CALIFORNIA

*Radiation
Laboratory*

TWO-WEEK LOAN COPY

*This is a Library Circulating Copy
which may be borrowed for two weeks.
For a personal retention copy, call
Tech. Info. Division, Ext. 5545*

BERKELEY, CALIFORNIA

UCRL-522
v.2

DISCLAIMER

This document was prepared as an account of work sponsored by the United States Government. While this document is believed to contain correct information, neither the United States Government nor any agency thereof, nor the Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or the Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof or the Regents of the University of California.

UNIVERSITY OF CALIFORNIA
Radiation Laboratory

Cover Sheet
Do not remove

UCRL 522

INDEX NO. _____

This document contains 5 pages

This is copy 91 of 98 Series A

DECLASSIFIED

Issued to INFORMATION DIVISION

CONFIDENTIAL

Classification

Each person who receives this document must sign the cover sheet in the space below

[illegible]

~~CONFIDENTIAL~~

UCRL-522
Chemistry-General Distribution

UNIVERSITY OF CALIFORNIA

Radiation Laboratory

DECLASSIFIED

Contract No. W-7405-eng-48

THE CRYSTAL STRUCTURES OF CeB_4 , ThB_4 , AND UB_4

Allan Zalkin and D. H. Templeton

November 22, 1949

This document contains information affecting the National Defense of the United States. Its transmission or the disclosure of its contents in any manner to an unauthorized person is prohibited and may result in severe criminal penalties under applicable Federal laws.

Berkeley, California

~~CONFIDENTIAL~~

Chemistry General Distribution
Page 2

UCRL-522

DECLASSIFIED

Standard Distribution

Copy Numbers

Argonne National Laboratory	1-8
Armed Forces Special Weapons Project	9
Atomic Energy Commission, Washington	10-11
Battelle Memorial Institute	12
Brookhaven National Laboratory	13-16
Bureau of Ships	17
Carbide & Carbon Chemicals Corporation (K-25 Plant)	18-21
Carbide & Carbon Chemicals Corporation (Y-12 Plant)	22-25
Columbia University (Failla)	26
Dow Chemical Company	27
General Electric Company, Richland	28-33
Hanford Operations Office	34
Idaho Operations Office	35-36
Iowa State College	37
Knolls Atomic Power Laboratory	38-41
Los Alamos	42-44
Mallinckrodt Chemical Works	45
Massachusetts Institute of Technology (Gaudin)	46
Massachusetts Institute of Technology (Kaufmann)	47
Mound Laboratory	48-50
National Advisory Committee for Aeronautics	51
National Bureau of Standards	52-53
Naval Radiological Defense Laboratory	54
NEPA Project	55
New Brunswick Laboratory	56
New York Operations Office	57-58
North American Aviation, Inc.	59
Oak Ridge National Laboratory	60-71
Patent Branch, Washington	72
Sylvania Electric Products, Inc.	73
Technical Information Branch, ORE	74-88
UCLA Medical Research Laboratory (Warren)	89
University of California Radiation Laboratory	90-93
University of Rochester	94-95
Western Reserve University (Friedell)	96
Westinghouse Electric Corporation	97-98

98

INFORMATION DIVISION
Radiation Laboratory
Univ. of California
Berkeley, California

~~CONFIDENTIAL~~

UCRL-522

Page 3

DECLASSIFIED

The Crystal Structures of CeB_4 , ThB_4 , and UB_4

Allan Zalkin and D. H. Templeton
Department of Chemistry and Radiation Laboratory
University of California, Berkeley, California

The compounds CeB_4 , ThB_4 , and UB_4 have been shown to crystallize in a new structure, which has been worked out from x-ray diffraction patterns. This structure is designated as the " ThB_4 -type structure", since that was the compound first observed. These borides were prepared by D. L. Sawyer and L. Brewer of this laboratory, who heated the metals and boron together in vacuum at about 1500°C . Powder diffraction patterns were obtained of the three compounds. Rotation and Weissenberg patterns were obtained for $[110]$ and $[001]$ axes of a small single crystal of ThB_4 . The patterns were indexed on tetragonal lattices whose dimensions are listed in Table I.

Table I

Lattice Parameters

	CeB_4	ThB_4	UB_4
a	$7.205 \pm .008 \text{ \AA}$	$7.256 \pm .004 \text{ \AA}$	$7.075 \pm .004 \text{ \AA}$
c	$4.090 \pm .005 \text{ \AA}$	$4.113 \pm .002 \text{ \AA}$	$3.979 \pm .002 \text{ \AA}$
c/a	0.568	0.567	0.562
x-ray density	5.74 g/cm^3	8.45 g/cm^3	9.38 g/cm^3

Consideration of the intensities leads to the following structure for the metal atoms:

$$\begin{aligned} \text{Space group } D_{4h}^5 &= P4/\text{mbm} \\ 4 \text{ Ce, Th, U in } 4 (g) &: \pm(u, 1/2+u, 0; 1/2-u, u, 0) \\ u &= 0.31 \end{aligned}$$

These metal atoms are coplanar, with each having five nearly equidistant neighbors in the plane. Each metal atom has two neighbors in adjacent planes, but these are at a greater distance. This structure has holes, between the layers, which are

best filled by boron atoms as follows:

$$4 \text{ BI in } 4(e): \frac{1}{4}(0, 0, \underline{v}; 1/2, 1/2, \underline{v})$$

$$\underline{v} = 0.2$$

$$4 \text{ BII in } 4(h): \frac{1}{4}(\underline{w}, 1/2+\underline{w}, 1/2; 1/2-\underline{w}, \underline{w}, 1/2)$$

$$\underline{w} = 0.1$$

$$8 \text{ BIII in } 8(j): \frac{1}{8}(\underline{x}, \underline{y}, 1/2; 1/2+\underline{x}, 1/2-\underline{y}, 1/2; \underline{\bar{y}}, \underline{x}, 1/2; 1/2+\underline{y}, 1/2+\underline{x}, 1/2)$$

$$\underline{x} = 0.2$$

$$\underline{y} = 0.04$$

Thus the compounds were assigned formulas of the type MB_4 , in agreement with the deduction, from the phases observed in various preparations, that the composition is between MB_2 and MB_6 .

This structure can be considered as a combination of two other more simple structures. Each atom BII is in a hole bounded by six metal atoms at corners of a triangular prism, as is the case with boron in the isostructural compounds AlB_2^1 , ZrB_2^2 , TiB_2^3 , CrB_2 , NbB_2 , TaB_2^4 , VB_2^5 , and UB_2^6 . The atoms BI and BIII are grouped together as octahedra in holes bounded by metals at the corners of square prisms, analogous to the arrangement in the compounds CaB_6 , CeB_6 , ThB_6 , and others⁷, in which a simple cubic array of metal atoms is interpenetrated by boron octahedra. The distances in the MB_4 compounds are in reasonable agreement with the corresponding ones in the MB_2 and MB_6 compounds.

A more detailed account of this work will be published subsequently. This research was supported by the United States Atomic Energy Commission.

-
1. W. Hofmann and W. Jäniche, Z. phys. Chem., (B) 31, 214 (1936).
  2. P. McKenna, Ind. Eng. Chem., 28, 767 (1936).
  3. P. Ehrlich, Angew. Chem. 59, 163 (1947).

4. R. Kiessling, Acta Chem. Scand., 3, 90 (1949).
5. J. T. Norton, H. Blumenthal, and S. J. Sindeband, J. Metals, 1, 749 (1949).
6. A. Daane and N. C. Baenziger, USAEC Report ISC-53, July 1949, not yet published.
7. G. Allard, Bull. Soc. chim. France, 51, 1213 (1932); M. v. Stackelberg and F. Neumann, Z. phys. Chem., (B) 19, 314 (1932).