

UC Davis

Research Reports

Title

Characteristics and Experiences of Ride-Hailing Drivers with Plug-in Electric Vehicles

Permalink

<https://escholarship.org/uc/item/1203t5fj>

Authors

Sanguinetti, Angela
Kurani, Ken

Publication Date

2020-03-01

Research Report – UCD-ITS-RR-20-12

Characteristics and Experiences of Ride-Hailing Drivers with Plug-in Electric Vehicles

March 2020

Dr. Angela Sanguinetti, Professional Researcher, Plug-in Hybrid & Electric Vehicle Research Center, Institute of Transportation Studies, University of California, Davis

Dr. Ken Kurani, Professional Researcher, Plug-in Hybrid & Electric Vehicle Research Center, Institute of Transportation Studies, University of California, Davis

Institute of Transportation Studies • University of California, Davis

1605 Tilia Street • Davis, California 95616

PHONE (530) 752-6548 • FAX (530) 752-6572

its.ucdavis.edu

Abstract

Electrification of transportation network companies (TNCs; e.g., Uber and Lyft) presents a path for reduced emissions as well as potential benefits to drivers via reduced costs for fueling and vehicle maintenance. This report describes 732 TNC PEV drivers in the United States in terms of their demographic characteristics, motivations for driving PEVs on TNCs, charging patterns, and ideas to improve the experience of driving PEVs on TNCs. Greater understanding of these early adopters can inform strategies to promote further adoption. The economic benefits of fuel and maintenance savings associated with PEVs featured in drivers' reported motivations for PEV adoption. Most BEV and PHEV drivers reported charging their PEV every day, most often at home and overnight, and most were willing to charge once or more while actively driving on TNCs. A large cluster of TNC PEV drivers reported predominately using public DC fast charging, indicating a heavy reliance on public charging infrastructure. Range limitations topped the list of reasons why PHEV drivers did not opt for a BEV, and increased range topped the list of PEV drivers' wishes to better support PEVs on TNCs. The next most common wish was for more charger locations. The third and fourth ranked wishes were financial bonuses for trip targets and more pre-trip information, which are more exclusively under the control of TNCs.

Key words: electric vehicle, adoption, ride-hailing, ride-sharing, transportation network company

Acknowledgements

The researchers are grateful to Uber for supporting and facilitating this work. Uber sent the survey recruitment invitation to their drivers with plug-in electric vehicles. They also provided feedback on the survey instrument and analysis.

Table of Contents

Abstract.....	i
List of Figures	iii
Introduction	1
Methodology.....	2
Results.....	3
Who is currently driving PEVs on TNCs.....	3
What cars they chose and how they acquired them.....	4
Why drive a PEV for ride-hailing?	6
TNC driving and charging behaviors	8
TNC PEV driver ideas to support the use of PEVs for ride-hailing.....	10
Conclusion.....	11
References	13
Appendix: Make-Models in the U.S. TNC-PEV Driver Data.....	15

List of Figures

Figure 1. Age distribution of TNC PEV drivers.	3
Figure 2. Income distribution of TNC PEV drivers.....	4
Figure 3. PHEV and BEV models chosen by TNC drivers.....	5
Figure 5. Reasons for choosing PEV over ICEV; multiple responses allowed.	6
Figure 6. Reasons for choosing BEV over PHEV; multiple answers allowed.	7
Figure 7. Reasons for choosing PHEV over BEV, multiple answers allowed.	7
Figure 8. Commitment to PEVs relative to commitment to “rideshare” driving.	7
Figure 9. Average number of hours per week ride-hail driving for aggregate sample of drivers. .	8
Figure 10. Charging frequency for BEV and PHEV drivers.	8
Figure 11. Mean distribution of charging location.	9
Figure 12. Mean distribution of charging time of day.	9
Figure 13. Distribution of mean charging levels for seven clusters.....	9
Figure 14. Proportion of drivers in each charging level cluster.....	10
Figure 15. Driver options to improve the experience of driving PEVs on TNCs; multiple responses allowed.	11

Introduction

There is some evidence that the introduction of transportation network companies (TNCs), such as Uber and Lyft, has had positive environmental impacts through reduced vehicle ownership and emissions (Ward et al., 2019). However, other research suggests TNCs may increase energy consumption (Wenzel et al., 2019), congestion (Erhart et al., 2019), and vehicle-miles-traveled (VMT; Henao & Marshall, 2019). George and Zafar (2018) observed that these outcomes are likely context-dependent. For example, Circella et al. (2018) found that some TNC user segments increased their personal VMT by switching from public transit or active modes to ride-hailing, while others decreased VMT by switching from personal vehicle use and increasing public transit use.

Regardless of the current net environmental impact of TNCs, industry stakeholders, policy-makers, and academicians are predicting a future where ride-hailing, and the broader concept of mobility-as-a-service (MaaS), contributes to a low carbon transportation system (e.g., Roni et al., 2019, Sheller & Urry, 2016, Sperling, 2018). In particular, a vision is converging around shared, automated, and electric right-sized vehicles integrated via multimodal MaaS platforms. Interim steps along the path to achieving this future include “electrifying TNCs” within the current model of conventional (non-automated) vehicles.

Emerging regulations are helping to shape this future. For example, California’s recently enacted Senate Bill 1014 establishes a clean miles standard for TNCs, which requires that a growing percentage of ride-hailing services be provided by zero-emissions vehicles. Based on data from TNCs and charging infrastructure, Jenn (2019) estimated that electrifying TNCs has large potential for greenhouse gas (GHG) emissions reductions.

Among car-buyers generally, awareness and knowledge, as well as consideration for purchase, of plug-in electric vehicles (PEVs) is low and unchanging over time despite increasingly positive economics for consumers, increasing makes and models available, and continued PEV charging deployment (Kurani & Hardman, 2017). Barriers to adoption include higher purchase price, limited vehicle range, and charging requirements (access and speed). Though the gap is decreasing, the purchase and lease costs of PEVs are still typically higher than comparable-size gasoline cars (Weiss et al., 2019). For some consumers and vehicle models, this purchase price is higher even after factoring in federal, state, and local incentives. Lower fuel and maintenance costs for PEVs may balance the higher upfront costs over time and even result in long-term savings in some (but not all) cases. The fuel and maintenance cost advantage is higher for battery electric (i.e., all-electric) vehicles (BEVs) than for plug-in hybrid electric vehicles (PHEVs) that can run on either gas or electricity.

Some of these PEV adoption barriers as well as benefits may be exaggerated for the TNC use case. For example, range limitations and time-to-charge (combined with limited and costly fast charging infrastructure) could be more problematic for TNC drivers who use their cars more intensively than the general population (George & Zafar, 2018, Pavlenko et al., 2019). On the other hand, TNC PEV drivers may reap greater benefits from fuel and maintenance savings and

thus be more likely to achieve net cost savings (George & Zafar, 2018, Pavlenko et al., 2019). However, factoring in costs for fast charging needs of BEVs used intensively for ride-hailing services, Pavlenko et al. (2019) estimate that BEVs do not yet surpass hybrid vehicles in terms of economic advantage for ride-hailing use. More specifically, they estimate that BEVs will reach cost parity with hybrids in 2023 (due to a decrease in battery costs) for users who can charge at home at night, but not until after 2025 for users relying only on public charging. Thus, they conclude that TNCs and policymakers will need to provide more affordable fast charging infrastructure to support TNC electrification.

George and Zafar (2018) noted that current assumptions about the barriers to PEV adoption among ride-hailing drivers is largely anecdotal and called for more engagement with drivers to (a) understand the most significant barriers, (b) identify charging infrastructure needs, and (c) identify characteristics of those likely to adopt PEVs without additional incentives. The present research begins to address these needs. This is the first report from the 2019 North American Uber PEV Driver Survey. It describes the characteristics and experiences of PEV drivers on the Uber platform, including their demographics, motivations for adopting a PEV, charging behavior, and perceptions of priorities for expanding TNC electrification. A greater understanding of these should have policy implications in terms of reasonable assumptions and goals for TNC electric passenger vehicle-miles-traveled (eVMT), as well as implications for strategies to promote PEV adoption among ride-hailing drivers. Future reports will provide deeper, more nuanced analyses of these data.

Methodology

UC Davis researchers partnered with Uber to survey their drivers who use PEVs to provide ride-hailing services in North America (including U.S. and Canada). The survey was conducted in March and April 2019 and was the largest study of electric vehicle drivers in ride-hailing services to-date. The survey was distributed via email by the ride-hailing company to all their PEV drivers in the US and Canada (where the service is available in two provinces). A quota (n = 400) was placed on US plug-in hybrid electric vehicle (PHEV) drivers since this is a much larger sub-population relative to US battery electric vehicle (BEV) drivers, Canadian PHEV drivers, and Canadian BEV drivers. (The quota was slightly exceeded; the number of US PHEV drivers in the sample is n = 415.)

The final sample included 780 drivers, with 732 from the US and 48 from Canada. TNC drivers in California made up 47% of the US sample; 42 other US states/territories including Washington, D.C., and Puerto Rico were represented. Estimated response rate (population size undisclosed by the TNC) was 10%. Responses from Canadian drivers were excluded from these analyses due to the small sample of drivers who are subject to a different national-level policy and regulatory framework.

Survey questions addressed five main topics:

1. **Who:** Who (in terms of basic demographics) is currently driving PEVs on TNCs;
2. **What:** What PEVs they chose and how they acquired them;

3. **Why:** Motivations to drive a PEV for ride-hailing;
4. **How:** Ride-hail driving and PEV charging behaviors; and,
5. What drivers say would better support the use of PEVs for ride-hailing.

Results

Who is currently driving PEVs on TNCs

A large majority of TNC PEV drivers in our sample were male (85%). Median age was 40-49 years (Figure 1). A large majority (90%) had at least some college-level education (34% Bachelor's degrees, 27% some college/no degree, 18% graduate degrees, 11% associate's degree, 9% high school or GRE, <1% less than high school). Median reported household income (n = 572) was \$88,000 (min = 1,000, max = 200,000 or more; Figure 2).




Figure 1. Age distribution of TNC PEV drivers.




Figure 2. Income distribution of TNC PEV drivers.

Mean household size was three members (treating “8 or more” household members as 8). Most reported living in a single family home (62%), followed by apartment/condo (24%) and duplex/row house/townhouse (12%); 2.5% mobile/dorm/other. Most (55%) were homeowners; 43% were renters (2% other).

What cars they chose and how they acquired them

Figure 3 presents the distribution of the most common PEVs in the sample, with BEV and PHEV models weighted according to our estimate of their relative prevalence in the population of Uber PEV drivers (38% BEVs and 62% PHEVs). We base this estimate on counts of all recruited BEV and PHEV drivers who visited the survey, which includes PHEV drivers who were thanked and dismissed upon visiting the survey after the PHEV driver quota was reached.




Figure 3. PHEV and BEV models chosen by TNC drivers

A few PEVs dominate across all the PEVs being driven on TNCs. While 30 makes and models of PEVs were in the sample, the top five accounted for two-thirds and the top ten accounted for 92% of the sample (in descending order: Chevrolet Bolt, Ford Fusion Energi, Toyota Prius Plug-in Hybrid, Tesla Model S, Nissan Leaf, Ford C-MAX Energi, Chevrolet Volt, Honda Clarity Plug-in Hybrid, Tesla Model X, and Chrysler Pacifica Plug-in Hybrid). The three most common BEVs—Chevrolet Bolt, Tesla Model S, and Nissan Leaf—account for 88% of BEVs in the sample. The four most common PHEVs—Ford Fusion Energi, Toyota Prius Plug-in, Chevrolet Volt, and Ford C-MAX Energi—account for 80% of PHEVs in the sample. (Tesla Model 3 and Toyota Prius Prime were too recent to be present in large numbers in the sample.) A full list of all makes and models of PEVs driven by TNC drivers, and the number of drivers with each make and model is provided in the Appendix: Make-Models in the U.S. TNC-PEV Driver Data.

The distributions of electric range in our sample were:

- BEV: 50 to 300 miles; mean = 190 miles; median = 210 miles
- PHEV: 3 to 100 miles; mean = 30 miles; median = 25 miles

That the median range for BEVs is higher than the mean emphasizes the extent to which the longer-range Chevrolet Bolt EV and Tesla Model S shape the BEV range distribution.

For 82% of respondents, the PEV they were driving on TNCs was their first PEV. There is an approximately even split between those who started rideshare driving before (47% rideshare driver first) versus after (50% PEV driver first) acquiring a PEV (3% not sure). Most drivers (73%) owned their PEV (16% leased and 11% rented). We did not ask drivers directly whether or not they participate in the Maven weekly car rental program; vehicles for rent include Chevrolet Bolt EVs. We presume that PEV drivers who drove a rented Chevrolet Bolt EV in a city where Maven was available were driving a PEV from Maven.

Why drive a PEV for ride-hailing?

Figures 4-6 present reasons drivers selected from a list regarding their decision to drive a PEV rather than an internal combustion engine vehicle for ride-hailing, and reasons for choosing either a BEV or PHEV over the other. (The lists of potential reasons were generated during prior focus groups with people driving PEVs on TNCs.)

Saving money on fueling costs was by far the most oft-cited reason for choosing a PEV rather than a conventional vehicle. Driving a car that is better for the environment was second, and saving money on maintenance costs followed closely behind that as third. Further supporting the importance of financial motivations, 72% said they compared all costs for their PEV to other vehicles; of these, 74.5% reported they always do this with any vehicle they acquire.




Figure 4. Reasons for choosing PEV over ICEV; multiple responses allowed.

Common reasons for choosing a BEV over a PHEV to drive on TNCs were for greater earnings and because BEV driving range and access to charging were adequate for their needs (Figure 5). In direct contrast, “range anxiety” was by far the most commonly selected reason for choosing a PHEV over a BEV to drive on TNCs (Figure 6). In addition, several participants wrote open-ended comments indicating they were certain that BEV range would be insufficient because they regularly drove long distances or that BEVs with sufficient range were too expensive. Nineteen participants mentioned cost barriers in open-ended comments, mainly that they chose a PHEV because upfront costs were too high for desirable BEVs. Notably, these cost concerns were unaccounted for in closed-ended response options, so the prevalence of cost barriers should be more accurately estimated in future studies.

Most (90%) reported that they would still drive a PEV even if they did not drive for ride-hailing services (6% No, 4% Not sure) (Figure 7). Only 41% reported the opposite: that they would drive on TNCs if they had an ICEV (35% No, 24% Not sure).




Figure 5. Reasons for choosing BEV over PHEV; multiple answers allowed.




Figure 6. Reasons for choosing PHEV over BEV, multiple answers allowed.




Figure 7. Commitment to PEVs relative to commitment to "rideshare" driving.

TNC driving and charging behaviors

A majority of drivers reported that they drive for more than one TNC (65%) and that their PEV is the only car they use when driving on TNCs (76%); 24% reported that they also drive another vehicle on TNCs. Reported hours spent driving on TNCs per week is relatively evenly distributed across four categories ranging from “up to 10” to “40 or more” (Figure 8). A majority (52% of PHEV drivers and 65% of BEV drivers) reported they charge every day (Figure 9). However, 11% of PHEV drivers report they do not charge their car at all.




Figure 8. Average number of hours per week ride-hail driving for aggregate sample of drivers.




Figure 9. Charging frequency for BEV and PHEV drivers.

In terms of charging location, TNC PEV drivers charge at home most often (58% of the time on average; Figure 10). However, nearly one-quarter (23%) said they never charge at home; of these, more than half (54%) said they were unable to charge at home, 39% said they could, and 7% did not know. Drivers reported charging most often between 12 AM and 6 AM (Figure 11). Combined with charging from 6 PM to midnight, 70% of charging is done during the evening and night.

We conducted k-means cluster analysis to assess whether TNC-PEV drivers could be categorized into groups by their use of different power levels to charge their PEVs. The seven-cluster solution is depicted in Figure 12. The mean percentage of each level of charging power is

illustrated for each cluster. One of these is a cluster for TNC-PEV drivers who do not charge, thus its mean at all three power levels is 0%. The majority of drivers (78%) belong to the first three “single-power” level clusters, that is, most TNC-PEV drivers do most of their charging at a single power level (Figure 13).




Figure 10. Mean distribution of charging location.




Figure 11. Mean distribution of charging time of day.




Figure 12. Distribution of mean charging levels for seven clusters.

Of the TNC-PEV drivers, 44% (n = 319) owned a PEV that can DC fast charge. Among this group, 90% are in clusters in which drivers do nearly all their charging (“DC fast”) or about half their charging (“DC Fast & Level 1” and “DC Fast & and Level 2”) at DC fast chargers. Conversely, few TNC-PEV drivers who own a vehicle capable of DC fast charging do not use fast charging.




Figure 13. Proportion of drivers in each charging level cluster.

We also asked drivers what is the maximum number of times they will charge per “shift,” i.e., episode of ride-hail driving. “Once” was the most common response (41%), followed by “None” (24%), “Twice” (23%) and “3+” (11.5%). Number of charges per “shift” was correlated with hours spent ride-hail driving per week ($r = 0.23, p < .001$). For those who reported charging during TNC “shifts,” we asked how long various aspects of the charging process take (in terms of shortest and longest durations); here are the average ranges:

- Time to reach charger: 16-47 minutes
- Time waiting in line to charge: 6-28 minutes
- Time to charge: 73-176 minutes
- Time from end of charging to next fare: 8-42 minutes

Of these drivers, most (54%) reported that they do *not* miss out on earning fares due to charging; others reported that they do miss out at least once every 5 charges (24%), once per 10 charges (10%) or once per 15 charges or less (12%).

Most drivers reported engaging in at least one strategy to maximize their electric range, e.g., moderate acceleration (67%), coast more (55%), limit top speeds (52%), use less HVAC (39%), or increase following distance (25%).

TNC PEV driver ideas to support the use of PEVs for ride-hailing

Figure 14 presents drivers’ rankings of the top three strategies they thought would improve their experience driving PEVs on TNCs, from a list of provided options. A majority of drivers ranked longer electric range and more charger locations in their top three potential improvements. Financial bonuses for meeting trip targets and more pre-trip information were also quite popular.




Figure 14. Driver options to improve the experience of driving PEVs on TNCs; multiple responses allowed.

Conclusion

This report describes a large sample of TNC PEV drivers in the US in terms of their demographic characteristics, motivations for driving PEVs on TNCs, charging while driving on TNCs, and their ideas to improve the experience of driving PEVs on TNCs. TNC-PEV drivers are:

- Much more likely to be male than female;
- More likely to live in a household of two or three people in a single-family home they own rather than any other building type or tenure;
- Very likely to be between 30 and 60 years old;
- More likely than not to have some level of collegiate education culminating in a bachelor's or graduate degree; and,
- Likely to have a household income less than \$99,999.

Further, in terms of their PEV, these TNC drivers are:

- More likely to own a PHEV than a BEV;
- Much more likely to own their PEV than to lease or rent;
- Most likely to be driving their first PEV; and,
- Not likely to drive any other vehicle to provide ride-hailing services.

The TNC PEV drivers in this sample clearly recognized, and were largely motivated by, economic benefits of fuel and maintenance savings, thus increased earnings, associated with using a PEV to provide ride-hailing services rather than a conventional internal combustion engine vehicle.

Further research is required to understand TNC drivers' perceptions of total costs of ownership for different vehicle drivetrains and differences in these perceptions between drivers of BEVs, PHEVs, hybrids, and ICEVs. Environmental motivations for PEV adoption were also quite common. TNC PEV drivers are typically more committed to continuing to drive a PEV than they are to continuing to drive on TNCs.

Most drivers are charging their PEV every day, most often at home and overnight. This is true even of those with PHEVs. While most say they are willing to charge once or more while actively driving on TNCs, one-fourth say they are not willing to do so at all. As DC fast charging is by definition "public charging" (i.e., no one can DC fast charge at home), the presence of a large cluster of TNC-PEV drivers who do, on average, half or nearly all of their charging at DC fast chargers suggests these TNC-PEV drivers are especially reliant on publicly-available, DC fast charging. Subsequent analysis of these data will further explore charging behavior based on driver and vehicle characteristics. For example, Wenzel et al. (2019) estimated that 90% of ride-hailing shifts could be accomplished on a single charge with 200-mile range BEVs, so drivers with long-range BEVs likely have a very different charging profile compared to shorter range BEV and PHEV drivers.

Increased range topped the list of PEV drivers' wishes to better support PEVs on TNCs, and range limitations topped the list of reasons why PHEV drivers did not opt for a BEV. The next most common wish among all PEV drivers was for more charger locations. The third and fourth ranked wishes were financial bonuses for trip targets and more pre-trip information, which are more exclusively under the control of TNCs. Subsequent analysis will further explore these preferences based on driver and vehicle characteristics.

This first report from the 2019 North American Uber PEV Driver Survey summarized the characteristics and experiences of these drivers, in aggregate. Further analysis will compare the BEV drivers and PHEV drivers in this sample, as well as PEV owners, leasers and renters, and look for relationships between electric range and driver experiences. Subsequent analyses will also draw on other datasets to compare this group of PEV TNC drivers to the general population of PEV drivers and to the TNC drivers who do not use PEVs. Insights from these comparative analyses will yield more implications for improved support of PEVs in TNCs.

References

- Bauer, G. S., Phadke, A., Greenblatt, J. B., & Rajagopal, D. (2019). Electrifying urban ridesourcing fleets at no added cost through efficient use of charging infrastructure. *Transportation Research Part C: Emerging Technologies*, 105, 385-404.
- Circella, G., Alemi, F., Tiedeman, K., Handy, S., & Mokhtarian, P. (2018). The Adoption of Shared Mobility in California and Its Relationship with Other Components of Travel Behavior. UC Davis: National Center for Sustainable Transportation. Retrieved from <https://escholarship.org/uc/item/1kq5d07p>
- Erhardt, G. D., Roy, S., Cooper, D., Sana, B., Chen, M., & Castiglione, J. (2019). Do transportation network companies decrease or increase congestion?. *Science advances*, 5(5), eaau2670.
- George, S. R., & Zafar, M. (2018). Electrifying the Ride-Sourcing Sector in California. California Public Utilities Commission.
- Henao, A., & Marshall, W. E. (2019). The impact of ride-hailing on vehicle miles traveled. *Transportation*, 46(6), 2173-2194.
- Jenn, A. (2019). Emissions Benefits of Electric Vehicles in Uber and Lyft Services. UC Davis: National Center for Sustainable Transportation. <http://dx.doi.org/10.7922/G23R0R38> Retrieved from <https://escholarship.org/uc/item/15s1h1kn>
- Kurani, K. & Hardman, S. UC Davis Institute of Transportation Studies, “Automakers and Policymakers May Be on a Path to Electric Vehicles; Consumers Aren’t”, available at <https://its.ucdavis.edu/blog-post/automakers-policymakers-on-path-to-electricvehicles-consumers-are-not/>.
- Roni, M. S., Yi, Z., & Smart, J. G. (2019). Optimal charging management and infrastructure planning for free-floating shared electric vehicles. *Transportation Research Part D: Transport and Environment*, 76, 155-175.
- Pavlenko, N., Slowik, P., & Lutsey, N. (2019). When does electrifying shared mobility make economic sense?. The International Council on Clean Transportation.
- Sheller, M., & Urry, J. (2016). Mobilizing the new mobilities paradigm. *Applied Mobilities*, 1(1), 10-25.
- Sperling, D. (2018). Three revolutions: Steering automated, shared, and electric vehicles to a better future. Island Press.
- Ward, J. W., Michalek, J. J., Azevedo, I. L., Samaras, C., & Ferreira, P. (2019). Effects of on-demand ridesourcing on vehicle ownership, fuel consumption, vehicle miles traveled, and emissions per capita in US States. *Transportation Research Part C: Emerging Technologies*, 108, 289-301.

Weiss, M., Zerfass, A., & Helmers, E. (2019). Fully electric and plug-in hybrid cars-An analysis of learning rates, user costs, and costs for mitigating CO2 and air pollutant emissions. *Journal of cleaner production*, 212, 1478-1489.

Wenzel, T., Rames, C., Kontou, E., & Henao, A. (2019). Travel and energy implications of ridesourcing service in Austin, Texas. *Transp. Res. Part D Transp. Environ.*, 70 (2019), pp. 18-34, 10.1016/j.trd.2019.03.005

Appendix: Make-Models in the U.S. TNC-PEV Driver Data

BEVs	Count
<i>Sub-Total</i>	<i>317</i>
Chevrolet Bolt EV	132
Tesla Model S	75
Nissan Leaf	71
Tesla Model X	19
Kia Soul Electric	6
Tesla Model 3	4
Honda Clarity EV	3
Volkswagen e-Golf	3
Ford Focus Electric	2
BMW i3 BEV	1
Toyota RAV4 EV	1
<i>PHEVs</i>	
<i>Sub-Total</i>	<i>414</i>
Ford Fusion Energi Plug-in Hybrid	124
Toyota Prius Plug-in Hybrid	78
Ford C-MAX Energi Plug-in Hybrid	66
Chevrolet Volt	64
Honda Clarity Plug-in Hybrid	28
Chrysler Pacifica Hybrid	14
Hyundai Ioniq Plug-in Hybrid	7
Kia Optima Plug-in Hybrid	6
Hyundai Sonata Plug-in Hybrid	5
Toyota Prius Prime	4
BMW 530e	3
BMW X5 xDrive40e	3
Cadillac CT6 Plug-In	2
Audi A3 e-tron	1
BMW 330e	1
BMW 530e xDrive	1
BMW i3 REX	1
Chevrolet Bolt EV	1
Honda Accord Plug-in Hybrid	1
Kia Niro Plug-in Hybrid	1
Mercedes-Benz C350e	1
Mitsubishi Outlander PHEV	1
Volvo XC90 AWD PHEV	1