Lawrence Berkeley National Laboratory

LBL Publications

Title

The Ion-Exchange Separation of Zirconium and Hafnium

Permalink

https://escholarship.org/uc/item/12h463n0

Authors

Street, Kenneth Seaborg, Glenn T

Publication Date

1943-10-01

UNIVERSITY OF CALIFORNIA

Radiation Laboratory

TWO-WEEK LOAN COPY

This is a Library Circulating Copy which may be borrowed for two weeks. For a personal retention copy, call Tech. Info. Division, Ext. 5545

BERKELEY, CALIFORNIA

DISCLAIMER


This document was prepared as an account of work sponsored by the United States Government. While this document is believed to contain correct information, neither the United States Government nor any agency thereof, nor the Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or the Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof or the Regents of the University of California.

UNIVERSITY OF CALIFORNIA Radiation Laboratory

Cover Sheet	14)	
Do not remove		INDEX NO. UCRL-191
	•	This document contains 4 pages
•		and f plates of figures.
*) *		This is copy 8 of 105 Series A
		- ,
· · · · · · · · · · · · · · · · · · ·	4	
	The Harristee of the Control of the	Issued to: Lutovuc trou
3 6 The Control of th	TICO MICHIA	D
		2101810 L
	CLASSIFICATION CANCELLED BY AUTHO	עדומו

Each person who received this document must sign the cover sheet in the space below.

	- \$.
Route to s	Noted by	Date	Route to	Noted by	Date
- Sec. 3 - July					
Alexander Marie					
		· .		s	
		,			
	<u>.</u>				
					r.
		·			<u>, , , , , , , , , , , , , , , , , , , </u>
i i i i i i i i i i i i i i i i i i i		·	ſ		
Addition of the second					
		·			
			1		
er og forsjaller i Døger					
THE RESERVE TO SERVE					



Radiation Laboratory

THE ION-EXCHANGE SEPARATION OF ZIRCONIUM AND HAFNIUM

Kenneth Street, Jr. and Glenn T. Seaborg

October 11, 1943

Special Review of Designation Repurb

Authorized by USDGE JX Extram

Unclassified TWX P1822062 May 79

REPORT PROPERLY DECLASSIFIED

Authorized Derivetive Classifier

R 92 Bland

Deto

Dato

ì	1 4 4 7 G Taren	UCRL	191		
	Chem	istry-Gene	eral		
R	A C hear	Pare	2		
~-		No.	and a second		,
		1			
	h.	4.57		10 V.	

			_
CLVUIVALD	DISTRIBUTION:	Series	Δ
STANDARD	DISTRIBUTION:	Series	

			The same of the same of
	CLACO		A SHOP
STANDARD DISTRIBUTION: Series A	CLASSIFICATION	off a Number of	- inte
DIMONICO DIDIRIDOLLON. DOLLOS II	BY THE THE	DISTRICT ENGINEER ASSISTED CATION COMMIT	140-
Armonno Notional Inhonotoms	DECLA	SSIEICATION ENGINEER	ORITY
Argonne National Laboratory		TON COMMIT	TEE
Armed Forces Special Weapons Project	•	10-11	- ~ 10
Atomic Energy Commission, Washington			
Battelle Memorial Institute		12	
Brookhaven National Laboratory		13-22	
Carbide & Carbon Chemicals Corporation (K.		23-26	
Carbide & Carbon Chemicals Corporation (Y		27-30	
Columbia University (Failla)		31	
General Electric Company	-	32 - 35	
Hanford Directed Operations		36-42	
Iowa State College	4	13	
Kellex Corporation	4	14 - 45	
Los Alamos	4	46-48	
Massachusetts Institute of Technology	4	19	
Monsanto Chemical Company, Dayton	5	50-51	
National Bureau of Standards	5	52-53	
Naval Radiological Defense Laboratory	5	54	
NEPA	5	55	
New York Directed Operations	5	66-57	
Oak Ridge National Laboratory		58-69	
Patent Advisor		70	
Technical Information Division	-	71-85	
UCLA Medical Research Laboratory (Warren)		36,	
University of California, Radiation Labora		•	
· · · · · · · · · · · · · · · · · · ·	.	37-89	
	· · - · · ·	90	
Chemistry Chemistry	-		
University of Rochester		91-92	
Western Reserve University (Friedell)		93	
Office of Chicago Directed Operations	9	94	
DEGI AGCIBIA MIANI DOGGIDIDE	•		
DECLASSIFICATION PROCEDURE:	of an are	1E 00	
Declassification Off		95-98	
Publication Officer		9	
Patent Department		00-101	
Area Manager	10		
E. O. Lawrence	10	·3	
Information Div	וח	1/4	

Information Div.

The Ion-Exchange Separation of Zirconfum-and Hafnium

Kenneth Street, Jr. and Glenn T. Seaborg CANCELLED BY AUTHORITY Department of Chemistry and Radiation Laborator VISTRICT ENGINEER University of California, Berkeley, Galiforniassification COMMITTEE

October 11, 1948

In the course of a rather cursory examination of the elution of tetra-positive ions from the cation exchange resin Dowex 50 with hydrochloric acid solutions, we have discovered a very effective method of separating zirconium from hafnium. In view of the great labor involved in preparing even reasonably pure hafnium compounds by existing methods, we feel that this procedure will prove very valuable to those interested in obtaining hafnium compounds free of zirconium.

Although the conditions which give satisfactory separation were first worked out using microgram amounts of material and the radioactive tracer technique, the run described below, involving milligrams of material, illustrates the applicability of the method to the production of significant amounts of pure hafnium and zirconium.

35 mg. of zirconium oxide 15 mg. of hafnium oxide were dissolved in sulfuric and hydrofluoric acids, hafnium and zirconium tracer added, and the mixture fumed to dryness. The residue was taken up in concentrated hydrochloric acid and the hydroxides precipitated with ammonium hydroxide and washed. The hydroxides were again dissolved in hydrochloric acid and the oxychlorides crystallized by evaporation. 1 cc. of 250 to 500 mesh Dowex 50 spheres, in the ammonium form, were suspended in 30 cc. of 2 molal perchloric acid and the oxychlorides added a few mg. at a time over a period of 15 minutes, the mixture being continually agitated by bubbling

UCRL 191 Page 4

Thus it can be seen that ~ 66 percent of the starting hafnium oxide, i.e. 10 mg., is obtained containing ~ 0.1 percent zirconium oxide by weight. The column used in these experiments was relatively small and thus gram amounts of material should be easily handled on columns of only moderate size.

This work was done under the auspices of the Atomic Energy Commission at the Radiation Laboratory, University of California, Berkeley, California.

^{1.} Connick, R. E., and W. H. McVey, Private Communication.




FIG. 1
ELUTION OF Zr AND Hf WITH 6.0 MHC

OF THE DISTRESTRICTED