

UC Irvine

UC Irvine Previously Published Works

Title

Observation of structures in the $J/\psi + \psi(2S)$ mass spectrum with the ATLAS detector

Permalink

<https://escholarship.org/uc/item/1400q724>

Journal

Physical Review D, 113(11)

ISSN

2470-0010

Authors

Aad, G
Aakvaag, E
Abbott, B
et al.

Publication Date

2026-06-01

DOI

10.1103/zhkx-k9zl

Copyright Information

This work is made available under the terms of a Creative Commons Attribution-NonCommercial License, available at <https://creativecommons.org/licenses/by-nc/4.0/>

Peer reviewed

Observation of structures in the $J/\psi + \psi(2S)$ mass spectrum with the ATLAS detector

G. Aad *et al.*^{*}
(ATLAS Collaboration)



(Received 18 September 2025; accepted 28 April 2026; published 24 June 2026)

A search for resonant structures in the $J/\psi + \psi(2S)$ mass spectrum is performed using proton-proton collision data at $\sqrt{s} = 13$ TeV, corresponding to an integrated luminosity of 140 fb^{-1} , recorded by the ATLAS experiment at the LHC. The decay channels of $J/\psi + \psi(2S) \rightarrow 4\mu$ and $J/\psi + \psi(2S) \rightarrow 4\mu + 2\pi$ are analyzed. An excess near 6.9 GeV is observed in both channels with a combined significance of 8.9σ . No significant signal is observed near 7.2 GeV, and an upper limit on its yield relative to $X(6900)$ is provided. A simultaneous fit with the di- J/ψ channel is carried out under assumptions regarding the resonance interferences, yielding a ratio of the partial decay widths between the $J/\psi + \psi(2S)$ and di- J/ψ channels of $1.08 \pm 0.20^{+0.40}_{-0.17}$ for the resonance near 6.9 GeV.

DOI: [10.1103/zhkx-k9zl](https://doi.org/10.1103/zhkx-k9zl)

I. INTRODUCTION

The study of tetraquark states ($qq\bar{q}\bar{q}$) can further our understanding of QCD in the nonperturbative regime [1–3]. The topic of all-charm tetraquarks has gained significant interest recently. The LHCb Collaboration reported the first observation of a narrow resonance near 6.9 GeV [$X(6900)$] in the di- J/ψ mass spectrum in 2020 [4], interpreted as an all-charm tetraquark ($T_{cc\bar{c}\bar{c}}$) [3,5–12]. The ATLAS and CMS experiments later confirmed the observation of $X(6900)$ as well as another broad structure around 6.6 GeV [13,14]. Recently, CMS reported measurements of the quantum numbers of three all-charm tetraquarks, including a further resonance near 7.1 GeV, favoring a scenario of tightly bound states [15]. It becomes interesting to search for similar resonances in the $J/\psi + \psi(2S)$ spectrum and gain more insight into these exotic states. The decay $\psi(2S) \rightarrow \mu\mu$ was investigated by ATLAS in Ref. [13]. In this study, the decay $\psi(2S) \rightarrow J/\psi\pi^+\pi^- \rightarrow 2\mu 2\pi$ is also reconstructed, whose total branching fraction is more than twice that of the former. The analysis uses 140 fb^{-1} of proton-proton (pp) collision data collected by the ATLAS experiment at $\sqrt{s} = 13$ TeV during 2015–2018.

This paper is organized as follows. Section II provides a brief description of the ATLAS detector. Section III describes the Monte Carlo (MC) simulation of signal

and background processes. The event selection and the definition of the signal regions (SRs) and control regions (CRs) that enter the simultaneous fit are presented in Sec. IV. The background estimation methods and the additional CRs employed for background determination and validation are detailed in Sec. V. Section VI shows the $J/\psi + \psi(2S)$ mass spectra with estimated backgrounds before the fit. The signal modeling and the fit strategy are discussed in Sec. VII, and the fit results are presented in Sec. VIII. The evaluation of systematic uncertainties is described in Sec. IX. Finally, the conclusions are summarized in Sec. X.

II. ATLAS DETECTOR

The ATLAS experiment [16] is a multipurpose particle detector with a forward-backward symmetric cylindrical geometry and nearly 4π coverage in a solid angle.¹ It consists of an inner tracking detector (ID) surrounded by a thin superconducting solenoid providing a 2 T (Tesla) axial magnetic field, sampling electromagnetic and hadronic calorimeters, and a muon spectrometer (MS). The muon and tracking systems play a crucial role in reconstructing signal events. The ID covers the pseudorapidity range $|\eta| < 2.5$ and consists of a silicon pixel detector, a silicon

^{*}Full author list given at the end of the article.

Published by the American Physical Society under the terms of the [Creative Commons Attribution 4.0 International](https://creativecommons.org/licenses/by/4.0/) license. Further distribution of this work must maintain attribution to the author(s) and the published article's title, journal citation, and DOI. Funded by SCOAP³.

¹ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the center of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the center of the LHC ring, and the y -axis points upwards. Polar coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$.

microstrip detector, and a transition radiation tracker. The MS surrounds the calorimeters and is based on three large superconducting air-core toroids with eight coils each. It includes a system of tracking chambers up to $|\eta| = 2.7$ and fast detectors for triggering up to $|\eta| = 2.4$. A two-level trigger system is used to select events for offline analysis [17]. A software suite [18] is used in data simulation, in the reconstruction and analysis of real and simulated data, in detector operations, and in the trigger and data acquisition systems of the experiment. Events are selected for analysis only if all detector systems are in good operating condition [19].

III. SIMULATION OF SIGNAL AND BACKGROUND PROCESSES

MC simulated samples are used to study the mass resolution and signal efficiency and to estimate some of the background processes. The main backgrounds are prompt dicharmonium [J/ψ or $\psi(2S)$] production via single [20,21] and double [22,23] parton scattering (SPS and DPS), nonprompt charmonium production from b -hadron (via $b\bar{b}$ production) decays where the charmonium vertex is displaced from the pp collision vertex, prompt single charmonium production, and nonresonant dimuon production. The last two enter the analysis due to tracks misidentified as muons and are collectively categorized as “Others.” Pythia8.244 [24] was used to generate the other three backgrounds. Both the color-singlet and color-octet intermediate states were included for J/ψ and $\psi(2S)$. The signal was generated with Pythia8.306 [25]. The A14 set of tuned parameters [26] and the NNPDF23LO [27] parton distribution function were used. Final-state radiation in particle decays was simulated by PHOTOS [28]. Exclusive decays of $J/\psi \rightarrow 2\mu$ and $\psi(2S) \rightarrow 2\mu$ or $\psi(2S) \rightarrow J/\psi\pi^+\pi^- \rightarrow 2\mu 2\pi$ are enforced. The decay products are evenly distributed in the final-state phase space. Studies based on MC simulation show that the ratio of signal efficiencies between the two $\psi(2S)$ decay modes exhibits

only a weak dependence on this assumption, which is relevant for the ratio of signal yields in the different channels.

IV. EVENT SELECTION

The events are collected by dimuon and trimuon trigger paths with at least one dimuon pair whose mass is consistent with J/ψ or $\psi(2S)$, and with trigger muon p_T thresholds tuned for different data-taking periods [29]. The trigger efficiency relative to offline requirements for both signals $X(6900) \rightarrow J/\psi + \psi(2S) \rightarrow 4\mu(+2\pi)$ is about 65%. Muons are reconstructed by matching tracks found in the ID and the MS. They are required to satisfy the *loose* identification criteria [30]. In all channels, events are required to contain at least four muons forming two opposite-charge pairs. In the $4\mu + 2\pi$ channel, two additional opposite-sign (OS) charged tracks fulfilling the *loose* criteria [31,32] are required. The ID tracks of four muons (plus two pions for $4\mu + 2\pi$) are fitted to a common vertex with the mass of each charmonium constrained [33] to its world average value [34]. Additional selection requirements are imposed on variables such as the muon momentum, vertex fit quality, and the projected transverse distances between the primary vertex [35] and the candidate vertex. The event selection criteria for the SRs and CRs are summarized in Table I. The definitions of the variables in the table are listed below:

- (i) The definitions of $m_{J/\psi}$, $m_{\psi(2S)}$. The charmonium invariant mass before the vertex fit.
- (ii) The definitions of $m_{4\mu}$, $m_{4\mu+2\pi}$. The 4μ or $4\mu + 2\pi$ vertex mass after the vertex fit.
- (iii) The definitions of $\chi^2_{4\mu}/N$, $\chi^2_{4\mu+2\pi}/N$. The 4μ or $4\mu + 2\pi$ vertex fit quality χ^2 divided by the number of degrees of freedom N . The vertex candidate with the lowest χ^2/N is selected in events with more than one candidate meeting the criteria on χ^2/N .
- (iv) The definitions of $L_{xy}^{4\mu}$, $L_{xy}^{4\mu+2\pi}$, L_{xy}^{charm} . The distance in the transverse plane from the primary vertex to the

TABLE I. Event selection criteria for the signal and control regions in the 4μ and $4\mu + 2\pi$ channels.

4μ channel		$4\mu + 2\pi$ channel	
SR	CR	SR	CR
Dimuon or trimuon triggers, oppositely charged muons from each charmonium, <i>Loose</i> muons, $p_{T1,2,3,4} > 4, 4, 3, 3$ GeV and $ \eta_{1,2,3,4} < 2.5$ for the four muons, $m_{J/\psi} \in [2.94, 3.25]$ GeV, $m_{\psi(2S)} \in [3.56, 3.80]$ GeV		Two <i>loose</i> OS ID tracks with $p_T > 0.5$ GeV for pions, BDT requirement	
...			
$\chi^2_{4\mu}/N < 3$, $ L_{xy}^{4\mu} < 0.2$ mm, $ L_{xy}^{\text{charm}} < 0.3$ mm, $m_{4\mu} < 11$ GeV		$\chi^2_{4\mu+2\pi}/N < 3$, $ L_{xy}^{4\mu+2\pi} < 0.2$ mm, $ L_{xy}^{\text{charm}} < 0.3$ mm, $m_{4\mu+2\pi} < 11$ GeV	
$\Delta R(J/\psi, \psi(2S)) < 0.25$	$\Delta R(J/\psi, \psi(2S)) \geq 0.25$	$\Delta R(J/\psi, \psi(2S)) < 0.25$	$\Delta R(J/\psi, \psi(2S)) \geq 0.25$

TABLE II. Requirements for the background CRs that differ from the criteria as listed in Table I.

Others	Nonprompt	DPS	SPS
$m_{J/\psi} \in [2.60, 2.76]$ GeV or $m_{J/\psi} \in [3.34, 3.50]$ GeV for either J/ψ ; $m_{\psi(2S)} \in [3.35, 3.48]$ GeV or $m_{\psi(2S)} \in [3.88, 4.10]$ GeV for $\psi(2S)$	$L_{xy}^{\text{charm}} > 0.3$ mm for Either charmonium, $\chi^2_{4\mu(+2\pi)}/N < 15$, $m_{4\mu(+2\pi)} < 25$ GeV	No ΔR or BDT Requirements, $m_{4\mu(+2\pi)} \in [14, 25]$ GeV	No ΔR or BDT Requirements, $m_{4\mu(+2\pi)} \in [8, 12]$ GeV

4μ , $4\mu + 2\pi$ vertices and charmonium subvertex, projected onto the direction of the vertex candidate's transverse momentum, respectively. The charmonium subvertex is obtained by revertexing the tracks from its decay with the subvertex mass constrained to the charmonium's mass [34]. The primary vertex is the pp collision vertex. If there are multiple primary vertices in the event due to pileup [36], the one closest to the candidate vertex in z is chosen. These quantities can be negative due to the resolution effect.

For the $4\mu + 2\pi$ channel, an additional set of regions is defined to constrain the feed-up background, and a boosted decision tree (BDT) is employed to further suppress this background (details in Sec. V B). These regions follow the same selection requirements as those listed in Table I, except that the two pion candidates are required to have same-sign (SS) charges. Analogous to the definitions of the SR and CR, the regions are classified as the SS SR-like and SS CR-like regions based on the same ΔR criterion.

The overall analysis strategy follows that of Ref. [13], in which the ΔR between the two charmonia is used to define the SRs and the CRs, as shown in the bottom row of Table I. Although this variable has some correlation with the dicharmonium mass, imposing a requirement on it provides three advantages: it reduces the background in the SRs, constrains the background normalization, and validates the SPS background shape. The agreement of the data with the predicted background shape in the CRs allows to validate the setting of the Pythia parameter $pT0timesMPI$ [24] that was tuned on data [13] (more details on the Pythia parameters are given in Sec. V A). This approach ensures that the background estimation is robust before examining the data events in the SRs.

V. BACKGROUND ESTIMATION

A. Common backgrounds

The backgrounds common to the 4μ and $4\mu + 2\pi$ channels are estimated sequentially in the order of

Others, Nonprompt, DPS, and SPS. The Others background, consisting of events with at most one real charmonium, is estimated by a data-driven method based on the charmonium mass sideband events. The nonprompt charmonium background is estimated with MC simulation, which is corrected and normalized in a nonprompt CR defined by primarily reversing the L_{xy}^{charm} requirement. The SPS and DPS dicharmonium backgrounds are also estimated using MC simulation. Dedicated CRs are defined to constrain the SPS and DPS background contributions. The SPS (DPS) CR is defined by requiring the dicharmonium mass to fall within $[8, 12]$ ($[14, 25]$) GeV, where the corresponding background contribution is dominant. The modeling of the SPS background depends on the Pythia parameter $pT0timesMPI$. This parameter is part of the SuppressSmallIPT settings [24] used to regularize the small- p_T behavior of $2 \rightarrow 2$ scattering processes, and it has a significant impact on the shape of the dicharmonium mass spectrum predicted by the simulation. The nominal value of $pT0timesMPI$ was determined by comparing the dicharmonium mass distributions in data and simulation in the SPS CR of the di- J/ψ channel in Ref. [13].

The event selection criteria for various CRs used for background estimation are listed in Table II. The Others, Nonprompt, and DPS CRs are orthogonal to the SRs and CRs listed in Table I, whereas the SPS CR has some overlap with them. This overlap occurs for the sideband events in the SRs with $m_{4\mu(+2\pi)} > 8$ GeV, where the signal contribution is negligible.

The background CRs are used both to derive kinematic corrections and to normalize the relevant background contributions. Several kinematic variables are corrected by assigning event weights to the MC events, ensuring agreement with the data in the background CRs. These weights also improve the data-MC agreement for other variables whose distributions are not directly corrected. The corrected variables are listed in Table III. The correction

TABLE III. List of variables corrected in the different background CRs.

Others	Nonprompt	DPS	SPS
4th muon p_T , charmonium p_T , $m_{4\mu(+2\pi)}$	4th muon p_T	Dicharmonium p_T , $\Delta\eta$ between charmonia, 4th muon p_T , 2nd pion p_T	Dicharmonium p_T , $\Delta\eta$ and $\Delta\phi$ between charmonia, 4th muon p_T , 2nd pion p_T




FIG. 1. Distributions of the input variables (top and middle) and the BDT scores for SS (bottom left) and OS (bottom right) events in the global CR of the $4\mu + 2\pi$ channel. $b\bar{b} \rightarrow \text{charmonia} + X$ represents the nonprompt background. The error bars (shaded areas) represent uncertainties in the data (background predictions) in each bin. Arrows in the lower panels indicate bins in which the ratio of data to the background prediction falls outside the displayed range.

TABLE IV. The separation power of the four BDT input variables.

$m_{\pi\pi}$	$\sum p_T^\pi$	$\cos \theta_X$	χ^2/N of $\psi(2S)$
0.252	0.178	0.106	0.097

weights are derived as polynomial functions of up to third order, obtained from the ratio of data to MC distributions. The value of each correction function is multiplied with the event weight. Because of correlations among the corrected variables, adjusting one variable can degrade the data-MC agreement for others; therefore, the correction procedure is iterated several times. The iterations are terminated once the parameters of the correction functions from successive iterations converge within their respective uncertainties. Once derived from the background CRs, the corrections are applied to all regions.

Because the contributions of Nonprompt and DPS backgrounds are very small in the SR, it is crucial to control the dicharmonium mass shape for the SPS and Others background components in this region. In the $J/\psi + \psi(2S) \rightarrow 4\mu$ channel, the Others contribution is also important due to the lower signal purity under the $\psi(2S)$ mass peak compared to the J/ψ . The Others background is modeled from data themselves by requiring at least one charmonium candidate to contain a track that fails the muon identification criteria. Charmonium mass sideband events are used to determine the normalization and corrections for this background. Its modeling is validated in the Nonprompt region defined in Table II, where the Others contribution dominates and the Nonprompt background is negligible. Any mass shape difference between background and data is assigned as an additional systematic uncertainty (“nonclosure”).

In the following sections, an additional global CR is used for validation purposes. This region is defined by requiring the dicharmonium mass to lie within [8, 25] GeV, while all other selection requirements are identical to those used for the SPS and DPS CRs.

B. Feed-up background

The $J/\psi + \psi(2S) \rightarrow 4\mu + 2\pi$ channel receives a feed-up background from the di- $J/\psi \rightarrow 4\mu$ channel, where four muons are combined with two random charged tracks reconstructed under the pion hypothesis. A BDT with gradient boost [37] is trained to suppress backgrounds in which the pions do not originate from genuine $\psi(2S)$ decays. In the BDT training, signal is defined by MC events containing correctly reconstructed true $\psi(2S) \rightarrow J/\psi + 2\pi$ decays, while background corresponds to those in which the pions are randomly assigned. The BDT input variables include χ^2/N of the $\psi(2S)$ subvertex, the invariant mass of the two pions ($m_{\pi\pi}$), the cosine of the angle between the J/ψ direction in the $\psi(2S)$ rest frame and the $\psi(2S)$




FIG. 2. The $J/\psi + \psi(2S)$ mass spectrum in the SS SR-like region of the $4\mu + 2\pi$ channel. The excess of data over the total background arises from the feed-up contribution.

direction in the lab frame ($\cos \theta_X$), and the scalar sum of two pions’ transverse momenta ($\sum p_T^\pi$). Because the pions from $\psi(2S)$ decays follow a phase space distribution in the MC, the $m_{\pi\pi}$ spectrum is reweighted according to the Voloshin-Zakharov model [38] with the model parameter λ taken from Ref. [39]. Distributions of these input variables and the BDT scores in the global CR are shown in Fig. 1. Events with $\psi(2S)$ candidates containing random pions, including two SS pions, tend to have low BDT scores. The score is required to exceed -0.3 in the SR. The separation power [37] of the input variables is listed in Table IV, where higher values indicate a greater ability to discriminate between signal and background events. With this selection, the feed-up background is reduced by approximately 65% with the BDT, while about 92% of the signal is retained.

Because the kinematics of the feed-up background are similar between the OS and SS configurations, its yield in the SR and CR after the BDT selection is constrained by the SS SR-like and SS CR-like regions in the simultaneous fit described in Sec. VII. The corresponding mass shape is obtained from MC simulation. The dicharmonium mass spectrum in the SS SR-like region with $\Delta R < 0.25$ is shown in Fig. 2.

VI. $J/\psi + \psi(2S)$ MASS SPECTRA

To validate the background estimation, the $J/\psi + \psi(2S)$ mass spectra in the global CR are examined for the 4μ and $4\mu + 2\pi$ channels. As shown in Fig. 3, good agreement between the data and the prediction is observed.

The $J/\psi + \psi(2S)$ mass spectra in the SRs and CRs, as defined in Table I, with estimated backgrounds prior to the fit, are shown in Fig. 4. Noticeable excesses of data over the expected background are observed in both SRs. The SPS mass shape is also validated in the CRs, particularly near




FIG. 3. The $J/\psi + \psi(2S)$ mass spectra in the global CR for the 4μ (left) and $4\mu + 2\pi$ (right) channels. $b\bar{b} \rightarrow \text{charmonia} + X$ represents the nonprompt background. The error bars (shaded areas) represent uncertainties in the data (background predictions) in each bin. Arrows in the lower panels indicate bins in which the ratio of data to the background prediction falls outside the displayed range.




FIG. 4. The $J/\psi + \psi(2S)$ mass spectra in the CRs (top) and SRs (bottom) of the 4μ (left) and $4\mu + 2\pi$ (right) channels before the fit. The excesses observed in the signal regions arise from the signal contribution. $b\bar{b} \rightarrow \text{charmonia} + X$ represents the nonprompt background. The error bars (shaded areas) represent uncertainties in the data (background predictions) in each bin. Arrows in the lower panels indicate bins in which the ratio of data to the background prediction falls outside the displayed range.

TABLE V. The fractions of the four background components in the SRs.

Channel	Others	Nonprompt	DPS	SPS
4μ	47.3%	0.8%	2.5%	49.4%
$4\mu + 2\pi$	13.5%	1.4%	3.6%	81.5%

the dicharmonium production threshold. Since the signal and background cross sections are not measured in this analysis (which would require many theoretical assumptions), their absolute yields and efficiencies are not provided. Instead, the fractions of the four background components in the SRs are listed in Table V.

VII. FIT MODEL

Unbinned maximum likelihood fits are performed to extract the signal information from data in the $m_{4\mu}$ and $m_{4\mu+2\pi}$ mass spectra. The likelihood function used in the fit is

$$\mathcal{L} = \mathcal{L}_{\text{SR}}(\boldsymbol{\theta}, \boldsymbol{\lambda}) \cdot \mathcal{L}_{\text{CR}}(\boldsymbol{\theta}) \cdot \prod_{j=1}^K G(\theta'_j; \theta_j, \sigma_j), \quad (1)$$

where $\mathcal{L}_{\text{SR}}$ and $\mathcal{L}_{\text{CR}}$ are the likelihoods in the SRs and CRs defined in Sec. IV, $\boldsymbol{\lambda}$ are the parameters of interest, θ_j are nuisance parameters (NPs) accounting for systematic uncertainties shared between the SRs and CRs. Each NP follows a Gaussian distribution having a subsidiary measurement θ'_j , with mean θ_j and width σ_j from prefit central values and uncertainties. Background yields in the 4μ CR, $4\mu + 2\pi$ OS CR, and SS CR-like regions are used to constrain the background yields in the corresponding 4μ SR, $4\mu + 2\pi$ SR, and SS SR-like regions, respectively, in a

simultaneous fit (a single fit combining the three mass distributions in the SRs and the three background yields in the CRs). Each constraint is implemented as a ratio of total background yields in an SR to that in its corresponding CR, as predicted by prefit background estimations. The signal mass and width are shared in the SRs. The feed-up background is assumed to have the same shape and yield in $4\mu + 2\pi$ OS SR and SS SR-like. The shape is taken from MC, while the yield is extracted from the fit. For fits that also involve the di- J/ψ channel, the corresponding likelihood from Ref. [13] is multiplied with Eq. (1), and the statistical inputs from that reference are used. These inputs include the selected data, the background and signal modeling, and the associated nuisance parameters. Consequently, the di- J/ψ channel contributes an additional fit region when combined with the $J/\psi + \psi(2S)$ channels. Common parameters, such as those describing the signal or the same systematic source, are simultaneously determined from the fits in all regions. The list of nuisance parameters implemented for a particular model is given in Appendix A.

The signal resonances can be either standalone (no interference with the background or other resonances) or interfering, in which case they can interfere with each other or with the SPS background. Thus, in this paper, three representative signal models are considered, where a relativistic Breit-Wigner (BW) function is used to parametrize the propagator for a resonance. The width in the BW denominator accounts for all decay channels accessible to the resonance, while the numerator is related to the production process. The three models differ in the number of BWs included and in the way they interfere. Models A [13,14] and B [4,13] assume that the $X(6900)$ state observed in the di- J/ψ channel also decays into $J/\psi + \psi(2S)$. In model A, the signal probability density functions (PDFs) consist of two interfering S-wave BW resonances, which read

$$f_{s,\text{di-}J/\psi}^A(x) = \left| \sum_{i=1}^2 \frac{z_i}{m_i^2 - x^2 - im_i\Gamma_i(x)} \right|^2 \sqrt{1 - \frac{4M_{J/\psi}^2}{x^2}} \otimes R(\boldsymbol{\theta}),$$

$$f_{s,J/\psi+\psi(2S)}^A(x) = \left| \sum_{i=1}^2 \frac{z_i}{m_i^2 - x^2 - im_i\Gamma_i(x)} \right|^2 \sqrt{1 - \left(\frac{M_{J/\psi} + M_{\psi(2S)}}{x} \right)^2} \otimes R(\boldsymbol{\theta}), \quad (2)$$

where x is the event-by-event reconstructed dicharmonium mass, m_i and $\Gamma_i(x)$ are resonance mass and width² parameters ($m_1 < m_2$), M represents the nominal charmonium mass [34], z_i are complex numbers representing the relative magnitudes and phases (z_1 is fixed to unity with a zero phase without loss of generality), and $R(\boldsymbol{\theta})$ is the mass resolution function convolved ($\otimes$) with the BWs. The function is a sum of three Gaussians with different widths and a common mean. Model B has two BWs: one interferes with SPS, while the other, $X(6900)$, remains standalone. The PDFs in the two channels read

²For S-waves, $\Gamma_i(x) = \Gamma_i \frac{m_i}{x} \frac{q}{q_i}$, where q (q_i) is the momentum of one charmonium in the rest frame of the dicharmonium system at the invariant mass equal to x (m_i) [34].

$$f_{s+\text{SPS},\text{di-}J/\psi}^B(x) = \left(\left| \frac{z_1}{m_1^2 - x^2 - im_1\Gamma_1(x)} + A(x)e^{i\phi_{\text{SPS}}} \right|^2 + \left| \frac{1}{m_2^2 - x^2 - im_2\Gamma_2(x)} \right|^2 \right) \sqrt{1 - \frac{4M_{J/\psi}^2}{x^2}} \otimes R(\theta),$$

$$f_{s,J/\psi+\psi(2S)}^B(x) = \left| \frac{1}{m_2^2 - x^2 - im_2\Gamma_2(x)} \right|^2 \sqrt{1 - \left(\frac{M_{J/\psi} + M_{\psi(2S)}}{x} \right)^2} \otimes R(\theta), \quad (3)$$

where $A(x)$ and ϕ_{SPS} are the SPS background amplitude and phase relative to the resonance at m_1 . The term $|A(x)|^2$ reproduces the noninterfering SPS background from the MC prediction.

The signal yields of $X(6900)$ ³ in the $\text{di-}J/\psi \rightarrow 4\mu$ ($N_{\text{di-}J/\psi}$), $J/\psi + \psi(2S) \rightarrow 4\mu$ ($N_{4\mu}$), and $J/\psi + \psi(2S) \rightarrow 4\mu + 2\pi$ ($N_{4\mu+2\pi}$) channels are related through the decay branching fractions and the corresponding signal efficiencies. These relationships are expressed by the ratios f_1 and f_2 ,

$$f_1 = \frac{N_{4\mu}}{N_{\text{di-}J/\psi}} = R \frac{\mathcal{B}(\psi(2S) \rightarrow \mu^+\mu^-)\varepsilon_{4\mu}}{\mathcal{B}(J/\psi \rightarrow \mu^+\mu^-)\varepsilon_{\text{di-}J/\psi}},$$

$$f_2 = \frac{N_{4\mu}}{N_{4\mu+2\pi}} = \frac{\mathcal{B}(\psi(2S) \rightarrow \mu^+\mu^-)\varepsilon_{4\mu}}{\mathcal{B}(\psi(2S) \rightarrow J/\psi\pi^+\pi^-)\mathcal{B}(J/\psi \rightarrow \mu^+\mu^-)\varepsilon_{4\mu+2\pi}}, \quad (4)$$

where $\mathcal{B}$ and ε denote the relevant charmonium decay branching fractions and the corresponding signal efficiencies, respectively. The parameter

$$R \equiv \frac{\Gamma_{X(6900) \rightarrow J/\psi+\psi(2S)}}{\Gamma_{X(6900) \rightarrow \text{di-}J/\psi}} \quad (5)$$

is the ratio of partial decay widths of $X(6900)$.

Based on MC simulations, the value of f_1 for equal partial decay widths ($R = 1$) is 0.145 ± 0.016 , while $f_2 = 0.880 \pm 0.072$. The quoted uncertainties include both statistical and systematic components. In the fit, R is treated as a free parameter.

In model C, only $J/\psi + \psi(2S)$ channels are considered in the simultaneous fit, and the signal PDF consists of a single BW function, corresponding to the second line of Eq. (3).

To test the potential existence of a second resonance near 7.2 GeV ($X(7200)$) in the $J/\psi + \psi(2S)$ channels, a standalone $X(7200)$ component is added in each of the models described above. A separate fit is then performed for each extended model. The mass and width of this resonance are fixed at 7.22 and 0.09 GeV, respectively, as determined in the previous ATLAS publication [13]. The ratio of signal yields of $X(7200)$ and $X(6900)$, $r = N_{X(7200)}/N_{X(6900)}$, is treated as a free parameter in the fit.

VIII. RESULTS

The fitted $\text{di-}J/\psi$ and $J/\psi + \psi(2S)$ mass spectra for models A and B are shown in Fig. 5. The fitted $J/\psi +$

$\psi(2S)$ mass spectra using model C are shown in Fig. 6, which also shows the fitted spectrum in the SS SR-like region with $\Delta R < 0.25$. The fit results in this region obtained with the other two models are similar and are therefore not displayed in Fig. 5. The fitted masses and widths of $X(6900)$ and the ratio of partial widths R are given in Table VI. A discussion of systematic uncertainties is presented in Sec. IX. Taking model A as the nominal scenario and model B to assess systematic effects, the ratio of partial decay widths is found to be $R = 1.08 \pm 0.20^{+0.40}_{-0.17}$. The fitted resonance mass is consistently around 6.9 GeV across all three models. The fitted width is about 0.08 GeV with model A and about 0.18 GeV with models B and C. The fitted parameters of the near-threshold resonance in the $\text{di-}J/\psi$ channel are listed in Table VII. The signal significance of $X(6900)$ for model C with signal shape parameters fixed to their best-fit values reaches 8.9σ .⁴ Compared to Ref. [13], more precise mass and width are determined in the $J/\psi + \psi(2S)$ channels. The results from model C are consistent with those obtained from the individual fits to the 4μ and $4\mu + 2\pi$ channels. By including $X(7200)$ in model

³For model A, the signal yield of $X(6900)$ corresponds to its own squared BW function, without interference with other resonances taken into account.

⁴The asymptotic formula based on the profile likelihood ratio, $Z = \sqrt{2 \ln \frac{\mathcal{L}(\hat{s}, \hat{\theta})}{\mathcal{L}(0, \hat{\theta})}}$, is used to calculate the overall significance, where s is the signal yield and θ are NPs [40]. In the calculations, all signal shape parameters are fixed to their best-fit values.




FIG. 5. Fits to the di- J/ψ and $J/\psi + \psi(2S)$ mass spectra in the SRs for models A (left) and B (right). For each model, the di- J/ψ spectrum (top) and the $J/\psi + \psi(2S)$ spectra in the 4μ (middle) and $4\mu + 2\pi$ (bottom) channels are shown. The purple dot-dashed lines indicate the components of individual resonances, while the green short-dashed ones represent the interferences. Note that no interference is present in the $J/\psi + \psi(2S)$ channels for model B since $X(6900)$ is standalone.




FIG. 6. Fits to the $J/\psi + \psi(2S)$ mass spectra with model C in the 4μ SR (top), $4\mu + 2\pi$ SR (bottom left), and $4\mu + 2\pi$ SS SR-like region (bottom right). The purple dot-dashed lines represent the signal resonances.

C, r is found to be 0.12 ± 0.11 , with an upper limit of 0.41 at 95% confidence level using the CL_s method [41] and accounting for variations in the mass and width of $X(7200)$

from Ref. [13]. The inclusion of $X(7200)$ in models A and B yields consistent results. An alternative fit using model C, in which the SRs and CRs are merged, is also performed.

TABLE VI. The fitted masses and natural widths of $X(6900)$ obtained with three fit models are listed. The ratio of partial widths of Eq. (5) is also given for models A and B. The first uncertainty is statistical, and the second is systematic.

	Model A	Model B	Model C
m_2/GeV	$6.860 \pm 0.023 \pm 0.010$	$6.902 \pm 0.008 \pm 0.010$	$6.884 \pm 0.017^{+0.058}_{-0.005}$
Γ_2/GeV	$0.082 \pm 0.032 \pm 0.015$	$0.183 \pm 0.025 \pm 0.007$	$0.178 \pm 0.054^{+0.176}_{-0.024}$
R	$1.08 \pm 0.20^{+0.40}_{-0.09}$	$0.93 \pm 0.17 \pm 0.11$	...

TABLE VII. The fitted masses and natural widths of the near-threshold resonance in the di- J/ψ channel for models A and B. The first uncertainty is statistical, and the second is systematic.

	Model A	Model B
m_1/GeV	$6.531 \pm 0.011 \pm 0.002$	$6.646 \pm 0.018 \pm 0.021$
Γ_1/GeV	$0.244 \pm 0.021 \pm 0.021$	$0.390 \pm 0.045 \pm 0.037$

The fitted resonance mass and width obtained from this approach are consistent with those from the nominal fit (Appendix B), with a slightly decreased significance as expected due to the larger background component.

IX. SYSTEMATIC UNCERTAINTIES

Systematic uncertainties arise from signal modeling, background estimation, and detector effects. Signal modeling uncertainties include variations of the signal resonance's natural decay width, the effect of turning on or off the correction on its p_T , and uncertainties in the charmonium decay branching fractions [34]. Detector-related uncertainties include the muon momentum calibration, trigger, reconstruction, and identification efficiencies. A systematic uncertainty is assigned due to the use of mass-independent fixed-width resolution functions. Background uncertainties account for the impact of statistical fluctuations in the background MC and the correction of the dicharmonium p_T distribution on its mass shape parameters for the total backgrounds in the SRs. The dominant shape systematic uncertainties affecting the SPS background arise from limited MC statistics and the modeling uncertainty associated with the Pythia parameter $p_{T0\text{timesMPI}}$, as described in Sec. VA. To evaluate the impact of the latter, the $p_{T0\text{timesMPI}}$ parameter is varied to produce alternative MC templates, which are transformed into a shape systematic uncertainty for the background. The nominal value and associated uncertainty of this parameter is 0.61 ± 0.05 . In the 4μ channel, a mass shape nonclosure uncertainty is included for the Others background. In the $4\mu + 2\pi$

channel, the mass shape uncertainty of the feed-up background is evaluated by varying the fitted signal parameters obtained from the di- J/ψ channel. Additional systematic uncertainties arise from the inclusion of $X(7200)$ and potential biases from the fit, as determined from toy MC studies. The S-wave BW functions are replaced by P-wave or D-wave [42,43] to test the variations of fitted parameters, which contributes the largest uncertainty for $X(6900)$'s width in model C. When combining with the di- J/ψ channel, the same systematic uncertainties are correlated with the $J/\psi + \psi(2S)$ channels. The breakdown of uncertainties from different sources for the parameters of $X(6900)$ in all three models is provided in Table VIII.

X. SUMMARY

To better understand the excess observed in the $J/\psi + \psi(2S)$ mass spectrum [13], both the $\psi(2S) \rightarrow \mu\mu$ and $\psi(2S) \rightarrow J/\psi + 2\pi$ decay modes, the latter studied for the first time in this context, are analyzed using pp collision data collected by the ATLAS experiment at $\sqrt{s} = 13$ TeV, corresponding to an integrated luminosity of 140 fb^{-1} . The fitted resonance mass is consistent across all three models. The mass and width of $X(6900)$ obtained in model C are consistent between the two $\psi(2S)$ decay channels and also agree with, while superseding, the corresponding values of model β in Ref. [13]. The signal significance reaches 8.9σ for the resonance near 6.9 GeV in the $J/\psi + \psi(2S)$ channels (compared with 4.7σ reported in Ref. [13]). This result confirms the presence of structures in the $J/\psi + \psi(2S)$ channels, favoring a single-resonance hypothesis near 6.9 GeV, while the existence of a potential resonance near 7.2 GeV is not supported by the current data. All three models provide a reasonable description of the data, with two of them indicating a ratio of partial decay widths for $X(6900) \rightarrow J/\psi + \psi(2S)$ and $X(6900) \rightarrow 2J/\psi$ near 1. Future data will allow a more precise determination of the nature of this excess, including its underlying model and quantum numbers, as well as the exploration of possible additional resonances.

TABLE VIII. Different sources of uncertainties in the mass and natural width (in MeV) of $X(6900)$ and the ratio of partial decay widths of Eq. (5) for the three fit models. Entries with long dashes mean the uncertainty is negligible.

Sources	Model A			Model B			Model C	
	m	Γ	R	m	Γ	R	m	Γ
Statistical uncertainties	± 23	± 32	± 0.20	± 8.1	± 25	± 0.17	± 17	± 54
Di- J/ψ background modeling	± 5.4	± 7.7	± 0.041	± 1.4	...	...	...	...
$J/\psi + \psi(2S)$ background modeling	± 4.1	± 6.7	± 0.038	...	...	...	± 2.6	± 8.6
Signal ratios	...	...	± 0.069	...	...	± 0.054	...	...
Mass resolution	± 6.8	± 8.6	± 0.033	± 1.3	± 2.2	± 0.002	± 0.3	± 4.4
Feed-up background	...	...	± 0.002	...	...	± 0.002	± 0.3	± 0.6
P- or D-wave BW	± 3.2	± 5.4	$+0.39$	± 9.9	± 2.9	± 0.094	$+58$	$+170$
Fit bias	± 0.2	± 2.1	± 0.007	± 0.2	± 4.7	± 0.010	± 0.4	± 11
Inclusion of $X(7200)$	± 1.0	± 1.2	...	± 0.1	± 3.8	± 0.001	± 4.2	± 19

ACKNOWLEDGMENTS

We thank CERN for the very successful operation of the LHC and its injectors as well as the support staff at CERN and at our institutions worldwide without whom ATLAS could not be operated efficiently. The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF/SFU (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide, and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [44]. We gratefully acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil; NSERC, NRC, and CFI, Canada; CERN; ANID, Chile; CAS, MOST, and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMFTR, HGF, and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ICHEP and Academy of Sciences and Humanities, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MNiSW, Poland; FCT, Portugal; MNE/IFA, Romania; MSTDI, Serbia; MSSR, Slovakia; ARIS and MVZI, Slovenia; DSI/NRF, South Africa; MICIU/AEI, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF, and Cantons of Bern and Geneva, Switzerland; NSTC, Taipei; TENMAK, Türkiye; STFC/UKRI, United Kingdom; and DOE and NSF, USA. Individual groups and members have received support from BCKDF, CANARIE, CRC, and DRAC, Canada; CERN-CZ, FORTE, and PRIMUS, Czech Republic; COST, ERC, ERDF, Horizon 2020, ICSC-NextGenerationEU, and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex, Investissements d’Avenir Idex, and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales, and Aristeia programmes cofinanced by EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA, and AGAUR programs from Generalitat de Catalunya and PROMETEO and GenT Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelse, Sweden; The Royal Society and Leverhulme Trust, United Kingdom; and Eric and Wendy Schmidt Fund for Strategic Innovation, USA. In addition, individual members wish to acknowledge support from CERN: European Organization for Nuclear Research (CERN DOCT); Chile: Agencia Nacional de Investigación y Desarrollo (ANID FONDECYT Grant No. 1230987, FONDECYT Grant No. 1230812, FONDECYT Grant No. 1240864, Fondecyt Grant No. 3240661, and Fondecyt Regular

Grant No. 1240721); China: Chinese Ministry of Science and Technology (Grants No. MOST-2023YFA1605700 and No. MOST-2023YFA1609300) and National Natural Science Foundation of China (Grants No. 12175119 and No. 12275265); Czech Republic: Czech Science Foundation (Grant No. 24-11373S), Ministry of Education Youth and Sports (Grants No. ERC-CZ-LL2327 and No. FORTE CZ.02.01.01/00/22_008/0004632), PRIMUS Research Programme (Grant No. PRIMUS/21/SCI/017); EU: H2020 European Research Council (Grant No. 101002463); European Union: European Research Council (BARD Grant No. 101116429, ERC Grant No. 948254, and ERC Grant No. 101089007), European Regional Development Fund (HE COFUND GA Grant No. 101081355, ERDF), European Union, Future Artificial Intelligence Research (FAIR-NextGenerationEU Grant No. PE00000013), Italian Center for High Performance Computing, Big Data and Quantum Computing (ICSC, NextGenerationEU), Marie Skłodowska-Curie Actions (ERC Horizon-2020, GA 956086, GAP-101168829); France: Agence Nationale de la Recherche (Grants No. ANR-21-CE31-0013, No. ANR-21-CE31-0022, No. ANR-22-EDIR-0002, and No. ANR-24-CE31-0504-01); Germany: Baden-Württemberg Stiftung (BW Stiftung-Postdoc Eliteprogramme), Deutsche Forschungsgemeinschaft (Grants No. 469666862 and No. CR 312/5-2); China: Research Grants Council (GRF); Italy: Istituto Nazionale di Fisica Nucleare (ICSC, NextGenerationEU), Ministero dell’Università e della Ricerca (NextGenEU Grant No. 153D23001490006 M4C2.1.1, NextGenEU Grant No. I53D23000820006 M4C2.1.1, NextGenEU Grant No. I53D23001490006 M4C2.1.1, and Grant No. SOE2024_0000023); Japan: Japan Society for the Promotion of Science (KAKENHI Grants No. JP25H0063, No. JP22H01227, No. JP22H04944, No. JP22KK0227, No. JP24K23939, No. JP24KK0251, No. JP25H00650, No. JP25H01291, No. JP25K01011, and No. JP25K01023); Norway: Research Council of Norway (Grant No. RCN-314472); Poland: Ministry of Science and Higher Education (IDUB AGH, POB8, D4 Grant No. 9722), Polish National Science Centre (NCN Grant No. 2021/42/E/ST2/00350, NCN OPUS Grant No. 2023/51/B/ST2/02507, NCN OPUS Grant No. 2022/47/B/ST2/03059, NCN Grant No. UMO-2019/34/E/ST2/00393, Grant No. UMO-2022/47/O/ST2/00148, Grant No. UMO-2023/49/B/ST2/04085, Grant No. UMO-2023/51/B/ST2/00920, and Grant No. UMO-2024/53/N/ST2/00869); Portugal: Foundation for Science and Technology (FCT); Spain: Agència de Gestió d’Ajuts Universitaris i de Recerca. (Grant No. 2023 BP 00141), Generalitat Valenciana (Grant No. ASFAE/2022/008), Ministry of Science and Innovation (MCIN & NextGenEU Grant No. PCI2022-135018-2 and MICIN & FEDER Grants No. PID2021-125273NB, No. RYC2019-

028510-I, No. RYC2020-030254-I, No. RYC2021-031273-I, and No. RYC2022-038164-I), Ministerio de Ciencia, Innovación y Universidades/Agencia Estatal de Investigación (EU NextGenerationEU (PRTR-C17.I1), PID2022-142604OB-C22); Sweden: Carl Trygger Foundation (Carl Trygger Foundation CTS Grant No. 22:2312), Swedish Research Council (Swedish Research Council Grant No. 2023-04654, VR Grant No. 2021-03651, VR Grant No. 2022-03845, VR Grant No. 2022-04683, VR Grant No. 2023-03403, and Grant No. VR 2024-05451), Knut and Alice Wallenberg Foundation (Grants No. 2018.0458, No. 2022.0358, and No. 2023.0366); Switzerland: Swiss National Science Foundation (Grant No. PCEFP2_194658); United Kingdom: Royal Society (Grant No. NIF-R1-231091); USA: U.S. Department of Energy (Grant

No. ECA DE-AC02-76SF00515), and Neubauer Family Foundation.

DATA AVAILABILITY

The data that support the findings of this article are not publicly available. The data are available from the authors upon reasonable request.

APPENDIX A: NUISANCE PARAMETERS WITH MODEL C

The nuisance parameters and their prefit values are given in Table IX for model C. The sources of the associated uncertainties are described in Sec. IX. Parameters related to the shapes of distributions do not have numerical values and are indicated as “shape parameter” in Table IX.

TABLE IX. The nuisance parameters and their prefit values for model C. The ones related to shapes of distributions are listed as shape parameters that do not have quantitative values.

$4\mu + 2\pi$ SS SR-like background shape	Shape parameter
$4\mu + 2\pi$ feed-up background shape	Shape parameter
Ratio of background in $4\mu + 2\pi$ SS CR-like and SR-like	$1.469^{+0.031}_{-0.078}$
$4\mu + 2\pi$ OS SR background shape	Shape parameter
$4\mu + 2\pi$ OS SR SPS Pythia parameter	Shape parameter
Ratio of background in $4\mu + 2\pi$ OS CR and SR	$1.295^{+0.028}_{-0.066}$
4μ SR background shape	Shape parameter
4μ SR Others nonclosure	Shape parameter
Ratio of background in 4μ CR and SR	$1.604^{+0.055}_{-0.066}$
Signal mass resolution (muon calibration)	Shape parameter
Signal mass resolution (mass dependence)	Shape parameter
Ratio of signal yields in 4μ and $4\mu + 2\pi$	0.880 ± 0.072

APPENDIX B: ALTERNATIVE FIT WITH MODEL C

The spectra from an alternative fit using model C, in which the SRs and CRs are merged (i.e., without the ΔR splitting), are shown in Fig. 7. The signal remains clearly

visible in both channel, and the fitted resonance mass and width are consistent with those from the nominal fit. The combined signal significance is 7.8σ with the signal shape parameters fixed to their best-fit values, as in the nominal fit with the ΔR splitting.




FIG. 7. Fits to the $J/\psi + \psi(2S)$ mass spectra with model C in the 4μ (top), $4\mu + 2\pi$ (bottom left), and $4\mu + 2\pi$ SS SR-like region (bottom right), with SR and CR merged. The purple dot-dashed lines represent the signal resonances.

-
- [1] A. V. Berezhnoy, A. V. Luchinsky, and A. A. Novoselov, Heavy tetraquarks production at the LHC, *Phys. Rev. D* **86**, 034004 (2012).
 [2] M. Karliner, S. Nussinov, and J. L. Rosner, $QQ\bar{Q}\bar{Q}$ states: Masses, production, and decays, *Phys. Rev. D* **95**, 034011 (2017).

- [3] J. Wu, Y.-R. Liu, K. Chen, X. Liu, and S.-L. Zhu, Heavy-flavored tetraquark states with the $QQ\bar{Q}\bar{Q}$ configuration, *Phys. Rev. D* **97**, 094015 (2018).
 [4] LHCb Collaboration, Observation of structure in the J/ψ -pair mass spectrum, *Sci. Bull.* **65**, 1983 (2020).

- [5] Y. Iwasaki, A possible model for new resonances: Exotics and hidden charm, *Prog. Theor. Phys.* **54**, 492 (1975).
- [6] K.-T. Chao, The (cc) – $(\bar{c}\bar{c})$ (diquark—antidiquark) states in e^+e^- annihilation, *Z. Phys. C* **7**, 317 (1981).
- [7] M. N. Anwar, J. Ferretti, F.-K. Guo, E. Santopinto, and B.-S. Zou, Spectroscopy and decays of the fully-heavy tetraquarks, *Eur. Phys. J. C* **78**, 647 (2018).
- [8] V. R. Debastiani and F. S. Navarra, A non-relativistic model for the $[cc][\bar{c}\bar{c}]$ tetraquark, *Chin. Phys. C* **43**, 013105 (2019).
- [9] M.-S. Liu, Q.-F. Lü, X.-H. Zhong, and Q. Zhao, All-heavy tetraquarks, *Phys. Rev. D* **100**, 016006 (2019).
- [10] C. Becchi, J. Ferretti, A. Giachino, L. Maiani, and E. Santopinto, A study of $cc\bar{c}\bar{c}$ tetraquark decays in 4 muons and in $D^{(*)}\bar{D}^{(*)}$ at LHC, *Phys. Lett. B* **811**, 135952 (2020).
- [11] M. A. Bedolla, J. Ferretti, C. D. Roberts, and E. Santopinto, Spectrum of fully-heavy tetraquarks from a diquark + antidiquark perspective, *Eur. Phys. J. C* **80**, 1004 (2020).
- [12] R. Zhu, Fully-heavy tetraquark spectra and production at hadron colliders, *Nucl. Phys. B* **966**, 115393 (2021).
- [13] ATLAS Collaboration, Observation of an excess of dicharmonium events in the four-muon final state with the ATLAS Detector, *Phys. Rev. Lett.* **131**, 151902 (2023).
- [14] CMS Collaboration, New structures in the $J/\psi J/\psi$ mass spectrum in proton–proton collisions at $\sqrt{s} = 13$ TeV, *Phys. Rev. Lett.* **132**, 111901 (2024).
- [15] CMS Collaboration, Determination of the spin and parity of all-charm tetraquarks, *Nature (London)* **648**, 58 (2025).
- [16] ATLAS Collaboration, The ATLAS Experiment at the CERN Large Hadron Collider, *J. Instrum.* **3**, S08003 (2008).
- [17] ATLAS Collaboration, Operation of the ATLAS trigger system in Run 2, *J. Instrum.* **15**, P10004 (2020).
- [18] ATLAS Collaboration, Software and computing for Run 3 of the ATLAS experiment at the LHC, *Eur. Phys. J. C* **85**, 234 (2025); **85**, 907(E) (2025).
- [19] ATLAS Collaboration, ATLAS data quality operations and performance for 2015–2018 data-taking, *J. Instrum.* **15**, P04003 (2020).
- [20] C.-F. Qiao, J/ψ pair production at the Fermilab Tevatron, *Phys. Rev. D* **66**, 057504 (2002).
- [21] J.-P. Lansberg and H.-S. Shao, Production of $J/\psi + \eta_c$ versus $J/\psi + J/\psi$ at the LHC: Importance of real α_s^5 corrections, *Phys. Rev. Lett.* **111**, 122001 (2013).
- [22] G. Calucci and D. Treleani, Proton structure in transverse space and the effective cross section, *Phys. Rev. D* **60**, 054023 (1999).
- [23] C. H. Kom, A. Kulesza, and W. J. Stirling, Pair production of J/ψ as a probe of double parton scattering at LHCb, *Phys. Rev. Lett.* **107**, 082002 (2011).
- [24] T. Sjöstrand, S. Ask, J. R. Christiansen, R. Corke, N. Desai, P. Ilten, S. Mrenna, S. Prestel, C. O. Rasmussen, and P. Z. Skands, An introduction to PYTHIA 8.2, *Comput. Phys. Commun.* **191**, 159 (2015).
- [25] C. Bierlich *et al.*, A comprehensive guide to the physics and usage of PYTHIA 8.3, *SciPost Phys. Codebases* **2022**, 8 (2022).
- [26] ATLAS Collaboration, ATLAS Pythia 8 tunes to 7 TeV data, Report No. ATL-PHYS-PUB-2014-021, 2014, <https://cds.cern.ch/record/1966419>.
- [27] R. D. Ball *et al.* (NNPDF Collaboration), Parton distributions for the LHC run II, *J. High Energy Phys.* **04** (2015) 040.
- [28] N. Davidson, T. Przedzinski, and Z. Was, PHOTOS interface in c++: Technical and physics documentation, *Comput. Phys. Commun.* **199**, 86 (2016).
- [29] ATLAS Collaboration, Performance of the ATLAS muon triggers in Run 2, *J. Instrum.* **15**, P09015 (2020).
- [30] ATLAS Collaboration, Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13$ TeV, *Eur. Phys. J. C* **81**, 578 (2021).
- [31] ATLAS Collaboration, Early inner detector tracking performance in the 2015 data at $\sqrt{s} = 13$ TeV, Report No. ATL-PHYS-PUB-2015-051, 2015, <https://cds.cern.ch/record/2110140>.
- [32] ATLAS Collaboration, Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2, *Eur. Phys. J. C* **77**, 673 (2017).
- [33] V. Kostyukhin, VKalVrt—Package for vertex reconstruction in ATLAS, Report No. ATL-PHYS-2003-031, CERN, 2003, <https://cds.cern.ch/record/685551>.
- [34] P. Zyla *et al.* (Particle Data Group), Review of particle physics, *Prog. Theor. Exp. Phys.* **2020**, 083C01 (2020).
- [35] ATLAS Collaboration, Vertex reconstruction performance of the ATLAS detector at $\sqrt{s} = 13$ TeV, Report No. ATL-PHYS-PUB-2015-026, 2015, <https://cds.cern.ch/record/2037717>.
- [36] ATLAS Collaboration, Tagging and suppression of pileup jets, Report No. ATL-PHYS-PUB-2014-001, 2014, <https://cds.cern.ch/record/1643929>.
- [37] A. Hoecker *et al.*, TMVA—Toolkit for multivariate data analysis, 2009, [arXiv:physics/0703039](https://arxiv.org/abs/physics/0703039).
- [38] M. Voloshin and V. Zakharov, Measuring quantum-chromodynamic anomalies in hadronic transitions between quarkonium states, *Phys. Rev. Lett.* **45**, 688 (1980).
- [39] ATLAS Collaboration, Measurements of $\psi(2S)$ and $X(3872) \rightarrow J/\psi \pi^+ \pi^-$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, *J. High Energy Phys.* **01** (2017) 117.
- [40] G. Cowan, K. Cranmer, E. Gross, and O. Vitells, Asymptotic formulae for likelihood-based tests of new physics, *Eur. Phys. J. C* **71**, 1554 (2011); **73**, 2501(E) (2013).
- [41] A. L. Read, Presentation of search results: The CL_s technique, *J. Phys. G* **28**, 2693 (2002).
- [42] J. Blatt and V. Weisskopf, *Theoretical Nuclear Physics* (John Wiley & Sons, New York, 1952).
- [43] F. Von Hippel and C. Quigg, Centrifugal-barrier effects in resonance partial decay widths, shapes, and production amplitudes, *Phys. Rev. D* **5**, 624 (1972).
- [44] ATLAS Collaboration, ATLAS Computing Acknowledgements, Report No. ATL-SOFT-PUB-2026-001, 2026, <https://cds.cern.ch/record/2952666>.

G. Aad¹⁰⁴, E. Aakvaag¹⁷, B. Abbott¹²², S. Abdelhameed^{85b}, K. Abeling⁵⁵, N. J. Abicht⁴⁹, S. H. Abidi³⁰, M. Aboelela⁴⁵, A. Aboulhorma^{36e}, H. Abramowicz¹⁵⁶, Y. Abulaiti¹¹⁹, B. S. Acharya^{69a,69b,b}, A. Ackermann^{63a}, C. Adam Bourdarios⁴, L. Adamczyk^{87a}, S. V. Addepalli¹⁴⁸, M. J. Addison¹⁰³, J. Adelman¹¹⁸, A. Adiguzel^{22c}, T. Adye¹³⁶, A. A. Affolder¹³⁸, Y. Afik⁴⁰, M. N. Agaras¹³, A. Aggarwal¹⁰², C. Agheorghiesei^{28c}, F. Ahmadov^{39,c}, S. Ahuja⁹⁷, S. Ahuja¹⁶⁸, X. Ai^{142b}, G. Aielli^{76a,76b}, A. Aikot¹⁶⁸, M. Ait Tamlihat^{36e}, B. Aitbenkikh^{36a}, M. Akbiyik¹⁰², T. P. A. Åkesson¹⁰⁰, A. V. Akimov¹⁵⁰, D. Akiyama¹⁷³, N. N. Akolkar²⁵, S. Aktas¹⁷¹, G. L. Alberghi^{24b}, J. Albert¹⁷⁰, U. Alberti²⁰, P. Albicocco⁵³, G. L. Albouy⁶⁰, S. Alderweireldt⁵², Z. L. Alegria¹²³, M. Aleksa³⁷, I. N. Aleksandrov³⁹, C. Alexa^{28b}, T. Alexopoulos¹⁰, F. Alfonsi^{24b}, M. Algren⁵⁶, M. Alhroob¹⁷², B. Ali¹³⁴, H. M. J. Ali^{93,d}, S. Ali³², S. W. Alibocus⁹⁴, M. Aliev^{34c}, G. Alimonti^{71a}, W. Alkakh⁵⁵, C. Allaire⁶⁶, B. M. M. Allbrooke¹⁵¹, D. R. Allen¹²³, J. S. Allen¹⁰³, J. F. Allen⁵², P. P. Allport²¹, A. Aloisio^{72a,72b}, F. Alonso⁹², C. Alpighiani¹⁴¹, Z. M. K. Alsolami⁹³, A. Alvarez Fernandez¹⁰², M. Alves Cardoso⁵⁶, M. G. Alviggi^{72a,72b}, M. Aly¹⁰³, Y. Amaral Coutinho^{83b}, A. Ambler¹⁰⁶, C. Amelung³⁷, M. Amerl¹⁰³, C. G. Ames¹¹¹, T. Amezza¹²⁹, D. Amidei¹⁰⁸, B. Amini⁵⁴, K. Amirie¹⁶⁰, A. Amirkhanov³⁹, S. P. Amor Dos Santos^{132a}, K. R. Amos¹⁶⁸, D. Amperiadou¹⁵⁷, S. An⁸⁴, C. Anastopoulos¹⁴⁴, T. Andeen¹¹, J. K. Anders⁹⁴, A. C. Anderson⁵⁹, A. Andreazza^{71a,71b}, S. Angelidakis⁹, A. Angerami⁴², A. V. Anisenkov³⁹, A. Annovi^{74a}, C. Antel³⁷, E. Antipov¹⁵⁰, M. Antonelli⁵³, F. Anulli^{75a}, M. Aoki⁸⁴, T. Aoki¹⁵⁸, M. A. Aparo¹⁵¹, L. Aperio Bella⁴⁸, M. Apicella³¹, C. Appelt¹⁵⁶, A. Apyan²⁷, M. Arampatzi¹⁰, S. J. Arbiol Val⁸⁸, C. Arcangeletti⁵³, A. T. H. Arce⁵¹, J-F. Arguin¹¹⁰, S. Argyropoulos¹⁵⁷, J.-H. Arling⁴⁸, O. Arnaez⁴, H. Arnold¹⁵⁰, G. Artioni^{75a,75b}, H. Asada¹¹³, K. Asai¹²⁰, S. Asatryan¹⁷⁸, N. A. Asbah³⁷, R. A. Ashby Pickering¹⁷², A. M. Aslam⁹⁷, K. Assamagan³⁰, R. Astalos^{29a}, K. S. V. Astrand¹⁰⁰, S. Atashi¹⁶⁴, R. J. Atkin^{34a}, H. Atmani^{36f}, P. A. Atmasiddha¹³⁰, K. Augsten¹³⁴, A. D. Auriol⁴¹, V. A. Austrup¹⁰³, A. S. Avad⁹⁶, G. Avolio³⁷, K. Axiotis⁵⁶, A. Azzam¹³, D. Babal^{29b}, H. Bachacou¹³⁷, K. Bachas^{157,e}, A. Bachi³⁵, E. Bachmann⁵⁰, M. J. Backes^{63a}, A. Badea⁴⁰, T. M. Baer¹⁰⁸, P. Bagnaia^{75a,75b}, M. Bahmani¹⁹, D. Bahner⁵⁴, K. Bai¹²⁵, J. T. Baines¹³⁶, L. Baines⁹⁶, O. K. Baker¹⁷⁷, E. Bakos¹⁶, D. Bakshi Gupta⁸, L. E. Balabram Filho^{83b}, V. Balakrishnan¹²², R. Balasubramanian⁴, E. M. Baldin³⁸, P. Balek^{87a}, E. Ballabene^{24b,24a}, F. Balli¹³⁷, L. M. Baltes^{63a}, W. K. Balunas³³, J. Balz¹⁰², I. Bamwidhi^{85c}, E. Banas⁸⁸, M. Bandieramonte¹³¹, A. Bandyopadhyay²⁵, S. Bansal²⁵, L. Barak¹⁵⁶, M. Barakat⁴⁸, E. L. Barberio¹⁰⁷, D. Barberis^{18b}, M. Barbero¹⁰⁴, M. Z. Barel¹¹⁷, T. Barillari¹¹², M-S. Barisits³⁷, T. Barklow¹⁴⁸, P. Baron¹³⁵, D. A. Baron Moreno¹⁰³, A. Baroncelli⁶², A. J. Barr¹²⁸, J. D. Barr⁹⁸, F. Barreiro¹⁰¹, J. Barreiro Guimarães da Costa¹⁴, M. G. Barros Teixeira^{132a}, S. Barsov³⁸, F. Bartels^{63a}, R. Bartoldus¹⁴⁸, A. E. Barton⁹³, P. Bartos^{29a}, M. Baselga⁴⁹, S. Bashiri⁸⁸, A. Bassalat^{66,f}, M. J. Basso^{161a}, S. Bataju⁴⁵, R. Bate¹⁶⁹, R. L. Bates⁵⁹, S. Batlamous¹⁰¹, M. Battaglia¹³⁸, D. Battulga¹⁹, M. Baue^{75a,75b}, M. Bauer⁷⁹, P. Bauer²⁵, L. T. Bayer⁴⁸, L. T. Bazzano Hurrell³¹, J. B. Beacham¹¹², T. Beau¹²⁹, J. Y. Beauchamp⁹², P. H. Beauchemin¹⁶³, P. Bechtel²⁵, H. P. Beck^{20,g}, K. Becker¹⁷², A. J. Beddall⁸², V. A. Bednyakov³⁹, C. P. Bee¹⁵⁰, L. J. Beemster¹⁶, M. Begalli^{83d}, M. Begel³⁰, J. K. Behr⁴⁸, J. F. Beirer³⁷, F. Beisiegel²⁵, M. Belfkir^{85c}, G. Bella¹⁵⁶, L. Bellagamba^{24b}, A. Bellerive³⁵, C. D. Bellgraph⁶⁸, P. Bellos²¹, K. Beloborodov³⁸, I. Benaoumeur²¹, D. Bencheikroun^{36a}, F. Bendebba^{36a}, Y. Benhammou¹⁵⁶, K. C. Benkendorfer⁶¹, L. Beresford⁴⁸, M. Beretta⁵³, E. Bergeaas Kuutmann¹⁶⁶, N. Berger⁴, B. Bergmann¹³⁴, J. Beringer^{18a}, G. Bernardi⁵, C. Bernius¹⁴⁸, F. U. Bernlochner²⁵, A. Berrocal Guardia¹³, T. Berry⁹⁷, P. Berta¹³⁵, A. Berthold⁵⁰, A. Berti^{132a}, R. Bertrand¹⁰⁴, S. Bethke¹¹², A. Betti^{75a,75b}, A. J. Bevan⁹⁶, L. Bezio⁵⁶, N. K. Bhalla⁵⁴, S. Bharthuar¹¹², S. Bhatta¹⁵⁰, P. Bhattarai¹⁴⁸, Z. M. Bhatti¹¹⁹, K. D. Bhide⁵⁴, V. S. Bhopatkar¹²³, R. M. Bianchi¹³¹, G. Bianco^{24b,24a}, O. Biebel¹¹¹, M. Biglietti^{77a}, C. S. Billingsley⁴⁵, Y. Bimgdi^{36f}, M. Bindi⁵⁵, A. Bingham¹⁷⁶, A. Bingul^{22b}, C. Bini^{75a,75b}, G. A. Bird³³, M. Birman¹⁷⁴, M. Biros¹³⁵, S. Biryukov¹⁵¹, T. Bisanz⁴⁹, E. Bisceglie^{24b,24a}, J. P. Biswal¹³⁶, D. Biswas¹⁴⁶, I. Bloch⁴⁸, A. Blue⁵⁹, U. Blumenschein⁹⁶, V. S. Bobrovnikov³⁹, L. Boccardo^{57b,57a}, M. Boehler⁵⁴, B. Boehm¹⁷¹, D. Bogavac¹³, A. G. Bogdanchikov³⁸, L. S. Boggia¹²⁹, V. Boisvert⁹⁷, P. Bokan³⁷, T. Bold^{87a}, M. Bomben⁵, M. Bona⁹⁶, M. Boonekamp¹³⁷, A. G. Borbély⁵⁹, I. S. Bordulev³⁸, G. Borissov⁹³, D. Bortoletto¹²⁸, D. Boscherini^{24b}, M. Bosman¹³, K. Bouaouda^{36a}, N. Bouchhar¹⁶⁸, L. Boudet⁴, J. Boudreau¹³¹, E. V. Bouhova-Thacker⁹³, D. Boumediene⁴¹, R. Bouquet^{57b,57a}, A. Boveia¹²¹, J. Boyd³⁷, D. Boye³⁰, I. R. Boyko³⁹, L. Bozianu⁵⁶, J. Bracinik²¹, N. Brahimi⁴, G. Brandt¹⁷⁶, O. Brandt³³, B. Brau¹⁰⁵, J. E. Brau¹²⁵, R. Brenner¹⁷⁴, L. Brenner¹¹⁷, R. Brenner¹⁶⁶, S. Bressler¹⁷⁴

- G. Brianti^{78a,78b} D. Britton⁵⁹ D. Britzger¹¹² I. Brock²⁵ R. Brock¹⁰⁹ G. Brooijmans⁴² A. J. Brooks⁶⁸
 E. M. Brooks^{161b} E. Brost³⁰ L. M. Brown^{170,161a} L. E. Bruce⁶¹ T. L. Bruckler¹²⁸
 P. A. Bruckman de Renstrom⁸⁸ B. Brüers⁴⁸ A. Bruni^{24b} G. Bruni^{24b} D. Brunner^{47a,47b} M. Bruschi^{24b}
 N. Bruscino^{75a,75b} T. Buanes¹⁷ Q. Buat¹⁴¹ D. Buchin¹¹² A. G. Buckley⁵⁹ O. Bulekov⁸² B. A. Bullard¹⁴⁸
 S. Burdin⁹⁴ C. D. Burgard⁴⁹ A. M. Burger⁹¹ B. Burghgrave⁸ O. Burlayenko⁵⁴ J. Burleson¹⁶⁷
 J. C. Burzynski¹⁴⁷ E. L. Busch⁴² V. Büscher¹⁰² P. J. Bussey⁵⁹ O. But²⁵ J. M. Butler²⁶ C. M. Buttar⁵⁹
 J. M. Butterworth⁹⁸ W. Buttinger¹³⁶ C. J. Buxo Vazquez¹⁰⁹ A. R. Buzykaev³⁹ S. Cabrera Urbán¹⁶⁸
 L. Cadamuro⁶⁶ H. Cai³⁷ Y. Cai^{24b,114c,24a} Y. Cai^{114a} V. M. M. Cairo³⁷ O. Cakir^{3a} N. Calace³⁷
 P. Calafiura^{18a} G. Calderini¹²⁹ P. Calfayan³⁵ L. Calic¹⁰⁰ G. Callea⁵⁹ L. P. Caloba^{83b} D. Calvet⁴¹ S. Calvet⁴¹
 R. Camacho Toro¹²⁹ S. Camarda³⁷ D. Camarero Munoz²⁷ P. Camarri^{76a,76b} C. Camincher¹⁷⁰ M. Campanelli⁹⁸
 A. Camplani⁴³ V. Canale^{72a,72b} A. C. Canbay^{3a} E. Canonero⁹⁷ J. Cantero¹⁶⁸ Y. Cao¹⁶⁷ F. Capocasa²⁷
 M. Capua^{44b,44a} A. Carbone^{71a,71b} R. Cardarelli^{76a} J. C. J. Cardenas⁸ M. P. Cardiff²⁷ G. Carducci^{44b,44a}
 T. Carli³⁷ G. Carlino^{72a} J. I. Carlotto¹³ B. T. Carlson^{131h} E. M. Carlson¹⁷⁰ J. Carmignani⁹⁴
 L. Carminati^{71a,71b} A. Carnelli⁴ M. Carnesale³⁷ S. Caron¹¹⁶ E. Carquin^{139g} I. B. Carr¹⁰⁷ S. Carrá^{73a,73b}
 G. Carratta^{24b,24a} C. Carrion Martinez¹⁶⁸ A. M. Carroll¹²⁵ M. P. Casado¹³ⁱ P. Casolaro^{72a,72b} M. Caspar⁴⁸
 W. R. Castiglioni⁴⁰ F. L. Castillo⁴ L. Castillo Garcia¹³ V. Castillo Gimenez¹⁶⁸ N. F. Castro^{132a,132e}
 A. Catinaccio³⁷ J. R. Catmore¹²⁷ T. Cavaliere⁴ V. Cavaliere³⁰ L. J. Caviedes Betancourt^{23b} E. Celebi⁸²
 S. Cella³⁷ V. Cepaitis⁵⁶ K. Cerny¹²⁴ A. S. Cerqueira^{83a} A. Cerri^{74a,j} L. Cerrito^{76a,76b} F. Cerutti^{18a}
 B. Cervato^{71a,71b} A. Cervelli^{24b} G. Cesarini⁵³ S. A. Cetin⁸² P. M. Chabrilat¹²⁹ R. Chakkappai⁶⁶
 S. Chakraborty¹⁷² A. Chambers⁶¹ J. Chan^{18a} W. Y. Chan¹⁵⁸ J. D. Chapman³³ E. Chapon¹³⁷
 B. Chargeishvili^{154b} D. G. Charlton²¹ C. Chauhan¹³⁵ Y. Che^{114a} S. Chekanov⁶ G. A. Chelkov^{39,k} B. Chen¹⁵⁶
 B. Chen¹⁷⁰ H. Chen^{114a} H. Chen³⁰ J. Chen^{143a} J. Chen¹⁴⁷ M. Chen¹²⁸ S. Chen⁸⁹ S. J. Chen^{114a}
 X. Chen^{143a} X. Chen^{15,l} Z. Chen⁶² C. L. Cheng¹⁷⁵ H. C. Cheng^{64a} S. Cheong¹⁴⁸ A. Cheplakov³⁹
 E. Cherepanova¹¹⁷ R. Cherkaoui El Moursli^{36e} E. Cheu⁷ K. Cheung⁶⁵ L. Chevalier¹³⁷ V. Chiarella⁵³
 G. Chiarelli^{74a} G. Chiodini^{70a} A. S. Chisholm²¹ A. Chitan^{28b} M. Chitishvili¹⁶⁸ M. V. Chizhov^{39,m} K. Choi¹¹
 Y. Chou¹⁴¹ E. Y. S. Chow¹¹⁶ K. L. Chu¹⁷⁴ M. C. Chu^{64a} X. Chu^{14,114c} Z. Chubinidze⁵³ J. Chudoba¹³³
 J. J. Chwastowski⁸⁸ D. Cieri¹¹² K. M. Ciesla^{87a} V. Cindro⁹⁵ A. Ciocio^{18a} F. Ciotto^{72a,72b} Z. H. Citron¹⁷⁴
 M. Citterio^{71a} D. A. Ciubotaru^{28b} A. Clark⁵⁶ P. J. Clark⁵² N. Clarke Hall⁹⁸ C. Clarry¹⁶⁰ S. E. Clawson⁴⁸
 C. Clement^{47a,47b} L. Clissa^{24b,24a} Y. Coadou¹⁰⁴ M. Cobal^{69a,69c} A. Cocco^{57b} R. F. Coelho Barrue^{132a}
 R. Coelho Lopes De Sa¹⁰⁵ S. Coelli^{71a} L. S. Colangeli¹⁶⁰ B. Cole⁴² P. Collado Soto¹⁰¹ J. Collot⁶⁰
 M. R. Coluccia^{70a} P. Conde Muiño^{132a,132g} M. P. Connell^{34c} S. H. Connell^{34c} E. I. Conroy¹²⁸
 M. Contreras Cossio¹¹ F. Conventi^{72a,n} A. M. Cooper-Sarkar¹²⁸ L. Corazzina^{75a,75b} F. A. Corchia^{24b,24a}
 A. Cordeiro Oudot Choi¹⁴¹ L. D. Corpe⁴¹ M. Corradi^{75a,75b} F. Corriveau^{106,o} A. Cortes-Gonzalez¹⁵⁸
 M. J. Costa¹⁶⁸ F. Costanza⁴ D. Costanzo¹⁴⁴ J. Couthures⁴ G. Cowan⁹⁷ K. Cranmer¹⁷⁵ L. Cremer⁴⁹
 D. Cremonini^{24b,24a} S. Crépe-Renaudin⁶⁰ F. Crescioli¹²⁹ T. Cresta^{73a,73b} M. Cristinziani¹⁴⁶
 M. Cristoforetti^{78a,78b} E. Critelli⁹⁸ V. Croft¹¹⁷ G. Crosetti^{44b,44a} A. Cueto¹⁰¹ H. Cui⁹⁸ Z. Cui⁷
 B. M. Cunnett¹⁵¹ W. R. Cunningham⁵⁹ F. Curcio¹⁶⁸ J. R. Curran⁵² M. J. Da Cunha Sargedas De Sousa^{57b,57a}
 J. V. Da Fonseca Pinto^{83b} C. Da Via¹⁰³ W. Dabrowski^{87a} T. Dado³⁷ S. Dahbi¹⁵³ T. Dai¹⁰⁸ D. Dal Santo²⁰
 C. Dallapiccola¹⁰⁵ M. Dam⁴³ G. D'amen³⁰ V. D'Amico¹¹¹ J. R. Dandoy³⁵ M. D'Andrea^{57b,57a}
 D. Dannheim³⁷ G. D'anniballe^{74a,74b} M. Danninger¹⁴⁷ V. Dao¹⁵⁰ G. Darbo^{57b} S. J. Das³⁰ F. Dattola⁴⁸
 S. D'Auria^{71a,71b} A. D'Avanzo^{72a,72b} T. Davidek¹³⁵ J. Davidson¹⁷² I. Dawson⁹⁶ K. De⁸
 C. De Almeida Rossi¹⁶⁰ R. De Asmundis^{72a} N. De Biase⁴⁸ S. De Castro^{24b,24a} N. De Groot¹¹⁶ P. de Jong¹¹⁷
 H. De la Torre¹¹⁸ A. De Maria^{114a} A. De Salvo^{75a} U. De Sanctis^{76a,76b} F. De Santis^{70a,70b} A. De Santo¹⁵¹
 J. B. De Vivie De Regie⁶⁰ J. Debevc⁹⁵ D. V. Dedovich³⁹ J. Degens⁹⁴ A. M. Deiana⁴⁵ J. Del Peso¹⁰¹
 L. Delagrangé¹²⁹ F. Deliot¹³⁷ C. M. Delitzsch⁴⁹ M. Della Pietra^{72a,72b} D. Della Volpe⁵⁶ A. Dell'Acqua³⁷
 L. Dell'Asta^{71a,71b} M. Delmastro⁴ C. C. Delogu¹⁰² P. A. Delsart⁶⁰ S. Demers¹⁷⁷ M. Demichev³⁹
 S. P. Denisov³⁸ H. Denizli^{22a,p} L. D'Eramo⁴¹ D. Derendarz⁸⁸ F. Derue¹²⁹ P. Dervan^{94,a} A. M. Desai¹
 K. Desch²⁵ F. A. Di Bello^{57b,57a} A. Di Ciaccio^{76a,76b} L. Di Ciaccio⁴ A. Di Domenico^{75a,75b} C. Di Donato^{72a,72b}
 A. Di Girolamo³⁷ G. Di Gregorio⁶² A. Di Luca^{78a,78b} B. Di Micco^{77a,77b} R. Di Nardo^{77a,77b} K. F. Di Petrillo⁴⁰

M. Diamantopoulou³⁵ F. A. Dias¹¹⁷ M. A. Diaz^{139a,139b} A. R. Didenko³⁹ M. Didenko¹⁶⁸ S. D. Diefenbacher^{18a}
 E. B. Diehl¹⁰⁸ S. Díez Cornell⁴⁸ C. Díez Pardos¹⁴⁶ C. Dimitriadis¹⁴⁹ A. Dimitrievska²¹ A. Dimri¹⁵⁰ Y. Ding,⁶²
 J. Dingfelder²⁵ T. Dingley¹²⁸ I-M. Dinu^{28b} S. J. Dittmeier^{63b} F. Dittus³⁷ M. Divisek¹³⁵ B. Dixit⁹⁴
 F. Djama¹⁰⁴ T. Djobava^{154b} C. Doglioni^{103,100} A. Dohnalova^{29a} Z. Dolezal¹³⁵ K. Domijan^{87a} K. M. Dona⁴⁰
 M. Donadelli^{83d} B. Dong¹⁰⁹ J. Donini⁴¹ A. D'Onofrio^{72a,72b} M. D'Onofrio⁹⁴ J. Dopke¹³⁶ A. Doria^{72a}
 N. Dos Santos Fernandes^{132a} I. A. Dos Santos Luz^{83e} P. Dougan¹⁰³ M. T. Dova⁹² A. T. Doyle⁵⁹
 M. P. Drescher⁵⁵ E. Dreyer¹⁷⁴ I. Drivas-koulouris¹⁰ M. Drnević¹¹⁹ D. Du⁶² T. A. du Pree¹¹⁷ Z. Duan,^{114a}
 M. Dubau⁴ F. Dubinin³⁹ M. Dubovsky^{29a} E. Duchovni¹⁷⁴ G. Duckeck¹¹¹ P. K. Duckett⁹⁸ O. A. Ducu^{28b}
 D. Duda⁵² A. Dudarev³⁷ M. M. Dudek⁸⁸ E. R. Duden²⁷ M. D'uffizi¹⁰³ L. Duflost⁶⁶ M. Dührssen³⁷
 I. Duminica^{28g} A. E. Dumitriu^{28b} M. Dunford^{63a} K. Dunne^{47a,47b} A. Duperrin¹⁰⁴ H. Duran Yildiz,^{3a}
 A. Durglishvili^{154b} G. I. Dyckes^{18a} M. Dyndal^{87a} B. S. Dziedzic³⁷ Z. O. Earnshaw¹⁵¹ G. H. Eberwein¹²⁸
 B. Eckerova^{29a} S. Eggebrecht⁵⁵ E. Egidio Purcino De Souza,^{83e} G. Eigen¹⁷ K. Einsweiler^{18a} T. Ekelof¹⁶⁶
 P. A. Ekman¹⁰⁰ S. El Farkh^{36b} Y. El Ghazali⁶² H. El Jarrari^{34j} A. El Moussaouy^{36a} D. Elitez³⁷ M. Ellert¹⁶⁶
 F. Ellinghaus¹⁷⁶ T. A. Elliot⁹⁷ N. Ellis³⁷ J. Elmsheuser³⁰ M. Elsayy^{85b} M. Elsing³⁷ D. Emelianov¹³⁶
 Y. Enari⁸⁴ S. Epari¹¹⁰ D. Ernani Martins Neto⁸⁸ F. Ernst³⁷ M. Escalier⁶⁶ C. Escobar¹⁶⁸ E. Etzion¹⁵⁶
 G. Evans^{132a,132b} H. Evans⁶⁸ L. S. Evans⁴⁸ A. Ezhilov³⁸ S. Ezzarqtouni^{36a} F. Fabbri^{24b,24a} L. Fabbri^{24b,24a}
 G. Facini⁹⁸ V. Fadeyev¹³⁸ R. M. Fakhruddinov³⁸ D. Fakoudis¹⁰² S. Falciano^{75a} L. F. Falda Ulhoa Coelho^{132a}
 F. Fallavollita¹¹² G. Falsetti^{44b,44a} J. Faltova¹³⁵ C. Fan¹⁶⁷ K. Y. Fan^{64b} Y. Fan¹⁴ Y. Fang^{14,114c}
 M. Fanti^{71a,71b} M. Faraj^{69a,69b} Z. Farazpay⁹⁹ A. Farbin⁸ A. Farilla^{77a} K. Farman¹⁵³ T. Farooque¹⁰⁹
 J. N. Farr¹⁷⁷ M. S. Farrington⁶¹ S. M. Farrington^{136,52} F. Fassi^{36e} D. Fassouliotis⁹ L. Fayard⁶⁶ P. Federic¹³⁵
 P. Federicova¹³³ O. L. Fedin^{38,k} M. Feickert¹⁷⁵ L. Feligioni¹⁰⁴ D. E. Fellers^{18a} C. Feng^{142a} Y. Feng,¹⁴
 Z. Feng¹¹⁷ M. J. Fenton¹⁶⁴ L. Ferencz⁴⁸ B. Fernandez Barbadillo⁹³ P. Fernandez Martinez⁶⁷
 M. J. V. Fernoux¹⁰⁴ J. Ferrando⁹³ A. Ferrari¹⁶⁶ P. Ferrari^{117,116} R. Ferrari^{73a} D. Ferrere⁵⁶ C. Ferretti¹⁰⁸
 M. P. Fewell¹ D. Fiacco^{75a,75b} F. Fiedler¹⁰² P. Fiedler¹³⁴ S. Filimonov³⁹ M. S. Filip^{28b,q} A. Filipčič⁹⁵
 E. K. Filmer^{161a} F. Filthaut¹¹⁶ M. C. N. Fiolhais^{132a,132c,r} L. Fiorini¹⁶⁸ W. C. Fisher¹⁰⁹ T. Fitschen¹⁰³
 P. M. Fitzhugh¹³⁷ I. Fleck¹⁴⁶ P. Fleischmann¹⁰⁸ T. Flick¹⁷⁶ M. Flores^{34d,s} L. R. Flores Castillo^{64a}
 L. Flores Sanz De Acedo³⁷ F. M. Follega^{78a,78b} N. Fomin³³ J. H. Foo¹⁶⁰ A. Formica¹³⁷ A. C. Forti¹⁰³
 E. Fortin³⁷ A. W. Fortman^{18a} L. Foster^{18a} L. Fountas^{9,t} D. Fournier⁶⁶ H. Fox⁹³ P. Francavilla^{74a,74b}
 S. Francescato⁶¹ S. Franchellucci⁵⁶ M. Franchini^{24b,24a} S. Franchino^{63a} D. Francis³⁷ L. Franco¹¹⁶
 L. Franconi⁴⁸ M. Franklin⁶¹ G. Frattari²⁷ Y. Y. Frid¹⁵⁶ J. Friend⁵⁹ N. Fritzsche³⁷ A. Froch⁵⁶
 D. Froidevaux³⁷ J. A. Frost¹³⁶ Y. Fu¹⁰⁹ S. Fuenzalida Garrido^{139g} M. Fujimoto¹⁵⁰ K. Y. Fung^{64a}
 E. Furtado De Simas Filho,^{83e} M. Furukawa¹⁵⁸ J. Fuster¹⁶⁸ A. Gaa⁵⁵ A. Gabrielli^{24b,24a} A. Gabrielli¹⁶⁰
 P. Gadow³⁷ G. Gagliardi^{57b,57a} L. G. Gagnon^{18a} S. Gaid^{85d} S. Galantzan¹⁵⁶ J. Gallagher¹ E. J. Gallas¹²⁸
 A. L. Gallen¹⁶⁶ B. J. Gallop¹³⁶ K. K. Gan¹²¹ S. Ganguly¹⁵⁸ Y. Gao⁵² A. Garabaglu¹⁴¹
 F. M. Garay Walls^{139a,139b} C. García,¹⁶⁸ A. Garcia Alonso¹¹⁷ A. G. Garcia Caffaro¹⁷⁷ J. E. García Navarro,¹⁶⁸
 M. A. Garcia Ruiz^{23b} M. Garcia-Sciveres^{18a} G. L. Gardner¹³⁰ R. W. Gardner⁴⁰ N. Garelli¹⁶³ R. B. Garg¹⁴⁸
 J. M. Gargan³³ C. A. Garner¹⁶⁰ C. M. Garvey^{34a} V. K. Gassmann,¹⁶³ G. Gaudio^{73a} V. Gautam,¹³ P. Gauzzi^{75a,75b}
 J. Gavrancovic⁹⁵ I. L. Gavrilenko^{132a} A. Gavriluk³⁸ C. Gay¹⁶⁹ G. Gaycken¹²⁵ E. N. Gazis¹⁰ A. Gekow,¹²¹
 C. Gemme^{57b} M. H. Genest⁶⁰ A. D. Gentry¹¹⁵ S. George⁹⁷ T. Geralis⁴⁶ A. A. Gerwin¹²²
 P. Gessinger-Befurt³⁷ M. E. Geyik¹⁷⁶ M. Ghani¹⁷² K. Ghorbanian⁹⁶ A. Ghosal¹⁴⁶ A. Ghosh¹⁶⁴ A. Ghosh⁷
 B. Giacobbe^{24b} S. Giagu^{75a,75b} T. Giani¹¹⁷ A. Giannini⁶² S. M. Gibson⁹⁷ M. Gignac¹³⁸ D. T. Gil^{87b}
 A. K. Gilbert^{87a} B. J. Gilbert⁴² D. Gillberg³⁵ G. Gilles¹¹⁷ D. M. Gingrich^{2,u} M. P. Giordani^{69a,69c}
 P. F. Giraud¹³⁷ G. Giugliarelli^{69a,69c} D. Giugni^{71a} F. Giuli^{76a,76b} I. Gkialas^{9,t} L. K. Gladilin³⁸ C. Glasman¹⁰¹
 M. Glazewska²⁰ R. M. Gleason¹⁶⁴ G. Glemža⁴⁸ M. Glisic,¹²⁵ I. Gnesi^{44b} Y. Go³⁰ M. Goblirsch-Kolb³⁷
 B. Gocke⁴⁹ D. Godin,¹¹⁰ B. Gokturk^{22a} S. Goldfarb¹⁰⁷ T. Golling⁵⁶ M. G. D. Gololo^{34c} D. Golubkov³⁸
 J. P. Gombas¹⁰⁹ A. Gomes^{132a,132b} G. Gomes Da Silva¹⁴⁶ A. J. Gomez Delegido³⁷ R. Gonçalves^{132a} L. Gonella²¹
 A. Gongadze^{154c} F. Gonnella²¹ J. L. Gonski¹⁴⁸ R. Y. González Andana⁵² S. González de la Hoz¹⁶⁸
 M. V. Gonzalez Rodrigues⁴⁸ R. Gonzalez Suarez¹⁶⁶ S. Gonzalez-Sevilla⁵⁶ L. Goossens³⁷ B. Gorini³⁷
 E. Gorini^{70a,70b} A. Gorišek⁹⁵ T. C. Gosart¹³⁰ A. T. Goshaw⁵¹ M. I. Gostkin³⁹ S. Goswami¹²³

- C. A. Gottardo³⁷ S. A. Gotz¹¹¹ M. Goughri^{36b} A. G. Goussiou¹⁴¹ N. Govender^{34c} R. P. Grabarczyk¹²⁸
 I. Grabowska-Bold^{87a} K. Graham³⁵ E. Gramstad¹²⁷ S. Grancagnolo^{70a,70b} C. M. Grant¹ P. M. Gravila^{28f}
 F. G. Gravili^{70a,70b} H. M. Gray^{18a} M. Greco¹¹² M. J. Green¹ C. Grefe²⁵ A. S. Grefsrud¹⁷ I. M. Gregor⁴⁸
 K. T. Greif¹⁶⁴ P. Grenier¹⁴⁸ S. G. Grewe¹¹² A. A. Grillo¹³⁸ K. Grimm³² S. Grinstein^{13,v} J.-F. Grivaz⁶⁶
 E. Gross¹⁷⁴ J. Grosse-Knetter⁵⁵ L. Guan¹⁰⁸ G. Guerrieri³⁷ R. Guevara¹²⁷ R. Gugel¹⁰² J. A. M. Guhit¹⁰⁸
 A. Guida¹⁹ E. Guilloton¹⁷² S. Guindon³⁷ F. Guo^{14,114c} J. Guo^{143a} L. Guo⁴⁸ L. Guo^{114b,w} Y. Guo¹⁰⁸
 Y. Guo⁴² A. Gupta⁴⁹ R. Gupta¹³¹ S. Gupta²⁷ S. Gurbuz²⁵ S. S. Gurdasani⁴⁸ G. Gustavino^{75a,75b}
 P. Gutierrez¹²² L. F. Gutierrez Zagazeta¹³⁰ M. Gutsche⁵⁰ C. Gutscheow⁹⁸ C. Gwenlan¹²⁸ C. B. Gwilliam⁹⁴
 E. S. Haaland¹²⁷ A. Haas¹¹⁹ M. Habedank⁵⁹ C. Haber^{18a} H. K. Hadavand⁸ A. Haddad⁴¹ A. Hadeef⁵⁰
 A. I. Hagan⁹³ J. J. Hahn¹⁴⁶ E. H. Haines⁹⁸ M. Haleem¹⁷¹ J. Haley¹²³ G. D. Hallowell¹⁰⁴ J. A. Hallford⁴⁸
 K. Hamano¹⁷⁰ H. Hamdaoui¹⁶⁶ M. Hamer²⁵ S. E. D. Hammoud⁶⁶ E. J. Hampshire⁹⁷ J. Han^{142a} L. Han^{114a}
 L. Han⁶² S. Han¹⁴ K. Hanagaki⁸⁴ M. Hance¹³⁸ D. A. Hangal⁴² H. Hanif¹⁴⁷ M. D. Hank¹³⁰ J. B. Hansen⁴³
 P. H. Hansen⁴³ T. Harenberg¹⁷⁶ S. Harkusha¹⁷⁸ M. L. Harris¹⁰⁵ Y. T. Harris²⁵ J. Harrison¹³
 N. M. Harrison¹²¹ P. F. Harrison¹⁷² M. L. E. Hart⁹⁸ N. M. Hartman¹¹² N. M. Hartmann¹¹¹ R. Z. Hasan^{97,136}
 Y. Hasegawa¹⁴⁵ F. Haslbeck¹²⁸ S. Hassan¹⁷ R. Hauser¹⁰⁹ M. Haviernik¹³⁵ C. M. Hawkes²¹ R. J. Hawkins³⁷
 Y. Hayashi¹⁵⁸ D. Hayden¹⁰⁹ C. Hayes¹⁰⁸ R. L. Hayes¹¹⁷ C. P. Hays¹²⁸ J. M. Hays⁹⁶ H. S. Hayward⁹⁴
 M. He^{14,114c} Y. He⁴⁸ Y. He⁹⁸ N. B. Heatley⁹⁶ V. Hedberg¹⁰⁰ J. Heilman³⁵ S. Heim⁴⁸ T. Heim^{18a}
 J. J. Heinrich¹²⁵ L. Heinrich¹¹² J. Hejbal¹³³ M. Helbig⁵⁰ A. Held¹⁷⁵ S. Hellesund¹⁷ C. M. Helling¹⁶⁹
 S. Hellman^{47a,47b} A. M. Henriques Correia³⁷ H. Herde¹⁰⁰ Y. Hernández Jiménez¹⁵⁰ L. M. Herrmann²⁵
 T. Herrmann⁵⁰ G. Herten⁵⁴ R. Hertenberger¹¹¹ L. Hervas³⁷ M. E. Hespings¹⁰² N. P. Hessey^{161a} J. Hessler¹¹²
 M. Hidaoui^{36b} N. Hidic¹³⁵ E. Hill¹⁶⁰ T. S. Hillersoy¹⁷ S. J. Hillier²¹ J. R. Hinds¹⁰⁹ F. Hinterkeuser²⁵
 M. Hirose¹²⁶ S. Hirose¹⁶² D. Hirschbuehl¹⁷⁶ T. G. Hitchings¹⁰³ B. Hiti⁹⁵ J. Hobbs¹⁵⁰ R. Hobincu^{28e}
 N. Hod¹⁷⁴ A. M. Hodges¹⁶⁷ M. C. Hodgkinson¹⁴⁴ B. H. Hodgkinson¹²⁸ A. Hoecker³⁷ D. D. Hofer¹⁰⁸
 J. Hofer¹⁶⁸ J. Hofner¹⁰² M. Holzbock³⁷ L. B. A. H. Hommels³³ V. Homsak¹²⁸ B. P. Honan¹⁰³ J. J. Hong⁶⁸
 T. M. Hong¹³¹ B. H. Hooberman¹⁶⁷ W. H. Hopkins⁶ M. C. Hoppesch¹⁶⁷ Y. Horii¹¹³ M. E. Horstmann¹¹²
 S. Hou¹⁵³ M. R. Housenga¹⁶⁷ J. Howarth⁵⁹ J. Hoya⁶ M. Hrabovsky¹²⁴ T. Hryn'ova⁴ P. J. Hsu⁶⁵
 S.-C. Hsu¹⁴¹ T. Hsu⁶⁶ M. Hu^{18a} Q. Hu⁶² S. Huang³³ X. Huang^{14,114c} Y. Huang¹³⁵ Y. Huang^{114b}
 Y. Huang¹⁴ Z. Huang⁶⁶ Z. Hubacek¹³⁴ F. Huegging²⁵ T. B. Huffman¹²⁸ M. Hufnagel Maranha De Faria^{83a}
 C. A. Hugli⁴⁸ M. Huhtinen³⁷ S. K. Huiberts¹²⁷ R. Hulsken¹⁰⁶ C. E. Hultquist^{18a} D. L. Humphreys¹⁰⁵
 N. Huseynov¹² J. Huston¹⁰⁹ J. Huth⁶¹ L. Huth⁴⁸ R. Hyneman⁷ G. Iacobucci⁵⁶ G. Iakovidis³⁰
 L. Iconomidou-Fayard⁶⁶ J. P. Iddon³⁷ P. Iengo^{72a,72b} Y. Iiyama¹⁵⁸ T. Iizawa¹⁵⁸ Y. Ikegami⁸⁴ D. Iliadis¹⁵⁷
 N. Ilic¹⁶⁰ H. Imam^{36a} G. Inacio Goncalves^{83d} S. A. Infante Cabanas^{139c} T. Ingebretsen Carlson^{47a,47b}
 J. M. Inglis⁹⁶ G. Introzzi^{73a,73b} M. Iodice^{77a} V. Ippolito^{75a,75b} R. K. Irwin⁹⁴ M. Ishino¹⁵⁸ W. Islam¹⁷⁵
 C. Issever¹⁹ S. Istin^{22a,x} K. Itabashi¹²⁶ H. Ito¹⁷³ R. Iuppa^{78a,78b} A. Ivina¹⁷⁴ V. Izzo^{72a} P. Jacka¹³⁴
 P. Jackson¹ P. Jain⁴⁸ K. Jakobs⁵⁴ T. Jakoubek¹⁷⁴ J. Jamieson⁵⁹ W. Jang¹⁵⁸ S. Jankovych¹³⁵
 M. Javurkova¹⁰⁵ P. Jawahar¹⁰³ L. Jeanty¹²⁵ J. Jejelava^{154a,y} P. Jenni^{54,z} C. E. Jessiman³⁵ C. Jia^{142a}
 H. Jia¹⁶⁹ J. Jia¹⁵⁰ X. Jia^{112,114c} Z. Jia^{114a} C. Jiang⁵² Q. Jiang^{64b} S. Jiggins⁴⁸ M. Jimenez Ortega¹⁶⁸
 J. Jimenez Pena¹³ S. Jin^{114a} A. Jinaru^{28b} O. Jinnouchi¹⁴⁰ P. Johansson¹⁴⁴ K. A. Johns⁷ J. W. Johnson¹³⁸
 F. A. Jolly⁴⁸ D. M. Jones¹⁵¹ E. Jones⁴⁸ K. S. Jones⁸ P. Jones³³ R. W. L. Jones⁹³ T. J. Jones⁹⁴ H. L. Joos⁵⁵
 R. Joshi¹²¹ J. Jovicevic¹⁶ X. Ju^{18a} J. J. Junggeburth³⁷ T. Junkermann^{63a} A. Juste Rozas^{13,v} M. K. Juzek⁸⁸
 S. Kabana^{139f} A. Kaczmarzka⁸⁸ S. A. Kadir¹⁴⁸ M. Kado¹¹² H. Kagan¹²¹ M. Kagan¹⁴⁸ A. Kahn¹³⁰
 C. Kahra¹⁰² T. Kaji¹⁵⁸ E. Kajomovitz¹⁵⁵ N. Kakati¹⁷⁴ N. Kakoty¹³ I. Kalaitzidou⁵⁴ S. Kandel⁸
 N. Kanellos¹⁰ N. J. Kang¹³⁸ D. Kar^{34j,a} E. Karentzos²⁵ K. Karki⁸ O. Karkout¹¹⁷ S. N. Karpov³⁹
 Z. M. Karpova³⁹ V. Kartvelishvili^{93,154b} A. N. Karyukhin³⁸ E. Kasimi¹⁵⁷ J. Katzy⁴⁸ S. Kaur³⁵ K. Kawade¹⁴⁵
 M. P. Kawale¹²² C. Kawamoto⁸⁹ T. Kawamoto⁶² E. F. Kay³⁷ S. Kazakos¹⁰⁹ V. F. Kazanin³⁸
 J. M. Keaveney^{34a} R. Keeler¹⁷⁰ G. V. Kehris⁶¹ J. S. Keller³⁵ J. M. Kelly¹⁷⁰ J. J. Kempster¹⁵¹ O. Kepka¹³³
 J. Kerr^{161b} B. P. Kerridge¹³⁶ B. P. Kerševan⁹⁵ L. Keszeghova^{29a} R. A. Khan¹³¹ A. Khanov¹²³
 A. G. Kharlamov³⁸ T. Kharlamova³⁸ E. E. Khoda¹⁴¹ M. Kholodenko^{132a} T. J. Khoo¹⁹ G. Khoriauli¹⁷¹
 Y. Khoulaki^{36a} Y. A. R. Khwaira¹²⁹ B. Kibirige^{34j} D. Kim⁶ D. W. Kim^{18b} Y. K. Kim⁴⁰ N. Kimura⁹⁸

- M. K. Kingston⁵⁵, A. Kirchhoff⁵⁵, C. Kirfel²⁵, F. Kirfel²⁵, J. Kirk¹³⁶, A. E. Kiryunin¹¹², S. Kita¹⁶²,
 O. Kivernyk²⁵, M. Klassen¹⁶³, C. Klein³⁵, L. Klein¹⁷¹, M. H. Klein⁴⁵, S. B. Klein⁵⁶, U. Klein⁹⁴,
 A. Klimentov³⁰, T. Klioutchnikova³⁷, P. Kluit¹¹⁷, S. Kluth¹¹², E. Kneringer⁷⁹, T. M. Knight¹⁶⁰, A. Knue⁴⁹,
 M. Kobel⁵⁰, D. Kobylanskii¹⁷⁴, S. F. Koch¹²⁸, M. Kocian¹⁴⁸, P. Kodyš¹³⁵, D. M. Koeck¹²⁵, T. Koffas³⁵,
 O. Kolay⁵⁰, I. Koletsou⁴, T. Komarek⁸⁸, K. Köneke⁵⁵, A. X. Y. Kong¹, T. Kono¹²⁰, N. Konstantinidis⁹⁸,
 P. Kontaxakis⁵⁶, B. Konya¹⁰⁰, R. Kopeliansky⁴², S. Koperny^{87a}, K. Korcyl⁸⁸, K. Kordas^{157,aa}, A. Korn⁹⁸,
 S. Korn⁵⁵, I. Korolkov¹³, N. Korotkova³⁸, B. Kortman¹¹⁷, O. Kortner¹¹², S. Kortner¹¹², W. H. Kostecka¹¹⁸,
 M. Kostov^{29a}, V. V. Kostyukhin¹⁴⁶, A. Kotskechagia³⁷, A. Kotwal⁵¹, A. Koulouris³⁷,
 A. Kourkumeli-Charalampidi^{73a,73b}, C. Kourkumelis⁹, E. Kourlitis¹¹², O. Kovanda¹²⁵, R. Kowalewski¹⁷⁰,
 W. Kozanecki¹²⁵, A. S. Kozhin³⁸, V. A. Kramarenko³⁸, G. Kramberger⁹⁵, P. Kramer²⁵, M. W. Krasny¹²⁹,
 A. Krasznahorkay¹⁰⁵, A. C. Kraus¹¹⁸, J. W. Kraus¹⁷⁶, J. A. Kremer⁴⁸, N. B. Krengel¹⁴⁶, T. Kresse⁵⁰,
 L. Kretschmann¹⁷⁶, J. Kretschmar⁹⁴, P. Krieger¹⁶⁰, K. Krizka²¹, K. Kroeninger⁴⁹, H. Kroha¹¹², J. Kroll¹³³,
 J. Kroll¹³⁰, K. S. Krowpman¹⁰⁹, U. Kruchonak³⁹, H. Krüger²⁵, N. Krumnack⁸¹, M. C. Kruse⁵¹, O. Kuchinskaia³⁹,
 S. Kuday^{3a}, S. Kuehn³⁷, R. Kuesters⁵⁴, T. Kuhl⁴⁸, V. Kukhtin³⁹, Y. Kulchitsky³⁹, S. Kuleshov^{139d,139b}, J. Kull¹,
 E. V. Kumar¹¹¹, M. Kumar^{34j}, N. Kumari⁴⁸, P. Kumari^{161b}, A. Kupco¹³³, A. Kupich³⁸, O. Kuprash⁵⁴,
 H. Kurashige⁸⁶, L. L. Kurchaninov^{161a}, O. Kurdysh⁴, A. Kurova³⁸, M. Kuze¹⁴⁰, A. K. Kvam¹⁰⁵, J. Kvita¹²⁴,
 N. G. Kyriacou¹⁴¹, M. Laassiri³⁰, C. Lacasta¹⁶⁸, F. Lacava^{75a,75b}, H. Lacker¹⁹, D. Lacour¹²⁹, N. N. Lad⁹⁸,
 E. Ladygin³⁹, A. Lafarge⁴¹, B. Laforge¹²⁹, T. Lagouri¹⁷⁷, F. Z. Lahbabi^{36a}, S. Lai^{55,37}, W. S. Lai⁹⁸,
 J. E. Lambert¹⁷⁰, S. Lammers⁶⁸, W. Lampl⁷, C. Lampoudis^{157,aa}, G. Lamprinoudis¹⁷¹, A. N. Lancaster¹¹⁸,
 E. Lançon³⁰, U. Landgraf⁵⁴, M. P. J. Landon⁹⁶, V. S. Lang⁵⁴, A. J. Lankford¹⁶⁴, F. Lanni³⁷, K. Lantzsche²⁵,
 A. Lanza^{73a}, M. Lanzac Berrocal¹⁶⁸, J. F. Laporte¹³⁷, T. Lari^{71a}, D. Larsen¹⁷, L. Larson¹¹, F. Lasagni Manghi^{24b},
 M. Lassnig³⁷, S. D. Lawlor¹⁴⁴, R. Lazaridou¹⁶⁴, M. Lazzaroni^{71a,71b}, E. T. T. Le¹⁶⁴, H. D. M. Le¹⁰⁹,
 E. M. Le Boulicaut¹⁷⁷, L. T. Le Pottier^{18a}, B. Leban^{24b,24a}, F. Ledroit-Guillon⁶⁰, T. F. Lee^{161b}, L. L. Leeuw^{34c},
 M. Lefebvre¹⁷⁰, C. Leggett^{18a}, G. Lehmann Miotto³⁷, M. Leigh⁵⁶, W. A. Leight¹⁰⁵, W. Leinonen¹¹⁶,
 A. Leisos^{157,bb}, M. A. L. Leite^{83c}, C. E. Leitgeb¹⁹, R. Leitner¹³⁵, K. J. C. Leney⁴⁵, T. Lenz²⁵, S. Leone^{74a},
 C. Leonidopoulos⁵², A. Leopold¹⁴⁹, J. LePage-Bourbonnais³⁵, R. Les¹⁰⁹, C. G. Lester³³, M. Levchenko³⁸,
 J. Levêque⁴, L. J. Levinson¹⁷⁴, G. Levrini^{24b,24a}, M. P. Lewicki⁸⁸, C. Lewis¹⁴¹, D. J. Lewis⁴, L. Lewitt¹⁴⁴,
 A. Li³⁰, B. Li^{142a}, C. Li¹⁰⁸, C-Q. Li¹¹², H. Li^{142a}, H. Li¹⁰³, H. Li¹⁵, H. Li⁶², H. Li^{142a}, J. Li^{143a}, K. Li¹⁴,
 L. Li^{143a}, R. Li¹⁷⁷, S. Li^{14,114c}, S. Li^{143b,143a}, T. Li⁵, X. Li¹⁰⁶, Y. Li¹⁴, Z. Li¹⁵⁸, Z. Li^{14,114c}, Z. Li⁶²,
 S. Liang^{14,114c}, Z. Liang¹⁴, M. Liberatore¹³⁷, B. Liberti^{76a}, G. B. Libotte^{83d}, K. Lie^{64c}, J. Lieber Marin^{83e},
 H. Lien⁶⁸, H. Lin¹⁰⁸, S. F. Lin¹⁵⁰, L. Linden¹¹¹, R. E. Lindley⁷, J. H. Lindon³⁷, J. Ling⁶¹, E. Lipeles¹³⁰,
 A. Lipniacka¹⁷, A. Lister¹⁶⁹, J. D. Little⁶⁸, B. Liu¹⁴, B. X. Liu^{114b}, D. Liu^{143b}, D. Liu¹³⁸, E. H. L. Liu²¹,
 J. K. K. Liu¹¹⁹, K. Liu^{143b}, K. Liu^{143b,143a}, M. Liu⁶², M. Y. Liu⁶², P. Liu¹⁴, Q. Liu¹⁴⁸, S. Liu¹⁵⁰, X. Liu⁶²,
 X. Liu^{142a}, Y. Liu^{114b,114c}, Y. Liu¹⁶⁷, Y. L. Liu^{142a}, Y. W. Liu⁶², Z. Liu^{66,cc}, S. L. Lloyd⁹⁶, E. M. Lobodzinska⁴⁸,
 P. Loch⁷, E. Lodhi¹⁶⁰, K. Lohwasser¹⁴⁴, E. Loiacono⁴⁸, J. D. Lomas²¹, J. D. Long⁴², I. Longarini¹⁶⁴,
 R. Longo¹⁶⁷, A. Lopez Solis¹³, N. A. Lopez-canelas⁷, N. Lorenzo Martinez⁴, A. M. Lory¹¹¹, M. Losada^{85b},
 G. Löschcke Centeno⁴, X. Lou^{47a,47b}, X. Lou^{14,114c}, A. Lounis⁶⁶, P. A. Love⁹³, M. Lu⁶⁶, S. Lu¹³⁰, Y. J. Lu¹⁵³,
 H. J. Lubatti¹⁴¹, C. Luci^{75a,75b}, F. L. Lucio Alves^{114a}, F. Luehring⁶⁸, B. S. Lunday¹³⁰, O. Lundberg¹⁴⁹,
 J. Lunde³⁷, N. A. Luongo⁶, M. S. Lutz³⁷, A. B. Lux²⁶, D. Lynn³⁰, R. Lysak¹³³, V. Lysenko¹³⁴, E. Lytken¹⁰⁰,
 V. Lyubushkin³⁹, T. Lyubushkina³⁹, M. M. Lyukova¹⁵⁰, H. Ma³⁰, K. Ma⁶², L. L. Ma^{142a}, W. Ma⁶², Y. Ma¹²³,
 J. C. MacDonald¹⁰², P. C. Machado De Abreu Farias^{83e}, D. Macina³⁷, R. Madar⁴¹, T. Madula⁹⁸, J. Maeda⁸⁶,
 T. Maeno³⁰, P. T. Mafa^{34c,dd}, H. Maguire¹⁴⁴, M. Maheshwari³³, V. Maiboroda⁶⁶, A. Maio^{132a,132b,132d}, K. Maj^{87a},
 O. Majersky⁴⁸, S. Majewski¹²⁵, R. Makhmanazarov³⁸, N. Makovec⁶⁶, V. Maksimovic¹⁶, B. Malaescu¹²⁹,
 J. Malamant¹²⁷, Pa. Malecki⁸⁸, V. P. Maleev³⁸, F. Malek^{60,ee}, M. Mali⁹⁵, D. Malito⁹⁷, U. Mallik^{80,a},
 A. Maloizel⁵, S. Maltezos¹⁰, A. Malvezzi Lopes^{83d}, S. Malyukov³⁹, J. Mamuzic⁹⁵, G. Mancini⁵³, M. N. Mancini²⁷,
 G. Manco^{73a,73b}, J. P. Mandalia⁹⁶, S. S. Mandarri¹⁵¹, I. Mandić⁹⁵, L. Manhaes de Andrade Filho^{83a},
 I. M. Maniatis¹⁷⁴, J. Manjarres Ramos⁹¹, D. C. Mankad¹⁷⁴, A. Mann¹¹¹, T. Manoussos³⁷, M. N. Mantinan⁴⁰,
 S. Manzoni³⁷, L. Mao^{143a}, X. Mapekula^{34c}, A. Marantis¹⁵⁷, R. R. Marcelo Gregorio⁹⁶, G. Marchiori⁵,
 C. Marcon^{71a}, E. Maricic¹⁶, M. Marinescu⁴⁸, S. Marium⁴⁸, M. Marjanovic¹²², A. Markhoos⁵⁴, M. Markovitch⁶⁶

- M. K. Maroun¹⁰⁵, M. C. Marr¹⁴⁷, G. T. Marsden¹⁰³, E. J. Marshall⁹³, Z. Marshall^{18a}, S. Marti-Garcia¹⁶⁸, J. Martin⁹⁸, T. A. Martin¹³⁶, V. J. Martin⁵², B. Martin dit Latour¹⁷, L. Martinelli^{75a,75b}, M. Martinez^{13,v}, P. Martinez Agullo¹⁶⁸, V. I. Martinez Outschoorn¹⁰⁵, P. Martinez Suarez³⁷, S. Martin-Haugh¹³⁶, G. Martinovicova¹³⁵, V. S. Martoiu^{28b}, A. C. Martyniuk⁹⁸, A. Marzin³⁷, D. Mascione^{78a,78b}, L. Masetti¹⁰², J. Masik¹⁰³, A. L. Maslennikov³⁹, S. L. Mason⁴², P. Massarotti^{72a,72b}, P. Mastrandrea^{74a,74b}, A. Mastroberardino^{44b,44a}, T. Masubuchi¹²⁶, T. T. Mathew¹²⁵, J. Matousek¹³⁵, D. M. Mattern⁴⁹, K. Mauer⁴⁸, J. Maurer^{28b}, T. Maurin⁵⁹, A. J. Maury⁶⁶, B. Maček⁹⁵, C. Mavungu Tsava¹⁰⁴, D. A. Maximov³⁸, A. E. May¹⁰³, E. Mayer⁴¹, R. Mazini^{34j}, I. Maznas¹¹⁸, S. M. Mazza¹³⁸, E. Mazzeo³⁷, J. P. Mc Gowan¹⁷⁰, S. P. Mc Kee¹⁰⁸, C. A. Mc Lean⁶, C. C. McCracken¹⁶⁹, E. F. McDonald¹⁰⁷, A. E. McDougall¹¹⁷, L. F. Mcelhinney⁹³, J. A. Mcfayden¹⁵¹, R. P. McGovern¹³⁰, R. P. McKenzie^{34j}, T. C. McLachlan⁴⁸, D. J. McLaughlin⁹⁸, S. J. McMahon¹³⁶, C. M. Mcpartland⁹⁴, R. A. McPherson^{170,o}, S. Mehlhase¹¹¹, A. Mehta⁹⁴, D. Melini¹⁶⁸, B. R. Mellado Garcia^{34j}, A. H. Melo⁵⁵, F. Meloni⁴⁸, A. M. Mendes Jacques Da Costa¹⁰³, L. Meng⁹³, S. Menke¹¹², M. Mentink³⁷, E. Meoni^{44b,44a}, G. Mercado¹¹⁸, S. Merianos¹⁵⁷, C. Merlassino^{69a,69c}, C. Meroni^{71a,71b}, J. Metcalfe⁶, A. S. Mete⁶, E. Meuser¹⁰², C. Meyer⁶⁸, J.-P. Meyer¹³⁷, Y. Miao^{114a}, R. P. Middleton¹³⁶, M. Mihovilovic⁶⁶, L. Mijović⁵², G. Mikenberg¹⁷⁴, M. Mikestikova¹³³, M. Mikuž⁹⁵, H. Mildner¹⁰², A. Milic³⁷, D. W. Miller⁴⁰, E. H. Miller¹⁴⁸, A. Milov¹⁷⁴, D. A. Milstead^{47a,47b}, T. Min^{114a}, A. A. Minaenko³⁸, I. A. Minashvili^{154b}, A. I. Mincer¹¹⁹, B. Mindur^{87a}, M. Mineev³⁹, Y. Mino⁸⁹, L. M. Mir¹³, M. Miralles Lopez⁵⁹, M. Mironova^{18a}, M. Missio⁴¹, A. Mitra¹⁷², V. A. Mitsou¹⁶⁸, Y. Mitsumori¹¹³, O. Miu¹⁶⁰, P. S. Miyagawa⁹⁶, T. Mkrtchyan³⁷, M. Mlinarevic⁹⁸, T. Mlinarevic⁹⁸, M. Mlynarikova¹³⁵, L. Mlynarska^{87a}, C. Mo^{143a}, S. Mobius²⁰, M. H. Mohamed Farook¹¹⁵, S. Mohapatra⁴², M. F. Mohd Soberi⁵², S. Mohiuddin¹²³, G. Mokgatitswane^{34j}, L. Moleri¹⁷⁴, U. Molinatti¹²⁸, L. G. Mollier²⁰, B. Mondal¹³³, S. Mondal¹³⁴, K. Mönig⁴⁸, E. Monnier¹⁰⁴, L. Monsonis Romero¹⁶⁸, J. Montejo Berlingen¹³, A. Montella^{47a,47b}, M. Montella¹²¹, F. Montekali^{77a,77b}, F. Monticelli⁹², S. Monzani^{69a,69c}, A. Moranco Tarda⁴³, N. Morange⁶⁶, A. L. Moreira De Carvalho⁴⁸, M. Moreno Llácer¹⁶⁸, C. Moreno Martinez⁵⁶, J. M. Moreno Perez^{23b}, P. Morettini^{57b}, S. Morgenstern³⁷, M. Morii⁶¹, M. Morinaga¹⁵⁸, M. Moritsu⁹⁰, F. Morodei^{75a,75b}, P. Moschovakos³⁷, B. Moser⁵⁴, M. Mosidze^{154b}, T. Moskalets⁴⁵, P. Moskvitina¹¹⁶, J. Moss³², P. Moszkowicz^{87a}, T. Motta Quirino^{83d}, A. Moussa^{36d}, Y. Moyal¹⁷⁴, H. Moyano Gomez¹³, E. J. W. Moyse¹⁰⁵, T. G. Mroz⁸⁸, S. Muanza¹⁰⁴, M. Mucha²⁵, J. Mueller¹³¹, G. A. Mullier¹⁶⁶, A. J. Mullin³³, J. J. Mullin⁵¹, A. C. Mullins⁴⁵, A. E. Mulski⁶¹, D. P. Mungo¹⁶⁰, D. Munoz Perez¹⁶⁸, F. J. Munoz Sanchez¹⁰³, W. J. Murray^{172,136}, M. Muškinja⁹⁵, C. Mwewa⁴⁸, A. G. Myagkov^{38,k}, A. J. Myers⁸, G. Myers¹⁰⁸, M. Myska¹³⁴, B. P. Nachman¹⁴⁸, K. Nagai¹²⁸, K. Nagano⁸⁴, R. Nagasaka¹⁵⁸, J. L. Nagle^{30,ff}, E. Nagy¹⁰⁴, A. M. Nairz³⁷, Y. Nakahama⁸⁴, K. Nakamura⁸⁴, K. Nakkalil⁵, A. Nandi^{63b}, H. Nanjo¹²⁶, E. A. Narayanan⁴⁵, Y. Narukawa¹⁵⁸, I. Naryshkin³⁸, L. Nasella^{71a,71b}, S. Nasri^{85c}, C. Nass²⁵, G. Navarro^{23a}, A. Nayaz¹⁹, P. Y. Nechaeva³⁸, S. Nechaeva^{24b,24a}, F. Nechansky¹³³, L. Nedic¹²⁸, T. J. Neep²¹, A. Negri^{73a,73b}, M. Negrini^{24b}, C. Nellist¹¹⁷, C. Nelson¹⁰⁶, K. Nelson¹⁰⁸, S. Nemecek¹³³, M. Nessi^{37,gg}, M. S. Neubauer¹⁶⁷, J. Newell⁹⁴, P. R. Newman²¹, Y. W. Y. Ng¹⁶⁷, B. Ngair^{85b}, H. D. N. Nguyen¹¹⁰, J. D. Nichols¹²², R. B. Nickerson¹²⁸, R. Nicolaidou¹³⁷, J. Nielsen¹³⁸, M. Niemeyer⁵⁵, J. Niermann³⁷, N. Nikiforou³⁷, V. Nikolaenko^{38,k}, I. Nikolic-Audit¹²⁹, P. Nilsson³⁰, I. Ninca⁴⁸, G. Ninio¹⁵⁶, A. Nisati^{75a}, R. Nisius¹¹², N. Nitika¹⁷⁴, E. K. Nkadimeng^{34b}, T. Nobe¹⁵⁸, D. Noll¹⁴⁸, T. Nommensen¹⁵², M. B. Norfolk¹⁴⁴, B. J. Norman³⁵, L. C. Nosler^{18a}, M. Noury^{36a}, J. Novak⁹⁵, T. Novak⁹⁵, R. Novotny¹³⁴, L. Nozka¹²⁴, K. Ntekas¹⁶⁴, D. Ntounis¹⁴⁸, N. M. J. Nunes De Moura Junior^{83b}, J. Ocariz¹²⁹, I. Ochoa^{132a}, S. Oerdek⁴⁸, J. T. Offermann⁴⁰, A. Ogrodnik⁸⁸, A. Oh¹⁰³, C. C. Ohm¹⁴⁹, H. Oide⁸⁴, M. L. Ojeda³⁷, Y. Okumura¹⁵⁸, L. F. Oleiro Seabra^{132a}, I. Oleksiyuk⁵⁶, G. Oliveira Correa¹³, D. Oliveira Damazio³⁰, J. L. Oliver¹, R. Omar⁶⁸, Ö. O. Öncel⁵⁴, A. P. O'Neill²⁰, Y. Onoda¹⁴⁰, A. Onofre^{132a,132e,hh}, P. U. E. Onyisi¹¹, M. J. Oreglia⁴⁰, D. Orestano^{77a,77b}, R. Orlandini^{77a,77b}, R. S. Orr¹⁶⁰, L. M. Osojnak⁴², Y. Osumi¹¹³, G. Otero y Garzón³¹, H. Otono⁹⁰, M. Ouchrif^{36d}, F. Ould-Saada¹²⁷, T. Ovsiannikova¹⁴¹, M. Owen⁵⁹, R. E. Owen¹³⁶, V. E. Ozcan^{22a}, F. Ozturk⁸⁸, N. Ozturk⁸, S. Ozturk⁸², H. A. Pacey¹²⁸, K. Pachal^{161a}, A. Pacheco Pages¹³, C. Padilla Aranda¹³, G. Padovano^{75a,75b}, S. Pagan Griso^{18a}, J. Pampel²⁵, J. Pan¹⁷⁷, D. K. Panchal¹¹, C. E. Pandini⁶⁰, J. G. Panduro Vazquez¹³⁶, H. D. Pandya¹, H. Pang¹³⁷, P. Pani⁴⁸, G. Panizzo^{69a,69c}, L. Panwar¹²⁹, L. Paolozzi⁵⁶, S. Parajuli¹⁶⁷, A. Paramonov⁶, C. Paraskevopoulos⁵³, D. Paredes Hernandez^{64b}, S. R. Paredes Saenz⁵²

- A. Pareti^{73a,73b}, K. R. Park⁴², T. H. Park¹¹², F. Parodi^{57b,57a}, J. A. Parsons⁴², U. Parzefall⁵⁴, B. Pascual Dias⁴¹,
 L. Pascual Dominguez¹⁰¹, E. Pasqualucci^{75a}, S. Passaggio^{57b}, F. Pastore⁹⁷, P. Patel⁸⁸, U. M. Patel⁵¹,
 J. R. Pater¹⁰³, T. Pauly³⁷, F. Pauwels¹³⁵, C. I. Pazos¹⁶³, M. Pedersen¹²⁷, R. Pedro^{132a}, S. V. Peleganchuk³⁸,
 O. Penc¹³³, S. Peng¹⁵, G. D. Penn¹⁷⁷, K. E. Penski¹¹¹, M. Penzin³⁸, B. S. Peralva^{83d}, A. P. Pereira Peixoto¹⁴¹,
 L. Pereira Sanchez¹⁴⁸, D. V. Perepelitsa^{30,ff}, G. Perera¹⁰⁵, E. Perez Codina³⁷, M. Perganti¹⁰, H. Pernegger³⁷,
 S. Perrella^{75a,75b}, K. Peters⁴⁸, R. F. Y. Peters¹⁰³, B. A. Petersen³⁷, T. C. Petersen⁴³, E. Petit¹⁰⁴, V. Petousis¹³⁴,
 A. R. Petri^{71a,71b}, C. Petridou^{157,aa}, T. Petru¹³⁵, M. Pettee^{18a}, A. Petukhov⁸², K. Petukhova³⁷, R. Pezoa^{139g},
 L. Pezzotti^{24b,24a}, G. Pezzullo¹⁷⁷, L. Pfaffenbichler³⁷, A. J. Pfleger⁷⁹, T. M. Pham¹⁷⁵, T. Pham¹⁰⁷,
 P. W. Phillips¹³⁶, G. Piacquadio¹⁵⁰, E. Pianori^{18a}, F. Piazza¹²⁵, R. Piegaia³¹, D. Pietreanu^{28b}, A. D. Pilkington¹⁰³,
 M. Pinamonti^{69a,69c}, J. L. Pinfeld², G. Pinheiro Matos⁴², B. C. Pinheiro Pereira^{132a}, J. Pinol Bel¹³,
 A. E. Pinto Pinoargote¹²⁹, L. Pintucci^{69a,69c}, K. M. Piper¹⁵¹, A. Pirttikoski⁵⁶, D. A. Pizzi³⁵, L. Pizzimento^{64b},
 A. Plebani³³, M.-A. Pleier³⁰, V. Pleskot¹³⁵, E. Plotnikova³⁹, G. Poddar⁹⁶, R. Poettgen¹⁰⁰, L. Poggioli¹²⁹,
 S. Polacek¹³⁵, G. Polesello^{73a}, A. Poley¹⁴⁷, A. Polini^{24b}, C. S. Pollard¹⁷², Z. B. Pollock¹²¹, E. Pompa Pacchi¹²²,
 N. I. Pond⁹⁸, D. Ponomarenko⁶⁸, L. Pontecorvo³⁷, S. Popa^{28a}, G. A. Popeneciu^{28d}, A. Poreba³⁷,
 D. M. Portillo Quintero^{161a}, S. Pospisil¹³⁴, M. A. Postill¹⁴⁴, P. Postolache^{28c}, K. Potamianos¹⁷², P. A. Potepa^{87a},
 I. N. Potrap³⁹, C. J. Potter³³, H. Potti¹⁵², J. Poveda¹⁶⁸, M. E. Pozo Astigarraga³⁷, R. Pozzi³⁷,
 A. Prades Ibanez^{76a,76b}, S. R. Pradhan¹⁴⁴, J. Pretel¹⁷⁰, D. Price¹⁰³, M. Primavera^{70a}, L. Primomo^{69a,69c},
 M. A. Principe Martin¹⁰¹, R. Privara¹²⁴, T. Procter^{87b}, M. L. Proffitt¹⁴¹, N. Proklova¹³⁰, K. Prokofiev^{64c},
 G. Proto¹¹², J. Proudfoot⁶, M. Przybycien^{87a}, W. W. Przygoda^{87b}, A. Psallidas⁴⁶, J. E. Puddefoot¹⁴⁴,
 D. Pudzha⁵³, H. I. Purnell¹, D. Pyatiizbyantseva¹¹⁶, J. Qian¹⁰⁸, R. Qian¹⁰⁹, D. Qichen¹²⁸, Y. Qin¹³, T. Qiu⁵²,
 A. Quadt⁵⁵, M. Queitsch-Maitland¹⁰³, G. Quetant⁵⁶, R. P. Quinn¹⁶⁹, G. Rabanal Bolanos⁶¹, D. Rafanoharana¹¹²,
 F. Raffaelli^{76a,76b}, F. Ragusa^{71a,71b}, J. L. Rainbolt⁴⁰, S. Rajagopalan³⁰, E. Ramakoti³⁹, L. Rambelli^{57b,57a},
 I. A. Ramirez-Berend³⁵, K. Ran^{108,114c}, D. S. Rankin¹³⁰, N. P. Rapheeha^{34j}, H. Rasheed^{28b}, A. Rastogi^{18a},
 S. Rave¹⁰², S. Ravera^{57b,57a}, B. Ravina³⁷, I. Ravinovich¹⁷⁴, M. Raymond³⁷, A. L. Read¹²⁷, N. P. Radioff¹⁴⁴,
 D. M. Rebuzzi^{73a,73b}, A. S. Reed⁵⁹, K. Reeves²⁷, D. Reikher³⁷, A. Rej⁴⁹, C. Rembser³⁷, H. Ren⁶², M. Renda^{28b},
 F. Renner⁴⁸, A. G. Rennie⁵⁹, M. Repik⁵⁶, A. L. Rescia^{57b,57a}, S. Resconi^{71a}, M. Ressegotti^{57b}, S. Rettie¹¹⁷,
 W. F. Rettie³⁵, M. M. Revering³³, E. Reynolds^{18a}, O. L. Rezanova³⁹, P. Reznicek¹³⁵, H. Riani^{36d}, N. Ribaric⁵¹,
 B. Ricci^{69a,69c}, E. Ricci^{78a,78b}, R. Richter¹¹², S. Richter^{47a,47b}, E. Richter-Was^{87b}, M. Ridel¹²⁹, S. Ridouani^{36d},
 P. Rieck¹¹⁹, P. Riedler³⁷, E. M. Riefel^{47a,47b}, J. O. Rieger¹¹⁷, M. Rijssenbeek¹⁵⁰, M. Rimoldi³⁷, L. Rinaldi^{24b,24a},
 P. Rincke^{166,55}, G. Ripellino¹⁶⁶, I. Riu¹³, J. C. Rivera Vergara¹⁷⁰, F. Rizatdinova¹²³, E. Rizvi⁹⁶, B. R. Roberts^{18a},
 S. S. Roberts¹³⁸, D. Robinson³³, A. Robson⁵⁹, A. Rocchi^{76a,76b}, C. Roda^{74a,74b}, F. A. Rodriguez¹¹⁸,
 S. Rodriguez Bosca³⁷, Y. Rodriguez Garcia^{23a}, A. M. Rodríguez Vera¹¹⁸, S. Roe³⁷, J. T. Roemer³⁷, O. Røhne¹²⁷,
 R. A. Rojas³⁷, C. P. A. Roland¹²⁹, A. Romanouk⁷⁹, E. Romano^{73a,73b}, M. Romano^{24b},
 A. C. Romero Hernandez¹⁶⁷, N. Rompotis⁹⁴, L. Roos¹²⁹, S. Rosati^{75a}, B. J. Rosser⁴⁰, E. Rossi¹²⁸, E. Rossi^{72a,72b},
 L. P. Rossi⁶¹, L. Rossini⁵⁴, R. Rosten¹²¹, M. Rotaru^{28b}, R. Roth³⁷, D. Rousseau⁶⁶, D. Rousso⁴⁸,
 S. Roy-Garand¹⁶⁰, A. Rozanov¹⁰⁴, Z. M. A. Rozario⁵⁹, Y. Rozen¹⁵⁵, A. Rubio Jimenez¹⁶⁸, V. H. Ruelas Rivera¹⁹,
 T. A. Ruggeri¹, A. Ruggiero¹²⁸, A. Ruiz-Martinez¹⁶⁸, A. Rummler³⁷, G. B. Rupnik Boero³⁷, Z. Rurikova⁵⁴,
 N. A. Rusakovich³⁹, S. Ruscelli⁴⁹, H. L. Russell¹⁷⁰, G. Russo^{75a,75b}, J. P. Rutherford⁷,
 S. Rutherford Colmenares³³, M. Rybar¹³⁵, P. Rybczynski^{87a}, A. Ryzhov⁴⁵, J. A. Sabater Iglesias⁵⁶,
 H. F.-W. Sadrozinski¹³⁸, F. Safai Tehrani^{75a}, S. Saha¹, M. Sahinsoy⁸², B. Sahoo¹⁷⁴, A. Saibel¹⁶⁸,
 B. T. Saifuddin¹²², M. Saimpert¹³⁷, G. T. Saito^{83c}, M. Saito¹⁵⁸, T. Saito¹⁵⁸, A. Sala^{71a,71b}, A. Salnikov¹⁴⁸,
 J. Salt¹⁶⁸, A. Salvador Salas¹⁵⁶, F. Salvatore¹⁵¹, A. Salzburger³⁷, D. Sammel⁵⁴, E. Sampson⁹³,
 D. Sampsonidis^{157,aa}, D. Sampsonidou¹²⁵, M. A. A. Samy⁵⁹, J. Sánchez¹⁶⁸, V. Sanchez Sebastian¹⁶⁸,
 H. Sandaker¹²⁷, C. O. Sander⁴⁸, J. A. Sandesara¹⁷⁵, M. Sandhoff¹⁷⁶, C. Sandoval^{23b}, L. Sanfilippo^{63a},
 D. P. C. Sankey¹³⁶, T. Sano⁸⁹, A. Sansoni⁵³, M. Santana Queiroz^{18b}, L. Santi³⁷, C. Santoni⁴¹, H. Santos^{132a,132b},
 A. Santra¹⁷⁴, E. Sanzani^{24b,24a}, K. A. Saoucha^{85d}, J. G. Saraiva^{132a,132d}, J. Sardain⁷, O. Sasaki⁸⁴, K. Sato¹⁶²,
 C. Sauer³⁷, E. Sauvan⁴, P. Savard^{160,u}, R. Sawada¹⁵⁸, C. Sawyer¹³⁶, L. Sawyer⁹⁹, A. M. Sayed²⁷, C. Sbarra^{24b},
 A. Sbrizzi^{24b,24a}, T. Scanlon⁹⁸, J. Schaarschmidt¹⁴¹, U. Schäfer¹⁰², A. C. Schaffer^{66,45}, D. Schaile¹¹¹,
 R. D. Schamberger¹⁵⁰, C. Scharf¹⁹, M. M. Schefer²⁰, V. A. Schegelsky³⁸, D. Scheirich¹³⁵, M. Schernau^{139f}

- C. Scheulen⁵⁶ C. Schiavi^{57b,57a} M. Schioppa^{44b,44a} B. Schlag¹⁴⁸ S. Schlenker³⁷ J. Schmeing¹⁷⁶
 E. Schmidt¹¹² M. A. Schmidt¹⁷⁶ K. Schmieden²⁵ C. Schmitt¹⁰² N. Schmitt¹⁰² S. Schmitt⁴⁸
 N. A. Schneider¹¹¹ L. Schoeffel¹³⁷ A. Schoening^{63b} P. G. Scholer³⁵ E. Schopf¹⁴⁶ M. Schott²⁵ S. Schramm⁵⁶
 T. Schroer⁵⁶ H.-C. Schultz-Coulon^{63a} M. Schumacher⁵⁴ B. A. Schumm¹³⁸ Ph. Schune¹³⁷ H. R. Schwartz⁷
 A. Schwartzman¹⁴⁸ T. A. Schwarz¹⁰⁸ Ph. Schwemling¹³⁷ R. Schwienhorst¹⁰⁹ F. G. Sciacca²⁰ A. Sciandra³⁰
 G. Sciolla²⁷ F. Scuri^{74a} C. D. Sebastiani³⁷ K. Sedlaczek¹¹⁸ S. C. Seidel¹¹⁵ A. Seiden¹³⁸ B. D. Seidlitz⁴²
 C. Seitz⁴⁸ J. M. Seixas^{83b} G. Sekhniaidze^{72a} L. Selem⁶⁰ N. Semprini-Cesari^{24b,24a} A. Semushin¹⁷⁸
 D. Sengupta⁵⁶ V. Senthilkumar¹⁶⁸ L. Serin⁶⁶ M. Sessa^{72a,72b} H. Severini¹²² F. Sforza^{57b,57a} A. Sfyrla⁵⁶
 Q. Sha¹⁴ H. Shaddix¹¹⁸ A. H. Shah³³ R. Shaheen¹⁴⁹ J. D. Shahinian¹³⁰ M. Shamim³⁷ L. Y. Shan¹⁴
 M. Shapiro^{18a} A. Sharma³⁷ A. S. Sharma¹⁶⁹ P. Sharma³⁰ P. B. Shatalov³⁸ K. Shaw¹⁵¹ S. M. Shaw¹⁰³
 Q. Shen¹⁴ D. J. Sheppard¹⁴⁷ P. Sherwood⁹⁸ L. Shi⁹⁸ X. Shi¹⁴ S. Shimizu⁸⁴ I. P. J. Shipsey^{128,a} S. Shirabe⁹⁰
 M. Shiyakova^{39,ii} M. J. Shochet⁴⁰ D. R. Shope¹²⁷ B. Shrestha¹²² S. Shrestha^{121,jj} I. Shreyber³⁹
 M. J. Shroff¹⁷⁰ P. Sicho¹³³ A. M. Sickles¹⁶⁷ E. Sideras Haddad^{34j,165} A. C. Sidley¹¹⁷ A. Sidoti^{24b} F. Siegert⁵⁰
 Dj. Sijacki¹⁶ F. Sili⁶² J. M. Silva⁵² I. Silva Ferreira^{83b} M. V. Silva Oliveira³⁰ S. B. Silverstein^{47a} S. Simion⁶⁶
 R. Simoniello³⁷ E. L. Simpson¹⁰³ H. Simpson¹⁵¹ L. R. Simpson⁶ S. Simsek⁸² S. Sindhu⁵⁵ P. Sinervo¹⁶⁰
 S. N. Singh²⁷ S. Singh³⁰ S. Sinha⁴⁸ S. Sinha¹⁰³ M. Sioli^{24b,24a} K. Sioulas⁹ I. Siral³⁷ E. Sitnikova⁴⁸
 J. Sjölin^{47a,47b} A. Skaf⁵⁵ E. Skorda²¹ P. Skubic¹²² M. Slawinska⁸⁸ I. Slazyk¹⁷ I. Sliusar¹²⁷ V. Smakhtin¹⁷⁴
 B. H. Smart¹³⁶ S. Yu. Smirnov^{139b} Y. Smirnov⁸² L. N. Smirnova^{38,k} O. Smirnova¹⁰⁰ A. C. Smith⁴²
 D. R. Smith¹⁶⁴ J. L. Smith¹⁰³ M. B. Smith³⁵ R. Smith¹⁴⁸ H. Smitmanns¹⁰² M. Smizanska⁹³ K. Smolek¹³⁴
 P. Smolyanskiy¹³⁴ A. A. Snesarev³⁹ H. L. Snoek¹¹⁷ S. Snyder³⁰ R. Sobie^{170,o} A. Soffer¹⁵⁶
 C. A. Solans Sanchez³⁷ E. Yu. Soldatov³⁹ U. Soldevila¹⁶⁸ A. A. Solodkov^{34j} S. Solomon²⁷ A. Soloshenko³⁹
 K. Solovieva⁵⁴ O. V. Solovyanov⁴¹ P. Sommer⁵⁰ A. Sonay¹³ A. Sopczak¹³⁴ A. L. Sopio⁵² F. Sopkova^{29b}
 J. D. Sorenson¹¹⁵ I. R. Sotarriva Alvarez¹⁴⁰ V. Sothilingam^{63a} O. J. Soto Sandoval^{139c,139b} S. Sottocornola⁶⁸
 R. Soualah^{85a} Z. Soumami^{36e} D. South⁴⁸ N. Soybelman¹⁷⁴ S. Spagnolo^{70a,70b} M. Spalla¹¹² D. Sperlich⁵⁴
 B. Spisso^{72a,72b} D. P. Spiteri⁵⁹ L. Splendori¹⁰⁴ M. Spousta¹³⁵ E. J. Staats³⁵ R. Stamen^{63a} E. Stanecka⁸⁸
 W. Stanek-Maslouska⁴⁸ M. V. Stange⁵⁰ B. Stanislaus^{18a} M. M. Stanitzki⁴⁸ E. A. Starchenko³⁸ G. H. Stark¹³⁸
 J. Stark⁹¹ P. Staroba¹³³ P. Starovoitov^{85d} R. Staszewski⁸⁸ C. Stauch¹¹¹ G. Stavropoulos⁴⁶ A. Stefl³⁷
 A. Stein¹⁰² P. Steinberg³⁰ B. Stelzer^{147,161a} H. J. Stelzer¹³¹ O. Stelzer^{161a} H. Stenzel⁵⁸ T. J. Stevenson¹⁵¹
 G. A. Stewart³⁷ J. R. Stewart¹²³ G. Stoica^{28b} M. Stolarski^{132a} S. Stonjek¹¹² A. Straessner⁵⁰ J. Strandberg¹⁴⁹
 S. Strandberg^{47a,47b} M. Stratmann¹⁷⁶ M. Strauss¹²² T. Streblor¹⁰⁴ P. Strizenec^{29b} R. Ströhmer¹⁷¹
 D. M. Strom¹²⁵ R. Stroynowski⁴⁵ A. Strubig^{47a,47b} S. A. Stucci³⁰ B. Stugu¹⁷ J. Stupak¹²² N. A. Styles⁴⁸
 D. Su¹⁴⁸ S. Su⁶² X. Su⁶² D. Suchy^{29a} A. D. Sudhakar Ponnu⁵⁵ K. Sugizaki¹³⁰ V. V. Sulin³⁸
 D. M. S. Sultan¹²⁸ L. Sultanaliyeva²⁵ S. Sultansoy^{3b} S. Sun¹⁷⁵ W. Sun¹⁴ N. Sur¹⁰⁰ M. R. Sutton¹⁵¹
 M. Svatos¹³³ P. N. Swallow³³ M. Swiatlowski^{161a} A. Swoboda³⁷ I. Sykora^{29a} M. Sykora¹³⁵ T. Sykora¹³⁵
 D. Ta¹⁰² K. Tackmann^{48,kk} A. Taffard¹⁶⁴ R. Tahirout^{161a} Y. Takubo⁸⁴ M. Talby¹⁰⁴ A. A. Talyshv³⁸
 K. C. Tam^{64b} N. M. Tamir¹⁵⁶ A. Tanaka¹⁵⁸ J. Tanaka¹⁵⁸ R. Tanaka⁶⁶ M. Tanasini¹⁵⁰ Z. Tao¹⁶⁹
 S. Tapia Araya^{139g} S. Tapprogge¹⁰² A. Tarek Abouelfadl Mohamed³⁷ S. Tarem¹⁵⁵ K. Tariq¹⁴ G. Tarna³⁷
 G. F. Tartarelli^{71a} M. J. Tartarin⁹¹ P. Tas¹³⁵ M. Tasevsky¹³³ E. Tassi^{44b,44a} A. C. Tate¹⁶⁷ Y. Tayalati^{36e,ll}
 G. N. Taylor¹⁰⁷ W. Taylor^{161b} R. J. Taylor Vara¹⁶⁸ A. S. Tegetmeier⁹¹ P. Teixeira-Dias⁹⁷ J. J. Teoh¹⁶⁰
 K. Terashi¹⁵⁸ J. Terron¹⁰¹ S. Terzo¹³ M. Testa⁵³ R. J. Teuscher^{160,o} A. Thaler⁷⁹ O. Theiner⁵⁶
 T. Thevenaux-Pelzer¹⁰⁴ D. W. Thomas⁹⁷ J. P. Thomas²¹ E. A. Thompson^{18a} P. D. Thompson²¹ E. Thomson¹³⁰
 R. E. Thornberry⁴⁵ C. Tian⁶² Y. Tian⁵⁶ V. Tikhomirov⁸² Yu. A. Tikhonov³⁹ S. Timoshenko³⁸ D. Timoshyn¹³⁵
 E. X. L. Ting¹ P. Tipton¹⁷⁷ A. Tishelman-Charny³⁰ K. Todome¹⁴⁰ S. Todorova-Nova¹³⁵ L. Toffolin^{69a,69c}
 M. Togawa⁸⁴ J. Tojo⁹⁰ S. Tokár^{29a} O. Toldaiev⁶⁸ G. Tolkachev¹⁰⁴ M. Tomoto⁸⁴ L. Tompkins^{148,mm}
 E. Torrence¹²⁵ H. Torres⁹¹ D. I. Torres Arza^{139g} E. Torró Pastor¹⁶⁸ M. Toscani³¹ C. Toscirci⁴⁰ M. Tost¹¹
 D. R. Tovey¹⁴⁴ T. Trefzger¹⁷¹ P. M. Tricarico¹³ A. Tricoli³⁰ I. M. Trigger^{161a} S. Trincas-Duvoid¹²⁹
 D. A. Trischuk¹⁷⁰ A. Tropina³⁹ D. Truncali^{76a,76b} L. Truong^{34c} M. Trzebinski⁸⁸ A. Trzupek⁸⁸ F. Tsai¹⁵⁰
 M. Tsai¹⁰⁸ A. Tsiamis¹⁵⁷ P. V. Tsireshka³⁹ S. Tsigaridas^{161a} A. Tsirigotis^{157,bb} V. Tsiskaridze^{154a}
 E. G. Tskhadadze^{154a} Y. Tsujikawa⁸⁹ I. I. Tsukerman³⁸ V. Tsulaia^{18a} S. Tsuno⁸⁴ K. Tsurii¹²⁰

D. Tsybychev¹⁵⁰ Y. Tu^{64b} A. Tudorache^{28b} V. Tudorache^{28b} S. B. Tuncay¹²⁸ S. Turchikhin^{57b,57a}
 I. Turk Cakir^{3a} R. Turra^{71a} T. Turtuvshin^{39,nn} P. M. Tuts⁴² S. Tzamarias^{157,aa} Y. Uematsu⁸⁴ F. Ukegawa¹⁶²
 P. A. Ulloa Poblete^{139c,139b} E. N. Umaka³⁰ G. Unal³⁷ A. Undrus³⁰ G. Unel¹⁶⁴ J. Urban^{29b} P. Urrejola^{139e}
 G. Usai⁸ R. Ushioda¹⁵⁹ M. Usman¹¹⁰ F. Ustuner⁵² Z. Uysal⁸² V. Vacek¹³⁴ B. Vachon¹⁰⁶ T. Vafeiadis³⁷
 A. Vaitkus⁹⁸ C. Valderanis¹¹¹ E. Valdes Santurio^{47a,47b} M. Valente³⁷ S. Valentinetti^{24b,24a} A. Valero¹⁶⁸
 E. Valiente Moreno¹⁶⁸ A. Vallier⁹¹ J. A. Valls Ferrer¹⁶⁸ D. R. Van Arneman¹¹⁷ A. Van Der Graaf⁴⁹
 H. Z. Van Der Schyf^{34j} P. Van Gemmeren⁶ M. Van Rijnbach³⁷ S. Van Stroud⁹⁸ I. Van Vulpen¹¹⁷ P. Vana¹³⁵
 M. Vanadia^{76a,76b} U. M. Vande Voorde¹⁴⁹ W. Vandelli³⁷ E. R. Vandewall¹⁴⁸ D. Vannicola¹⁵⁶ L. Vannoli⁵³
 R. Vari^{75a} M. Varma¹⁷⁷ E. W. Varnes⁷ C. Varni¹¹⁸ D. Varouchas⁶⁶ L. Varriale¹⁶⁸ K. E. Varvell¹⁵²
 M. E. Vasile^{28b} L. Vaslin⁸⁴ M. D. Vassilev¹⁴⁸ A. Vasyukov³⁹ L. M. Vaughan¹²³ R. Vavricka¹³⁵
 T. Vazquez Schroeder¹³ J. Veatch³² V. Vecchio¹⁰³ M. J. Veen¹⁰⁵ I. Veliscek³⁰ I. Velkovska⁹⁵ L. M. Veloce¹⁶⁰
 F. Veloso^{132a,132c} A. G. Veltman⁵² S. Veneziano^{75a} A. Ventura^{70a,70b} A. Verbitskyi¹¹² M. Verducci^{74a,74b}
 C. Vergis⁹⁶ M. Verissimo De Araujo^{83b} W. Verkerke¹¹⁷ J. C. Vermeulen¹¹⁷ C. Vernieri¹⁴⁸ M. Vessella¹⁶⁴
 M. C. Vetterli^{147,u} A. Vgenopoulos¹⁰² N. Viaux Maira^{139g,oo} T. Vickey¹⁴⁴ O. E. Vickey Boeriu¹⁴⁴
 G. H. A. Viehhauser¹²⁸ L. Vigani^{63b} M. Vigil¹¹² M. Villa^{24b,24a} M. Villaplana Perez¹⁶⁸ E. M. Villhauer⁴⁰
 E. Vilucchi⁵³ M. Vincent¹⁶⁸ M. G. Vinciter³⁵ A. Visibile¹¹⁷ A. Visive¹¹⁷ C. Vittori³⁷ I. Vivarelli^{24b,24a}
 M. I. Vivas Albornoz⁴⁸ E. Voevodina¹¹² F. Vogel¹¹¹ J. C. Voigt⁵⁰ P. Vokac¹³⁴ Yu. Volkotrub^{87b}
 L. Vomberg²⁵ E. Von Toerne²⁵ B. Vormwald³⁷ K. Vorobev⁵¹ M. Vos¹⁶⁸ K. Voss¹⁴⁶ M. Vozak³⁷
 L. Vozdecky¹²² N. Vranjes¹⁶ M. Vranjes Milosavljevic¹⁶ M. Vreeswijk¹¹⁷ N. K. Vu^{143b,143a} R. Vuillermet³⁷
 O. Vujinovic¹⁰² I. Vukotic⁴⁰ I. K. Vyas³⁵ J. F. Wack³³ S. Wada¹⁶² C. Wagner¹⁴⁸ J. M. Wagner^{18a}
 W. Wagner¹⁷⁶ S. Wahdan¹⁷⁶ H. Wahlberg⁹² C. H. Waits¹²² J. Walder¹³⁶ R. Walker¹¹¹
 K. Walkingshaw Pass⁵⁹ W. Walkowiak¹⁴⁶ A. Wall¹³⁰ E. J. Wallin¹⁰⁰ T. Wamorkar^{18a}
 K. Wandall-Christensen¹⁶⁸ A. Wang⁶² A. Z. Wang¹³⁸ C. Wang¹⁰² C. Wang¹¹ H. Wang^{18a} J. Wang^{64c}
 P. Wang¹⁰³ P. Wang⁹⁸ R. Wang⁶¹ R. Wang⁶ S. M. Wang¹⁵³ S. Wang¹⁴ T. Wang¹¹⁶ T. Wang⁶²
 W. T. Wang¹²⁸ W. Wang¹⁴ X. Wang¹⁶⁷ X. Wang^{143a} X. Wang⁴⁸ Y. Wang¹⁵⁰ Y. Wang⁶² Z. Wang¹⁰⁸
 Z. Wang^{143b} Z. Wang¹⁰⁸ C. Wanotayaroj⁸⁴ A. Warburton¹⁰⁶ A. L. Warnerbring¹⁴⁶ S. Waterhouse⁹⁷
 A. T. Watson²¹ H. Watson⁵² M. F. Watson²¹ E. Watton³⁷ G. Watts¹⁴¹ B. M. Waugh⁹⁸ J. M. Webb⁵⁴
 C. Weber³⁰ H. A. Weber¹⁹ M. S. Weber²⁰ S. M. Weber^{63a} C. Wei⁶² Y. Wei⁵⁴ A. R. Weidberg¹²⁸
 E. J. Weik¹¹⁹ J. Weingarten⁴⁹ C. Weiser⁵⁴ C. J. Wells⁴⁸ T. Wenaus³⁰ T. Wengler³⁷ N. S. Wenke¹¹²
 N. Wermes²⁵ M. Wessels^{63a} A. M. Wharton⁹³ A. S. White⁶¹ A. White⁸ M. J. White¹ D. Whiteson¹⁶⁴
 L. Wickremasinghe¹²⁶ W. Wiedenmann¹⁷⁵ M. WIELERS¹³⁶ R. Wierda¹⁴⁹ C. Wiglesworth⁴³ H. G. Wilkens³⁷
 J. J. H. Wilkinson³³ D. M. Williams⁴² H. H. Williams¹³⁰ S. Williams³³ S. Willocq¹⁰⁵ B. J. Wilson¹⁰³
 D. J. Wilson¹⁰³ P. J. Windischhofer⁴⁰ F. I. Winkel³¹ F. Winklmeier¹²⁵ B. T. Winter⁵⁴ M. Wittgen¹⁴⁸
 M. Wobisch⁹⁹ T. Wojtkowski⁶⁰ Z. Wolffs¹¹⁷ J. Wollrath³⁷ M. W. Wolter⁸⁸ H. Wolters^{132a,132c} M. C. Wong¹³⁸
 E. L. Woodward⁴² S. D. Worm⁴⁸ B. K. Wosiek⁸⁸ K. W. Woźniak⁸⁸ S. Wozniowski⁵⁵ K. Wraight⁵⁹ C. Wu¹⁶⁰
 C. Wu²¹ J. Wu¹⁵⁸ M. Wu^{114b} M. Wu¹¹⁶ S. L. Wu¹⁷⁵ S. Wu^{14,pp} X. Wu⁶² Y. Q. Wu¹⁶⁰ Y. Wu⁶² Z. Wu⁴
 Z. Wu^{114a} J. Wuerzinger¹¹² T. R. Wyatt¹⁰³ B. M. Wynne⁵² S. Xella⁴³ L. Xia^{114a} M. Xie⁶² A. Xiong¹²⁵
 D. Xu¹⁴ H. Xu⁶² L. Xu⁶² R. Xu¹³⁰ T. Xu¹⁰⁸ Y. Xu¹⁴¹ Z. Xu⁵² R. Xue¹³¹ B. Yabsley¹⁵² S. Yacoob^{34a}
 Y. Yamaguchi⁸⁴ E. Yamashita¹⁵⁸ H. Yamauchi¹⁶² T. Yamazaki^{18a} Y. Yamazaki⁸⁶ S. Yan⁵⁹ Z. Yan¹⁰⁵
 H. J. Yang^{143a,143b} H. T. Yang⁶² S. Yang⁶² T. Yang^{64c} X. Yang³⁷ X. Yang¹⁴ Y. Yang¹⁵⁸ Y. Yang⁶²
 W-M. Yao^{18a} C. L. Yardley¹⁵¹ J. Ye¹⁴ S. Ye³⁰ X. Ye⁶² Y. Yeh⁹⁸ I. Yeletsikh³⁹ B. Yeo^{18b} M. R. Yexley⁹⁸
 T. P. Yildirim¹²⁸ K. Yorita¹⁷³ C. J. S. Young³⁷ C. Young¹⁴⁸ N. D. Young¹²⁵ Y. Yu⁶² J. Yuan^{14,114c,pp}
 M. Yuan¹⁰⁸ R. Yuan^{143b} L. Yue⁹⁸ M. Zaazoua⁶² B. Zabinski⁸⁸ I. Zahir^{36a} A. Zaio^{57b,57a} Z. K. Zak⁸⁸
 T. Zakareishvili¹⁶⁸ S. Zambito⁵⁶ J. A. Zamora Saa^{139d} J. Zang¹⁵⁸ R. Zanzottera^{71a,71b} O. Zaplatilek¹³⁴
 C. Zeitnitz¹⁷⁶ H. Zeng¹⁴ D. T. Zenger Jr.²⁷ O. Zenin³⁸ T. Ženiš^{29a} S. Zenz⁹⁶ D. Zerwas⁶⁶ M. Zhai^{14,114c}
 D. F. Zhang¹⁴⁴ G. Zhang^{14,pp} J. Zhang^{142a} J. Zhang⁶ L. Zhang⁶² L. Zhang^{114a} P. Zhang^{14,114c} R. Zhang^{114a}
 S. Zhang⁹¹ T. Zhang¹⁵⁸ Y. Zhang¹⁴¹ Y. Zhang⁹⁸ Y. Zhang⁶² Y. Zhang^{114a} Z. Zhang^{18a} Z. Zhang^{142a}
 Z. Zhang⁶⁶ H. Zhao¹⁴¹ T. Zhao^{142a} Y. Zhao³⁵ Z. Zhao⁶² Z. Zhao⁶² A. Zhemchugov³⁹ J. Zheng^{114a}
 K. Zheng¹⁶⁷ X. Zheng⁶² Z. Zheng¹⁴⁸ D. Zhong¹⁶⁷ B. Zhou¹⁰⁸ H. Zhou⁷ N. Zhou^{143a} Y. Zhou¹⁵

Y. Zhou^{114a},^{114a} Y. Zhou,⁷ J. Zhu¹⁰⁸,¹⁰⁸ X. Zhu,^{143b} Y. Zhu^{143a},^{143a} Y. Zhu⁶²,⁶² X. Zhuang¹⁴,¹⁴ K. Zhukov⁶⁸,⁶⁸ N. I. Zimine³⁹,³⁹ J. Zinsser^{63b},^{63b} M. Ziolkowski¹⁴⁶,¹⁴⁶ L. Živković¹⁶,¹⁶ A. Zoccoli^{24b,24a},^{24b,24a} K. Zoch⁶¹,⁶¹ A. Zografos³⁷,³⁷ T. G. Zorbas¹⁴⁴,¹⁴⁴ O. Zormpa⁴⁶,⁴⁶ and L. Zwalinski³⁷

(ATLAS Collaboration)

- ¹Department of Physics, University of Adelaide, Adelaide, Australia
²Department of Physics, University of Alberta, Edmonton AB, Canada
^{3a}Department of Physics, Ankara University, Ankara, Türkiye
^{3b}Division of Physics, TOBB University of Economics and Technology, Ankara, Türkiye
⁴LAPP, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy, France
⁵APC, Université Paris Cité, CNRS/IN2P3, Paris, France
⁶High Energy Physics Division, Argonne National Laboratory, Argonne Illinois, USA
⁷Department of Physics, University of Arizona, Tucson Arizona, USA
⁸Department of Physics, University of Texas at Arlington, Arlington Texas, USA
⁹Physics Department, National and Kapodistrian University of Athens, Athens, Greece
¹⁰Physics Department, National Technical University of Athens, Zografou, Greece
¹¹Department of Physics, University of Texas at Austin, Austin Texas, USA
¹²Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan
¹³Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona, Spain
¹⁴Institute of High Energy Physics, Chinese Academy of Sciences, Beijing, China
¹⁵Physics Department, Tsinghua University, Beijing, China
¹⁶Institute of Physics, University of Belgrade, Belgrade, Serbia
¹⁷Department for Physics and Technology, University of Bergen, Bergen, Norway
^{18a}Physics Division, Lawrence Berkeley National Laboratory, Berkeley California, USA
^{18b}University of California, Berkeley California, USA
¹⁹Institut für Physik, Humboldt Universität zu Berlin, Berlin, Germany
²⁰Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland
²¹School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom
^{22a}Department of Physics, Bogazici University, Istanbul, Türkiye
^{22b}Department of Physics Engineering, Gaziantep University, Gaziantep, Türkiye
^{22c}Department of Physics, Istanbul University, Istanbul, Türkiye
^{23a}Facultad de Ciencias y Centro de Investigaciones, Universidad Antonio Nariño, Bogotá, Colombia
^{23b}Departamento de Física, Universidad Nacional de Colombia, Bogotá, Colombia
^{24a}Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna, Italy
^{24b}INFN Sezione di Bologna, Italy
²⁵Physikalisches Institut, Universität Bonn, Bonn, Germany
²⁶Department of Physics, Boston University, Boston Massachusetts, USA
²⁷Department of Physics, Brandeis University, Waltham Massachusetts, USA
^{28a}Transilvania University of Brasov, Brasov, Romania
^{28b}Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest, Romania
^{28c}Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi, Romania
^{28d}National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca, Romania
^{28e}National University of Science and Technology Politehnica, Bucharest, Romania
^{28f}West University in Timisoara, Timisoara, Romania
^{28g}Faculty of Physics, University of Bucharest, Bucharest, Romania
^{29a}Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava, Slovak Republic
^{29b}Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic
³⁰Physics Department, Brookhaven National Laboratory, Upton NewYork, USA
³¹Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires, Argentina
³²California State University, California, USA
³³Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom
^{34a}Department of Physics, University of Cape Town, Cape Town, South Africa
^{34b}iThemba Labs, Western Cape, South Africa

- ^{34c}Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg, South Africa
- ^{34d}National Institute of Physics, University of the Philippines Diliman (Philippines), Philippines
- ^{34e}Department of Physics, Stellenbosch University, Matieland, South Africa
- ^{34f}University of KwaZulu-Natal, School of Agriculture and Science, Mathematics, Westville, South Africa
- ^{34g}University of South Africa, Department of Physics, Pretoria, South Africa
- ^{34h}University of Pretoria, Department of Mechanical and Aeronautical Engineering, Pretoria, South Africa
- ³⁴ⁱUniversity of Zululand, KwaDlangezwa, South Africa
- ^{34j}School of Physics, University of the Witwatersrand, Johannesburg, South Africa
- ³⁵Department of Physics, Carleton University, Ottawa ON, Canada
- ^{36a}Faculté des Sciences Ain Chock, Université Hassan II de Casablanca, Morocco
- ^{36b}Faculté des Sciences, Université Ibn-Tofail, Kénitra, Morocco
- ^{36c}Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech, Morocco
- ^{36d}LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda, Morocco
- ^{36e}Faculté des sciences, Université Mohammed V, Rabat, Morocco
- ^{36f}Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir, Morocco
- ³⁷CERN, Geneva, Switzerland
- ³⁸Affiliated with an institute formerly covered by a cooperation agreement with CERN
- ³⁹Affiliated with an international laboratory covered by a cooperation agreement with CERN
- ⁴⁰Enrico Fermi Institute, University of Chicago, Chicago Illinois, USA
- ⁴¹LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand, France
- ⁴²Nevis Laboratory, Columbia University, Irvington New York, USA
- ⁴³Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark
- ^{44a}Dipartimento di Fisica, Università della Calabria, Rende, Italy
- ^{44b}INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati, Italy
- ⁴⁵Physics Department, Southern Methodist University, Dallas Texas, USA
- ⁴⁶National Centre for Scientific Research “Demokritos”, Agia Paraskevi, Greece
- ^{47a}Department of Physics, Stockholm University, Sweden
- ^{47b}Oskar Klein Centre, Stockholm, Sweden
- ⁴⁸Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen, Germany
- ⁴⁹Fakultät Physik, Technische Universität Dortmund, Dortmund, Germany
- ⁵⁰Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany
- ⁵¹Department of Physics, Duke University, Durham North Carolina, USA
- ⁵²SUPA—School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom
- ⁵³INFN e Laboratori Nazionali di Frascati, Frascati, Italy
- ⁵⁴Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg, Germany
- ⁵⁵II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen, Germany
- ⁵⁶Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève, Switzerland
- ^{57a}Dipartimento di Fisica, Università di Genova, Genova, Italy
- ^{57b}INFN Sezione di Genova, Italy
- ⁵⁸II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany
- ⁵⁹SUPA—School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom
- ⁶⁰LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble, France
- ⁶¹Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge Massachusetts, USA
- ⁶²Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei, China
- ^{63a}Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany
- ^{63b}Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany
- ^{64a}Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong, China
- ^{64b}Department of Physics, University of Hong Kong, Hong Kong, China
- ^{64c}Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China
- ⁶⁵Department of Physics, National Tsing Hua University, Hsinchu, Taiwan
- ⁶⁶IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay, France
- ⁶⁷Centro Nacional de Microelectrónica (IMB-CNM-CSIC), Barcelona, Spain
- ⁶⁸Department of Physics, Indiana University, Bloomington Indiana, USA
- ^{69a}INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine, Italy
- ^{69b}ICTP, Trieste, Italy

- ^{69c}*Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine, Italy*
^{70a}*INFN Sezione di Lecce, Italy*
- ^{70b}*Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy*
^{71a}*INFN Sezione di Milano, Italy*
- ^{71b}*Dipartimento di Fisica, Università di Milano, Milano, Italy*
^{72a}*INFN Sezione di Napoli, Italy*
- ^{72b}*Dipartimento di Fisica, Università di Napoli, Napoli, Italy*
^{73a}*INFN Sezione di Pavia, Italy*
- ^{73b}*Dipartimento di Fisica, Università di Pavia, Pavia, Italy*
^{74a}*INFN Sezione di Pisa, Italy*
- ^{74b}*Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy*
^{75a}*INFN Sezione di Roma, Italy*
- ^{75b}*Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy*
^{76a}*INFN Sezione di Roma Tor Vergata, Italy*
- ^{76b}*Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy*
^{77a}*INFN Sezione di Roma Tre, Italy*
- ^{77b}*Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy*
^{78a}*INFN-TIFPA, Italy*
- ^{78b}*Università degli Studi di Trento, Trento, Italy*
- ⁷⁹*Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck, Austria*
- ⁸⁰*University of Iowa, Iowa City Iowa, USA*
- ⁸¹*Department of Physics and Astronomy, Iowa State University, Ames Iowa, USA*
- ⁸²*Istinye University, Sariyer, Istanbul, Türkiye*
- ^{83a}*Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora, Brazil*
- ^{83b}*Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro, Brazil*
- ^{83c}*Instituto de Física, Universidade de São Paulo, São Paulo, Brazil*
- ^{83d}*Rio de Janeiro State University, Rio de Janeiro, Brazil*
- ^{83e}*Federal University of Bahia, Bahia, Brazil*
- ⁸⁴*KEK, High Energy Accelerator Research Organization, Tsukuba, Japan*
- ^{85a}*Khalifa University of Science and Technology, Abu Dhabi, United Arab Emirates*
- ^{85b}*New York University Abu Dhabi, Abu Dhabi, United Arab Emirates*
- ^{85c}*United Arab Emirates University, Al Ain, United Arab Emirates*
- ^{85d}*University of Sharjah, Sharjah, United Arab Emirates*
- ⁸⁶*Graduate School of Science, Kobe University, Kobe, Japan*
- ^{87a}*AGH University of Krakow, Faculty of Physics and Applied Computer Science, Krakow, Poland*
- ^{87b}*Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland*
- ⁸⁸*Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland*
- ⁸⁹*Faculty of Science, Kyoto University, Kyoto, Japan*
- ⁹⁰*Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka, Japan*
- ⁹¹*L2IT, Université de Toulouse, CNRS/IN2P3, UPS, Toulouse, France*
- ⁹²*Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina*
- ⁹³*Physics Department, Lancaster University, Lancaster, United Kingdom*
- ⁹⁴*Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom*
- ⁹⁵*Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana, Slovenia*
- ⁹⁶*Department of Physics and Astronomy, Queen Mary University of London, London, United Kingdom*
- ⁹⁷*Department of Physics, Royal Holloway University of London, Egham, United Kingdom*
- ⁹⁸*Department of Physics and Astronomy, University College London, London, United Kingdom*
- ⁹⁹*Louisiana Tech University, Ruston Louisiana, USA*
- ¹⁰⁰*Fysiska institutionen, Lunds universitet, Lund, Sweden*
- ¹⁰¹*Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid, Spain*
- ¹⁰²*Institut für Physik, Universität Mainz, Mainz, Germany*
- ¹⁰³*School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom*
- ¹⁰⁴*CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille, France*
- ¹⁰⁵*Department of Physics, University of Massachusetts, Amherst Massachusetts, USA*
- ¹⁰⁶*Department of Physics, McGill University, Montreal QC, Canada*
- ¹⁰⁷*School of Physics, University of Melbourne, Victoria, Australia*
- ¹⁰⁸*Department of Physics, University of Michigan, Ann Arbor Michigan, USA*

- ¹⁰⁹*Department of Physics and Astronomy, Michigan State University, East Lansing Michigan, USA*
- ¹¹⁰*Group of Particle Physics, University of Montreal, Montreal QC, Canada*
- ¹¹¹*Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany*
- ¹¹²*Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany*
- ¹¹³*Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan*
- ^{114a}*Department of Physics, Nanjing University, Nanjing, China*
- ^{114b}*School of Science, Shenzhen Campus of Sun Yat-sen University, China*
- ^{114c}*University of Chinese Academy of Science (UCAS), Beijing, China*
- ¹¹⁵*Department of Physics and Astronomy, University of New Mexico, Albuquerque New Mexico, USA*
- ¹¹⁶*Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen, Netherlands*
- ¹¹⁷*Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands*
- ¹¹⁸*Department of Physics, Northern Illinois University, DeKalb Illinois, USA*
- ¹¹⁹*Department of Physics, New York University, New York New York, USA*
- ¹²⁰*Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo, Japan*
- ¹²¹*Ohio State University, Columbus Ohio, USA*
- ¹²²*Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman Oklahoma, USA*
- ¹²³*Department of Physics, Oklahoma State University, Stillwater Oklahoma, USA*
- ¹²⁴*Palacký University, Joint Laboratory of Optics, Olomouc, Czech Republic*
- ¹²⁵*Institute for Fundamental Science, University of Oregon, Eugene, Oregon, USA*
- ¹²⁶*Graduate School of Science, University of Osaka, Osaka, Japan*
- ¹²⁷*Department of Physics, University of Oslo, Oslo, Norway*
- ¹²⁸*Department of Physics, Oxford University, Oxford, United Kingdom*
- ¹²⁹*LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris, France*
- ¹³⁰*Department of Physics, University of Pennsylvania, Philadelphia Pennsylvania, USA*
- ¹³¹*Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh Pennsylvania, USA*
- ^{132a}*Laboratório de Instrumentação e Física Experimental de Partículas—LIP, Lisboa, Portugal*
- ^{132b}*Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa, Portugal*
- ^{132c}*Departamento de Física, Universidade de Coimbra, Coimbra, Portugal*
- ^{132d}*Centro de Física Nuclear da Universidade de Lisboa, Lisboa, Portugal*
- ^{132e}*Departamento de Física, Escola de Ciências, Universidade do Minho, Braga, Portugal*
- ^{132f}*Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain), Spain*
- ^{132g}*Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa, Portugal*
- ¹³³*Institute of Physics of the Czech Academy of Sciences, Prague, Czech Republic*
- ¹³⁴*Czech Technical University in Prague, Prague, Czech Republic*
- ¹³⁵*Charles University, Faculty of Mathematics and Physics, Prague, Czech Republic*
- ¹³⁶*Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom*
- ¹³⁷*IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette, France*
- ¹³⁸*Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz California, USA*
- ^{139a}*Departamento de Física, Pontificia Universidad Católica de Chile, Santiago, Chile*
- ^{139b}*Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago, Chile*
- ^{139c}*Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena, Chile*
- ^{139d}*Universidad Andres Bello, Department of Physics, Santiago, Chile*
- ^{139e}*Universidad San Sebastian, Recoleta, Chile*
- ^{139f}*Instituto de Alta Investigación, Universidad de Tarapacá, Arica, Chile*
- ^{139g}*Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile*
- ¹⁴⁰*Department of Physics, Institute of Science, Tokyo, Japan*
- ¹⁴¹*Department of Physics, University of Washington, Seattle Washington, USA*
- ^{142a}*Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao, China*
- ^{142b}*School of Physics, Zhengzhou University, China*
- ^{143a}*State Key Laboratory of Dark Matter Physics, School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai, China*
- ^{143b}*State Key Laboratory of Dark Matter Physics, Tsung-Dao Lee Institute, Shanghai Jiao Tong University, Shanghai, China*
- ¹⁴⁴*Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom*

- ¹⁴⁵*Department of Physics, Shinshu University, Nagano, Japan*
¹⁴⁶*Department Physik, Universität Siegen, Siegen, Germany*
¹⁴⁷*Department of Physics, Simon Fraser University, Burnaby BC, Canada*
¹⁴⁸*SLAC National Accelerator Laboratory, Stanford California, USA*
¹⁴⁹*Department of Physics, Royal Institute of Technology, Stockholm, Sweden*
¹⁵⁰*Departments of Physics and Astronomy, Stony Brook University, Stony Brook NewYork, USA*
¹⁵¹*Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom*
¹⁵²*School of Physics, University of Sydney, Sydney, Australia*
¹⁵³*Institute of Physics, Academia Sinica, Taipei, Taiwan*
^{154a}*E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi, Georgia*
^{154b}*High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia*
^{154c}*University of Georgia, Tbilisi, Georgia*
¹⁵⁵*Department of Physics, Technion, Israel Institute of Technology, Haifa, Israel*
¹⁵⁶*Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel*
¹⁵⁷*Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece*
¹⁵⁸*International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo, Japan*
¹⁵⁹*Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan*
¹⁶⁰*Department of Physics, University of Toronto, Toronto ON, Canada*
^{161a}*TRIUMF, Vancouver BC, Canada*
^{161b}*Department of Physics and Astronomy, York University, Toronto ON, Canada*
¹⁶²*Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba, Japan*
¹⁶³*Department of Physics and Astronomy, Tufts University, Medford Massachusetts, USA*
¹⁶⁴*Department of Physics and Astronomy, University of California Irvine, Irvine California, USA*
¹⁶⁵*University of West Attica, Athens, Greece*
¹⁶⁶*Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden*
¹⁶⁷*Department of Physics, University of Illinois, Urbana Illinois, USA*
¹⁶⁸*Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia—CSIC, Valencia, Spain*
¹⁶⁹*Department of Physics, University of British Columbia, Vancouver BC, Canada*
¹⁷⁰*Department of Physics and Astronomy, University of Victoria, Victoria BC, Canada*
¹⁷¹*Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg, Germany*
¹⁷²*Department of Physics, University of Warwick, Coventry, United Kingdom*
¹⁷³*Waseda University, Tokyo, Japan*
¹⁷⁴*Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot, Israel*
¹⁷⁵*Department of Physics, University of Wisconsin, Madison Wisconsin, USA*
¹⁷⁶*Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal, Germany*
¹⁷⁷*Department of Physics, Yale University, New Haven Connecticut, USA*
¹⁷⁸*Yerevan Physics Institute, Yerevan, Armenia*

^aDeceased.

^bAlso at Department of Physics, King's College London, London, United Kingdom.

^cAlso at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.

^dAlso at Imam Mohammad Ibn Saud Islamic University, Saudi Arabia.

^eAlso at Department of Physics, University of Thessaly, Greece.

^fAlso at An-Najah National University, Nablus, Palestine.

^gAlso at Department of Physics, University of Fribourg, Fribourg, Switzerland.

^hAlso at Department of Physics, Westmont College, Santa Barbara, USA.

ⁱAlso at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona, Spain.

^jAlso at University of Siena, Italy.

^kAlso at Affiliated with an institute formerly covered by a cooperation agreement with CERN.

^lAlso at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing, China.

^mAlso at Faculty of Physics, Sofia University, 'St. Kliment Ohridski', Sofia, Bulgaria.

ⁿAlso at Università di Napoli Parthenope, Napoli, Italy.

^oAlso at Institute of Particle Physics (IPP), Canada.

^pAlso at Department of Physics, Bolu Abant İzzet Baysal University, Bolu, Türkiye.

^qAlso at Faculty of Physics, University of Bucharest, Romania.

^rAlso at Borough of Manhattan Community College, City University of New York, New York New York, USA.

^sAlso at National Institute of Physics, University of the Philippines Diliman (Philippines), Philippines.

^tAlso at Department of Financial and Management Engineering, University of the Aegean, Chios, Greece.

^uAlso at TRIUMF, Vancouver BC, Canada.

^vAlso at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain.

^wAlso at Henan University, China.

^xAlso at Yeditepe University, Physics Department, Istanbul, Türkiye.

^yAlso at Institute of Theoretical Physics, Ilia State University, Tbilisi, Georgia.

^zAlso at CERN, Geneva, Switzerland.

^{aa}Also at Center for Interdisciplinary Research and Innovation (CIRI-AUTH), Thessaloniki, Greece.

^{bb}Also at Hellenic Open University, Patras, Greece.

^{cc}Also at Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei, China.

^{dd}Also at Department of Mathematical Sciences, University of South Africa, Johannesburg, South Africa.

^{ee}Also at Department of Physics, Stellenbosch University, South Africa.

^{ff}Also at University of Colorado Boulder, Department of Physics, Colorado, USA.

^{gg}Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève, Switzerland.

^{hh}Also at Centre of Physics of the Universities of Minho and Porto (CF-UM-UP), Portugal.

ⁱⁱAlso at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia, Bulgaria.

^{jj}Also at Washington College, Chestertown, Maryland, USA.

^{kk}Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg, Germany.

^{ll}Also at Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir, Morocco.

^{mm}Also at Department of Physics, Stanford University, Stanford California, USA.

ⁿⁿAlso at Institute of Physics and Technology, Mongolian Academy of Sciences, Ulaanbaatar, Mongolia.

^{oo}Also at Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago, Chile.

^{pp}Also at University of Chinese Academy of Sciences (UCAS), Beijing, China.