

UC Merced

Proceedings of the Annual Meeting of the Cognitive Science Society

Title

A tradeoff between generalization and perceptual capacity in recurrent neural networks

Permalink

<https://escholarship.org/uc/item/15x2409z>

Journal

Proceedings of the Annual Meeting of the Cognitive Science Society, 41(0)

Authors

Webb, Taylor

Frankland, Steven

Segert, Simon

et al.

Publication Date

2019

Peer reviewed

A tradeoff between generalization and perceptual capacity in recurrent neural networks

Taylor Webb

Princeton University, Princeton, New Jersey, United States

Steven Frankland

Princeton University, Princeton, New Jersey, United States

Simon Segert

Princeton University, Princeton, New Jersey, United States

Alexander Petrov

Ohio State University, Columbus, Ohio, United States

Randall O'Reilly

University of Colorado Boulder, Boulder, Colorado, United States

Jonathan Cohen

Princeton University, Princeton, New Jersey, United States

Abstract

In a classic paper, Miller (1956) summarized findings showing that people can only identify a limited number of distinct stimuli at a time. One puzzling aspect of this capacity limitation is that it is approximately invariant to range. That is, the number of accurately identifiable stimuli is approximately the same regardless of how far apart the stimuli are spaced. Models of this phenomenon have suggested that people operate in a context-coding mode when performing these tasks, effectively carrying out a form of contextual normalization, but why such normalization might take place is unclear. Here, we propose an explanation by appealing to a tradeoff with generalization. Specifically, we implement contextual normalization in a recurrent neural network and show that this normalization enables stronger generalization in a relational reasoning task, but also results in a perceptual capacity limitation which captures many of these classic phenomena.