

UCLA

UCLA Previously Published Works

Title

The Negative Effects of Travel on Student Athletes Through Sleep and Circadian Disruption.

Permalink

<https://escholarship.org/uc/item/1bw327v2>

Journal

Journal of Biological Rhythms, 39(1)

Authors

Heller, H

Herzog, Erik

Brager, Allison

et al.

Publication Date

2024-02-01

DOI

10.1177/07487304231207330

Peer reviewed



Published in final edited form as:

J Biol Rhythms. 2024 February ; 39(1): 5–19. doi:10.1177/07487304231207330.

The Negative Effects of Travel on Student Athletes Through Sleep and Circadian Disruption

H. Craig Heller^{*,1}, Erik Herzog[†], Allison Brager[‡], Gina Poe[§], Ravi Allada^{||}, Frank A. J. L. Scheer[¶], Mary Carskadon[#], Horacio O. de la Iglesia^{**}, Rockelle Jang[§], Ashley Montero^{††}, Kenneth Wright^{‡‡}, Philippe Mouraine^{§§}, Matthew P. Walker^{|||}, Namni Goel^{¶¶}, John Hogenesch^{##}, Russell N. Van Gelder^{***}, Lance Kriegsfeld^{|||}, Cheri Mah^{§§}, Christopher Colwell^{†††}, Jamie Zeitzer^{§§}, Michael Grandner^{‡‡‡}, Chandra L. Jackson^{§§§,|||}, J. Roxanne Prichard^{¶¶¶}, Steve A. Kay^{####}, Ketema Paul^{****}

^{*}Department of Biology, Stanford University, Stanford, California, USA

[†]Department of Biology, Washington University, St. Louis, Missouri, USA

[‡]U.S. Army John F. Kennedy Special Warfare Center and School, Fort Bragg, North Carolina, USA

[§]UCLA Brain Research Institute, Los Angeles, California, USA

^{||}Department of Neurobiology, Northwestern University, Chicago, Illinois, USA

[¶]Medical Chronobiology Program, Brigham and Women's Hospital, Boston, Massachusetts, USA

[#]Department of Psychiatry and Human Behavior, Bradley Hospital, Brown University, Providence, Rhode Island, USA

^{**}Department of Biology, University of Washington, Seattle, Washington, USA

^{††}Department of Psychology, Flinders University, Adelaide, SA, Australia

^{‡‡}Integrative Physiology, University of Colorado, Boulder, Colorado, USA

^{§§}Department of Psychiatry and Behavioral Sciences, Stanford University, Stanford, California, USA

^{|||}Department of Psychology, University of California, Berkeley, California, USA

^{¶¶}Department of Psychiatry and Behavioral Sciences, Rush University, Chicago, Illinois, USA

^{##}Department of Genetics, Cincinnati University, Cincinnati, Ohio, USA

^{***}Department of Ophthalmology, University of Washington, Seattle, Washington, USA

^{†††}Department of Psychiatry and Behavioral Sciences, University of California, Los Angeles, California, USA

¹ To whom all correspondence should be addressed: H. Craig Heller, Department of Biology, Stanford University, Stanford, CA, 94305-5020, USA; HCHeller@Stanford.edu.

AUTHORS' NOTE

Ravi Allada is now affiliated with the Department of Anesthesiology, University of Michigan, Ann Arbor, MI.

CONFLICT OF INTEREST STATEMENT

The authors have no potential conflicts of interest with respect to the research, authorship, and/or publication of this article.

†††University of Arizona College of Medicine, Tucson, Arizona, USA

§§§Epidemiology Branch, National Institute of Environmental Health Sciences, National Institutes of Health, Research Triangle Park, North Carolina, USA

||||Division of Intramural Research, National Institute on Minority Health and Health Disparities, National Institutes of Health, Bethesda, Maryland, USA

¶¶¶Department of Psychology, University of St. Thomas, St Paul, Minnesota, USA


###Keck School of Medicine, University of Southern California, Los Angeles, California, USA

****Integrative Biology and Physiology, University of California, Los Angeles, California, USA

Abstract

Collegiate athletes must satisfy the academic obligations common to all undergraduates, but they have the additional structural and social stressors of extensive practice time, competition schedules, and frequent travel away from their home campus. Clearly such stressors can have negative impacts on both their academic and athletic performances as well as on their health. These concerns are made more acute by recent proposals and decisions to reorganize major collegiate athletic conferences. These rearrangements will require more multi-day travel that interferes with the academic work and personal schedules of athletes. Of particular concern is additional east-west travel that results in circadian rhythm disruptions commonly called jet lag that contribute to the loss of amount as well as quality of sleep. Circadian misalignment and sleep deprivation and/or sleep disturbances have profound effects on physical and mental health and performance. We, as concerned scientists and physicians with relevant expertise, developed this white paper to raise awareness of these challenges to the wellbeing of our student-athletes and their co-travelers. We also offer practical steps to mitigate the negative consequences of collegiate travel schedules. We discuss the importance of bedtime protocols, the availability of early afternoon naps, and adherence to scheduled lighting exposure protocols before, during, and after travel, with support from wearables and apps. We call upon departments of athletics to engage with sleep and circadian experts to advise and help design tailored implementation of these mitigating practices that could contribute to the current and long-term health and wellbeing of their students and their staff members.

Graphical Abstract



Keywords

circadian misalignment; chronic jet lag; sleep and circadian health; academic and athletic performance; student mental health

Travel, an essential component of collegiate athletics, poses well-established challenges for students. Academic performance is impacted by missing classes and losing opportunities for interactive learning experiences. Working on assignments and exams while on the road is compromised by distractions and non-optimal scheduling. Irregular and shortened sleep is a primary factor in travel-impaired learning and athletic performance. That problem is exacerbated when the travel is across time zones, which disrupts biological (circadian) rhythms resulting in a mismatch between biological and local time for the fatigued traveling team—a condition commonly referred to as jet lag. The underlying biological processes and long-term negative consequences of student travel have been under-appreciated despite their direct influence on performance and health.¹ Given the need for travel associated with

athletics, we scientists and physicians with expertise in sleep and circadian biology urge athletic departments, the National Collegiate Athletic Association (NCAA), and those who schedule broadcasted events to incorporate evidence-based mitigation strategies into formal plans (e.g., travel and event schedules) to minimize the negative outcomes of travel-induced circadian rhythm and sleep disruptions of our student-athletes and those who travel with them. We also suggest specific mitigating strategies to minimize the negative effects of trans-time zone travel.

TRAVEL CAN CAUSE MISALIGNMENT OF INTERNAL RHYTHMS OF BODILY FUNCTIONS

Discussions of student travel are usually cast in terms of travel time. Of course, longer and more frequent travel carries greater consequences, but all travel does not have the same impact on performance and health. Trans-time zone travel disrupts the daily rhythms of our bodies the most—the condition of jet lag. The internal bodily rhythms that organize our physiological and mental processes are generated by a wide diversity of cells in our bodies and are synchronized by an internal clock or pacemaker that resides in the brain. The resulting rhythm is called a circadian rhythm—“circa” comes from Latin for “about” and “dies” for “day.”² The synchronizing circadian clock in the brain resets with daily environmental cues through a process called entrainment. When we travel to a different time zone, our circadian systems adjust slowly from the home time to the local time (on average, 1 h per day). During this re-entrainment period, the mismatch between our biological (body) time and the clock time in the new environment impairs the ability of our bodies and brains to respond to challenges relevant for optimal performance. Trying to sleep when circadian clocks are promoting wakefulness results in poor, disrupted sleep. Encouraging athletes to eat when their digestive systems are not ready results in poor nutrient management. Having to respond to mental challenges when their brains are prepared to sleep puts them at reduced cognitive capacity and can result in impaired reaction time and decision-making (important in most sports and especially among coaches), reduced cognition, poor memory storage, and poor emotional regulation. Eventually, circadian clocks come into synchrony with the local environment, but it takes time, and how much time depends on factors such as the number of time zones crossed, whether the team traveled east or west, individual physiology, athletes’ typical training and sleep-wake schedules, and the timing, intensity, and duration of the light exposure of the travelers.

For trips lasting only a few days, re-entrainment of all physiological processes may not be completed in the new environment before traveling home. The return trip requires circadian adjustments in the opposite direction. Thus, jet lag adversely affects the traveler going and coming. Jet lag on the outgoing leg may compromise athletic performance, and jet lag after the return trip may compromise academic performance. Multiple trips back and forth across time zones with insufficient time for all clocks to align before another disruption create a state of *chronic jet lag*.

¹<https://www.ncaa.org/sports/2014/11/3/an-introduction-to-mind-body-and-sport.aspx>.

²<https://nigms.nih.gov/education/fact-sheets/Pages/circadian-rhythms.aspx>.

CHRONIC JET LAG IMPAIRS HEALTH AND PERFORMANCE OF STUDENT-ATHLETES

The symptoms of jet lag might be uncomfortable and disruptive during and after a single short duration trip involving 1 or 2 time zones, but even these small disturbances of circadian rhythms can have effects on athletic performance by impairing physical and mental reaction time (Song et al., 2017; Craven et al., 2022). Small disturbances of circadian rhythms also have effects on health as demonstrated by population studies of adverse events associated with changes between standard time and daylight savings time (Fritz et al., 2020). Worse, however, is chronic jet lag that is more likely to lead to undesirable and even pathological results as shown in multiple studies of airline personnel (Wen et al., 2023).

To explain why recovery from jet lag can take days and why frequent travel can produce chronic jet lag, we need to describe some operating principles of circadian rhythms. For terminology, the duration of a single cycle of a rhythm is its *period*. Any time point on the cycle is a *phase*. Thus, one normally goes to sleep, or wakes up, or eats at particular phases of their daily cycle. The period of the daily environmental cycle is 24 h, but the period of a person's endogenous (internal) circadian rhythm is not exactly 24 h; it can be shorter or longer but it is unique and stable for an individual. The non-24-h circadian rhythm has to be brought into synchrony to the 24-h environmental cycle, or body rhythms would drift out of phase with the environmental cycle. The matchup of the circadian phase with the clock time phase is *entrainment* and is predominantly due to morning and evening light exposure. Bright light exposure in the early evening—that is, at a phase of the cycle when the brain's clock anticipates the dimmer light of dusk—phase delays the circadian rhythm (think of turning your setting your watch back), which delays all bodily rhythms the following day. Conversely, bright light exposure before the brain anticipates dawn phase advances the circadian pacemaker (think of setting your watch ahead).

The normal phase adjustments required for daily entrainment of circadian body rhythms to the 24-h day length are on the order of minutes, whereas phase adjustments following east-west travel span 1 h or more (Figure 1). Multiple days are necessary to entrain to a new light cycle after crossing just a few time zones. In general, humans can shift their circadian rhythms by about 1 h per day depending on how much light the person is exposed to and when light is experienced (Aschoff et al., 1975; Zeitzer et al., 2000; Khalsa et al., 2003). Eastward travel requires more time to adjust than westward for most people, thus the aphorism east is least, west is best when it comes to getting over jet lag. Furthermore, some clock processes take more time to entrain to the new time zone than others, creating desynchrony among body processes.

The effects of circadian phase disruptions and jet lag on performance have been reported in many sports (e.g., Baseball: Recht et al., 1995 and Song et al., 2017; Basketball: Glinski and Chandy, 2022; Football: Jehue et al., 1993; Swimming: Lok et al., 2020; Craven et al., 2022). All studies show negative consequences of trans-time zone travel but differ as to whether eastward or westward travel is worse, often depending on the time of day of the travel and the time of the competition. The main disadvantage of eastward travel is that the phase advance necessary for re-entrainment is more difficult to achieve than a phase

delay when traveling west. The disadvantage of westward travel is that the resulting jet lag can put athletes in non-optimal times for specific components of performance, especially for games timed at the traveling team's bedtime. Figure 2 shows the approximate optimal times of day for different types of activities. Activities that depend on peak dynamic muscle activity such as football are typically best performed in the late afternoon-early evening (Ravindrakumar et al., 2022). So, for an east coast team traveling to the west coast, a 1900 h game time means they are competing at a circadian phase of 2200 h and later—past their optimal phase. Because different sports involve different combinations of strength, power, and hand/eye coordination, east-west travel has different consequences in different sports, or even in the same sport, depending on the performance characteristic studied (Walsh et al., 2020). For example, traveling east significantly decreases the chance of winning in baseball (Recht et al., 1995) primarily by increasing runs allowed by the west coast team (Song et al., 2017). A study of National Basketball League teams also showed impairment of performance associated with eastward travel (Leota et al., 2022), but another study found impaired free-throw shooting associated with westward travel (Glinski and Chandy, 2022). Clearly, circadian misalignment or sleep schedule disruption has effects on performance, but as will be specified below, those effects depend on the sport, the specific activity, the light exposure and travel history, and the scheduling of the event.

Of greater long-term significance than winning or losing, however, is the long-lasting impact of potential physical injury. If an athlete is under the pressures of competition when jet lagged or sleep deprived, injury is more likely (Dobrosielski et al., 2021). A study of professional football (NFL) players reported that injury risk is 3-fold greater for east coast teams traveling west, likely because they tend to play at non-optimal circadian phases (e.g., late in their biological night; see Figure 2), compared to their west coast opponents traveling east (Brager and Mistovich, 2017).

THE QUALITY OF SLEEP IS COMPROMISED BY CIRCADIAN MISALIGNMENT

A major consequence of circadian misalignment is degradation of the quality of sleep. What is good sleep? There are various dimensions to sleep that affect its quality. A common question is how much sleep is optimal. That number varies for individuals and across the life span. For college students it is generally between 7 and 9 h, but it can depend on prior sleep deprivation (short sleep), physical activity, environment, and, of course, illness (Watson et al., 2015). There are other important qualities of good sleep, such as having consolidated or non-fragmented sleep. Sleep efficiency is the percentage of time spent in bed for the purpose of sleep that one is actually asleep. Sleep efficiency should be around 85%, and it can be negatively impacted by many factors including caffeine (common in pre-workout drinks and supplements; de Souza et al., 2022), noisy environments, and sleep disorders like sleep apnea. A person with sleep apnea can have their sleep interrupted hundreds of times a night and next morning they do not remember these short arousals, but the consequence is excessive daytime sleepiness.

A conceptual framework for determining the quality of sleep is called the SATED model (Buysse, 2014). SATED stands for: *S*atisfaction with one's sleep, *A*lertness during the day, *T*iming of sleep at the optimal time of day, *E*fficiency of ability to sleep when in bed, and adequate *D*uration of sleep. Buysse (2014) also provides references to studies showing the consequences of deficits in the 5 components of the SATED concept.

Travel for athletic events disrupts sleep health in multiple ways. Even without crossing time zones, being in a new environment makes it more difficult to obtain sufficient sleep without disturbances—a commonly observed phenomenon known as first night effect has been documented with EEG and brain imaging studies (Tamaki et al., 2016). Jet lag makes it even more difficult to obtain sufficient good quality sleep. In addition, there are many other factors including anxiety of competition, team social activities, social media, and fulfilling academic obligations while on the road that can also delay sleep time, shorten sleep, and decrease sleep quality.

Physiological factors also affect the quantity and quality of sleep when traveling. Sleep is regulated primarily by 2 processes (Figure 3): a use-dependent one and a circadian one (Borbély et al., 2016). The use-dependent process promotes sleep more strongly when the duration of wake as well as the physical and mental activity during prior wake have been greater. The need for sleep, or sleep pressure, builds up during wake and dissipates during asleep. Travel frequently involves longer than normal waking periods that can be compensated for by increased length and depth of sleep if the environment and scheduling allow. The circadian process is important in allowing the body to remain asleep all night since toward the end of the night the decreased sleep pressure can make an early awakening more likely. As an individual goes through the day, the hours of wake accumulate, so sleep pressure accumulates. Yet, the circadian system pushes back against this sleep pressure and maintains wake, enabling one to be highly alert in the late afternoon/early evening even though the individual may have been awake for many hours. The late afternoon circadian waking action makes late afternoon/early evening nap attempts frequently unsuccessful. When the circadian wake promotion declines late in the evening, sleep pressure is not opposed by the circadian system making it difficult to remain awake and alert. The timing of that transition may be different for different individuals.

We refer to a person's circadian profile as their chronotype. Some are morning chronotypes ("larks"), others are intermediate chronotypes, and a third group of people are evening chronotypes ("owls"). Your chronotype determines how you will be affected by eastward or westward travel. Overall, trans-time zone travel will cause disruptions of sleep that shorten daily sleep amounts, fragment sleep (cause a higher number of brief awakenings), and lead to poor sleep quality. Regardless of the causes of sleep disruption, it has negative effects on physiological, cognitive, and emotional functions (Facer-Childs and Brandstaetter, 2015).

GOOD SLEEP IS CRITICAL FOR OPTIMAL ATHLETIC AND ACADEMIC PERFORMANCE

Important functions that occur during sleep include muscle building, body repairing, brain debris clearing, immune system boosting, memory consolidating, emotional resetting, and

energy metabolism functions. Young adults typically require more than 7 h of sleep per night to function at peak levels physically, emotionally, and cognitively, and college athletes may require even more sleep to perform at their best (Hirshkowitz et al., 2015). Too little sleep in the days prior to and during travel makes the negative consequence of travel worse. A recent longitudinal study of sleep health in a US Division I football team observed that over 65% of the players had clinically significant sleep disturbances (Burke et al., 2020). Another study across 29 varsity athletic teams and over 600 athletes revealed chronic short sleep (<7 h) in over 50% of the population (Mah et al., 2018). Studies have shown that poor sleep has negative impact on athletic performance (Charest and Grandner, 2020, Craven et al., 2022). Conversely, increased sleep duration and quality are associated with improved performance and competitive success (Watson, 2017; Cook and Charest, 2023).

As mentioned above, jet lag is a consequence of traveling home as well as traveling to an athletic event site. Therefore, jet lag associated with student-athlete travel can be expected to compromise academic performance as well as athletic performance. The kinds of sleep disruption associated with jet lag are known to affect academic performance (Phillips et al., 2017; Hartmann and Prichard, 2018; Prichard, 2020).

CIRCADIAN AND SLEEP DEFICITS CAUSED BY STRESS IMPAIR MENTAL HEALTH

The incidence of mental health issues such as alcoholism and depression is high in current and former athletes (Gouttebauge et al., 2019), and may be precipitated by sleep and circadian deficits. We know that sleep health is critical to brain development (Cao et al., 2020; Tarokh et al., 2016; Telzer et al., 2015), and sleep disturbances disrupt development of critical brain areas. The frontal brain areas that are still developing during the college years include areas where critical judgments and decisions are made, and where impulsive behaviors and emotions are controlled (Young et al., 2019, Etkin and Wager, 2007; Etkin et al., 2011). Even fully developed frontal lobes are challenged by sleep disturbance and are the most sensitive brain areas to sleep deprivation, impacting functions like emotional lability (Toschi et al., 2021), anger (Saghir et al., 2018), aligning actions with values (Goel et al., 2009), and decision-making (Harrison and Horne, 2000). The lower the quality of deep sleep, the more anxious people feel (Simon et al., 2020) and the less overall sleep obtained, the more people report feeling depressed and lonely (Goldstein et al., 2013, 2018; Simon and Walker, 2018).

Chronic east-west travel is a stressor indicated by elevated cortisol levels and cognitive deficits (Cho et al., 2000), as well as emotion and mood vulnerability (Chellappa et al. (2020). The effects of psychological stress are of concern for competitive athletes when winning can come down to fine margins; chronic stress has a large negative impact on the health and wellbeing of all students. But the problem of stress is particularly severe for athletes because of the already high physiological and psychological demands of collegiate sports (i.e., physical performance, managing academic and athletic expectations, social life, leisure time, etc.). Stress has large negative effects on sleep (Kalmbach et al., 2018). Anxiety, depression, mania, schizophrenia, obsessive compulsive disorder, and other mental

health disorders such as suicidal ideation frequently have their onset in the college years, and these conditions are exacerbated by inadequate sleep and disturbances in sleep schedules. Psychotic symptoms are predicted by sleep difficulty and disturbances (Koyanagi and Stickley, 2015; Waters et al., 2018). Feelings of anger, sadness, and suicide ideations were 3 times higher in college athletes compared to their non-athlete peers even when matched for gender and age. All of these emotions and harmful thoughts also increase with sleep disturbance (Simon and Walker, 2018; Simon et al., 2020).

Mental health disorders can also exacerbate sleep problems. For example, individuals with bipolar disorder sleep very little in the manic phase, further impairing forebrain function and reducing the sound decision-making governed by the forebrain. This impairment will influence decisions about personal care for health such as nutrition, sleep health, and even making good decisions during competition. Anxiety and insomnia are comorbid as anxiety about life's troubles and even anxiety about being able to get enough sleep further reduce sleep and lead to higher anxiety—a vicious circle that degrades all physiological functions that depend on sufficient sleep. The bidirectional relationship between mental health and sleep can have especially severe consequences on the performance and wellbeing of the student-athlete. Optimized sleep and daily schedules reduce subjective and objective measures of stress, anxiety, and depression in students as rated by the students themselves, their parents/caregivers, and their educators (Thacher and Onyper, 2016).

LOSE SLEEP, LOSE ACADEMIC PERFORMANCE

Disturbed sleep due to a combination of time zone changes, travel stress, and performance anxiety all diminish cognitive reserves (Cho et al., 2000; Ford et al., 2017; Lee and Galvez, 2012; Watson, 2017). Optimal learning requires sleep stages to occur in an orderly fashion and without frequent disruptions. Otherwise, there are deficiencies in the process responsible for consolidating short-term memories into long-term memories (Diekelmann and Born, 2010; Rauchs et al., 2005). Even a few hours of sleep deprivation can eliminate the gains made in learning that day. Unfortunately, the memory consolidation process cannot be recovered by more sleep on subsequent days (Stickgold, 2005; Abel et al., 2013). Optimizing circadian and sleep schedules consistently improves learning outcomes (Edwards, 2012; Wahlstrom et al., 2014). Sleep deprivation and disturbance increase the number of attention lapses that prevent the intake of information both in the classroom and in athletic practices diminishing the ability to attend, to learn, and to remember.

THE POTENTIAL FOR DIFFERENTIAL IMPACT

Circadian and sleep disparities that potentially affect mental health as well as academic and athletic performance have been documented across various social identity groups (e.g., race/ethnicity, sexual orientation; Jackson et al., 2020; Johnson et al., 2019). These effects are largely due to differences in environmental and social conditions across the life course and have been shown to emerge as early as infancy for minoritized racial/ethnic groups. The population of student-athletes is large and highly diverse, so it is important to consider that some demographic groups may be especially socially vulnerable to and differentially affected by factors that disrupt sleep and circadian rhythms during athletics-related travel.

In a recent survey of 70,000 student-athletes conducted by the NCAA's Sports Science Institute, mental health concerns in collegiate athletes were pervasive and additionally compounded by race and sexual orientation.³ Many college athletes come from underserved backgrounds with suboptimal environmental and social conditions resulting in toxic stress including adverse childhood experiences (e.g., physical or emotional abuse) that have been shown to contribute to poor sleep health into adulthood (Yu et al., 2021; Vadukapuram et al., 2022). According to the NCAA Sports Science Institute survey, Black women athletes had the highest prevalence of negative mood, which can be caused by misogynoir, that manifests as anxiety and irritation. Data also suggest Black women athletes have been most reluctant to discuss mental health issues, which could result from historical and persistent medical mistrust. These factors can contribute to disparities in utilization of care. Any efforts to understand and mitigate the negative effects of athletic event travel should include attention to differential social, economic, and environmental factors contributing to sleep/circadian disparities among college athletes.

FILLING THE GAPS: PROMOTING APPROPRIATE SLEEP HEALTH AND CIRCADIAN BEHAVIORS

The impact of circadian disruption and subsequent insufficient sleep on athletic performance and athlete health is not “one size fits all.” The consequences of travel depend on the sport. For example, endurance athletes (i.e., cross-country, soccer) generally sustain peak performance levels over longer amounts of time compared to anaerobic athletes (e.g., sprinters, gymnasts). Endurance training is more energetically costly. Aerobic athletes have a higher sleep need than their anaerobic athlete counterparts (Trinder et al., 1985), and anaerobic muscle power and strength are less affected by insufficient sleep (Thun et al., 2015). The impact of insufficient sleep on physiological systems required to perform optimally in endurance activities is significant. Insufficient sleep leads to early onset of anaerobic thresholds during endurance-based tests as well as reductions in insulin sensitivity and glucose availability (Thun et al., 2015). These considerations are integral for determining an ideal sleep/training schedule for endurance athletes across the competition season and support the need for analyzing competition schedules for each sport as well as the performance, academic, and health outcomes resulting from those schedules.

FILLING THE GAPS: MONITORING SLEEP HEALTH, ACADEMIC PERFORMANCE, AND STRESS

To further develop advice, protocols, technologies, and best practices to enable individuals and teams to have optimal performance and recovery when their events require travel, more data are required. These data are not only important for research purposes, but also for tracking the health and wellbeing of the athletes and those traveling with them. Comprehensive data are especially important, including information about daily schedules, travel details, academic progress, and mental health before, during, and after competition. Multiple studies have correlated reduced performance in several sports with eastward travel

³<https://www.ncaa.org/sports/2020/5/22/ncaa-student-athlete-well-being-study.aspx>.

(Glinski and Chandy, 2022; Jehue et al., 1993; Recht et al., 1995; Song et al., 2017), but there are no longitudinal studies on individual college athletes or teams as a function of travel direction, distance, activity schedules, and game times.

The changes in the NCAA with more teams competing across as many as 4 time zones or more (for Hawaiian or Alaskan teams or teams competing internationally) demand increased tracking and monitoring of metrics on outcomes that matter to the athletes, schools, and stakeholders. With advances in personal data collection devices that can be worn (wearable) or just kept near an individual (nearable), scientists, team physicians, trainers, and coaches as well as individuals can and should develop means of gathering data on sleep timing, duration, latency, efficiency, and fragmentation during training, traveling, and competing. Devices and technologies are developing and improving rapidly, and they are reliable for tracking the basic sleep/activity details that would enable recording sleep and circadian characteristics of athletes when at home and when traveling (Sargent et al., 2022; Chinoy et al., 2021, 2022). Issues of privacy must be taken into consideration, and the methods for subject protection will differ for different levels of data acquisition. Studies by scientists will be guided by the requirements of Institutional Review Boards. The study of Burke et al. (2020) on Division I football players is an example. Team physicians have access to player health records and can offer individualized advice. Methods can be developed to provide trainers and coaches with anonymized group data from their teams. Most importantly, with training and regular reminders/discussions, individual players can use available technologies to monitor and optimize their own behaviors and conditions. At all levels, education on sleep and circadian health is essential to maximize implementation.

Tracking injuries and recovery is also important. A recent study in a cohort of Division III football players who suffered concussions reported that continued sleep deprivation impairs their reaction time and decision-making well after team physicians approved a return to play (St. Pierre et al., 2018). Academic performance, mood status, and injury such as concussions should be taken into consideration along with sleep and circadian measures to help in the development of optimized schedules for athletes. The Pac 12-Big10 Traumatic Brain Injury Consortium is an example of a program that encourages and supports individual and team longitudinal studies on the health and performance impacts of athletic event travel.

EVIDENCE-BASED COUNTERMEASURES: HOW TO MITIGATE THE IMPACT OF TRAVEL ON STUDENT-ATHLETES AND TRAVELING STAFF

Travel across time zones results in a mismatch between internal circadian time and local light, sleep opportunities, and mealtimes in the new time zone. Furthermore, short sleep duration before, during, and after travel contributes to jet lag symptoms such as daytime fatigue and sleepiness and impaired physical and cognitive performance (van Rensburg et al., 2021). It is therefore not surprising that meta-analyses of studies of sleep interventions on athletic performance have shown that sleep extensions through timing and naps are effective in improving athletic performance and recovery (Cunha et al., 2023; Bonnar et al., 2018). However, there is a lack of studies of countermeasures involving adaptations of the internal circadian system to new time zones and resulting efficacy on promoting sleep.

How to Adapt the Circadian System to New Time Zones

Adaptation of the circadian system to a new time zone is important when team members cannot maintain their typical sleep times from their home time zone due to scheduling of events. For example, a morning game start time in the Eastern Time Zone may require visiting west coast teams to awaken at a time when they would typically be obtaining the sleep important for memory consolidation, creativity, and emotional regulation. Adaptation of the sleep and circadian system to the new time zone prior to the game would be beneficial, but this may require further disruption to scheduled academic courses, work out schedules, and team practices. To entrain to new time zones the best current advice is to optimize exposure to natural light and avoid bright and especially blue artificial light at the critical times when such exposure can inappropriately phase advance or phase delay the internal body rhythms. Wearables that track sleep patterns and apps that can help implement current understanding of human circadian responses can be used to help athletes and teams plan their travel and light exposure to minimize jet lag.

An evening game start time in the Eastern Time Zone allows west coast teams to maintain the sleep schedule of their home time zone which requires little or no adaptation, provided they have opportunity to awaken at their normal west coast time rather than at the earlier east coast time. This would also require control of early light exposure, and allowance for a later than usual breakfast and other meals for the visiting west coast team. Practice times would also need to be kept at the visiting team's habitual hour and exposure to morning light would also need to be controlled. Using such precautions, the west coast athletes could then return to their own time zone with minimal disruption of their sleep and circadian system. Thus, with thoughtful consideration of scheduling light exposure, physical activity, and meals, travel across time zones can be optimized rather than allowing the travel to harm student-athletes.

Pre-adaptation

Adaptation of the individual's circadian system to a new time zone after arrival can take days. However, the circadian system can be partially or fully aligned with the new time zone in the days prior to travel. For example, a team traveling eastward from the Mountain Time Zone to the Eastern Time Zone would benefit from a 2-h advance of the circadian system in the days just prior to travel. Pre-adaptation, in this case, would be achieved by team members scheduling bedtime 30–60 min earlier on each of the 2–3 days prior to travel and, on these days, being exposed to bright light after waking up. They should also dim lights in the evening for 2 h prior to going to bed at this earlier bedtime. However, this pre-adaptation for eastward travel can be quite challenging for collegiate athletes. Common in this age-cohort is an intrinsic delay in the phasing of their circadian rhythms that began when they were in middle school and continue typically into emerging adulthood (Carskadon, 2011; Crowley et al., 2014). This phase delay may be 2 h or more in comparison to young children and older adults, and makes it nearly impossible for many college-aged students to fall asleep even 1 h earlier than usual. Intrinsic phase delay seems to be less for student-athletes, however (Bender et al., 2019), perhaps because early morning workouts maximize early light exposure, and self-selection may favor early chronotypes engaging in varsity sports.

Pre-adaptation for westward travel would use the opposite pattern to the pre-adaptation for eastward travel as the purpose would be to delay their circadian rhythms. For example, a team traveling westward from the Central Time Zone to the Pacific Time Zone requires a 2-h delay of the circadian system. Pre-adaptation for 2–3 days prior to travel would be achieved by team members being exposed to bright light in the early evenings and going to bed 30–60 min later than usual each evening and avoiding morning bright light for 1–2 h after awakening 30–60 min later than typical.

Adaptation After Arrival in the New Time Zone

If the team can arrive in the new time zone days prior to competition, it is possible to adjust the circadian system to the new time zone after travel. As noted, a team traveling eastward from the Mountain Time Zone to the Eastern Time Zone requires a 2-h advance of their circadian systems. Such advances can be achieved by team members awakening 60 min earlier than they would at home and being exposed to bright light (e.g., morning sunlight) in the new time zone, and then in the evening dimming the lights for 2 h prior to going to bed 60 min earlier than they would on home time. This pattern would be repeated for 2–3 days in the new time zone.

Promoting Sleep Health

Countermeasures to mitigate the consequences of student-athlete travel require planning, effective management, and compliance. The successful implementation of these methods depends heavily on the general knowledge that students and athletic department personnel have about sleep and circadian health. Awareness of the importance of sleep for overall health and optimal performance is a motivating factor for student-athlete compliance with countermeasures. A first step in sleep health promotion for an athletic department could be screening of their student-athletes for pre-existing sleep problems. Students may be unaware of their pre-existing sleep problems that may make them especially vulnerable to stress of travel, competition, and academic challenges. Undiagnosed sleep disorders such as sleep apnea, primary insomnia, narcolepsy, and restless leg syndrome of individuals should be evaluated by a physician as there are effective treatment strategies available. Activities that take away from sleep opportunities should be avoided during travel. Social activities, use of social media, team practice schedules, and school work such as working on assignments and taking exams should also be scheduled so as to not interfere with sleep. Use of stimulants like caffeine should be discouraged if they will not be fully metabolized and cleared before bedtime. Caffeine, when used in moderation and at the right time of day, can be performance-enhancing and/or a counterbalance to some of the deleterious impacts of travel but will not replace the functions of sleep, including muscle building, body repairing, brain debris clearing, immune system boosting, memory consolidating, emotional resetting, or energy metabolism functions (de Souza et al., 2022). Caffeine can briefly increase endurance throughput (Southward et al., 2018), strength (Mora-Rodríguez et al., 2015), and stabilize vigilance and attention (Killgore et al., 2008). In weightlifters, caffeine has effectively offset the negative effects of training and competing at non-optimal times of the day (Mora-Rodríguez et al., 2015). Today, collegiate athletes can have access to smartphone apps such as *PeakAlert* developed by the Department of Defense to optimize caffeine dosing and subsequent performance (Reifman et al., 2019; Kumar et al., 2019).

However, individuals differ enormously as to how long it takes caffeine to clear their systems (e.g., 3–9 h). During travel and when sleeping in a new environment, stimulant use should be avoided if they would not clear the system before bedtime. Methods to potentiate sleep include eyeshades, ear plugs, noise-canceling headphones (Fowler et al., 2020), and music recordings created to promote sleep (e.g., *Sona.care*). Athletes who share rooms may be impacted by untreated sleep problems such as snoring of their roommate, thus presenting a communal impetus to address sleep problems prior to travel-based competition.

Promoting sleep health should be more than just treating sleep disorders. As pointed out by sleep researcher and clinician Dan Buysse, there is always room for improvement, and benefits will follow.

Reducing Circadian Misalignment

Promoting circadian alignment can optimize performance. Smartphone apps such as *Entrain* can help with planning travel schedules by prescribing light exposure to minimize jet lag (Christensen et al., 2020). Artificial bright light therapy can assist with the entrainment of the sleep-wake cycle for athletes. Rosa et al. (2018) found that 30–45 min of bright light therapy made possible by devices such as *ReTimer* glasses helped to modulate the sleep-wake cycles of athletes, which translated into improved reaction times. Recovery sleep after competition and travel should be included in training schedules to help maintain personal capacity to deal with academic, athletic, and social challenges, and to avoid burnout. A good recommendation is to allow a minimum of 24 h off from required training activities after travel. Naps of 20–90 min can benefit physical and cognitive performance, psychological state, and athletes' perception of their own sleep quality (Lastella et al., 2021). Napping, especially in the early afternoon (not later in the afternoon when circadian signals prevent sleep), can help to reach target daily sleep durations. Finally, athletic training or cognitively demanding activities should be avoided for at least 30 min after waking on the first day after return home to allow the dissipation of jet lag–associated sleepiness and its associated cognitive lapses or reduced physical reaction times and coordination that could lead to injury. Taken together, education in sleep/circadian health should be part of collegiate athletic training, especially as travel demands increase. That education must not stop with the student-athletes, but should extend to athletic directors, coaches, trainers, and those responsible for creating competition schedules and event timing.

SUMMARY

1. Sleep is essential for health and optimal performance—both academic and athletic.
2. Circadian rhythms coordinate and optimize the physiological and neurological activities of the body. Circadian misalignment due to east-west travel disrupts that coordination, leading to sleep disruption and deficits in performance and health.
3. Athletes are susceptible to cumulative sleep loss. Poor sleep causes poor academic and physical performance and impairs mental health and even brain development. Athletes are 3 times more likely to struggle with mental health

compared to their non-athlete peers. Sleep loss can worsen mood and emotional regulation, and some social identity populations may be more vulnerable due to life histories. In all student-athletes, the many negative consequences of sleep loss and disruption are exacerbated by the demands of athletic competition including frequent cross-time zone travel.

4. Rearrangements of collegiate athletic conferences that increase cross-time zone travel and create circadian non-optimal competition schedules should be evaluated from the perspective of the health and performance of the athletes and associated travelers. Mitigation measures should be put in place wherever possible.

RECOMMENDATIONS

1. Students can maintain and improve their academic and athletic performance with adequate amounts of good quality sleep every day. Methods to achieve good-quality sleep when confronted with athletic event scheduling and travel include: optimal bedtimes informed by circadian considerations such as timed lighting exposure before, during, and after travel; judicious scheduling of social events and use of social media, provision of quiet times for fulfilling academic obligations while traveling; opportunities for early afternoon naps, implementation of pre- and post-travel adaptation strategies for optimizing circadian alignment, and awareness of stressors other than travel that compromise sleep in the highly diverse population of students involved in athletic travel and events.
2. Coaches, trainers, physicians, and athletic directors can support teams with screening for the most common disorders (e.g., insomnia, obstructive sleep apnea). They can implement circadian and sleep monitoring (e.g., using wearables) and maintain longitudinal records of sleep health, general health, and academic performance. They should make use of expert consultants—especially sleep and circadian scientists and physicians in their own institutions. Because the negative effects of travel increase with time zones crossed, those anticipating travel to games that require more time for adjustment to new time zones should incorporate pre-adaptation practices into their schedules (e.g., <https://michiganstate.rivals.com/news/msu-battles-jetlag-with-sleep-banking-before-washington-trip>) and additional recovery time upon return (e.g., avoid mandatory workouts and reviewing of game films early the next morning).
3. The scheduling of all sports-related activities—from practices to games—to suit broadcast schedules can lead to unhealthy and counterproductive situations for the students. Considerations of student health consequences of event scheduling—from a health equity perspective—should be given priority in event planning.

ACKNOWLEDGMENTS

The authors are grateful to Olivia Walch of Aracoscope for contributing the graphic abstract for this paper. Other figures were produced by Rockelle Jang. This work was funded, in part, by the Division of Intramural Research at the NIH, National Institute of Environmental Health Sciences (Z1AES103325 [C.L.J.]) and by the Division of Intramural Research at the NIH, National Institute on Minority Health.

REFERENCES

- Abel T, Havekes R, Saletin JM, and Walker MP (2013) Sleep, plasticity and memory from molecules to whole-brain networks. *Curr Biol* 23:R774–R788. [PubMed: 24028961]
- Aschoff J, Hoffmann K, Pohl H, and Wever R (1975) Re-entrainment of circadian rhythms after phase-shifts of the zeitgeber. *Chronobiologia* 2(1):23–78. [PubMed: 1192905]
- Bender AM, VanDongen HPA, and Samuels CH (2019) Sleep quality and chronotype differences between elite athletes and non-athlete controls. *Clocks Sleep* 1:3–12. [PubMed: 33089151]
- Bonnar D, Bartel K, Kakoschke N, and Lang C (2018) Sleep interventions designed to improve athletic performance and recovery: a systematic review of current approaches. *Sports Med* 48:683–703. [PubMed: 29352373]
- Borbély AA, Daan S, Wirz-Justice A, and Deboer T (2016) The two-process model of sleep regulation: a reappraisal. *J Sleep Res* 25:131–143. [PubMed: 26762182]
- Brager AJ and Mistovich RJ (2017) Game times and higher winning percentages of west coast teams of the National Football League correspond with reduced prevalence of regular season injury. *J Strength Cond Res* 31:462–467. [PubMed: 27893483]
- Burke TM, Lisman PJ, Maguire K, Skeiky L, Choynowski JJ, Capaldi VF 2nd, Wilder JN, Brager AJ, and Dobrosielski DA (2020) Examination of sleep and injury among college football athletes. *J Strength Cond Res* 34:609–616. [PubMed: 31895289]
- Buyse DJ (2014) Sleep health: can we define it? Does it matter? *Sleep* 37:9–17. [PubMed: 24470692]
- Cao J, Herman AB, West GB, Poe G, and Savage VM (2020) Unraveling why we sleep: quantitative analysis reveals abrupt transition from neural reorganization to repair in early development. *Sci Adv* 6:eaba0398. [PubMed: 32948580]
- Carskadon MA (2011) Sleep in adolescents: the perfect storm. *Pediatr Clin North Am* 58:637–647. [PubMed: 21600346]
- Charest J and Grandner MA (2020) Sleep and athletic performance: impacts on physical performance, mental performance, injury risk and recovery, and mental health. *Sleep Med Clin* 15:41–57. [PubMed: 32005349]
- Chellappa SL, Morris CJ, and Scheer FJL (2020) Circadian misalignment increases mood vulnerability in simulated shift work. *Sci Rep* 10:18614. [PubMed: 33122670]
- Chinoy ED, Cuellar JA, Kirbie E, Huwa JT, Jameson JT, Watson CH, Bessman SC, Hirsch DA, Cooper AD, Drummond SPA, et al. (2021) Performance of seven consumer sleep-tracking devices compared with polysomnography. *Sleep* 44(5):zsaa291. [PubMed: 33378539]
- Chinoy ED, Cuellar JA, Jameson JT, and Markwald RR (2022) Performance of four commercial wearable sleep-tracking devices tested under unrestricted conditions at home in healthy young adults. *Nat Sci Sleep* 14:493–516. [PubMed: 35345630]
- Cho K, Ennaceur A, Cole JC, and Suh CK (2000) Chronic jet lag produces cognitive deficits. *J Neurosci* 20:RC66.
- Christensen S, Huang Y, Walch OJ, and Forger DB (2020) Optimal adjustment of the human circadian clock in the real world. *PLoS Comput Biol* 16:e1008445. [PubMed: 33370265]
- Cook JD and Charest J (2023) Sleep and performance in professional athletes. *Curr Sleep Med Rep* 9:56–81. [PubMed: 36683842]
- Craven J, McCartney D, Desbrow B, Sabapathy S, Bellinger P, Roberts L, and Irwin C (2022) Effects of acute sleep loss on physical performance: a systematic and meta-analytical review. *Sports Med* 52:2669–2690. [PubMed: 35708888]

- Crista DC, van Rensburg J, van Rensburg AJ, Fowler P, Fullagar H, Stevens D, Halson S, Bender A, Vincent G, Claassen-Smithers A, et al. (2020) How to manage travel fatigue and jet lag in athletes: a systematic review of interventions. *Br J Sports Med* 54:960–968. [PubMed: 32303523]
- Crowley SJ, VanReen E, LeBourgeois MK, Acebo C, Tarokh L, Seifer R, Barker DH, and Carskadon MA (2014) A longitudinal assessment of sleep timing, circadian phase, and phase angle of entrainment across human adolescence. *PLoS One* 9:e112199. [PubMed: 25380248]
- Cunha LA, Costa JA, Marques EA, Brito J, Lastella M, and Figueiredo P (2023) The impact of sleep interventions on athletic performance: a systematic review. *Sports Med Open* 9:58. [PubMed: 37462808]
- de Souza JG, Del Coso J, Fonseca FS, Silva BVC, de Souza DB, da Silva Gianoni RL, Filip-Stachnik A, Serrão JC, and Claudino JG (2022) Risk or benefit? Side effects of caffeine supplementation in sport: a systematic review. *Eur J Nutr* 61:3823–3834. [PubMed: 35380245]
- Diekelmann S and Born J (2010) The memory function of sleep. *Nat Rev Neurosci* 11:114–126. [PubMed: 20046194]
- Dobrosielski DA, Sweeney L, and Lisman PJ (2021) The association between poor sleep and the incidence of sport and physical training-related injuries in adult athletic populations: a systematic review. *Sports Med* 51:777–793. [PubMed: 33560506]
- Edwards F (2012) Early to rise? The effect of daily start times on academic performance. *Econ Educ Rev* 31:970–983.
- Etkin A and Wager TD (2007) Functional neuroimaging of anxiety: a meta-analysis of emotional processing in PTSD, social anxiety disorder, and specific phobia. *Am J Psychiatry* 164:1476–1488. [PubMed: 17898336]
- Etkin A, Egner T, and Kalisch R (2011) Emotional processing in anterior cingulate and medial prefrontal cortex. *Trends Cogn Sci* 15:85–93. [PubMed: 21167765]
- Facer-Childs E and Brandstaetter R (2015) The impact of circadian phenotype and time since awakening on diurnal performance in athletes. *Curr Biol* 25:518–522. [PubMed: 25639241]
- Ford JL, Ildefonso K, Jones ML, and Arvinen-Barrow M (2017) Sport-related anxiety: current insights. *Open Access J Sports Med* 8:205–212. [PubMed: 29138604]
- Fowler PM, Knez W, Thornton HR, Sargent C, Mendham AE, Crowcroft S, Miller J, Halson S, and Duffield R (2020) Sleep hygiene and light exposure can improve performance following long-haul air travel. *Int J Sports Physiol Perform* 16:517–526. [PubMed: 33152686]
- Fritz J, VoPham T, Wright KP, and Vetter C (2020) A chronobiological evaluation of the acute effects of daylight saving time on traffic accident risk. *Curr Biol* 30:7229–7735.
- Glinski J and Chandy D (2022) Impact of jet lag on free throw shooting in the National Basketball Association. *Chronobiol Int* 39:1001–1005. [PubMed: 35345951]
- Goel N, Rao H, Durmer JS, and Dinges DF (2009) Neurocognitive consequences of sleep deprivation. *Semin Neurol* 29:320–339. [PubMed: 19742409]
- Goldstein AN, Greer SM, Saletin JM, Harvey AG, Nitschke JB, and Walker MP (2013) Tired and apprehensive: anxiety amplifies the impact of sleep loss on aversive brain anticipation. *J Neurosci* 33:10607–10615. [PubMed: 23804084]
- Goldstein AN, Greer SM, Saletin JM, Harvey AG, Williams LM, and Walker MP (2018) Sex, sleep deprivation, and the anxious brain. *J Cogn Neurosci* 30:565–578. [PubMed: 29244642]
- Gouttebarga V, Castaldelli-Maia JM, Gorczynski P, Hainline B, Hitchcock ME, Kerkhoffs GM, Rice SM, and Reardon CL (2019) Occurrence of mental health symptoms and disorders in current and former elite athletes: a systematic review and meta-analysis. *Br J Sports Med* 53:700–706. [PubMed: 31097451]
- Harrison Y and Horne JA (2000) The impact of sleep deprivation on decision making: a review. *J Exp Psychol Appl* 6:236–249. [PubMed: 11014055]
- Hartmann ME and Prichard JR (2018) The contribution of sleep problems to undergraduates' academic success. *Sleep Health* 4:463–471. [PubMed: 30241662]
- Hirshkowitz M, Whiton K, Albert SM, Alessi C, Bruni O, DonCarlos L, Hazen N, Herman J, Adams Hillard PJ, Katz ES, et al. (2015) National sleep foundation's updated sleep duration recommendations: final report. *Sleep Health* 1:233–243. [PubMed: 29073398]

- Jackson CL, Walker JR, Brown MK, Das R, and Jones NL (2020) A workshop report on the causes and consequences of sleep health disparities. *Sleep* 43:zsaa037. [PubMed: 32154560]
- Jehue R, Street D, and Huizenga R (1993) Effect of time zone and game time changes on team performance: national football league. *Med Sci Sports Exerc* 25:127–131. [PubMed: 8423745]
- Johnson DA, Jackson CL, Williams NJ, and Alcántara C (2019) Are sleep patterns influenced by race/ethnicity—a marker of relative advantage or disadvantage? Evidence to date. *Nat Sci Sleep* 11:79–95. [PubMed: 31440109]
- Kalmbach DA, Anderson JR, and Drake CL (2018) The impact of stress on sleep: pathogenic sleep reactivity as a vulnerability to insomnia and circadian disorders. *J Sleep Res* 27:e12710. [PubMed: 29797753]
- Khalsa SBS, Jewett ME, Cajochen C, and Czeisler CA (2003) A phase response curve to single bright light pulses in human subjects. *J Physiol* 549:945–952. [PubMed: 12717008]
- Killgore WD, Rupp TL, Grugle NL, Reichardt RM, Lipizzi EL, and Balkin TJ (2008) Effects of dextroamphetamine, caffeine and modafinil on psychomotor vigilance test performance after 44 h of continuous wakefulness. *J Sleep Res* 17:309–321. [PubMed: 18522689]
- Koyanagi A and Stickley A (2015) The association between sleep problems and psychotic symptoms in the general population: a global perspective. *Sleep* 38:1875–1885. [PubMed: 26085291]
- Kumar K, Vital-Lopez F, Ramakrishnan S, Doty TJ, Balkin TJ, and Reifman J (2019) 0324 2B-Alert Web 2.0: an open-access tool to determine caffeine doses that optimize alertness. *Sleep* 42:A132–A133.
- Lastella M, Halson SL, Vital JA, Memon AR, and Vincent GE (2021) To nap or not to nap? A systematic review evaluating napping behavior in athletes and the impact on various measures of athletic performance. *Nat Sci Sleep* 13:841. [PubMed: 34194254]
- Lee A and Galvez JC (2012) Jet lag in athletes. *Sports Health* 4:211–216. [PubMed: 23016089]
- Leota J, Hoffman D, Czeisler MÉ, Mascaro L, Drummond SPA, Anderson C, Rajaratnam SMW, and Facer-Childs ER (2022) Eastward jet lag is associated with impaired performance and game outcome in the national basketball association. *Front Physiol* 13:892681. [PubMed: 35784873]
- Lok R, Zerbin G, Gordijn MCM, Beersma DGM, and Hut RA (2020) Gold, silver or bronze: circadian variation strongly affects performance in Olympic athletes. *Sci Rep* 10:16088. [PubMed: 33033271]
- Mah CD, Kezirian EJ, Marcello BM, and Dement WC (2018) Poor sleep quality and insufficient sleep of a collegiate student-athlete population. *Sleep Health* 4:251–257. [PubMed: 29776619]
- Mora-Rodríguez R, Pallarés JG, López-Gullón JM, López-Samanes Á, Fernández-Elías VE, and Ortega JF (2015) Improvements on neuromuscular performance with caffeine ingestion depend on the time-of-day. *J Sci Med Sport* 18:338–342. [PubMed: 24816164]
- Phillips AJK, Clerx WM, O'Brien CS, Sano A, Barger LK, Picard RW, Lockley SW, Klerman EB, and Czeisler CA (2017) Irregular sleep/wake patterns are associated with poorer academic performance and delayed circadian and sleep/wake timing. *Sci Rep* 7:3216. [PubMed: 28607474]
- Prichard JR (2020) Sleep predicts collegiate academic performance: implications for equity in student retention and success. *Sleep Med Clin* 15:59–69. [PubMed: 32005350]
- Rauch G, Desgranges B, Foret J, and Eustache F (2005) The relationships between memory systems and sleep stages. *J Sleep Res* 14:123–140. [PubMed: 15910510]
- Ravindrakumar A, Bommasamudram T, Tod D, Edwards BJ, Chtourou H, and Pullinger SA (2022) Daily variation in performance measures related to anaerobic power and capacity: a systematic review. *Chronobiol Int* 39:421–455. [PubMed: 34978950]
- Recht LD, Lew RA, and Schwartz WJ (1995) Baseball teams beaten by jet lag. *Nature* 377:583. [PubMed: 7566168]
- Reifman J, Ramakrishnan S, Liu J, Kapela A, Doty TJ, Balkin TJ, Kumar K, and Khitrov MY (2019) 2B-Alert App: a mobile application for real-time individualized prediction of alertness. *J Sleep Res* 28:e12725. [PubMed: 30033688]
- Rosa JPP, Silva A, Rodrigues DF, Simim MA, Narciso FV, Tufik S, Bichara JJ, Pereira SRD, Da Silva SC, and de Mello MT (2018) Effect of bright light therapy on delayed sleep/wake cycle and reaction time of athletes participating in the Rio 2016 Olympic Games. *Chronobiol Int* 35:1095–1103. [PubMed: 29658807]

- Saghir Z, Syeda JN, Muhammad AS, and Abdalla THB (2018) The amygdala, sleep debt, sleep deprivation, and the emotion of anger: a possible connection? *Cureus* 10:e2912. [PubMed: 30186717]
- Sargent C, Rogalski B, Montero A, and Roach GD (2022) The sleep behaviors of elite Australian rules footballers before and after games during an entire season. *Int J Sports Physiol Perform* 1:1–11.
- Simon EB, Rossi A, Harvey AG, and Walker MP (2020) Overanxious and underslept. *Nat Hum Behav* 4:100–110. [PubMed: 31685950]
- Simon EB and Walker MP (2018) Sleep loss causes social withdrawal and loneliness. *Nat Commun* 9:3146. [PubMed: 30108218]
- Song A, Severini T, and Allada R (2017) How jet lag impairs major league baseball performance. *Proc Natl Acad Sci* 114:1407–1412. [PubMed: 28115724]
- Southward K, Rutherford-Markwick KJ, and Ali A (2018) The effect of acute caffeine ingestion on endurance performance: a systematic review and meta-analysis. *Sports Med* 48:913–928.
- Stickgold R (2005) Sleep-dependent memory consolidation. *Nature* 437:1272–1278. [PubMed: 16251952]
- St. Pierre M, Grillakis A, Campbell C, Capaldi V, Mantua J, Brager A, and Yarnell A (2018) 0301 sleep deprivation unmasks performance deficits following mild traumatic brain injury. *Sleep* 41:A116–A116.
- Tamaki M, Bang JW, Watanabe T, and Sasaki Y (2016) Night watch in one brain hemisphere during sleep associated with the first-night effect in humans. *Curr Biol* 26:1190–1194. [PubMed: 27112296]
- Tarokh L, Saletin JM, and Carskadon MA (2016) Sleep in adolescence: physiology, cognition and mental health. *Neurosci Biobehav Rev* 70:182–188. [PubMed: 27531236]
- Thacher PV and Onyper SV (2016) Longitudinal outcomes of start time delay on sleep, behavior, and achievement in high school. *Sleep* 39:271–281. [PubMed: 26446106]
- Thun E, Bjorvatn B, Flo E, Harris A, and Pallesen S (2015) Sleep, circadian rhythms, and athletic performance. *Sleep Med Rev* 23:1–9. [PubMed: 25645125]
- Telzer EH, Goldenberg D, Fuligni AJ, Lieberman MD, and Gálvan A (2015) Sleep variability in adolescence is associated with altered brain development. *Dev Cogn Neurosci* 14:16–22. [PubMed: 26093368]
- Toschi N, Passamonti L, and Bellesi M (2021) Sleep quality relates to emotional reactivity via intracortical myelination. *Sleep* 44:zsa146. [PubMed: 32770244]
- Trinder J, Paxton SJ, Montgomery I, and Fraser G (1985) Endurance as opposed to power training: their effect on sleep. *Psychophysiology* 22:668–673. [PubMed: 4089093]
- Vadukapuram R, Shah K, Ashraf S, Srinivas S, Elshokiry AB, Trivedi C, Mansuri Z, and Jain S (2022) Adverse childhood experiences and their impact on sleep in adults: a systematic review. *J Nerv Ment Dis* 210:397–410. [PubMed: 35640064]
- van Rensburg DCJ, van Rensburg AJ, Fowler PM, Bender AM, Stevens D, Sullivan KO, Fullagar HHK, Alonso JM, Biggins M, Claassen-Smithers A, et al. (2021) Managing travel fatigue and jet lag in athletes: a review and consensus statement. *Sports Med* 51:2029–2050. [PubMed: 34263388]
- Wahlstrom K, Dretzke B, Gordon M, Peterson K, Edwards K, and Gdula J (2014) Examining the impact of later high school start times on the health and academic performance of high school students: a multi-site study. St Paul, MN: University of Minnesota.
- Walsh NP, Halson SL, Sargent C, Roach GD, Nédélec M, Gupta L, Leeder J, Fullagar HH, Coutts AJ, Edwards BJ, et al. (2020) Sleep and the athlete: narrative review and 2021 expert consensus recommendations. *Br J Sports Med* 55:356–368.
- Waters F, Chiu V, Atkinson A, and Blom JD (2018) Severe sleep deprivation causes hallucinations and a gradual progression toward psychosis with increasing time awake. *Front Psychiatry* 9:303. [PubMed: 30042701]
- Watson AM (2017) Sleep and athletic performance. *Curr Sports Med Rep* 16:413–418. [PubMed: 29135639]
- Watson NF, Badr MS, Belenky GI, Bliwise DL, Buxton OM, Buysse D, Dinges DF, Gangwisch J, Grandner MA, Kushida C, Malhotra RK, et al. (2015) Recommended amount of sleep for a

healthy adult: a joint consensus statement of the American Academy of Sleep Medicine and Sleep Research Society. *Sleep* 38:843–844. [PubMed: 26039963]

Wen CCY, Cherian DI, Schenker MT, and Jordan AS (2023) Fatigue and sleep in airline cabin crew: a scoping review. *Int J Environ Res Public Health* 20:2652. [PubMed: 36768014]

Young KS, Sandman C, and Craske MG (2019) Positive and negative emotion regulation in adolescence: links to anxiety and depression. *Brain Sci* 9:76. [PubMed: 30934877]

Yu X, Quante M, Rueschman M, Ash T, Kaplan E, Guo N, Horan CM, Haneuse S, Davison K, Taveras EM, et al. (2021) Emergence of racial/ethnic and socioeconomic differences in objectively measured sleep–wake patterns in early infancy: results of the Rise & SHINE study. *Sleep* 44: zsaal93. [PubMed: 33057653]

Zeitler JM, Dijk D-J, Kronauer RE, Brown EM, and Czeisler CA (2000) Sensitivity of the human circadian pacemaker to nocturnal light: melatonin phase resetting and suppression. *J Physiol* 526:695–702. [PubMed: 10922269]




Figure 1. Disruptions of circadian rhythms due to eastward and westward travel across 3 time zones. (a) The outer circle represents clock time. The inner circle represents circadian time. Before travel these 2 cycles largely coincide. Small differences due to the fact that the period of the circadian rhythm is not exactly 24 h are corrected by the process of *entrainment* largely due to exposure to light in the morning and evening. Daily activities such as bedtime and wake time occur at specific times or phases of the circadian clock. (b) Traveling 3 time zones to the east puts the circadian clock 3 h behind local time, requiring the circadian clock

to be moved ahead, or *phase advanced* by 3 h. This phase advance may take several days to once again synchronize circadian time to local time, and until that occurs the onset and termination of optimal sleep will be delayed. (c) Conversely, traveling 3 time zones to the west puts the circadian clock 3 h ahead of local time. until the process of entrainment brings circadian time in synchrony with local time by a *phase delay* of the circadian clock, the onset and termination of optimal sleep will occur at earlier clock times than desired.

Author Manuscript

Author Manuscript

Author Manuscript

Author Manuscript




Figure 2.

Different types of activities and skills have different circadian rhythms in optimal performance under entrained conditions (i.e., normal training week). Game day travel (especially east-west travel) often misaligns these circadian rhythms of athletic performance making optimal performance more challenging to achieve.




Figure 3.

The 2-process model of sleep regulation. The strength of the circadian wake-promoting process is portrayed by the light-colored bars. It is lowest during the sleep phase from around 2300 h to 0700 h. The use-dependent process that generates the need for sleep is portrayed by the dark bars that continuously gain in strength over the waking hours, from around 7 AM till the onset of sleep around 11 PM. The difference in the lengths of the bars is an indication of the changes in alertness and sleepiness. A dip in the strength of the circadian process in early PM, between about 2–5, makes this phase a possible time for naps.