UC San Diego

Research Summaries

Title

Monitoring the Fluxes of Salinity, Pollution and Phytoplankton into the San Francisco Bay

Permalink https://escholarship.org/uc/item/1d6534d0

Author Stacey, Mark

Publication Date 2002



COASTAL OCEAN RESEARCH

R/CZ-170: 3.1.2001–2.29.2004

Monitoring the Fluxes of Salinity, Pollution and Phytoplankton into the San Francisco Bay

Mark Stacey University of California, Berkeley

Background

stuaries are transition zones separating freshwater and saltwater ecosystems. They provide both a physical barrier protecting the shoreline from the direct force of storms, and they create unique habitats for fishes and birds.

Estuaries are distinguished by their relatively large swings in salinity. While the tides rhythmically flood estuaries with saltwater, elevating salinity levels, rivers supply freshwater, lowering them. Without tidal flows, estuaries may lose their ability to support marine species, and they may accumulate pollutants. Alternatively, without freshwater, seawater may intrude far upstream, contaminating aquifers and killing wildlife.

A proper balance of tidal flushing and clean freshwater inputs is crucial to maintaining the biological health of estuarine ecosystems. For these reasons, and others, it is important to understand how salinity levels vary with tidal cycles, winds, and ocean currents.

The Project

The main goal of this project is to study the fluxes of salt, temperature, suspended solids and phytoplankton between the San Francisco Bay and the coastal ocean. To do this, scientists will measure current speeds along a transect across the mouth of the bay, a length of about 5 kilometers. Salinity, temperature, turbidity and phytoplankton abundance will simultaneously be measured along the same transect. Ultimately, scientists would like to identify whether tides, winds, rivers or gradients in water density drive



About 80 percent of all freshwater entering the San Francisco Bay comes from the Sacramento River (pictured above). Nearly all this water is released from reservoirs fed by the Sierra Mountains. The reservoirs supply the state with water for agriculture and urban use. Photo: Dale Kolke, California Department of Water Resources.



An aerial view of the Sacramento–San Joaquin Delta. When and how much water is released into the delta is a management decision, based largely on estimates of how river flows will influence salinity levels and how these changes in salinity, in turn, will affect wildlife. Photo: Dale Kolke, California Department of Water Resources.

fluxes of salt, pollution and phytoplankton into the bay.

Method

Salinity, temperature, turbidity and chlorophyll concentrations will be directly measured from water samples collected during six cruises. Measurements will be taken across the mouth of the estuary continuously over a 25-hour period in which time two full tidal cycles can be observed. Ocean currents will be measured with an acoustic current Doppler profiler—an instrument that uses backscattering and frequency shifts of sound waves to estimate current speeds.

Applications

The findings from this project will lead to a better understanding of how physical processes influence biological processes, such as phytoplankton productivity, in the estuary. Beyond the biological implications, which have attracted the attention of scientists from the Romberg Tiburon Center, the Interagency Ecological Program, and the U.S. Geological Survey, the findings from this project will have important implications for determining the net transport of sediment and contaminants between the San Francisco Bay and the ocean. Net transport rates are also of interest to the Port of Oakland and the San Francisco Airport Authority.

In addition, this project gives insights into the effects of water diversions on the Bay–Delta system, underscoring the delicate balance between tidal flows and freshwater inputs.

For more information:

Dr. Mark Stacey Professor, Civil and Environmental Engineering University of California, Berkeley Tel.: (510) 642-6776 Email: mstacey@socrates.berkeley.edu

PUB. NO. CSG-CZ-02-004

California Sea Grant is a statewide, multiuniversity program of marine research, education, and outreach activities, administered by the University of California. Sea Grant-sponsored research contributes to the growing body of knowledge about our coastal and ocean resources and, consequently, to the solution of many marine-related problems facing our society. Through its Marine Extension Program, Sea Grant transfers information and technology developed in research efforts to a wide community of interested parties and actual users of marine information and technology, not only in California but throughout the nation. Sea Grant also supports a broad range of educational programs so that our coastal and ocean resources can be understood and used judiciously by this and future generations.

The national network of Sea Grant programs is a unique partnership of public and private sectors, combining research, education, and technology transfer for public service and dedicated to meeting the changing environmental and economic needs in our coastal, ocean, and Great Lakes regions.

This work is sponsored in part by a grant from the National Sea Grant College Program, National Oceanic and Atmospheric Administration, U.S. Department of Commerce, under grant number NA06RG0142, Project number A/P-1. The views expressed herein are those of the author and do not necessarily reflect the views of NOAA or any of its sub-agencies. The U.S. Government is authorized to reproduce and distribute for governmental purposes.



CALIFORNIA SEA GRANT COLLEGE PROGRAM Russell A. Moll, Director • Dolores M. Wesson, Deputy Director • Paul Olin, Interim Associate Director for Extension • Marsha Gear, Communications Coordinator University of California, San Diego, 9500 Gilman Drive, La Jolla, CA 92093-0232 Phone:(858) 534-4440 Fax: (858) 453-2948 Web site: http://www-csgc.ucsd.edu

JANUARY 2002