Lawrence Berkeley National Laboratory

Recent Work

Title

PARAMAGNETIC RESONANCE IN TETRAVALENT PA231

Permalink

<https://escholarship.org/uc/item/1kd5h8xv>

Authors

Axe, John D.
Kyi, Ru-tao
Stapleton, H.J.

Publication Date

1959-12-01

UNIVERSITY OF
CALIFORNIA

Ernest O. Lawrence

*Radiation
Laboratory*

TWO-WEEK LOAN COPY

*This is a Library Circulating Copy
which may be borrowed for two weeks.
For a personal retention copy, call
Tech. Info. Division, Ext. 5545*

BERKELEY, CALIFORNIA

DISCLAIMER

This document was prepared as an account of work sponsored by the United States Government. While this document is believed to contain correct information, neither the United States Government nor any agency thereof, nor the Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or the Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof or the Regents of the University of California.

For Pub. Phys. Rev. Letters

UCRL-9010

UNIVERSITY OF CALIFORNIA
Lawrence Radiation Laboratory
Berkeley, California
Contract No. W-7405-eng-48

PARAMAGNETIC RESONANCE IN TETRAVALENT Pa^{231}

John D. Axe, Ru-tao Kyi, and H. J. Stapleton

December 1959

Printed for the U. S. Atomic Energy Commission

Paramagnetic Resonance in Tetravalent Pa²³¹*

John D. Axe and Ru-tao Kyi

Lawrence Radiation Laboratory

University of California, Berkeley, California

and

H. J. Stapleton

Department of Physics

University of California, Berkeley, California

The paramagnetic-resonance spectrum of tetravalent Pa²³¹ has been observed in a single crystal of Cs₂ZrCl₆. A melt of Cs₂ZrCl₆ was "doped" with ~500 µg of anhydrous Pa²³¹ Cl₄ and allowed to crystallize in an atmosphere of hydrogen by slow passage through a furnace. At 4.2°K and a frequency of 9457 MCS, the observed resonance pattern consisted of four widely separated hyperfine components. The spectrum was isotropic to within the accuracy of the field measurements (~ 1/2%). These features are interpreted as the usual $\Delta M_g = \pm 1$, $\Delta M_I = 0$ transitions between the eigenstates of the spin Hamiltonian

$$\mathcal{H} = g \beta H \cdot S + A I \cdot S,$$

with $S = 1/2$, $I = 3/2$, $|g| = 1.15 (\pm 0.02)$, and $|A| = 0.0518 (\pm 0.001) \text{ cm}^{-1}$. The large hyperfine interaction necessitates the use of exact solutions for the energy levels.² No resonance was detected at 77°K.

The nuclear-spin value of 3/2 is verified.³ The paramagnetism can be most plausibly ascribed to a single 5f electron. A magnetically isotropic Kramers' doublet is expected to be the lowest lying as the result of the octahedral perturbation present at the zirconium site.^{4,5} As an alternative, a 6d¹ configuration is expected to give rise to a fourfold degenerate magnetically anisotropic level if octahedral symmetry

*Supported in part by the U. S. Atomic Energy Commission and the Office of Naval Research.

is preserved,⁶ or an anisotropic doublet if distortion is present.⁷ Further work on the optical absorption spectra of this system is in progress and should allow amplification of the above conclusions. An attempt to measure the nuclear magnetic moment of Pa^{231} by a "double-resonance" technique is likewise in progress. We wish to thank Professors C. D. Jeffries and B. B. Cunningham for their invaluable advice.

References

1. Prepared by the method of Sellers, Fried, Elson, and Zachariasen, J. Am. Chem. Soc. 76, 5935 (1954).
2. B. Bleaney, Phil. Mag. 42, 441 (1951).
3. H. Schüller and H. Gollnow, Naturwiss. 22, 511 (1934).
4. See for example J. S. Griffith and L. E. Orgel, J. Chem. Phys. 26, 988 (1956).
5. C. A. Hutchison and B. Weinstock, to be published in J. Chem. Phys. These authors discuss paramagnetic resonance in another f^1 octahedral system, NpF_6 .
6. B. Bleaney, Proc. Phys. Soc. (London) 73, 939 (1959).
7. Griffiths, Owen, and Ward, Proc. Royl Soc. (London) A219, 526 (1953).