UC Irvine

Journal of Education and Teaching in Emergency Medicine

Title

Acute Subdural Hematoma

Permalink

<https://escholarship.org/uc/item/1q0951fd>

Journal

Journal of Education and Teaching in Emergency Medicine, 2(2)

Authors

Lester, Ellen
Peña, Jonathan
Wiechmann, Warren

Publication Date

2017

DOI

10.5070/M522034567

Copyright Information

Copyright 2017 by the author(s). This work is made available under the terms of a Creative Commons Attribution License, available at <https://creativecommons.org/licenses/by/4.0/>

Peer reviewed

Acute Subdural Hematoma

Ellen Lester, BS*, Jonathan Peña, MD* and Warren Wiechmann, MD, MBA*

*University of California, Irvine, Department of Emergency Medicine, Orange, CA

Correspondence should be addressed to Jonathan Peña, MD, at jdpenna@uci.edu

Submitted: October 4, 2016; Accepted: December 19, 2016; Electronically Published: April 15, 2017; <https://doi.org/10.21980/J87C76>

History of present illness: A 21-year-old female with no past medical history presented to the ED after multiple tonic-clonic seizures over the previous 12 hours, the longest lasting 20 seconds. She returned to baseline after each seizure, had no obvious signs of trauma, and did not exhibit any focal neurologic deficits. She denied illicit drugs or new medications. A family member noted that she had fallen from her bed (approximately 3 feet high) 2 days ago.

Significant findings: Non-contrast computed tomography (CT) of the head showed a dense extra-axial collection along the left frontal and parietal regions, extending superior to the vertex with mild mass effect, but no midline shift.

Discussion: Intracranial hemorrhage (ICH) is a term to describe any abnormal bleeding within the bony confines of the skull. Most commonly, subdural hemorrhages (SDH) result from injury to the bridging veins that lead to bleeding between the dura and arachnoid maters. However, in 20%-30% of cases an arterial source of bleeding can be found.¹ For adults, motor vehicle collisions and other unintentional head trauma are typically the provoking factors in developing SDH. Falls in the elderly are a common cause of SDH since diffuse cerebral atrophy leads to increased shear forces upon vasculature structures during the fall. The risk of SDH increases with the use of anti-thrombotic agents.²

Clinical presentation varies from asymptomatic to coma (in 50 percent of acute SDH). Chronic SDH may present with headaches, light-headedness, cognitive impairment, and seizures.¹ The risk of posttraumatic epileptic seizures (PTS) is higher in acute SDH. Risk factors for acute SDH PTS include low Glasgow Coma Score and craniotomy, whereas risk factors for PTS in chronic SDH include alcohol abuse, change in mental status, previous stroke, and hematoma density on CT.³

Computed tomography is the most widely used imaging modality for identifying ICH. Acute SDH (within 1-2 days) are visualized as hyperdense fluid collections that cross suture lines, thus leading to a concave, or dome-shaped appearance. As time passes, however, protein degradation and the change in structural composition of blood takes on an isodense or hypodense formation, and identification of subacute (3-14 days) or chronic (15 days) SDH can be more difficult without contrast-enhanced imaging.⁴

Topics: Subdural hemorrhage, neurosurgery, intracranial hemorrhage, ICH, seizure, brain bleed, neurological deficits, emergency medicine.

References:

1. Victor M, Ropper AH. Craniocerebral trauma. In: Victor M, Ropper AH, eds. *Adams and Victor's Principles of Neurology*. 7th ed. New York, NY: McGraw-Hill; 2001:925-953.
2. Reymond MA, Marbet G, Radü EW, Gratzl O. Aspirin as a risk factor for hemorrhage in patients with head injuries. *Neurosurg Rev*. 1992;15:21-25.
3. Won SY, Konczalla J, Dubinski D. A systemic review of epileptic seizures in adults with subdural hematomas. *Seizure*. 2016; 45:28-35. doi: 10.1016/j.seizure.2016.11.017
4. Grossman RI, Yousem DM. Head trauma. In: Grossman RI, Yousem DM, eds. *Neuroradiology: The Requisites*. 2nd ed. Philadelphia, PA: Mosby; 2003:243-269.