

UC Office of the President

Stanford Technical Reports

Title

Massed vs. Distributed Practice in Computerized Spelling Drills

Permalink

<https://escholarship.org/uc/item/1wq7p8h1>

Authors

Fishman, Elizabeth Jane

Keller, Leo

Atkinson, Richard C.

Publication Date

1967-08-18

Peer reviewed

MASSED VS. DISTRIBUTED PRACTICE
IN COMPUTERIZED SPELLING DRILLS

by

Elizabeth Jane Fishman, Leo Keller, and Richard C. Atkinson

TECHNICAL REPORT NO. 117

August 18, 1967

PSYCHOLOGY SERIES

Reproduction in Whole or in Part is Permitted for
any Purpose of the United States Government

INSTITUTE FOR MATHEMATICAL STUDIES IN THE SOCIAL SCIENCES

STANFORD UNIVERSITY

STANFORD, CALIFORNIA

THE UNIVERSITY OF CHICAGO
DEPARTMENT OF CHEMISTRY

PHYSICAL CHEMISTRY LABORATORY

EXPERIMENT 10
SOLUBILITY

1950

REPORT OF _____

DATE _____

Abstract

Conditions of massed and distributed practice were studied using a within-subjects design in a situation involving computerized spelling drills. In the distributed condition, two sets of three words each were presented once every other day over a period of six days. The learning trials on six other sets of words were massed so that all of the trials for that set occurred on the same day. Subjects were 29 fifth graders. The probability of a correct response for words in the massed condition was higher than that for the distributed condition during the learning sessions, but on retention tests (given 10 and 20 days later) the words learned under distributed practice were better remembered. A mathematical model of the learning process is presented and shown to provide a fairly adequate account of the experimental data.

Massed vs. Distributed Practice in

Computerized Spelling Drills¹

Elizabeth Jane Fishman, Leo Keller,² and Richard C. Atkinson

Stanford University

INTRODUCTION

Computer-assisted instruction (CAI) refers to an instructional procedure which utilizes a computer to control part, or all, of the selection, sequencing, and evaluation of instructional materials. Over the last four years, the Institute for Mathematical Studies in the Social Sciences at Stanford University has been developing a CAI system for regular classroom usage (Atkinson, 1967). One mode of this development is referred to by Suppes (1966) as the "drill and practice systems." These systems are intended to supplement the instruction which occurs in the classroom. They are designed to improve - through practice - the skills and concepts which are introduced by the classroom teacher.

Currently, computer controlled drills are being given to approximately 800 students in six schools in five different communities. Some of the students have been receiving daily drills in arithmetic (Suppes, Jerman, and Groen, 1965) while others have been receiving drills in spelling. This study made use of the equipment and students in the school which has been involved in drill and practice in spelling.

In the study to be reported here, the presentation routine for each spelling word was the same: an audio system presented the words, the student typed the word, and the computer evaluated the student's answer. If the response was correct, the computer typed "...C..."; if incorrect,

"...X...", followed by the correct spelling of the word. If the response was not given within a predetermined length of time, the message "...TU...", meaning "time is up", was printed. A flow chart summarizing this procedure is given in Fig. 1.

insert Fig. 1 about here

These CAI drill and practice systems lend themselves nicely to the study of many experimental variables. One persistent problem in designing instructional systems is the specification of optimal procedures for presenting material. Indeed, the spacing of learning sessions has already received considerable experimental investigation, yet the question of optimal spacing has not been resolved. For example, assume that we have six days in which to teach a list of 24 spelling words, and that each daily session is arranged so that 24 presentations can be made. What practice schedule would produce the best results? One might select a different set of four words each day and on that day present each word six times. At the other extreme, one could present each of the 24 words once per day. In both schemes a given word would be presented for study on six different occasions, but in one condition all of the repetitions for a given word would occur on one day whereas in the other scheme they would be distributed over six days. We could say that the two extremes represent, respectively, massed and distributed practice, although this terminology is somewhat at variance with the classical usage of these terms. The preponderance of experimental evidence indicates that, for the same amount of practice, learning is better when practice is distributed rather than massed, although there are exceptions to the

generalization. The purpose of the present study is to investigate this problem further and to evaluate the optimum procedures for distributing instructional material in computer-based spelling drills.

EXPERIMENT

Subjects

The Ss were 29 students from a fifth grade class in an East Palo Alto school. Approximately 50% of these students score below grade level on standardized reading tests; 20% are reading at the second and third grade level.

The Computer System and Terminals

The computer which controlled the student terminals is a modified PDP-1 digital computer located at Stanford University. It is a time-sharing computer capable of handling over 30 different users simultaneously from a variety of input devices. The audio system for the spelling drills is controlled by a Westinghouse P-50 computer which, in turn, is linked to the PDP-1.

The four student terminals are located at an East Palo Alto school in a converted storeroom a short distance from the child's classroom. Each terminal consists of a standard teletype machine and a set of ear-phones; both are linked to the computer at Stanford by telephone lines.

All four terminals were controlled by a single program on the PDP-1; each student user was serviced sequentially in a round-robin




Figure 1. Flow chart for presentation routine.

cycle. Due to the extremely rapid speed of the computer, the student received the impression that he was getting "full-time" service, although actually the computer was devoting only a small fraction of its running time to any one individual.

Daily Operation

A full-time monitor was on duty whenever the children were using the teletypes. Her presence was primarily a precautionary measure so that an adult would be available in case of an emergency. The actual check-in, presentation and evaluation of the drill, and the sign-out were all handled by the CAI system and occurred as follows.

The student entered the room, sat down at a free terminal, and put on his earphones. The machine printed out, "Please type your number." (This whole routine had been explained to the students during a two week orientation session.) After the student typed in his identification number and depressed the space bar - the latter operation was used as a termination signal for all student responses - the computer printed the student's name and the program was set in operation. The message, "If you hear the audio, please type an 'a' and a space," was then heard over the earphones. If the instructions were followed, the lesson began and each word was presented according to the sequence given in Fig. 1.

The audio system presented a word, used the word in a sentence, and then repeated the word again. As soon as the audio was through, the machine typed a dash (-). This was the student's signal to begin his response. When he finished typing his answer, he depressed the space

bar, and the computer evaluated the answer. A correct response was followed by the typed message, "...C...". An incorrect response was indicated by the message, "...X...", followed by several spaces and a correct spelling of the word. If a response was not given in forty seconds, the message, "...TU..." was printed. As on an incorrect answer, this message was followed by several spaces and the correct spelling of the word. Following his response the student was given six seconds to study the correct answer before the next item was presented. Each time a new item was presented, all previous items were covered.

In the training sessions of this study, a "list" consisted of 12 such presentations; in the test sessions, 24 presentations. When the entire list had been presented, the machine printed out the following information for the student: his list number for the next session, the date and ending time, and the number of words he spelled correctly on the day's session. The drills were collected by the monitor and at no time was the student given a copy of the words to study on his own.

Words

The words used in the experiment were taken from the New Iowa Spelling Scale (Greene, 1954). This scale is the product of the testing of some 238,000 pupils throughout the country in the early 1950's to determine the percentage of students that could spell a word correctly at each grade level. A list of the actual words used in the experiment can be found elsewhere (Fishman, 1967).

Experimental Design

The experiment involved a within-subjects design, (i.e., each S participated in all conditions). The two main conditions were those

of massed (M) and distributed (D) practice. There were eight sets of words: six of them were massed, designated M_1 , M_2 , M_3 , M_4 , M_5 , and M_6 ; and two were distributed, designated D_1 and D_2 . Each of these eight sets contained three words. Thus a total of $8 \times 3 = 24$ words were used in the experiment for a given S . Training sessions ran for six consecutive days. Each session used one of the M sets and one of the D sets. The M words were presented three times within a session, whereas the D words were presented once. Thus, there were $3 \times 3 = 9$ presentations of M items plus three presentations of D items yielding a total of 12 presentations in any one session. Words from a different M set were presented in each session and all the learning trials for the set occurred on the same day. Words from a given D set were presented on alternating days. Table 1 summarizes the daily presentations.

Table 1

A Summary of the Word Sets Used During
the Six Training Sessions

	1	2	3	4	5	6
Massed	M_1	M_2	M_3	M_4	M_5	M_6
Distributed	D_1	D_2	D_1	D_2	D_1	D_2

The arrangement of the list for the first training session (day 1) illustrates the procedure used for the entire training sequence. The

first four items of the day's list consisted of the three words in M_1 plus a randomly chosen word from D_1 . The second four items consisted of the three M_1 words plus a second randomly chosen D_1 word. The last four items consisted of all three M_1 words plus the remaining word from D_1 . In other words, the 12 presentations to a subject on any day were given in three blocks with four words in a block. Each block contained all three M words and a randomly chosen D word. The order of the words within a block was randomly determined. Further, the assignment of words to M and D sets was completely counterbalanced over subjects, so that every word appeared equally often in the various M and D conditions.

Tests were administered 10 and 20 days after the end of the training sequence. The students did not receive any computerized drill between the training and test days. The basic test procedure consisted of presenting the complete list of 24 words. The order of the words for each subject was randomly determined, and each word was presented once using the procedure of Fig. 1. As during the training sessions, the student was told whether or not his response was correct, and was then given six seconds to study the correct answer before the next item was presented.

RESULTS

Figure 2 presents the proportion of correct responses over successive presentations of M and D items. For example, on day 1, the M_1 items were each presented three times; the proportions correct for each of the three presentations were averaged over subjects and plotted

successively above "training session 1". The D_1 items were each presented once; the mean proportion correct for these items is also plotted above "training session 1". This was done for the data from each of the six training sessions. Approximately two minutes elapsed between two presentations of a massed item, whereas two days elapsed between any two presentations of a distributed item.

insert Fig. 2 about here

The tests were given on days 16 and 26. The test results are also presented in Fig. 2. The six massed curves are similar in form; they all rise sharply, then drop off by the time the first test is administered. In contrast, the two distributed curves rise more gradually but do not show a drop off at the time of the first test.

All items were presented three times during the training sequence and once on each of the test days. Figure 3 gives the proportion correct on each presentation averaged separately over M and D items. During the training sequence, the proportion correct for the M items increased from about .31 on the first presentation to .77 on the third presentation, whereas the D items correspondingly increased from about .25 to .57. The difference between the average proportion correct on the first presentation of M items and the first presentation of D items was not significant at the .05 level using a paired t-test, $t(28) = 1.58$. However, there is no reason to expect equality when we note that the data point for the mean of the massed first presentations

came from all six training sessions whereas the data point for the mean of the distributed first presentations came from the first two training sessions. In contrast, as indicated in Fig. 3, there were significantly more correct responses on the second and third presentations of the M items than on the corresponding presentations of D items.

A paired t -test on the combined data from the posttraining tests yielded $t(28) = 2.44$, which was significant at the .025 level, indicating that distributed practice resulted in better performance than massed practice.

insert Fig. 3 about here

DISCUSSION

The major results of this experiment are: a) the massed condition was superior to the distributed condition on the second and third presentations of the training sequence and b) the distributed condition was superior on both of the test sessions. Thus, it appears that the massed repetitions are better if one looks at short-term performance, but in the long run more learning occurs when repetitions of an item are well distributed.

In this section, we analyze these data in terms of a model that has been proposed to account for paired-associate learning. Our model is a variation of the trial-dependent-forgetting model presented in recent articles by Atkinson and Crothers (1964) and Calfee and Atkinson (1965). The learning of a list of spelling words can be said




Figure 2. Proportion of correct responses for massed and distributed items on both training and test trials.




Figure 3. Observed and predicted values for the massed and distributed conditions.



1. The drawing is a perspective view of a rectangular object.
 2. The object is oriented vertically on the page.
 3. A diagonal line runs from the top-left corner towards the center-right.
 4. A vertical line is drawn on the right side of the object.
 5. The drawing is composed of several lines, some solid and some dashed, indicating hidden edges.

6. The drawing is a simple geometric sketch.
 7. The object appears to be a box or a component.
 8. The drawing is oriented vertically on the page.

to resemble the learning of a list of paired-associate items; no assumption is made that the two tasks are identical, yet there are variables in paired-associate learning that clearly are relevant to the spelling task.

In the model, S is assumed to be in one of three learning states with respect to a stimulus item: a) state U is an unlearned state, in which the subject responds at random from the set of response alternatives, b) state S is a short-term memory state, and c) state L is a long term state. The S will always give a correct response to an item if it is in either state S or state L. However, it is possible for an item in state S to be forgotten, i.e., to return to state U, whereas once an item moves to state L it is learned in the sense that it will remain in state L for the remainder of the experiment. In this model, forgetting involves a return from the short-term memory state, S, to state U, and the probability of this return is postulated to be a function of the time interval between successive presentations of an item.

More specifically, two types of events are assumed to produce transitions from one state to another: a) the occurrence of a reinforcement, i.e., the paired presentation of the stimulus item together with the correct response, and b) the occurrence of a time interval between successive presentations of a particular item. The associative effect of a reinforcement is described by the following transition matrix:

$$\begin{array}{c}
 \\
 \\
 \\
 \end{array}
 \begin{array}{ccc}
 & L & S & U \\
 \begin{array}{c} L \\ S \\ U \end{array} & \left[\begin{array}{ccc}
 1 & 0 & 0 \\
 a & 1-a & 0 \\
 bx & (1-b)x & 1-x
 \end{array} \right]
 \end{array}$$

Thus, if an item is in state U and the correct response is shown to S, then with probability (1-x) the item stays in state U, and with probability x the item moves into state S or L: If it moves, then with probability b it moves into L and with probability (1-b) into S. Similarly, if an item is in state S and the correct response is shown, then with probability a the item moves to state L, and with probability 1-a the item stays in state S. Finally, if an item is in state L, then it remains there with probability 1. The parameter x is assumed to vary as a function of the familiarity of the items in the list being studied. Thus, during the test sessions involving 24 familiar items, x will be larger than during the initial study sessions involving 12 items, many of which are presented for the first time.

From one presentation of an item to its next presentation, a transition can occur as described by the following matrix:

$$\begin{array}{c}
 \\
 \\
 \\
 \end{array}
 \begin{array}{ccc}
 & L & S & U \\
 \begin{array}{c} L \\ S \\ U \end{array} & \left[\begin{array}{ccc}
 1 & 0 & 0 \\
 0 & 1-f_t & f_t \\
 0 & 0 & 1
 \end{array} \right]
 \end{array}$$

The parameter, f_t , depends on the time interval between successive presentations of the same item. If a given item is in state S a time interval, t , between successive presentations may result in forgetting of the item (i.e., transition to state U) with probability f_t . Otherwise there is no change in state. For simplicity, we assume $f_t = 0$ for short time intervals within the range of a given training session. When the time interval is a day or greater, then we assume $f_t = 1$. In essence, no forgetting occurs from the short-term state within a given training session, but from one day to the next no information is retained in short-term store. Furthermore, the above transition matrices imply that L is an absorbing state; once an item enters state L it remains there. The model makes the additional assumption that at the start of the experiment an item is already known (state L) with probability p , or not known (state U) with probability $1-p$.

For this model, the difference between the M and D items on the second and third presentations is due to a difference in the probability that an item is in short-term memory (state S). The parameter a characterizes the probability of going from state S to state L. This parameter can operate only for the massed items, since it is impossible for a distributed item to be in state S when a reinforcement occurs. A distributed item could go into state S immediately after its presentation, but from one presentation to its next, it would have been forgotten. The probability of being correct on an item that is in state S is one; thus the massed curves should be higher for the second and third presentations.

The assumption that $f_t = 1$ when the time interval is a day or longer, means that short-term memory has been wiped out completely by the time the first test is given. Thus, superiority of the D items over the M items in the test data indicates differences in the number of items in state L. This in turn implies that the parameter b must be larger than the parameter a. If b were smaller than a, we would expect the M condition to do better than the D condition during both the training and test sessions, whereas if b were equal to a, we would expect a difference during the training sessions in favor of the M condition, but none in the test sessions.

Parameter estimates for the model were obtained by methods described in Atkinson and Crothers (1964). The values which yielded the best fit between observed and predicted proportions were:

$$p = .28$$

$$a = 0$$

$$b = .38$$

$$x \text{ (for training sessions)} = .45$$

$$x \text{ (for test sessions)} = .74$$

These estimates were consistent with the notion that b should be larger than a. The model proposed here is similar to Greeno's (1964) model for paired-associate learning in which he explicitly requires the parameter a to be zero. Our findings for this more complex task indicate that his theory and related research on paired-associate learning are relevant to the effect of repeated presentations of spelling items. Figure 3 presents the fit between the observed and predicted proportions using the

above parameter estimates. Inspection of this figure indicates that the model gave an adequate account of the results of the experiment.

To check the validity of these results, the same S's were run two weeks later using precisely the same procedure but with a new set of words. Figure 4 presents learning curves for this replication comparable to those presented in Fig. 3. Application of the model to this data yielded the following set of parameter estimates:

$$p = .32$$

$$a = 0$$

$$b = .33$$

$$x \text{ (for training sessions)} = .60$$

$$x \text{ (for test sessions)} = .72$$

Once again, the estimate of a is zero confirming our earlier result. Also, in general, performance is superior in the second experiment, suggesting that some form of learning-to-learn may be operating in this situation.

We have not carried out analyses that bear on some of the more detailed features of the model. In fact, in view of the stimulus material used, it seems unlikely that these features would be verified. What clearly needs to be done is to generalize the paired-associate model to take account of the linguistic constraints imposed by the spelling task. Some of our results and those of Knutson (1967) suggest guidelines for such a model but we are not prepared to be more

insert Fig. 4 about here

specific at this time. Hopefully such a model would provide a more definitive answer to the problem of optimizing the instructional sequence in spelling drills.




Figure 4. Observed and predicted values for the replication experiment.



ST. LOUIS
ST. LOUIS

ST. LOUIS
ST. LOUIS
ST. LOUIS

ST. LOUIS
ST. LOUIS
ST. LOUIS

References

1. Atkinson, R. C. Instruction in initial reading under computer control: The Stanford Project. J. Educ. Data Processing, 1967 in press.
2. Atkinson, R. C., and Crothers, E. J. A comparison of paired-associate learning models having different acquisition and retention axioms. J. Math. Psychol., 1964, 1, 285-315.
3. Calfee, R. and Atkinson, R. C. Paired-associate models and the effects of list length. J. Math. Psychol., 1965, 2, 254-265.
4. Fishman, Elizabeth. Massed vs. distributed practice in computerized spelling drills. Unpublished Master's Thesis, Stanford University, 1967.
5. Greene, H. A. The New Iowa Spelling Scale. Iowa City, Iowa: State University of Iowa, 1954.
6. Greeno, J. G. Paired-associate learning with massed and distributed repetition of items. J. Exp. Psychol., 1964, 67, 286-295.
7. Knutson, J. M. Spelling drills using a computer-assisted instructional system. Technical Report No. 112, Institute for Mathematical Studies in the Social Sciences, Stanford University, 1967.

References (cont.)

8. Suppes, P. The uses of computers in education. Scientific American, 1966, 215, 207-220.
9. Suppes, P., Jerman, M., and Groen, G. Arithmetic drills and review on a computer-based teletype. Technical Report No. 83, Institute for Mathematical Studies in the Social Sciences, 1965.

Footnotes

¹This research was supported by an Office of Education contract, No. OE5-10-050, and by a computing grant from the U. S. Public Health Service, Contract No. MH 06154.

²Now at the University of California, at Irvine.

The first part of the paper is devoted to a study of the
 properties of the function $f(x)$ defined by the equation

$$f(x) = \int_0^x f(t) dt + x^2$$
 It is shown that $f(x)$ is a polynomial of degree 2 and
 that its coefficients are determined by the initial conditions
 $f(0) = 0$ and $f'(0) = 1$.