Lawrence Berkeley National Laboratory

LBL Publications

Title

How to add a five-membered ring to polycyclic aromatic hydrocarbons (PAHs) — molecular mass growth of the 2-naphthyl radical (C 10 H 7) to benzindenes (C 13 H 10) as a case study

Permalink

https://escholarship.org/uc/item/2746s2rk

Journal

Physical Chemistry Chemical Physics, 21(30)

ISSN

1463-9076

Authors

Zhao, Long Prendergast, Matthew Kaiser, Ralf I <u>et al.</u>

Publication Date

2019-08-14

DOI

10.1039/c9cp02930c

Peer reviewed

How to Add a Five-Membered Ring to Polycyclic Aromatic Hydrocarbons (PAHs) – Molecular Mass Growth of the 2-Naphthyl Radical (C₁₀H₇) to Benzindenes (C₁₃H₁₀) as a Case Study

Long Zhao, Matthew Prendergast, Ralf. I. Kaiser* Department of Chemistry, University of Hawaii at Manoa, Honolulu, HI 96822, USA

Bo Xu, Utuq Ablikim, Wenchao Lu, Musahid Ahmed* Chemical Sciences Division, Lawrence Berkeley National Laboratory, Berkeley, CA 94720, USA

> Artem D. Oleinikov, Valeriy N. Azyazov Samara National Research University, Samara 443086, Russia

A. Hasan Howlader, Stanislaw F. Wnuk Department of Chemistry and Biochemistry, Florida International University, Miami, FL 33199, USA

Alexander M. Mebel* Department of Chemistry and Biochemistry, Florida International University, Miami, FL 33199, USA and Samara National Research University, Samara 443086, Russia

Phys. Chem. Chem. Phys. (submitted 2019)

ABSTRACT

The three-ring polycyclic aromatic hydrocarbons (PAHs) 3H-benz[e]indene (C₁₃H₁₀) and 1Hbenz[f]indene (C₁₃H₁₀) along with their naphthalene-based isomers 2-(prop-2-yn-1-yl)naphthalene $(C_{13}H_{10})$, 2-(prop-1-yn-1-yl)naphthalene $(C_{13}H_{10})$, and 2-(propa-1,2-dien-1-yl)naphthalene (C₁₃H₁₀) were formed through a "directed synthesis" via a high temperature chemical micro reactor under combustion-like conditions (1300 \pm 35 K) through the reactions of the 2-naphthyl isomer $(C_{10}H_7)$ with allene (C_3H_4) and methylacetylene (C_3H_4) . The isomer distributions were probed utilizing tunable vacuum ultraviolet radiation from the Advanced Light Source (ALS) by recording the photoionization efficiency curves at mass-to-charge of m/z = 166 (C₁₃H₁₀) and 167 (¹³CC₁₂H₁₀) of the products in a supersonic molecular beam. Complemented by electronic structure calculations, our study reveals critical mass growth processes via annulation of a five-membered ring from the reaction between any radicals and distinct C_3H_4 isomers at elevated temperatures as present in combustion processes and in circumstellar envelopes of carbon stars. The underlying reaction mechanisms proceed through the initial addition of the 2-naphthyl radical with its radical center to the π -electron density of the allene and methylacetylene reactants via entrance barriers between 8 and 14 kJ mol⁻¹, followed by isomerization (hydrogen shifts, ring closure), and termination via atomic hydrogen losses accompanied by aromatization. The reaction mechanisms reflect the formation of indene – the prototype PAH carrying a single five- and a single six-membered ring – synthesized through the reaction of the phenyl radical (C_6H_5) with allene and methylacetylene. This leads us to predict that aryl radicals – upon reaction with allene/methylacetylene – may undergo molecular mass growth processes via ring annulation and de-facto addition of a fivemembered ring to form molecular building blocks essential to transit planar PAHs out of the plane.

Table of contents entry



The reaction of aryl radicals with allene/methylacetylene leads to five-membered ring addition in PAH growth processes.

1. Introduction

Molecular beam experiments with crossed beams¹⁻⁵ and pyrolytic micro reactors⁶⁻⁹ critically aid in fundamental understanding of the formation mechanisms of polycyclic aromatic hydrocarbons (PAHs)¹⁰⁻²⁴ along with their methylated counterparts carrying up to four sixmembered rings. They have provided profound insight of complementary hydrogen abstraction acetylene addition (HACA)^{25, 26} and hydrogen abstraction – vinylacetylene addition (HAVA) pathways in combustion²⁷⁻²⁹ and extraterrestrial environments³⁰ (Schemes 1 and 2). These PAHs are synthesized through systematic ring annulation reactions starting with aromatic radicals like benzyl (C_7H_7), phenyl (C_6H_5), and naphthyl ($C_{10}H_7$) reacting with acetylene (C_2H_2 , HACA) and vinylacetylene (C₄H₄, HAVA) with the potential of vielding ultimately two-dimensional graphene-type nanostructures.³¹ The elementary reactions involving acetylene (HACA) involve significant entrance barriers ranging from 10 to 30 kJ mol⁻¹ and hence may only operate at elevated temperatures of up to a few 1,000 K such as in combustion flames^{25, 26, 32} and in circumstellar envelopes of carbon rich Asymptotic Giant Branch (AGB) stars like IRC+10216. However, most of the studied reactions of aromatic radicals with vinylacetylene (HAVA) have been found to be essentially barrierless. Overall these bimolecular reactions are characterized by the initial formation of a van-der-Waals complex, addition of the radical center to the terminal carbon atom of the vinyl (H₂C=CH-) moiety of vinylacetylene leading to resonantly stabilized free radical intermediates (RSFRs) on the doublet surface, and eventually form PAHs after isomerization via ring closure and hydrogen shift(s) terminated by atomic hydrogen loss and aromatization.^{27-29, 33} Therefore, in strong contrast to HACA, PAH growth via HAVA is rapid even at ultralow temperatures such as in cold molecular clouds like the Taurus Molecular Cloud-1 (TMC-1)³³ and also in hydrocarbon rich atmospheres of planets and their moons such as Saturn's satellite Titan²⁷ thus contradicting prior knowledge that high temperature environments are essential in the formation and growth of aromatic structures.³⁴

However, whereas a systematic understanding of the formation of two-dimensional PAHs carrying solely six-membered rings up to pyrene ($C_{16}H_{10}$) is beginning to emerge,²⁷ the most fundamental reaction mechanisms leading eventually to *three-dimensional nanostructures* and soot in combustion systems are still unknown.³⁴ This requires an intimate understanding of how the simplest building blocks – precursors to non-planar aromatic molecules - are generated in the gas phase. It is critical to point out that non-planar PAHs such as corannulene along with fullerenes

(Scheme 3) require five-membered rings as found in, for example, indene (C_9H_8) to transit planar PAHs out of the plane. The intimate knowledge of the elementary mechanisms to synthesize PAHs carrying five-membered ring(s) is therefore critical to our understanding of the early stage chemistry of how three-dimensional (bowl-shaped) nanostructures and ultimately soot particles are formed in high temperature extreme environments such as in combustion systems and also in the interstellar medium (ISM). Once again, molecular beam experiments along with electronic structure calculations have been instrumental in untangling the formation of the simplest prototype of a PAH carrying a single six- and five-membered ring: indene (C₉H₈) (Scheme 2). Here, the benzyl radical (C_7H_7) was found to react with acetylene (C_2H_2) yielding solely indene;³⁵ likewise, crossed molecular beams and high temperature chemical reactor studies provided evidence that the phenyl radical reacts with allene (C_3H_4) and methylacetylene (C_3H_4) forming indene (C_9H_8)⁹, ³⁶⁻³⁹ along with non-PAH isomers phenylallene (C₉H₈), 1-phenyl-1-propyne (C₉H₈), and 3-phenyl-1-propyne (C₉H₈). Supported by electronic structure calculations, the successful study of the elementary reaction of 1-naphthyl ($C_{10}H_7$) with acetylene (C_2H_2) provided the very first experimental evidence of a PAH carrying two six-membered and one five-membered rings: acenaphthylene (C₁₂H₈).⁴⁰ Overall, these studies revealed that elementary reactions of acetylene and allene/methylacetylene with aromatic radicals can 'add' a five-membered ring to an existing six-membered ring. However, the inherent elementary steps, energy flow processes, and reaction mechanisms to form more complex PAHs carrying five-membered rings via ring annulation of existing aromatic radicals leading to benzindene isomers (Scheme 4) at the molecular level are still elusive as detailed synthetic routes have not been investigated experimentally to date. A critical PAH carrying a five-membered ring – benzindene $(C_{13}H_{10})$ - has been detected in combustion flames of toluene⁴¹⁻⁴³ and benzene⁴⁴.

Although these isomers were probed in low pressure premixed toluene/oxygen/argon,^{41, 42} in atmospheric pressure ethylene,^{45, 46} and in benzene flames,⁴⁴ there is a paucity in the proposed reaction mechanisms. Those considered are suggested to involve unstudied multi step reactions of benzene (C_6H_6) or phenyl (C_6H_5) with the benzyl radical (C_7H_7) – after hydrogen abstractions - by closure of a new five-membered ring.^{42, 44} 3*H*-benz[*e*]indene is proposed to be synthesized from 1-methylnaphthalene involving hydrogen abstraction from the methyl group followed by acetylene reaction, isomerization, and hydrogen loss.^{44, 47-57} Here, we elucidate both experimentally and computationally the hitherto elusive pathways to three distinct isomers of benzindene ($C_{13}H_{10}$)

(Scheme 4). This is accomplished by exploring the chemistry of the elementary reactions of the 2naphthyl radical ($C_{10}H_7$), generated via pyrolysis of its 2-iodonaphthalene precursor, with two distinct C₃H₄ isomers - allene and methylacetylene – and probing the molecular mass growth processes via ring annulation to benzindenes along with its non-indene isomers 2-(prop-2-yn-1yl)naphthalene, 2-(prop-1-yn-1-yl)naphthalene, and 2-(propa-1,2-dien-1-yl)naphthalene. The products were detected isomer-specifically through fragment-free photoionization in a molecular beam via tunable vacuum ultraviolet (VUV) light in tandem with the detection of the ionized molecules in a reflectron time-of-flight mass spectrometer thus shedding light on the synthesis of distinct benzindene isomers under high temperature conditions relevant to combustion settings and circumstellar envelopes of carbon-rich stars. Note that naphthalene ($C_{10}H_8$) has been identified in sooting flames of non-aromatic hydrocarbon-based fuels methane (CH₄),⁵⁸ ethane (C₂H₆),⁵⁹ acetylene (C₂H₂),⁶⁰ propene (C₃H₆),⁶¹ *n*-butane (C₄H₁₀),⁶² 1,3-butadiene (C₄H₆),⁶³ as well as in aromatic fuels such as benzene (C_6H_6) ,^{41, 64} toluene (C_7H_8) ,^{41, 42, 65} styrene (C_8H_8) ,⁴¹ ethylbenzene (C_8H_{10}) ,^{41, 66} and in xylenes (C_8H_{10}) .^{41, 67, 68} Unimolecular decomposition of naphthalene $(C_{10}H_8)$ via hydrogen loss reaction or hydrogen atom abstraction from naphthalene by another radical can lead to the 2-naphthyl radical reactant ($C_{10}H_7$) in these high temperature environments.

2. Experimental

By studying the reactions of the 2-naphthyl radical ($C_{10}H_7$) with methylacetylene (CH₃CCH; Organic Technologies; 99%) and allene (H₂CCCH₂; Organic Technologies; 98%) under simulated combustion conditions, we deliver experimental and computational evidence of the growth of a five-membered ring connected to a naphthalene moiety. Here, a continuous beam of 2-naphthyl radicals ($C_{10}H_7$) was prepared in situ through pyrolysis of the 2-iodonaphthalene ($C_{10}H_7I$) precursor (Sigma Aldrich, 99%). In separate experiments, the precursor was seeded in pure helium (blank experiment) and in the methylacetylene as well as allene reactants at pressures of 300 Torr. Each gas mixture was then expanded into a resistively heated silicon carbide (SiC) tube ("pyrolytic reactor") held at 1275 ± 10 K (methylacetylene) and 1325 ± 10 K (allene). The hydrocarbon molecules introduced at typical pressures of 300 Torr do not only serve as a seeding gas, but also as reactants with the pyrolytically generated 2-naphthyl radicals. The products formed in the reactor were expanded supersonically, passed through a 2 mm diameter skimmer located 10 mm downstream of the pyrolytic reactor, and entered into the main chamber, which houses the Wiley– McLaren reflectron time-of-flight mass spectrometer (ReTOF-MS). The quasi-continuous tunable vacuum ultraviolet (VUV) light from the Advanced Light Source intercepted the neutral molecular beam perpendicularly in the extraction region of the Re-TOF-MS. VUV single photon ionization is essentially a fragment-free ionization technique and is compared soft to electron impact ionization.⁶⁹ The ions formed via photoionization are extracted and detected by a multichannel plate detector. Photoionization efficiency (PIE) curves, which report ion counts as a function of photon energy with a step interval of 0.05 eV at a well-defined mass-to-charge ratio (m/z), were produced by integrating the signal recorded at the specific m/z for the species of interest from 8.00 eV to 10.00 eV. PIE calibration curves for six helium-seeded C₁₃H₁₀ isomers were also collected (Figure 1), to identify the products of interest observed in this work. Synthesis and characterization of 3*H*-benz[*e*]indene **p2**, 2-(prop-1-yn-1-yl)naphthalene **p4**, 2-(propa-1,2-dien-1-yl)naphthalene **p5**, and 2-(prop-2-yn-1-yl)naphthalene **p6** are described in the Electronic Supplementary Information (ESI).

3. Computational

The calculation of the energies and molecular parameters of various intermediates and transition states for the reactions of 2-naphthyl with allene and methylacetylene occurring on the $C_{13}H_{11}$ potential energy surface (PES), as well as of the reactants and possible products were carried out at the G3(MP2,CC)//B3LYP/6-311G(d,p) level of theory. Within this theoretical scheme, geometries were optimized and vibrational frequencies were calculated using the density functional B3LYP method with the 6-311G(d,p) method. Then, single-point total energies were improved using a series of coupled clusters CCSD(T) and second-order Møller-Plesset perturbation theory MP2 calculations, and the final energy was computed as

 $E[G3(MP2,CC)] = E[CCSD(T)/6-311G(d,p)] + E[MP2/G3Large)] - E[MP2/6-311G(d,p)] + ZPE[B3LYP/6-311G(d,p)]^{70-72}$

The G3(MP2,CC) model chemistry approach normally provides chemical accuracy of 0.01-0.02 Å for bond lengths, $1-2^{\circ}$ for bond angles, and 3-6 kJ mol⁻¹ for relative energies of hydrocarbons, their radicals, reaction energies, and barrier heights in terms of average absolute deviations.⁷¹ The GAUSSIAN 09⁷³ and MOLPRO 2010⁷⁴ program packages were employed for the ab initio calculations. Phenomenological rate constants for the 2-naphthyl + C₃H₄ reactions at different temperatures and pressures were evaluated using the Rice-Ramsperger-Kassel-Marcus Master

Equation (RRKM-ME) theoretical approach as implemented in the MESS software package.^{75, 76} The Rigid-Rotor, Harmonic-Oscillator (RRHO) model was generally adopted for the calculations of densities of states and partition functions for local minima and numbers of states for transition states. For critical entrance transition states of the C₁₀H₇ plus C₃H₄ reactions, low-frequency normal modes corresponding to internal rotations were treated as one-dimensional hindered rotors in partition function calculations, where the corresponding vibrational frequencies were removed. Respective one-dimensional torsional potentials were calculated by scanning PESs at the B3LYP/6-311G(d,p) level of theory. Tunneling corrections using asymmetric Eckart potentials were included in rate constant calculations. We adopted collision parameters used by us earlier for RRKM-ME calculations of the prototype C_6H_5 plus C_3H_4 reactions.⁷⁷ In particular, the Lennard-Jones parameters were taken as $(\epsilon/cm^{-1}, \sigma/Å) = (390, 4.46)$ and the temperature dependence of the range parameter α for the deactivating wing of the energy transfer function was expressed as $\alpha(T) = \alpha_{300}(T/300 \text{ K})^n$, with n = 0.62 and α_{300} = 424 cm⁻¹. Calculations at very low pressures emulating the zero-pressure limit took into account radiational stabilization of C13H11 intermediates. Additional details of RRKM-ME calculations can be found in our previous publications⁷⁷ and in the input file for the MESS package given in the ESI.

4. Results & Discussion

4.1. Experiments

Figure 2 displays representative mass spectra recorded at a photoionization energy of 9.50 eV for the 2-naphthyl-helium, 2-naphthyl-allene, and 2-naphthyl-methylacetylene systems. In the reference system (Fig. 2a), ion counts can be seen at mass-to-charge (m/z) of 128, 129, 254, and 255. Signal at m/z = 254 and 255 can be linked to the molecular parent and the ¹³C counterpart of the 2-iodonaphthalene precursor ($C_{10}H_7I$, ¹³CC₉H₇I). The ion counts at m/z = 128 and 129 could be associated with molecules holding the molecular formulae $C_{10}H_8$ and ¹³CC₉H₈. Upon introducing allene and methylacetylene into the reactor, additional ion counts emerge in both systems at m/z = 142, 143, 152, 153, 166, and 167 (Figs 2b and c). Accounting for the molecular weight of the methylacetylene/allene reactants and the products, the $C_{13}H_{10}$ isomer(s) (166 amu) plus atomic hydrogen along with their ¹³C counterpart(s) are formed via the reaction of the 2-naphthyl radical (127 amu) plus allene/methylacetylene (40 amu). Signal at m/z = 142, 143, 152, 153, 166, $c_{11}H_{10}$, $c_{11}H_{10}$, m/z = 142, 143, 152, 153, 166, and 167 (Figs 2b and c). Accounting for the molecular weight of the methylacetylene/allene reactants and the products, the $C_{13}H_{10}$ isomer(s) (166 amu) plus atomic hydrogen along with their ¹³C counterpart(s) are formed via the reaction of the 2-naphthyl radical (127 amu) plus allene/methylacetylene (40 amu). Signal at m/z = 142, 143, 152, and 153 likely originates from C_9H_{10} , ¹³CC₈H₁₀, $C_{11}H_{10}$, and ¹³CC₁₀H₁₀, respectively.

Using PIE curves for m/z = 166, which is connected to the formation of C₁₃H₁₀ species, we now identify the structural isomer(s) synthesized in our reactor (Figure 3). These functions can be fit with a linear combination of established reference PIE curves for distinct C₁₃H₁₀ isomers (Figure 1). For the 2-naphthyl-allene (Fig. 3a) and 2-naphthyl-methylacetylene systems (Fig. 3c), the PIE curves at m/z = 166 can be both replicated with a linear combination of four reference curves of distinct $C_{13}H_{10}$ isomers. In case of the allene reactant, 3H-benz[e]indene ($22 \pm 5\%$), 1Hbenz[f]indene $(22 \pm 5\%)$, 2-(prop-2-yn-1-yl)naphthalene $(11 \pm 3\%)$ and 2-(prop-1,2-dien-1yl)naphthalene ($45 \pm 9\%$) are necessary to fit the experimental PIE curve with the contributions of the ion counts given in parentheses. The onset of 3H-benz[e]indene parent ion is experimentally calibrated to be 7.55 \pm 0.05 eV; this corresponds well with the experimentally derived PIE curve at m/z = 166 with an onset of 7.60 \pm 0.05 eV. On the other hand, for the methylacetylene reactant, contributions of 3*H*-benz[*e*]indene (5 \pm 1%), 1*H*-benz[*f*]indene (11 \pm 2%), 2-(pro-1-yn-1yl)naphthalene ($32 \pm 6\%$) and 2-(prop-1,2-dien-1-yl)naphthalene ($52 \pm 10\%$) are necessary. For both systems, ion counts at m/z = 167 (${}^{13}CC_{12}H_{10}$) represent the ${}^{13}C$ isotopologues of $C_{13}H_{10}$ since after scaling, the PIE graphs for m/z = 166 and 167 essentially overlap. It is important to highlight that in neither system, the 1*H*-benz[*e*]indene isomer was detected.

For completeness – and to provide additional information of the underlying reaction mechanism(s) – we also inspect the PIE curves at m/z = 142, 143, 152, and 153 (Figs. 4 and 5). The PIE curves at m/z = 142 can be reproduced nicely for both systems with the 2-methylnaphthalene (C₁₁H₁₀) molecule; this is indicative that a methyl radical recombined with the 2-naphthyl radical followed by third body stabilization (reaction (1)). The identification of 2-ethynylnaphthalene (C₁₂H₈) via its molecular parent ion at m/z = 152 and the ¹³C counterpart (¹³CC₁₁H₈) reveals two possible pathways: the recombination of 2-naphthyl with an ethynyl radical followed by a third body stabilization (reaction (2)) or reaction of 2-naphthyl with methylacetylene to the C₃H₄-branched naphthalene intermediate (C₁₃H₁₁) followed by methyl group loss (reaction (3)). Considering the allene reactant, the formation of 2-ethynylnaphthalene via an indirect reaction mechanism through addition to allene would require at least two successive hydrogen atom shifts in the allene moiety (4.2. Computations).

- (1) $C_{10}H_7 + CH_3 (+M) = C_{11}H_{10} (+M)$
- (2) $C_{10}H_7 + C_2H + (+M) = C_{12}H_8 (+M)$
- (3) $C_{10}H_7 + C_3H_4 = C_{12}H_8 + CH_3$

4.2. Computations

Our work reveals that the PAHs carrying five-member rings, 1H-benz[f]indene and 3H-benz[e]indene, along with their C₃H₃-branched naphthalene isomers, can be produced via the elementary reactions of 2-naphthyl with methylacetylene/allene. To extract the underlying reaction mechanisms and the experimental data are merged with electronic structure calculations on the potential energy surfaces (PESs) (Figure 6).

4.2.1. 2-Naphthyl - Methylacetylene

The computation reveals that the 2-naphthyl radical approaches the C1 or C2 atom of methylacetylene leading to the formation of two doublet radical intermediates [i1] and [i8] through entrance barriers of 10 and 14 kJ mol⁻¹, respectively. Passing over a barrier of 22 kJ mol⁻¹, [i1] isomerizes to its cis-trans isomer [i2], followed by a [1,2] hydrogen shift from the methyl group to the β carbon in the side chain, leading to the formation of [i9] followed by cis-trans isomerization to [i10]. The subsequent cyclization process of [i10] yields [i11], which depicts the carbon backbone of 1H-benz[f]indene; this reaction sequence is completed by a hydrogen atom elimination producing 1H-benz[f]indene (**p1**) through a tight exit transition state in an overall exoergic reaction (-153 kJ mol⁻¹, blue line). On the other hand, [i2] can isomerize via cyclization to [i3], ring opening to [i4] and cis-trans isomerization to [i8]. By passing over a barrier of 12 kJ mol⁻¹, intermediate [i8] may isomerize to [i5]; this intermediate undergoes a [1,4] hydrogen migration from the C1 carbon of the ring to the radical position of the side chain forming [i6]. A second [1,4] hydrogen shift from the methyl moiety of the side chain to the ortho carbon of the ring leads the isomerization of [i6] to [i7]. The CH_2 moiety in the side chain approaches the C2 of the naphthalene carbon skeleton forming intermediate [i13]; this species carries a three-member ring, and ring opens to [i14]. Alternatively, through a [1,4] hydrogen shift from the C3 of naphthyl to the C=C=C moiety, [i14] isomerizes to [i15], which undergoes cyclization step to the 1Hbenz[f]indene carbon backbones in [i17]. A final hydrogen atom loss from the C1 carbon atom in [i17] leads to the formation of 1*H*-benz[*f*]indene (**p1**) by overcoming a tight exit transition state located 18 kJ mol⁻¹ above the product 1*H*-benz[*f*]indene (**p1**, green line). On the other hand, a [1,4] hydrogen shift from C1 of the naphthyl moiety to the C=C=C backbone isomerizes [i14] to [i16] followed by ring closure to [i18]. The subsequent hydrogen emission from C1 at the five-member ring of **[i18]** yields 3H-benz[e]indene (**p2**, green line). Let us compare both routes (blue and green lines) leading to benzindene. First, 3H-benz[e]indene (**p2**) can only be produced through the

reaction sequence reactants \rightarrow ([i2] \rightarrow [i3] \rightarrow [i4] \rightarrow) [i8] \rightarrow [i5] \rightarrow [i6] \rightarrow [i7] \rightarrow [i13] \rightarrow [i14] \rightarrow [i16] \rightarrow [i18] \rightarrow p2 (green line). 1*H*-benz[*f*]indene can be produced via the reaction sequence reactants \rightarrow [i2] \rightarrow [i9] \rightarrow [i10] \rightarrow [i11] \rightarrow p1 or reactants \rightarrow ([i2] \rightarrow [i3] \rightarrow [i4] \rightarrow) [i8] \rightarrow [i5] \rightarrow [i6] \rightarrow [i7] \rightarrow [i13] \rightarrow [i14] \rightarrow [i15] \rightarrow [i17] \rightarrow p1 as indicated via the blue and green route, respectively. Considering the high energy transition state from [i2] to [i9] compared to [i2] to [i3], the formation of the 1*H*-benz[*f*]indene via the sequence reactants \rightarrow ([i2] \rightarrow [i3] \rightarrow [i4] \rightarrow) [i8] \rightarrow [i5] \rightarrow [i6] \rightarrow [i7] \rightarrow [i13] \rightarrow [i14] \rightarrow [i15] \rightarrow [i17] \rightarrow p1 (green pathway) should be preferred.

Except for 1*H*-benz[*f*]indene and 3*H*-benz[*e*]indene, 2-(prop-1-yn-1-yl)naphthalene (**p4**), and 2-(propa-1,2-dien-1-yl)naphthalene (**p5**) were also identified as products in 2-naphthyl – methylacetylene system. Based on the aforementioned discussion, the hydrogen loss in **[i2**] leads to the formation of 2-(prop-1-yn-1-yl)naphthalene and 2-(propa-1,2-dien-1-yl)naphthalene. Also, the [1,2] hydrogen shift in **[i2]** from the C1 to the C2 carbon of the side chain leads to **[i12]**, which may emit a hydrogen atom to generate 2-(prop-1-yn-1-yl)naphthalene (**p4**). However, the isomerization from **[i2**] to **[i12]** requires a significant barrier of 191 kJ mol⁻¹ making this pathway less competitive. Moreover, 2-(prop-1-yn-1-yl)naphthalene can also be produced by the hydrogen atom loss from **[i9]**; 2-(propa-1,2-dien-1-yl)naphthalene can be generated through atomic hydrogen elimination from **[i9]** and **[i10]**. Nevertheless, due to the relatively high barrier from **[i2]** to **[i12]**, these pathways are anticipated to be less competitive. To conclude, the products **p4** and **p5** are suggested to be produced mainly from the hydrogen loss process involving intermediate **[i2]**. Besides the C₁₃H₁₀ products, the C₁₂H₁₀ product (*m*/*z* = 152), identified as 2-ethynylnaphthalene **(p7)**, was a byproduct also observed experimentally. According to our PES calculation, it can be produced from the methyl-loss process from **[i8]** by overcoming a barrier of 143 kJ mol⁻¹.

4.2.2. 2-Naphthyl - Allene

In the 2-naphthyl – allene system, the approaching 2-naphthyl radical can add to the C1 and C2 carbons of allene leading to intermediates **[i14]** and **[i7]** by overcoming entrance barriers of 8 and 11 kJ mol⁻¹, respectively. 1*H*-benz[*f*]indene (**p1**) and 3*H*-benz[*e*]indene (**p2**) are produced, as discussed above, via the pathways color coded in green. The remaining products observed experimentally - 2-(propa-1,2-dien-1-yl)naphthalene (**p5**) and 2-(prop-2-yn-1-yl)naphthalene (**p6**) - are generated via a hydrogen loss from **[i14]** from C1 and C3 carbons on the side chain, respectively.

Note that upon formation of [i14], only two isomerization steps to [i17] and [i18] are necessary prior to the decomposition to the benzindene molecules 1*H*-benz[*f*]indene (**p1**) and 3*H*benz[e]indene (p2); four steps are required if [i7] is formed initially. On the other hand, the formation of benzindenes in the 2-naphthyl – methylacetylene system involves eight steps, among them intermediate [i14], which efficiently links both surfaces. Therefore, [i14] likely presents a common intermediate in the formation of the benzindene molecule(s) in the reactions of the 2naphthyl radical with both allene and methylacetylene. Considering that only two additional reaction steps are involved in the benzindene synthesis in the 2-naphthyl – allene system, but eight in the 2-naphthyl – methylacetylene reaction, benzindene(s) is/are preferentially formed in the reaction of 2-naphthyl radicals with allene as supported by the experimentally determined ion counts contributing to the PIE fits. Since the theoretically calculated yields of p2 and 1*H*benz[e]indene (**p3**) are very close to each other, a small photoionization cross section might explain the non-observation of the latter in both allene and methylacetylene systems. Note that the isomerization barrier of 2-naphthyl to 1-naphthyl is 251 kJ mol^{-1 78} and the rate constant for the isomerization process at 1300 K and the pressure range typical for the reactor is 4.0×10^3 s⁻¹ corresponding to the lifetime of 250 ms, which is longer than the time the molecular beam spends in the reaction zone.²⁸ For the isomerization of allene to methylacetylene, it is even slower: 1.04×10^2 s⁻¹ at 1300 K. Thus, under our experiment conditions, the isomerization processes from allene to methylacetylene and from 2-naphthyl to 1-naphthyl do not happen.

4.2.3. Reaction rate constants and product branching ratios

Figure 7 shows RRKM-ME total rate constants for the reactions of 2-naphthyl with methylacetylene and allene calculated at the high-pressure (HP) and zero-pressure limits and at finite pressures (panels (a) and (d), respectively) as well as rate constants for individual bimolecular product channels at 0.03 atm characteristic inside the micro reactor (panels (b) and (e)) and in the limit of zero pressure (panels (c) and (f)) – here the calculations were actually performed at $p = 10^{-10}$ and 10^{-15} atm, which gave nearly identical results just showing a convergence to a zero pressure. Both reactions are predicted to be relatively fast at elevated temperatures with the HP rate constants increasing from 2.1×10^{-13} to 4.1×10^{-11} cm³ molecule cm³ molecule⁻¹ for the methylacetylene reaction and from 1.8×10^{-13} to 3.8×10^{-11} cm³ molecule cm³ molecule⁻¹ for the allene reaction in the 500-2500 K temperature range, with the former reaction

being slightly slower than the latter. The rate constant dependence on pressure appears to be rather weak, as the fall-off behaviors begins to be observed around 800 K and at the highest considered temperature of 2500 K, the zero-pressure (and all finite-pressure) rate constants are factors of 1.6 and 2.3 lower than those at the HP limit for methylacetylene and allene, respectively. Earlier,⁷⁷ we reported RRKM-ME rate constants for the phenyl plus methylacetylene/propyne reactions, which are the prototype reactions for the growth of an extra five-member ring on a six-member ring. These rate constants are also shown for comparison in Figs. 7(a) and (d). For methylacetylene, the reaction with 2-naphthyl appears to be from a factor of 4.0 (500 K) to a factor of 2.1 (2500 K) faster than that with phenyl, whereas for allene the difference is somewhat larger, from a factor of 6.9 to 2.1 in the 500-2500 K temperature range. The difference is slightly beyond the expected accuracy for one-dimensional master equation treatment (a factor of 2) and can apparently be attributed to the fact that the entrance barriers for the 2-naphthyl + methylacetylene (10 and 14 kJ mol⁻¹) and 2-naphthyl + allene (8 and 11 kJ mol⁻¹) reactions are computed here to be a little lower than the corresponding barriers for phenyl + methylacetylene (14 and 26 kJ mol⁻¹) and phenyl + allene (11 and 15 kJ mol⁻¹). Since the differences in the barrier heights are within the expected accuracy of our G3(MP2,CC) approach, we can conclude that the rate constants for phenyl + C_3H_4 and 2-naphthyl + C_3H_4 are similar within the error bars of the present calculations. Hence, the rate constants for the prototype phenyl reactions can be used in kinetic modeling to describe a general reaction of PAH growth by a five-member ring via C_3H_4 addition to a radical site on a six-member ring, keeping in mind the rate constants may increase by factors 2-3 with the growth of the attacked aryl radical at the temperatures relevant to combustion.

The calculated rate constants for individual product channels and product branching ratios presented in Table S1 in ESI show a strong temperature and pressure dependence. At p = 0.03 atm characteristic for the micro reactor conditions, the three-ring products **p1**, **p2**, and **p3** are predicted to be preferably formed among bimolecular products in the reaction of 2-naphthyl with allene up to the temperature of 1200 K. In the meantime, at low temperatures, up to 1100 K, collisional stabilization of the C₁₃H₁₁ intermediates **[i14]** and **[i7]** is favored over the formation of the bimolecular products. Above 1200 K, the formation of the two-ring-side-chain products, especially **p6** (27-82%), followed by **p7** (10-11% to 5%) and **p5** (5-8%) takes over and represents most preferable reaction channels. Nevertheless, at 1300 K, which is the highest temperature in the micro reactor in the present work, the predicted relative yields of **p1**, **p2**, and **p3** – 16.5%, 9.4%,

and 9.3%, respectively, are still significant. Alternatively, the reaction of 2-naphthyl with methylacetylene is calculated to have a lower tendency to form the three-ring products. Here, the collisional stabilization of $C_{13}H_{11}$, mostly **[i1]**, dominates the reaction below 800 K and at higher temperatures the main product is **p4** (26-61%) followed by **p7** (12-31%) and **p5** (3-7%). The overall calculated yield of the three-ring products **p1-p3** is 0.77% at 1300 K and it further decreases with temperature. The RRKM-ME calculation results are in qualitative agreement with experiment except of the non-observation of **p3**, which is predicted to have a similar branching ratio to that of **p2**. In the meantime, a direct quantitative comparison between theory and experiment is not warranted for several reasons. First, the absolute photoionization cross sections of the product is not uniform and hence, the reaction takes place under different conditions as the molecules traverse the reactor. Third, there is sufficient time for secondary reactions to occur; in particular, the more thermodynamically favorable three-ring products can be produced via secondary H-assisted isomerization of **p4-p6** products similar to how indene can be formed via H-assisted isomerization of the primary *c*-C₆H₅-C₃H₃ ring-side-chain products of the C₆H₅ + C₃H₄ reaction.⁷⁷

Theoretical calculations allow us to predict how the reaction outcome would change under different pressures. For instance, while considering p = 1 atm typical for combustion, we find that the collisional stabilization of the $C_{13}H_{11}$ complexes prevails up to higher temperatures, 1300 and 1000 K for the allene and methylacetylene reactions, respectively. At higher temperatures, the formation of the two-ring-side-chain products is preferable (p6 followed by p5 and p7 for allene and **p4** followed by **p7** and **p5** for methylacetylene). At the typical combustion temperature of 1500 K, the calculated total yield of **p1-p3** is about 19% for allene and only ~0.2% for methylacetylene, with **p1** being somewhat more preferable product than **p2** and **p3**. The decrease of pressure, on the contrary, should increase the yield of the three-ring aromatic products, mostly because they are favored enthalpically and are disfavored entropically and the collisional stabilization of C13H11 becomes less and less probable as the pressure drops. In the limit of zeropressure, where only radiational stabilization of $C_{13}H_{11}$ is possible, the formation of **p1-p3** prevails in the 2-naphthyl + allene reaction in the temperature range of 300-1200 K and in the 2-naphthyl + methylacetylene reaction in the range of 300-500 K (Table S1). Although the reactions exhibits entrance barriers and are not realistic in molecular clouds at temperatures about 10 K, they would be feasible at the temperatures characteristic for circumstellar envelopes of carbon rich AGB stars,

with the rate constants being in the range of $1.9 \times 10^{-14} - 5.0 \times 10^{-12}$ (allene) and $1.6 \times 10^{-14} - 7.4 \times 10^{-12}$ (methylacetylene) cm³ molecule⁻¹ s⁻¹ at *T* = 300-1500 K. Since the formation of the three-ring aromatic products is favored at very low pressures, the reactions of 2-naphthyl with the C₃H₄ isomers may play a more important role in the PAH growth in circumstellar envelopes than in combustion on Earth.

It should be noted that in combustion systems, molecular mass growth processes are counterbalanced by degradation of PAH radicals by molecular oxygen as demonstrated in the phenyl – molecular oxygen system.⁷⁹⁻⁸¹ Here, anthracenyl and/or phenanthrenyl radical reactions with molecular oxygen could also lead via ring contraction of a six-membered ring to a five-membered ring forming benzindenes. In the combustion of coal, the amount of indene benzologues increased with the oxygen concentration. Wornat et al. stated that benz[*f*]indene could be formed via molecular oxygen addition to the 1- or 2-anthryl radical, followed by carbon monoxide elimination and hydrogen loss (Scheme 6).⁸² This oxy radical pathway could dominate above 900 K as analogous to the reaction of phenyl plus molecular oxygen.^{83, 84} Similarly, phenanthrenyl radicals can also lead to $C_{13}H_{10}$ isomers (Scheme 7). Moreover, Norinaga et al.^{85, 86} proposed the mechanism for benz[*f*]indene formation from pyrolysis of unsaturated light hydrocarbons, however, recent experiments in our laboratory could not support this conclusion.⁸⁷

5. Conclusion

Our combined experimental and computational studies revealed critical mass growth processes involving the addition of a five-membered ring to an aromatic aryl radical (2-naphthyl) leading to two distinct three-membered ring PAHs carrying two six- and one five-membered ring: 3H-benz[e]indene and 1H-benz[f]indene. The underlying reaction mechanisms involve the initial addition of the 2-naphthyl radical with its radical center to the π -electron density of the allene and methylacetylene reactants through entrance barriers between 8-11 and 10-14 kJ mol⁻¹, followed by extensive isomerization (hydrogen shifts, ring closure), and termination via atomic hydrogen losses accompanied by aromatization in overall exoergic reaction with both surfaces connected via intermediate **[i14]**. The reaction mechanisms essentially mirror the formation of the indene molecule (C₉H₈) in the phenyl-allene and phenyl-methylacetylene systems^{9, 88, 89} and suggest that the second aromatic ring in the 2-naphthyl radical acts as a spectator. These findings propose that if in a polycyclic aromatic hydrocarbon, hydrogen abstraction from a six-membered ring leads to

a PAH radical, this radical can react with allene or methylacetylene through ring annulation. Based on electronic structure calculations, Mebel et al.⁷⁷ et al. predicted that once PAHs carrying a fivemembered ring lose a hydrogen atom from the latter, the cyclopentadienyl radical moiety may react with a methyl radical (CH₃) through ring expansion leading eventually to a six-membered ring (Scheme 5). Therefore, the mass growth via the methylacetylene/allene reaction with aryl radicals leading first via ring annulation to a 5-membered ring followed by methyl radical induced ring expansion may represent a strong alternative to ring annulation of aryl radicals via HACA through reaction with two acetylene molecules in high temperature environments.

Acknowledgments

This work was supported by the US Department of Energy, Basic Energy Sciences DE-FG02-03ER15411 (experimental studies) and DE-FG02-04ER15570 (computational studies; synthesis of the C₁₃H₁₀ isomers) to the University of Hawaii (UH) and Florida International University (FIU), respectively. U.A., W.L., B.X., and M.A. are supported by the Director, Office of Science, Office of Basic Energy Sciences, of the U.S. Department of Energy under Contract No. DE-AC02-05CH11231, through the Gas Phase Chemical Physics program of the Chemical Sciences Division. The ALS is supported under the same contract. Ab initio and RRKM-ME calculations at Samara University were supported by the Ministry of Higher Education and Science of the Russian Federation under Grant No. 14.Y26.31.0020. A.D.O. also thanks the Ministry of Higher Education and Science of the Russian Federation for his Presidential Scholarship to stay at FIU in the Spring Semester 2019. A.H.H. acknowledges support from FIU for a Presidential Fellowship.

Author Contributions

R.I.K. designed the experiment; L.Z., M.P., B.X., U.A. and W.L. carried out the experimental measurements; M.A. supervised the experiment; L.Z. performed the data analysis; A.D.O., V.N.A. and A.M.M. carried out the theoretical analysis; A.H.H. and S.F.W. synthesized the compounds, A.M.M., and M.A. discussed the data; R.I.K., A.M.M. and L.Z. wrote the manuscript.

References

- 1. R. I. Kaiser, *Chem. Rev.*, 2002, **102**, 1309-1358.
- 2. R. I. Kaiser and N. Balucani, Acc. Chem. Res., 2001, 34, 699-706.
- 3. K. Liu, Annu. Rev. Phys. Chem., 2001, **52**, 139-164.
- 4. X. Yang and D. H. Zhang, Acc. Chem. Res., 2008, **41**, 981-989.
- 5. B. Joalland, Y. Shi, A. D. Estillore, A. Kamasah, A. M. Mebel and A. G. Suits, *J. Phys. Chem. A*, 2014, **118**, 9281-9295.
- 6. F. T. Zhang, R. I. Kaiser, A. Golan, M. Ahmed and N. Hansen, J. Phys. Chem. A, 2012, **116**, 3541-3546.
- 7. A. Golan, M. Ahmed, A. M. Mebel and R. I. Kaiser, *Phys. Chem. Chem. Phys.*, 2013, **15**, 341-347.
- 8. K. N. Urness, Q. Guan, A. Golan, J. W. Daily, M. R. Nimlos, J. F. Stanton, M. Ahmed and G. B. Ellison, *J. Chem. Phys.*, 2013, **139**, 124305.
- 9. F. Zhang, R. I. Kaiser, V. V. Kislov, A. M. Mebel, A. Golan and M. Ahmed, *J. Phys. Chem. Lett.*, 2011, **2**, 1731-1735.
- 10. A. G. G. M. Tielens, Annu. Rev. Astron. Astr., 2008, 46, 289-337.
- 11. A. G. G. M. Tielens, *Rev. Mod. Phys.*, 2013, **85**, 1021-1081.
- 12. A. G. G. M. Tielens and L. J. Allamandola, Cool Interstellar Physics and Chemistry, 2011.
- 13. A. G. G. M. Tielens, *EAS Publ. Ser.*, 2009, **35**, 33-56.
- 14. E. Peeters, L. J. Allamandola, D. M. Hudgins, S. Hony and A. G. G. M. Tielens, *Astron. Soc. Pac. Conf. Ser.*, 2004, **309**, 141-162.
- 15. A. G. G. M. Tielens and E. Peeters, *Springer Proc. Phys.*, 2004, **91**, 497-506.
- 16. L. J. Allamandola, EAS Publ. Ser., 2011, 46, 305-317.
- 17. L. J. Allamandola, ACS Symp. Ser., 2007, 981, 80-110.
- 18. L. Biennier, F. Salama, L. J. Allamandola, J. J. Scherer and A. O'Keefe, *NASA Conf. Publ.*, 2002, **2002-211863**, 113-116.
- 19. L. J. Allamandola and D. M. Hudgins, *NATO Sci. Ser.*, *II*, 2003, **120**, 251-316.
- 20. Y. Liu, M. Junaid, N. Hamid, C.-D. Chen and D.-S. Pei, *Am. J. Environ. Sci.*, 2018, **14**, 129-155.
- 21. O. Idowu, K. T. Semple, K. Ramadass, W. O'Connor, P. Hansbro and P. Thavamani, *Environ. Int.*, 2019, **123**, 543-557.
- 22. M. Oliveira, K. Slezakova, C. Delerue-Matos, M. C. Pereira and S. Morais, *Environ. Int.*, 2019, **124**, 180-204.
- 23. S. Gitipour, G. A. Sorial, S. Ghasemi and M. Bazyari, *Environ. Monit. Assess.*, 2018, **190**, 1-17.
- 24. A. M. Mebel, V. V. Kislov and R. I. Kaiser, J. Am. Chem. Soc., 2008, 130, 13618-13629.
- 25. M. Frenklach and H. Wang, Proc. Combust. Inst., 1991, 23, 1559-1566.
- 26. M. Frenklach and E. D. Feigelson, *Astrophys. J.*, 1989, **341**, 372-384.
- 27. L. Zhao, R. I. Kaiser, B. Xu, U. Ablikim, M. Ahmed, M. M. Evseev, E. K. Bashkirov, V. N. Azyazov and A. M. Mebel, *Nat. Astron.*, 2018, **2**, 973-979.
- 28. L. Zhao, R. I. Kaiser, B. Xu, U. Ablikim, M. Ahmed, M. V. Zagidullin, V. N. Azyazov, A. H. Howlader, S. F. Wnuk and A. M. Mebel, *J. Phys. Chem. Lett.*, 2018, **9**, 2620-2626.
- 29. L. Zhao, B. Xu, U. Ablikim, W. Lu, M. Ahmed, M. M. Evseev, E. K. Bashkirov, V. N. Azyazov, A. H. Howlader, S. F. Wnuk, A. M. Mebel and R. I. Kaiser, *ChemPhysChem*, 2019, **20**, 791-797.

- 30. A. M. Mebel, A. Landera and R. I. Kaiser, J. Phys. Chem. A, 2017, 121, 901-926.
- 31. L. Zhao, R. I. Kaiser, B. Xu, U. Ablikim, M. Ahmed, D. Joshi, G. Veber, F. R. Fischer and A. M. Mebel, *Nat. Astron.*, 2018, **2**, 413-419.
- 32. H. Wang and M. Frenklach, J. Phys. Chem., 1994, 98, 11465-11489.
- 33. D. S. Parker, F. Zhang, Y. S. Kim, R. I. Kaiser, A. Landera, V. V. Kislov, A. M. Mebel and A. Tielens, *Proc. Natl. Acad. Sci. U.S.A.*, 2012, **109**, 53-58.
- 34. A. E. Karataş and Ö. L. Gülder, *Prog. Energy Combust. Sci.*, 2012, **38**, 818-845.
- 35. D. S. Parker, R. I. Kaiser, O. Kostko and M. Ahmed, *ChemPhysChem*, 2015, **16**, 2091-2093.
- 36. T. Yang, D. S. N. Parker, B. B. Dangi, R. I. Kaiser and A. M. Mebel, *Phys. Chem. Chem. Phys.*, 2015, **17**, 10510-10519.
- 37. L. Vereecken, H. F. Bettinger and J. Peeters, *Phys. Chem. Chem. Phys.*, 2002, **4**, 2019-2027.
- 38. L. Vereecken, J. Peeters, H. F. Bettinger, R. I. Kaiser, P. v. R. Schleyer and H. F. Schaefer, III, *J. Am. Chem. Soc.*, 2002, **124**, 2781-2789.
- 39. D. D. S. Parker, D. F. Zhang, D. R. I. Kaiser, D. V. V. Kislov and D. A. M. Mebel, *Chemistry–An Asian Journal*, 2011, **6**, 3035-3047.
- 40. D. S. N. Parker, R. I. Kaiser, B. Bandyopadhyay, O. Kostko, T. P. Troy and M. Ahmed, *Angew. Chem. Int. Ed.*, 2015, **54**, 5421-5424.
- 41. Y. Li, L. Zhang, T. Yuan, K. Zhang, J. Yang, B. Yang, F. Qi and C. K. Law, *Combust. Flame*, 2010, **157**, 143-154.
- 42. T. Zhang, L. Zhang, X. Hong, K. Zhang, F. Qi, C. K. Law, T. Ye, P. Zhao and Y. Chen, *Combust. Flame*, 2009, **156**, 2071-2083.
- 43. W. Yuan, Y. Li, P. Dagaut, J. Yang and F. Qi, *Combust. Flame*, 2015, **162**, 3-21.
- 44. H. Richter, W. J. Grieco and J. B. Howard, Combust. Flame, 1999, 119, 1-22.
- 45. H. Richter, O. A. Mazyar, R. Sumathi, W. H. Green, J. B. Howard and J. W. Bozzelli, *J. Phys. Chem. A*, 2001, **105**, 1561-1573.
- 46. N. Olten and S. Senkan, *Combust. Flame*, 1999, **118**, 500-507.
- 47. A. Kitajima, T. Hatanaka, M. Takeuchi, H. Torikai and T. Miyadera, *Combust. Flame*, 2005, **142**, 72-88.
- 48. C. S. McEnally and L. D. Pfefferle, *Combust. Flame*, 2007, **148**, 210-222.
- 49. V. Kislov and A. Mebel, J. Phys. Chem. A, 2008, **112**, 700-716.
- 50. L. Vereecken and J. Peeters, *Phys. Chem. Chem. Phys.*, 2003, **5**, 2807-2817.
- 51. J. Bittner and J. Howard, Proc. Combust. Inst., 1981, 18, 1105-1116.
- 52. J. DeCoster, A. Ergut, Y. A. Levendis, H. Richter, J. B. Howard and J. B. Carlson, *Proc. Combust. Inst.*, 2007, **31**, 491-499.
- 53. F. Zhang, X. Gu and R. I. Kaiser, J. Chem. Phys., 2008, 128, 084315.
- 54. R. Sivaramakrishnan, R. S. Tranter and K. Brezinsky, *J. Phys. Chem. A*, 2006, **110**, 9400-9404.
- 55. M. Frenklach, D. W. Clary, W. C. Gardiner Jr and S. E. Stein, *Proc. Combust. Inst.*, 1988, **21**, 1067-1076.
- 56. M. Frenklach, T. Yuan and M. Ramachandra, *Energy Fuels*, 1988, **2**, 462-480.
- 57. V. Kislov and A. Mebel, J. Phys. Chem. A, 2007, **111**, 3922-3931.
- 58. T. R. Melton, A. M. Vincitore and S. M. Senkan, *Proc. Combust. Inst.*, 1998, **27**, 1631-1637.
- 59. T. R. Melton, F. Inal and S. M. Senkan, *Combust. Flame*, 2000, **121**, 671-678.

- 60. Y. Li, L. Zhang, Z. Tian, T. Yuan, K. Zhang, B. Yang and F. Qi, *Proc. Combust. Inst.*, 2009, **32**, 1293-1300.
- 61. M. Kamphus, M. Braun-Unkhoff and K. Kohse-Höinghaus, *Combust. Flame*, 2008, **152**, 28-59.
- 62. N. M. Marinov, W. J. Pitz, C. K. Westbrook, A. M. Vincitore, M. J. Castaldi, S. M. Senkan and C. F. Melius, *Combust. Flame*, 1998, **114**, 192-213.
- 63. J. J. Newby, J. A. Stearns, C.-P. Liu and T. S. Zwier, *J. Phys. Chem. A*, 2007, **111**, 10914-10927.
- 64. B. Yang, Y. Li, L. Wei, C. Huang, J. Wang, Z. Tian, R. Yang, L. Sheng, Y. Zhang and F. Qi, *Proc. Combust. Inst.*, 2007, **31**, 555-563.
- 65. Y. Li, L. Zhang, Z. Tian, T. Yuan, J. Wang, B. Yang and F. Qi, *Energy Fuels*, 2009, 23, 1473-1485.
- 66. G. da Silva and J. W. Bozzelli, J. Phys. Chem. A, 2009, 113, 6979-6986.
- 67. D. H. Kim, J. A. Mulholland, D. Wang and A. Violi, *J. Phys. Chem. A*, 2010, **114**, 12411-12416.
- 68. A. Lamprecht, B. Atakan and K. Kohse-Höinghaus, *Proc. Combust. Inst.*, 2000, **28**, 1817-1824.
- 69. F. Qi, Proc. Combust. Inst., 2013, 34, 33-63.
- 70. L. A. Curtiss, K. Raghavachari, P. C. Redfern, V. Rassolov and J. A. Pople, *J. Chem. Phys.*, 1998, **109**, 7764-7776.
- 71. L. A. Curtiss, K. Raghavachari, P. C. Redfern, A. G. Baboul and J. A. Pople, *Chem. Phys. Lett.*, 1999, **314**, 101-107.
- 72. A. G. Baboul, L. A. Curtiss, P. C. Redfern and K. Raghavachari, *J. Chem. Phys.*, 1999, **110**, 7650-7657.
- M. J. Frisch, G. W. Trucks, H. B. Schlegel, G. E. Scuseria, M. A. Robb, J. R. Cheeseman, G. Scalmani, V. Barone, B. Mennucci, G. A. Petersson, H. Nakatsuji, M. Caricato, X. Li, H. P. Hratchian, A. F. Izmaylov, J. Bloino, G. Zheng, J. L. Sonnenberg, M. Hada, M. Ehara, K. Toyota, R. Fukuda, J. Hasegawa, M. Ishida, T. Nakajima, Y. Honda, O. Kitao, H. Nakai, T. Vreven, J. A. Montgomery, Jr., J. E. Peralta, F. Ogliaro, M. Bearpark, J. J. Heyd, E. Brothers, K. N. Kudin, V. N. Staroverov, T. Keith, R. Kobayashi, J. Normand, K. Raghavachari, A. Rendell, J. C. Burant, S. S. Iyengar, J. Tomasi, M. Cossi, N. Rega, J. M. Millam, M. Klene, J. E. Knox, J. B. Cross, V. Bakken, C. Adamo, J. Jaramillo, R. Gomperts, R. E. Stratmann, O. Yazyev, A. J. Austin, R. Cammi, C. Pomelli, J. W. Ochterski, R. L. Martin, K. Morokuma, V. G. Zakrzewski, G. A. Voth, P. Salvador, J. J. Dannenberg, S. Dapprich, A. D. Daniels, O. Farkas, J. B. Foresman, J. V. Ortiz, J. Cioslowski and D. J. Fox, Gaussian 09, revision A.02, (Gaussian Inc., CT), 2009.
- H. J. Werner, P. J. Knowles, G. Knizia, F. R. Manby, M. Schütz, P. Celani, W. Györffy, D. Kats, T. Korona, R. Lindh, A. Mitrushenkov, G. Rauhut, K. R. Shamasundar, T. B. Adler, R. D. Amos, A. Bernhardsson, A. Berning, D. L. Cooper, M. J. O. Deegan, A. J. Dobbyn, F. Eckert, E. Goll, C. Hampel, A. Hesselmann, G. Hetzer, T. Hrenar, G. Jansen, C. Köppl, Y. Liu, A. W. Lloyd, R. A. Mata, A. J. May, S. J. McNicholas, W. Meyer, M. E. Mura, A. Nicklaß, D. P. O'Neill, P. Palmieri, D. Peng, K. Pflüger, R. Pitzer, M. Reiher, T. Shiozaki, H. Stoll, A. J. Stone, R. Tarroni, T. Thorsteinsson and M. Wang, MOLPRO, version 2010.1, http://www.molpro.net, (University College Cardiff Consultants Ltd, United Kingdom), 2010.

- 75. Y. Georgievskii, J. A. Miller, M. P. Burke and S. J. Klippenstein, *J. Phys. Chem. A*, 2013, **117**, 12146-12154.
- 76. Y. Georgievskii and S. J. Klippenstein, *MESS Program Package*, <u>http://tcg.cse.anl.gov/papr</u>, 2015.
- 77. A. M. Mebel, Y. Georgievskii, A. W. Jasper and S. J. Klippenstein, *Faraday Discuss.*, 2016, **195**, 637-670.
- 78. A. M. Mebel, Y. Georgievskii, A. W. Jasper and S. J. Klippenstein, *Proc. Combust. Inst.*, 2017, **36**, 919-926.
- 79. D. S. Parker, R. I. Kaiser, T. P. Troy, O. Kostko, M. Ahmed and A. M. Mebel, *J. Phys. Chem. A*, 2014, **119**, 7145-7154.
- 80. X. Gu, F. Zhang and R. I. Kaiser, Chem. Phys. Lett., 2007, 448, 7-10.
- 81. D. S. Parker, F. Zhang and R. I. Kaiser, J. Phys. Chem. A, 2011, 115, 11515-11518.
- M. J. Wornat, C. J. Mikolajczak, B. A. Vernaglia and M. A. Kalish, *Energy Fuels*, 1999, 13, 1092-1096.
- 83. I. V. Tokmakov, G.-S. Kim, V. V. Kislov, A. M. Mebel and M. C. Lin, *J. Phys. Chem. A*, 2005, **109**, 6114-6127.
- 84. N. Sebbar, H. Bockhorn and J. Bozzelli, Int. J. Chem. Kinet., 2008, 40, 583-604.
- K. Norinaga, O. Deutschmann, N. Saegusa and J.-i. Hayashi, J. Anal. Appl. Pyrolysis, 2009, 86, 148-160.
- 86. G. Badger, S. Jolad and T. Spotswood, Aust. J. Chem., 1966, 19, 95-105.
- L. Zhao, M. B. Prendergast, R. I. Kaiser, B. Xu, W. Lu, U. Ablikim, M. Ahmed, A. D. Oleinikov, V. N. Azyazov, A. M. Mebel, A. H. Howlader and S. F. Wnuk, *ChemPhysChem*, 2019, doi:10.1002/cphc.201900052.
- 88. R. Kaiser, L. Vereecken, J. Peeters, H. Bettinger, P. v. R. Schleyer and H. Schaefer, A & A, 2003, **406**, 385-392.
- 89. X. Gu and R. I. Kaiser, Acc. Chem. Res., 2008, 42, 290-302.



Scheme 1: Prototype polycyclic aromatic hydrocarbon naphthalene together with (di)methyl substituted counterparts formed in the reactions of phenyl-type radicals (phenyl, tolyl).



Scheme 2: Experimentally verified possible mass growth processes to bi- and tricyclic PAHs via the hydrogen abstraction – acetylene addition (HACA) (black) and the barrier-less hydrogen abstraction – vinylacetylene addition (HAVA) pathways (blue). Note that biphenyl is formed via hydrogen abstraction – phenyl addition.



Scheme 3: The role of fluorene and benzindene backbones (black) as building blocks of corannulene (left) and fullerenes (center, right).



Scheme 4: Proposed stepwise formation of prototype tricyclic PAHs carrying a single five-membered ring. In combustion flames, naphthyl radicals are generated via unimolecular decomposition of or via hydrogen abstraction from naphthalene.



Figure 1. PIE calibration curves for distinct $C_{13}H_{10}$ isomers: 1*H*-benz[*f*]indene (**p1**; 7.75 ± 0.05 eV), 3*H*-benz[*e*]indene (**p2**; 7.55 ± 0.05 eV), 1*H*-benz[*e*]indene (**p3**; 7.45 ± 0.05 eV), 2-(prop-1-yn-1-yl)naphthalene (**p4**; 7.85 ± 0.05 eV), 2-(propa-1,2-dien-1-yl)naphthalene (**p5**; 7.75 ± 0.05 eV) and 2-(prop-2-yn-1-yl)naphthalene (**p6**; 8.00 ± 0.05 eV). The values in the parenthesis indicates the ionization energies. The overall error bars (grey area) consist of two parts: ±10% based on the accuracy of the photodiode and a 1 σ error of the PIE curve averaged over the individual scans.



Figure 2. Comparison of photoionization mass spectra recorded at a photon energy of 9.50 eV and various reactor temperatures. (a) 2-iodonaphthalene ($C_{10}H_7I$) - helium (He) system at 1275 K; (b) 2-iodonaphthalene ($C_{10}H_7I$) - allene (C_3H_4) system at 1325 K; and (c) 2-iodonaphthalene ($C_{10}H_7I$) - methylacetylene (C_3H_4) system at 1275 K. The mass peaks of the newly formed $C_{13}H_{10}$ (m/z = 166) species along with the ¹³C-counterparts (m/z = 167) are highlighted in red.



Figure 3. Photoionization efficiency (PIE) curves for reaction systems of (a) and (b): 2-naphthyl ($C_{10}H_7$) + allene (C_3H_4); (c) and (d): 2-naphthyl ($C_{10}H_7$) + methylacetylene (C_3H_4). Black: experimentally derived PIE curves; colored lines (green, blue, purple and dark yellow): reference PIE curves; red lines: overall fit. The overall error bars consist of two parts: ±10% based on the accuracy of the photodiode and a 1 σ error of the PIE curve averaged over the individual scans.



Figure 4. Photoionization efficiency (PIE) curves in the reaction of 2-naphthyl ($C_{10}H_7$) and allene (C_3H_4) along with the experimental errors (gray area) and the reference PIE curves (red lines). In the high temperature condition, methyl (CH₃) is produced in the pyrolysis process, reacting with 2-naphthyl radical to produce 2-methylnaphthalene (m/z = 142). Moreover, 2-methylnaphthalene will loss a hydrogen atom to yield a radical with the resonantly-stabilized structure (m/z = 141). Acetylene is also one of major small products formed in the pyrolysis. It can add to 2-naphthyl radical followed by H-loss to form 2-ethynylnaphthalene (m/z = 152). Besides, 2-ethynylnaphthalene can also be produced from the CH₃-loss from intermediate **[i8]** by overcoming a barrier of 143 kJ mol⁻¹. Product at m/z = 165 may be the H-loss product from 1*H*-benz[*f*]indene and 3*H*-benz[*e*]indene. It is also a resonantly-stabilized species. Species at m/z = 254 and 255 are the precursor and the ¹³C counterparts.



Figure 5. Photoionization efficiency (PIE) curves in the reaction of 2-naphthyl ($C_{10}H_7$) and methylacetylene (C_3H_4) along with the experimental errors (gray area) and the reference PIE curves (red lines). In the high temperature condition, methyl (CH_3) is produced in the pyrolysis process, reacting with 2-naphthyl radical to produce 2-methylnaphthalene (m/z = 142). Due to the low production at m/z = 142, the PIE curve is relatively worse compared with that in 2-naphthyl – allene system. Acetylene is one of major small products formed in the pyrolysis. It can add to 2-naphthyl radical followed by H-loss to form 2-ethynylnaphthalene (m/z = 152). Besides, 2-ethynylnaphthalene can also be produced from the CH_3 -loss from intermediate **[i8]** by overcoming a barrier of 143 kJ mol⁻¹. Product at m/z = 165 may be the H-loss products from 1*H*-benz[*f*]indene and 3*H*-benz[*e*]indene. It is also a resonantly-stabilized species. Species at m/z = 254 and 255 are the precursor and the ¹³C counterpart.



Figure 6. Potential energy surface (PES) for the 2-naphthyl ($C_{10}H_7$) reaction with allene/methylacetylene (C_3H_4). This PES was calculated at the G3(MP2,CC)//B3LYP/6-311G(d,p) level of theory for the channels leading to 1*H*-benz[*f*]indene (**p1**), 3*H*-benz[*e*]indene (**p2**), 1*H*-benz[*e*]indene (**p3**), 2-(prop-1-yn-1-yl)naphthalene (**p4**), 2-(propa-1,2-dien-1-yl)naphthalene (**p5**), 2-(prop-2-yn-1-yl)naphthalene (**p6**) and 2-ethynyl-naphthalene (**p7**). The relative energies are given in kJ mol⁻¹. Blue and green lines indicate two alternative pathways leading to the formation of benzindene molecules (**p1** and **p2**) observed in the present work.



Figure 7. Calculated total and individual rate constants for the 2-naphthyl + C_3H_4 reactions: a. total rate constants for 2-naphthyl + allene at different pressures, total rate constants for the phenyl + allene reaction (Ref. 77) are shown for comparison; b. and c. rate constants for various bimolecular product channels of the 2-naphthyl + allene reaction at 0.03 atm and at zero pressure limit, respectively; d. total rate constants for 2-naphthyl + methylacetylene at different pressures, total rate constants for the phenyl + methylacetylene reaction (Ref. 77) are shown for comparison; e. and f. rate constants for various bimolecular product channels of the 2-naphthyl + methylacetylene reaction at 0.03 atm and at zero pressure limit, respectively. Note that the blue (**p2**) and green (**p3**) curves merge at panels b. and c.



Scheme 5. Conversion of indene to naphthalene via H-loss and the reaction with methyl radical (CH₃).



Scheme 6. Formation of 1H-benz[f]indene from 1-anthryl radical via the reaction with O₂, CO loss and hydrogen addition processes.



Scheme 7. Formation of PAHs carrying a five-member ring from phenanthrenyl radicals via the reaction with O₂, CO loss and hydrogen addition processes.

How to Add a Five-Membered Ring to Polycyclic Aromatic Hydrocarbons (PAHs) – Molecular Mass Growth of the 2-Naphthyl Radical (C₁₀H₇) to Benzindenes (C₁₃H₁₀) as a Case Study

Long Zhao, Matthew Prendergast, Ralf. I. Kaiser* Department of Chemistry, University of Hawaii at Manoa, Honolulu, HI 96822, USA

Bo Xu, Utuq Ablikim, Wenchao Lu, Musahid Ahmed* Chemical Sciences Division, Lawrence Berkeley National Laboratory, Berkeley, CA 94720, USA

> Artem D. Oleinikov, Valeriy N. Azyazov Samara National Research University, Samara 443086, Russia

A. Hasan Howlader, Stanislaw F. Wnuk Department of Chemistry and Biochemistry, Florida International University, Miami, FL 33199, USA

Alexander M. Mebel* Department of Chemistry and Biochemistry, Florida International University, Miami, FL 33199, USA and Samara National Research University, Samara 443086, Russia

ELECTRONIC SUPPLEMENTARY INFORMATION
<i>Т</i> , К	methyl- acetylene	p1	p2	р3	p4	р5	рб	р7	i1	i7	i14	i17	i18	3-ring total	2-ring total	stabilization
300	0.00%	0.01%	0.01%	0.01%	0.00%	0.00%	0.00%	0.00%	0.00%	17.85%	81.34%	0.23%	0.46%	0.03%	0.00%	99.88%
400	0.00%	0.12%	0.16%	0.16%	0.00%	0.00%	0.00%	0.00%	0.00%	36.48%	60.49%	0.86%	1.72%	0.43%	0.00%	99.56%
500	0.00%	0.83%	0.90%	0.88%	0.00%	0.01%	0.01%	0.00%	0.00%	61.78%	30.98%	2.40%	2.22%	2.61%	0.02%	97.37%
600	0.00%	2.62%	2.26%	2.23%	0.00%	0.03%	0.06%	0.00%	0.00%	78.79%	9.95%	2.17%	1.89%	7.11%	0.09%	92.80%
700	0.00%	4.75%	3.45%	3.39%	0.01%	0.09%	0.22%	0.02%	0.02%	83.75%	2.29%	1.19%	0.80%	11.59%	0.34%	88.05%
800	0.04%	6.50%	4.23%	4.16%	0.10%	0.22%	0.69%	0.18%	0.04%	82.67%	0.48%	0.43%	0.22%	14.90%	1.20%	83.85%
900	0.18%	8.28%	5.09%	5.00%	0.37%	0.54%	1.97%	0.82%	0.06%	77.49%		0.12%	0.05%	18.37%	3.70%	77.72%
1000	0.55%	10.74%	6.41%	6.29%	0.91%	1.20%	4.89%	2.38%	0.09%	66.50%		0.03%	0.01%	23.43%	9.38%	66.64%
1100	1.15%	13.68%	8.01%	7.85%	1.58%	2.25%	10.22%	4.92%	0.11%	50.22%		0.01%	0.00%	29.54%	18.96%	50.35%
1200	1.84%	15.94%	9.20%	9.02%	2.11%	3.58%	17.92%	7.74%		32.62%				34.16%	31.36%	32.62%
1300	2.38%	16.53%	9.44%	9.25%	2.23%	4.93%	26.97%	9.88%		18.38%				35.22%	44.01%	18.38%
1400	2.68%	15.53%	8.77%	8.59%	2.03%	6.08%	36.14%	10.92%		9.23%				32.89%	55.18%	9.23%
1500	2.78%	13.60%	7.61%	7.45%	1.69%	6.95%	44.60%	11.05%		4.26%				28.67%	64.28%	4.26%
1600	2.81%	11.81%	6.57%	6.42%	1.44%	7.65%	52.40%	10.91%						24.80%	72.39%	
1700	2.65%	9.51%	5.24%	5.12%	1.07%	8.00%	58.40%	10.01%						19.87%	77.48%	
1800	2.49%	7.64%	4.18%	4.08%	0.80%	8.22%	63.46%	9.12%						15.90%	81.61%	
1900	2.33%	6.15%	3.34%	3.27%	0.61%	8.34%	67.68%	8.29%						12.75%	84.92%	
2000	2.17%	4.97%	2.69%	2.62%	0.47%	8.38%	71.17%	7.53%						10.28%	87.55%	
2100	2.02%	4.04%	2.18%	2.13%	0.37%	8.38%	74.05%	6.84%						8.35%	89.63%	
2200	1.88%	3.32%	1.78%	1.74%	0.29%	8.33%	76.44%	6.22%						6.83%	91.29%	
2300	1.75%	2.74%	1.47%	1.43%	0.24%	8.26%	78.44%	5.67%						5.64%	92.61%	
2400	1.63%	2.29%	1.22%	1.19%	0.19%	8.18%	80.12%	5.18%						4.70%	93.67%	
2500	1.51%	1.93%	1.03%	1.00%	0.16%	8.09%	81.53%	4.75%						3.95%	94.53%	

Table S1. Calculated product branching ratios of the 2-naphthyl + C_3H_4 reactions at various pressures and temperatures.

(a) 2-naphthyl + allene, 0.03 atm.

(b) 2-naphthyl + allene, 1 atm.

<i>Т</i> , К	methyl-	p1	p2	p3	p4	p5	p6	p7	i1	i7	i14	i17	i18	3-ring	2-ring	stabilization
200	acetylene	0.000/	0.000/	0.000/	0.000/	0.000/	0.000/	0.000/	0.000/	11 6 40/	00.220/	0.000/	0.000/	total	total	00.07%
300	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	11.64%	88.33%	0.00%	0.00%	0.00%	0.00%	99.97%
400	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	17.07%	82.80%	0.03%	0.05%	0.00%	0.00%	99.94%
500	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	23.52%	75.84%	0.18%	0.00%	0.01%	0.00%	99.55%
600	0.00%	0.05%	0.06%	0.06%	0.00%	0.01%	0.02%	0.00%	0.00%	33.98%	63.70%	0.85%	1.14%	0.18%	0.02%	99.67%
700	0.00%	0.35%	0.39%	0.39%	0.00%	0.04%	0.11%	0.00%	0.00%	49.54%	44.63%	2.02%	2.27%	1.13%	0.16%	98.46%
800	0.00%	1.31%	1.25%	1.23%	0.00%	0.14%	0.45%	0.00%	0.00%	64.68%	24.94%	3.05%	2.92%	3.79%	0.60%	95.59%
900	0.00%	3.01%	2.43%	2.39%	0.01%	0.33%	1.26%	0.03%	0.01%	73.75%	11.70%	2.83%	2.24%	7.83%	1.62%	90.53%
1000	0.03%	4.86%	3.41%	3.35%	0.03%	0.63%	2.78%	0.13%	0.02%	76.61%	5.00%	1.90%	1.23%	11.63%	3.57%	84.76%
1100	0.10%	6.41%	4.09%	4.01%	0.10%	1.10%	5.36%	0.44%	0.03%	76.60%		1.10%	0.63%	14.51%	6.98%	78.36%
1200	0.27%	7.41%	4.45%	4.36%	0.21%	1.76%	9.46%	1.15%	0.08%	70.10%		0.50%	0.24%	16.22%	12.58%	70.93%
1300	0.58%	8.17%	4.73%	4.64%	0.41%	2.67%	15.53%	2.38%		60.52%		0.23%	0.10%	17.54%	20.99%	60.85%
1400	1.00%	8.78%	4.95%	4.84%	0.58%	3.79%	23.64%	3.97%		48.40%				18.57%	31.97%	48.40%
1500	1.43%	8.84%	4.93%	4.83%	0.69%	4.99%	33.12%	5.56%		35.56%				18.60%	44.35%	35.56%
1600	1.78%	8.45%	4.67%	4.57%	0.72%	6.10%	42.84%	6.79%		23.99%				17.69%	56.44%	23.99%
1700	2.02%	7.67%	4.22%	4.12%	0.68%	6.98%	51.74%	7.49%		15.02%				16.01%	66.89%	15.02%
1800	2.12%	6.70%	3.66%	3.57%	0.61%	7.60%	59.21%	7.69%		8.79%				13.93%	75.11%	8.79%
1900	2.33%	6.20%	3.37%	3.29%	0.62%	8.33%	67.55%	8.30%						12.86%	84.82%	0.00%
2000	2.17%	4.99%	2.70%	2.64%	0.48%	8.38%	71.10%	7.54%						10.33%	87.50%	0.00%
2100	2.02%	4.05%	2.18%	2.13%	0.37%	8.37%	74.02%	6.84%						8.37%	89.61%	0.00%
2200	1.88%	3.32%	1.78%	1.74%	0.30%	8.33%	76.43%	6.22%						6.84%	91.28%	0.00%
2300	1.75%	2.75%	1.47%	1.43%	0.24%	8.26%	78.43%	5.67%						5.65%	92.61%	0.00%
2400	1.63%	2.29%	1.22%	1.19%	0.19%	8.18%	80.11%	5.18%						4.70%	93.67%	0.00%
2500	1.51%	1.93%	1.03%	1.00%	0.16%	8.09%	81.53%	4.75%						3.96%	94.53%	0.00%

<i>Т</i> , К	methyl- acetylene	p1	p2	р3	р4	р5	р6	р7	i1	i7	i14	i17	i18	3-ring total	2-ring total	stabilization
300	0.00%	27.84%	21.71%	21.37%	0.54%	0.06%	0.00%	0.22%		28.25%				70.92%	0.82%	28.25%
400	0.04%	36.17%	26.24%	25.97%	1.93%	0.22%	0.01%	0.92%		8.48%				88.39%	3.08%	8.48%
500	0.20%	38.21%	26.67%	26.35%	4.15%	0.50%	0.08%	2.31%		1.52%				91.23%	7.05%	1.52%
600	0.56%	37.54%	25.24%	24.90%	6.34%	0.86%	0.35%	4.21%						87.68%	11.76%	0.00%
700	1.09%	36.09%	23.46%	23.11%	7.64%	1.25%	1.08%	6.28%						82.66%	16.26%	0.00%
800	1.67%	34.50%	21.77%	21.42%	7.92%	1.73%	2.68%	8.31%						77.69%	20.64%	0.00%
900	2.20%	32.61%	20.06%	19.72%	7.41%	2.33%	5.53%	10.15%						72.38%	25.42%	0.00%
1000	2.62%	30.25%	18.21%	17.89%	6.46%	3.08%	9.87%	11.61%						66.35%	31.03%	0.00%
1100	2.91%	27.42%	16.20%	15.90%	5.36%	3.94%	15.70%	12.59%						59.51%	37.58%	0.00%
1200	3.06%	24.21%	14.07%	13.80%	4.27%	4.85%	22.71%	13.03%						52.08%	44.86%	0.00%
1300	3.10%	20.82%	11.94%	11.70%	3.31%	5.74%	30.42%	12.96%						44.46%	52.43%	0.00%
1400	3.06%	17.50%	9.91%	9.71%	2.51%	6.53%	38.27%	12.50%						37.12%	59.82%	0.00%
1500	2.95%	14.43%	8.09%	7.92%	1.89%	7.18%	45.77%	11.78%						30.44%	66.61%	0.00%
1600	2.81%	11.74%	6.52%	6.38%	1.41%	7.67%	52.55%	10.92%						24.64%	72.55%	0.00%
1700	2.66%	9.48%	5.22%	5.10%	1.06%	8.01%	58.47%	10.01%						19.80%	77.55%	0.00%
1800	2.49%	7.62%	4.17%	4.08%	0.80%	8.23%	63.49%	9.12%						15.87%	81.64%	0.00%
1900	2.33%	6.14%	3.34%	3.26%	0.61%	8.34%	67.69%	8.29%						12.74%	84.93%	0.00%
2000	2.17%	4.97%	2.69%	2.62%	0.47%	8.38%	71.17%	7.53%						10.28%	87.56%	0.00%
2100	2.02%	4.04%	2.18%	2.12%	0.37%	8.38%	74.05%	6.84%						8.34%	89.64%	0.00%
2200	1.88%	3.32%	1.78%	1.74%	0.29%	8.33%	76.44%	6.22%						6.83%	91.29%	0.00%
2300	1.75%	2.74%	1.47%	1.43%	0.24%	8.26%	78.44%	5.67%						5.64%	92.61%	0.00%
2400	1.63%	2.29%	1.22%	1.19%	0.19%	8.18%	80.12%	5.18%						4.70%	93.67%	0.00%
2500	1.51%	1.93%	1.03%	1.00%	0.16%	8.09%	81.53%	4.75%						3.95%	94.53%	0.00%

(c) 2-naphthyl + allene, zero-pressure limit.

<i>Т</i> , К	allene	p1	p2	р3	p4	р5	р6	р7	i1	i5	i7	i8	i17	i18	3-ring total	2-ring total	stabilization
300	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	96.67%		0.00%	3.33%	0.00%	0.00%	0.00%	0.00%	100.00%
400	0.00%	0.00%	0.00%	0.00%	0.01%	0.00%	0.00%	0.00%	94.04%		0.05%	5.89%	0.00%	0.00%	0.00%	0.02%	99.98%
500	0.00%	0.00%	0.00%	0.00%	0.23%	0.02%	0.00%	0.09%	90.93%		0.37%	8.36%	0.31%	0.68%	0.00%	0.35%	100.00%
600	0.00%	0.00%	0.00%	0.00%	2.17%	0.23%	0.00%	0.97%	84.98%		1.52%	9.83%			0.00%	3.38%	96.33%
700	0.00%	0.01%	0.00%	0.00%	10.17%	1.10%	0.00%	4.63%	69.86%		5.19%	9.02%			0.02%	15.90%	84.07%
800	0.01%	0.04%	0.02%	0.03%	25.78%	2.81%	0.01%	11.66%	44.62%	6.28%	8.73%				0.08%	40.25%	59.62%
900	0.05%	0.11%	0.07%	0.08%	42.11%	4.64%	0.03%	18.79%	21.32%	3.35%	9.41%				0.26%	65.57%	34.08%
1000	0.16%	0.24%	0.14%	0.15%	52.96%	5.90%	0.10%	23.32%	9.48%		7.51%				0.53%	82.29%	16.99%
1100	0.35%	0.35%	0.20%	0.22%	58.62%	6.61%	0.21%	25.45%	3.24%		4.74%				0.77%	90.89%	7.98%
1200	0.55%	0.39%	0.22%	0.25%	61.87%	7.06%	0.33%	26.59%			2.73%				0.86%	95.85%	2.73%
1300	0.70%	0.35%	0.19%	0.23%	62.81%	7.24%	0.39%	26.84%			1.25%				0.77%	97.28%	1.25%
1400	0.77%	0.27%	0.14%	0.18%	63.31%	7.35%	0.41%	27.03%			0.53%				0.60%	98.10%	0.53%
1500	0.78%	0.20%	0.10%	0.14%	63.52%	7.42%	0.38%	27.24%			0.22%				0.44%	98.57%	0.22%
1600	0.78%	0.16%	0.07%	0.12%	63.56%	7.47%	0.35%	27.49%							0.35%	98.87%	0.00%
1700	0.73%	0.10%	0.04%	0.09%	63.48%	7.50%	0.29%	27.76%							0.24%	99.03%	0.00%
1800	0.69%	0.07%	0.03%	0.07%	63.32%	7.52%	0.24%	28.06%							0.17%	99.14%	0.00%
1900	0.65%	0.05%	0.02%	0.06%	63.12%	7.53%	0.20%	28.38%							0.13%	99.22%	0.00%
2000	0.61%	0.04%	0.01%	0.05%	62.88%	7.53%	0.17%	28.72%							0.10%	99.29%	0.00%
2100	0.57%	0.03%	0.01%	0.04%	62.61%	7.53%	0.14%	29.07%							0.08%	99.34%	0.00%
2200	0.54%	0.03%	0.00%	0.04%	62.32%	7.53%	0.11%	29.43%							0.07%	99.39%	0.00%
2300	0.51%	0.02%	0.00%	0.03%	62.01%	7.52%	0.09%	29.80%							0.06%	99.43%	0.00%
2400	0.48%	0.02%	0.00%	0.03%	61.69%	7.50%	0.08%	30.20%							0.05%	99.46%	0.00%
2500	0.46%	0.02%	0.00%	0.03%	61.34%	7.48%	0.06%	30.61%							0.04%	99.50%	0.00%

(d) 2-naphthyl + methylacetylene, 0.03 atm.

<i>T</i> , K	allene	p1	p2	p3	p4	p5	p6	р7	i1	i5	i7	i8	i17	i18	3-ring	2-ring	stabilization
200	0.000/	0.000/	0.000/	0.000/	0.000/	0.000/	0.000/	0.000/	06 700/		0.000/	2 200/			total	total	100.000/
300	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	90.70%		0.00%	5.50%			0.00%	0.00%	100.00%
400	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	94.19%		0.00%	5.81%			0.00%	0.00%	100.00%
500	0.00%	0.00%	0.00%	0.00%	0.01%	0.00%	0.00%	0.00%	91.72%		0.01%	8.25%			0.00%	0.01%	99.99%
600	0.00%	0.00%	0.00%	0.00%	0.09%	0.01%	0.00%	0.04%	89.36%		0.06%	10.43%			0.00%	0.14%	99.85%
700	0.00%	0.00%	0.00%	0.00%	0.71%	0.08%	0.00%	0.35%	86.51%		0.28%	12.05%			0.00%	1.14%	98.85%
800	0.00%	0.00%	0.00%	0.00%	3.61%	0.40%	0.00%	1.76%	80.81%	12.48%	0.90%				0.00%	5.77%	94.20%
900	0.00%	0.00%	0.00%	0.00%	11.63%	1.29%	0.00%	5.45%	68.43%	11.16%	1.99%				0.00%	18.37%	81.58%
1000	0.01%	0.01%	0.00%	0.01%	24.98%	2.80%	0.00%	11.24%	49.47%	8.41%	3.00%				0.01%	39.02%	60.88%
1100	0.03%	0.02%	0.01%	0.01%	39.26%	4.43%	0.02%	17.16%	30.21%	5.35%	3.39%				0.04%	60.87%	38.95%
1200	0.09%	0.04%	0.02%	0.03%	50.27%	5.72%	0.05%	21.81%	18.61%		3.25%				0.08%	77.85%	21.86%
1300	0.20%	0.06%	0.03%	0.05%	62.52%	7.15%	0.10%	26.60%			3.18%				0.14%	96.37%	3.18%
1400	0.33%	0.08%	0.03%	0.06%	63.14%	7.29%	0.16%	26.84%			2.00%				0.17%	97.43%	2.00%
1500	0.45%	0.08%	0.03%	0.07%	63.46%	7.38%	0.20%	27.11%			1.20%				0.18%	98.15%	1.20%
1600	0.54%	0.07%	0.03%	0.07%	63.52%	7.44%	0.22%	27.40%			0.69%				0.17%	98.58%	0.69%
1700	0.59%	0.06%	0.02%	0.06%	63.46%	7.48%	0.22%	27.71%			0.38%				0.15%	98.87%	0.38%
1800	0.61%	0.06%	0.02%	0.06%	63.31%	7.51%	0.20%	28.03%			0.20%				0.14%	99.05%	0.20%
1900	0.65%	0.05%	0.02%	0.06%	63.12%	7.53%	0.20%	28.38%							0.13%	99.22%	0.00%
2000	0.61%	0.04%	0.01%	0.05%	62.88%	7.53%	0.17%	28.72%							0.10%	99.29%	0.00%
2100	0.57%	0.03%	0.01%	0.04%	62.61%	7.53%	0.14%	29.07%							0.08%	99.34%	0.00%
2200	0.54%	0.03%	0.00%	0.04%	62.32%	7.53%	0.11%	29.43%							0.07%	99.39%	0.00%
2300	0.51%	0.02%	0.00%	0.03%	62.01%	7.52%	0.09%	29.80%							0.06%	99.43%	0.00%
2400	0.48%	0.02%	0.00%	0.03%	61.69%	7.50%	0.08%	30.20%							0.05%	99.46%	0.00%
2500	0.46%	0.02%	0.00%	0.03%	61.34%	7.48%	0.06%	30.61%							0.04%	99.50%	0.00%

(e) 2-naphthyl + methylacetylene, 1 atm.

<i>Т</i> , К	allene	p1	p2	р3	р4	р5	р6	р7	i1	i5	i7	i8	i17	i18	3-ring total	2-ring total	stabilization
300	0.00%	23.64%	18.07%	17.17%	3.40%	0.34%	0.00%	1.15%			35.86%	0.02%			58.88%	4.90%	35.88%
400	0.01%	30.21%	22.05%	21.83%	10.15%	1.05%	0.01%	3.94%			10.72%				74.10%	15.15%	10.72%
500	0.04%	27.16%	19.17%	18.95%	21.34%	2.25%	0.04%	9.08%			1.99%				65.28%	32.69%	1.99%
600	0.11%	20.06%	13.71%	13.54%	33.69%	3.60%	0.10%	15.18%							47.31%	52.57%	0.00%
700	0.24%	13.15%	8.73%	8.62%	43.91%	4.77%	0.19%	20.38%							30.50%	69.26%	0.00%
800	0.41%	8.17%	5.27%	5.21%	51.13%	5.64%	0.31%	23.85%							18.66%	80.93%	0.00%
900	0.58%	4.94%	3.11%	3.08%	55.87%	6.24%	0.41%	25.76%							11.13%	88.29%	0.00%
1000	0.72%	2.96%	1.81%	1.81%	58.94%	6.66%	0.49%	26.61%							6.58%	92.70%	0.00%
1100	0.82%	1.76%	1.05%	1.07%	60.91%	6.94%	0.53%	26.90%							3.89%	95.29%	0.00%
1200	0.87%	1.05%	0.61%	0.64%	62.17%	7.14%	0.54%	26.98%							2.31%	96.82%	0.00%
1300	0.88%	0.63%	0.36%	0.39%	62.93%	7.28%	0.51%	27.02%							1.38%	97.74%	0.00%
1400	0.86%	0.39%	0.21%	0.25%	63.36%	7.37%	0.46%	27.11%							0.84%	98.30%	0.00%
1500	0.82%	0.24%	0.12%	0.17%	63.54%	7.43%	0.40%	27.27%							0.53%	98.65%	0.00%
1600	0.78%	0.16%	0.07%	0.12%	63.56%	7.47%	0.35%	27.49%							0.35%	98.87%	0.00%
1700	0.73%	0.10%	0.04%	0.09%	63.48%	7.50%	0.29%	27.76%							0.24%	99.03%	0.00%
1800	0.69%	0.07%	0.03%	0.07%	63.32%	7.52%	0.24%	28.06%							0.17%	99.14%	0.00%
1900	0.65%	0.05%	0.02%	0.06%	63.12%	7.53%	0.20%	28.38%							0.13%	99.22%	0.00%
2000	0.61%	0.04%	0.01%	0.05%	62.88%	7.53%	0.17%	28.72%							0.10%	99.29%	0.00%
2100	0.57%	0.03%	0.01%	0.04%	62.61%	7.53%	0.14%	29.07%							0.08%	99.34%	0.00%
2200	0.54%	0.03%	0.00%	0.04%	62.32%	7.53%	0.11%	29.43%							0.07%	99.39%	0.00%
2300	0.51%	0.02%	0.00%	0.03%	62.01%	7.52%	0.09%	29.80%							0.06%	99.43%	0.00%
2400	0.48%	0.02%	0.00%	0.03%	61.69%	7.50%	0.08%	30.20%							0.05%	99.46%	0.00%
2500	0.46%	0.02%	0.00%	0.03%	61.34%	7.48%	0.06%	30.61%							0.04%	99.50%	0.00%

(f) 2-naphthyl + methylacetylene, zero-pressure limit.

Synthesis of C13H10 isomers

General information

¹H (400 MHz) and ¹³C (100.6 MHz) NMR spectra were recorded at ambient temperature in solution of CDCl₃. Reaction progress was monitored by TLC on Merck Kieselgel 60-F254 sheets with product detection by 254 nm light. Products were purified by column chromatography using Merck Kiselgel 60 (230-400 mesh). Reagent grade chemicals were used and solvents were dried by reflux and distillation from CaH₂ under N₂ unless otherwise specified.

Synthesis of 3H-benz[e]indene p2

The 3*H*-benz[a]indene^{1,2} **p2** was synthesized by NaBH₄ reduction of commercially available 2,3dihydro-1*H*-cyclopenta[a]naphthalene-1-one (Scheme 1) and β -elimination of the resulted secondary alcohol **A** with aqueous HCl.



Scheme 1. Synthesis of 3*H*-cyclopenta[a]naphthalene p2.

2,3-dihydro-1H-cyclopenta[a]naphthalene; A.

NaBH₄ (98 mg, 2.58 mmol) was added portion wise to a stirred solution of commercially available 2,3-dihydro-1*H*-cyclopenta[a]naphthalene-1-one (470 mg, 2.58 mmol) in dry MeOH/THF (2;1) at 0 °C (ice-bath). After 5 min, the reaction mixture was allowed to warm to ambient temperature and stirring was continued for 1 h. Water (1 mL) was then added to quench the reaction. The mixture was concentrated under reduced pressure and extracted with EtOAc. The organic phase was separated, dried over anhydrous Na₂SO₄, filtered, and evaporated. The residue was column chromatographed (EtOAc in hexane 10-20%) to give 2,3-dihydro-1*H*-cyclopenta[a]naphthalene **A** (465 mg, 98%) as a white solid: ¹H NMR δ 1.80 (s, 1H), 2.15-2.23 (m, 1H), 2.56-2.65 (m, 1H), 2.95-3.02 (m, 1H), 3.26-3.34 (m, 1H), 5.79 (d, *J* = 4.8 Hz, 1H), 7.40 (d, *J* = 8.4 Hz, 1H), 7.44-7.48 (m, 1H), 7.52-7.56 (m, 1H), 7.79 (d, *J* = 8.4 Hz, 1H), 7.88 (d, *J* = 8.4 Hz, 1H), 7.16 (d, *J* = 8.0 Hz, 1H); ¹³C NMR δ 31.06, 35.48, 75.97, 123.52, 124.02, 125.29, 126.73, 128.66, 129.61, 130.32, 133.19, 139.29, 141.78.

3H-benz[e]indene; p2.

The secondary alcohol **A** (440 mg, 2.39 mmol) was dissolved in THF/H₂O (20 mL, 1:1). Aqueous 1N HCl (6.0 mL, 6 mmol) was then added and the reaction mixture was refluxed at 105 $^{\circ}$ C for 6 h. After removing THF, the reaction mixture was transferred to a separatory funnel and extracted with EtOAc. The organic phase was separated, dried over anhydrous Na₂SO₄, filtered,

and evaporated at reduced pressure. The residue was column chromatographed (*n*-hexane) to give 3*H*-benz[a]indene **p2** (240 mg, 61%) as a white solid: ¹H NMR δ 3.59 (s, 2H), 6.77 (d, J = 5.6 Hz, 1H), 7.46-7.56 (m, 3H), 7.66 (d, J = 8.0 Hz, 1H), 7.72 (d, J = 8.4 Hz, 1H), 7.92 (d, J = 8.4 Hz, 1H), 8.15 (d, J = 8.4 Hz, 1H); ¹³C NMR δ 40.51, 122.57, 123.95, 124.89, 125.02, 125.70, 127.99, 128.50, 129.70, 132.74, 134.40, 141.12, 141.38.

Synthesis of 2-(prop-1-yn-1-yl)naphthalene p4

The 2-(prop-1-yn-1-yl)naphthalene **p4** was synthesized by Sonogashira coupling between 2bromonaphthalene and TMS-acetylene (**Scheme 2**) followed by desilylation. The resulted 2ethynylnaphthalene **C** was converted to alkynide with BuLi and methylated with MeI yielding 2-(prop-1-yn-1-yl)naphthalene **p4**.³



Scheme 2. Synthesis of 2-(prop-1-yn-1-yl)naphthalene p4.

Trimethyl(naphthalen-2-ylethynyl)silane; B.

Pd(PPh₃)₂Cl₂ (35.1 mg, 0.05 mmol) and Cu(I)I (19.1 mg, 0.1mmol) were added to anhydrous THF (10 mL) and anhydrous Et₃N (1.5 mL, 1090 mg, 10.7 mmol) placed in flame-dried round bottom flask equipped with a stir bar. Then 2-bromonaphthalene (1035 mg, 5.0 mmol) was added followed by TMS-acetylene (832 µL, 575 mg, 5.85 mmol). The resulting mixture was stirred at 50 °C for 5 h [progress of the reaction was monitored by TLC (hexane)]. The reaction mixture was then diluted with hexane and filtered through a short pad of silica. Volatiles were the residue was column chromatographed (n-hexane) evaporated and to give trimethyl(naphthalen-2-ylethynyl)silane **B** (500 mg, 45%) as a light yellow solid: ¹H NMR δ 0.29 (s, 9H), 7.46-7.52 (m, 3H), 7.75-7.78 (m, 3H), 8.00 (s, 1H); 13 C NMR δ 0.17, 94.69, 105.62, 120.61, 126.65, 126.87, 127.89, 127.94, 128.00, 128.74, 132.15, 133.05, 133.07.

2-Ethynylnaphthalene; C.

Anhydrous K₂CO₃ (300 mg, 2.2 mmol) was added to a stirred solution of **B** (480 mg, 2.14 mmol) in 10 mL MeOH at room temperature. After for 30 min, volatiles were evaporated and the residue was column chromatographed (*n*-hexane) to give **C** (300 mg, 92%) as a light yellow solid: ¹H NMR δ 3.15 (s, 1H), 7.49-7.55 (m, 3H), 7.78-7.84 (m, 3H), 8.04 (s, 1H); ¹³C NMR δ 77.53, 84.17, 119.56, 126.76, 127.05, 127.92, 127.93, 128.17, 128.70, 132.46, 133.00, 133.21.

2-(Prop-1-yn-1-yl)naphthalene; p4.

A stirring solution of terminal alkyne C (204 mg, 1.34 mmol) in dry THF (10 mL) was cooled to -40 °C and *n*-BuLi (1.6 M/hexane, 1.70 mL, 2.72 mmol) was added. After 1 h, iodomethane (176 μ L, 400 mg, 2.82 mmol) was added dropwise at -40 °C and stirred for 1 h at room temperature. The mixture was poured into a saturated aqueous solution of NH₄Cl and extracted with Et₂O. The organic phase was separated, dried over anhydrous Na₂SO₄, filtered, and evaporated at reduced pressure. The residue was column chromatographed (*n*-hexane) to give 2-(Prop-1-yn-1-yl)naphthalene **p4** (160 mg, 74%) as a gummy solid: ¹H NMR δ 2.12 (s, 2H), 7.45-7.51 (m, 3H), 7.76-7.82 (m, 3H), 7.93 (s, 1H); ¹³C NMR δ 4.54, 80.25, 86.34, 121.54, 126.38, 126.48, 127.72, 127.82, 127.96, 128.80, 131.14, 132.63, 133.22.

Synthesis of 2-(propa-1,2-dien-1-yl)naphthalene p5 and 2-(prop-2-yn-1-yl)naphthalene p6

The 2-(propa-1,2-dien-1-yl)naphthalene **p5** and 2-(prop-2-yn-1-yl)naphthalene **p6** were synthesized from the commercially available 2-bromomethylnaphthalene by modifying reported protocols.^{4,5} Thus, treatment of trimethylsilylacetylene with MeMgBr generate alkynide which was reacted with 2-bromomethylnaphthalene (**Scheme 1**) in presence of CuBr to give **D**. Then treatment of **D** with TBAF in THF at rt gave expected product **p5**. On the other hand, treatment of **D** with AgNO₃/NaCN in EtOH/H₂O at rt gave expected isomeric product **p6**.



Sheme 3. Synthesis of 2-(propa-1,2-dien-1-yl)naphthalene **p5** and 2-(prop-2-yn-1-yl)naphthalene **p6**.

Trimethyl(3-(naphthalene-yl)prop-1-yn-yl)silane; D.

To a stirred solution of trimethylsilylacetylene (1.4 mL, 966.0 mg, 10.0 mmol) in dry THF (5 mL) was added dropwise MeMgBr (3 M/Et₂O, 3.4 mL, 10.0 mmol) at 0 °C under N₂. The stirring was continued for 30 min at 0 °C and another 30 min at room temperature. Then CuBr (212.2 mg, 1.5 mmol) was added and stirring was continued for 30 min. Next, 2-bromomethylnaphthalene was added and the resulting mixture was refluxed (80 °C, oil bath) for 5 h. After being cooled to room temperature, the mixture was poured into a saturated aqueous solution of NH₄Cl and extracted with Et₂O. The organic phase was separated, dried over anhydrous Na₂SO₄, filtered,

and evaporated at reduced pressure. The residue was column chromatographed (*n*-hexane) to give trimethyl(3-(naphthalene-yl)prop-1-yn-1-yl)silane **D** (530 mg, 89%) as a white solid: ¹H NMR δ 0.22 (s, 9H), 3.82 (s, 2H), 7.45-7.50 (m, 3H), 7.80-7.84 (m, 4H); ¹³C NMR δ 0.30, 26.54, 87.36, 104.38, 125.65, 125.75, 126.31, 126.41, 126.50, 126.63, 127.81, 132.47, 133.63, 133.98.

2-(Propa-1,2-dien-1-yl)naphthalene; p5.

The trimethylsilane product **D** (160 mg, 0.67 mmol) was dissolved in THF (5 mL) under N₂. A solution of tetra-*n*-butylammonium fluoride (TBAF) in THF (1 M/THF, 810 µL, 0.81 mmol) was added dropwise and stirring was continued for 30 min at room temperature. During this time, the reaction mixture turned to deep pink color. The mixture was poured into a saturated aqueous solution of NH₄Cl and extracted with Et₂O. The organic phase was separated, dried over anhydrous Na₂SO₄, filtered, and evaporated at reduced pressure. The residue was column chromatographed (*n*-hexane) to give 2-(propa-1,2-dien-1-yl)naphthalene **p5** (106 mg, 95%) as a white solid: ¹H NMR δ 5.23 (d, *J* = 6.8 Hz, 2H), 6.35 (t, *J* = 6.8 Hz, 1H), 7.41-7.52 (m, 3H), 7.67 (s, 1H), 7.77-7.81 (m, 3H); ¹³C NMR δ 79.25, 94.45, 124.71, 124.83, 125.49, 125.60, 126.31, 127.84, 128.42, 131.55, 132.74, 133.82, 210.48.

2-(Prop-2-yn-1-yl)naphthalene; p6.

A stirred solution of trimethylsilane product **D** (190 mg, 0.80 mmol) in EtOH (4 mL) was treated with AgNO₃ (0.35 M, 3.5 mL, 1.23 mmol) in EtOH/H₂O (2.3:1). The resulting mixture was covered with aluminum foil and stirred for 2 h at room temperature (a white solid was precipitated during this time). An aqueous solution of NaCN (7.6 M, 1 mL, 7.6 mmol) was then added and stirring was continued until the disappearance of white precipitate. The reaction mixture extracted with Et₂O. The organic phase was separated, dried over anhydrous Na₂SO₄, filtered, and evaporated at reduced pressure. The residue was column chromatographed (*n*hexane) to give 2-(prop-2-yn-1-yl)naphthalene **p6** (110 mg, 83%) as a white solid: ¹H NMR δ 2.26 (t, *J* = 2.4 Hz, 1H), 3.78 (d, *J* = 2.0 Hz, 2H), 7.44-7.50 (m, 3H), 7.81-7.84 (m, 4H); ¹³C NMR δ 25.51, 70.90, 82.03, 125.74, 126.28, 126.36, 126.51, 127.74, 127.81, 128.33, 128.42, 132.50, 133.65.



Figure S1. ¹H NMR and ¹³C NMR spectra of compound **A** in CDCl₃.



Figure S2. ¹H NMR and ¹³C NMR spectra of compound **p2** in CDCl₃.



Figure S3. ¹H NMR and ¹³C NMR spectra of compound **B** in CDCl₃.



Figure S4. ¹H NMR and ¹³C NMR spectra of compound C in CDCl₃.



Figure S5. ¹H NMR and ¹³C NMR spectra of compound **p4** in CDCl₃.



Figure S6. ¹H NMR and ¹³C NMR spectra of compound **D** in CDCl₃.



Figure S7. ¹H NMR and ¹³C NMR spectra of compound **p5** in CDCl₃.



Figure S8. ¹H NMR and ¹³C NMR spectra of compound **p6** in CDCl₃.

Input file for RRKM-ME calculations using the MESS package

300 400 500 600 700 800 900 1000 TemperatureList[K] 1100 1200 1300 1400 1500 1600 1700 1800 1900 2000 2100 2200 2300 2400 2500 PressureList[atm] 0.03 0.1 1.10.100. EnergyStepOverTemperature 0.2 #Ratio of discretization energy step to T ExcessEnergyOverTemperature 150 ModelEnergyLimit[kcal/mol] 1000 10 WellCutoff 0.2 ChemicalEigenvalueMax ChemicalEigenvalueMin 1.e-6 #only for direct diagonalization method CalculationMethod direct EigenvalueOutput eigenvalue.out 0 !EigenvectorNumber !ReductionNumber 5 !Reactant #ground energy of bimolecular species will be used as a reference. Model EnergyRelaxation Exponential Factor[1/cm] 424 ! Jasper calc N2 Power 0.62 ExponentCutoff 15 End CollisionFrequency LennardJones Epsilons[1/cm] 390. 390. ! N2 , A3/A3a/A6 ! from new Jasper calc 11/22/15 Sigmas[angstrom] 4.46 4.46 ! N2 , A3/A3a/A6 ! from new Jasper calc 11/22/15 28. 167. Masses[amu] End OutputTemperatureStep[K] 100 OutputTemperatureSize 24 OutputReferenceEnergy[kcal/mol] 0. 1----------!----well i1-----Well i1 Species RRHO Geometry[angstrom] 24 C -4.4777142276 -0.6486773981 0.184095337 C -0.643267704 1.1448981024 0.233670301 C -4.3592885865 0.7583631571 0.2517568763 С 0.5011430224 0.3727956056 0.1844988145 C -0.8695677831 -1.6347076872 0.0999264085 С 0.36476292 -1.0449362217 0.1164853626 C -3.3514422107 -1.4362669028 0.1343514717 C -3.1191610612 1.3506792237 0.2683909289 C -2.0588351866 -0.8566396777 0.1498438218

C -1.9372767143 0.5664608935 0.2182614767 Η -5.4615165179 -1.1041667545 0.1716012833 -0.5597106685 2.2264525587 0.2857489882 Н Н -5.2539049442 1.3697978992 0.2905726412 -0.9558158355 -2.7153911209 0.047914661 Н Η 1.2630220638 -1.6507982573 0.0778839669 Н -3.4392576975 -2.5166927067 0.0823547779 Η -3.0281746264 2.4308018779 0.3203313989 С 1.8251784027 1.0115980975 0.2024722994 С 4.4278226483 0.742209432 0.1629601676 С 2.998811764 0.4149577487 0.1614261091 Η 1.813414753 2.1080453063 0.2562930286 0.3786980411 -0.7432650413 Н 4.923777426 4.9416624563 0.2924044195 1.0190863948 Н 4.5810473073 1.8315843636 0.2146845255 Н Core RigidRotor SymmetryFactor 0.5 End Frequencies[1/cm] 66 51.2649 100.0666 119.0897 165.4383 182.2119 224.4902 275.1951 310.4884 315.8372 404.7125 407.4164 484.6069 526.0085 529.0816 574.2920 639.2679 647.4856 750.5594 753.6545 780.9732 781.1417 836.2559 806.2483 876.7060 877.8728 954.2107 911.6601 962.4604 982.2070 983.9236 994.4393 1042.4954 1043.9529 1051.5545 1147.0890 1172.6987 1177.0458 1195.6919 1239.9529 1271.7124 1284.2597 1294.6683 1384.2680 1393.7262 1398.1411 1412.2687 1452.0944 1470.0870 1474.3053 1501.3830 1542.0316 1608.4188 1643.0532 1667.4938 1735.2331 2960.7487 3003.0358 3041.4834 3063.4485 3153.3223 3156.3465 3158.3124 3161.8870 3187.1391 3174.1966 3180.1689 ZeroEnergy[kcal/mol] -42.12 ElectronicLevels[1/cm] 1 0 2 End End !-----!----well i2----ī2 Well Species RRHO 24 Geometry[angstrom] C -3.7685085569 0.3162841332 0.1095875958 C 0.2425431262 -1.0224603811 -0.0729925242

```
-3.4865030987 -1.0695151488 0.1292213127
С
С
  1.2918507634 -0.124241909 -0.1453977948
  -0.3068117665 1.7119122983 -0.119187446
С
C 0.9881657417 1.2681985549 -0.1770470289
С
 -2.744431032 1.2297651957 0.0307665076
С
  -2.1882754817 -1.5150817931 0.0696942526
  -1.3941622674 0.8028666155 -0.0305623304
С
С
  -1.1071299383 -0.5978960696 -0.0110504274
C 2.67925489 -0.6340720119 -0.1933110311
С
  3.8077459159 0.0302758083 -0.0497169847
  -4.7974610346 0.654533399 0.1570208867
Η
H 0.452091923 -2.0878144684 -0.0566180181
H -4.3024918708 -1.7808242354 0.1913675077
  -0.5178429421 2.7761004466 -0.1492002026
Н
Н 1.7930855397 1.9863473004 -0.2676749216
н -2.958035731 2.2936267212 0.0146461238
H -1.9718822389 -2.5782951365 0.0844407903
  2.7508480758 -1.7115002986 -0.3562439157
Η
 4.421803946 1.334564912 0.2222343687
С
H 3.7985584832 1.9494104854 0.8866524564
H 4.5914021351 1.8964819324 -0.7035418513
H 5.3952734188 1.2179286496 0.7107226747
Core RigidRotor
SymmetryFactor 0.5
End
Frequencies[1/cm] 66
28.0073
                      83.5010
                                            109.1892
133.5065
                      186.7240
                                            218.9466
259.5024
                      380.5428
                                             387.0248
                      410.8365
                                             485.4407
394.0610
524.2916
                      526.6618
                                             601.8770
                                             738.7510
636.8480
                      648.3648
                                             781.7454
752.3383
                      780.5739
810.0416
                      835.0317
                                             866.0476
877.0535
                      914.9444
                                            940.3285
962.6356
                      974.2734
                                             975.8261
995.1570
                     1013.2985
                                            1030.9135
1041.9786
                      1146.1289
                                             1173.7207
1181.0345
                      1189.9129
                                             1237.2826
1279.0685
                      1284.8456
                                             1294.2975
1385.9239
                      1394.0085
                                             1399.3125
1405.9301
                      1456.8673
                                             1470.0948
                                             1542.9988
1473.6468
                      1499.1801
1606.3307
                      1639.2229
                                             1665.1396
1736.2357
                      2977.4980
                                             3038.6055
3054.4557
                      3070.7042
                                             3154.4580
3157.0102
                      3160.0068
                                             3162.9261
3174.6304
                      3187.4110
                                             3196.9874
ZeroEnergy[kcal/mol] -40.05
ElectronicLevels[1/cm]
                             1
0 2
End
End
|_____
```

!----well i3----i3 Well Species RRHO 24 Geometry[angstrom] -3.7793940786 0.6161594701 0.0318477038 С С 0.0576709913 -1.1615330245 -0.1010372283 С -3.6516766954 -0.7828643422 0.0758194527 С 1.2803251925 -0.3568229779 -0.184743143 С -0.1645889384 1.6502669927 -0.2018095308 С 1.0666181449 1.1038378028 -0.2432883466 С -2.6400236834 1.4099034167 -0.0575496682 С -2.4057431346 -1.3740149902 0.0320677579 С -1.3633241034 0.8433031365 -0.1033352434 С -1.2210409763 -0.5885314532 -0.0566560185 Η -4.7610905525 1.0739688532 0.0663799734 Η 0.1611075674 -2.2417241099 -0.0726527985 Η -4.5397865955 -1.4017679916 0.1444129595 -0.2822350844 2.7289620081 -0.2463466364 Η 1.9484145839 1.7322293921 -0.3224725178 Η -2.7352761005 2.4907902008 -0.0937091463 Η -2.3121070729 -2.4546222013 0.0659210831 Η 2.5475857392 -0.9621836024 -0.8215462765 С С 2.5849932845 -0.8995191783 0.4619733053 С 3.2030618912 -1.136089944 1.7813843889 Η 2.973097597 -1.2501644062 -1.7697788167 Η 2.5587744903 -1.7747520673 2.3929914636 3.3278691764 -0.1928453573 2.3217862867 Η 4.1802343573 -1.615662627 1.6815129961 Η Core RigidRotor SymmetryFactor 0.5 End Frequencies [1/cm] 66 53.6692 99.3419 136.2830 188.5506 169.6039 255.3686 273.0203 353.4577 387.1398 424.7420 453.1640 465.6777 506.0938 514.6512 544.0269 619.5734 648.0808 673.7482 713.0608 724.2616 753.1318 783.7029 758.8917 809.5167 863.3294 873.9743 915.3368 924.9123 936.9861 972.2732 974.3715 985.5712 1043.2889 1050.9864 1055.8924 1103.1618 1142.8850 1157.7741 1167.1657 1206.2495 1249.5984 1280.9256 1293.7802 1343.5520 1404.5401 1409.7077 1427.8375 1457.5673 1475.1088 1480.0472 1504.6639 1560.2095 1608.0117 1646.2465 1869.7904 3022.5336 3079.9639 3094.5328 3145.6523 3152.9567 3156.3551 3159.1904 3167.4024

```
3171.8447
                      3187.0607
                                           3239.0798
ZeroEnergy[kcal/mol] -17.76
ElectronicLevels[1/cm]
                             1
0 2
End
End
|-----
!-----well i4-----
Well
           i4
Species
RRHO
Geometry[angstrom] 24
   -3.870470236 0.5830193474 -0.025368228
С
С
   0.0695888063 -0.9098790155 0.3964388525
   -3.6580103489 -0.7002010763 0.5284728125
С
С
   1.16220445 -0.1654181838 -0.0055306459
   -0.3413237244 1.6259937322 -0.6939989349
С
С
   0.9263983041 1.1308389594 -0.5527997258
С
   -2.8019378876 1.3490798996 -0.4275934364
С
   -2.3827115884 -1.1927205717 0.6697927982
   -1.475490344 0.8683640424 -0.2965206873
С
С
   -1.2584606125 -0.4275017085 0.2636258666
   -4.8813052812 0.9603666761 -0.1313587087
Η
   0.2054951291 -1.8970599626 0.8214994218
Η
   -4.5081097895 -1.2954728034 0.8423421124
Η
Η
   -0.4939119141 2.6176357217 -1.1076454675
   1.7721771771 1.7406861987 -0.8463102923
Н
   -2.9621785674 2.3347312214 -0.8523205507
Η
   -2.219472657 -2.1777074151 1.0949668958
Η
С
   3.577606494 -0.1594639932 -0.5093234002
С
   2.5523785016 -0.6957838146 0.1238644501
С
   2.7802841463 -1.9119922424 1.0040082127
   3.7975826289 0.6406300124 -1.1984165277
Η
   2.2716124227 -2.7920846708 0.5982994163
Н
   2.396422121 -1.7415739328 2.0143057615
Н
   3.84391677 -2.1392974205 1.0687740052
Н
Core RigidRotor
SymmetryFactor 0.5
End
Frequencies[1/cm] 66
25.1565
                      87.2535
                                           169.1652
181.2959
                      218.6508
                                             241.1144
321.5525
                      348.9185
                                            396.9149
444.4098
                      471.2418
                                             485.7804
497.0971
                      527.7866
                                             553.4063
631.9661
                      636.6692
                                             677.4083
690.3952
                      760.3538
                                             781.9014
784.3128
                     802.1004
                                            830.0262
872.0110
                      887.8667
                                             907.7711
961.3933
                      963.2628
                                             976.4720
996.2120
                                            1042.6245
                     1004.8849
1048.9676
                     1084.9699
                                            1151.8553
1174.8429
                      1184.0666
                                            1210.4781
1242.8092
                      1282.6947
                                            1292.8570
```

1372.2286 1394.9065 1403.0848 1408.9817 1466.2942 1484.3235 1489.5704 1500.0564 1540.2911 1606.7357 1640.4797 1647.5405 1667.2374 3024.2219 3077.0074 3122.7573 3156.6554 3159.6615 3162.3911 3174.7330 3183.1604 3187.3135 3188.1533 3249.1780 ZeroEnergy[kcal/mol] -37.32 ElectronicLevels[1/cm] 1 0 2 End End !-----!-----well i5-----Well i5 Species RRHO Geometry[angstrom] 24 -3.9077387148 0.6773913178 -0.0905455934 С -0.1157330663 -1.194551157 -0.15462891 С С -3.8034629132 -0.6967954535 -0.4163876059 1.0377973322 -0.4864489743 0.1364697832 С С -0.3120751464 1.5115850361 0.4907242459 С 0.9130447211 0.891646305 0.4680288666 С -2.7823314 1.4067393009 0.2050695535 С -2.577428896 -1.3131178029 -0.4400617135 С -1.4993468667 0.8006455902 0.1888744338 С -1.3915031252 -0.5878995434 -0.1410284182 Η -4.8828470415 1.1511871366 -0.075436649 Η -0.0417423059 -2.2501089002 -0.3948466904 -4.7001208543 -1.2608675678 -0.6474669053 Η -0.3817680912 2.564657098 0.7433214518 Η 1.7973240013 1.4700324271 0.703699412 Η -2.8601575431 2.4597880474 0.4554536116 Η -2.4961434741 -2.3659900317 -0.6891995248 Н С 2.5515754297 -2.3432553558 -0.4287218497 С 2.3709778599 -1.1499521889 0.1042913409 С 3.5632110714 -0.4165653754 0.7070209975 Н 3.3741168957 -3.0263141644 -0.5798586853 3.3629655842 -0.1376119685 1.7460374489 Η Н 3.7816576607 0.4993770289 0.1493477984 4.4554928825 -1.0426408039 0.6854476014 Н Core RigidRotor SymmetryFactor 0.5 End Frequencies[1/cm] 66 21.3639 87.3776 168.0427 181.6143 221.0295 239.9350 310.6918 348.8985 394.6243 450.8998 483.6950 463.7035 504.5956 528.9001 564.0251 627.5050 641.2032 671.5498 672.7411 760.1144 780.5829

```
829.1879
782.1215
                                             856.8731
865.1149
                      873.4814
                                            921.3393
957.8148
                     963.2429
                                            974.2890
996.1019
                    1009.3399
                                           1030.2812
1039.7822
                     1079.2824
                                            1155.2555
1173.6721
                      1185.6305
                                            1211.0896
                                            1290.6028
1245.7709
                     1282.0305
1377.1647
                     1391.1528
                                            1401.1921
1405.2552
                                            1484.3200
                     1465.6271
1486.3646
                      1500.7994
                                            1543.2323
1602.9012
                     1633.5919
                                            1649.5806
1672.5192
                     3022.0316
                                            3077.6746
                                            3161.0087
3115.4392
                      3156.5546
3161.9346
                      3164.8390
                                            3174.8103
                                            3237.5227
3187.2700
                      3194.0418
ZeroEnergy[kcal/mol] -37.12
ElectronicLevels[1/cm]
                             1
0 2
End
End
!-----
!-----well i6-----
     i6
Well
Species
RRHO
Geometry[angstrom] 24
   -3.6711917155 0.3237348412 0.0146535213
С
   0.3296297363 - 0.9485507976 0.1032394351
С
С
   -3.3952110283 -1.0608305392 0.1264846896
С
   1.4219704157 -0.129863259 0.0323605833
   -0.1960377272 1.7080570688 -0.1113440887
С
С
   1.1035865176 1.2633462841 -0.0800062813
   -2.6465483238 1.2352910613 -0.0635352145
С
С
   -2.1002497998 -1.5139020216 0.1585240916
С
   -1.2930693069 0.8126609823 -0.0342014643
С
   -1.0169243803 -0.5965173273 0.0796364433
Η
   -4.7008483573 0.6621874026 -0.0090435915
   -4.216881031 -1.7654168848 0.187031929
Η
   -0.3977823681 2.770490626 -0.1971908771
Η
Н
   1.9097486765 1.9846192245 -0.14185622
   -2.8601471504 2.2958832771 -0.1491889444
Н
Η
   -1.8819927987 -2.5718136573 0.2439435489
   2.3005106025 -2.6713794329 0.23600189
Н
   3.091013656 -1.9324714097 0.1728804469
С
   2.8215874396 -0.6251688465 0.0674441829
С
С
   3.9367162663 0.3884073265 -0.0192815744
Η
   4.1117004246 -2.2954507404 0.198610594
Н
   3.8859807829 0.9632921655 -0.9499212054
   4.9075371785 -0.1070822644 0.0174539555
Н
   3.8925342907 1.1063609206 0.8063971499
Н
Core RigidRotor
SymmetryFactor 0.5
End
Frequencies[1/cm] 66
```

```
16.8782
                      84.0209
                                            160.4246
179.5530
                      228.7675
                                             240.6793
                                             402.5950
316.6528
                      336.5418
450.2503
                      477.6864
                                             501.5406
507.1230
                      522.5373
                                             546.5240
626.3906
                      632.9779
                                             680.9454
725.1192
                      760.9675
                                             772.6681
780.9788
                      826.0563
                                             867.7764
                                             932.6932
874.5786
                      923.9828
955.7678
                      963.1212
                                             969.2093
996.8588
                     1026.3847
                                            1037.0278
1068.4136
                      1135.7535
                                             1155.6998
1175.4046
                      1186.8487
                                             1238.6802
1266.1911
                      1286.1081
                                             1353.5943
                      1387.5668
1366.7527
                                             1411.1263
1435.6492
                      1450.3254
                                             1485.3823
1491.3467
                      1500.5098
                                             1520.6085
1577.2365
                      1631.7715
                                             1654.6484
1688.9047
                      3018.7091
                                             3064.9541
3110.8572
                      3137.2342
                                             3157.1235
3163.7139
                      3168.7362
                                             3181.0877
                      3191.4341
                                             3221.4757
3186.4817
ZeroEnergy[kcal/mol] -36.45
ElectronicLevels[1/cm]
                             1
0 2
End
End
|------
!-----well i7-----
       i7
Well
Species
RRHO
Geometry[angstrom] 24
   3.6155696094 -0.1105140056 0.0190093877
С
   -0.5014845523 0.8638744548 -0.1264613836
С
С
   3.2148322678 1.2317834313 -0.1795161485
С
   -1.4656384707 -0.1139073783 0.0113272358
С
   0.2836470276 -1.788071777 0.2597047661
С
   -1.0470144889 -1.4595786063 0.2062011377
С
   2.6738239428 -1.1001716871 0.1639867863
   1.8814776885 1.5578362258 -0.2281132392
С
   1.2887240308 -0.7969376672 0.1176230604
С
С
   0.8823957851 0.5597003729 -0.07970408
Η
    4.6713830311 -0.3542730487 0.0556010842
    3.9676634304 2.0037194015 -0.2932799642
Η
Η
   0.5836003498 -2.8185776427 0.4200256721
Η
   -1.7989636965 -2.229588406 0.3350151459
Н
   2.9787842648 -2.1304401022 0.3159337914
   1.5733454042 2.5869980599 -0.3808280808
Η
С
   -3.7792884114 -0.595818933 -0.7752427608
   -2.9212703888 0.2218569167 -0.0477851862
С
С
   -3.3919115557 1.344493205 0.6242130182
    -3.4160525017 -1.4474464032 -1.335204311
Η
Н
   -4.8403819072 -0.3814458461 -0.8194363277
```

-4.437843164 1.622019224 0.5694096001 Н Η -2.7404478041 1.9546097758 1.2356517491 -0.799667891 1.8927784359 -0.298334953 Н Core RigidRotor SymmetryFactor 0.5 End Frequencies[1/cm] 66 61.5257 83.7845 162.6394 185.2409 315.7415 221.9911 357.6780 392.8183 435.6403 486.3373 493.4387 525.2572 537.1731 545.4619 554.8259 598.2343 632.8777 679.8387 685.1655 761.2647 770.9907 781.7611 785.9993 803.3766 835.9515 875.6318 885.3958 920.2442 964.6880 964.7314 979.9108 982.8435 995.9836 1035.5727 1041.5489 1121.4455 1160.4613 1172.2825 1180.4777 1223.9415 1267.2190 1288.6271 1289.4845 1373.9898 1386.1491 1398.8525 1409.3421 1463.9660 1524.7840 1484.7258 1501.1796 1642.8188 1542.3290 1607.2459 1669.6550 3141.4305 3148.5334 3156.9577 3160.0793 3162.4895 3167.2797 3174.8597 3181.7476 3187.2782 3240.7412 3242.6521 ZeroEnergy[kcal/mol] -60.6 ElectronicLevels[1/cm] 1 0 2 End End |_____ !----well i8-----Well i8 Species RRHO Geometry[angstrom] 24 С -3.6069916063 0.0933806358 -0.014399582 0.5232274086 -0.8404488152 0.0338217063 С С -3.1899025062 -1.2568891675 -0.0068253034 С 1.4784895278 0.1570933746 0.0423482363 С -0.2929262425 1.8300884249 0.0189298477 С 1.0371361099 1.5144865183 0.0344967368 С -2.6760639873 1.1057333976 -0.0061665353 С -1.8512260393 -1.5692468126 0.0088292287 С -1.2895990978 0.8158598092 0.00996429 С -0.8659863833 -0.5481749345 0.017649851 С 3.8491366344 0.8012376427 0.0674349468 С 2.9316624237 -0.1482223866 0.0592883826 С 3.3718327764 -1.6063109785 0.0674458013 Н -4.6655371871 0.3274870649 -0.0267436435

0.8171564505 -1.8833483741 0.0393652129 Н Η -3.9322153279 -2.0471411743 -0.0134284284 Н -0.6054076669 2.8693977329 0.0131960327 Η 1.7844344467 2.299791198 0.0411659233 -2.9939069739 2.1433117662 -0.0119527367 Н -1.5305682111 -2.6060499414 0.0146519437 Η 4.9274036997 0.8586785425 0.0792815085 Η Η 3.0019323615 -2.1281980513 -0.8204528702 2.9819598016 -2.1243441365 0.9490296296 Η 4.4590835886 -1.6846233349 0.0798918213 Н Core RigidRotor SymmetryFactor 0.5 End Frequencies [1/cm] 66 43.0655 88.5825 166.7133 182.4922 229.0412 242.0227 319.7288 349.1879 396.9751 454.5990 456.4615 486.2481 496.6197 526.9496 566.6385 630.1026 644.7449 673.3770 674.9245 761.2891 782.8811 783.7264 835.7384 859.1722 873.6733 882.1750 906.9230 957.3329 963.6825 985.1207 987.8938 995.7416 1031.7494 1043.1632 1084.3517 1151.8602 1174.4745 1178.8677 1215.9186 1247.1430 1294.3394 1288.6722 1399.5345 1373.8350 1393.7401 1412.8511 1467.2449 1486.3453 1487.3755 1500.7769 1539.7891 1608.0798 1639.9450 1649.1674 1667.8393 3022.9812 3078.6409 3116.4845 3157.9078 3155.6792 3161.2399 3174.0728 3179.3240 3180.8739 3187.4966 3237.4109 ZeroEnergy[kcal/mol] -38.25 ElectronicLevels[1/cm] 1 0 2 End End |_____ !-----well i9----i9 Well Species RRHO Geometry[angstrom] 24 С -3.6224535805 0.5374817594 0.0100480652 С 0.2266136829 -1.2130305838 0.0096705889 -3.4895000006 -0.8691735627 0.0050148338 С С 1.3852976328 -0.4288133917 0.0144288793 С -0.0224199211 1.5670425176 0.0196320969 С 1.2180035992 0.9979902801 0.0194897513 С -2.5020873053 1.3394486925 0.0148269549

С -2.2432904943 -1.4493120826 0.0048408971 С -1.2070171246 0.7743088153 0.0147812142 С -1.0681050083 -0.6505541978 0.0096940827 С 2.6669993235 -1.0646723852 0.0141545649 С 5.1178511815 -1.1130041012 0.0172824154 С 3.9287779547 -0.4413560672 0.0182280034 -4.6105737925 0.983382751 0.0101300005 Η Η 0.3223056565 -2.2945379609 0.0058070231 -4.3777207126 -1.4909526893 0.0012890767 Η Η -0.1224811306 2.6477651041 0.0235061236 Н 2.092112531 1.6371475835 0.023283836 -2.6022398457 2.4200179961 0.0187008956 Н -2.1409804526 -2.5295201029 0.000986898 Н 2.6599877602 -2.1520791973 0.010010755 Н 6.0641821341 -0.5874439922 0.0201508282 Н 5.1524837976 -2.1973141562 0.0137964275 Н 3.9668111146 0.6446549716 0.0219097878 Η Core RigidRotor SymmetryFactor 0.5 End Frequencies[1/cm] 66 129.6801 133.0886 59.6049 166.1036 184.7885 309.7656 311.0694 327.2713 402.5542 433.6023 478.3128 524.7586 528.0305 582.4115 602.1255 639.2645 649.7429 755.4975 766.2610 775.0454 778.9246 815.1026 822.4663 849.9191 870.4852 892.0951 896.6836 955.8556 958.9410 973.9116 999.8935 992.8064 1003.2637 1042.5727 1142.5128 1170.8248 1174.9943 1198.7471 1213.2405 1238.6962 1274.4540 1290.5746 1308.6539 1334.1260 1388.0987 1392.5295 1416.2159 1461.5694 1489.7663 1500.2629 1537.2217 1542.1253 1590.1533 1629.9968 1650.4433 3132.5741 3138.5891 3157.9789 3146.7678 3156.2313 3160.1835 3163.3071 3175.3986 3188.2571 3191.9895 3230.7649 ZeroEnergy[kcal/mol] -65.69 1 ElectronicLevels[1/cm] 0 2 End End !-----!----well i10----i10 Well Species RRHO Geometry[angstrom] 24

С -3.6493242995 0.5735470844 -0.1452412478 С 0.1809207835 -1.2019959828 0.079553051 -3.5216361778 -0.8333728293 -0.1985002434 С С 1.3406804466 -0.4282139952 0.1853955444 С -0.0596668419 1.5731744203 0.204270295 С 1.1774496942 0.9952579726 0.2662459192 С -2.5311445483 1.3667699793 -0.0187907227 С -2.2820470186 -1.4216085918 -0.1246777867 С -1.240711587 0.7928549858 0.0572170653 С -1.1076678019 -0.6312806704 0.0035604134 С 2.6121716974 -1.0955864181 0.2487196049 С 4.3509703305 0.6066362315 -0.407460719 С 3.9236128874 -0.5959007033 0.0829132066 Η -4.6330422153 1.0253001321 -0.2040189147 0.2712340122 -2.2832308288 0.038002107 Η -4.4092827237 -1.448001286 -0.297792788 Н -0.1566908321 2.6513600344 0.2826448993 Η Η 2.046088422 1.6185423064 0.4251708504 -2.6275207971 2.446790116 0.0242682724 Η -2.1835360815 -2.5014318466 -0.1652823162 Н 2.5490085545 -2.16270503 0.4431777195 Н 5.4106395434 0.8196466966 -0.4758513948 Η Н 3.6783615348 1.3606686303 -0.7923895868 4.7049340184 -1.3060974076 0.3476217717 Η Core RigidRotor SymmetryFactor 0.5 End Frequencies [1/cm] 66 49.8806 100.8988 136.5411 188.5402 216.3213 264.2685 406.7560 333.3133 392.2019 522.8956 419.3030 479.6661 528.0985 569.3201 623.4643 639.6441 656.2147 752.6535 760.1797 775.7416 780.5665 792.5792 831.4076 850.2815 871.3939 884.9528 901.7047 958.4768 962.3715 987.0937 992.5674 994.8571 1034.3766 1042.5503 1107.3842 1153.4326 1177.6220 1206.8484 1174.0998 1245.8912 1279.9150 1288.1722 1297.5482 1355.8983 1392.0175 1406.4136 1442.6882 1454.2988 1483.1624 1488.8671 1536.5418 1559.9195 1589.8976 1628.1535 1651.8929 3118.0955 3145.5017 3153.8292 3156.2958 3158.2009 3160.3063 3163.6236 3175.4937 3188.3735 3212.2464 3242.8691 ZeroEnergy[kcal/mol] -62.0 ElectronicLevels[1/cm] 1 0 2 End

!-----!-----well i11-----Well i11 Species RRHO Geometry[angstrom] 24 С 3.6489124218 0.5462303942 0.279666327 С -0.2253820534 -1.176294578 -0.1967710789 С 3.4984420562 -0.8516308353 0.2346061825 С -1.3049162502 -0.3892283221 -0.3943679749 С 0.1336824125 1.660064152 -0.2709344993 С -1.1751775015 1.0908781965 -0.6952668057 С 2.5523386477 1.367443927 0.1279441993 2.2379882254 -1.4073677017 0.0499155108 С С 1.248794483 0.8328980068 -0.0894673394 С 1.1014324422 -0.6058878223 -0.1112722853 С -2.7232426078 -0.6687318257 -0.260697086 С -2.509260277 1.6901266267 -0.1676270008 С -3.4162953648 0.4793982327 -0.1447262979 4.6315956843 0.9781046525 0.4335349508 Н -0.3396752158 -2.2410764643 -0.0149442174 Η Η 4.3630023996 -1.4944450668 0.3534179008 0.25849285 2.7381414412 -0.2402238959 Η -1.2353859948 1.1786115823 -1.7996515015 Η Η 2.6695280764 2.445853943 0.1586251751 Η 2.1213466026 -2.4865459009 0.037506886 -3.1426619725 -1.6657253035 -0.2003013665 Η Η -2.8873300539 2.5051902111 -0.7909769832 -2.3846357953 2.0912038271 0.8475475889 Η Η -4.4857942147 0.5480956275 0.0138176116 Core RigidRotor SymmetryFactor 0.5 End Frequencies[1/cm] 66 221.6221 88.7557 111.4088 249.3454 263.2087 371.1532 382.9945 404.5914 442.4998 468.1022 544.6548 560.5294 617.5827 660.3913 680.3771 734.4981 705.0729 744.4632 758.0152 776.1114 793.5343 827.0968 857.7670 891.5433 906.8091 945.0236 948.5227 967.9861 974.8884 984.4600 1023.8964 1042.6206 1098.6760 1120.7635 1138.6980 1147.9340 1162.2393 1175.6791 1202.9893 1244.4230 1252.2983 1281.8236 1284.9774 1318.5806 1339.8018 1367.1966 1382.6140 1403.8226 1451.3332 1483.0098 1499.8606 1555.3529 1599.9997 1616.1923 1661.5229 2851.0055 2997.4510

End

```
3062.1087
                      3150.0163
                                           3154.0831
3155.9141
                      3159.7789
                                           3173.4004
3180.2784
                      3187.8540
                                           3202.0502
ZeroEnergy[kcal/mol] -56.18
ElectronicLevels[1/cm]
                           1
0 2
End
End
!-----
!-----well i12-----
Well i12
Species
RRHO
Geometry[angstrom] 24
  3.7958464732 0.002016814 0.1551284761
С
С
   -0.335209756 -0.8435048613 -0.1687935044
   3.3546229925 -1.335141674 0.0640714803
С
С
   -1.2945851304 0.2020163812 -0.1896048346
С
   0.5227503231 1.8262721716 0.0121930197
С
   -0.8063841133 1.5646605101 -0.0921562446
   2.8790927224 1.0351814552 0.1391539862
С
С
   2.0128468972 -1.620189182 -0.0409053412
С
   1.4982261234 0.778098786 0.0324580247
С
   1.0437000667 -0.5792230517 -0.0604418117
С
   -2.6326989415 -0.0490332179 -0.2936398237
С
   -3.9013756404 -0.2811289568 -0.4532963297
С
   -4.9113461349 -0.5048382684 0.6524096259
   4.8553392855 0.2155460661 0.2374818904
Η
Η
   -0.6765435939 -1.8698182258 -0.2395840618
Η
   4.0799303168 -2.1410827918 0.0770188481
Η
  0.8675407771 2.853108177 0.0819526648
   -1.5306383625 2.3701864706 -0.1064515651
Η
   3.2160416689 2.0645198702 0.2088617342
Η
   1.6747100557 - 2.6487634924 - 0.1110817195
Η
H -4.4434942211 -0.4503930677 1.6359354096
   -5.3854318929 -1.4859720993 0.5454053367
Н
Η
   -5.706649319 0.2460407347 0.6023461393
   -4.3035465966 -0.3250115478 -1.4709133998
Η
Core RigidRotor
SymmetryFactor 0.5
End
Frequencies[1/cm] 66
43.4020
                      77.4461
                                          117.3978
143.8946
                     179.2768
                                           213.0037
261.6343
                     341.6312
                                           351.2802
399.1634
                     467.5913
                                           486.6121
510.7458
                     524.2664
                                           552.5185
627.9539
                     638.8825
                                           677.8971
751.1375
                     759.4565
                                           768.1959
773.3555
                     818.1814
                                           839.1897
871.0952
                    877.9623
                                           939.1176
953.0870
                     955.2411
                                           979.1128
987.5019
                    1042.9277
                                          1054.0182
1066.4858
                     1123.6996
                                           1158.9187
```

1170.9823 1263.2429 1345.9394 1409.9999 1485.2102 1563.9701 1908.4732 3068.4928 3158.9481 3178.2790 ZeroEnergy[kcal/mol] -4 ElectronicLevels[1/cm] 0 2 End End	1177.3219 1288.4621 1373.0002 1451.5929 1492.3596 1621.3503 3018.4898 3117.0163 3162.0155 3188.4199 15.94 1	1220.1437 1323.3021 1400.4762 1471.3351 1517.6141 1632.9135 3030.1147 3156.3672 3174.7754 3189.4102
!well i13		
Well i13		
Species		
RRHO		
Geometry[angstrom] 24	ł	
C 3.6029795805 -0.126	59478816 0.107728744	
C -0.4986047026 0.819	0909805 -0.2780256337	
C 3.2040079132 1.2081	762145 -0.0805987972	
C = 1.5338252759 = 0.21	71523031 -0.2067396262	
C = 0.2680364828 - 1.875	000000000000000000000000000000000000	
C = 1.0445957716 = 1.60	102345685 - 0.03169383	
C 2.6439119896 -1.132 C 1.9697447557 1.5276	29028773 0.1627618451	
$\begin{array}{c} 1 & 2823254272 \\ - 0 & 843 \\ \end{array}$	8296835 0 0363930577	
C = 0.8629250269 = 0.043	9561436 - 0 1531969	
H $4 6541220248 - 0.370$	7866466 0 207807106	
H = -0.811314682 1.8457	408001 -0.4360746031	
н 3.9525152017 1.9917	147259 -0.1251291191	
н 0.5944788765 -2.903	30813786 0.2135501971	
н -1.7832100057 -2.39	943596903 -0.0030686509	
н 2.9497925334 -2.164	6758189 0.3053099105	
н 1.5646459273 2.5590	706404 -0.3540673282	
C -3.4112884385 0.033	32181973 -2.1037522386	
C -2.8301644552 -0.00	001759359 -0.9214705655	
C -2.911122135 0.1540	0.5166084087	
H -2.8522750089 -0.17	/01877203 -3.0108056065	
H = -4.46/124814/0.264	-2.20533905	
H = 2.968/2/912 + 1.1/0	A996443 0 9466957506	
Core RigidRotor	9990443 0.9400937500	
SymmetryFactor 0.5		
End		
Frequencies[1/cm] 66		
53.4873	92.6295	177.3986
182.7825	233.7767	280.2562
362.8145	372.6432	412.2195
442.0220	466.4859	502.4190
510.5536	547.3933	617.3095

668.9138 648.3904 689.9380 719.1838 750.2947 757.7492 849.3599 779.7213 801.5927 863.9052 893.3926 921.5139 927.8405 933.0050 939.7836 974.4720 982.1289 1017.4368 1026.5969 1043.7682 1078.7331 1121.8761 1146.3172 1166.0118 1171.2531 1208.6799 1254.2587 1293.2818 1318.0808 1345.2619 1425.9777 1437.6208 1414.7238 1459.4771 1465.3239 1506.0680 1560.1938 1608.6869 1651.9473 1817.8471 3094.7741 3120.4536 3155.4207 3159.3249 3151.6867 3166.2944 3173.8913 3174.2490 3181.5657 3188.6372 3204.0166 ZeroEnergy[kcal/mol] -25.7 ElectronicLevels[1/cm] 1 0 2 End End |-----!-----well i14-----Well <u>i</u>14 Species RRHO Geometry[angstrom] 24 С -2.1708788549 -0.9260967149 -0.3726883959 С 1.0893593865 1.6631920972 0.4039510152 С -2.4095324054 0.429497517 -0.04822489 С 2.3823548735 1.1992362363 0.3447741261 С 1.5648182311 -1.0121357589 -0.2392953773 2.6110617828 -0.1625122941 0.0134201264 С С -0.8849899129 -1.4061850374 -0.4371938672 -1.3588532039 1.2779392342 0.2054928637 С С 0.2213700651 -0.556428538 -0.1807569801 С -0.0191870874 0.8138277575 0.1475376935 Η -3.0086640883 -1.585144026 -0.5707759611 0.8975361375 2.7029599906 0.65215143 Η -3.4284324362 0.7971739777 -0.0006126874 Н Η 1.7542526675 -2.0505915347 -0.491121139 3.6315121077 -0.5249128491 -0.0474037239 Н Η -0.6988288669 -2.4458287662 -0.6863204474 -1.5418755997 2.3182701253 0.4541486208 Η С 3.5587054705 2.1136065638 0.6502071931 С 5.8446403113 1.9199410102 -0.6014353623 С 4.5744444236 2.1773205664 -0.4187825047 3.1846346811 3.1215119617 0.8583038611 Н Н 4.0529764614 1.7719585207 1.5773791701 Η 6.4706545243 1.5275977338 0.2068777162 6.3419573316 2.0842372269 -1.5535534798 Η Core RigidRotor SymmetryFactor 0.5

```
End
Frequencies[1/cm]
                 66
23.5293
                       71.2218
                                             106.2674
179.2895
                       197.7096
                                              241.6284
306.8364
                       324.0052
                                              403.2800
406.3950
                       447.4936
                                              487.0145
514.1745
                                              581.2887
                       526.7582
636.3853
                       658.5397
                                              735.8589
763.9667
                       781.1979
                                              786.6345
832.6449
                       864.3947
                                              878.5778
883.7540
                       889.7888
                                              913.4227
947.6315
                       963.8884
                                              977.5358
                                             1042.1791
979.6539
                       996.2394
1042.5549
                       1147.5463
                                              1172.2849
                                              1204.4470
1177.9235
                       1188.0492
1237.0804
                      1277.1098
                                              1288.2727
1303.1735
                       1391.7054
                                              1396.5431
1406.7277
                       1413.4844
                                              1447.3755
1474.0169
                       1502.4998
                                              1545.8055
1612.3082
                       1645.6789
                                              1673.1690
1734.1983
                       2923.2560
                                              3025.6637
3044.3966
                       3148.0055
                                              3152.9757
3157.0511
                       3158.8097
                                              3162.5382
                                              3187.6229
3174.7730
                       3178.2433
ZeroEnergy[kcal/mol] -36.53
ElectronicLevels[1/cm]
                              1
0 2
End
End
|_____
!-----well i15-----
            i15
Well
Species
RRHO
Geometry[angstrom]
                   24
    -3.6853081126 0.3132365987 0.1702103376
С
С
    0.3608289559 -0.8464602687 -0.331969764
С
   -3.3694510029 -1.0152460623 -0.1960618228
С
   1.3966585044 0.0491667037 -0.14136726
   -0.2546159212 1.8011835045 0.3969886337
С
С
    1.005369486 1.3450591001 0.2165516366
С
   -2.6855099659 1.2359034637 0.3652824467
С
   -2.0597060833 -1.3964940546 -0.3597603906
С
    -1.3247278148 0.8732493513 0.2031617884
С
    -1.0000621699 -0.4714203142 -0.1676652918
С
    2.8527805263 -0.3334369186 -0.3291945064
С
   3.9744330945 -0.6029692777 -2.5658237144
С
    3.4180528077 0.1662710387 -1.6360944049
   -4.7226549234 0.6021367903 0.2969927092
Η
Η
   0.5871443192 -1.8713395262 -0.6141663866
   -4.1673864743 -1.7333902279 -0.3472912581
Η
Η
   -0.4728050859 2.8260688121 0.680144627
Η
    -2.9258272111 2.2558780549 0.6463617595
Н
   -1.8173984251 -2.4161315094 -0.6407623727
```

```
3.4330494535 0.091660233 0.4985215128
Н
Η
   2.9570784298 -1.4202179574 -0.2727942107
   4.0594557285 -1.6784160801 -2.4402428471
Η
Н
   4.3673190168 -0.1865484719 -3.4864509305
   3.3445228682 1.2394080179 -1.7995902909
Н
Core RigidRotor
SymmetryFactor 0.5
End
Frequencies[1/cm] 66
23.6820
                      59.0243
                                            101.6365
181.5633
                      191.6930
                                             248.0398
317.3843
                      372.9903
                                             397.9920
411.1026
                      476.6877
                                             480.2778
530.8658
                      541.4642
                                             617.4221
633.9593
                      657.9506
                                             746.8350
762.7680
                      766.9880
                                             777.8534
838.1710
                      870.9931
                                             875.9615
894.8381
                      935.2553
                                             940.2048
                                             964.7459
949.8672
                      954.7086
994.1871
                     1032.2668
                                            1041.9649
1106.3999
                      1148.5986
                                             1169.3863
1180.3087
                      1217.6022
                                             1222.1123
1253.9220
                      1275.1993
                                             1310.5901
1325.9500
                      1342.1294
                                             1387.3455
1399.3607
                      1432.6102
                                             1453.6459
1473.9690
                      1479.0407
                                             1528.4245
1595.7633
                      1626.4345
                                             1655.7364
                      3015.9238
1705.8503
                                            3072.6714
3123.8773
                      3134.8424
                                             3144.8492
3157.3214
                      3158.6700
                                             3163.8622
3175.8249
                      3188.2097
                                             3209.2217
ZeroEnergy[kcal/mol] -32.01
ElectronicLevels[1/cm]
                             1
0 2
End
End
!-----
!-----well i16-----
Well
           i16
Species
RRHO
Geometry[angstrom] 24
   -3.7134868502 0.4626528905 0.2739172892
С
С
    0.214288241 -1.0043733187 -0.0577859539
   -3.494811008 -0.9322214027 0.3574026028
С
С
   1.3142881011 -0.2303580259 -0.2438987554
С
   -0.20765562 1.6827450688 -0.2205981714
С
   1.0628592481 1.1754979655 -0.3286915892
С
   -2.6583811093 1.3234110898 0.0870521733
С
   -2.2252660656 -1.4470199529 0.2526507402
С
   -1.3319692981 0.835237156 -0.0255415656
С
   -1.1155562205 -0.5842220609 0.0596164515
Η
   -4.7219473444 0.851509706 0.3586365615
Н
   -4.3380476807 -1.5973856008 0.5053309714
```
-0.3701676676 2.7532198088 -0.2890533193 Н Η 1.9037839135 1.8457739559 -0.4828550945 Н -2.8279753478 2.3935127984 0.0230310287 Η -2.0501141594 -2.514519772 0.3160451783 2.3223365968 -2.4955322298 -1.654109045 Н С 2.7280854243 -0.7750165058 -0.3358122069 3.3978033994 -3.1730374526 0.0059400542 С С 2.8010804537 -2.2288520731 -0.7140786691 3.276661245 -0.1786533269 -1.0765969219 Н Н 3.2394342126 -0.6177228668 0.6213419624 Н 3.8776145937 -2.9485565711 0.9539739199 3.4273659427 -4.20543428 -0.3236126411 Н Core RigidRotor SymmetryFactor 0.5 End Frequencies[1/cm] 66 29.4750 63.7939 98.6585 154.7319 180.3027 259.2692 408.3747 303.6574 371.7089 432.7212 474.9463 502.2206 509.5688 520.0494 613.6675 626.7124 648.4669 742.2549 755.5953 771.3618 779.8885 815.5489 875.6975 903.4153 928.6905 943.7640 951.9850 958.1390 969.3808 974.3603 1029.9790 997.1942 1039.7471 1127.6701 1139.4412 1161.7711 1236.1080 1171.0638 1195.6947 1245.6112 1265.1242 1311.1170 1325.8133 1359.6068 1364.7015 1394.7834 1447.4229 1450.8237 1471.1123 1496.4028 1520.5586 1583.0241 1664.7373 1643.1138 3033.6926 1709.9389 3001.8781 3124.0430 3133.4331 3146.7504 3157.4233 3168.5484 3172.1509 3191.7745 3181.6314 3209.6418 ZeroEnergy[kcal/mol] -31.49 ElectronicLevels[1/cm] 1 0 2 End End |------!----well i17----i17 Well Species RRHO 24 Geometry[angstrom] С 3.7558777361 -0.0540624488 0.3680328436 -0.3416996382 -0.7685246127 -0.4463485298 С С 3.3030906976 -1.3720213857 0.1260750898 С -1.216707186 0.2870671651 -0.4720146886 С 0.5608043689 1.8583828 0.0358069038

```
С
   -0.7618178876 1.611174834 -0.2290842351
С
    2.8721260868 0.9971502426 0.3402203165
С
   1.9763841959 -1.6101524827 -0.1384665874
С
   1.4941543391 0.7879163108 0.0701566683
С
   1.0352441678 -0.5478781782 -0.1750846005
   -2.7093623931 0.2752732546 -0.7383053172
С
   -1.9121632934 2.59519271 -0.3129352415
С
С
   -3.0893650794 1.7217014013 -0.6289583335
    4.8052619337 0.1227704547 0.5758652948
Η
Η
   -0.6837840657 -1.7825540832 -0.6313961324
   4.009143534 -2.1945588955 0.1504175309
Η
   0.9140986772 2.8683126525 0.2222260121
Н
   3.2183818029 2.0088651526 0.525735636
Н
   1.6277763572 -2.6210058112 -0.32427399
Η
   -2.9431969492 -0.1491363648 -1.727291071
Н
   -3.2470865904 -0.3582004996 -0.0155048744
Н
   -1.7366498704 3.3620844441 -1.0836504992
Η
Η
   -2.0408605404 3.152806685 0.6280032609
   -4.0973234032 2.0920946549 -0.7594894562
Η
Core RigidRotor
SymmetryFactor 0.5
End
Frequencies[1/cm] 66
94.3256
                     122.3123
                                           152.5677
256.8166
                      258.4568
                                             286.3775
366.4610
                      404.7816
                                             405.2049
411.6028
                                             535.1487
                      486.6988
575.3483
                      629.0985
                                            649.8059
718.4084
                      724.6065
                                             756.7602
779.4559
                      785.5189
                                             829.0436
858.7876
                     869.9437
                                             889.3510
912.8743
                      920.9225
                                             929.0231
942.2427
                      965.1186
                                             992.4063
                      1042.2542
1025.1768
                                             1088.4897
                                            1168.5879
1133.7233
                      1134.6911
1172.1536
                      1181.5257
                                            1222.9891
1245.4172
                      1265.9690
                                             1283.2206
1308.2046
                      1349.1397
                                             1368.7828
1392.9369
                     1418.0195
                                            1455.5254
1459.8124
                      1485.0784
                                            1487.7814
                                             1652.0068
1537.5065
                      1614.4639
1678.1141
                      2954.9278
                                             2958.3026
2959.3328
                      2959.3826
                                            3152.4401
3154.2132
                      3155.7817
                                            3160.5562
                      3186.4986
                                             3204.3097
3173.3421
ZeroEnergy[kcal/mol] -65.35
ElectronicLevels[1/cm]
                             1
0 2
End
End
|------
!-----well i18-----
Well
       i18
Species
```

RRHO		
Geometry[angstrom] 24	L	
C -3.607062069 -0.460	5740743 -0.0318252876	
C 0.6292210744 -0.390	6776281 0.0277618079	
C -2.8882487414 -1.67	73337816 -0.046284512	
C 1.2868335286 0.8210	121746 0.0610070201	
C -0.805030168 2.0109	928583 0.0561101079	
C 0.5683326982 2.0366	518594 0.0754479664	
C -2.9353082483 0.737	7778544 0.0013687349	
C -1.5135397761 -1.67	33497794 -0.0272977677	
C -1.5174417576 0.781	2486353 0.0217280292	
C -0.7887686853 -0.45	35965745 0.0070463758	
C 2.7894119791 0.6349	9755857 0.0776853037	
C 1.6080635607 -1.547	6234172 0.0179128255	
C 2.9386691442 -0.856	52776438 0.0494437806	
н -4.6910512064 -0.47	770673972 -0.0470524222	
н -3.4275925484 -2.61	7699124 -0.072494086	
Н -1.369888888 2.9374	094166 0.0668786518	
H 1.0981762608 2.9832	2118707 0.1016345141	
H -3.4852400794 1.673	33450155 0.0125482626	
Н -0.9695478063 -2.61	10225926 -0.0385263585	
H 3.2723483421 1.1276	919034 -0.7815371326	
H 3.2485491479 1.0920	0.9690463158	
H 1.4599913509 -2.219	99256023 0.87850768	
H 1.4834254148 -2.185	32/2914 - 0.8/219/24/2	
H 3.8892594724 -1.372	24059599 0.0520514372	
Core RigidRotor		
SymmetryFactor 0.5		
Frequencies[1/cm] 66		
107 0698	128 5708	178 4724
225 9664	235 7410	276 7820
353 3120	420 6603	428 3135
460 9729	507 0879	519,1917
533 6427	603 8140	642 7945
671.0885	744.3922	751.3863
781.2880	788.6778	819.8450
868.7788	873.0729	911.2819
928.9227	930.0882	958.7208
960.1594	970.2790	993.5074
1025.4853	1045.3607	1072.8194
1129.5222	1137.3259	1167.6873
1177.4641	1184.1963	1212.0690
1234.2226	1271.5683	1283.4381
1324.5049	1346.0158	1377.9853
1400.1540	1412.7110	1457.5895
1463.8005	1470.8255	1497.5447
1552.7075	1612.0443	1636.1373
1665.6815	2948.0004	2950.1224
2952.4369	2952.5572	3155.2200
3157.3450	3165.1983	3173.9764
3178.2905	3188.1393	3204.5390
<pre>ZeroEnergy[kcal/mol] -6</pre>	56.0	
ElectronicLevels[1/cm]	1	

0 2 End End |_____ !-----well i19----i19 Well Species RRHO Geometry[angstrom] 24 С 3.6318810329 0.4807542745 0.0164837667 С -0.2434383243 -1.2107040763 0.1715009654 С 3.4731057942 -0.897396964 0.2869243159 С -1.3837031239 -0.4316568618 -0.0393356273 С 0.0552111971 1.5277580953 -0.330193233 С -1.1903361535 0.9723244628 -0.2716870932 С 2.5285366997 1.2777531678 -0.1910255182 С 2.2177639331 -1.4537653676 0.3414043115 С 1.2231825373 0.7358196657 -0.1410187339 С 1.0581642944 -0.660774276 0.1251246419 Η 4.6272643362 0.9083445479 -0.0243518639 -0.3439809883 -2.2578012139 0.424775612 Η 4.3486207288 -1.5151830757 0.4522842615 Η Η 0.1703771649 2.5900976259 -0.5195887297 -2.066656421 1.5949285609 -0.4185021695 Η Η 2.6483304895 2.3369353075 -0.3945287055 Η 2.0951971186 -2.5116851041 0.5493027687 -2.7325403717 -0.9266761192 0.0003385113 С С -2.5849411392 -3.3960708672 -0.4579690801 С -3.2260580323 -2.2484996023 -0.0851142619 Η -3.4928412555 -0.1568802084 0.1001777134 Η -3.1214040518 -4.3366536794 -0.4808369014 -1.5578416823 -3.4130030955 -0.7959543381 Η -4.2868677829 -2.3439631969 0.1390253873 Η Core RigidRotor SymmetryFactor 0.5 End Frequencies[1/cm] 66 129.9387 58.9015 101.5076 189.0148 215.3316 278.4754 332.1181 389.6537 410.0791 523.5196 432.0402 481.8984 526.6313 569.6826 605.0500 646.2998 739.4751 656.8319 751.9518 773.1264 779.2752 794.0026 833.6479 854.9327 873.1235 906.7269 924.4219 961.5779 965.1367 978.2899 991.8832 993.5742 1020.8295 1042.5393 1112.0085 1153.8579 1171.0841 1179.3984 1211.4510 1229.4784 1267.6219 1286.0095 1293.7944 1367.4051 1389.9154 1411.1832 1442.4774 1453.8730 1478.7488 1489.1216 1534.9779

1592.1557 1561.9633 1632.4830 1651.8740 3119.1245 3145.6842 3154.2215 3155.9985 3157.5469 3161.9987 3174.4123 3175.3508 3187.9911 3197.8435 3243.0872 ZeroEnergy[kcal/mol] -62.2 ElectronicLevels[1/cm] 1 0 2 End End |-----!----well i20----i20 Well Species RRHO Geometry[angstrom] 24 С 3.6230700817 0.4619957723 -0.0842389153 С -0.3031069253 -1.2250619843 0.5110391305 С 3.4846128781 -0.9173547634 0.0738051482 С -1.4265864514 -0.345334985 0.002846485 0.0309431114 1.564962644 -0.0513082859 С С -1.2438720213 1.0249336922 -0.1416123886 2.4972689638 1.2729330543 -0.0993943822 С С 2.2137579479 -1.4728422414 0.2311596715 С 1.205775024 0.7294117857 0.0451732 С 1.0745113243 -0.6742348158 0.2252395833 С -2.5378683456 -1.184410105 -0.3056176019 С -0.6972323073 -2.6447765608 0.0209552627 С -2.171488828 -2.4938495309 -0.2745764711 Η 4.6079761391 0.9004444951 -0.2002591312 Η -0.4108451995 -1.2340230922 1.6114296777 4.3598001422 -1.5570681438 0.0808093914 Η 0.1760726786 2.6330330374 -0.1708482773 Η -2.0855113347 1.6644272303 -0.3897136437 Η 2.6027307471 2.3442710184 -0.2374252175 Н 2.11440712 -2.544390969 0.3699087987 Η Η -3.5226658597 -0.8182249332 -0.5708291764 -0.4824639782 -3.4278222972 0.7536584406 Η Η -0.1496975418 -2.9074488569 -0.8955033665 -2.8191913655 -3.3310424509 -0.5025069317Η Core RigidRotor SymmetryFactor 0.5 End Frequencies[1/cm] 66 95.7042 211.0156 110.4329 234.1449 251.2703 394.0126 415.9914 425.1121 437.8193 504.0759 519.7746 539.3193 604.9982 654.0605 690.8255 716.1939 724.9124 750.4712 775.3882 814.4065 796.1987 859.2284 880.9569 921,4952 924.5328 946.7092 948.3532 952.4561 979.6145 983.2397

```
1024.6200
                    1058.9219
                                           1095.7327
1118.8624
                     1139.2165
                                           1159.6583
1180.5462
                    1216.7607
                                           1227.0960
1238.9974
                    1247.5655
                                          1282.7061
1298.3331
                    1315.9616
                                          1321.0889
1345.9526
                     1387.8781
                                           1407.0705
1463.7064
                    1481.3539
                                          1511.7609
1531.3195
                    1551.4635
                                          1600.2444
1630.8057
                     2899.7681
                                           2988.1683
3058.2107
                     3152.5933
                                           3155.1394
3160.4981
                     3172.3421
                                          3174.9839
3181.3335
                     3186.8673
                                          3203.2937
ZeroEnergy[kcal/mol] -64.72
ElectronicLevels[1/cm]
                           1
0 2
End
End
!-----
!----c10h7 c3h4 p0p-----
Bimolecular p0p
             c3h4
Fragment
RRHO
Geometry[angstrom] 7
   -0.823420841 0.0519880348 -0.0208571707
С
С
   1.824711204 -0.1816552298 0.0001678957
Н
   -1.8820502847 0.1362504236 -0.0342313517
   2.1265806386 -1.2327357481 0.0038417281
Η
H 2.2515118512 0.2935470245 0.887798287
   2.2667123243 0.2920674571 -0.8807572055
Η
  0.3727611076 -0.0556769621 -0.0121801829
С
Core RigidRotor
SymmetryFactor 3.0
End
Frequencies [1/cm] 15
                     339.9763
                                          666.0166
339.4278
666.0469
                     943.1202
                                         1056.2902
1056.6567
                     1416.3162
                                          1479.4028
1479.6937
                     2229.8067
                                           3026.9185
                     3086.1443
3085.7411
                                          3478.9987
                     0.0
ZeroEnergy[kcal/mol]
ElectronicLevels[1/cm]
                            1
0 1
End
Fragment
             c10h7
RRHO
Geometry[angstrom] 17
С
   -2.342087 -0.789687 0.000182
С
   1.23599 1.492987 -0.00007
С
   -2.406991 0.622556 -0.000082
   2.395952 0.795395 -0.00008
С
С
   1.355609 -1.327182 0.000189
С
   2.524369 -0.593594 0.000023
С
   -1.124987 -1.426414 -0.000392
С
   -1.255124 1.371674 0.000158
```

С 0.086626 -0.68687 -0.00012 С 0.017308 0.74503 0.000139 Н -3.258566 -1.368743 0.000087 Η 1.201705 2.577724 -0.00028 Η -3.373351 1.114428 0.000661 Η 1.39504 -2.412201 0.000526 3.493202 -1.079675 0.000221 Н Η -1.073657 -2.510327 -0.000363 -1.30436 2.455421 -0.000531 Η Core RigidRotor SymmetryFactor 1.0 End Frequencies [1/cm] 45 174.5523 191.9823 368.8691 386.9856 471.7499 485.5864 511.3155 520.6059 611.1652 754.9555 628.1914 745.0901 767.1418 793.9645 805.9451 936.1904 845.2289 888.1353 956.7704 970.6818 996.7989 1141.2669 1040.0912 1049.2482 1161.1784 1172.2344 1208.1577 1250.0871 1276.7535 1334.8589 1385.5649 1394.0363 1457.0524 1530.4230 1468.7884 1592.5026 1620.1890 1656.5683 3155.0771 3158.4833 3159.6258 3164.2142 3175.9226 3179.5633 3188.1262 0.0 ZeroEnergy[kcal/mol] ElectronicLevels[1/cm] 1 0 2 End GroundEnergy[kcal/mol] 0.0 End !----c10h7 c3h4 p0a-----Bimolecular p0a Fragment c3h4 RRHO Geometry[angstrom] 7 С -0.7953643067 0.0340930197 0.0003929351 1.7999079767 -0.188313622 -0.0384040502 С Η -1.2789000818 0.9884787247 0.182918491 Η -1.4365104427 -0.8255826572 -0.1664284561 2.3603730273 -0.4130354538 0.8635083944 Η 2.3636835038 -0.0613232862 -0.9572540549 Η 0.5024913234 -0.0757887252 -0.0189202593 С Core RigidRotor SymmetryFactor 4.0 End Frequencies [1/cm] 15 371.5183 865.8663 371.2233 866.2617 884.0403 1016.3687 1016.5866 1109.0953 1422.1712 1479.1925 2051.9260 3118.9601

```
3123.0938
                      3193.6015
                                           3194.4729
ZeroEnergy[kcal/mol]
                      0.0
ElectronicLevels[1/cm]
                            1
0 1
End
Fragment c10h7
RRHO
Geometry[angstrom] 17
  -2.342087 -0.789687 0.000182
С
С
   1.23599 1.492987 -0.00007
С
   -2.406991 0.622556 -0.000082
С
   2.395952 0.795395 -0.00008
С
   1.355609 -1.327182 0.000189
С
   2.524369 -0.593594 0.000023
   -1.124987 -1.426414 -0.000392
С
С
   -1.255124 1.371674 0.000158
С
   0.086626 -0.68687 -0.00012
С
   0.017308 0.74503 0.000139
   -3.258566 -1.368743 0.000087
Η
Η
  1.201705 2.577724 -0.00028
   -3.373351 1.114428 0.000661
Η
   1.39504 -2.412201 0.000526
Η
  3.493202 -1.079675 0.000221
Η
   -1.073657 -2.510327 -0.000363
Η
H -1.30436 2.455421 -0.000531
Core RigidRotor
SymmetryFactor 1.0
End
Frequencies [1/cm] 45
174.5523
                      191.9823
                                            368.8691
386.9856
                      471.7499
                                            485.5864
511.3155
                     520.6059
                                            611.1652
                      745.0901
                                            754.9555
628.1914
767.1418
                      793.9645
                                            805.9451
845.2289
                     888.1353
                                           936.1904
956.7704
                     970.6818
                                           996.7989
1040.0912
                     1049.2482
                                            1141.2669
1161.1784
                     1172.2344
                                            1208.1577
1250.0871
                     1276.7535
                                           1334.8589
1385.5649
                     1394.0363
                                           1457.0524
1468.7884
                                            1592.5026
                     1530.4230
1620.1890
                      1656.5683
                                            3155.0771
3158.4833
                     3159.6258
                                           3164.2142
                     3179.5633
3175.9226
                                           3188.1262
                      0.0
ZeroEnergy[kcal/mol]
ElectronicLevels[1/cm]
                             1
0 2
End
GroundEnergy[kcal/mol] 1.1
End
!-----h c10h6 p1-----
Bimolecular p1
Fragment
              c10h6
RRHO
```

```
Geometry[angstrom]
                     23
С
    -3.4297275383 0.6926828295 0.0039083678
С
    0.2561865651 -1.4034018581 -0.0085023831
С
    -3.4192071452 -0.7206557811 -0.0006487593
С
    1.4301622887 -0.6884204437 -0.0080385742
С
    0.2375332283 1.4304945887 0.0005892895
С
    1.4176697405 0.7420283073 -0.0034772169
С
    -2.2463676634 1.3923572342 0.0043120379
С
    -2.2271153712 -1.4039826096 -0.0046946993
С
    -0.9977522925 0.720531113 0.0002165193
С
    -0.9860464949 -0.7144502301 -0.0044032352
С
    2.8281081359 -1.1220833093 -0.0116269207
С
    2.8483269174 1.2348432817 -0.004056437
С
    3.6409965108 -0.0519460444 -0.0095010525
    -4.3754448604 1.222915632 0.0070883174
Η
Η
    0.2599391198 -2.4888289276 -0.0119952953
    -4.3573702871 -1.2643043552 -0.0009374379
Η
Η
    0.217623734 2.5163608324 0.0041197655
    -2.2529829395 2.477688416 0.0078122976
Η
    -2.2185160279 -2.4892073171 -0.0081914894
Η
    3.1434835396 -2.157922306 -0.0153885217
Η
    3.0748527551 1.8496933954 0.8759822814
Η
Η
    3.072160391 1.8553276045 -0.8808330576
    4.7229266941 -0.0789710526 -0.0107867963
Η
Core RigidRotor
SymmetryFactor 1.0
End
Frequencies[1/cm]
                   63
102.2294
                       134.8645
                                               251.8437
263.5800
                       278.6570
                                               394.6986
405.8898
                       417.1671
                                               426.3605
487.3719
                       559.6989
                                               578.1974
                                               732.6775
628.8197
                       686.4746
738.6653
                       751.4693
                                               764.7804
783.4099
                                               857.4753
                       806.1723
                                               902.4118
858.7720
                       890.3014
913.7707
                       955.6878
                                               957.5792
963.1137
                       970.5211
                                               991.6628
1043.4534
                       1077.4282
                                               1121.2771
1155.6730
                       1169.2853
                                               1174.4788
                                               1251.5039
1180.6497
                       1244.5385
1268.6960
                       1282.1901
                                               1347.9739
1373.3697
                       1387.7710
                                               1434.9787
1446.5223
                       1470.3410
                                               1486.9167
1537.3526
                       1611.9868
                                               1627.0456
1655.0763
                       1677.6805
                                               3013.8854
3035.4208
                       3153.1920
                                               3155.6051
3159.0651
                       3162.4123
                                               3173.3962
3186.6618
                       3189.2638
                                               3212.1926
                         0.0
ZeroEnergy[kcal/mol]
                               1
ElectronicLevels[1/cm]
0 1
End
Fragment
                Η
```

```
Atom
Mass[amu]
          1
ElectronicLevels[1/cm]
                             1
0
    2
End
GroundEnergy[kcal/mol] -36.51
End
!----h c10h6 p2-----
Bimolecular p2
Fragment
                c10h6
RRHO
Geometry[angstrom]
                    23
    3.3470139691 -0.1784239349 -0.001643978
С
С
    -0.8842205267 -0.4325083205 -0.0072564037
    2.726429771 -1.4486079448 -0.0077584959
С
С
    -1.6327602416 0.7404671779 -0.0032145561
С
    0.3640781219 2.0708040892 0.0046323389
С
    -1.0114628758 2.0005023316 0.0027143091
С
    2.5833180704 0.9631720545 0.0024139944
С
    1.355902182 -1.5520334827 -0.0096475295
    1.165120296 0.8966729154 0.0005939313
С
С
    0.537531976 -0.3935695503 -0.0055813048
С
    -3.0990961767 0.3869034187 -0.0067243045
С
    -1.8099242179 -1.5696327613 -0.0128348109
С
    -3.0780386636 -1.1207224362 -0.0124526263
Η
    4.4290830247 -0.1096456294 -0.0001791325
н
    3.3379375392 -2.3440222559 -0.0109806364
    0.860868578 3.0352454583 0.0093447647
Η
Η
    -1.6062808473 2.908085251 0.0057784256
Η
    3.0580407341 1.9390508141 0.007080557
Η
   0.8891185 -2.5303532928 -0.01442073
    -3.6221352851 0.7853374153 0.8721696031
Η
    -3.6190854475 0.7919835703 -0.8844308124
Η
    -1.5129772577 -2.6101143399 -0.0173138716
Н
   -3.9711972226 -1.7309105476 -0.0167237316
Η
Core RigidRotor
SymmetryFactor 1.0
End
Frequencies [1/cm] 63
113.5257
                       131.9163
                                               229.2535
241.8649
                       268.1291
                                               387.6530
432.9010
                       438.9526
                                               463.5719
506.1584
                       519.7956
                                               565.0100
613.2436
                       666.3208
                                               682.0518
723.0441
                       748.4811
                                               753.1903
798.3278
                       817.3537
                                               841.0725
879.0965
                       882.4712
                                               933.2309
950.4010
                       954.8911
                                               958.7597
966.8124
                       969.3282
                                               992.8559
1043.9091
                       1074.2166
                                               1126.1545
                       1166.9833
1143.1105
                                              1178.4415
1192.0183
                       1216.8068
                                              1236.5320
1283.2710
                       1293.5284
                                               1351.7454
1378.3222
                       1389.1206
                                               1430.1706
```

1431.5184 1469.3722 1486.3917 1555.1522 1584.8304 1618.8469 1634.2323 1664.3623 3014.4097 3037.1196 3155.8991 3157.6508 3165.4471 3174.7872 3178.0459 3188.0059 3195.5734 3217.7099 0.0 ZeroEnergy[kcal/mol] ElectronicLevels[1/cm] 1 0 1 End Fragment Η Atom Mass[amu] 1 ElectronicLevels[1/cm] 1 2 \cap End GroundEnergy[kcal/mol] -36.19 End !----h c10h6 p3-----Bimolecular p3 c10h6 Fragment RRHO Geometry[angstrom] 23 3.3589805782 -0.1589532841 -0.0052741521 С С -0.8626124942 -0.4592216299 0.0061451685 С 2.7512244302 -1.4362419127 -0.0057558711 С -1.6304316353 0.7002778521 0.0104255245 С 0.3504445096 2.0582620245 0.0073112859 С -1.0208972146 1.9753841923 0.0110703316 С 2.58240266 0.9743296087 -0.0010636067 С 1.3828455855 -1.5556845697 -0.0020600345 С 1.1658232353 0.8928735063 0.0028576508 С 0.5497812064 -0.4047593755 0.0022898527 С -3.0471181043 0.3231433831 0.013518318 С -1.786615793 -1.65287093 0.0068930735 С -3.1559300206 -1.0165005908 0.0115352725 Η 4.4401442599 -0.0787740034 -0.00823888 3.372925776 -2.3247255603 -0.0090822067 Η 0.8378607683 3.0277237362 0.0077226495 Η -1.6280620211 2.8741736402 0.0144845493 Η 3.0467756867 1.9552584003 -0.0006703734 Η Η 0.9246806356 -2.5385591873 -0.0024656456 Н -3.8673579721 1.0301984874 0.0178637838 -1.6405804813 -2.2929696258 -0.8725833972 Η -1.6357579267 -2.2952054346 0.8839587431 Η -4.0761106684 -1.5851637269 0.0138329637 Н Core RigidRotor SymmetryFactor 1.0 End Frequencies[1/cm] 63 111.6057 140.7443 235.7064 237.2840 257.3698 398.3460 432.9203 435.8184 465.2515 517.6631 520.4055 551.8391

```
670.8841
616.8391
                                              681.8888
717.6433
                       751.4780
                                              760.5919
787.6060
                       828.8756
                                              839.7089
870.5955
                       872.9566
                                              937.1401
954.7419
                       955.4339
                                              959.8592
969.6851
                       982.2343
                                              991.7663
                                              1117.9424
1043.6091
                       1060.8926
1144.2864
                       1166.9366
                                              1179.2631
1185.6203
                       1233.5150
                                              1244.7639
1263.9305
                       1288.3090
                                              1363.9889
1378.3244
                       1398.4726
                                              1416.6215
1434.3888
                       1470.0882
                                              1487.4172
                       1587.7715
1552.8699
                                              1621.6410
1637.3459
                       1664.1362
                                              3014.2828
3037.1636
                       3156.0941
                                              3158.7295
3163.7980
                       3176.1937
                                              3177.0078
                       3190.5460
3187.4191
                                              3215.9190
                        0.0
ZeroEnergy[kcal/mol]
ElectronicLevels[1/cm]
                              1
0 1
End
Fragment
               Η
Atom
Mass[amu] 1
ElectronicLevels[1/cm]
                              1
0 2
End
GroundEnergy[kcal/mol] -36.33
End
!----h_c10h6_p4-----
Bimolecular p4
Fragment
                c10h6
RRHO
Geometry[angstrom] 23
   3.7695852196 -0.0064018801 0.1624634079
С
    -0.3681027934 -0.8226648439 -0.1754219653
С
С
    3.3187500647 -1.3444696048 0.0757045779
С
   -1.2899850887 0.2105062445 -0.2022003511
С
   0.51585409 1.8271389281 -0.004209719
С
   -0.8220659745 1.5561515634 -0.1137952259
С
   2.8687958828 1.0311253417 0.1375131586
С
   1.9775783278 -1.6190602397 -0.0341907195
С
   1.4774799929 0.7826568887 0.0249353278
С
   1.0200273942 -0.5701457584 -0.0628983946
С
   -2.6885215071 -0.0499966899 -0.3160526462
С
   -3.8738171039 -0.2543236385 -0.412071668
С
   -5.3035998711 -0.5068617608 -0.5273154055
Н
    4.8310747361 0.1965152437 0.2488677317
   -0.7141061282 -1.8479727961 -0.2418500721
Η
    4.0392322254 -2.154399737 0.0964489004
Η
   0.8579800055 2.8547663717 0.0622144114
Η
Η
   -1.5472635443 2.3605226794 -0.1350036066
Η
    3.2126102001 2.0581942628 0.2039493882
Н
   1.6305100804 -2.6449192567 -0.1008133461
```

н -5.7209994588 -0.	85533319	29 0.42255592	236
н -5.5092767819 -1.	27191806	64 -1.281981	5849
н -5 8417039676 0 4	00888941	2 -0 8153441	225
Core BigidBotor	000000011	2 0.0100111	220
Summet suEactor 1 0			
Symmetryractor 1.0			
Ena			
Frequencies[1/cm] 63			
13.2466	62.576	1	74.7243
164.4456	182.35	29	269.4018
284.4434	345.57	47	373.0123
393.0782	436.46	23	485.1788
515.9132	552.16	32	557.9209
616.2315	658.66	78	661.8111
760.2520	779.57	47	781.0217
833 6909	858 73	40	874 8436
913 6325	952 60	72	964 9148
979 7661	992.00	64	1014 7096
1042 2024	1040 7	056	1054 1702
1152 0001	1172 0	956	1034.1/92
1152.0061	11/2.8	489	11/8.1938
1211.5509	1249.9	931	1286.9966
1298.8516	13/1.5	645	1395.9116
1403.2038	1416.5	169	1464.4389
1478.0379	1479.1	806	1502.0790
1537.4508	1603.0	487	1641.3785
1666.7591	2336.3	606	3019.6932
3073.9064	3079.7	539	3157.6695
3161.4205	3163.8	674	3175.3187
3178.1638	3188.2	924	3191.9414
<pre>ZeroEnergy[kcal/mol]</pre>	0.0		
ElectronicLevels[1/cm	1	1	
0 1	-		
End			
Fragment H			
Atom			
Mass[amu] 1			
FloctropicIovols[1/cm	1	1	
]	1	
	1 0 60		
GroundEnergy[kcal/mol] -9.62		
End			
!h_cl0h6_p5		-	
Bimolecular p5			
Fragment c10h6			
RRHO			
Geometry[angstrom]	23		
C 3	.674981	0.497930	-0.000270
с –0	.219804	-1.159771	0.000398
C 3	.507073	-0.905745	-0.000471
C -1	.335316	-0.344858	0.000639
C 0	.104371	1.613217	0.000265
C –1	150805	1.068039	0.000508
C 2	577411	1 326248	-0 000042
C 2	247044	-1 451470	
C 1	265061	1 700010	0.000000
		V . 1 1/./. 1/	U . UUUU 77.

С С С С Н Н Н Н Н	1.093658 -2.678275 -4.953878 -3.818184 4.674304 -0.342425 4.379634 0.228583 -2.024495	-0.627265 -0.945911 0.338200 -0.297671 0.918331 -2.238727 -1.549380 2.691348 1 709749	0.000071 0.000639 -0.001024 -0.000173 -0.000291 0.000371 -0.000766 0.000169 0.000604
Н	2.703431	2.404084	0.000102
Н	2.118144	-2.531928	-0.000473
Н	-2.716374	-2.033955	0.001034
H	-5.449819	0.614651	-0.927951
H Core BigidBotor	-5.451004	0.614896	0.925210
SymmetryFactor 1.0			
End			
Frequencies[1/cm]	63		
46.2339	103.838	35	125.7138
182.5167	253.59	967	276.1306
328.7230	3/9.4/	203 287	401.6511 197 2671
525.9436	594.20)23	604.9617
644.7759	684.63	387	761.7100
766.4329	782.33	325	784.1895
836.0403	872.73	358	881.4050
888.9360	896.15	518	922.2063
963.8350	967.06	243	983.3427
995.5075	1012.73	070 1380	1174 0129
1179.9562	1197.0)911	1240.8038
1280.4937	1289.0)527	1327.6220
1393.1879	1397.8	3004	1412.9141
1461.6268	1483.9	9705	1506.4370
1544.0494	1609.8	3810	1643.4084
1667.4288	2033.5	5041	3102.7160
3118.8576	3154.6	031	3157.3764
3174 7675	3182 2	2671	3187 6613
ZeroEnergy[kcal/mo]	L1 0.0	.071	5107.0015
ElectronicLevels[1,	/cm]	1	
End			
Fragment H			
Atom			
Mass[amu] 1			
ElectronicLevels[1, 0 2 End	/cm]	1	
GroundEnergy[kcal/r End	nol] -7.24		
!h c10h6 p6-			
Bimolecular p6			
Fragment c10)h6		

RRHO			
Geometry[angstrom]	23		
С	-3.601815	0.383900	0.302093
С	0.331336	-1.086775	-0.247675
С	-3.363878	-1.009966	0.307200
С	1.382170	-0.220264	-0.431775
С	-0.134704	1.666895	-0.258174
C	1.134016	1.177774	-0.433294
C	-2.561681	1.263041	0.118863
C	-2.091489	-1.497572	0.129425
C	-1.236971	0.792021	-0.067861
C	-0.995906	-0.616759	-0.062344
C	2.794036	-0.741286	-0.658787
C	4.583078	0.196625	1.078480
C	3.776591	-0.228610	0.296433
Н	-4.610267	0.755805	0.444027
Н	0.506299	-2.158545	-0.239833
Н	-4.192432	-1.694002	0.452640
Н	-0.311403	2.737565	-0.261235
Н	1.966220	1.860584	-0.565497
Н	-2.741326	2.333194	0.115215
H	-1.908480	-2.567183	0.133933
H	2.788502	-1.834732	-0.616378
H	3.120378	-0.476294	-1.672758
H	5.293819	0.569455	1.//4398
Core RigidRotor			
SymmetryFactor 1.0			
End	60		
Frequencies[1/cm]	63	0	140 6404
21.6630	74.635	9	142.6424
180.7269	243.91	61 20	286.6814
331.4442	3/3.49	20	402.0165
408.0951	485.44	上 / 〒1	503.1293
520.7009	576.49	51 70	633.3364
	007.03	70	701 4020
796 2002	/04.04 022 16	20	781.4020 969 5120
979 9090	002.10	10	000.JIZU
059 7772	905.07	70	940.9423
995 0094	905.00	70	979.7131 1042 5726
11/18 0008	1172 5	340	1179 0625
1188 9602	1216 9	373	1239 / 898
1277 2317	1220.9	179 179	1325 1016
1392 2986	1396 8	940	1408 1882
1466 5377	1474 9	665	1503 1218
1545 9904	1612 9	193	1646 3300
1674 0852	2223 3	362	3008 3643
3056.3908	3153 A	497	3157 5197
3159.6598	3162.9	819	3175 1434
3179.1100	3187.9	599	3476.1676
ZeroEnergy[kcal/mo]	$L_1 \qquad 0.0$		01/01/010
ElectronicLevels	/cm]	1	
0 1	-		
End			

Fragment Η Atom Mass[amu] 1 ElectronicLevels[1/cm] 1 Ο 2 End GroundEnergy[kcal/mol] -2.25 End !-----ch3 c12h8 p7-----Bimolecular p7 Fragment c12h8 RRHO Geometry[angstrom] 20 С 3.236624 0.172310 0.00 С -0.841043 0.00 -0.948009 С 2.881179 -1.197039 0.00 С -1.833267 0.017271 0.00 С -0.145939 1.764012 0.00 С -1.464948 1.395382 0.00 С 2.263177 1.142223 0.00 С 1.559667 -1.569997 0.00 С 0.889207 0.791807 0.00 С 0.528778 -0.592960 0.00 С -4.379851 -0.646290 0.00 С -3.212685 -0.349389 0.00 Η 4.283729 0.453226 0.00 Η -1.115580 -1.996676 0.00 Η 3.659088 -1.9520910.00 Η 0.123389 2.814985 0.00 Η -2.247821 2.143774 0.00 Η 2.535296 2.192583 0.00 0.00 Η 1.284563 -2.619418 Η -5.408056 -0.912317 0.00 Core RigidRotor SymmetryFactor 1.0 End Frequencies[1/cm] 54 87.9880 133.1440 181.2468 218.2255 352.1262 383.4870 401.5587 429.5214 484.5990 516.8219 552.4624 559.6133 629.3281 632.9808 663.6020 685.9742 691.9308 760.9473 779.8212 780.6114 834.1419 876.3712 899.3207 915.5693 966.6536 971.2117 980.9216 999.0278 1041.9866 1145.5746 1172.8883 1177.9761 1185.7844 1233.3388 1277.2123 1289.8811 1371.2885 1395.2179 1403.3569 1465.1985 1499.2505 1537.6500 1603.6481 1640.9279 1667.3435 2205.9189 3158.8057 3163.5226 3165.7769 3176.3887 3179.5926

3189.0981 3194.5312 3477.6126 ZeroEnergy[kcal/mol] 0.0 ElectronicLevels[1/cm] 1 0 1 End Fragment ch3 RRHO Geometry[angstrom] 4 С 0.000000 0.000 0.0000 Η -0.9358075 -0.5401365 0.000 Н 0.9358075 -0.5401365 0.000 Η 0.0000 1.080495 0.000 Core RigidRotor SymmetryFactor 6.0 End Frequencies [1/cm] 6 505.5776 1403.1131 1403.3797 3103.7859 3282.6714 3283.0465 ZeroEnergy[kcal/mol] 0.0 ElectronicLevels[1/cm] 1 0 1 End GroundEnergy[kcal/mol] -15.3 End !-----bar ts0-1-----Barrier ts0-1 i1 p0p RRHO Geometry[angstrom] 24 3.76994 0.01624 0.41853 С С -0.28693 -0.8287 -0.49631 С 3.3644 -1.31764 0.18061 С 0.2194 -1.14991 -0.55546 С 0.52793 1.82404 -0.02216 С -0.79045 1.55162 -0.31983 С 2.85519 1.03897 0.35397 С 2.05341 -1.60222 -0.11632 С 1.49237 0.78284 0.04936 С 1.08338 -0.56924 -0.19119 Η 4.80736 0.22767 0.65208 -0.60794 -1.85086 -0.67459 Η Н 4.09504 -2.1172 0.23374 0.84704 2.84558 0.16309 Η н -1.52524 2.3479 -0.37143 3.16487 2.06311 0.5357 Η Н 1.7413 -2.62538 -0.29887 C -3.41112 -0.22226 -1.06748 C -4.62584 -0.43934 1.2916 С -4.0514 -0.33822 -0.04039 -3.17228 -0.18452 -2.10395 Η Н -5.38494 0.33146 1.45299 н -3.85218 -0.31702 2.05762 Н -5.09881 -1.41373 1.44402

Core RigidRotor

```
SymmetryFactor 0.5
End
Tunneling
             Eckart
ImaginaryFrequency[1/cm] 290.3817
WellDepth[kcal/mol] 44.44
WellDepth[kcal/mol] 2.31
End
     Rotor
             Hindered
                         ! 63 cm^-1
                                     CH3
                            22 23 24
       Group
                            19 20
       Axis
       Symmetry
                     3
       Potential[kcal/mol]
                            4
0
     0.103333259 0.223148058 0.123061533
     End
              Hindered ! 10 cm^-1
     Rotor
                            19 20 21 22 23 24
       Group
                            4 18
       Axis
       Symmetry 1
                            8
       Potential[kcal/mol]
0.01195343
          0.2797124
                            0.631229467 0.187441507
                                                         0
0.321374644
              0.77244548
                            0.210585943
     End
Frequencies [1/cm] 63
              28.7912
              79.0441
                                    97.7220
176.6484
                     203.3793
                                          316.3168
348.4021
                     371.6784
                                          389.1046
477.7321
                     485.4667
                                          496.9637
                     619.9604
515.3030
                                          627.8965
657.2454
                     691.5528
                                          746.3446
768.6028
                    768.8787
                                          799.7490
813.3370
                    853.1219
                                         892.6143
                                          956.9292
931.4543
                    939.8204
969.1551
                     993.7361
                                         1037.8501
1040.2588
                    1046.6855
                                         1057.5648
1144.3211
                    1161.4569
                                         1172.6711
1210.1482
                    1252.8749
                                          1277.2623
1344.1359
                    1385.5919
                                          1393.0761
1411.4232
                    1459.0165
                                         1467.3266
1474.0957
                    1475.1044
                                         1530.7447
1595.4413
                    1614.3671
                                         1657.0523
2118.1022
                     3015.3446
                                          3070.3195
3083.2119
                    3148.1046
                                         3149.9389
3155.9823
                    3161.1578
                                         3168.8979
                    3186.4070
                                          3434.7944
3173.6564
ZeroEnergy[kcal/mol] 2.31
ElectronicLevels[1/cm] 1
0 2
End
!-----
!-----bar ts1-2-----
Barrier ts1-2 i1 i2
RRHO
Geometry[angstrom]
                   24
```

С -3.6991765103 0.5715589621 -0.0082453105 С 0.1412514365 -1.2106173568 0.0327111227 С -3.5763759946 -0.8357747581 0.0464690616 С 1.2827136024 -0.4344546731 -0.0067634796 С -0.0942592816 1.5692186668 -0.0754008448 С 1.141906261 0.9817961058 -0.061676544 С -2.575384954 1.3628969559 -0.0481742656 С -2.3345984626 -1.4245449156 0.0602129842 С -1.2807581212 0.7870198245 -0.035349062 -1.1546949389 -0.6363933284 0.0199760934 С С 2.6168229722 -1.0781892239 0.0083981313 С 3.7826247139 -0.4882426904 -0.0238812471 -4.6844319796 1.0239303845 -0.0185614809 Η Η 0.230468771 -2.2923208175 0.0747818701 -4.4691669214 -1.4503635938 0.0776323695 Η Η -0.1838343731 2.6501202707 -0.1174460867 2.0367119703 1.5938408085 -0.0927604265 Η Η -2.6666824861 2.4434966891 -0.0901971912 -2.2404081653 -2.5048094314 0.102203717 н 2.5732668394 -2.1752784008 0.0520625286 Н 5.0414404221 0.2282552977 -0.0618788086 С 5.1407854075 0.9053855994 0.7958748657 Η 5.1270558111 0.8357976334 -0.9716494972 Н 5.914361981 -0.4431220088 -0.0422314993 Η Core RigidRotor SymmetryFactor 0.5 End Tunneling Eckart ImaginaryFrequency[1/cm] 229.9263 WellDepth[kcal/mol] 5.28 WellDepth[kcal/mol] 3.21 End Frequencies [1/cm] 65 32.4267 45.3432 123.3654 129.9946 182.4128 276.3873 298.6003 324.7371 387.8631 403.0819 484.6640 518.9512 524.5410 555.7427 633.5105 639.9821 720.2631 750.9756 780.1446 780.1914 835.5812 855.5777 804.5984 876.7152 914.5850 939.2407 962.3259 974.9320 977.5220 994.1034 996.9307 1025.9402 1042.5261 1142.9842 1171.5683 1175.9770 1188.0821 1234.6328 1272.1696 1281.4879 1289.9437 1387.6760 1394.0300 1405.0048 1410.2414 1450.2695 1469.4698 1542.8688 1471.9188 1498.1351 1608.7994 1640.5962 1665.5352 1808.6714 2945.0512 2974.1684 3003.2755 3037.8531 3151.1478 3155.2547 3156.6042 3161.4629

```
3173.7696
                      3175.1765
                                            3186.8189
ZeroEnergy[kcal/mol] -36.84
ElectronicLevels[1/cm] 1
0 2
End
!-----
!-----bar ts2-3-----
Barrier ts2-3 i2 i3
RRHO
Geometry[angstrom] 24
С
   -3.7629695558 0.6187902644 0.0901283413
С
   0.0613021541 -1.1672522323 -0.2465481121
С
   -3.6387474128 -0.7844949302 0.0842648782
С
   1.2475395941 -0.369187977 -0.306068572
   -0.1637565081 1.6365150515 -0.2621663749
С
С
   1.0661523857 1.0740636388 -0.3582126774
С
   -2.631566612 1.4104581951 -0.0176304622
С
   -2.3994513246 -1.376313116 -0.0238572519
С
   -1.3531654281 0.8393343516 -0.1307505668
С
   -1.2178009487 -0.5909423866 -0.1307184082
   -4.7422058805 1.0755312048 0.1754992386
Н
   0.1580801056 -2.2477405926 -0.2657275746
Η
   -4.5267343771 -1.4020330856 0.1651521412
Η
   -0.2702168308 2.7166411924 -0.2914041657
Η
   1.9509012625 1.6933909769 -0.4601152407
Η
Η
   -2.7230668305 2.492224576 -0.0182171189
   -2.3082859116 -2.4577130919 -0.027692139
Н
   2.5879104849 -0.985082728 -0.5781508719
С
   2.639688458 -0.9098194274 0.7033827115
С
С
   3.162197569 -1.0948416378 2.0598288668
Η
   3.1218415515 -1.3280317191 -1.458820599
   2.4790890913 -1.7095863024 2.6537527585
Η
   3.2664767087 -0.1342502979 2.5730375167
Η
   4.1433452553 -1.5875149266 2.0473526825
Н
Core RigidRotor
SymmetryFactor 0.5
End
Tunneling
             Eckart
ImaginaryFrequency[1/cm] 495.1615
WellDepth[kcal/mol] 25.79
WellDepth[kcal/mol] 3.5
End
Frequencies[1/cm] 65
62.2443
                      91.5754
118.2179
                                            194.5210
                      161.5623
                      277.1322
270.8300
                                             300.4171
397.2849
                      407.0803
                                            439.4227
464.1436
                      506.0859
                                            520.2349
615.7716
                      626.1579
                                            692.0752
735.6551
                      738.5551
                                             756.9831
767.0231
                                            808.1683
                     800.1802
869.9224
                     875.5091
                                            889.1462
                     943.5352
941.2330
                                            975.3791
980.5673
                    1030.5817
                                            1043.5005
```

```
1052.5966
                    1084.5417
1162.6746
                     1168.6093
1223.2672
                    1261.2727
1318.9034
                    1359.8637
1409.2167
                    1443.8233
1466.5469
                     1471.3205
1562.4004
                    1622.8429
1871.8071
                    2990.3910
3079.1189
                     3138.1998
3152.9858
                     3156.7598
3171.3112
                     3174.3565
ZeroEnergy[kcal/mol] -14.26
ElectronicLevels[1/cm] 1
0 2
End
!-----
!-----bar ts3-4-----
Barrier ts3-4 i3 i4
RRHO
Geometry[angstrom] 24
   -3.588856 0.122578 0.121594
С
С
   0.5109 - 0.902898 - 0.116362
   -3.205125 -1.230563 0.033565
С
С
  1.522477 0.104935 -0.158968
С
   -0.230558 1.802808 0.074402
С
   1.084787 1.484662 -0.015039
С
  -2.622571 1.113757 0.131701
С
   -1.874153 -1.575346 -0.045863
С
   -1.255581 0.796286 0.05372
С
   -0.857324 -0.580313 -0.041192
С
   2.864984 -0.137972 -1.347655
С
   2.980895 -0.250293 -0.071725
С
   3.901439 -0.570084 1.053345
Η
   -4.638878 0.384176 0.183566
  0.808722 -1.944424 -0.177585
Η
   -3.964958 -2.00443 0.028266
Н
Η
   -0.532204 2.841617 0.166991
  1.843119 2.260113 -0.003478
Η
   -2.914288 2.156993 0.202358
Η
   -1.582434 -2.618257 -0.115334
Н
   3.200947 -0.18694 -2.368721
Η
Η
   3.523613 -1.425401 1.621847
Н 3.965558 0.274568 1.74634
H 4.90293 -0.803355 0.6866
Core RigidRotor
SymmetryFactor 0.5
End
Tunneling
             Eckart
ImaginaryFrequency[1/cm] 570.0222
WellDepth[kcal/mol] 3.44
WellDepth[kcal/mol] 23.0
End
Frequencies [1/cm] 65
68.3130
                      90.9103
```

117	8.3	825
128	7.4	782
140	0.3	080
146	4.7	616
151	2.4	906
162	7.6	005
305	8.9	271
315	0.4	539
316	3.0	449
318	5.9	312

1136.5193

```
175.1180
135.7836
                                             189.4649
229.6581
                      282.2002
                                             360.5092
393.4619
                                             470.7090
                      437.0928
483.3880
                      509.2137
                                             525.1297
                                             646.3562
611.6183
                      625.9095
673.2161
                      675.6279
                                             742.8164
756.0611
                      766.8413
                                             806.8120
810.8880
                     856.2090
                                             871.9601
912.5533
                                             946.0790
                      942.3865
976.6454
                      982.3229
                                            1041.4592
1043.5102
                      1048.4261
                                            1143.1021
1165.7297
                     1170.0055
                                             1198.5001
1231.4236
                      1264.7386
                                            1288.2376
1322.7751
                      1362.4314
                                             1399.0796
1408.7208
                     1444.5854
                                            1463.7789
1474.9741
                     1481.4892
                                            1513.9820
1562.4192
                      1623.3206
                                            1626.8263
1825.8167
                      3024.1267
                                             3078.2003
3108.8651
                      3151.9224
                                            3154.3890
3158.1467
                      3163.5234
                                            3172.4994
3175.6066
                      3186.7827
                                            3277.6845
ZeroEnergy[kcal/mol] -14.32
ElectronicLevels[1/cm] 1
0 2
End
!-----
!----bar ts4-8-----
Barrier ts4-8 i4 i8
RRHO
Geometry[angstrom] 24
С
   -3.5991862122 0.0838823616 -0.0039122946
С
   0.538119891 -0.8206544558 0.0259658928
С
   -3.1723207626 -1.2633334935 0.013741405
С
   1.4866326755 0.1832019129 0.0187110137
С
   -0.2971992837 1.8434256057 -0.0089367875
С
   1.0351436248 1.5359567998 0.0008662729
С
   -2.6755906493 1.1028045443 -0.0114376403
С
   -1.8314229446 -1.5660343577 0.0235304556
С
   -1.2869106653 0.8228115271 -0.0016979724
С
   -0.8533876674 -0.5379379516 0.0161543919
С
   3.8602772288 0.8290852736 0.0214032237
С
   2.9516612048 -0.1147731752 0.0290153244
С
   3.3778196213 -1.5803221062 0.0490953584
Η
   -4.6594589387 0.3102848513 -0.0115032775
Η
   0.8384409503 -1.861364111 0.0394844995
Η
   -3.9090002751 -2.0588508247 0.0195433399
Η
   -0.6164677883 2.880639283 -0.0224693057
Н
   1.7758669965 2.3275304058 -0.0048431655
   -3.000916506 2.1380108047 -0.0249923855
Н
Η
   -1.5032851361 -2.60040362 0.0370921427
   4.5929647932 1.6013873145 0.015165185
Η
Н
   2.9972475911 -2.1083938116 -0.8307764769
Η
   2.9888185212 -2.0865931635 0.9380497031
Н
   4.4640377308 -1.6606256136 0.0552370973
```

Core RigidRotor SymmetryFactor 0.5 End Tunneling Eckart ImaginaryFrequency[1/cm] 695.1996 WellDepth[kcal/mol] 3.39 WellDepth[kcal/mol] 4.32 End Frequencies [1/cm] 65 35.6166 88.8854 169.7470 181.8903 228.3699 242.1694 323.1540 351.1277 462.7956 397.1980 454.1500 485.6657 520.7131 527.3926 559.1763 599.6794 631.8000 664.2612 677.1194 759.8259 782.1021 784.0398 833.9823 872.3881 879.8362 906.8406 952.8431 963.4863 978.1540 982.5105 995.5790 1033.5354 1042.9559 1076.0430 1147.9570 1173.7809 1200.6489 1178.6307 1292.3319 1235.0106 1278.8742 1372.8444 1392.9063 1397.2116 1411.1815 1466.7757 1486.0202 1488.8302 1498.7849 1539.8911 1608.4020 1640.8842 1642.7027 1667.4036 3022.4354 3077.3784 3125.4385 3155.5317 3157.3057 3160.9501 3173.9631 3178.6169 3183.7206 3187.4239 3433.6649 ZeroEnergy[kcal/mol] -33.93 ElectronicLevels[1/cm] 1 0 2 End !-----!-----bar ts8-5-----Barrier ts8-5 i8 i5 RRHO Geometry[angstrom] 24 -3.6229139835 0.1254589992 -0.1487551243 С 0.492534337 -0.8708180601 -0.1514305063 С С -3.2260497326 -1.2325584397 -0.147919074 С 1.451112727 0.118177294 -0.1575335261 С -0.2880730604 1.81363935 -0.156478315 С 1.0429805797 1.478673951 -0.1586966369 С -2.6784136739 1.1227665965 -0.1504211046 С -1.8935617418 -1.5658281249 -0.1483257059 С -1.2935399736 0.812801459 -0.1506887401 С -0.8917634241 -0.5597901186 -0.1488017975 -4.6780050917 0.3750496036 -0.1486756222 Η Н 0.7938141988 -1.9135074658 -0.1594900417 -3.9809711277 -2.0108113645 -0.1474588602 Η Н -0.5874406141 2.8567209169 -0.1642129859

```
1.8013978412 2.253377243 -0.1727249466
Н
Η
   -2.9806231679 2.1650182298 -0.152171675
   -1.5883234782 -2.6071290608 -0.149033932
Η
С
   3.5981658021 -0.3195703531 -1.2521282798
С
   2.9149108669 -0.222765308 -0.1369733865
   3.5372039084 -0.4305327376 1.2361094387
С
   4.6135848062 -0.5348088167 -1.5530933383
Η
Η
   3.0380186322 -1.2550941071 1.7552476449
   3.4052238069 0.4660385189 1.8505151336
Н
Н
   4.6031265631 -0.6539422049 1.1662243815
Core RigidRotor
SymmetryFactor 0.5
End
Tunneling
              Eckart
ImaginaryFrequency[1/cm] 51.6384
WellDepth[kcal/mol] 2.93
WellDepth[kcal/mol] 1.8
End
Frequencies [1/cm] 65
78.2882
                     146.0952
177.5632
                      191.7488
                                           197.8492
281.1523
                      359.1626
                                            367.5052
416.7248
                     455.3583
                                            486.7135
521.1060
                     552.4550
                                            566.0342
628.0350
                     667.3857
                                            676.6094
689.7832
                      759.6893
                                            780.1439
785.3934
                     833.4025
                                           847.7952
867.7927
                     875.5322
                                           913.6508
956.2948
                     964.4081
                                           977.9071
995.5809
                     996.9793
                                          1030.1313
1041.4268
                     1080.7433
                                           1152.6069
1170.6366
                     1178.3973
                                           1207.4966
1239.8122
                     1278.2677
                                            1289.4884
1371.8731
                     1392.8005
                                            1395.2862
1399.7809
                     1463.8124
                                           1477.8621
1481.0579
                     1499.5389
                                           1539.2534
1606.2294
                     1640.5164
                                           1669.2044
                                            3071.9064
1681.0619
                      3017.2047
3108.4073
                     3156.2750
                                           3158.9152
3160.7786
                     3163.5322
                                           3174.5731
                                           3226.3700
                     3187.4198
3180.9691
ZeroEnergy[kcal/mol] -35.32
ElectronicLevels[1/cm] 1
0 2
End
!-----
!----bar ts5-6-----
Barrier
         ts5-6 i5 i6
RRHO
Geometry[angstrom]
                  24
   -3.5868007287 0.1656043728 0.0328652642
С
С
   0.4962542766 -0.8477742354 0.0885484196
   -3.2180560395 -1.199705721 0.1329780007
С
С
   1.4812807335 0.1100526309 0.0122036154
```

С -0.2284410914 1.7997883558 -0.1054918526 С 1.1114833455 1.4674920496 -0.0872638534 С -2.6256160055 1.1419242913 -0.0446899109 С -1.8966791662 -1.5645846663 0.15377219 С -1.2435331204 0.8132022824 -0.0268967231 С -0.8728317639 -0.579377391 0.0752319874 -4.6368347465 0.4350405238 0.0178748325 Η Η -3.9909944228 -1.9576770002 0.1933243775 -0.5263919417 2.8402826501 -0.1816778522 Η Η 1.8663983841 2.2443435952 -0.1489419957 Η -2.9108135279 2.186400228 -0.1212499223 Η -1.6094241885 -2.6071199718 0.2301857504 1.3450155156 -1.9361773992 0.1654995985 Η С 2.7271350607 -1.842069564 0.151555867 С 2.8335815299 -0.5184033741 0.0523264933 С 4.0997433089 0.2848571204 -0.013886646 Η 3.4452440758 -2.6486044844 0.2080917088 Η 4.1424660291 0.8666267681 -0.9411254313 4.9818237331 -0.355336955 0.0290392019 Н 4.1516227501 0.997099894 0.8168198804 Н Core RigidRotor SymmetryFactor 0.5 End Tunneling Eckart ImaginaryFrequency[1/cm] 1985.2121 WellDepth[kcal/mol] 25.29 WellDepth[kcal/mol] 24.62 End Frequencies[1/cm] 65 83.0835 114.5526 172.0516 179.5260 192.1321 232.2582 397.9343 297.5574 412.8113 453.0482 496.1916 503.6096 521.5282 563.0390 590.0119 647.6322 653.9617 668.4693 681.1581 758.0986 772.6170 794.1662 827.4686 873.1960 883.8911 941.0324 956.3463 968.5779 971.3883 996.0425 1012.6210 1028.2150 1035.7240 1052.2204 1141.3626 1150.4893 1166.2496 1179.4708 1235.2980 1262.1929 1315.1887 1364.0168 1373.0521 1381.0400 1408.6919 1459.2558 1480.5364 1482.5561 1485.5146 1540.0407 1586.8152 1617.4600 1647.4988 1664.4650 1748.3887 3016.1140 3063.2640 3111.2313 3155.2683 3158.4119 3166.4028 3175.3351 3178.4144 3189.1271 3217.9214 ZeroEnergy[kcal/mol] -11.83 ElectronicLevels[1/cm] 1 0 2

End

!-----!-----bar ts6-7-----Barrier ts6-7 i6 i7 RRHO Geometry[angstrom] 24 -3.8818416507 0.5179733922 0.0923410731 С С 0.0741927685 -0.9302104366 0.1943046931 С -3.6585137401 -0.8453630549 0.3919063271 С 1.151769329 -0.1158667559 -0.0550590859 С -0.3707225263 1.7239440514 -0.3883020509 С 0.917571213 1.2531200518 -0.3552836936 С -2.822473284 1.3574020294 -0.1617008093 С -2.3803696401 -1.3490019296 0.4330485359 С -1.4891219579 0.8787371969 -0.1294961783 С -1.266413474 -0.5094202077 0.1757941663 -4.8959384498 0.9002799798 0.063662942 Η Η -4.5038238843 -1.4947681526 0.5899382653 Η -0.5601300746 2.7677725647 -0.6165947774 Η 1.7474658767 1.9217874169 -0.5568547851 -2.9962719413 2.4038156684 -0.3914889555 Η -2.2036174823 -2.3937801107 0.6622920259 Η С 3.6537604375 -0.3501508193 -0.1466545171 С 2.4288790482 -0.8501674395 0.0390090904 С 2.1182552688 -2.2868225905 0.386210609 Н 3.8112829623 0.6937992234 -0.3949797362 Η 4.5391913843 -0.9684291323 -0.0564018362 0.7927644011 - 2.1048798059 0.421767446Η 2.4250169699 -2.6211281404 1.376749166 Η 2.3219994461 -3.0254069989 -0.3883959146 Η Core RigidRotor SymmetryFactor 0.5 End Tunneling Eckart ImaginaryFrequency[1/cm] 1823.649 WellDepth[kcal/mol] 15.79 WellDepth[kcal/mol] 39.94 End Frequencies [1/cm] 65 47.7513 87.7916 173.7757 230.9306 192.6830 325.2686 348.6520 410.0579 418.5192 452.1716 500.9919 519.5031 521.4468 563.9605 588.0975 639.3369 652.3654 681.8384 728.0673 765.8900 789.1911 797.9509 831.1932 879.0055 894.9549 901.4062 929.8091 961.4452 962.0070 972.8280 997.2662 1033.2269 1041.7961 1040.9221 1132.1362 1147.4397 1170.0022 1179.7117 1234.5315 1238.8738 1263.3445 1306.4911 1362.7349 1365.9334

1426.3130 1397.0405 1448.4897 1462.3296 1486.0932 1537.8860 1590.1835 1628.7694 1652.8016 1669.4116 1725.9372 3077.6711 3135.6816 3152.3194 3156.3528 3177.3461 3159.4385 3167.1740 3189.6819 3178.9267 3216.1468 ZeroEnergy[kcal/mol] -20.66 ElectronicLevels[1/cm] 1 0 2 End |-----!----bar ts7-13-----Barrier ts7-13 i7 i13 RRHO Geometry[angstrom] 24 С 3.496209878 -0.1220731838 0.2180543474 С -0.5732033246 0.819472081 -0.451355826 3.1143552293 1.2088839637 -0.0409411006 С С -1.5893702111 -0.1932854716 -0.368837583 0.1674718034 -1.8545888379 0.0326831837 С С -1.14041576 -1.5677191837 -0.1634028552 2.5369156533 -1.1213979568 0.2482604109 С С 1.7920545247 1.5261034674 -0.2599896875 С 1.1806194349 -0.8326065356 0.0295641358 С 0.7821098206 0.5237919145 -0.2264656626 4.5390546653 -0.3625249751 0.3892399904 Η -0.8685431355 1.838499976 -0.6767660329 Η Η 3.8681409114 1.9881173278 -0.0675560166 0.4769941627 -2.8833864957 0.187842106 Η Η -1.8860439914 -2.3552210278 -0.1700134991 2.8289967749 -2.1489539283 0.4410674462 Η 1.5012659596 2.5525149392 -0.4583282594 Η С -3.7001633683 0.1627687834 -1.8896956486 С -2.9762190131 0.0809796308 -0.7877320508 С -3.0206917399 0.2259665457 0.6503183481 Η -3.2596673201 -0.0194816072 -2.8635047524 -4.7547550255 0.4143518004 -1.8493454461 Η -3.3401620241 -0.5953684095 1.2807291615 Η -2.9452599045 1.2054871832 1.1070932908 Н Core RigidRotor SymmetryFactor 0.5 End Tunneling Eckart ImaginaryFrequency[1/cm] 481.4375 WellDepth[kcal/mol] 36.15 WellDepth[kcal/mol] 1.25 End Frequencies [1/cm] 65 81.7781 70.6040 165.3074 199.3003 216.1263 292.7356 358.3916 384.9391 432.5199 435.8733 471.9568 506.7616 517.7512 609.0075

```
623.5365
                     668.2990
                                            680.3744
719.9347
                      735.9969
                                            751.3387
764.7324
                                            804.2074
                     789.0169
836.4330
                     869.8436
                                            887.4860
                     936.4967
930.3889
                                            945.8746
960.9091
                     976.0436
                                            982.2137
1023.0293
                     1043.8504
                                            1065.8244
1144.2980
                     1167.6400
                                            1169.9547
1187.4746
                     1219.6871
                                            1261.6100
1290.3120
                     1325.5805
                                            1358.7842
1409.8013
                                           1441.9452
                     1422.7320
1457.9992
                     1467.0189
                                           1511.3242
                     1622.1047
1561.3221
                                           1631.6396
1808.6025
                      3124.1581
                                            3129.3008
                     3155.6758
                                           3158.9932
3153.4607
3167.0223
                     3173.2533
                                           3177.2957
3187.4416
                      3215.9356
                                           3224.7769
ZeroEnergy[kcal/mol] -24.45
ElectronicLevels[1/cm] 1
0 2
End
|-----
!-----bar ts13-14-----
Barrier ts13-14 i13 i14
RRHO
Geometry[angstrom] 24
   3.4805307629 -0.1527829224 -0.1861075741
С
   -0.6315102777 0.8184780489 0.0933407319
С
   3.0692772748 1.1949528733 -0.2307313119
С
С
   -1.6107947538 -0.2027369024 0.1792064448
С
   0.1689594007 -1.8732369969 0.2109416319
С
   -1.152893435 -1.5711252737 0.2853278084
   2.5383477977 -1.1554857783 -0.0484209388
С
С
   1.7347082737 1.5219682508 -0.1426634622
С
   1.1665061997 -0.8560356645 0.0446072353
С
   0.7407653961 0.5138233795 -0.0084559145
С
   -3.3416272281 -0.0484791572 -2.298364245
С
   -2.9982652784 -0.04662194 -1.0387060602
С
   -3.0829969278 0.1274810344 0.3836803633
Н
   4.5335916481 -0.3995628148 -0.2564625067
   -0.9461301792 1.8567989636 0.0750719871
Η
Н
   3.8114378901 1.9787740558 -0.335969267
   0.4927970828 -2.9063217581 0.2877933244
Н
   -1.890592686 -2.356776972 0.4104940596
Η
   2.8505152402 -2.1943804762 -0.0078603588
Η
Η
   1.4225593593 2.5606619345 -0.1789643151
Η
   -2.6373521891 -0.3004198448 -3.0882558684
Н
   -4.3568615897 0.2007112584 -2.619098669
   -3.6465657918 -0.6237365714 0.9395597868
Н
   -3.2862999894 1.1340782735 0.7547191179
Η
Core RigidRotor
SymmetryFactor 0.5
End
Tunneling Eckart
```

ImaginaryFrequency[1/cm] 552.2467 WellDepth[kcal/mol] 9.21 WellDepth[kcal/mol] 20.04 End Frequencies [1/cm] 65 63.4556 72.2755 154.3139 246.7529 183.2280 265.8908 315.1035 391.7663 401.3315 464.1634 424.1417 500.8942 503.9604 521.3806 613.4106 627.9594 689.1816 739.7619 755.0382 768.6371 802.6995 806.8571 867.4681 872.1982 908.5553 921.7956 943.1635 946.2164 948.2678 970.4691 981.6406 1012.8384 1043.6707 1083.9274 1132.4137 1166.5901 1171.7804 1174.1159 1225.3112 1182.9455 1266.6996 1288.9568 1365.3991 1370.4587 1413.5830 1431.9182 1455.5328 1456.5815 1473.0919 1520.9153 1625.9140 1567.3872 1630.9200 1811.6093 3036.3845 3041.2117 3104.6345 3131.5910 3152.9021 3154.6817 3157.6731 3161.2967 3174.0049 3172.1744 3186.5421 ZeroEnergy[kcal/mol] -16.49 ElectronicLevels[1/cm] 1 0 2 End |_____ !----bar ts14-15-----Barrier ts14-15 i14 i15 RRHO Geometry[angstrom] 24 -3.6381931796 0.5687237009 0.438517266 С С 0.1086092049 -1.2963855932 -0.2580781774 С -3.4897495493 -0.8232137723 0.6383797838 С 1.1758806348 - 0.541035156 - 0.6785407351-0.1821778085 1.4942891566 -0.6606334797 С С 0.9947235226 0.8437696795 -0.8682791983 С -2.5711305541 1.3248510116 0.0179777706 С -2.2781904782 -1.430313433 0.413820573 С -1.3055008572 0.7303245679 -0.2234488197 С -1.1526135048 -0.6820794744 -0.021262363 Η -4.5992462097 1.0371571451 0.6189135446 Н 0.2064613301 -2.3670039374 -0.099916244 -4.3384995487 -1.4105221848 0.9704436025 Η Η -0.2926050192 2.5630899782 -0.8150634318 2.2830883593 1.1325774002 -1.2683276063 Н Η -2.6824793217 2.3931825947 -0.1361212454 Η -2.1649023472 -2.4985935589 0.5673835323 С 2.5957591964 -0.9871643407 -0.9875072348

```
С
    4.5307710461 0.5799157753 -1.783919393
С
    3.3099192901 0.2734267616 -1.3991753297
   3.0719098176 -1.4451841582 -0.1125049994
Н
Η
   2.6160803878 -1.7345750636 -1.7894390802
Н
   5.3157620643 -0.1730881796 -1.8673473504
Η
   4.8128075268 1.5974880821 -2.0361883757
Core RigidRotor
SymmetryFactor 0.5
End
Tunneling
              Eckart
ImaginaryFrequency[1/cm] 1834.8619
WellDepth[kcal/mol] 24.36
WellDepth[kcal/mol] 19.84
End
Frequencies[1/cm] 65
43.4119
                     113.4332
173.9459
                      175.4407
                                            258.3364
264.8237
                      312.4579
                                            373.2318
391.9182
                                            480.7253
                      432.6302
509.9273
                      557.7966
                                            562.8356
590.0260
                      643.6265
                                            648.3027
751.9746
                      754.8638
                                            776.3413
778.0881
                      854.5739
                                            871.1259
885.2161
                     902.1320
                                            909.4661
912.1373
                     955.0632
                                            956.0757
966.7788
                      994.4498
                                           1042.4529
1067.0546
                      1089.7318
                                            1143.1655
1168.7106
                     1171.6662
                                            1174.9726
1217.6649
                     1243.0028
                                            1257.6968
1277.2043
                      1348.2516
                                            1388.2974
1402.1123
                     1424.6846
                                            1445.3244
1461.9967
                     1476.0287
                                            1533.8072
1609.1104
                      1631.9751
                                            1658.1793
1726.1091
                      1735.4890
                                            3012.2901
                      3074.8563
3039.3973
                                            3146.4066
3156.3643
                      3157.6699
                                            3162.2286
3169.0387
                     3174.4428
                                            3187.1480
ZeroEnergy[kcal/mol] -12.17
ElectronicLevels[1/cm] 1
0 2
End
|-----
!----bar ts14-16-----
Barrier ts14-16 i14 i16
RRHO
Geometry[angstrom] 24
С
   -3.6459303061 0.3230051641 0.1580253701
С
   0.3754595695 -0.9238724811 -0.087141799
С
   -3.3514322537 -1.05987104 0.1904304491
   1.401513926 -0.0247031358 -0.1971672571
С
С
   -0.2089165568 1.7683341399 -0.1494275888
С
   1.1013245341 1.3585911173 -0.2291765041
С
   -2.634125522 1.246392728 0.0481034817
С
   -2.051229674 -1.4975717583 0.1125113166
```

```
С
   -1.2783993394 0.8368775049 -0.034972831
С
    -0.9838222409 -0.5705900573 -0.0016134867
   -4.6770442965 0.6521617996 0.2205194984
Η
Η
   1.1355589518 -2.0763165895 -0.0977127075
   -4.1603596966 -1.7765889647 0.2774726712
Н
Η
   -0.4485398853 2.826419091 -0.1731780575
Η
   1.898583925 2.0903439909 -0.3159574306
Η
   -2.8610115827 2.3075144725 0.0233028168
   -1.8208692868 -2.5566997036 0.1369804433
Η
С
   2.7694145679 -0.6778641634 -0.2716356019
С
   3.1927995221 -3.2566515417 -0.2017457813
С
   2.4760760041 -2.1529356478 -0.1925955825
   3.2891449887 -0.4225630412 -1.2033698168
Н
   3.4174687349 -0.3540068633 0.5521164173
Н
   4.2806245565 -3.2366277474 -0.2819046249
Н
   2.7346453601 -4.2383002731 -0.1299433947
Н
Core RigidRotor
SymmetryFactor 0.5
End
Tunneling
             Eckart
ImaginaryFrequency[1/cm] 1836.7489
WellDepth[kcal/mol] 23.83
WellDepth[kcal/mol] 18.79
End
Frequencies[1/cm] 65
51.7861
                     111.7265
157.2918
                      169.1925
                                             250.8709
262.2797
                      313.8908
                                            387.6156
412.2045
                      471.5348
                                             495.4771
509.5303
                      514.9701
                                             554.1863
563.4579
                      641.5179
                                             651.7169
                                             778.7085
736.5858
                     753.1768
797.7136
                                             877.0657
                     820.7294
                      910.7621
                                             936.1128
895.1438
950.7713
                     962.5021
                                            972.3043
973.2643
                     996.2412
                                            1040.5871
1040.7551
                      1095.4464
                                            1140.9118
1164.1746
                      1167.6574
                                             1172.8969
1202.8400
                     1234.6950
                                            1259.1305
1292.4016
                     1365.0604
                                             1371.5734
                                            1458.5661
1390.0518
                      1424.4849
1463.3997
                      1489.9967
                                             1538.1530
1589.6900
                      1633.7118
                                            1661.5994
1726.4216
                      1740.0278
                                            3006.4598
3031.8991
                                             3152.3173
                      3075.0358
3156.4389
                      3166.1261
                                             3168.6207
3171.7061
                      3178.1978
                                            3188.9897
ZeroEnergy[kcal/mol] -12.7
ElectronicLevels[1/cm] 1
0 2
End
!-----
!----bar ts15-17-----
Barrier ts15-17 i15 i17
```

```
Geometry[angstrom]
                     24
    -0.1009863622 -0.6413943597 0.0669605441
С
С
    -1.5129241897 -1.2262975441 0.1267092102
С
    -2.4155360612 -0.1221574557 -0.3574847198
С
    -2.2634148373 1.106196934 0.2133992338
С
    -0.0087189753 0.7610705448 0.0066957474
С
    1.1526743152 1.4603441893 -0.05428818
С
    2.3808112705 0.7291264758 -0.0653410143
С
    2.3327539715 -0.7020911808 -0.0041662042
С
    1.0729504015 -1.3597941914 0.0624784523
Η
    -1.597819414 -2.130975847 -0.4792668577
    -1.7474871924 -1.5108562502 1.1611680519
Η
Η
    -2.8890653677 -0.2191664988 -1.3289162558
    -1.9712464 1.2105556944 1.2527646311
Η
Η
    -2.6893116855 1.9938916416 -0.2421935133
    1.1796229439 2.5450874774 -0.0982697091
Η
Η
    1.0550571205 -2.445973121 0.1059018237
С
    4.8071527991 0.6405354966 -0.1445388556
С
    4.7625885319 -0.7711624461 -0.0837349118
    3.643276487 1.371444268 -0.1363225644
С
С
    3.5552173234 -1.4235760108 -0.0160450132
Η
    5.7654486779 1.1451482157 -0.1978387542
    5.6870300693 -1.3376775139 -0.0910316061
Η
    3.6753796694 2.4551251874 -0.1832530562
Η
Η
    3.5208389041 -2.5073267054 0.0297765213
Core RigidRotor
SymmetryFactor 0.5
End
Tunneling
               Eckart
ImaginaryFrequency[1/cm] 417.0066
WellDepth[kcal/mol] 10.83
WellDepth[kcal/mol] 44.17
End
Frequencies [1/cm] 65
69.9086
                      114.4662
191.6696
                       233.6131
                                               254.5551
297.7749
                       393.8645
                                               397.4929
421.2474
                       479.6463
                                               489.8505
524.6141
                       555.5788
                                               623.1846
635.0302
                       681.5692
                                               723.2970
753.9803
                       771.6017
                                               775.2417
848.9654
                       853.7004
                                               867.7043
894.4591
                       903.4378
                                               921.3709
                       954.7401
940.6993
                                               960.4611
                       992.7961
964.4494
                                              1042.3821
1081.0420
                       1138.4413
                                               1167.7780
1169.5527
                       1203.9975
                                               1215.6754
1237.2066
                       1266.1656
                                               1274.8515
1289.2590
                       1344.2389
                                               1387.4071
                                               1439.0030
1398.8457
                       1421.1839
1472.6548
                       1480.2958
                                               1531.5712
1564.2559
                       1604.6850
                                               1622.7128
1655.8238
                       2999.2021
                                               3078.7614
```

RRHO

3126.1363 3139.5968 3149.9249 3160.9781 3161.3104 3155.8352 3173.5632 3207.2985 3186.4111 ZeroEnergy[kcal/mol] -21.18 ElectronicLevels[1/cm] 1 0 2 End !-----!----bar ts16-18-----Barrier ts16-18 i16 i18 RRHO Geometry[angstrom] 24 -0.1432039942 -0.5803318662 0.0369707311 С С -1.5258759072 -1.2307635757 0.0427413195 -2.4726788448 -0.1294462158 -0.3552930455 С С -2.342219832 1.0723776643 0.2771326436 С -0.0912721248 0.7834708035 0.0173503292 1.0867804783 1.5468484064 0.0240267514 С С 2.3245309056 0.8117621713 0.0401411363 С 2.2806716151 -0.6088887133 0.056613786 1.0865904957 -1.290353917 0.0572334104 С Η -1.5710322967 -2.0802564178 -0.6437429668 Η -1.7477003216 -1.6223971428 1.0450277988 -2.9679621436 -0.1875103007 -1.3189181701 Η -2.0380610529 1.1320414566 1.3162709889 Η Η -2.8073067917 1.9668516734 -0.1241473645 3.2178408947 -1.1556065919 0.0690265699 Η H 1.0804011567 -2.3764876717 0.0724394522 2.3283340649 3.631668952 0.0140752384 С С 3.5466079174 2.9127852157 0.0280086362 1.1268429987 2.9656000087 0.0112082135 С С 3.5429412978 1.5387163977 0.0397604594 2.347459705 4.7157533709 0.004274987 Η Η 4.4866416842 3.4530724896 0.0290494597 H 0.1898455737 3.5104110502 -0.0032974899 H 4.4786345217 0.9885627527 0.0505591255 Core RigidRotor SymmetryFactor 0.5 End Tunneling Eckart ImaginaryFrequency[1/cm] 424.2524 WellDepth[kcal/mol] 10.17 WellDepth[kcal/mol] 44.68 End Frequencies [1/cm] 65 81.8095 111.2943 185.4572 206.1254 243.1694 290.5527 408.2988 414.5569 448.0430 493.3601 501.4352 531.8734 516.3327 606.8830 654.9188 739.3103 637.5621 753.0058 765.1792 776.1009 874.8398 876.1157 817.2667 911.7520 925.5851 943.5622

```
956.1049
                    958.5528
                                          967.1779
969.3345
                     995.0029
                                          1039.4755
1083.8976
                    1136.0867
                                          1166.2766
1170.2372
                    1199.0524
                                          1202.9898
1234.3784
                    1259.6136
                                          1275.0374
1294.2257
                     1360.9109
                                           1364.6547
                    1421.9694
                                          1453.4587
1388.2157
1479.4952
                    1490.1698
                                          1528.0272
                    1583.7174
                                          1635.9549
1564.6986
1661.1497
                     2994.0570
                                           3067.2195
3126.7929
                     3146.4089
                                          3155.1423
3161.4757
                     3165.5927
                                          3170.3377
3178.7808
                                          3207.0571
                     3188.9098
ZeroEnergy[kcal/mol] -21.32
ElectronicLevels[1/cm] 1
0 2
End
!-----
!----bar ts2-9-----
Barrier ts2-9 i2 i9
RRHO
Geometry[angstrom] 24
C -3.670911 0.563115 -0.055287
С
   0.172469 -1.207409 0.028436
   -3.542428 -0.844515 -0.090372
С
С
   1.32134 -0.429923 0.077482
С
   -0.071491 1.570716 0.103473
С
  1.167602 0.990582 0.124772
С
   -2.550161 1.358218 0.006523
С
   -2.299602 -1.430047 -0.062941
С
   -1.255085 0.786221 0.035457
С
   -1.12213 -0.637798 -0.000211
С
   2.630173 -1.079581 0.099849
С
   4.514936 0.664363 -0.282089
С
   3.832494 -0.479426 0.200913
   -4.657241 1.012598 -0.077245
Η
Η
  0.263411 -2.289273 0.005079
   -4.43239 -1.462099 -0.138919
Η
   -0.165013 2.65142 0.141785
Η
   2.047898 1.617492 0.190634
Н
   -2.645441 2.438968 0.034107
Н
Η
   -2.201707 -2.510448 -0.089445
   2.602942 -2.16698 0.122732
Н
Н 5.355744 1.05674 0.281791
   4.136162 1.280112 -1.1017
Η
   4.932392 -0.57563 -0.484838
Н
Core RigidRotor
SymmetryFactor 0.5
End
Tunneling
           Eckart
ImaginaryFrequency[1/cm] 1840.5094
WellDepth[kcal/mol] 42.2
WellDepth[kcal/mol] 67.84
End
```

```
Frequencies[1/cm] 65
44.8884
                      111.0161
123.5777
                       182.7056
                                              224.6447
246.0666
                       356.9728
                                              386.0985
394.5739
                      419.0170
                                             436.2324
485.3116
                       525.4288
                                              548.8213
614.9455
                      643.7327
                                              661.0778
756.9064
                      762.4833
                                              780.7614
                                              837.5241
781.6549
                      829.8254
872.5340
                      877.8592
                                              893.1396
908.0433
                      960.9959
                                             963.1615
977.7526
                      992.8993
                                             1033.0360
                      1047.5297
1041.6315
                                              1130.4938
1147.9022
                      1174.0803
                                              1181.2397
1197.2480
                                             1285.0576
                      1242.6988
1289.5353
                      1327.3065
                                             1391.8523
1398.0698
                      1411.1548
                                             1457.9116
1470.9604
                      1498.4362
                                              1539.7948
1592.2819
                      1602.0953
                                             1637.3727
1663.0839
                      2179.2987
                                             3034.8536
3120.0971
                                             3156.1211
                      3153.4469
3158.6145
                      3161.8742
                                             3171.5300
                      3186.9488
                                             3193.0413
3173.9154
ZeroEnergy[kcal/mol] 2.15
ElectronicLevels[1/cm] 1
0 2
End
|------
!-----bar ts2-12-----
Barrier ts2-12 i2 i12
RRHO
Geometry[angstrom]
                    24
С
    -3.7727890263 0.2863751064 -0.2136799032
    0.3336324293 -0.7156336317 0.0321040207
С
С
   -3.3335043518 -0.9973423667 -0.6094816565
С
    1.2626176909 0.2124099837 0.4961132915
С
    -0.5247868595 1.8319269816 0.8202901151
С
    0.799667178 1.5048519581 0.9021841118
С
   -2.867068717 1.2121330215 0.2529721114
С
    -2.0029240536 -1.332697886 -0.5317519429
С
    -1.4902022405 0.8999692345 0.3444887581
С
    -1.0421561725 -0.4004880431 -0.0547093461
С
    2.6433183229 -0.1334831167 0.650630221
С
    3.8723105991 -0.3911901764 0.353809568
С
    4.9019770383 -0.3701022832 -0.7246392218
    -4.8250348671 0.5385701437 -0.27969995
Η
Η
    0.6685998008 -1.7013982441 -0.2710215211
Н
    -4.053973872 -1.7200153239 -0.9763335487
    -0.858124332 2.820345851 1.1198967706
Η
    1.5212559947 2.2248087565 1.2706196442
Η
    -3.2002604955 2.1992094138 0.5572894806
Η
Η
    -1.6673931483 -2.3188809422 -0.8355715168
Η
    3.4271098279 -0.4468974138 1.598360145
Η
    4.4527746578 -0.057731903 -1.6769636705
```

5.3497737299 -1.358364457 -0.8540998213 Н Η 5.7064378665 0.3263253369 -0.4753191393 Core RigidRotor SymmetryFactor 0.5 End Tunneling Eckart ImaginaryFrequency[1/cm] 2063.8455 WellDepth[kcal/mol] 45.52 WellDepth[kcal/mol] 51.41 End Frequencies [1/cm] 65 38.3242 56.5027 106.5917 143.9561 179.3810 210.7578 234.0482 277.6966 381.0999 359.0963 396.6021 436.9417 478.7727 515.3278 541.5490 551.0481 621.7835 650.9750 659.2419 754.2864 775.9563 776.6025 824.8125 848.5920 861.7357 892.1744 933.2267 956.2777 974.3634 975.2726 989.6517 1026.3258 1029.9818 1042.2281 1139.2416 1170.5084 1175.2967 1181.7476 1229.0756 1273.5844 1287.6262 1356.9008 1383.8837 1388.1801 1403.5557 1460.6388 1465.8389 1475.4320 1487.9764 1530.7444 1653.1133 1588.1034 1629.3027 1967.3961 2298.2520 2987.1793 3073.4829 3094.9856 3155.6344 3158.7775 3161.2537 3171.9116 3187.2601 3174.4061 3183.1341 ZeroEnergy[kcal/mol] 5.47 ElectronicLevels[1/cm] 1 0 2 End !-----!----bar ts9-10-----Barrier ts9-10 i9 i10 RRHO Geometry[angstrom] 24 0.0643016429 -0.4228854266 -0.1237875015 С 1.3897298712 -0.8910148288 -0.2028115431 С С 2.582806753 -0.0456520088 -0.4043629242 С 3.3507965018 0.444956116 0.5667686131 С -0.2534541888 0.9831233054 -0.1767453424 С -1.5412375719 1.420319688 -0.1021463528 С -2.6347284779 0.5108781109 0.0348348289 С -2.3489414783 -0.8926718316 0.0936355221 С -1.0104680552 -1.3254259313 0.0121772803 Н 1.5448951689 -1.9671888212 -0.1738278164 2.8588381221 0.1674953458 -1.4400551945 Η Н 3.1290161417 0.2642375623 1.6134684153
```
4.2278332655 1.0429326546 0.3436366448
Н
Η
   0.5593168297 1.6930348805 -0.2715068389
Н
   -1.7567356226 2.4833585 -0.1447654678
Η
   -0.8011555407 -2.3899006145 0.0553860384
С
   -3.9752839429 0.9432762239 0.1148327007
С
   -5.0061510846 0.0360926901 0.2478909686
С
   -4.7298087586 -1.3474923105 0.3063337141
С
   -3.4339968816 -1.8013990241 0.23118785
Н
   -4.1859588077 2.0069435583 0.0697634652
Н
   -6.0315449284 0.3825866228 0.3080214394
Н
   -5.5464570533 -2.0530680102 0.4109277826
Н
   -3.2218749043 -2.8646144509 0.2759017181
Core RigidRotor
SymmetryFactor 0.5
End
Tunneling
             Eckart
ImaginaryFrequency[1/cm] 176.0874
WellDepth[kcal/mol] 10.16
WellDepth[kcal/mol] 6.47
End
Frequencies[1/cm] 65
58.9884
                     118.1762
143.3594
                     186.5372
                                            265.7495
284.2813
                      380.4698
                                            392.5955
449.1184
                     474.9843
                                            493.4555
516.1377
                      522.6251
                                            617.3919
630.5494
                     660.8328
                                            696.4010
756.6212
                     772.2065
                                            772.8247
795.0997
                     827.3279
                                            857.3025
885.7284
                     886.2816
                                            951.1393
957.6710
                     959.9595
                                           985.7775
989.4040
                     991.4129
                                          1014.6431
                     1097.0442
1042.4218
                                           1145.4287
1165.3729
                     1172.6588
                                            1202.2104
                     1275.2230
                                           1290.7650
1235.9989
1315.1615
                     1339.4717
                                           1380.6597
1403.6935
                     1420.7562
                                           1452.0834
1471.4569
                                            1529.4492
                     1482.3140
1573.0427
                     1622.1227
                                           1640.3165
1685.8856
                     3066.8506
                                           3127.4896
3131.0439
                                           3157.5864
                     3155.6143
                     3162.7295
3158.6182
                                           3174.8984
3188.0176
                     3188.9740
                                           3212.8347
ZeroEnergy[kcal/mol] -55.53
ElectronicLevels[1/cm] 1
0 2
End
|-----
!----bar ts10-11-----
Barrier ts10-11 i10 i11
RRHO
Geometry[angstrom]
                    24
   -3.3739532523 -0.704195826 0.2102618768
С
С
   0.3321079162 1.3453331891 -0.1274975412
```

```
С
    -3.3244095633 0.6919479127 0.3921330466
С
    1.4797690611 0.6620262567 -0.4065720699
С
    0.2077095433 -1.4411678799 -0.5677662002
С
    1.4417111064 -0.7754455026 -0.6686786223
С
    -2.2266103601 -1.4074286318 -0.0859313278
    -2.1221946551 1.3630651738 0.2714399208
С
С
    -0.9752521461 -0.7497610903 -0.2101411625
С
    -0.9307625381 0.6745010228 -0.0319171198
С
    2.8471559923 1.1543615733 -0.2297821526
    3.0331010124 -1.0420290375 0.7008520554
С
С
    3.6638662686 0.2283695206 0.3088550897
Η
    -4.3199098866 -1.2257236294 0.3051636068
    0.3737292178 2.4053531832 0.1043445728
Η
Η
    -4.2312230356 1.2384837711 0.6247705428
    0.1403130886 -2.4928423342 -0.8258961787
Η
    2.1584629406 -1.1621295561 -1.3868609753
Н
    -2.2655680998 -2.4826500851 -0.2273757269
Η
Η
    -2.0830576113 2.4388723645 0.4097172439
    3.1452496515 2.1689305874 -0.4672785354
н
    3.5757319853 -1.9712426586 0.5439125781
Н
    2.4233495128 -1.0356124382 1.60002074
Н
   4.7296158513 0.3954821143 0.444608339
Η
Core RigidRotor
SymmetryFactor 0.5
End
Tunneling
               Eckart
ImaginaryFrequency[1/cm] 621.5095
WellDepth[kcal/mol] 29.46
WellDepth[kcal/mol] 23.64
End
Frequencies [1/cm] 65
87.0073
                      120.4135
                                               286.0566
193.8175
                       237.5361
373.3478
                       390.9271
                                               415.7222
457.4084
                       477.5963
                                               526.8128
550.8634
                       597.2274
                                               625.7282
645.7777
                       697.3885
                                               731.8933
746.7738
                       758.7195
                                               767.0185
                                               818.7634
793.4221
                       815.4478
867.6585
                       890.9094
                                               907.7001
                                               952.1300
942.8676
                       946.9894
978.6937
                       983.1936
                                              1018.6405
1045.8767
                       1071.5331
                                               1131.4842
1146.3334
                       1160.5607
                                               1173.5546
1182.2031
                       1223.0369
                                               1264.8283
                                               1367.7386
1286.9847
                       1340.4356
1377.3147
                       1409.3005
                                               1447.9204
1463.4458
                       1481.7870
                                               1515.1094
1571.4150
                       1601.4991
                                               1628.7793
                                               3127.7735
1633.2321
                       3098.7111
                                               3155.7699
3134.1847
                       3153.4812
3159.5911
                       3164.9142
                                              3173.2998
3179.1937
                       3186.5178
                                               3187.2287
ZeroEnergy[kcal/mol] -32.54
```

```
ElectronicLevels[1/cm] 1
0 2
End
|-----
!-----bar ts11-p1-----
Barrier ts11-p1 i11 p1
RRHO
Geometry[angstrom]
                  24
   -3.4161438987 -0.7006126056 0.0442542038
С
С
    0.2505748051 1.4366481775 0.0112789432
С
   -3.4182470513 0.7118164046 0.002333923
С
   1.4318570431 0.7422279309 0.0134792004
   0.2518916741 -1.4022025397 0.0602640149
С
С
   1.4405948539 -0.7013218814 -0.0420101523
   -2.2266650169 -1.3890986047 0.0625873534
С
С
   -2.2315107672 1.407009672 -0.0173981907
С
   -0.9831193735 -0.7052893886 0.0385278868
С
   -0.9855906829 0.7313394804 0.0002815872
С
   2.8189811523 1.1890458287 0.0952635723
С
   2.8717797653 -1.1704433589 0.1746376969
   3.6419402452 0.1291895689 0.1758934097
С
   -4.3569356707 -1.2391150222 0.0603955891
Η
  0.2388938465 2.5216348836 0.036533428
Η
   -4.3611342106 1.2468451352 -0.012689904
Η
   0.2465869783 -2.4867971317 0.1031272278
Η
Η
   1.5799159402 -0.7667877778 -1.908343318
   -2.2225555069 -2.4738791022 0.0918442281
Η
   -2.2342754444 2.4917755546 -0.0462141572
Η
Η
   3.1224621046 2.2282584996 0.0988003843
   3.2233463442 -1.8717554671 -0.5870037976
Η
Η
   2.9650742172 -1.6799011958 1.1431078996
   4.720848653 0.1725469397 0.2497909715
Η
Core RigidRotor
SymmetryFactor 0.5
End
Tunneling
             Eckart
ImaginaryFrequency[1/cm] 781.0149
WellDepth[kcal/mol] 25.88
WellDepth[kcal/mol] 6.21
End
Frequencies [1/cm] 65
102.2842
                      131.8339
249.2988
                      262.0147
                                            280.6743
382.1412
                      390.5720
                                            413.0913
424.7886
                      470.9704
                                             482.5557
528.8816
                      558.2109
                                             578.6936
627.6745
                      694.4021
                                             732.3464
745.8256
                     748.1660
                                            765.1017
779.6125
                     805.6296
                                            853.4539
856.6266
                      884.5213
                                            902.9943
913.6281
                     954.6612
                                            957.2314
963.2458
                     971.9009
                                            991.9228
1043.3690
                     1074.9416
                                            1122.2664
1160.3921
                      1167.4599
                                            1172.5039
```

```
1179.3466
                     1241.3644
                                            1249.0100
1270.9740
                      1282.9909
                                             1348.9356
1372.5964
                      1383.9238
                                             1427.8524
1444.8274
                      1459.0676
                                            1484.4678
1531.9691
                      1601.2034
                                            1617.7054
1649.5553
                      1653.7774
                                             3010.0272
3065.3924
                      3156.6358
                                            3160.1185
3161.4879
                      3164.2620
                                            3175.0274
3188.0466
                      3190.5188
                                            3212.6235
ZeroEnergy[kcal/mol] -30.3
ElectronicLevels[1/cm] 1
0 2
End
!-----
!----bar ts17-p1-----
          ts17-p1 i17 p1
Barrier
RRHO
Geometry[angstrom] 24
   -3.4369578331 0.699696125 -0.0486182351
С
С
   0.2402614229 -1.4032714515 0.11476639
   -3.431640392 -0.7118613356 0.0271930958
С
С
   1.4145539726 -0.6917912282 0.0959723728
   0.2316509305 1.4259228209 -0.0349559104
С
С
   1.4093791552 0.7342530315 0.0219705851
С
   -2.2518320656 1.3955101098 -0.0694397383
С
   -2.2423500575 -1.3975733853 0.080737623
С
   -1.0054560598 0.7209352702 -0.0162292488
С
   -0.9992869648 -0.7119312129 0.0614334405
С
   2.8159995184 -1.1352648554 0.140940076
С
   2.8400136329 1.2280571847 0.033322442
С
   3.6314907978 -0.0481038022 0.1639045731
   -4.3808073277 1.2315641793 -0.0906769188
Η
   0.2411595473 -2.4873322443 0.1651261945
Η
Н
   -4.3716991825 -1.2519015628 0.0425885025
   0.2164642023 2.5103606366 -0.0899849907
Н
   -2.2548793033 2.4792355334 -0.1276599684
Η
Η
   -2.2373209736 -2.4812230356 0.1383096626
   3.1242375647 -2.154704391 0.3305457
Η
   3.0377996964 -1.7191708869 -1.7517158024
Η
   3.0381401978 1.9179435674 0.8631555812
Н
   3.0967958085 1.7714954761 -0.8861628943
Н
Η
   4.7109197126 -0.0740495431 0.2313574681
Core RigidRotor
SymmetryFactor 0.5
End
Tunneling
              Eckart
ImaginaryFrequency[1/cm] 622.3339
WellDepth[kcal/mol] 33.17
WellDepth[kcal/mol] 4.33
End
Frequencies[1/cm] 65
101.0191
                      130.6583
238.5014
                      260.5263
                                             267.6723
284.0391
                      339.3300
                                             400.4518
```

```
407.3612
                                             464.9340
                     419.4070
487.9126
                      565.1893
                                             578.5002
628.8708
                                             730.0184
                      703.1001
732.6100
                      750.6896
                                             761.8662
782.9217
                     804.6804
                                             856.1237
859.4452
                      888.6001
                                             904.6448
913.7844
                                             957.7055
                      953.8285
965.4928
                     978.3205
                                             992.9148
1043.3144
                     1073.1750
                                             1114.9212
1152.3385
                      1169.4191
                                             1173.8758
1179.5237
                     1244.0658
                                            1250.0400
1267.9018
                     1282.4122
                                            1346.3839
1371.7265
                     1388.7757
                                             1431.1763
1443.3502
                      1471.5625
                                             1485.1794
1533.1696
                     1555.5160
                                            1620.3513
1654.1445
                     1678.4667
                                            3004.3221
3028.6417
                      3154.5124
                                            3156.7573
3160.4458
                                            3174.1907
                      3164.8346
                      3197.5379
                                            3216.2095
3187.2735
ZeroEnergy[kcal/mol] -32.18
ElectronicLevels[1/cm] 1
0 2
End
!-----
!-----bar ts18-p2-----
Barrier ts18-p2 i18 p2
RRHO
Geometry[angstrom] 24
С
   3.3467707902 -0.1785645617 0.0283128244
С
   -0.8816778736 -0.4308823346 0.0772987843
С
   2.7266341807 -1.4474179326 0.0880953707
С
   -1.6321784739 0.736130503 0.0179818621
С
   0.3623896443 2.0670396569 -0.0625745804
С
   -1.0124464836 1.9960327066 -0.0543042517
С
   2.583000004 0.962201947 -0.0181305528
   1.356140247 -1.5512903354 0.1040311628
С
С
   1.1651668353 0.895098189 -0.005705428
С
   0.5386850548 -0.3934255842 0.0615287619
С
   -3.1000284955 0.3871655742 0.0465062112
С
   -1.8059199662 -1.5749763316 0.1380467099
С
   -3.084326966 -1.1118664159 0.1685428543
Η
   4.4287631125 -0.1100948359 0.0169816551
Η
   3.3385110245 -2.3419746037 0.1195807407
Η
   0.8580145605 3.0307197271 -0.1141791825
   -1.60855089 2.9014505345 -0.0999804279
Η
Η
   3.0574186703 1.9369425639 -0.0676418429
Η
   0.8891385175 -2.5285052108 0.1443867391
Н
   -3.6267749799 0.8603741702 0.8852338262
   -3.6182466881 0.7157557167 -0.8650690172
Н
Η
   -1.676550226 -2.21782164 -1.7679862611
   -1.511687486 -2.5982159243 0.3245781513
Н
   -3.9761071127 -1.7189895784 0.2426998906
Н
Core RigidRotor
SymmetryFactor 0.5
```

```
S78
```

```
End
Tunneling
              Eckart
ImaginaryFrequency[1/cm] 584.6788
WellDepth[kcal/mol] 33.76
WellDepth[kcal/mol] 3.95
End
Frequencies[1/cm] 65
112.4164
                      129.4980
220.0739
                                             257.0120
                      236.9861
277.0483
                      325.2868
                                             411.4650
432.8203
                                             465.0089
                      459.6675
506.9468
                      520.0546
                                             573.4841
612.4456
                                             681.7616
                      680.1152
715.6635
                      749.0727
                                             752.7342
795.8643
                      818.3622
                                             838.5234
878.6929
                      881.4388
                                             931.3389
955.4615
                      958.3760
                                             964.0995
968.9134
                      970.9573
                                             994.0877
1044.3388
                      1071.3674
                                             1118.2353
1141.5589
                      1167.5365
                                             1178.7593
1190.5671
                      1216.4532
                                             1236.6844
1283.2221
                      1295.0235
                                             1351.1644
1378.1271
                      1391.3406
                                             1426.5056
                                             1486.5262
1430.1058
                      1469.1431
1534.1385
                      1559.4398
                                             1606.6074
1630.8603
                      1665.1349
                                             3005.3037
3029.5644
                      3156.7955
                                             3158.7443
                                             3179.5194
3166.7688
                      3175.6821
3189.3967
                      3204.2806
                                             3222.7236
ZeroEnergy[kcal/mol] -32.24
ElectronicLevels[1/cm] 1
0 2
End
!-----
!----bar ts18-p3-----
Barrier ts18-p3 i18 p3
RRHO
Geometry[angstrom]
                   24
    3.349603819 -0.1594102526 0.0679420742
С
С
    -0.8707816038 -0.4482471378 -0.0565759073
С
    2.7378703675 -1.4343031043 0.0898152056
С
    -1.6309329152 0.7114966643 -0.1145524203
С
    0.3505332656 2.0645921519 -0.0952555357
С
    -1.0201847235 1.9847794732 -0.1326320294
С
    2.5777738292 0.9755630688 0.0073462511
С
   1.3695355147 -1.550060269 0.050393885
С
   1.1617005376 0.8976080754 -0.0339763704
С
   0.5420048961 -0.3974444147 -0.0121681545
С
   -3.0553133895 0.3404122391 -0.1384823921
С
   -1.793557454 -1.643687926 -0.0524545841
С
   -3.158287826 -1.0144518751 -0.1519753011
Η
    4.4305061182 -0.0821729935 0.0994283084
Η
    3.3560972073 -2.323824692 0.1382419823
Η
    0.8405272018 3.0325394855 -0.1097156133
```

-1.6254114514 2.8836673056 -0.172484604 Н Η 3.0453978028 1.9547221748 -0.0091659716 Н 0.9082011463 -2.5312612362 0.0680849631 Η -3.5279554691 0.7342791839 1.777385027 Н -3.8647175197 1.0371023739 -0.3106965168 -1.6010891699 -2.3276028261 -0.8890391808 Η -1.6917225942 -2.2430939383 0.8628032418 Н Η -4.0776085899 -1.5820215306 -0.1978263569 Core RigidRotor SymmetryFactor 0.5 End Tunneling Eckart ImaginaryFrequency[1/cm] 589.455 WellDepth[kcal/mol] 33.74 WellDepth[kcal/mol] 4.06 End Frequencies [1/cm] 65 109.5879 136.2343 229.1242 245.0631 235.9090 272.7382 327.4880 415.3083 433.3986 456.8034 466.0924 520.4280 520.7401 559.3633 616.6651 680.9692 682.6230 714.6209 751.3308 759.5856 787.1069 827.9317 837.1055 870.3633 873.6078 934.1078 956.0166 958.5071 969.0396 972.1533 981.2748 993.1017 1059.1819 1110.1577 1044.0631 1143.6812 1167.3835 1179.3712 1185.0134 1232.9051 1241.4102 1266.3958 1288.5925 1361.1555 1377.9802 1415.9582 1397.9462 1432.6389 1467.9509 1488.4644 1611.9057 1535.2150 1561.8297 1630.6281 1663.3817 3004.8694 3029.4418 3157.2792 3160.8015 3164.7244 3177.0407 3179.4833 3188.0262 3199.0570 3219.6524 ZeroEnergy[kcal/mol] -32.27 ElectronicLevels[1/cm] 1 0 2 End !-----!-----bar ts12-p4-----Barrier ts12-p4 i12 p4 RRHO Geometry[angstrom] 24 3.8494578241 0.0133955988 -0.0961380097 С -0.2911225313 -0.8265479342 0.0948842842 С С 3.4021715112 -1.3283169831 -0.0691067797 С -1.2174944552 0.204481585 0.1310021555 С 0.5859118177 1.8319946724 0.0403996317 С -0.7531367127 1.5549402461 0.102302238

```
С
   2.9443252415 1.0471454419 -0.0607866765
С
   2.059655448 -1.6108033656 -0.0071516199
С
   1.5517938601 0.7908698527 0.0032861888
С
   1.0977969537 -0.5660036235 0.0310897513
С
   -2.6119376481 -0.0645497721 0.1980216906
С
   -3.8064177326 -0.2793046881 0.1818474905
   -5.2210016373 -0.5379921904 0.4408899057
С
Η
   4.9120872249 0.2224954824 -0.1453491184
   -0.635976408 -1.8540768318 0.1148228041
Η
Η
   4.1263542287 -2.1345973167 -0.097955158
Н
   0.926694903 2.8618680895 0.0177568432
Η
   -1.4820615265 2.3556052228 0.1287871922
   3.2860561589 2.0767512387 -0.0819579015
Н
   1.7147407221 -2.6392681578 0.0131765332
Н
   -3.9955378372 -0.3148420439 -1.924446239
Н
   -5.4091081128 -0.5775786362 1.5181810984
Н
   -5.5337759884 -1.4895547788 0.003768454
Η
   -5.8492683039 0.2471568919 0.0127612413
Η
Core RigidRotor
SymmetryFactor 0.5
End
Tunneling
              Eckart
ImaginaryFrequency[1/cm] 425.5057
WellDepth[kcal/mol] 39.64
WellDepth[kcal/mol] 3.32
End
Frequencies[1/cm] 65
53.4538
                      62.5422
74.9951
                     136.8194
                                           165.3837
183.0263
                      279.2070
                                             305.6283
328.0119
                      373.6550
                                             391.5432
402.1043
                      466.4501
                                             485.3588
515.7630
                      557.2344
                                             558.8004
                                             661.7259
617.5982
                      659.0138
760.7467
                      779.0749
                                             781.0812
833.6406
                     858.2031
                                            875.6439
914.2711
                      951.5970
                                             966.1441
                      998.0836
981.2822
                                           1011.2170
1042.2855
                     1045.2865
                                            1061.1751
                      1173.3863
1151.9282
                                             1178.4243
                                             1287.5086
1211.2272
                      1249.5762
1298.8388
                      1371.2273
                                             1395.5124
1403.9579
                      1414.9346
                                             1464.3868
1476.3920
                     1480.5800
                                             1500.7272
1536.6110
                      1601.4894
                                             1639.2873
1664.2171
                      2277.5550
                                             3026.1221
3085.0693
                      3092.5693
                                            3158.8822
3162.8109
                      3165.2170
                                            3176.4407
3180.0431
                      3189.1717
                                             3193.7348
ZeroEnergy[kcal/mol] -6.3
ElectronicLevels[1/cm] 1
0 2
End
|_____
```

```
!-----bar ts10-p5-----
Barrier
            ts10-p5 i10 p5
RRHO
Geometry[angstrom]
                     24
С
    3.7176063655 0.4397991611 -0.2198045521
    -0.1810126658 -1.1477607017 0.206516409
С
    3.539714603 -0.9513492883 -0.0423743251
С
С
    -1.2892244623 -0.3201350659 0.178268639
С
    0.1626547981 1.601637467 -0.1432067191
С
    -1.094376738 1.080552585 -0.0035420782
С
    2.6285222929 1.2789324974 -0.2538351213
С
    2.2779855606 -1.4775418628 0.0976633787
С
    1.3148682553 0.7685076619 -0.112225737
С
    1.133255225 -0.6386370002 0.0673025448
   -2.6255804039 -0.8950244064 0.3427409195
С
С
    -4.8613534202 0.4490275384 0.5319987218
С
    -3.7707293302 -0.231896156 0.3133457752
Η
    4.7182309799 0.8424189608 -0.3292011187
Н
    -0.3127829333 -2.2171552134 0.3406848292
    4.4058317397 -1.603049824 -0.0175392785
Н
    0.2957855625 2.6695796129 -0.2824282136
Η
    -1.9615121089 1.7300243229 -0.0326005969
Η
Η
    2.7629443913 2.3469994616 -0.3902593249
    2.140791899 -2.5453262961 0.2333449753
Η
Η
    -2.6757052484 -1.9771450066 0.4486507682
Η
    -5.5489430404 0.7185291699 -0.2615885092
   -5.11455657 0.7655256172 1.5412174422
Н
   -4.0835297514 -0.6113502345 -1.7575938286
Η
Core RigidRotor
SymmetryFactor 0.5
End
Tunneling
               Eckart
ImaginaryFrequency[1/cm] 500.7306
WellDepth[kcal/mol] 58.13
WellDepth[kcal/mol] 3.37
End
Frequencies[1/cm] 65
                       85.2762
47.6557
110.5325
                       137.5091
                                              183.2667
254.4873
                       284.0922
                                               373.2322
383.3305
                                              413.4310
                       404.4625
427.1121
                       483.5446
                                               503.6452
525.5981
                       599.3716
                                               609.1604
644.5790
                       685.7759
                                               761.2275
767.5694
                       782.0567
                                               784.0150
835.9268
                       871.8041
                                               888.9631
891.7821
                       895.8046
                                               919.4966
964.8807
                       966.7452
                                               985.1021
996.7166
                      1009.3820
                                              1042.6344
1094.6169
                       1150.5578
                                              1174.4815
                                              1241.5470
1179.9030
                      1197.2920
1281.7074
                      1289.4384
                                              1327.8247
1393.1864
                       1398.3897
                                               1413.5533
1458.3294
                       1481.7288
                                               1503.4538
```

1543.4078 1607.9909 1641.1639 1664.3641 1982.7975 3110.0526 3123.2332 3156.1935 3158.5898 3161.0835 3164.1597 3175.6998 3185.1014 3188.4279 3192.0679 ZeroEnergy[kcal/mol] -3.87 ElectronicLevels[1/cm] 1 0 2 End !-----!-----bar ts14-p5-----Barrier ts14-p5 i14 p5 RRHO Geometry[angstrom] 24 C -3.7006996718 0.459886483 0.0768176268 С 0.2225030897 -1.121154173 -0.068785298 С -3.5068556878 -0.939719976 0.0256416308 С 1.3187265175 -0.283849154 -0.0648231172 С -0.1534246469 1.6437441538 0.0305525446 С 1.111888968 1.1224979334 -0.0162025219 С -2.6195967402 1.3090930962 0.0792347463 С -2.2374050245 -1.463651412 -0.0218478524 С -1.2974988004 0.8008471187 0.0310678402 С -1.1002134688 -0.614362694 -0.0202641297 2.6818347582 -0.861209845 -0.1087571485 С С 4.9143658784 0.4717882255 0.2385615272 С 3.8002221262 -0.1876530465 0.133598917 -4.7074667793 0.860399578 0.1138955162 Н 0.3655001602 -2.1965403764 -0.1140279636 Η Η -4.3671409224 -1.5996052412 0.0236682876 Η -0.2972818636 2.7186957887 0.0674532692 1.9731792802 1.7805748493 -0.0160351039 Η -2.765748666 2.3836386144 0.117907282 Η -2.0883700685 -2.5377086581 -0.0619484471 Η 2.740514863 -1.9469482194 -0.0824859129 Н 2.8253553792 -1.0988441689 -2.0142144548 Н Η 5.454303015 0.80883063 -0.645162875 5.3541113045 0.7105224936 1.203796637 Η Core RigidRotor SymmetryFactor 0.5 End Tunneling Eckart ImaginaryFrequency[1/cm] 717.5388 WellDepth[kcal/mol] 34.68 WellDepth[kcal/mol] 5.39 End Frequencies [1/cm] 65 42.7687 100.0024 116.5452 182.0797 222.2443 251.0710 268.1260 369.5522 383.0397 410.2979 407.9560 464.0060 485.2776 507.5019 526.1080 586.5718 608.2310 644.3548 678.5813 761.0165

765.4852 835.2266 886.9472 964.8236 995.6373 1086.0679 1180.7377 1278.6955 1393.2198 1452.3378 1545.2929 1668.5182 3127.5976 3158.1680 3175.3896 ZeroEnergy[kcal/mol ElectronicLevels[1/ 0 2	782.4542 873.756 907.258 967.156 996.433 1150.43 1192.542 1288.93 1397.182 1479.50 1610.74 1979.612 3155.842 3160.733 3183.64] -1.85 cm] 1	2 6 1 8 9 75 28 28 20 00 79 87 10 31 75	784.4510 883.8304 955.2278 982.8166 1042.3969 1173.8510 1238.9812 1320.3166 1410.4812 1504.2094 1643.6301 3087.7720 3157.8430 3163.7437 3188.1502
L			
!bar ts14-p6	;	_	
Barrier ts14-p	, 6 i14 p6		
RRHO	F-		
Geometry[angstrom]	24		
С	-3.665301	0.426868	0.288838
С	0.245669	-1.108675	-0.239035
С	-3.450897	-0.970833	0.292792
С	1.311310	-0.258726	-0.414552
С	-0.173803	1.652802	-0.245336
С	1.087790	1.143283	-0.414048
С	-2.609477	1.288831	0.114358
С	-2.185887	-1.479576	0.122096
С	-1.291623	0.795913	-0.064367
С	-1.074540	-0.616801	-0.060727
С	2.715577	-0.803206	-0.634902
С	4.561672	0.147183	1.036704
C	3.699283	-0.314026	0.326861
Н	-4.668321	0.815341	0.424559
Н	0.402674	-2.183234	-0.233529
Н	-4.291779	-1.641024	0.431569
Н	-0.332500	2.726229	-0.247084
H	1.931839	1.812489	-0.540645
H	-2.771190	2.361802	0.111328
H	-2.021051	-2.552120	0.125470
H	2.693149	-1.896820	-0.602991
H	3.059086	-0.533390	-1.643168
H	5.221/54	0.454269	1.811200
n Core BigidPotor	5.15/696	1.210230	-0.200000
SymmetryFactor 0.5	i i		
Tunneling Ecka	rt		
ImaginaryFrequency[[1/cm] 450.	6795	
WellDepth[kcal/mol]	37.63		

WellDepth[kcal/mol] 3.35 End Frequencies [1/cm] 65 23.0358 43.3061 77.1121 143.5213 180.8725 215.6388 250.6938 290.0201 366.9439 407.3253 402.0135 411.0428 485.9321 503.9890 526.6255 577.6872 635.5863 658.3751 667.8629 737.4287 752.2448 781.3207 765.0766 786.5692 832.8690 868.9186 878.5749 903.0521 941.7408 958.8030 966.0046 980.7192 985.1612 997.3401 1042.6079 1148.1454 1172.7595 1179.1794 1188.7823 1213.4614 1238.5026 1277.1847 1289.1681 1322.2129 1392.5186 1397.1355 1408.2386 1461.3924 1474.6256 1503.1973 1546.1495 1613.0883 1646.3885 1674.1010 2170.9902 2997.7885 3055.9136 3153.9269 3158.0270 3160.4406 3163.5144 3175.5814 3179.6240 3188.3237 3463.2031 ZeroEnergy[kcal/mol] 1.1 ElectronicLevels[1/cm] 1 0 2 End !-----!-----bar ts2-p4----ts2-p4 i2 p4 Barrier RRHO Geometry[angstrom] 24 -3.9020997809 0.2518136142 -0.0488626414 С 0.1947809317 - 0.7950470074 0.0744444134С С -3.5232082297 -1.1075865264 0.0453710048 С 1.1731976037 0.1803459961 0.0238456178 С -0.5453529917 1.8972738776 -0.1117533893 С 0.7781465902 1.5505298235 -0.0711355949 -2.9447922606 1.2367210887 -0.1006697586 С С -2.1951889477 -1.4561389203 0.085965346 С -1.5658762768 0.9107770484 -0.0607558918 С -1.181086136 -0.4633006839 0.0344739606 С 2.5770100181 -0.1178816178 0.0672593491 С 3.7894124901 -0.0124709791 0.1046758511 С 5.2385880491 -0.1021591758 0.1486882169 Н -4.9537245897 0.5136497042 -0.0801175676 0.4874348821 -1.8362983541 0.145223437 Н Η -4.2879648048 -1.8749937328 0.0853931494 -0.8298544407 2.9418534365 -0.1842607142 Η Η 1.5484002863 2.3109411586 -0.1105104358 Η -3.2341859092 2.2800262842 -0.1730215343 Н -1.9023487045 -2.4982522787 0.1580729554

2.6136624354 -2.1234064065 0.0321745949 Н Η 5.6404529314 0.3788701268 1.0455004212 5.6939306305 0.3762658804 -0.7235357686 Н Н 5.5531362236 -1.1516853564 0.159890979 Core RigidRotor SymmetryFactor 0.5 End Tunneling Eckart ImaginaryFrequency[1/cm] 558.1328 WellDepth[kcal/mol] 35.51 WellDepth[kcal/mol] 5.08 End Frequencies [1/cm] 65 19.9912 68.5063 93.1169 97.0580 170.4822 182.4707 266.4483 284.8931 337.4801 395.9449 397.9627 444.5423 484.9825 518.7388 525.6564 554.8158 581.7702 617.0338 660.2545 668.3550 761.0202 780.3007 781.6594 832.6040 855.5958 876.7714 921.7636 953.3995 966.0228 979.4538 997.9412 1017.4385 1041.9349 1043.1509 1052.1448 1152.2320 1173.3088 1179.0925 1209.1156 1243.5111 1282.7710 1291.4211 1374.4422 1394.5864 1406.2107 1412.8189 1464.0474 1470.6395 1476.0896 1501.0236 1535.3366 1604.8772 1641.7016 3013.6115 1667.2802 2248.1687 3157.8036 3069.5251 3077.6418 3162.4745 3164.2868 3173.7743 3176.1097 3188.3850 3192.9934 ZeroEnergy[kcal/mol] -4.54 ElectronicLevels[1/cm] 1 0 2 End !-----!-----bar ts2-p5-----Barrier ts2-p5 i2 p5 RRHO 24 Geometry[angstrom] 0.000004 С -3.758652 0.450192 С 0.165116 -1.136492 -0.00003С -3.565308 -0.950229 0.000004 С 1.264976 -0.300905 -0.000004 С 1.630692 -0.00003 -0.209363 С 1.055457 1.108402 -0.000004 С 1.298557 0.000001 -2.676547 С -2.295604 -1.476035 0.000001 С -1.354738 0.788413 -0.000001 С -1.157696 -0.627760 -0.000001

```
С
                              -0.877437
                                          -0.00004
                   2.618742
С
                   3.748950
                              -0.216297
                                           0.000001
С
                                           0.00008
                   4.913022
                               0.385477
Η
                  -4.765473
                               0.852246
                                           0.000005
Η
                   0.307448
                              -2.212952
                                          -0.00003
Η
                  -4.426056
                              -1.609520
                                           0.000005
                              2.706317
Η
                  -0.353262
                                          -0.00003
Η
                   1.917258
                              1.766154
                                          -0.000006
Η
                  -2.822195
                              2.373871
                                           0.000001
                              -2.550920
Η
                  -2.147055
                                           0.000001
Η
                   2.676951
                              -1.965726
                                          -0.00008
Η
                   5.385854
                              0.700969
                                          0.925771
                              0.700978
Η
                   5.385861
                                          -0.925750
Η
                   6.350538
                             -1.220885
                                           0.000006
Core RigidRotor
SymmetryFactor 0.5
End
Tunneling
              Eckart
ImaginaryFrequency[1/cm] 364.4727
WellDepth[kcal/mol] 35.69
WellDepth[kcal/mol] 2.88
End
Frequencies [1/cm] 65
                      93.7806
45.8409
118.9777
                      168.8815
                                             183.6629
218.6258
                      266.4369
                                             289.1780
360.9017
                      387.4330
                                             402.5178
421.3181
                      484.0472
                                             509.5588
526.0192
                      605.1940
                                             612.8658
644.4237
                      694.4512
                                             762.6646
763.7477
                      782.1298
                                             784.1393
                                             887.3219
835.4413
                      873.3269
896.5254
                      897.0431
                                             921.9579
                                             982.5125
964.3822
                      966.7676
                     1017.2344
996.4094
                                            1042.6303
1091.0918
                      1150.7966
                                             1174.1896
1180.0138
                      1196.0201
                                             1240.3339
                                             1323.7799
1279.8506
                      1289.0112
1393.0392
                      1397.3946
                                             1412.7416
1460.2518
                      1481.2507
                                             1505.3257
1543.8836
                      1609.8265
                                             1643.4395
1667.6830
                      2000.1882
                                             3105.2836
3109.1033
                      3155.8287
                                             3158.2324
3160.1051
                      3163.5986
                                             3175.4678
                      3181.3439
                                             3188.2396
3180.3865
ZeroEnergy[kcal/mol] -4.36
ElectronicLevels[1/cm] 1
0 2
End
!-----
!-----bar tsa-7-----
           tsa-7 i7 p0a
Barrier
RRHO
Geometry[angstrom]
                    24
```

С -4.0000109749 0.4033492002 -0.4659012376 С -0.0367350294 -0.9925940733 0.1238179299 С -3.6903460802 -0.9571717598 -0.6964008755 С 0.8911719755 -0.0883163644 0.5317801026 С -0.6612899427 1.7137689997 0.5862191771 0.6257167597 1.261695255 0.7844921381 С С -3.0223550294 1.2747416149 -0.0514365825 С -2.4102269012 -1.419602457 -0.508506621 С -1.6888891965 0.8328453842 0.1533865017 С -1.3772557879 -0.5457537556 -0.0812950446 Н -5.0140129902 0.7555027833 -0.6182281862 Η 0.2115953324 -2.0350302603 -0.0511365777 -4.4702205032 -1.6359856912 -1.0233140694 Η Η -0.9066725754 2.7568413428 0.762753119 1.4073192655 1.9320798944 1.1241670705 Н Η -3.258589672 2.3189395608 0.1258756438 -2.171836953 -2.4633413023 -0.6849040882 Η С 3.3185568028 -0.3849476197 2.1125522344 С 3.3065430915 -1.5202479849 -0.2243054859 С 3.1016973696 -0.8782222627 0.9009846148 4.0387601981 0.4132090402 2.264454946 Н 2.7151229539 -0.6825948091 2.9630029756 Η 2.7153919709 -1.3514933305 -1.1143074048 Η 4.093290916 -2.2681324047 -0.27542328 Н Core RigidRotor SymmetryFactor 0.5 End Tunneling Eckart ImaginaryFrequency[1/cm] 370.7338 WellDepth[kcal/mol] 64.34 WellDepth[kcal/mol] 2.61 End Rotor Hindered ! 25 cm^-1 18 19 21 22 23 24 Group 4 20 Axis Symmetry 2 Potential[kcal/mol] 4 0.082433425 0.062369433 0.880468746 0 End Frequencies [1/cm] 64 43.2367 75.5997 94.8366 165.6363 181.3044 230.5669 242.4409 372.3333 389.3906 393.6208 477.5358 514.3201 490.1562 515.5837 619.8558 629.9287 746.8745 763.7663 765.9630 775.6131 807.8901 813.1685 827.6224 853.3466 884.7754 891.9249 930.4192 957.8761 969.6901 994.7007 1006.6454 1020.7432 1038.0773 1045.6731 1072.4831 1144.0000 1161.2406 1172.4382 1210.3374 1252.0985

```
1277.2443
                                           1385.6497
                     1343.8608
1393.7395
                     1427.1614
                                            1459.1857
1464.5729
                     1475.4377
                                           1531.6100
1595.7472
                     1614.8263
                                           1656.9876
1927.9493
                     3119.6821
                                           3123.7609
                                           3156.9892
3151.0548
                      3153.4389
3162.4044
                                           3174.7098
                     3174.2672
3186.7835
                     3201.1444
                                           3218.0625
ZeroEnergy[kcal/mol] 3.74
ElectronicLevels[1/cm] 1
0 2
End
!-----
!-----bar tsa-14-----
Barrier tsa-14 i14 p0a
RRHO
Geometry[angstrom]
                    24
С
   -1.9710088797 -0.9466165477 0.4306779248
   1.1959351256 1.7891338222 -0.2715424956
С
С
   -2.2356031472 0.4420268274 0.3890991995
   2.4410617339 1.2765203027 -0.4517012704
С
С
   1.7154587641 - 0.9759124684 - 0.1856843299
   2.745620596 -0.0886533986 -0.4127137875
С
С
   -0.6923308972 -1.4126912569 0.2446953618
С
   -1.2177673516 1.3366883096 0.1623214106
С
   0.3842337481 -0.5180749075 0.0080776596
С
   0.1139396663 0.8883010499 -0.0339010793
   -2.7831645927 -1.6419879703 0.610260077
Η
   0.9958493558 2.8566314802 -0.3038299099
Η
   -3.2488627225 0.7986900812 0.5373145868
Η
Η
  1.9112644605 -2.0435985584 -0.1512697909
   3.7616263477 -0.4404131491 -0.5571939067
Η
   -0.4872408557 -2.4778484983 0.2763707923
Η
   -1.4204890636 2.4022353139 0.1302347381
Η
   4.2429634293 2.7581772852 -0.8840468176
С
   6.2022085117 2.0387064747 0.7004465884
С
С
   5.2650428174 2.4366880665 -0.1086874157
   4.2109021539 2.4288297687 -1.9168011999
Η
   3.5927066754 3.5834087266 -0.6143456439
Η
   6.0461667943 1.203596124 1.3802700633
Н
   7.1737653302 2.5248161223 0.7350642451
Н
Core RigidRotor
SymmetryFactor 0.5
End
Tunneling
             Eckart
ImaginaryFrequency[1/cm] 239.2847
WellDepth[kcal/mol] 39.53
WellDepth[kcal/mol] 1.87
End
               Hindered ! 12 cm^-1
     Rotor
                            19 20 21 22 23 24
       Group
       Axis
                             4 18
       Symmetry 1
       Potential[kcal/mol]
                             8
```

0 0.130493757 0.291590529 0.001067394 0.031020309 0.031012151 0.0346812

0.046290127 End

22 00	7.2	
	112 0206	177 0600
0/.1/8/	201 2507	1/1.2093
200.3338	321.2507	343./5/6
367.3468	3/8.0028	388.6248
4/6./8/8	487.5111	496.7706
515.4107	620.11/1	628.9492
745.7566	751.1684	766.8062
771.3702	814.1119	847.2915
859.3780	870.2684	872.8879
889.8419	936.8604	957.9717
969.7716	994.6538	999.1959
1031.9700	1038.6551	1047.2935
1069.9930	1145.3106	1161.8744
1173.1998	1211.6244	1254.0434
1277.5746	1345.8875	1386.1275
1393.5996	1420.4004	1460.4570
1465.8396	1469.4568	1531.7856
1596.0864	1615.2271	1657.2332
1974.8042	3094.2402	3124.3435
3141.2065	3149.9294	3156.6926
3161.7556	3162.5280	3169.8006
3174.3456	3187.1507	3200.9196
ZeroEnergy[kcal/mol]	3.0	
ElectronicLevels[1/cm]] 1	
0 2	-	
End		
!bar te10-19		
Barrier ts10-19	i10 i19	
Barrier ts10-19	i10 i19	
Barrier ts10-19 RRHO Geometry[angstrom]	i10 i19	
Barrier ts10-19 RRHO Geometry[angstrom] 2 C 3 5415655422 0 523	i10 i19 24 83386696 0 2733729652	
Barrier ts10-19 RRHO Geometry[angstrom] 2 C 3.5415655422 0.522	i10 i19 24 83386696 0.2733729652 3430225814 -0 2112450854	
Barrier ts10-19 RRHO Geometry[angstrom] 2 C 3.5415655422 0.523 C -0.2259627703 -1.3 C 3 4561468646 -0 80	i10 i19 24 83386696 0.2733729652 3430225814 -0.2112450856	5
Barrier ts10-19 RRHO Geometry[angstrom] 2 C 3.5415655422 0.523 C -0.2259627703 -1.3 C 3.4561468646 -0.83	i10 i19 24 83386696 0.2733729652 3430225814 -0.2112450856 829936358 0.2219898673 5919289578 -0 3187504272	5
Barrier ts10-19 RRHO Geometry[angstrom] 2 C 3.5415655422 0.522 C -0.2259627703 -1.3 C 3.4561468646 -0.8 C -1.3781369885 -0.3	i10 i19 24 83386696 0.2733729652 3430225814 -0.2112450856 829936358 0.2219898673 5919289578 -0.3187504275	5
Barrier ts10-19 RRHO Geometry[angstrom] 2 C 3.5415655422 0.522 C -0.2259627703 -1.3 C 3.4561468646 -0.83 C -1.3781369885 -0.3 C -0.0620915103 1.44 C 1.2775910247 0.00	i10 i19 24 83386696 0.2733729652 3430225814 -0.2112450856 829936358 0.2219898673 5919289578 -0.3187504277 451886333 -0.1081694856	5
Barrier ts10-19 RRHO Geometry[angstrom] 2 C 3.5415655422 0.522 C -0.2259627703 -1.3 C 3.4561468646 -0.82 C -1.3781369885 -0.3 C -0.0620915103 1.4 C -1.2775810347 0.82	i10 i19 24 83386696 0.2733729652 3430225814 -0.2112450856 829936358 0.2219898673 5919289578 -0.3187504277 451886333 -0.1081694856 270625198 -0.2635909044	5
Barrier ts10-19 RRHO Geometry[angstrom] 2 C 3.5415655422 0.522 C -0.2259627703 -1.3 C 3.4561468646 -0.83 C -1.3781369885 -0.3 C -0.0620915103 1.4 C -1.2775810347 0.83 C 2.4067809566 1.294	i10 i19 24 83386696 0.2733729652 3430225814 -0.2112450856 829936358 0.2219898673 5919289578 -0.3187504277 451886333 -0.1081694856 270625198 -0.2635909044 49609284 0.1664333304	5
Barrier ts10-19 RRHO Geometry[angstrom] 2 C 3.5415655422 0.523 C -0.2259627703 -1.3 C 3.4561468646 -0.83 C -1.3781369885 -0.3 C -0.0620915103 1.44 C -1.2775810347 0.83 C 2.4067809566 1.294 C 2.2386563227 -1.45	i10 i19 24 83386696 0.2733729652 3430225814 -0.2112450856 829936358 0.2219898673 5919289578 -0.3187504277 451886333 -0.1081694856 270625198 -0.2635909044 49609284 0.1664333304 990984632 0.0643704881	5
Barrier ts10-19 RRHO Geometry[angstrom] C 3.5415655422 0.523 C -0.2259627703 -1.3 C 3.4561468646 -0.88 C -1.3781369885 -0.3 C -0.0620915103 1.4 C -1.2775810347 0.83 C 2.4067809566 1.29 C 2.2386563227 -1.49 C 1.1336080441 0.685	i10 i19 24 83386696 0.2733729652 3430225814 -0.2112450856 829936358 0.2219898673 5919289578 -0.3187504277 451886333 -0.1081694856 270625198 -0.2635909044 49609284 0.1664333304 990984632 0.0643704881 98524102 0.0033112709	5
Barrier ts10-19 RRHO Geometry[angstrom] C 3.5415655422 0.523 C -0.2259627703 -1.3 C 3.4561468646 -0.83 C -1.3781369885 -0.3 C -0.0620915103 1.4 C -1.2775810347 0.83 C 2.4067809566 1.29 C 2.2386563227 -1.4 C 1.1336080441 0.683 C 1.0464922809 -0.73	i10 i19 24 83386696 0.2733729652 3430225814 -0.2112450856 829936358 0.2219898673 5919289578 -0.3187504277 451886333 -0.1081694856 270625198 -0.2635909044 49609284 0.1664333304 990984632 0.0643704881 98524102 0.0033112709 364524395 -0.0492698765	5
Barrier ts10-19 RRHO Geometry[angstrom] C 3.5415655422 0.523 C -0.2259627703 -1.3 C 3.4561468646 -0.83 C -1.3781369885 -0.3 C -0.0620915103 1.4 C -1.2775810347 0.83 C 2.4067809566 1.29 C 2.2386563227 -1.43 C 1.1336080441 0.68 C 1.0464922809 -0.73 H 4.5087560592 1.003	i10 i19 24 83386696 0.2733729652 3430225814 -0.2112450856 829936358 0.2219898673 5919289578 -0.3187504277 451886333 -0.1081694856 270625198 -0.2635909044 49609284 0.1664333304 990984632 0.0643704881 98524102 0.0033112709 364524395 -0.0492698765 22063251 0.3979478556	5
Barrier ts10-19 RRHO Geometry[angstrom] C 3.5415655422 0.522 C -0.2259627703 -1.3 C 3.4561468646 -0.82 C -1.3781369885 -0.3 C -0.0620915103 1.4 C -1.2775810347 0.82 C 2.4067809566 1.29 C 2.2386563227 -1.4 C 1.1336080441 0.682 C 1.0464922809 -0.73 H 4.5087560592 1.002 H -0.2856665859 -2.4	i10 i19 24 83386696 0.2733729652 3430225814 -0.2112450856 829936358 0.2219898673 5919289578 -0.3187504277 451886333 -0.1081694856 270625198 -0.2635909044 49609284 0.1664333304 990984632 0.0643704881 98524102 0.0033112709 364524395 -0.0492698765 22063251 0.3979478556 4259598523 -0.2493873093	5
Barrier ts10-19 RRHO Geometry[angstrom] C 3.5415655422 0.522 C -0.2259627703 -1.3 C 3.4561468646 -0.82 C -1.3781369885 -0.3 C -0.0620915103 1.4 C -1.2775810347 0.82 C 2.4067809566 1.29 C 2.2386563227 -1.42 C 1.1336080441 0.682 C 1.0464922809 -0.73 H 4.5087560592 1.002 H -0.2856665859 -2.4 H 4.3589768496 -1.42	i10 i19 24 83386696 0.2733729652 3430225814 -0.2112450856 829936358 0.2219898673 5919289578 -0.3187504277 451886333 -0.1081694856 270625198 -0.2635909044 49609284 0.1664333304 990984632 0.0643704881 98524102 0.0033112709 364524395 -0.0492698765 22063251 0.3979478556 4259598523 -0.2493873093 77233825 0.307848525	5
Barrier ts10-19 RRHO Geometry[angstrom] C 3.5415655422 0.522 C -0.2259627703 -1.3 C 3.4561468646 -0.82 C -1.3781369885 -0.3 C -0.0620915103 1.4 C -1.2775810347 0.82 C 2.4067809566 1.29 C 2.2386563227 -1.4 C 1.1336080441 0.68 C 1.0464922809 -0.73 H 4.5087560592 1.002 H -0.2856665859 -2.4 H -0.0032375459 2.52	i10 i19 24 83386696 0.2733729652 3430225814 -0.2112450856 829936358 0.2219898673 5919289578 -0.3187504277 451886333 -0.1081694856 270625198 -0.2635909044 49609284 0.1664333304 990984632 0.0643704881 98524102 0.0033112709 364524395 -0.0492698765 22063251 0.3979478556 4259598523 -0.2493873093 77233825 0.307848525 280922446 -0.0669001322	5
Barrier ts10-19 RRHO Geometry[angstrom] C 3.5415655422 0.522 C -0.2259627703 -1.3 C 3.4561468646 -0.83 C -1.3781369885 -0.3 C -0.0620915103 1.4 C -1.2775810347 0.83 C 2.4067809566 1.29 C 2.2386563227 -1.4 C 1.1336080441 0.68 C 1.0464922809 -0.73 H 4.5087560592 1.002 H -0.2856665859 -2.4 H -0.0032375459 2.53 H -2.1828332748 1.43	i10 i19 24 83386696 0.2733729652 3430225814 -0.2112450856 829936358 0.2219898673 5919289578 -0.3187504277 451886333 -0.1081694856 270625198 -0.2635909044 49609284 0.1664333304 990984632 0.0643704881 98524102 0.0033112709 364524395 -0.0492698765 22063251 0.3979478556 4259598523 -0.2493873093 77233825 0.307848525 280922446 -0.0669001322 181952395 -0.3448480862	5
Barrier ts10-19 RRHO Geometry[angstrom] C 3.5415655422 0.523 C -0.2259627703 -1.3 C 3.4561468646 -0.83 C -1.3781369885 -0.3 C -0.0620915103 1.44 C -1.2775810347 0.83 C 2.4067809566 1.29 C 2.2386563227 -1.45 C 1.1336080441 0.68 C 1.0464922809 -0.75 H 4.5087560592 1.002 H -0.2856665859 -2.4 H -0.0032375459 2.52 H -2.1828332748 1.45 H 2.4695952522 2.37	i10 i19 24 83386696 0.2733729652 3430225814 -0.2112450856 829936358 0.2219898673 5919289578 -0.3187504275 451886333 -0.1081694856 270625198 -0.2635909044 49609284 0.1664333304 990984632 0.0643704881 98524102 0.0033112709 364524395 -0.0492698765 22063251 0.3979478556 4259598523 -0.2493873093 77233825 0.307848525 280922446 -0.0669001322 181952395 -0.3448480862 75908133 0.2058998034	5
Barrier ts10-19 RRHO Geometry[angstrom] C 3.5415655422 0.522 C -0.2259627703 -1.3 C 3.4561468646 -0.8 C -1.3781369885 -0.3 C -0.0620915103 1.4 C -1.2775810347 0.8 C 2.4067809566 1.29 C 2.2386563227 -1.4 C 1.1336080441 0.68 C 1.0464922809 -0.7 H 4.5087560592 1.002 H -0.2856665859 -2.4 H -0.0032375459 2.52 H -2.1828332748 1.4 H 2.4695952522 2.37 H 2.1721212128 -2.5	i10 i19 24 83386696 0.2733729652 3430225814 -0.2112450856 829936358 0.2219898673 5919289578 -0.3187504275 451886333 -0.1081694856 270625198 -0.2635909044 49609284 0.1664333304 990984632 0.0643704881 98524102 0.0033112709 364524395 -0.0492698765 22053251 0.3979478556 4259598523 -0.2493873093 77233825 0.307848525 280922446 -0.0669001322 181952395 -0.3448480862 75908133 0.2058998034 814538623 0.0249340176	5
Barrier $ts10-19$ RRHO Geometry[angstrom] C 3.5415655422 0.522 C -0.2259627703 -1.3 C 3.4561468646 -0.82 C -1.3781369885 -0.3 C -0.0620915103 1.4 C -1.2775810347 0.82 C 2.4067809566 1.29 C 2.2386563227 -1.4 C 1.1336080441 0.682 C 1.0464922809 -0.72 H 4.5087560592 1.002 H -0.2856665859 -2.4 H -0.0032375459 2.52 H -2.1828332748 1.42 H 2.4695952522 2.37 H 2.1721212128 -2.52 C -2.7023644831 -1.2	i10 i19 24 83386696 0.2733729652 3430225814 -0.2112450856 829936358 0.2219898673 5919289578 -0.3187504277 451886333 -0.1081694856 270625198 -0.2635909044 49609284 0.1664333304 990984632 0.0643704881 98524102 0.0033112709 364524395 -0.0492698765 22063251 0.3979478556 4259598523 -0.2493873093 77233825 0.307848525 280922446 -0.0669001322 181952395 -0.3448480862 75908133 0.2058998034 814538623 0.0249340176 2365984092 -0.5102657461	5

```
С
   -3.5570950851 -1.5960873129 0.5257641781
Η
   -3.0199044303 -1.4243458817 -1.5324897277
Н
   -4.0387751364 -1.7370653649 2.6155820568
Η
   -2.3901904109 -0.9843338105 2.230277194
H -4.5026204307 -2.0513101447 0.2391216883
Core RigidRotor
SymmetryFactor 0.5
End
Tunneling
             Eckart
                        69.8626
ImaginaryFrequency[1/cm]
WellDepth[kcal/mol] 2.9
WellDepth[kcal/mol] 3.1
End
Frequencies[1/cm] 65
                     157.5799
67.8243
173.8269
                     175.4641
                                            298.4633
326.1858
                      398.5906
                                           403.4319
444.2652
                     485.4007
                                            505.6832
521.8203
                     525.4738
                                            598.6160
634.6266
                     667.9718
                                           697.4769
738.1726
                     769.5193
                                            780.6064
789.7737
                     809.6093
                                            835.5701
                                           919.7046
872.8868
                     900.1543
963.4460
                     970.8201
                                           977.8654
994.6662
                     995.5600
                                          1027.9459
1041.3933
                      1112.2176
                                           1153.1265
1170.4738
                     1177.8639
                                           1194.9317
1221.7119
                     1243.1394
                                           1275.9898
1288.7286
                     1364.4843
                                           1390.7664
1398.2672
                     1425.2334
                                            1447.9288
1461.6116
                     1501.8120
                                           1520.7968
1536.8603
                     1603.8413
                                           1640.6813
1668.9666
                      3126.5557
                                            3143.3211
3150.0833
                      3156.5052
                                            3158.7634
3161.5035
                     3164.5559
                                           3174.6728
3180.8674
                     3187.2827
                                           3240.7940
ZeroEnergy[kcal/mol] -59.1
ElectronicLevels[1/cm] 1
0 2
End
!-----
!----bar ts19-20-----
Barrier ts19-20 i19 i20
RRHO
                  24
Geometry[angstrom]
   3.647561846 0.4742217112 -0.0683128381
С
С
   -0.1900111136 -1.2428831077 0.5713021381
С
   3.5402275859 -0.8338738872 0.4468775145
С
   -1.3460372568 -0.4600387513 0.2832909219
   0.0388804033 1.416453359 -0.3736958093
С
С
   -1.2111349783 0.8585592113 -0.1719907623
С
   2.5151136907 1.2052175852 -0.3500542077
С
   2.2961116209 -1.3897685978 0.6600836017
С
   1.2230286832 0.6614184698 -0.1410424807
```

```
С
   1.1175237974 -0.6739143666 0.3601843735
С
   -2.5724928599 -1.2530473695 0.2090619345
С
   -1.0021588934 -2.8679854125 -0.6539121014
С
   -2.3731052131 -2.5050053367 -0.2473524862
Η
   4.6276836859 0.9066101794 -0.2365727672
Η
   -0.2701715624 -2.0070908108 1.3365869438
   4.4364440226 -1.3991801317 0.6756597957
Η
Η
   0.1309331789 2.4361770607 -0.7308996052
   -2.1027800908 1.4297632635 -0.4093134374
Η
Η
   2.59921526 2.2159468708 -0.7359448562
Н
   2.2097756921 -2.3980617937 1.0524741486
Н
   -3.5514684428 -0.8453521087 0.4357719172
   -0.6090836016 -3.8421234182 -0.3743216485
Н
   -0.656995998 -2.5091501384 -1.6205425886
Н
   -3.1876304563 -3.2219034798 -0.3258647006
Η
Core RigidRotor
SymmetryFactor 0.5
End
Tunneling
             Eckart
ImaginaryFrequency[1/cm] 638.8802
WellDepth[kcal/mol] 29.22
WellDepth[kcal/mol] 31.74
End
Frequencies [1/cm] 65
99.4242
                     107.1809
167.1875
                      221.8877
                                            266.6939
356.0410
                      410.7650
                                            429.5283
455.5837
                      487.7448
                                            518.9563
541.0534
                      556.3296
                                            613.4703
653.6072
                      674.5092
                                            711.8163
731.6470
                      750.3336
                                            774.4498
                                            828.5291
786.7626
                     802.8058
877.8900
                     889.1340
                                            942.1589
955.2309
                                            962.3481
                      956.4267
                                           1009.0763
975.4885
                     989.7994
1046.2136
                     1061.0969
                                            1132.1317
1154.9764
                     1158.3829
                                            1175.3983
                                            1261.9997
1196.1748
                     1227.4254
1283.5966
                     1334.7080
                                            1365.5998
1373.5134
                     1390.1160
                                            1450.4765
                     1487.8586
                                            1534.7365
1453.0605
1561.4917
                      1589.8197
                                            1610.4898
1645.8394
                      3095.9836
                                            3126.8734
3145.0017
                     3155.8541
                                            3158.1965
3160.7622
                      3173.8081
                                            3177.1672
                      3179.3364
3177.8425
                                            3187.4929
ZeroEnergy[kcal/mol] -32.98
ElectronicLevels[1/cm] 1
0 2
End
!-----
!-----bar ts20-p3-----
Barrier ts20-p3 i20 p3
RRHO
```

```
Geometry[angstrom]
                     24
С
    3.6199469131 0.4847184479 0.0398827217
С
    -0.2668666042 -1.2105180837 0.0730829471
С
    3.4727822653 -0.9169862608 0.1301720974
С
    -1.3752133056 -0.3744111308 -0.1384633342
С
    0.0458975145 1.5594576995 -0.1726072525
С
    -1.2189194353 1.0236567708 -0.2306178432
С
    2.5091003313 1.2903794219 -0.0478438886
С
    2.2203001493 -1.4868341109 0.1373585158
    1.2034872791 0.7377878694 -0.0523311489
С
С
    1.0580473972 -0.6840765418 0.0474282532
С
    -2.5705671344 -1.2053947201 -0.2458517453
С
    -0.7319891516 -2.6494565398 -0.0260095753
С
    -2.226414709 -2.5042539886 -0.1737677195
    4.6117977494 0.9222579997 0.0396901635
Η
Η
    -0.4449688671 -1.140227121 2.0482195302
    4.353994101 -1.545183066 0.197556559
Η
    0.1843971033 2.6332552076 -0.2438399718
Η
    -2.0839624148 1.6650645803 -0.3586987705
Η
    2.6189805435 2.3676102889 -0.1193916885
Н
    2.1149463933 -2.5629224648 0.2179732322
Η
    -3.5739525608 -0.8175536304 -0.3678706685
Η
Η
   -0.4531628582 -3.2639330328 0.8353147178
    -0.2994482909 -3.133923589 -0.91213115
Η
    -2.9022024086 -3.3477480054 -0.2201399811
Η
Core RigidRotor
SymmetryFactor 0.5
End
Tunneling
               Eckart
ImaginaryFrequency[1/cm] 629.0042
WellDepth[kcal/mol] 32.58
WellDepth[kcal/mol] 4.19
End
Frequencies [1/cm] 65
114.2836
                       133.5814
233.9749
                                               255.4998
                       238.8545
376.7410
                       399.8687
                                               425.0452
432.8509
                       444.1231
                                               480.3414
                                               553.3525
521.0521
                       529.5830
618.1347
                       673.7523
                                               684.4805
720.3311
                       751.2028
                                               761.9177
792.1620
                       830.7460
                                               839.3761
868.7640
                       876.4799
                                               933.3138
955.7548
                       958.0825
                                               960.3169
971.3406
                                               992.7733
                       984.5602
1046.1015
                       1059.9232
                                               1118.6689
1149.6490
                       1165.8012
                                               1178.8203
1183.7411
                       1233.7718
                                               1246.1699
1267.3775
                       1289.7339
                                               1357.1926
1372.8745
                       1394.7314
                                               1407.6994
1436.2232
                                               1481.3264
                       1464.2200
1551.6801
                       1575.3398
                                               1609.3041
1627.9994
                       1657.6823
                                               3011.3370
3062.2763
                       3157.7390
                                               3160.7227
```

3165.7743 3177.8975 3178.8533 3188.7192 3193.0592 3216.6704 ZeroEnergy[kcal/mol] -32.14 ElectronicLevels[1/cm] 1 0 2 End !-----!----bar ts9-p5----ts9-p5 i9 p5 Barrier RRHO Geometry[angstrom] 24 С 3.7230963898 0.3981884795 0.1045934107 С -0.216180129 -1.1175823297 -0.1884371107 С 3.5151860596 -0.9733334296 -0.1676603909 С -1.3088632159 -0.2865729714 -0.0170807913 С 0.18677235 1.5929910821 0.3501019211 С -1.083631181 1.0948264111 0.2548604106 С 2.6500150916 1.2413097881 0.2750336787 С 2.2399992557 -1.4763172288 -0.2643822681 С 1.3231311327 0.7544945998 0.181955641 1.1111540402 -0.6327620513 -0.0934616396 С С -2.6606909348 -0.8410031893 -0.109626281 -4.8845183661 0.4499800769 0.3688468306 С С -3.7925025814 -0.1648290416 0.0076824997 4.7340862502 0.7826144415 0.1783233404 Η Η -0.3709009592 -2.171364307 -0.399563067 4.3689319656 -1.6282897929 -0.3004737177 н 0.343134266 2.6469077092 0.5560571035 Η -1.9381712902 1.7489997033 0.3829223818 Η Η 2.8074994988 2.2944400198 0.4837518173 Н 2.0797967047 -2.5288606624 -0.4738640978 -2.7324035411 -1.9007820247 -0.3471977539 Η -5.5193148677 0.9731901762 -0.3371813665 Η -5.1933610988 0.4474609274 1.4116388906 Н -3.9857548395 0.1236356139 -2.0923104416 Н Core RigidRotor SymmetryFactor 0.5 End Tunneling Eckart ImaginaryFrequency[1/cm] 500.7546 WellDepth[kcal/mol] 61.82 WellDepth[kcal/mol] 3.37 End Frequencies[1/cm] 65 47.6575 85.2753 110.5319 183.2656 137.5114 254.4871 284.0916 373.2378 383.3285 404.4638 413.4317 427.1200 483.5448 503.6453 525.5979 599.3704 609.1608 644.5793 685.7748 761.2283 767.5703 782.0584 784.0121 835.9263 871.8056 888.9636 891.7817 895.8024 919.4968

```
964.8809
                    966.7458
                                          985.1017
996.7165
                    1009.3821
                                          1042.6348
1094.6155
                    1150.5576
                                          1174.4822
1179.9034
                    1197.2921
                                           1241.5485
1281.7073
                    1289.4390
                                           1327.8259
1393.1880
                     1398.3901
                                           1413.5540
1458.3241
                    1481.7277
                                           1503.4535
1543.4082
                    1607.9912
                                           1641.1641
                     1982.7973
                                           3110.0547
1664.3633
3123.2356
                     3156.1934
                                           3158.5940
3161.0843
                     3164.1602
                                          3175.6998
3185.1052
                     3188.4277
                                          3192.0692
ZeroEnergy[kcal/mol] -3.87
ElectronicLevels[1/cm] 1
0 2
End
|-----
!-----bar ts0-8-----
Barrier ts0-8 i8 p0p
RRHO
                  24
Geometry[angstrom]
  3.8633115301 -0.0440794168 0.4589066793
С
   -0.1956131419 -0.7757107773 -0.5388711269
С
С
   3.4331506641 -1.3620297341 0.1795217729
С
   -1.0414716307 0.2880749698 -0.5628159708
С
   0.668462941 1.8448319925 0.0146385202
С
   -0.6504672173 1.6087075605 -0.3092268926
С
   2.9716528658 0.9996604004 0.408381422
С
   2.1210308113 -1.6102190511 -0.1440281117
С
   1.608394198 0.7810114319 0.0780979564
  1.1742369898 -0.5549596173 -0.2040016007
С
  4.9013193597 0.1385398753 0.7131708494
Η
   -0.5321951423 -1.7831201044 -0.7661123371
Η
   4.1457055042 -2.1783558897 0.2218830273
Η
   1.007673679 2.8552741353 0.223363542
Η
   -1.3620721668 2.4258458162 -0.365116992
Η
Η
   3.3006028557 2.0116177142 0.6217135451
   1.7903092524 -2.6211873369 -0.358771022
Η
   -3.2751057825 -0.066080178 -2.3254303348
С
   -3.785972882 -0.1910688378 0.2627838996
С
   -3.2600711642 -0.0820984077 -1.1056494094
С
Η
   -3.0630822686 -0.0142089083 -3.3662440418
Н
   -4.8656251739 -0.3611160585 0.2330390177
   -3.5921150827 0.7205690926 0.8324180175
Η
   -3.3154969982 -1.0178686707 0.7991515905
Η
Core RigidRotor
SymmetryFactor 0.5
End
           Eckart
Tunneling
ImaginaryFrequency[1/cm] 364.7857
WellDepth[kcal/mol] 41.71
WellDepth[kcal/mol] 3.46
End
     Rotor Hindered ! 158 cm^-1 CH3
```

```
22 23 24
       Group
       Axis
                              19 20
       Symmetry
                      3
       Potential[kcal/mol]
                              4
0
     0.67872755 1.281321244 0.644327475
     End
                            ! 22 cm^-1
     Rotor
               Hindered
       Group
                              18 19 21 22 23 24
                              4 20
       Axis
                      1
       Symmetry
        Potential[kcal/mol]
                              8
0
     0.0043448761.0445719160.3682665530.0410071240.5200768110.745740554
     0.385257003
     End
Frequencies[1/cm] 63
               44.1099
66.9173
                      152.6870
179.4465
                      224.6088
                                             245.0673
360.6165
                      382.9342
                                             390.1903
478.8857
                      491.0492
                                             509.9220
515.8088
                      571.6787
                                             623.9236
631.3283
                      679.4860
                                             747.2507
766.8444
                      768.2011
                                             781.7072
812.9915
                      854.3476
                                             892.4799
917.9061
                      935.0115
                                             957.4057
969.2578
                      994.7451
                                            1029.4248
1041.5414
                      1053.8436
                                            1065.4472
1144.9833
                      1162.1065
                                             1172.9189
1210.9202
                      1253.9223
                                             1277.7853
1346.1862
                      1385.5650
                                             1393.6082
1414.4197
                      1459.3954
                                             1467.7252
1477.0597
                                             1531.2536
                      1481.2383
1596.1948
                                             1657.1665
                      1614.1237
2070.3004
                      3033.7439
                                             3097.6832
                      3146.7032
3100.8197
                                            3147.9644
3155.6171
                                            3167.2053
                      3160.5144
3173.3798
                      3186.3646
                                             3454.9822
ZeroEnergy[kcal/mol] 3.46
ElectronicLevels[1/cm] 1
0 2
End
|-----
!----bar ts8-p7-----
            ts8-p7 i8 p7
Barrier
RRHO
Geometry[angstrom]
                    24
С
                  -3.607398
                              0.177020
                                          0.152335
С
                   0.460048
                              -0.951104
                                          -0.151188
С
                  -3.247648
                              -1.189527
                                          0.213804
С
                              0.007563
                                          -0.310815
                   1.441269
С
                  -0.244628
                               1.753846
                                          -0.273876
С
                   1.070530
                               1.381312
                                          -0.366920
С
                  -2.641319
                               1.141496
                                          -0.005446
```

0.116598 С -1.929975 -1.565153 С -1.272109 0.787733 -0.108779С -0.593792 -0.046290 -0.907222 С 3.778198 -0.850127 -1.064184 С 2.833363 -0.377225 -0.435119 С 3.540936 0.188144 1.635808 Η -4.651026 0.460175 0.230020 Η 0.737239 -1.998382 -0.109269 0.337834 Η -4.019142 -1.941098 Η -0.516729 2.802833 -0.327641 Η 2.127387 -0.496294 1.845292 Η -2.915632 2.190252 -0.053746 -2.613097 Η -1.652781 0.162854 Η 4.746340 -1.198606 -1.337691 2.885754 -0.458225 Н 2.206385 Η 3.306610 1.245493 1.639920 Η 4.589797 -0.077848 1.612070 Core RigidRotor SymmetryFactor 0.5 End Tunneling Eckart ImaginaryFrequency[1/cm] 532.2373 WellDepth[kcal/mol] 34.3 WellDepth[kcal/mol] 11.3 End Frequencies [1/cm] 65 27.7948 70.6610 77.6506 136.2543 154.8382 182.8958 239.8253 340.6894 356.8632 409.6971 409.9841 477.4442 485.2458 512.6473 535.5788 559.8827 521.5793 580.7187 633.6376 659.6130 688.4179 696.3183 759.1767 780.2217 782.3936 832.5819 878.7338 873.5417 902.0204 916.0132 964.9340 970.4237 980.3804 996.9217 1042.1040 1141.4150 1171.4461 1174.5510 1179.7892 1229.6648 1273.2195 1288.7322 1393.8886 1369.7715 1401.8953 1416.5141 1421.1694 1465.1758 1497.2007 1538.4098 1604.4867 1639.6767 1666.9434 1997.4584 3087.3002 3157.8222 3162.1219 3164.2455 3175.2643 3177.4559 3188.0410 3189.1667 3246.8920 3249.0233 3436.0875 ZeroEnergy[kcal/mol] -4. ElectronicLevels[1/cm] 1 0 2 End !-----End

References

- 1. H. Wu, Q. Wang and J. Zhu, *Chemistry A European Journal*, 2017, 23, 13037-13041.
- V. L. Rendina, S. A. Goetz, A. E. Neitzel, H. Z. Kaplan and J. S. Kingsbury, *Tetrahedron Lett.*, 2012, 53, 15-18.
- 3. Q. Zhou, H. D. Srinivas, S. Dasgupta and M. P. Watson, J. Am. Chem. Soc., 2013, 135, 3307-3310.
- 4. S. Chanthamath, H. W. Chua, S. Kimura, K. Shibatomi and S. Iwasa, Org. Lett., 2014, 16, 3408-3411.
- 5. B. Blanco, A. Sedes, A. Peón, H. Lamb, A. R. Hawkins, L. Castedo and C. González-Bello, *Org. Biomol. Chem.*, 2012, **10**, 3662-3676.