

UC Berkeley

Berkeley Scientific Journal

Title

Tuning Color at the Nanoscale: The Story of Quantum Dots

Permalink

<https://escholarship.org/uc/item/2hc207w3>

Journal

Berkeley Scientific Journal, 30(1)

ISSN

1097-0967

Author

Leyva, Ruben Eduardo Servin

Publication Date

2026-10-30

DOI

10.5070/BS3.69973

Copyright Information

This work is made available under the terms of a Creative Commons Attribution-NonCommercial-NoDerivatives License, available at <https://creativecommons.org/licenses/by-nc-nd/4.0/>

Tuning Color at the Nanoscale: The Story of Quantum Dots

BY: RUBEN EDUARDO SERVIN LEYVA
STAFF WRITER

INTRODUCTION

Every vivid color displayed on a modern television screen can be traced back to a story of chemistry and physics. Behind the sharp images of the OLED screen and cutting-edge biomedical imaging lies a remarkable class of materials known as “quantum dots.”. These nanometer-sized crystals, thousands of times smaller than the width of a human hair, have the unique ability to emit light with extraordinary precision.

At its core, quantum dots are semiconductors — materials that conduct electricity — that follow the fundamental rules of quantum mechanics.¹ When made extremely small, their electrons become restricted to a limited space, a phenomenon known as quantum confinement. This confinement limits the energy levels that the electrons can occupy, directly influencing what color of light the dot emits. Smaller dots release higher-energy level blue light, while larger dots emit lower-energy red light.^{1,2}

HOW QUANTUM DOTS ARE MADE: THE HOT INJECTION METHOD

Creating quantum dots requires precision in both temperature and timing. The most common technique, known as the Hot-Injection Method, was developed

in the 1990s by Moungi Bawendi^{4,5}. In this technique, the process begins by heating a solution of organic molecules and surfactants, which are substances that stabilize the formation of crystals, to a precise temperature. Once the solution reaches the right conditions, precursors, or compounds that supply the elements needed to form quantum dots, are rapidly injected.¹

Within seconds, the atoms in the mixture combine to form tiny “seeds” that grow into

nanocrystals.¹ The overall temperature and reaction time regulate how large the dots will become: shorter and cooler reactions make smaller, blue light-emitting dots, while longer and hotter reactions produce larger, red light-emitting ones.¹ To prevent the particles from clumping together, which would scatter light unevenly and reduce the dots’ brightness and colors, scientists add surfactants that coat each crystal and keep them evenly dispersed.^{1, 4}





Figure 1. Color-Tunable Carbon Quantum Dots for LED Light. The left image shows carbon quantum dots glowing in different colors, each color produced by dots of different sizes. The right image shows how these dots are layered inside an LED device, where they directly produce light, demonstrating how quantum dots can create bright, customizable colors for lighting and display technologies.




Figure 2. Hot-Injection Synthesis of Quantum Dots. The figure shows the major steps of the hot injection method: A heated cesium solution is prepared (a), which then is rapidly injected into the lead precursor mixture in (b) to spark the immediate formation of seeds. The reaction is quickly cooled (c) to control how large the dots grow. Finally, the quantum dots are separated and purified to produce a bright, stable colloidal (viscous) solution (d).

BUILDING A MORE STABLE DESIGN FOR THE QUANTUM DOTS

While early quantum dots glowed with precision, they were extremely sensitive to air, light, and moisture. To overcome this, scientists developed a core-shell structure.⁵ In this design, a light-remitting core, typically made of cadmium selenide (CdSe), is coated with a shell of another semiconductor such as zinc sulfide (ZnS).^{2, 5}

The shell acts as a protective barrier that shields the core from oxidation and chemical defects, thus enhancing both the brightness and longevity of the quantum dot. By adjusting the shell's thickness and composition, researchers can fine-tune how the dots absorb and emit light.^{1, 5} This advancement transformed quantum dots from delicate, short-lived crystals into versatile tools that now advance discoveries in science and medicine.^{5, 7}

APPLICATIONS ACROSS SCIENCE & TECHNOLOGY

In display technology, quantum dots are the key to the sharp, life-like images of quantum-dot LED, or QLED, televisions.⁸ Older displays, such as LCDs, create color by shining white light through color filters. Thin layers of red, green, and blue materials block certain wavelengths and only let certain colors pass through. This method wastes a significant amount of light, making colors appear dimmer and less accurate.^{8, 1} QLEDs replace those filters with a thin film of quantum dots, each engineered to emit a precise wavelength when excited. A




Figure 3. Core-Shell Ligand Structure of Hydrophobic Quantum Dot. This figure illustrates how a quantum dot becomes more stable and functional by adding additional layers. In (a), the dot begins as a simple semiconductor core. In (b), a protective ZnS shell is added to improve brightness and prevent chemical damage. In (c), ligands attach to the surface, creating a hydrophobic outer layer that keeps the quantum dot dispersed and protected in non-water environments.

Every vivid color displayed on a modern television screen can be traced back to a story of chemistry and physics.

blue LED backlight passes through a thin layer of red and green quantum dots, each re-emitting light at a specific wavelength.^{5, 9} Since the colors come directly from the quantum dots rather than color filters, the displays are more energy-efficient, reducing power consumption and heat production.⁹ As a result, these displays cover a wider

color range and deliver more vibrant images on the screen.⁸

In biomedicine, quantum dots are also used as glowing biomarkers to help scientists study cells and diseases.⁸ For example, these quantum dots can be conjugated to antibodies that specifically target cancer cells, which makes these cells

Even though limitations still remain, the future holds bright for quantum dots. As safer materials become available and new synthesis strategies and durable designs emerge, quantum dots are predicted to become even more widely implemented across science and engineering.

light up under a special microscope. This allows doctors and researchers to observe how diseases spread or respond to treatment at a cellular level. Unlike traditional dyes, which typically tend to fade within minutes, quantum dots can remain bright for hours or even days.⁸ This lasting fluorescence enables extended imaging sessions, allowing researchers to monitor biological processes over time without the repeated addition of new dyes. This is valuable for monitoring long-term cellular changes or drug effects that would otherwise be missed with conventional markers.^{8, 2}

In solar energy, quantum dots can be precisely engineered to absorb sunlight by controlling their size during synthesis. This ability makes them promising for new types of quantum-dot solar cells that can capture sunlight more efficiently for conversion into electricity.⁹

Finally, in quantum computing and communication, quantum dots are being explored as the basis of qubits,

the fundamental units of quantum information.^{8, 1} Their ability to trap and control single electrons or photons allows them to store and process information at an atomic scale, making them ideal for next-generation quantum computing and secure communication technologies.^{8, 1} Since they can be precisely engineered and integrated into semiconductor systems, quantum dots offer a scalable and energy-efficient way to build quantum devices.^{1,8}

CHALLENGES AND FUTURE DIRECTIONS

several scientific and practical challenges. The most pressing issue is their toxicity.^{8, 7} Many of the most efficient quantum dots contain heavy metals such as cadmium or lead, which pose environmental and health risks. Researchers are now developing safer alternatives, including indium phosphide (InP) and carbon-based quantum dots. However, these versions tend to be less bright and more unstable, so ^{8,5} regulatory agencies in regions such as the European

Union have begun restricting cadmium-based materials in commercial electronics, prompting the industry to accelerate the shift toward more environmentally-friendly designs.^{7, 8}

Another challenge stems from quantum dot production. While laboratory methods, like the hot-injection method, can produce high-quality quantum dots in small quantities, replicating the same control on an industrial scale remains difficult.^{7, 8}

Finally, quantum dots still remain sensitive to environmental conditions over time. For example, prolonged exposure to air, heat, or sunlight can reduce their brightness.^{1, 9} Scientists are addressing this by developing stronger protective coatings and embedding dots into solid materials to improve their durability. For example, CdSe quantum dots coated with thick ZnS shells have shown to improve photostability under UV exposure, demonstrating how surface engineering can protect dots from environmental degradation.⁹




Figure 4. Applications of Quantum Dots. Panel (A) shows the combined major fields that use quantum dots, including solar cells, LEDs, optical sensors, photocatalysis, biomonitoring, and drug or gene delivery. Panel (B) illustrates how quantum dots can be built into electronic devices, such as transistors, to improve performance and sensitivity. Panel (C) shows a quantum-dot solar cell, where a layer of nanocrystals enhances light absorption. Panel (D) demonstrates their use in medical imaging, where quantum dots highlight a tumor with bright, long-lasting fluorescence.

CONCLUSIONS

Quantum dots represent one of the most precise demonstrations of how manipulating matter at the nanoscale can reshape entire fields of technology. By controlling their size, composition, and surface structure, scientists can manipulate these atoms with atomic precision to enable breakthroughs in displays, biomedical imaging, renewable energy, and quantum information science.⁹ Even though limitations still remain, the future holds bright for quantum dots. As safer materials become available and new synthesis strategies and durable designs emerge, quantum dots are predicted to become even more widely implemented across science and engineering.^{7, 4}

ACKNOWLEDGEMENTS

I would like to thank Eran Rabani, Professor of Physical Chemistry at the University of California, Berkeley, for generously reviewing my manuscript and providing me with detailed and thoughtful feedback.

REFERENCES

1. Manna, L. (2023). The bright and enlightening science of quantum dots. *Nano Letters*, 23(21), 9673–9676. <https://doi.org/10.1021/acs.nanolett.3c03904> <https://pubs.acs.org/doi/10.1021/acs.nanolett.3c03904>
2. Banin, U., Cao, Y., Katz, D. et al. Identification of atomic-like electronic states in indium arsenide nanocrystal quantum dots. *Nature* 400, 542–544 (1999).
3. Chaudhary, B., Kshetri, Y. K., Kim, H.-S., Lee, S. W., & Kim, T.-H. (2021). Current status on synthesis, properties and applications of CsPbX₃ (X = Cl, Br, I) perovskite quantum dots/nanocrystals. *Nanotechnology*, 32(50), 502007. <https://doi.org/10.1088/1361-6528/ac2537>
4. Brkić, S. (2018). Applicability of quantum dots in biomedical science. In *Ionizing Radiation Effects and Applications* (Ch. 2). IntechOpen. <https://doi.org/10.1038/22979>
5. Saplakoglu, Y. (2023, October 4). Nobel Prize honors inventors of 'quantum dot' nanoparticles. *Quanta Magazine*. [honors-inventors-of-quantum-dot-nanoparticles-20231004/](https://www.quantamagazine.org/nobel-prize-</div><div data-bbox=)

6. Gramling, C., & Saey, T. H. (2023, October 4). The development of quantum dots wins the 2023 Nobel Prize in chemistry. *Science News*. <https://www.sciencenews.org/article/quantum-dots-nanoparticles-bawendi-brus-ekimov>
7. Nobel Prize Lecture: A synthesis for quantum dots leads to a nano-world of opportunities [Video]. (2023, October 4). YouTube. <https://www.youtube.com/watch?v=FD7uoKTYbUU>
8. Chaudhary, B., Kshetri, Y. K., Kim, H.-S., Lee, S. W., & Kim, T.-H. (2021). Current status on synthesis, properties and applications of CsPbX₃ (X = Cl, Br, I) perovskite quantum dots/nanocrystals. *Nanotechnology*, 32(50), 502007. <https://doi.org/10.1088/1361-6528/ac2537>

IMAGE REFERENCES

1. Moran, B. (2017, June 13). What are quantum dots? College of Engineering, Boston University. <https://www.bu.edu/eng/2017/06/13/what-are-quantum-dots/>
2. Haigh, J. (2016, December 6). Carbon quantum dots with distinct optical properties. *Advanced Science News*. <https://www.advancedsciencenews.com/carbon-quantum-dots-distinct-optical-properties/>
3. Chaudhary, B., Kshetri, Y. K., Kim, H.-S., Lee, S. W., & Kim, T.-H. (2021). Current status on synthesis, properties and applications of CsPbX₃ (X = Cl, Br, I) perovskite quantum dots/nanocrystals. *Nanotechnology*, 32(50), 502007. <https://doi.org/10.1088/1361-6528/ac2537>
4. Brkić, S. (2018). Applicability of quantum dots in biomedical science. In *Ionizing Radiation Effects and Applications* (Ch. 2). IntechOpen. <https://doi.org/10.5772/intechopen.71428>
5. Chaudhary, B., Kshetri, Y. K., Kim, H.-S., Lee, S. W., & Kim, T.-H. (2021). Current status on synthesis, properties and applications of CsPbX₃ (X = Cl, Br, I) perovskite quantum dots/nanocrystals. *Nanotechnology*, 32(50), 502007. <https://doi.org/10.1088/1361-6528/ac2537>