

Lawrence Berkeley National Laboratory

Recent Work

Title

MEIANOGASTER u NEW MUTANTS

Permalink

<https://escholarship.org/uc/item/2z14k2s6>

Author

Hildreth, Philip E.

Publication Date

1962-07-30

University of California
Ernest O. Lawrence
Radiation Laboratory

TWO-WEEK LOAN COPY

*This is a Library Circulating Copy
which may be borrowed for two weeks.
For a personal retention copy, call
Tech. Info. Division, Ext. 5545*

Berkeley, California

DISCLAIMER

This document was prepared as an account of work sponsored by the United States Government. While this document is believed to contain correct information, neither the United States Government nor any agency thereof, nor the Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or the Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof or the Regents of the University of California.

UCRL-10395

UNIVERSITY OF CALIFORNIA

Lawrence Radiation Laboratory
Berkeley, California

Contract No. W-7405-eng-48

MELANOGASTER--NEW MUTANTS

Philip E. Hildreth

July 30, 1962

MELANOGASTER--NEW MUTANTS*

Philip E. Hildreth

Lawrence Radiation Laboratory
University of California
Berkeley, California

July 30, 1962

dor^{61e}; deep orange^{61e}. I - 0.3± (adjusted for y-w = 1.5% C. O.)

Allelic with dor of Merrell. Viability poor. Spontaneous origin in sperm of a wildtype Samarkand male mated with y² sc^{S1} B In49 v w^a sc⁸ homozygous female. Localization calculated from sons of y sp^{2-w} spl/dor females (y sp^{2-w} spl 1552, dor 674; y dor 0, sp^{2-w} spl 3; y 6, dor sp^{2-w} spl 5; y sp^{2-w} 9, dor spl 6; y - dor 0.13; dor - sp^{2-w} 0.49; sp^{2-w} - spl 0.66).

*This work was done under the auspices of the U. S. Atomic Energy Commission.

